

Society of Petroleum Engineers

Asia Pacific Oil & Gas Conference and Exhibition 2006

“Thriving on Volatility”

September 11-13, 2006
Adelaide, Australia

Volume 1 of 2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60423-668-2

Copyright 2006, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE-copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A. Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists. This CD of the 2006 SPE Asia Pacific Oil & Gas Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe, the Adobe logo, and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office attention Technical Paper Administrator.

**Asia Pacific Oil & Gas
Conference and Exhibition
2006**

TABLE OF CONTENTS

Volume 1

Current Accumulator Design Methods are Inadequate for Deepwater Drilling	1
<i>M. Amani, Texas A&M U. at Qatar, and M.M. Rajabi, H.C. Juvkam-Wold, and J.J. Schubert, Texas A&M U.</i>	
WAG Performance in a Low Porosity and Low Permeability Reservoir, Sirri-A Field, Iran	12
<i>A. Taheri and V.A. Sajjadian, NIOC</i>	
Application of Real Time Surveillance and Optimisation Tools on a Large Asset	24
<i>W.E.J.J. van Zandvoord, SPE, Shell Global Solutions, Malaysia Sdn., Bhd., and A.A. Maskery, and T. Schmid, Petroleum Development Oman LLC</i>	
Injectivity Impairment Due to Residual Oil Mobilisation (Treatment of Laboratory Data)	32
<i>A.S.L. Vaz Jr. and P. Bedrikovetsky, North Fluminense State U., LENEP/UENF, and C. Furtado, A.G. Siqueira, and A.L.S. de Souza, Petrobras/CENPES</i>	
Successful Use of Multipurpose Vessel for Well Intervention and Stimulation, The Means to Manage Brownfield: Case History	42
<i>N. Al-Araimi, Brunei Shell Petroleum, and J. Queirós, Keng Seng Chan, and M. Samuel, Schlumberger</i>	
A New Cementing Approach to Improve and Provide Long-Term Zonal Isolation	52
<i>Y. El-Marsafawi, Schlumberger; A. Al-Yami, H.A. Nasr-El-Din, and A. Al-Jeffri, Saudi Aramco; M. Misran and A. Hasan, U. of Malaysia; and B. Jain, Schlumberger</i>	
An Oil and Gas Decision-Making Taxonomy	66
<i>S.I. Mackie and M.B. Welsh, U. of Adelaide, and M.D. Lee, U. of California, Irvine</i>	
Three Dimensional Hybrid DD-FEM Model for Fully Coupled Reservoir Simulation	75
<i>S. Yin, M.B. Dusseault, and L. Rothenburg, U. of Waterloo</i>	
An Offline Approach Utilising New Slickline Technology	79
<i>Giang Ha The and Ngoc Tran Dinh, Japan Vietnam Petroleum Co. Ltd., and D. Flores and F. Wendlinger, TAM Intl. Inc.</i>	
Transient Simulations Assist Hydrate Remediation Efforts in Deepwater Gulf of Mexico Dry-Tree Wells	85
<i>A.F. Harun, T.E. Krawietz, and M. Erdogmus, BP America</i>	
Permanent Plug and Abandonment Solution for the North Sea	91
<i>D. Liversidge, Shell E&P, Shell U.K. Ltd., and S. Taoutaou and S. Agarwal, Schlumberger</i>	
Review of MEOR Technology Application in Dagang Oilfield for the Last Decade	96
<i>Qing-xian Feng, Fang-tian Ni, Bao-yan Qin, Xian-ping Ma, Chao-feng Ji and Xiao-lin Wang, Dagang Oil Field Co.</i>	
Experience in AA-LDHI Usage for a Deepwater Gulf of Mexico Dry-Tree Oil Well: Pushing the Technology Limit	110
<i>A.F. Harun, G. Fung, and M. Erdogmus, BP America</i>	
A New Genetic Algorithm (GA) Model Predicts Green-House Gas (GHG) and Reservoir Oil Interaction Parameters More Accurately in Geosequestration Applications	116
<i>M.K. Emera and H.K. Sarma, The U. of Adelaide</i>	
The Importance of Well Construction and Well Integrity for Reservoir Management—A Mature Field Experience in Sudan	131
<i>R.D. Tewari and M.R.B.A. Raub, GNPOC; M.I. Omar, QP; B. Fenghan and M. Moris, GNPOC; J. Jelani, PRSS; and S. Ramachandran, A.L. Fooks, and J.M. Peden, AWT</i>	

Evaluation of Drag Reducing Agent (DRA) for Seawater Injection System: Lab and Field Cases	145
<i>H.A. Al-Anazi and M.G. Al-Faifi, Saudi Aramco; F. Tulbah, Zamil Group Holding Co.; and J. Gillespie, ConocoPhillips</i>	
Commercial Success of Polymer Flooding in Daqing Oilfield—Lessons Learned	155
<i>Wang Yupu and Liu He, Daqing Oilfield Co. Ltd.</i>	
Smart Snake Wells in Champion West—Expected and Unexpected Benefits From Smart Completions	158
<i>W. Obendrauf, K. Schrader, N. Al-Farsi, and A. White, Brunei Shell Petroleum Co. Sdn. Bhd.</i>	
A New Pressure Transient Analysis Model for Water Injection Well in Dual-Porosity Reservoirs	164
<i>T. Shimamoto, Teikoku Oil Co.; D. Kuramoto, JOGMEC; N. Arihara, Waseda U.; and T. Onishi, JOGMEC</i>	
Predicting the Distribution of Thin Bed Reservoir by Broad Frequency Band Seismic	172
<i>Zishun Li, Baowen Cui, Xuebin Guo, Xuerui Wei, Jiandong Mu, and Yanguo Qiao, E&P Research Inst. of Daqing Oilfield Co. Ltd., PetroChina and China U. of Geoscience (Beijing)</i>	
Case Study of Fracturing Technology to Thin Barrier in Daqing Oilfield	182
<i>Yan Jianwen, Research Inst. of Petroleum Exploration & Development, Petrochina, and Dang Huilan, Lu Jun, Wang Lili, Yang Wei, and Yu Ying, Production Engineering & Research Inst. of Daqing Oilfield Co. Ltd.</i>	
The Profile Modification Evaluation by Electrometric Potential Method	186
<i>Guo Feng, Daqing Petroleum Inst.; Zeng Li, Zhang Xuedong, Chang Wei, and Yan Honglin, Daqing Oilfield Co. Ltd.; and Hong Jinxiu and Li Na, Daqing Petroleum Administrative Bureau</i>	
Determination of the Zone of Maximum Probability of Asphaltenes Precipitation Utilising Experimental Data in an Iranian Carbonate Reservoir	192
<i>K. Hamid, NISOC</i>	
Studies on Less Expansive Environmentally Safe Polymers for Development of Water-Based Drilling Fluids	199
<i>V.P. Sharma and V. Mahto, Indian School of Mines</i>	
Evolution of Completion Methods in a High Pressure Fractured Carbonate Reservoir: A Case Study	203
<i>Peng Chen, Xi Wang, Langfang Branch of RIPEP, PetroChina; Xugang Wang, Inst. of Porous Flow & Fluid Mechanics of Chinese Academy of Sciences; and Junhe Xin, Yuxiang Wei, Aijun Zhu, and Yanfeng Wang, CNODC, CNPC</i>	
Experience With Rotary Steerable System for Reservoir Drilling in Iranian Offshore Oilfields	213
<i>A. Molayee, Iranian Offshore Oil Co., and A. Teymoori, Petroiran Development Co.</i>	
Downhole Fluid Analysis and Fluid Comparison Algorithm as an Aid to Reservoir Characterization	221
<i>L. Venkataramanan, Schlumberger; H. Elshahawi, D. McKinney, M. Flannery, and M. Hashem, Shell Intl. E&P Inc.; and O.C. Mullins, Schlumberger</i>	
Strategies and Techniques for a Giant Sandstone Oilfield Development: A Road Map to Maximize Recovery	237
<i>XiaoGuang Lu, SPE, Petrochina Companies in Indonesia; YuPu Wang, SPE, Daqing Oilfield Co. Ltd., Petrochina; and YongQing Zhang, Research Inst. of China Petroleum & Chemical Corp.</i>	
Laboratory Aspect of Chemical EOR Processes Evaluation for Malaysian Oilfields	250
<i>Zahari Ibrahim, Petroleum Management Unit, PETRONAS; Arif Azhan Abdul Manap, Pauziyah Abdul Hamid, Hon Vai Yee, and Lim Peng Hong, PETRONAS Research & Scientific Services Sdn. Bhd.; and Kon Wyatt, Surtek Inc.</i>	
Practical Approach To Achieve Accuracy In Sanding Prediction	262
<i>K. Qiu, J.R. Marsden, J. Alexander, and A. Retmanto, Schlumberger, and O.A. Abdelkarim and M. Shatwan, Agoco</i>	
Fighting Against Non-Unique Solution Problems in Heterogeneous Reservoirs Through Numerical Well Testing	281
<i>Zheng Shi-Yi, Heriot-Watt U.</i>	

The Role of Conceptual Geological Models in More Accurately Estimating Inplace Hydrocarbon: An Example From the Cooper Basin, South Australia	289
<i>M.A. Al-Khalifa, Saudi Aramco, and T.H.D. Payenberg and S. Lang, ASP, The U. of Adelaide</i>	
Uncertainty in Geophysic-Geology-Reservoir Modelling for Globigerinid Sands Carbonate in the NE-Java Basin, Indonesia: Case Study: Planning vs. Actual Field Development in the Madura Strait, Indonesia	298
<i>G. Sutadiwiria and H. Prasetyo, BPMIGAS</i>	
The Use of Fractional Flow Theory for Foam Displacement in Presence of Oil	303
<i>D.J. Mayberry, Schlumberger, and S.I. Kam, Louisiana State U.</i>	
Identifying the Improved Oil Recovery Potential for a Depleted Reservoir in the Betty Field, Offshore Malaysia	315
<i>T. Friedel, Schlumberger; G.J. Sanza, M.I. Ali, and A. Embong, Petronas Carigali Sdn Bhd.; and E. Kasap, S. Yusoff, and A. Cuauro, Schlumberger</i>	
A New Neural Network Approach to Reservoir Permeability Estimation From Well Logs	327
<i>Jong-Se Lim, Korea Maritime U.; Hui-June Park, Seoul Natl. U.; and Jungwhan Kim, KODECO Energy Co. Ltd.</i>	
New Completion Solution for Multi Layer Gas Fields: A Case History	332
<i>M.A. Arianto, Y. Susatyo, B. Srisantoso, and Sumaryanto, VICO Indonesia</i>	
An Integrated Approach to Reservoir Performance Monitoring and Analysis	339
<i>K. Sugai and N. Nishikiori, Arabian Oil Co. Ltd.</i>	
Successes Achieved in Acidizing of Geothermal Wells in Indonesia	351
<i>M. Mahajan, BJ Services; R. Pasikki, T. Gilmore and K. Riedel, Chevron; and S. Steinback, BJ Services</i>	
A Hybrid Artificial Intelligence Method for the Optimization of Integrated Gas Production System	361
<i>Hui-June Park, Seoul Natl. U.; Jong-Se Lim, Korea Maritime U.; Joo M. Kang and Jeongyong Roh, KNOC; and Bae-Hyun Min, Seoul Natl. U.</i>	
Managing Structural Integrity for Aging Platform	370
<i>N.W. Nichols, Petronas Carigali Sdn Bhd; T.K. Goh, Petronas Research & Scientific Services Sdn Bhd; and H. Bahar, Petronas Carigali Sdn Bhd</i>	
Adding Value to Oil and Gas Fields Through Systematic Full Field Reviews	384
<i>C. Balnaves, Consultant; S. Bangkok, Petronas; J. Herweijer, ReservoirTeam Pty. Ltd.; H.R. Irrgang, Australian Worldwide Exploration Ltd.; A.K. Khurana, U. of Adelaide; W. Lammerink, Santos Ltd.; and I.D. Palmer, Australian Worldwide Exploration Ltd.</i>	
A Systematic Approach to Incorporate Capillary Pressure-Saturation Data into Reservoir Simulation	397
<i>Y. Wang, Schlumberger; M. Bandal, Petronas; J. Moreno, Schlumberger; and M.Z. Sakdilah, Petronas</i>	
Rapid Pressure Support for Champion SE Reservoirs by Multi-Layer Fractured Water Injection	407
<i>G. Sommerauer and C. Zerbst, Brunei Shell Petroleum Co. Sdn. Bhd.</i>	
Water Control and Fracturing: A Reality	426
<i>M. Mahajan and N. Rauf, BJ Services; T. Gilmore, Chevron; and A. Maylana, Pertamina</i>	
Using Neural Networks for Candidate Selection and Well Performance Prediction in Water-Shutoff Treatments Using Polymer Gels—A Field-Case Study	437
<i>A. Saeedi, Chevron Corp., and K.V. Camarda and J.T. Liang, The U. of Kansas</i>	
A Case Study for Comparison of Different Real Option Approaches in Petroleum Investments	445
<i>Y.H. Yao, S. Begg, J. van der Hoek, and P. Behrenbruch, U. of Adelaide, and R.B. Bratvold, U. of Stavanger</i>	
New Integration Technique for Different Type of Data to Construct a Permeability Prediction Model From Well Logs	452
<i>Mayu Otake and Tatsuo Shimamoto, Teikoku Oil Co. Ltd.</i>	

Depositional Modelling of Champion Field, Brunei: Assessing the Impact of Reservoir Architecture on Secondary Recovery	459
<i>D.F. Hadley, E. Arochukwu, K. Nishi, M. Sarginson, H. Salleh, and M. Omar, Brunei Shell Petroleum Sdn. Bhd.</i>	
Research on Remaining Oil Distribution and Further Development Methods for Different Kinds of Oil Layers in Daqing Oilfield at High Water-Cut Stage	489
<i>Shi Chengfang, Du Qinglong, Zhu Lihong, Zhang Shanyan, Zhang Lei, and Jian Xiaowei, Daqing Oilfield Co. Ltd. PetroChina</i>	
An Experimental Study and Genetic Algorithm (GA) Correlation to Explore the Effect of nC5 on Impure CO2 Minimum Miscibility Pressure (MMP)	493
<i>J. Bon, M.K. Emera, and H.K. Sarma, U. of Adelaide</i>	
Reservoir Fluid Sampling Revisited—A Practical Perspective	503
<i>J. Bon and H.K. Sarma, U. of Adelaide; J.T. Rodrigues, Santos Ltd.; and J.G. Bon, Petrolab Pty. Ltd.</i>	
A High Success Rate Acid Stimulation Campaign—A Case History	512
<i>N. Al-ArAIMI, Brunei Shell Petroleum Co. Sdn. Bhd. and L. Jin, Shell Intl. E&P</i>	
Remote Sensing, Fuzzy Logic and GIS in Petroleum Exploration	520
<i>S.R. Taheri, Curtin U. of Technology Western Australia</i>	
Near a Kilometer of Perforating Guns, in a 7½ Kilometer, Extended Reach Well - Coiled Tubing Shows its Mettle in New Zealand	529
<i>P. Bartholomew, Shell Todd Oil Services Ltd.; L. Portman, BJ Services; R. Frost, BJ Services; P. Nunn and P. Vause, Vause Wireline; D. Edmondson, L. Andrich, and T. LaGrange, Owen Oil Tools</i>	
Recapturing the Value of Fractional Flow Analysis in a Modern Day Water Flood	536
<i>H. Millán and A. Parker, Brunei Shell Petroleum Co. Sdn. Bhd.</i>	
A Novel Cased Hole Density-Neutron Log – Characteristics and Interpretation	546
<i>P.A.S. Elkington, C.A. Pereira, and J.R. Samworth, Weatherford</i>	
A New Real-Time Monitoring Method for Sandstone Reservoirs’ Acidizing	553
<i>Jianbo Zou., Min Li., Liqiang Zhao., and Qiang Wang., Southwest Petro Ins and State Key Lab of Oil/Gas Reservoir Geology and Exploitation</i>	

Volume 2

Optimized Perforation—From Black Art to Engineering Software Tool	560
<i>M.R.G. Bell and J.B. Davies, Shell Intl. E&P, and S. Simonian, FloDynamic</i>	
Focused Sampling of Reservoir Fluids Achieves Undetectable Levels of Contamination	566
<i>M. O’Keefe, Schlumberger; K.O. Eriksen, Statoil; S. Williams, Hydro; D. Stensland, ENI Norge; and R. Vasques, Schlumberger</i>	
One-Trip Sand-Control / Liner Hanger / Big-Bore Completion System	586
<i>C.R. Hoffman, Baker Oil Tools</i>	
An Integrated Wellbore Stability and Sand Production Prediction Study for a Multi-Field Gas Development	596
<i>B. Wu, CSIRO Petroleum; Nulwhoffal Arselan Mohamed, Petronas Research & Scientific Services Sdn. Bhd.; C.P. Tan, Schlumberger Oilfield Support Sdn. Bhd.; Md Wakif Sukahar and Teh Yat Hong, Petronas Carigali; C. Viswanathan, CSI</i>	
Development of Moomba North Gas Field: Lessons Learned From Integrated Study Followed by an Infill Drilling Campaign	610
<i>J.C. Herweijer, ReservoirTeam Ltd., and M. Barley, P. Bainbriggs, and T. Herries, Santos Ltd.</i>	
Development of an Integrated Production Network Model for the Heera Field	617
<i>M.S. Nadar, R. Kulkarni, and Z.R. Lemanczyk, Edinburgh Petroleum Services Ltd., and P. Aggarwal, Oil and Natural Gas Corp. Ltd.</i>	

Study of the Lifting Technology for Numerical Control Reciprocating Electric Submersible Pump	630
<i>Dejin Wang, Zaishan Wang, Dongfeng Lu, Shengzhu Ji, Weiqian Hou, Dongyuan Ge, and Shiyang Guo, Daqing Oilfield Co. Ltd.</i>	
Burning Reserves For Greater Recovery? Air Injection Potential In Australian Light Oil Reservoirs	637
<i>B.L. Hughes and H.K. Sarma, U. of Adelaide</i>	
A Case Study of a Successful Chemical Treatment to Mitigate Asphaltene Precipitation and Deposition in Light Crude Oil Field	654
<i>A. Sanada and Y. Miyagawa, Teikoku Oil Co. Ltd.</i>	
Changes in Completion Strategy Unlocks Massive Jurassic Coalbed Methane Resource Base in the Surat Basin, Australia	662
<i>R.L. Johnson, S. Scott, and M. Herrington, Queensland Gas Co. Ltd.</i>	
A Multi-Component Dual-Porosity Model for Gas Reservoir Flow with Adsorption Behaviour	678
<i>M. Lu and L.D. Connell, CSIRO Petroleum</i>	
A Constraint Management Based Planning Approach to Delivering Exploration, Development and Production Work Programmes	691
<i>I. MacDougall, Stuart Petroleum Ltd., and K. Saman, Paradigm Icon Pty Ltd.</i>	
Hydraulic Fracturing of Miocene and Oligocene Sandstones in the Taranaki Basin, New Zealand	698
<i>D. Green and K. Seanard, Swift Energy, and A.N. Martin, BJ Services</i>	
The Cost of Carbon Capture and Storage in the Perth Region	711
<i>W.G. Allinson, R.E. Dunsmore, P.R. Neal, and M.T. Ho, U. of New South Wales</i>	
Kutubu: A Rethink	718
<i>N. Williams and D. Lund, Oil Search Ltd.</i>	
Methods for Real-Time and High-Resolution Formation Evaluation and Formation Testing of Thinly Bedded Reservoirs in Exploration Wells	727
<i>M. Claverie, Schlumberger; S. Aboel-Abbas, C.S. Mutiara; and H. Harfoushian, S. Hansen, and R. Leech, Schlumberger</i>	
Formation Damage Induced by Fracture Fluids in Coalbed Methane Reservoirs	740
<i>Z. Chen, N. Khaja, K.L. Valencia, and S.S. Rahman, The U. of New South Wales</i>	
Stepping on Development of Small and Medium Size Oilfields through Horizontal Wells—The Way Ahead	746
<i>R.D. Tewari and M. Malik, GNPOC, and S. Naganathan, Schlumberger</i>	
A Case Study on the Numerical Simulation of Enhanced Coalbed Methane Recovery	762
<i>X.R. Wei, G.X. Wang, P. Massarotto, and S.D. Golding, U. of Queensland</i>	
An Intelligent Hydraulic Fracture Optimization Model: A New Tool to Stimulate Low Permeable Oil Reservoir	768
<i>M.M. Rahman, United Arab Emirates U., and M.K. Rahman, The U. of Western Australia</i>	
Material Balance Analysis in Complex Mature Reservoirs— Experience in Samarang Field, Malaysia	779
<i>T. Bui, Schlumberger; M. Bandal, and N. Hutamin, Petronas; and A. Gajraj, Golden Eagle Intl.</i>	
Practical Steps for Successful Identification and Production of Remaining Hydrocarbons Reserves in a Mature Field—Case Study From Tinggi, Malaysia	795
<i>M. Claverie, Schlumberger; N.A. Malek, Petronas Carigali; and K.F. Goh, Schlumberger</i>	
Developing a Fractional Flow Curve from Historic Production to Predict Performance of New Horizontal Wells, Bekasap Field, Indonesia	806
<i>J. Sitorus, A. Sofyan, and M.Y. Abdulfatah, Chevron Pacific Indonesia</i>	
Two-Phase Relative Permeability Prediction: A Comparison of the Modified Brooks-Corey Methodology with a New Carman-Kozeny Based Flow Formulation	810
<i>P. Behrenbruch and H.M. Goda, The U. of Adelaide</i>	

Reducing Uncertainty Through Downhole Fluid Analysis: A Field Case Study	828
<i>J.M. Muruais, Schlumberger, and A.A. Young, Anzon Australia Ltd.</i>	
Portfolio Optimization: Systems vs. Sequential Approach	837
<i>M.H. Al-Harthy, Sultan Qaboos U., and A.K. Khurana, U. of Adelaide</i>	
Water Frac Application in Injectors Improves Waterflooding—An Innovative Approach	847
<i>S.P. Nainwal, R. Das, C.B. Singh, and S.S.P. Singh, Oil & Natural Gas Corp. Ltd.</i>	
Drill-in Fluids for Multi-Lateral MRC Wells in Carbonate Reservoir-PSD Optimization and Best Practices Lead to High Productivity: A Case Study	857
<i>M.A. Siddiqui, A.A. Al-Ansari, N.I. Al-Afaleg, H.A. Al-Anazi, D.E. Hembling, and M.A. Bataweel, Saudi Aramco</i>	
Fracture Model for General Offshore Applications	867
<i>E. Kaarstad and B.S. Aadnoy, U. of Stavanger</i>	
New Gun-Hanger Design Provides Safety and Flexibility for High-Rate Gas Wells in North China Kela Field	874
<i>J. Hales, I. Smith, and Kee Yong Wah, Halliburton Energy Services Inc., and Liu Jian Xun, Li Ru Yong, and Liu Ming Qiu, Tarim Oil Co.</i>	
Design and Implementation of a Sand-Control Completion for a Troublesome Shallow Laminated Gas Pay—A Case Study	885
<i>J.H. Terwogt, N.S. Hadfield, and A.A. Van Karanenburg, Sarawak Shell Berhad, and S. Salahudin and K. King, Halliburton Energy Services Inc.</i>	
Data Acquisition With Advanced Acoustic Telemetry Improves Operational Efficiency in Deep-water and Land-Well Testing? Case Histories	900
<i>M. Azari, A. Salguero, E. Almanza, and H. Kool, Halliburton Energy Services Inc.</i>	
Innovative Use of Expandable Sand Screens Combined With Propped Hydraulic Fracturing Technology in Two Wells With Intelligent Completions in the Egret Field, Brunei: Challenges, Successes, and Best Practices Learned	916
<i>Sakamrin Abdul-Rahman, Brunei Shell Petroleum Co. Sdn. Bhd., and Derek Lim, Jit Juan Lim, and Kuo Chuan Ong, Halliburton Energy Services Inc.</i>	
The Feasibility Studies of Polymer Foam Flooding in Gudao Oilfield	924
<i>Zhenquan Li, Guohua Zhou, and Zongming Zhou, Shengli Oilfield Co., SINOPEC Ltd.</i>	
Results of Proactively Managing a Heavy-Oil Waterflood in South Oman Using Streamline-Based Simulation	932
<i>M. Naguib, S. Sikaiti, H. Balushi, C. Barrio, and S. Mahrooqi, PDO, and R. Batycky, StreamSim Technologies</i>	
Assisted History Matching for Surface Coupled Gas Reservoir Simulation	942
<i>D. Biswas, SiteLark LLC</i>	
A New Strategy of Brownfield Development in New PT PERTAMINA EP Indonesia	952
<i>K. Kurnely, S. Aprilian, and P. Suarsana, Pertamina</i>	
Research Study for Microbial Restoration of Methane Deposit with Subsurface CO₂ Sequestration into Depleted Gas/Oil Fields	964
<i>K. Fujiwara, T. Mukaidani, S. Kano, and Y. Hattori, Chugai Technos Corp.; H. Maeda, Y. Miyagawa, and K. Takabayashi, Teikoku Oil Co. Ltd.; and K. Okatsu, Japan Oil, Gas and Metals Natl. Corp.</i>	
The Dangers of Volumetric and Financial Data Silos in E&P	976
<i>R. Hull, Halliburton Digital and Consulting Solutions</i>	
Petrophysical Evaluation of the Igneous Gas-Bearing Reservoir Fractured—A Case Study at Xujiaweizi Area Outside Daqing Oilfield, China	980
<i>Wei Huang, Daqing Research Inst. of Petroleum Exploration and Development; Yujin Zhang, Tianjin Favors Hi-Tech Co.; Yingjie Hu, Liaohe Research Inst. of Petroleum Exploration and Development; Chuanping Liu and Changhai Yin, Daqing Research Inst. of</i>	
The Hydrogen Economy: Economics of Hydrogen Production From Natural Gas	990
<i>D. Seddon, Duncan Seddon & Assocs. Pty. Ltd.</i>	

Well-Collision Risk in Congested Environments	995
<i>B. Poedjono, G. Akinniranye, G. Conran, K. Spidle, and T. San Antonio, Schlumberger</i>	
Reliable and Effective Downhole Cleaning System for Debris and Junk Removal	1007
<i>D.B. Haughton and P. Connell, Baker Oil Tools</i>	
Multi-Objective Decision Making: A Critical Analysis of the Applicability of Renewable Energy Technologies	1016
<i>N. Rudduck and A. Khurana, U. of Adelaide, and M. Congreve and J. Lourens, Santos Ltd.</i>	
Wellsite Permit to Work System for Onshore Australia	1027
<i>T. Gouldie, Santos Ltd.</i>	
Application of Critical Technologies Enabling Low Cost Development of Thin-Bedded Heterogeneous Gas Reservoirs in the North Malay Basin	1033
<i>L. Alessio, C. Howells, J. Chu, S.A. Abbas, B. Wade, and S. Ball, Carigali Shell Mutiara Petroleum</i>	
Improved Window Cutting Efficiency Cuts Casing Exits Costs	1046
<i>J.E. Toulouse, Baker Oil Tools Inc.</i>	
Case Study: Subsea Intervention With a Jack-up Drilling Rig	1050
<i>B. Hargreaves, J.W. Mohr, T.M. Snow, and B.O. Mamuko, ExxonMobil Australia Pty. Ltd.</i>	
Well Testing by Design: Transient Modelling for Predicting Behaviour in Extreme Wells	1058
<i>D. Teng and B. Maloney, Woodside Energy Ltd., and J.C. Mantecon, Scandpower Petroleum Technology</i>	
Development Well and Execution Planning in a Complex Subsurface Environment— The Impact of Large and Small Scale Modelling on Well Deliverability	1072
<i>G. Philip, S.K. Twardz, and J. DePledge, Woodside Energy Ltd.</i>	
Quality Control of Static Reservoir Models	1081
<i>J.A. Spilsbury-Schakel, Woodside Energy Ltd.</i>	
History Matching Considerations of an Analogue Reservoir Model (ARM)	1087
<i>E.T. Montague, Curtin U. of Technology; D.H. Sherlock, CSIRO Petroleum; and E. Santoso, Curtin U. of Technology</i>	
Application of Intelligent Completions to Optimize Waterflood Process on a Mature, North Sea Field: A Case Study	1100
<i>A. Ajayi and M. Konopczynski, WellDynamics Inc., and Ø. Tesaker, Statoil</i>	
Drilling and Petroleum Engineering Program and Project Management at Santos Ltd.	1108
<i>G. Horton and T. Dedigama, Santos Ltd.</i>	