

2006 8th Electronic Packaging Technology Conference

**Singapore
December 6-8, 2006**

Volume 1 of 2



IEEE Catalog Number:
ISBN:

06EX1538
1-4244-0664-1

Table of Contents

| | |
|---|-----|
| Embedded Wafer Level Ball Grid Array (eWLB) | 1 |
| <i>M. Brunnbauer, E. Fürgut, G. Beer, T. Meyer</i> | |
| Shape Matching-Assisted Self-Assembly of Microchips on a Silicon Substrate | 6 |
| <i>L.L. Yan, Y.L. Lim, Y.Y. Ong, E.B. Liao, V. Kripesh</i> | |
| Comparison Study from Sputtering, Sol-gel, and ALD Processes Developing Embedded Thin Film Capacitors | 10 |
| <i>Jinyong Ahn, Joseph Y. Lee, Joonsung Kim, JeGwang Yoo, Changsup Ryu</i> | |
| Overview and Emerging Challenges in Mechanical Dicing of Silicon Wafers | 15 |
| <i>Ganesh VP, Charles Lee</i> | |
| Development of Vertical and Tapered Via Etch for 3D Through Wafer Interconnect Technology | 22 |
| <i>Deniz Sabuncuoglu Tezcan, Koen De Munck, Nga Pham, Ole Luhn, Arno Aarts, Piet De Moor, Kris Baert, Chris Van Hoof</i> | |
| Mechanical and Microstructure Characterization of High Aspect Ratio Electroplated Through-Wafer Copper Interconnects | 29 |
| <i>Pradeep Dixit, Luhua Xu, Jianmin Miao, John, H.L. Pang, David Witarsa, Peggy Lim, Petra Backus, Robert Preisser</i> | |
| Design Rules for Post-CMOS Through Silicon Vias in an Industrial Environment | 35 |
| <i>Stephan Warnat, Norman Marenco, Dirk Kähler, Wolfgang Reinert</i> | |
| BCB (Benzocyclobutene) Process Integration for the RF Passive Device | 40 |
| <i>H. Y. Li, M. Tang, L. H. Guo, G. Q. Lo</i> | |
| Investigation of Ink-Jet Printing of Self-Assembled Monolayers for Copper Circuit Patterning | 46 |
| <i>Stephen Ebbens, David A. Hutt, Changqing Liu</i> | |
| Characterization of Viscoelastic Behaviour of a Molding Compound with Application to Delamination Analysis in IC Packages | 53 |
| <i>Gojun Hu, Andrew A. O. Tay, Yongwei Zhang, Wenhui Zhu, Spencer Chew</i> | |
| Moisture Absorption Mechanism in Epoxy Molding Compounds Used In IC Encapsulation | 60 |
| <i>Jeromerajan Premkumar, Narasimalu Srikanth</i> | |
| Investigation of Mechanical Properties of Black Diamond TM (low-K) Thin Films for Cu/low-k Interconnect Applications | 63 |
| <i>V. N. Sekhar, S. Balakumar, T. C. Chai, Andrew A. O. Tay</i> | |
| A New EBG Structure for < 5 GHz SSN Suppression in < 10mm x 10mm high density Mixed - Signal SIP | 70 |
| <i>Eunseok Song, Heeseok Lee</i> | |
| High-Speed Differential Interconnection Design for Flip-Chip BGA Packages | 76 |
| <i>W.L. Yuan, H.P. Kuah, C.K. Wang, Anthony Y.S. Sun, W.H. Zhu, H.B. Tan, A.D. Muhamad</i> | |
| A Compact and Low Cost Multilayered Balun Designed for SiP Applications | 82 |
| <i>Lim Ying Ying, Mihai Dragos Rotaru</i> | |
| Design of LTCC-based Ultra-Wideband Transmitter SiP Using CMOS Impulse Generator | 85 |
| <i>Changwook Yoon, Junwoo Lee, Myunghoi Kim, Youngjin Park, Hyunjeong Park, Hyein Lee, Jounggho Kim</i> | |
| 60-GHz-Band Transmission Module for 3-Dimensional System-in-Package | 90 |
| <i>Kohei Masuda, Futoshi Takeuchi, Yasuhiro Hamada, Kenichi Maruhashi, Hiroshi Oguma, Suguru Kameda, Hiroyuki Nakase, Tadashi Takagi, Kazuo Tsubouchi</i> | |
| Packaging Technologies for Mobile Platforms | 96 |
| <i>Marc A. Mangrum</i> | |
| Development of a FC/WB Stacked Die SiP with 100um Pitch F2F Micro-Bump Interconnection | 103 |
| <i>Catherine Ng, Chua Khoon Lam, Charles Lee</i> | |

Table of Contents

| | |
|---|------------|
| Design and Evaluation of 4 Channel Full-Duplex Transceiver Modules for Optical Communication Applications..... | 109 |
| <i>Haridas Kuruveetil, Pamidighantam V. Ramana, Mihai Dragos Rotaru, Zhao Zhiqiang, Jean Chazelas</i> | |
| FE-Investigation of the Stress/Strain and Fracture Mechanics Properties of Intermetallic Phase Regions in Leadfree Solder Interconnects..... | 114 |
| <i>Wolfgang H. Müllera, Taoufiq Hannach, H.-J. Albrecht</i> | |
| Experimental and Numerical Assessment of Board-level Temperature Cycling Performance for PBGA, FBGA and CSP | 121 |
| <i>Wei Sun, W. H. Zhu, F. X. Che, C. K. Wang, Anthony Y.S. Sun, H. B. Tan</i> | |
| Modelling the Behavior of Solder Joints for Wafer Level SiP | 127 |
| <i>N. Strusevich, S. Stoyanov, D. Liu, C. Bailey, A. Richardson, N. Dumas, J.M. Yannou, V. Georgel</i> | |
| Optimization of Flip Chip Interconnect Reliability Using a Variable Compliance Interconnect Design | 133 |
| <i>Andrew A.O. Tay, Wei Sun</i> | |
| Epoxy Adhesive and Process Enhancement on Delamination Related IC and Packaging Reliability Problems: An Evaluation Study I..... | 138 |
| <i>S. T. Chang, E. L. Loh, E. C. Khoo, S. F. Lim, M. M. Yuwaraja, S. L. David Chong</i> | |
| Effects of Metal Surface Finish on the Anisotropic Conductive Adhesives (ACAs) Joints | 143 |
| <i>Hyoung-Joon Kim, Kyung-Wook Paik</i> | |
| Behavior of Whisker Growth on Tin Plated Fe-42% Ni Substrates | 150 |
| <i>Y. Iwane, Y. Morizono, Y. Ohno, N. Kuwano</i> | |
| Effect of Plasma Treated ITO Substrate on Inkjet Printing of Conductive Ink..... | 154 |
| <i>B.K. Lok, P.Y. Ng, X. Hu, H.P. Low</i> | |
| A Numerical Approach Towards the Correlation Between Ball Impact Test and Drop Reliability | 161 |
| <i>Chang-Lin Yeh, Yi-Shao Lai</i> | |
| Improvement of Drop Reliability in OSP/Cu Pad Finished Packages | 168 |
| <i>Pyoung-Wan Kim, Bo-Seong Kim, Eun-Chul Ahn, Tae-Gyeong Chung</i> | |
| Improvement of Mechanical Impact Resistance of BGA Packages with Pb-free Solder Bumps..... | 174 |
| <i>X. J. Zhaoa, J.F.J.M. Caersb, J.W.C. de Vriesb, J. Kloostermanc, E. H. Wongd, R.Rajood</i> | |
| Ball Impact Responses and Failure Analysis of Wafer-level Chip-scale Packages | 179 |
| <i>Yi-Shao Lai, Chang-Lin Yeh, Hsiao-Chuan Chang, Chin-Li Kao</i> | |
| Microstructures and Characteristics of Micro Bump Connection after Ultrasonic Flip-Chip Bonding | 185 |
| <i>Tetsuya Sugimoto, Yasuhiro Morizono, Yasuhide Ohno</i> | |
| Kinetics of Intermetallic Growth between Lead-Free Solders and Silver–Palladium Metallizations..... | 190 |
| <i>Gaurav Sharma, Vaidyanathan Kripesh</i> | |
| Eutectic Sn/Pb Solder Bump Cracking Issue of Large-die Flip Chip Ball Grid Array (FCBGA) Package with Electroless Ni/Immersion Au (ENIG) Build-up Substrate..... | 196 |
| <i>Zheng Peng Xiong, John W. Osenbach, Kok Hua Chua</i> | |
| Effect of Electric Current on the Mechanical Properties and Interfacial Microstructure of Ni-P/Sn-3.5Ag and Ni/Sn-3.5Ag Solder Joints..... | 203 |
| <i>Aditya Kumar, Zhong Chena, C. C. Wonga, S. G. Mhaisalkara, Vaidhyathan Kripeshb</i> | |
| Solid State Growth Kinetics of Complex Intermetallics in the Pb-free Ball Grid Array (BGA) Solder Joint for MEMS Packaging | 211 |
| <i>M. O. Alam, Yang Dan, B. Y. Wu, Y. C. Chan, L. Rufer, C. Bailey</i> | |
| Thermo-mechanical Modelling of Power Electronics Module Structures..... | 214 |
| <i>T. Tilford, H. Lu, C. Bailey</i> | |
| A Hybrid Equivalent-Layer Model for Analysis of Solder Joint Reliability of Ultra-Fine Pitch Packages..... | 220 |
| <i>B. Zhao, A.A.O. Tay, Thamburaja Prakash</i> | |

Table of Contents

| | |
|---|------------|
| Application of Finite Element Analysis on Flip Chip Ball Grid Array Package with 65nm Cu/low-x Device | 227 |
| <i>Alfred Yeo, Tan Ai Min, Charles Lee</i> | |
| Underfill Selection for Reducing Cu/low-K Delamination Risk of Flip-chip Assembly | 233 |
| <i>Tong Hong Wang, Yi-Shao Lai, Meng-Jen Wang</i> | |
| Structural Design for Cu/Low-K Larger Die Flip Chip Package | 237 |
| <i>Kalyan Biswas, Shiguo Liu, Xiaowu Zhang, TC Chai, Ser-Choong Chong</i> | |
| Simulation of Forces Acting on Tiny Chips During Fluidic Self-Assembly..... | 243 |
| <i>Andrew A.O. Tay, Hua Li, Xiangyang Gao, Jeremy Chen, V. Kripesh</i> | |
| Flexible Soldering Cells for Small Batch Productions..... | 249 |
| <i>R.P. Monfared, A.A. West, D.A. Vera, P.P. Conway</i> | |
| Surface Mountable Low Cost Packaging for RFID Device..... | 255 |
| <i>Samuel Y. L. LIM, Ser Choong Chong, Lihui Guo, Wai Yin Hnin</i> | |
| Dicing of Optical Wafer Level Packages..... | 260 |
| <i>Dennis Tangaha, Florian Bieck</i> | |
| Thermal Induced Warpage Characterization for Printed Circuit Boards with Shadow Moiré System | 265 |
| <i>Ming Ying, Yew Choon Chia, Arman Mohtar, Tiang Fee Yin, Sai Poh Chuah</i> | |
| Stretchable Electronic Systems..... | 271 |
| <i>Thomas Löher, Dion Manassis, Ralf Heinrich, Benno Schmied, Jan Vanfleteren, Johan DeBaets, Andreas Ostmann, Herbert Reichl</i> | |
| Optimization of Gold Wire Bonding on Electroless Nickel Immersion Gold for High Temperature Applications..... | 277 |
| <i>Beng Teck Ng, Ganesh VP, Charles Lee</i> | |
| Ductile-to-Brittle Transition Strain Rate..... | 283 |
| <i>Robert Darveaux, Corey Reichman</i> | |
| Micro- and Nano-DIC Deformation Analysis for Electronic Packaging Applications | 290 |
| <i>Yaofeng Sun, John H.L. Pang, Fan Wei, Xunqing Shi</i> | |
| Deformation and Fatigue Behaviour of AuSn Interconnects..... | 297 |
| <i>Olaf Wittler, Hans Walter, Rainer Dudek, Wolfgang Faust, Wei Jun, Bernd Michel</i> | |
| Board Level Solder Joint Life Prediction of Fine Pitch Large IC | 302 |
| <i>Chong CW, Xiaowu Zhang, Chai TC</i> | |
| Extra Thin Profile Land Grid Array Package Solder Joint Reliability Assessment..... | 307 |
| <i>Pak Wing Wong, Ming Ying, Alfred Tengh, Arman Mohtar, Yew Choon Chia</i> | |
| Cyclic Bend Fatigue Reliability Investigation for Sn-Ag-Cu Solder Joints | 313 |
| <i>F.X. Che, H.L.J. Pang, W.H. Zhu, Anthony Y. S. Sun</i> | |
| Pressure Dependence in Peripheral Bonding in Gold-Gold Thermocompression | 318 |
| <i>X.F. Ang, G.G. Zhang, J.Weii, Z. Chen, C.C. Wong</i> | |
| Evaluating Fine-Pitch Chip-on-Flex with Non-Conductive Film by Using Multi-Points Compliant Bump Structure..... | 324 |
| <i>Yu-Wei Huang, Su-Tsai Lu, Tai-Hong Chen</i> | |
| High Temperature Performance Study of Gold wire bonding on a Palladium Bonding Pad..... | 330 |
| <i>Wardhana Aji Sasangka, A.C. Tan</i> | |
| Process and Materials Considerations for Pb-free Flip Chip Packaging of 65nm Cu/low-k Device | 336 |
| <i>Tan Ai Min, Soh Choew Kheng, Sharon Pei-Siang Lim, Charles Lee</i> | |
| Electronics Warming and Optimization Study Subject to Low Temperature Environments..... | 340 |
| <i>Hamed (Kevin) Khalkhali, Marinela Gombosov</i> | |

Table of Contents

| | |
|---|------------|
| Transient Analysis and Experimental Validation of Thermal-Fluidic Fields on TFT-LCD TV Panels | 346 |
| <i>Chung-Yi Chu, Min-Chun Pan</i> | |
| An Experimental Study of Air and Mist Cooling of Microchannels on IC Chips..... | 353 |
| <i>Andrew A. O. Tay, Simon S. T. Ang, L. O. Lwin</i> | |
| Short Time Die Attach Characterization of Leds for In-line Testing Application..... | 360 |
| <i>P. Szabó, M. Rencz, G. Farkas, A. Poppe</i> | |
| A Novel Optoelectronic Ferrule and Easy Ribbon Fiber Splicer for Cost-effective Optical Interconnection..... | 367 |
| <i>Wataru Sakurai, Kenichiro Ohtsuka, Mitsuaki Tamura, Kazuhito Saito, Hideo Numata, Hiroshi Hamasaki, Hideto Furuyama, Chiaki Takubo</i> | |
| Test Electronics for a Multi-Gbps Optical Packet Switching Network | 373 |
| <i>C.E. Gray, O. Liboiron-Ladouceur, D.C. Keezer, K. Bergman</i> | |
| Process Development for Yellow Phosphor Coating on Blue Light Emitting Diodes (LEDs) for White Light Illumination..... | 379 |
| <i>K. H. Lee, S. W. Ricky Lee</i> | |
| Effect of Minor Doping Elements on Lead Free Solder Joint Quality | 385 |
| <i>Don-Son Jiang, Yu-Po Wang, C.S. Hsiao</i> | |
| Quantitative Description of Micro-Structural Changes in lead-free Solder Alloys | 390 |
| <i>Wolfgang H. Müller, Thomas Böhme</i> | |
| Tin Whisker Formation on a Lead-free Solder Alloy Studied by Transmission Electron Microscopy | 398 |
| <i>H. Sosiati, N. Kuwano, S. Hata, Y. Iwane, Y. Morizono, Y. Ohno</i> | |
| Alloying Effect of Ni, Co, and Sb in SAC solder for Improved Drop Performance of Chip Scale Packages with Cu OSP Pad Finish..... | 404 |
| <i>Ahmer Syed, Tae Seong Kim, Young Min Cho, Chang Woo Kim, Min Yoo</i> | |
| Application of Submodeling Technique to Transient Drop Impact Analysis of Board-level Stacked Die Packages | 412 |
| <i>Hsiang-Chen Hsu, Yu-Chia Hsu, Hui-Yu Lee, Chang-Lin Yeh, Yi-Shao Lai</i> | |
| Joint Failure Prediction of BGAs via Failure Force Mapping..... | 419 |
| <i>Tan L.B., V.B.C.Tan, Xiaowu Zhang, Lim C.T.</i> | |
| Dynamic Behavior of a Populated Circuit Card Assembly..... | 428 |
| <i>Ronen Betman, Eli Altus</i> | |
| Elastoplastic Harmonic Analysis of Board-level Swept Sine Vibration Tests | 435 |
| <i>Chang-Lin Yeh, Yi-Shao Lai</i> | |
| RF-MEMS Wafer-Level Packaging Using Through-Wafer Via Technology..... | 441 |
| <i>J. Tian, J. Iannacci, S. Sosin, R. Gaddi, M. Bartek</i> | |
| Study of a Capillary Force Driven Passive Valve for a Microfluidic Package | 448 |
| <i>Michelle Chew, William Teo, Ling Xie, CS Premachandran, Wai Hing Wong, Diao Xu, Qiang Yao</i> | |
| Particle Flow Characterization for a Microfluidic Device for Cell-based Assay | 454 |
| <i>C.Y. Teo, W.L. Ong, H.Y. Zhang, L. Yobas</i> | |
| Organic Sealant Materials For Quasi-hermetic Sealing of MEMS Sensor Packages..... | 462 |
| <i>A. Tai, H. Karagözoglu, K.L Chuan</i> | |
| On the Study of Loop Profiles in Improving the Sweep Stiffness of Wire Bond..... | 472 |
| <i>H.K. Kung, C.H. Huang, A.I. Chanyshev</i> | |
| An Advanced Data Acquisition System for Microprocessor Package Thermal Characterization | 478 |
| <i>Desmond Tay, Liu Bao Min, Y. C. Mui</i> | |
| Improved Thermal Modeling Techniques for Bond Wires in CFD | 482 |
| <i>Shankar Satchidanandan</i> | |

Table of Contents

| | |
|--|-----|
| On the Thermal Stability Margins of High-Leakage Current Packaged Devices | 487 |
| <i>Chang-Chi Lee, Johannes de Groot</i> | |
| Enabling SPICE-Type Modeling of the Thermal Properties of 3D-Stacked ICs | 492 |
| <i>Liu Caroline Chen, Bart Vandavelde, Bart Swinnen, Eric Beyne</i> | |
| Thermal Characterization of Multi-die Packages | 500 |
| <i>András Poppe, Yan Zhang, Gábor Farkas, Hon Wong, John Wilson, Péter Szabó</i> | |
| Wire Bonding Characterization for Small MLP Footprint | 506 |
| <i>LY Lim, HC Kua, David Chong</i> | |
| Novel Approach to Reflow Oven Design to Control and Optimise Lead Free Soldering Process | 512 |
| <i>D. A. Vera, R. P. Monfared, A. A. West, P.P. Conway</i> | |
| Ultra-Small 0201 Passive Device Process Optimization And It's Effective Inspection | 518 |
| <i>Alfred Tengh, Kwok Jee Suan, Arman Mortar, Aung Moe Lwin, Tan Chew Kwang, Wong Pak Wing</i> | |
| Low Profile CSP BGA Warpage Improvement | 525 |
| <i>Wang ZhiJie, Sonder Wang, Yao SuYing, B.G. Yin, Y.J. Xu, Michael Leoni, Xiao Wei</i> | |
| Bondability, Moldability, and Reliability of Very-Long, Multi-Height Au Bonding Wires | 531 |
| <i>Tok C.W., O. Rulloda, D.R.M. Calpito, F.W. Wulff, E. Pasamanero</i> | |
| State Dependent Characterization and Modelling of Fast Curing Moulding Compounds | 539 |
| <i>L.J. Ernst, K.M.B. Jansen, T.L.S.N. Satya Kumar, Qian Cheng</i> | |
| Design and Fabrication of Single Mode Rib Waveguides Using Sol-gel Derived Organic-Inorganic Hybrid Materials | 544 |
| <i>Zhang Xiao, Zhao Zhiqiang, Qian Min, Zeng Xianting, Patrik Plante</i> | |
| Multi-Functional Epoxy/SrTiO₃ Ceramic Powder Embedded Capacitor Films(ECFs) for Organic Substrates | 549 |
| <i>Sangyong Lee, Jin-Gul Hyun, Chang Kyu Chung, Kyung-Wook Paik</i> | |
| New Materials and Processes for the Manufacturing of Ceramics Presenting Colossal Values of Permittivity | 553 |
| <i>S. Guillemet-Fritsch, T. Lebey, Z. Valdez, S. Dinculescu</i> | |
| Nanoindentation Study of Sputtered Al-Cu Thin Films for Interconnect Applications | 560 |
| <i>Amit Kumar, R. Jayaganthan, Ramesh Chandra, Vipin Chawla, A. A. O. Tay</i> | |
| Thermomigration in Eutectic Tin-Lead Flip Chip Solder Joints | 565 |
| <i>Dan Yang, M. O. Alam, B. Y. Wu, Y. C. Chan</i> | |
| Effect of Thermal and Electromigration Exposure on Solder Joint Board Level Drop Reliability | 570 |
| <i>Luhua Xu, John H.L. Pang</i> | |
| The Effect of Stressing History in Reliability Characteristics | 576 |
| <i>Po-Ying Chen, Heng-Yu Kung, Yi-Shao Lai, Wen-Kuan Yeh</i> | |
| An Experimental Investigation of Current Stressing on Wafer-level Chip-scale Packages | 582 |
| <i>Yi-Shao Lai, Heng-Yu Kung, Po-Ying Chen, Wen-Kuan Yeh</i> | |
| Effect of Electromigration Temperature on Dominant Migration and Hillock Phases of Eutectic SnPb Alloys | 585 |
| <i>Min-Seung Yoon, Yong-Duk Lee, Oh-Han Kim, Young-Chang Joo, Young-Bae Park</i> | |
| Exploring the Ulthimo Platform | 591 |
| <i>Marc de Samber, Coen Tak, Wil Peels</i> | |
| A Novel Chip Joint Method for High Temperature Operated SiC Power Modules | 597 |
| <i>Fengqun Lang, Yusuke Hayashi, Hiroshi Nakagawa, Masahiro Aoyagi, Hiromichi Ohashi</i> | |
| C4NP - Data for Fine Pitch to CSP Flip Chip Solder Bumping | 604 |
| <i>Eric Laine, Klaus Ruhmer, Luc Belanger, Michel Turgeon, Eric Perfecto, Hai Longworth, David Hawken</i> | |

Table of Contents

| | |
|---|------------|
| Investigation of Relationship between Ground Bounce and Common-Mode Radiation..... | 610 |
| <i>Eng-Kee Chua, Kye-Yak See, Er-Ping Li, Weng-Yew Chang</i> | |
| Hot Embossing on Polymethyl Methacrylate | 615 |
| <i>Sum Huan Ng, Ricky Theodore Tjeung, Zhenfeng Wang</i> | |
| Reliability Improvement of 90nm Large Flip Chip Low-k Die via Dicing and Assembly Process Optimization..... | 622 |
| <i>Raghunandan Chaware, Lan Hoang</i> | |
| Extracting Dielectric Constant of Low-k Thin Film Material for Interposer of 3-D Multilayer Packaging | 627 |
| <i>Jun So Pak, Katsuya Kikuchi, Hirotaka Oosato, Hiroshi Nakagawa, Masahiro Aoyagi</i> | |
| Characterization of Low Temperature Processing and High Density Integrated Capacitor on Organic Substrate..... | 635 |
| <i>W. Fan, B. K. Lok, Albert C.W. Lu, L. L. Wai</i> | |
| Evaluation of High Frequency Characteristics of ALIVH Substrate For 60 GHz RF Modules..... | 639 |
| <i>Hiroyuki Nakase, Takashi Fujii, Shoichi Oshima, Hiroshi Oguma, Suguru Kameda, Yoji Isota, Kazuo Tsubouchi</i> | |
| High-frequency Characterization of Embedded Active Components in Printed Circuit Boards | 643 |
| <i>Maarten Cauwe, Johan De Baets, André Van Calster</i> | |
| Electrical characterization of LDP-PBGA package substrate..... | 651 |
| <i>Carl Ryu, Myoung-Bo Kwak, Hee-seok Lee, Sang-il Yim</i> | |
| Processing and Electrical Characterization of Co-Sintered Composite Glass Ceramics | 655 |
| <i>V. Sunappan, P.L. Vadiveloo, L.L. Wai, W. Fan, C.W. Lu</i> | |
| Database Approach for Storage and Retrieval of Test Parameters for Manufacturability | 659 |
| <i>Snehalatha L., Paul Arndt</i> | |
| Job Release Based on WIPLOAD Control in Semiconductor Wafer Fabrication..... | 665 |
| <i>Chao Qi, Appa Iyer Sivakumar</i> | |
| Cycle Time Reduction at Cluster Tool in Semiconductor Wafer Fabrication | 671 |
| <i>Aye Nyein Swe, Amit Kumar Gupta, Appa Iyer Sivakumar, Peter Lendermann</i> | |
| Methods to Achieve Zero Human Error in Semiconductors Manufacturing..... | 678 |
| <i>Tan Chee Eng, Amin Mohd Sani, Puay Kim Yu</i> | |
| IN/INS Shorting due to Surface ESD | 684 |
| <i>Corazon Llamas</i> | |
| Experimental Studies on Polymer Deformation and Flow in Micro Hot Embossing | 688 |
| <i>Harsono, H. J. Lu, Y. C. Liu, Y. C. Lam, X. C. Shan</i> | |
| Dynamic Strength and Strain Rate Sensitivity of 37 wt% Pb 63 wt% Sn Eutectic Solders..... | 694 |
| <i>B. Wang, J. Zheng, G. Lu</i> | |
| High Speed Ball Pull - A Predictor of Brittle Solder Joints | 701 |
| <i>Ranjit Pandher, Monnir Boureghda</i> | |
| Reflow Profile Optimization for Lead-free (SAC) Alloys in BGA Applications | 708 |
| <i>Ranjit Pandher</i> | |
| Effects of Ni Particle Addition on Microstructure and Properties of Snag Based Composite Solders | 717 |
| <i>Peng Liu, Fu Guo</i> | |
| Whisker Formation Behavior on Tin Film Plated in High Magnetic Field | 722 |
| <i>Keisuke Tsutsumi, Yuichi Iwane</i> | |
| Tin Whisker Mitigation Study on Alloy 42 Pure Tin Plating | 726 |
| <i>Anocha Sriyarunya, Jiraporn Tonktan</i> | |
| A Quantitative Study of Die Crack in Leaded IC Package..... | 733 |
| <i>Xue Ming, Low Frankie</i> | |

Table of Contents

| | |
|--|------------|
| Non-destructive Inspection of Electro-Mechanical Systems using Micro X-ray Computed Tomography (Proposal of CT reconstruction methods for eliminating metal artifacts)..... | 739 |
| <i>Michihiko Koseki, Shuhei Hashimoto, Shinpei Sato, Hitoshi Kimura, Norio Inou</i> | |
| Reliability Analysis of Sandwich Microdisplay Packaging Using an Integrated Interferometry System..... | 745 |
| <i>Audrey C. Y. Wong, Yaofeng Sun, Sow Chorng Ing, Su Fei, John H.L. Pang</i> | |
| Microelectronics Failure Analysis using Laser Ablation of Composite Materials in System in Package..... | 752 |
| <i>P. Schwindenhammer, P. Poirier, P. Descamps</i> | |
| Electromigration Effect on Strain and Mechanical Property Change in Lead-Free Solder Joints..... | 760 |
| <i>Luhua Xu, John H. L. Pang</i> | |
| Mechanical Characterization of Microelectronics Embedded in Flexible and Stretchable Substrate..... | 766 |
| <i>L. Wang, T.Zoumpoulidis, M. Bartek, A. Polyakov, K.M.B. Jansen, L.J. Ernst</i> | |
| Impact of Hygroswelling and Vapor Pressure on Delamination..... | 773 |
| <i>Shufeng Zhao, Xu Chen, Jinzhong Yao</i> | |
| Development of Life Prediction Model for Lead-free Solder at Chip Resistor..... | 781 |
| <i>Changwoon Han, Byeongsuk Song</i> | |
| Modeling Adhesive Failure in Electronic Packages..... | 787 |
| <i>H.B. Chew, T.F. Guo, L. Cheng</i> | |
| Novel Comparative Torsional Analytical Technique to Predict Mechanical Reliability of Emerging Memory Cards & Packages..... | 793 |
| <i>Jason Wong, Hu Guo Jun, Leow Chiap Yong, Spencer Chew</i> | |
| SD-TSOP Package Thermal Design Validation & Reliability Performance Evaluation..... | 800 |
| <i>Chun Keang Ooi, Chia-Pin Chiu, Joo Leong Chan, Martin Tay Tiong We</i> | |
| Challenges and Potentials with SiP using FC on LTCC..... | 806 |
| <i>M. Noren, S. Brunner, C. Hoffmann, W Salz, C. Block</i> | |
| On the Thermal Characterization of an Exposed Top Quad Flat No-Lead Package..... | 810 |
| <i>Y.Y. Ma, Krishnamoorthi. S, C.K. Wang, Anthony Y.S. Sun, W.H. Zhu, H.B. Tan</i> | |
| FEA Thermal Investigation on Plasma Etching Induced Heating during Wafer Thinning Process..... | 815 |
| <i>Foo Lam Wong, Radimin, Mary Teo, Charles Lee</i> | |
| Via Interconnections for Wafer Level Packaging: Impact of Via Shape on Spray Coating Behavior..... | 820 |
| <i>Dzafir Shariff, Nathapong Suthiwonsunthorn, Florian Bieck</i> | |
| Development of Coaxial Shield Via in Silicon Carrier for High Frequency Application..... | 825 |
| <i>Soon Wee Ho, Vempati Srinivasa Rao, Oratti Kalandar Navas Khan, Seung Uk Yoon, Vaidyanathan Kripesh</i> | |
| Spray Coating of Photoresist for Realizing Through-Wafer Interconnects..... | 831 |
| <i>Nga P. Pham, Mathieu Vanden Bulcke, Piet De Moor</i> | |
| Ultra Thinning of Wafer for Embedded Module..... | 837 |
| <i>Vincent Lee Wen Sheng, Navas Khan, Kripesh, Yoon Seung</i> | |
| A Case-Based Reasoning Approach for Low Volume, High Added Value Electronics..... | 843 |
| <i>Diana M. Segura-Velandia, Andrew A. West, Paul P. Conway, David C. Whalley</i> | |
| Current Density and Hot Spot Prediction using Electrical-Thermal co-simulation for Multi-layer IC Packages..... | 849 |
| <i>Lin Chee-Hoe, Wong Wui-Weng, Liu Bao-Min</i> | |
| Improving Signal Integrity by Optimal Design of Power/Ground Plane Stack-up Structure..... | 853 |
| <i>Chia-yu Jin, Chia-hsing Chou, Dian-rung Li, Tsung-ying Chuang</i> | |
| Effect of Power Distribution Network Design on RF circuit performance for 900MHz RFID Reader..... | 860 |
| <i>Youngwon Kim, Chunghyun Ryu, Jongbae Park, Joungho Kim</i> | |

Table of Contents

| | |
|---|-----|
| Improved Noise Isolation Design of UHF Mobile Radio Frequency Identification Reader System in Package | 866 |
| <i>Yujeong Shim, Jongbae Park, Youngwon Kim, Kyoungchoul Koo, Joungho Kim</i> | |
| Scalable PEEC-SPICE Modelling for EMI Analysis of Power Electronic Packages and Subsystems | 871 |
| <i>Didier Cottet, Mikko Paakkinen</i> | |
| Effect of Moisture on Underfill Interfacial Adhesion and Packages Flexural Strength In Flip Chip Packaging | 879 |
| <i>Zulkarnain Endut, Ibrahim Ahmad, Azami Zaharim, Norazham Mohd Sukemi</i> | |
| Mapping of Solder Mask Covered Interconnects on High Density Printed Circuit Board | 885 |
| <i>Cher Ming Tan, Yan Xiong Tay, Chun Wei Goh, Tai Chong Chai</i> | |
| Moisture Effect on Adhesive Bonding Strength Characterized by Crack Opening Method | 889 |
| <i>E. B. Liao, B. H. Li, T. C. Chai, K. Totong, G. Q. Lo</i> | |
| Reliability of Microelectronic Packages with Tin-Plated Copper Leads under High Humidity Operating Environment | 894 |
| <i>Yeoh Lai Seng</i> | |