

2006 IEEE Nuclear Science Symposium Conference Record

**San Diego, CA
29 October – 4 November 2006**

Volume 1 of 8



**IEEE Catalog Number:
ISBN:**

**06CH37832
1-4244-0560-2**

Table of Contents

The Use of Cluster Quality for Track Fitting in the CSC Detector	1
<i>Erez Etzion, David Primor, Giora Mikenberg, Nir Amram, and Hagit Messer</i>	
The Geant4-Based Simulation Software of the ATLAS Detector	5
<i>Andrea Di Simone, Davide Costanzo, Adele Rimoldi, Joseph Boudreau, Vakhtang Tsulaia, Andrea Dell' Acqua, and Manuel Gallas</i>	
The Monitoring Data Archiving Service for ATLAS	12
<i>Pasquale Federico Zema</i>	
Performance of 1 Meter Straw Detector for High Rate Neutron Imaging	20
<i>Jeffrey L. Lacy, Athanasios Athanasiades, Nader N. Shehad, Christopher S. Martin, and Liang Sun</i>	
PATARA: Solid-State Neutron Detector Readout Electronics with Pole-Zero and Complex Shaping and Gated Baseline Restorer for the SNS	27
<i>Jonathan L. Britton, Steven C. Bunch, Benjamin J. Blalock, Charles L. Britton, Douglas S. McGregor, and Lowell Crow</i>	
A Conceptual Design of a Readout System for a Neutrino Experiment at the Spallation Neutron Source	32
<i>Kejian Allan Lan, Edward Vernen Hungerford, Zhi Deng</i>	
R&D Ongoing at DESY for a GEM Based TPC: Resolution Studies; Techniques and Results	38
<i>Matthias Enno Janssen</i>	
High Speed HPD for Photon Counting	43
<i>Atsuhito Fukasawa, Junji Haba, Akihiro Kageyama, Hideyuki Nakazawa, and Motohiro Suyama</i>	
Development of Thin-Junction Detector	48
<i>Wei Chen, Zheng Li, Pavel Rehak</i>	
Monolithic Sensors for Charged-Particle Imaging using Per-Pixel Correlated Double Sampling	54
<i>Mona Ahoovie, Stuart Kleinfelder</i>	
Proximity Focusing RICH with TOF Capabilities	59
<i>Samo Korpar, I. Adachi, K. Fujita, T. Fukushima, A. Gori□ek, D. Hayashi, T. Iijima, K. Ikado, T. Ishikawa, H. Kawai, Y. Kozakai, P. Križan, A. Kuratani, Y. Mazuka, T. Nakagawa, S. Nishida, S. Ogawa, R. Pestotnik, T. Seki, T. Sumiyoshi, M. Tabata</i>	
Sub-Electron noise measurements on RNDR Devices	63
<i>Stefan Woelfel, Sven Herrmann, Peter H Lechner, Gerhard Lutz, Matteo Porro, Rainer H Richter, Lothar W. J. Strueder, Johannes Treis</i>	
Examination of Count-Starved Gamma Spectra Using the Method of Spectral Comparison Ratios	70
<i>David M Pfund, Robert C Runkle, Kevin K Anderson, Kenneth D Jarman</i>	
Image Processing and Display Systems for the CSIRO Air Cargo Scanner	77
<i>Yi Liu, James R Tickner</i>	
Prompt Pulsed Neutron Activation Analysis for Detection of Fission Neutrons	82
<i>Frank H. Ruddy, John G. Seidel, Robert W. Flammang</i>	
A Directional Gamma Radiation Spectrometer Based on Pixelated CZT Arrays and Coded Mask Apertures	87
<i>James L Matteson, M. Albert Capote, R. Thomas Skelton, Greg J Batinica, Edwin Stephan, Richard E Rothschild, George Huszar, Tom Gasaway, Michael R Pelling</i>	
Design of a Large-Area Fast Neutron Directional Detector	93
<i>Peter E Vanier, Leon Forman, Cynthia Salwen, Istvan Dioszegi</i>	
A Geant4-Python Interface: Development and Its Applications	98
<i>Koichi Murakami, Hajime Yoshida</i>	
Evaluation of the Power of Goodness-of-Fit Tests for the Comparison of Data Distributions	101
<i>Barbara Mascialino, Andreas Pfeiffer, Maria Grazia Pia, Alberto Ribon, Paolo Viarengo</i>	

Table of Contents

RAVE - an Open, Extensible, Detector-Independent Toolkit for Reconstruction of Interaction Vertices	104
<i>Wolfgang Waltenberger, Fabian Moser</i>	
Geant4 Simulation in a Distributed Computing Environment	110
<i>Susanna Guatelli, Alfonso Mantero, Patricia Mendez Lorenzo, Jakub Moscicki, Maria Grazia Pia</i>	
GNAM and OHP: Monitoring Tools for the ATLAS Experiment at LHC	114
<i>Massimo Della Pietra, Andrea Dotti, Paolo Adragna, Roberto Ferrari, Gabriella Gaudio, Chiara Roda, Daniela Salvatore, Pasquale Federico Zema, Danilo Cimino, Wainer Vandelli</i>	
A VME-Based Readout System for the CMS Preshower Sub-Detector	119
<i>Gueorgui Antchev, David Barney, Wojciech Bialas, Jose Carlos Da Silva, Panos Kokkas, Nikos Manthos, Serge Reynaud, Georgios Sidiropoulos, Walter Snoeys, Paschalis Vichoudis</i>	
Development of New Data Acquisition Electronics for the Large Water Cherenkov Detector	124
<i>Haruki Nishino, Yoshinari Hayato, Kenji Kaneyuki, Kimihiro Okumura, Masato Shiozawa, Atsushi Takeda, Yasuo Arai, Koji Ishikawa, Atsushi Minegishi, Kyosuke Awai</i>	
Performance of the AMT-3 Based TDC System at Belle.....	128
<i>Soh Y Suzuki, Takeo Higuchi, Kazuya Tauchi, Manobu Tanaka, Yasuo Arai, Ryosuke Itoh, Mikihiro Nakao</i>	
Commissioning a Pipelined Data Acquisition System for the Belle Central Drift Chamber	132
<i>Hiroyuki Nakayama, Takeo Higuchi, Soh Y. Suzuki, Mikihiro Nakao, Ryosuke Itoh</i>	
The SMART Detectors: Development of Radiation Hard Silicon Devices for SLHC	135
<i>Anna Macchiolo, Laura Borrello, Maurizio Boscardin, Mara Bruzzi, Donato Creanza, Gian Franco Dalla Betta, Mauro DePalma, Ettore Focardi, Norman Manna, Davide Menichelli, Alberto Messineo, Claudio Piemonte, Sabina Ronchin, Carlo Tosi, Nicola Zorzi</i>	
Trapping of Electrons and Holes in p-Type Silicon Irradiated with Neutrons	139
<i>Vladimir Cindro, Gregor Kramberger, Manuel Lozano, Igor Mandi&, Marko Mikuž, Giulio Pellegrini, Jožef Pulko, Miguel Ullan, Marko Zavrtanik</i>	
Measurement of the Trapping Time Constant in Neutron-Irradiated Silicon Pad Detectors	143
<i>Jens Weber, Reiner Klingenberg</i>	
Bias Conditions in Gamma Radiation Assurance Tests of Bipolar Technologies for HEP Applications	148
<i>Miguel Ullan, Sergio Diez, Francesca Campabadal, Manuel Lozano, Giulio Pellegrini, Dieter Knoll, Bernd Heinemann</i>	
Radiation Tolerance of High-Resistivity LBNL CCDs.....	152
<i>Kyle S Dawson, Chris J Bebek, John H Emes, Don E Groom, Steve E Holland, Sharon Jelinsky, Armin Karcher, William F Kolbe, Nicholas P Palaio, Natalie A Roe, Guobin B Wang</i>	
Proton-Induced Degradation in High-Resolution Geiger Tracking Detectors.....	158
<i>Stefan Vasile</i>	
Intensive Irradiation Study on Monitored Drift Tubes Chambers.	161
<i>Fabrizio Petrucci, Giuseppe Avolio, Paolo Branchini, Silvestro Di Luise, Enrico Graziani, Laura La Rotonda, Evelin Meoni, Antonio Passeri, Antonio Policicchio, Daniela Salvatore, Marco Schioppa</i>	
A Study of a New Concept of Compensating Calorimeter	167
<i>Adam Para, Hans Wenzel, Shin-Shan Yu, Tianchi Zhao, Niki Saoulidou</i>	
Performance of the Zero Degree Calorimeters for the ALICE Experiment	171
<i>Nora De Marco, Roberta Araldi, Emilio Chiavassa, Corrado Cicalo', Pietro Cortese, Alessandro De Falco, Giuseppe Dellacasa, Alessandro Ferretti, Martino Gagliardi, Mauro Gallio, Roberto Gemme, Alberto Masoni, Paolo Mereu, Alfredo Musso, Chiara Oppedisano,</i>	
Fluctuations and Energy Estimation Methods in Segmented Calorimeters	177
<i>Sara Bergenius Gavler, Per Carlson, Jan Conrad</i>	
The Electromagnetic Calorimeter of the CMS Experiment.....	182
<i>Egidio Longo</i>	

Table of Contents

Development of a Neutron Scatter Camera for Fission Neutrons	185
<i>Nicholas Mascarenhas, James Brennan, Jim Lund, Ulisse Bravar, James M Ryan</i>	
A High Spatial Resolution Sensor for Thermal Neutron Imaging	189
<i>Irina K. Shestakova, Elena E. Ovechkina, Valeriy Gaysinskiy, John J. Antal, Leo Bobek, Vivek V. Nagarkar</i>	
High Efficiency Thermal Neutron Imaging with Sub-Microsecond Timing Resolution	193
<i>Anton S Tremsin, W Bruce Feller, Oswald H.W. Siegmund</i>	
Coded Source Imaging for Neutrons and X-Rays.....	199
<i>Antonio L Damato, Berthold K Horn, Richard C Lanza</i>	
Dead Layer Measurement for KATRIN Prototype Silicon PIN Diode Array.....	204
<i>Brandon L Wall, Tom H Burritt, Peter J Doe, Hartmut Gemmeke, Greg C Harper, Mark A Howe, Michelle Leber, Allan W Meyers, R G Hamish Robertson, Marcus Stiedl, Timothy D Van Wechel, Sascha Wuestling, John F Wilkerson, Brent VanDevender, Corey Fredricks</i>	
Development of a Liquid Scintillator Neutron Multiplicity Counter (LSMC).....	208
<i>Katherine C. Frame, William A. Clay, Tim E. Elmont, Ernst Esch, Norman Johansen, Peter Karpius, Duncan MacArthur, Edward A. McKigney, Morag K. Smith, Sy Stange, Jonathan Thron, Richard B. Williams</i>	
Advanced Approach to the Calibration of a Segmented Gamma Scanner for the Radioassay of Drummed Waste.....	212
<i>Andrey Bosko, Gregor G Geurkov, Stephen Croft, Ram Venkataraman</i>	
Noise Characterization of 130 nm and 90 nm CMOS Technologies for Analog Front-end Electronics	214
<i>Massimo Manghisoni, Lodovico Ratti, Valerio Re, Valeria Speziali, Gianluca Traversi</i>	
A Single Ended Low Noise Rail to Rail CMOS Preamplifier	219
<i>Gerd Trampitsch</i>	
Parametric Amplifier for Semiconductor Radiation Detectors	223
<i>R G Hamish Robertson, Timothy D Van Wechel</i>	
Pole-Zero Cancellation Circuit for Charge Sensitive Amplifier with Pile-up Pulses Tracking System.....	226
<i>Pawel Grybos</i>	
A Low Power Multi-Channel Single Ramp ADC with up to 3.2 GHz Virtual Clock	231
<i>Eric DELAGNES, Dominique R Breton, Francis Lugiez, Reza Rahmanifard</i>	
Development of a Depth and Angular-Sensitive Gamma-Camera for Imaging Neutron-Interrogated Materials.....	239
<i>Mark D Hammig, Byron T Wells</i>	
Noble Gas Scintillation-Based Radiation Portal Monitors and Active Interrogation Systems.....	244
<i>Rico S Chandrasekharan, Giovanna Davatz, André Rubbia</i>	
Simulation of Template Spectra for Scintillator Based Radionuclide Identification Devices Using GEANT4.....	247
<i>Katja Roemer, Karen Saucke, Guntram Pausch, Juergen Stein</i>	
Development of Compact Wide-Angle Imaging Detector for MeV Gamma-Rays Using Stacked BGO Scintillator Rods.....	253
<i>Kenichi Watanabe, Sinji Mihoya, Jun Kawarabayashi, Tetsuo Iguchi</i>	
An Electronically-Collimated Gamma-Ray Detector for Localization of Radiation Sources.....	257
<i>Blair M Smith, Kenneth L Matthews II, Adam W Lackie, Will Hill, Wei-Hsung Wang, Michael L Cherry</i>	
A Directional Algorithm for an Electronically-Collimated Gamma-Ray Detector	264
<i>Adam W Lackie, Kenneth L Matthews II, Blair M Smith, Will Hill, Wei-Hsung Wang, Michael L Cherry</i>	
Detection of Illicit Nuclear Materials Masked with Other Gamma-Ray Emitters	270
<i>Mark I Reinhard, Dale Prokopovich, Henk Van der Gaast, David Hill</i>	

Table of Contents

Development of Landmine Detection System Using Scintillators by Measuring Radiations from Landmine	273
<i>Yoshiyuki Takahashi, Tsuyoshi Misawa, Cheol ho Pyeon, Seiji Shiroya, Kiyoshi Yoshikawa, Kai Masuda, Teruhisa Takamatsu</i>	
Analysis of Manifests for Containerized Commodities Imported through US Ports.....	275
<i>Marie-Anne Descalle, Doug Manatt, Dennis Slaughter</i>	
Optimal Background Attenuation for Fielded Radiation Detection Systems.....	281
<i>Sean M Robinson, Willy R Kaye, John E Schweppe, Edward R Siciliano</i>	
Optimizing the Tracking Efficiency for Cosmic Ray Muon Tomography	285
<i>J.A. Green, C. Alexander, T. Asaki, J. Bacon, G. Blanpied, K. Borozdin, A. Canabal-Rey, M. Cannon, R. Chartrand, D. Clark, C. Espinoza, E. Figueroa, A. Fraser, M. Galassi, J. Gomez, J. Gonzales, A. Green, N. Hengartner, G. Hogan, A. Klimenko, P. McGaug</i>	
High-Pressure Ionization Chamber Filled with BF₃ Operating as a Neutron Counter	289
<i>Mieczyslaw Zielczynski, Natalia Golnik, Zdzislaw Rusinowski, Piotr Tulik</i>	
In-Ground Radiation Detection.....	291
<i>Kathy McCormick, David C Stromswold, Mitchell L Woodring, James Ely, Edward R Siciliano</i>	
The Effect of the Three-Dimensional Geometry of Cargo on the Detection of Radioactive Sources in Cargo Containers	295
<i>John E. Schweppe, James Ely, Ronald J. McConn, Jr., Richard T. Pagh, Sean M. Robinson, Edward R. Siciliano</i>	
High-Yield Neutron Source for Cargo Container Screening.....	300
<i>Bernhard A Ludewigt, Darren L Bleuel, Joe W Kwan, Derun Li, Alex Ratti, John W Staples, Steve P Virostek, Russell P Wells</i>	
Spectral Personal Radiation Detectors (SPRDs) - a New Equipment Category for Use by Front Line Officers and First Responders	304
<i>Rolf Arlt, Frank Gabriel, Andreas Wolf, Ken Baird, Michael Schrenk, Richard Oxford, Martha Swoboda, Burkhard Wiggerich, Juergen Stein, Andrey Georgiev, Michael Majorov</i>	
A Simulation Framework for Evaluating Detector Performance in Cargo Screening Applications.....	307
<i>Sean M Robinson, Eric D Ashbaker, Kenneth D Jarman, David V Jordan, William Kaye, Robert C Runkle, L E Smith</i>	
Actively-Induced, Prompt Radiation Utilization in Nonproliferation Applications	314
<i>Brandon W Blackburn, James L Jones, Cal E Moss, John T Mihalczko, Alan W Hunt, Frank Harmon, Paul Hausladen, Sara A. Pozzi, Scott M. Watson, James T. Johnson</i>	
Design and Test of the ALICE SDD Data Concentrator Card CARLOSrx.....	316
<i>Davide Falchieri, Samuele Antinori, Filippo Costa, Alessandro Gabrielli, Enzo Gandolfi, Massimo Masetti</i>	
Position Determination and Resolution of Position Sensitive Neutron Detectors Limited by Charge Equalization and Noise.....	321
<i>Sven P. Boenisch, Bernhard Namaschk, Friedrich Wulf</i>	
FETs Array Readout of GEM Detector	325
<i>Yulan Li, Xiaocui Zheng, Yongfang Lai, Jin Li, Yuanjing Li</i>	
A High Precision Peak Detect Sample and Hold Circuit.....	329
<i>P. Y. Chang, H. P. Chou</i>	
A Multigigahertz Analog Memory with Fast Read-Out for the H.E.S.S.-II Front-End Electronics.....	332
<i>Eric DELAGNES, Fabrice Feinstein, Philippe Goret, Patrick Nayman, François Toussenet, Pascal Vincent, Jean-Paul Tavernet</i>	
A Multi-Channel Front-End ASIC for Pixellated Detectors.....	337
<i>Zhi Deng, Yinong Liu, Lan Zhang, Yulan Li, Yuanjing Li, Jin Li, Allan Kejian Lan, Ed Hungerford</i>	
Data Stream Zero Suppression and Word Recoding Using an Accordion pipeline, an FPGA implementation.	341
<i>Valerio Bocci, Francesco Iacoangeli, Rafael Nobrega</i>	

Table of Contents

ASIC Front-End for Multianode Photomultiplier Based PET Systems with Gain Adjustment and DOI Measurement.....	345
<i>Vicente Herrero-Bosch, Rafael Gadea-Girones, Ricardo Colom-Palero, Angel Sebasti�a-Cortes, Jorge D. Martinez, Christoph W. Lerche, Jose M. Benlloch</i>	
A Fast VLSI Preamplifier for Segmented HPGe Gamma-Ray Detectors	350
<i>Alberto Pullia, Francesca Zocca, Stefano Riboldi, Carla Cattadori</i>	
A Self-Adjusting Constant-Current Source Follower for CMOS Preamplifiers of Semiconductor Detector Signals	354
<i>Alberto Pullia, Francesca Zocca</i>	
A Charge Sensitive Preamplifier with an Active Ultra Fast Recovery Circuit for Experiments at Neutron Time-of-Flight Facilities	357
<i>Ciro Boiano, Roberto Bassini, Alberto Pullia, Pierfrancesco Mastimu, Marco Calviani, Cristian Massimi</i>	
Design Criteria for the Optimization of Hybrid Charge-Sensitive Preamplifiers for High Resolution Gamma-Ray Spectroscopy.....	360
<i>Francesca Zocca, Alberto Pullia</i>	
A Front End Electronic Card Using a High Gain and High Bandwidth Preamplifier with a Fast Discriminator for Time of Flight Measurements.	365
<i>Mircea Ciobanu, Norbert Herrmann, Klaus D. Hildenbrand, Young J. Kim, Mladen Ki�, Andreas Sch�tttauf, Everard Cordier, Yvonne Leifels, Piotr Koczon, Xavier Lopez, Mihai Petrovici, Xueying Zhang</i>	
An ASIC Circuit for Timing Measurements with Strip Detectors, Designed for the SiliPET Project.....	370
<i>Alberto Gola, Carlo Fiorini, Giovanni Di Domenico, Guido Zavattini, Natalia Auricchio</i>	
A Low Power, Low Signal 5 Bit Analog to Digital Pipe Line Converter for Monolithic Active Pixels	375
<i>Daniel DZAHINI, Mokrane DAHOUMANE, Olivier ROSSETTO, Eric Lagorio, Joel Bouvier, Hamid GHAZLANE, Dominique Dallet</i>	
MRI Compatible G-Link and PCI Based Data Acquisition Hardware for the RatCAP Scanner.....	380
<i>Sachin S Junnarkar, Jack Fried, Paul O'Connor, Veljko Radeka, Paul Vaska, Martin Purschke, Dardo Tomasi, Jean-Fran�ois Pratte, Sang-June Park, Craig L Woody, Rejean Fontaine, Sudeepti Southehal</i>	
Multi-Channel Front-End Readout IC for Position Sensitive Solid-State Detectors	384
<i>Tumay O. Tumer, Victoria B Cajipe, Martin Clajus, Satoshi Hayakawa, Alexander Volkovskii</i>	
Two-Dimensional Integrated Circuits for Hybrid Solid-State Pixel Detectors	389
<i>Tumay O. Tumer, Victoria B Cajipe, Martin Clajus, Satoshi Hayakawa</i>	
Performance of Radiation Detectors with the Pulse-Reset Readout Based on PentaFET.....	396
<i>Vladimir Polushkin, Sarah Sharp</i>	
The AMS-02 Transition Radiation Detector to Search for Dark Matter in Space	401
<i>Francesca Bucci</i>	
Balloon-Borne Sub-MeV Gamma-Ray Imager Using Electron Tracking Gaseous TPC and Scintillation Camera	406
<i>Hidetoshi Kubo, Kaori Hattori, Shigeto Kabuki, Shunsuke Kurosawa, Kentaro Miuchi, Tsutomu Nagayoshi, Hironobu Nishimura, Yoko Okada, Reiko Orito, Hiroyuki Sekiya, Atsushi Takada, Toru Tanimori, Kazuki Ueno</i>	
A High Fidelity Scintillating Fiber Tracker for SONTRAC	411
<i>Jason S Legere, John R Macri, John Lasseur, James M Ryan, Richard S Miller</i>	
Basic Performance of PHENEX : Polarimetry for High ENERGY X rays.....	415
<i>Yuji Kishimoto, Shuichi Gunji, Yasuhiro Ishigaki, Makoto Kanno, Hiroaki Murayama, Chika Ito, Fuyuki Tokanai, Kazu Suzuki, Hirohisa Sakurai, Tatehiro Mihara, Mitsuhiro Kohama, Motoko Suzuki, Asami Hayato, Kiyoshi Hayashida, Naohisa Anabuki, Masashi Morimot</i>	
Performance of a 4-7GeV/c Kaon Identification System in KEK-PS E248.....	420
<i>Yasuhisa Tajima, Hideyuki Kawai, Hirofumi Nakayama, Kunio Takamatsu, Tsuneaki Tsuru, Hiroshi Y Yoshida</i>	

Table of Contents

The Design of the Cooling System for the CMS Barrel Electromagnetic Calorimeter.....	424
<i>Olivier Teller</i>	
Implementation of a Software Feedback for the CMS Monitoring Lasers	429
<i>Liyuan Zhang, David Bailleux, Adolf Bornheim, Kejun Zhu, Ren-yuan Zhu</i>	
Digital Pulse Shape Acquisition from BaF2: Preliminary Results	434
<i>Francesca Amorini, Enrico De Filippo, Paolo Guazzoni, Elena La Guidara, Gaetano Lonzano, Angelo Pagano, Sara Pirrone, Filippo Riccio, Stefania Russo, Paolo Russotto, Matteo Sassi, Luisa Zetta</i>	
Digital Signal Processing for MAGNEX Spectrometer: Preliminary Results.....	438
<i>Francesco Cappuzzello, Manuela Cavallaro, Angelo Cunsolo, Paolo Guazzoni, Giovanni Longo, Abdenbi Khouaja, Sonja E.A. Orrigo, Filippo Riccio, Stefania Russo, Matteo Sassi, John S. Winfield, Luisa Zetta</i>	
Construction and Commissioning of the Magnets for the OPERA Experiment.....	441
<i>Francesco Terranova, Raffaele Adinolfi Falcone, Antonio Bergnoli, Antoine Cazes, Aldo Cecchetti, Bruno Dulach, Alberto Garfagnini, Francesco Grianti, Maurizio Incurvati, Alessandro Mengucci, Dario Orecchini, Luigi Pellegrino, Claudio Sanelli, Mario Spinetti</i>	
Design and Development of AC-Coupled Single-Sided Silicon Strip Sensor.....	445
<i>D.H. Kah, J.B. Bae, H.J. Hyun, H.D. Kang, H.J. Kim, H. Park, J.M. Park, K.S. Park</i>	
Study of the ATLAS-MDT Chambers Performance in the Presence of High Energy Neutron Background Radiation	449
<i>Theodoros Alexopoulos, Manolis Dris, Evangelos N. Gazis, Elias Katsoufis, Michael Kokkoris, Anastasios Lagoyannis, Stavros Maltezos, Panagiota Savva, George Tsipolitis</i>	
Cosmics and Final ATLAS ID-SCT Tests	455
<i>Maria Jose Costa</i>	
Induced Current Signals in Planar pn Diodes for Light Charged Products Identification	458
<i>Andrea Castoldi, Chiara Guazzoni</i>	
A General Study on Sampling Frequency Limits for Digital Spectrometer	463
<i>Xiao Deng, Zhi Deng, Yinong Liu</i>	
The ALICE Dimuon Forward Spectrometer	466
<i>Elisabetta Siddi</i>	
Study of RICH Counter with Silica Aerogel Radiator	470
<i>Atsushi Kuratani, Ichiro Adachi, Kyoichi Fujita, Tomokazu Fukushima, Andrej Gorisek, Daiji Hayashi, Toru Iijima, Koji Ikado, Tatsuya Ishikawa, Hideyuki Kawai, Samo Korpar, Peter Krizan, Yoshinobu Kozakai, Yuri Mazuka, Takashi Nakagawa, Shohei Nishida</i>	
Optical Transition Radiation Imaging of 120 GeV Protons Used for Antiproton Production at FNAL	475
<i>Gianni R Tassotto, Vic E Scarpine, Randy M Thurman-Keup, Alex H Lumpkin</i>	
STAR Time of Flight Readout Electronics, DAQ, and Cosmic Ray Test Stand	479
<i>Joachim Schambach, Lloyd Bridges, Geary Eppley, Jerry Hoffmann, Kohei Kajimoto, Jing Liu, Bill Llope, Cedric Mesa, Ted Nussbaum</i>	
Design and Performance of the Alignment System for the CMS Muon Endcaps.....	483
<i>Marcus Hohmann, Gyongyi Baksay, Max Browngold, James Bellinger, Duncan Carlsmith, Michael Case, Klaus Dehmelt, David P. Earty, Farshid Feyzi, Samir Guragain, Richard J. Loveless, David Northacker, Oleg Prokofiev, Vladimir Sknar, Valeri Sytnik</i>	
Pixel Multichip Module Development at Fermilab for the PHENIX Experiment.....	490
<i>Marcos A Turqueti, Jeffrey Andresen, Melynda I Brooks, Sergey A Butsyk, Guilherme Cardoso, David Christian, Jon Kapustinsky, Gerd J Kunde, Simon W Kwan, David M Lee</i>	
Isotopic Identification in Chimera Detector: Recent Results and Perspectives	494
<i>A. Pagano, C. Agodi, R. Alba, F. Amorini, A. Anzalone, N. Arena, L. Auditore, R. Bassini, C. Boiano, C. Cali, V. Campagna, G. Cardella, S. Cavallaro, M.B. Chatterjee, M. D'Andrea, E. De Filippo, A. Di Stefano, U. Emanuele, F. Fichera, F. Giustolisi, E. Gerac</i>	

Table of Contents

Upgrade of the DØ Luminosity Monitor Readout System	497
<i>John Anderson, Lloyd Bridges, Brendan C K Casey, Yuji Enari, Johnny Green, Marvin Johnson, Rick Kwarciany, Chyi Miao, Richard A Partridge, Hwi Dong Yoo, Jigang Wang</i>	
A Modular NIM Electronics for Pulse Shape Method with Large Area Planar Silicon Detectors of CHIMERA	501
<i>R. Bassini, C.Boiano, A.Pagano, F.Amorini, A.Anzalone, L.Auditore, G.Cardella, S.Cavallaro, M.B.Chatterjee, M.D'Andrea, E.De Filippo, N.Giudice, A. Grimaldi, P.Guazzoni, E. La Guidara, G. Lanzanò, G. Lanzalone, C. Maiolino, D. Nicotra, M. Papa, S. Pirrone</i>	
A Programmable Trigger Emulator Based on True Random Bits	504
<i>Nikolaos Manthos, Georgios Sidiropoulos, Paschalis Vichoudis</i>	
Pion Decay-Mode Tagging in a Plastic Scintillator Using COPPER 500MHz FADC	508
<i>Kaoru Yamada, Makoto Yoshida, Youichi Igarashi, Masaharu Aoki, Masahiro Ikeno, Akira Muroi, Yosuke Takubo, Manobu Tanaka, Kazuya Tauchi</i>	
Automated Spectrometer for Radionuclide Analysis of Liquid and Gaseous Flows	512
<i>Alexander Sokolov, Victor Kuzmenko, Alexander Pchelintsev</i>	
Mobile-Dose: a Compact and Flexible Dose-Meter Suitable for Gamma Source Classification and Nuclear Medicine Dose Calibration	516
<i>Riccardo de Asmundis, Alfonso Boiano, Antonio Ramaglia</i>	
Safeguards and Non-Proliferation Issues as Related to Advanced Fuel Cycle and Advanced Fast Reactor Development with Processing of Reactor Fuel	523
<i>Rahmat Aryaeinejad, Jerry D. Cole, Mark W. Drigert</i>	
Installation and Final Testing of an On-Line, Multi-Spectrometer Fission Product Monitoring System (FPMS) to Support Advanced Gas Reactor (AGR) Fuel Testing and Qualification in the Advanced Test Reactor	529
<i>John K Hartwell, Dawn M Scates, Mark W Drigert, John B Walter</i>	
Fissile Mass Flow Monitor Source-Strength Calibration Using the ORNL Neutron Detector System	534
<i>Taner Uckan, Jose March-Leuba, Danny Powell</i>	
Nuclear Microcalorimeter Spectrometers	538
<i>Michael W Rabin, Andrew S Hoover, Stephen P Lamont, Derek M Tournear, Duc T Vo, James A Beall, William B Doriese, Robert D Horansky, Kent D Irwin, Galen C O'Neil, Joel N Ullom, Barry L Zink, Clifford R Rudy, Carl D Reintsema, Leila R Vale, Kristin Chesson</i>	
1 and 10 Gigabit Ethernet Readout Interfaces for DETNI	542
<i>Bartosz A. Mindur</i>	
Effect of Temperature on Counting Information in a Uranium Enrichment Monitor Based on a NaI(Tl) Spectrometer and Transmission Source	546
<i>Kiril D. Ianakiev, Thomas R. Hill, Thomas Jr. Marks, Boian S. Alexandrov, Calvin E. Moss, Donald A. Close, Deborah J. Dale, Joetta M. Goda</i>	
A Neutron Spectrometer with High Spatial Resolution for the Characterization of Mixed Fast Neutron Fields	551
<i>Alberto Fazzi, Vincenzo Varoli, Francesco Peduto, Claudio Pirovano, Donato Rozzi, Armando Foglio Para, Andrea Pola, Stefano Agosteo</i>	
Radiation Fields in the Vicinity of Compact Accelerator Neutron Generators	557
<i>David L Chichester, Brandon W Blackburn, A J Caffrey</i>	
Using RPC Detectors as a Cosmic Rays Monitor in the Naples Area	563
<i>Riccardo de Asmundis, Paola Avella, Francesca Toglia</i>	
Radiation Hardness of CCD Vertex Detectors for the ILC	570
<i>Andre Sopczak, Khaled Bekhouche, Chris Bowdery, Chris Damerell, Gavin Davies, Lakhdar Dehimi, Tim Greenshaw, Michal Koziel, Konstantin Stefanov, Tim Woolliscroft, Steve Worm</i>	

Table of Contents

Effects of Gamma Irradiation on Silicon Carbide Semiconductor Radiation Detectors.....	577
<i>Frank H. Ruddy, John G. Seidel</i>	
Deterministic Transport Methods for the Simulation of Gamma-Ray Spectroscopy Scenarios	582
<i>L. Eric Smith, Christopher J. Gesh, Richard T. Pagh, Ronald J. McConn, J. Edward Ellis, William R. Kaye, George H. Meriwether, Erin Miller, Mark W. Shaver, Jason R. Starner, Andrei B. Valsan, Todd A. Wareing</i>	
Gene Expression Programming and Artificial Neural Network Approaches for Event Selection in High Energy Physics	587
<i>Liliana Teodorescu, Ivan D Reid</i>	
Gene Expression Programming Software Application for High Energy Physics Data Analysis	593
<i>Liliana Teodorescu</i>	
Development and Performance Analysis of Resource Usage Service for LHC	597
<i>Akram Khan, Xiaoyu Chen</i>	
Designing SWORD--SoftWare for Optimization of Radiation Detectors.....	601
<i>Elena I Novikova, Mark S Strickman, Chul Gwon, Bernard F Philips, Eric A Wulf, Carrie Fitzgerald, Laurie S Waters, Russell C Johns</i>	
Distributed Analysis in ARDA/CMS.....	607
<i>Akram Khan, Criag Munro</i>	
Muon Identification in ATLAS from the Inside Out.....	611
<i>Shlomit Tarem, Natalia Panikashvili, Zvi Tarem, Ofrit Belkind</i>	
Conditions Database and Calibration Software Framework for ATLAS Monitored Drift Tube Chambers.....	616
<i>Monica Verducci, Manuela Cirilli, Oliver Kortner, Domizia Orestano, Fabrizio Petrucci, Joseph Rothberg, Niels van Eldik, Zdenko van Kesteren, Martin Woudstra</i>	
Blueprint and First Experiences Bridging Hardware Virtualization and Global Grids for Advanced Scientific Computing: Designing and Building a Global Edge Services Framework (ESF) for OSG, EGEE, and LCG	621
<i>Abhishek Singh Rana, Katarzyna Keahey, Timothy Freeman, Borja Sotomayor, Ian Foster, Frank Würthwein, Alexandre Vaniachine</i>	
Introducing Advanced Fine-grained Security in dCache-SRM for PetaByte-scale Storage Systems on Global Data Grids: gPLAZMA 'grid-aware PLuggable AuthoriZation MAnagement System'	626
<i>Abhishek Singh Rana, Frank Würthwein, Timur Perelmutov, Robert Kennedy, Jon Bakken, Ted Hesselroth, Ian Fisk, Patrick Fuhrmann, Michael Ernst, Markus Lorch, Dane Skow</i>	
Measurement of Muon Energy Loss in ATLAS.....	631
<i>Konstantinos Nikolopoulos, Dimitrios Fassouliotis, Christine Kourkoumelis, Alan Poppleton</i>	
An Original Model for the Simulation of Low Energy Antiprotons	636
<i>Stephane Chauvie</i>	
P326 Photon Vetoes Simulation.....	642
<i>Andreas Battaġlia, Emanuele Leonardi, Marco Serra, Paolo Valente</i>	
Simulated Performance of 3-DTI Gamma-Ray Telescope Concepts	646
<i>Peter F Bloser, Alan R Centa, Stanley D Hunter, Georgia A de Nolfo, John F Krizmanic, Seunghee Son, Mark L McConnell, James M Ryan</i>	
A Pixel Telescope for Detector R&D for a Future Linear Collider.....	652
<i>Ingrid-Maria Gregor</i>	
Micro-Pocket Fission Detector (MPFD) Performance Characteristics.....	656
<i>Martin F. Ohmes, A.S.M. Sabbir Ahmed, Rylan E. Ortiz, J. Kenneth Shultis, Douglas S. McGregor</i>	
Development of Tracking Detectors with Industrially Produced GEM Foils	660
<i>Frank Simon, Bob Azmoun, Laurie Burns, Kerry Kearney, George Keeler, Richard Maika, Kelly Paton, Nikolai Smirnov, Bernd Sarrow, Craig L Woody, Dave Crary</i>	

Table of Contents

Study of a Charge Distribution on a Readout Board with a Triple GEM Chamber	665
<i>Shoji Uno, Tomohisa Uchida, Michiko Sekimoto, Takeshi Murakami, Manabu Tanaka, Shuji Tanaka, Norihiko Ujiie, Kazuo Nakayoshi, Kouji Kadomatsu, Akira Sugiyama, Eiichi Nakano, Shinsuke Nakagawa</i>	
Experimental Measurement of the Mobilities of Argon Ions in Gaseous Argon	668
<i>Pedro N.B. Neves, Carlos A.N. Conde, Luis M.N. Tavora</i>	
Optimum Segmentation and Thickness of Silicon Pixel Detectors for Signal to Noise Ratio and Timing Resolution	671
<i>Giovanni MAnelli, Gianluigi De Geronimo, Paul O'Connor, Claudio Piemonte</i>	
Design and Performance of Analog Circuits for DNW-MAPS in 100-nm-scale CMOS Technology.....	681
<i>Lodovico Ratti, Massimo Manghisoni, Valerio Re, Valeria Speziali, Gianluca Traversi</i>	
VELA: the CMOS Circuit Based on Fast Current Read-Out for X-Ray Spectroscopy with DePMOS Pixels	687
<i>Luca Bombelli, Carlo Fiorini, Matteo Porro, Antonio Longoni, S Herrmann, W Buttler, Lothar Struder</i>	
DEDIX - Development of Fully Integrated Multichannel ASIC for High Count Rate Digital X-Ray Imaging Systems	693
<i>Pawel Grybos, Piotr Maj, Robert Szczygiel, Luciano Ramello, Marek Idzik, Krzysztof Swientek, Tomasz Stobiecki</i>	
ASIC with Multiple Energy Discrimination for High Rate Photon Counting Applications	697
<i>Gianluigi De Geronimo, Angelo Dragone, Joe Grosholz, Paul O'Connor, Emerson Vernon</i>	
The CDF Run II Silicon Detector	705
<i>Ankush Mitra</i>	
A Beam Condition Monitoring System for the CDF Experiment.....	709
<i>Ricardo Eusebi, Rainer Wallny, Rick Tesarek, Peter Dong, Anna Sfyrla, William Trischuk, Charles Schrupp</i>	
Performance Study of the Silicon Strip Detector	713
<i>Hyojung Hyun, S.H. Do, S.W. Jung, D.H. Kah, H.D. Kang, D.S. Kim, H.J. Kim, Y.I. Kim, H. Park, S. Ryu, J.B. Bae</i>	
Bandwidth of Micro-Twisted Cables and Spliced SIMM/GRIN Fibers and Radiation Hardness of PIN/VCSEL Arrays	717
<i>R.D. Kass, W. Fernando, K.K. Gan, H.P. Kagan, A. Law, M.R.M. Lebbai, P.L. Skubic, D.S. Smith</i>	
Polycrystalline CVD Diamonds for the Beam Calorimeter of the ILC.....	721
A High-Speed Detector System for X-Ray Fluorescence Microprobes.....	725
<i>D Peter Siddons, Angelo Dragone, Gianluigi De Geronimo, Anthony Kuczewski, John Kuczewski, Paul O'Connor, Zheng Li, Chris G Ryan, Gareth Moorhead, Robin Kirkham, Paul Dunn</i>	
Lens-Based CCD Detector for X-Ray Crystallography.....	729
<i>Timothy J Madden, Alan McArthur, Michael Molitsky, Istvan Naday, Edwin Westbrook, William McGuigan</i>	
High Resolution Photon Counting Detection System for Advanced Inelastic X-Ray Scattering Studies	735
<i>Anton S Tremsin, Oswald H.W. Siegmund, Jeff S Hull, John V Vallerga, Jason B McPhate, Johan Soderstrom, J W Chiou, Jinghua H Guo, Zahid Hussain</i>	
EMCCD-Based Detector for Time-Resolved X-Ray Diffraction and Scattering Studies of Biological Specimens	740
<i>Vivek V. Nagarkar, Bipin Singh, Liang Guo, David Gore, Thomas Irving</i>	
Bus-Invert Coding for Low Noise 2eSST Block Transfers on VME64x	744
<i>Alberto Aloisio, Paolo Branchini, Francesco Cevenini, Vincenzo Izzo, Salvatore Loffredo, Raffaele Giordano</i>	
Offline Pulse-Shape Discrimination Algorithms for Neutron Spectrum Unfolding	752
<i>Marek Flaska, Sara A. Pozzi</i>	
Control and Operation of the LHC Readout Boards Using Embedded Microcontrollers and the PVSS II SCADA System	759
<i>Stefan Koestner</i>	

Table of Contents

Using High Level Software Packages for Controlling a Network Based Detector System.....	763
<i>Clyde C W Robson, Abdelkader Bousselham, Samuel Silverstein, Christian Bohm</i>	
A High Speed Time-Stamping and Histogramming Data Acquisition System for Position Encoded Data	766
<i>Joseph A Mead, Friedl Bartsch</i>	
Position Calibrations and Preliminary Angular Resolution of the Prototype Nuclear Compton Telescope.....	770
<i>Mark E. Bandstra, Jason D. Bowen, Andreas C. Zoglauer, Steven E. Boggs, Wayne Coburn, Cornelia B. Wunderer, Mark Amman, Paul N. Luke</i>	
Medium-Energy Gamma-Ray Astrophysics with the 3-DTI Gamma-Ray Telescope.....	778
<i>Stanley D Hunter, Robert G. Baker, Louis M. Barbier, Peter F. Bloser, LaVida Cooper, John F. Krizmanic, Jason T. Link, Mark L. McConnell, Georgia A. de Nolfo, James M. Ryan, Satpal Singh, Seunghee Son</i>	
In Orbit Timing Calibration of the <i>Suzaku</i> Hard X-Ray Detector	783
<i>Yukikatsu Terada, Teruaki Enoto, Ryouhei Miyawaki, Yasushi Fukazawa, Madoka Kawaharada, Tsuneyoshi Kamae, Motohide Kokubun, Kazuo Makishima, Tsunefumi Mizuno, Toshio Murakami, Kazuhiro Nakazawa, Masaharu Nomachi, Tadayuki Takahashi, Hiromitsu Takahashi</i>	
Validation of Geant4 Physics Models for the Simulation of the Proton Bragg Peak.....	788
<i>Pablo G. A. Cirrone, Giacomo Cuttone, Francesco Di Rosa, Susanna Guatelli, Barbara Mascialino, Maria Grazia Pia, Giorgio Russo</i>	
A Visualization Tool for Geant4-Based Medical Physics Applications.....	793
<i>Akinori Kimura, Satoshi Tanaka, Ayumu Saitoh, Takashi Sasaki</i>	
Monte Carlo Simulation of Electromagnetic Interactions of Radiation with Liquid Water in the Framework of the Geant4-DNA Project.....	796
<i>Ziad FRANCIS, Stéphane Chauvie, Sébastien Incerti, Barbara Mascialino, Gérard Montarou, Philippe MORETTO, Petteri Nieminen, Maria Grazia Pia</i>	
Models of Biological Effects of Radiation in the Geant4 Toolkit.....	803
<i>S. Chauvie, Z. Francis, S. Incerti, B. Mascialino, G. Montarou, P. Moretto, P. Nieminen, M. G. Pia</i>	
Pulsed Neutron Dose Monitoring - a New Approach	806
<i>Alfred Klett, Albrecht Leuschner</i>	
MAROC: Multi-Anode Readout Chip for MaPMTs.....	809
<i>Pierre Barrillon, Sylvie Blin, Michel Bouchel, Thierry Caceres, Christophe de La Taille, Gisele Martin-Chassard, Patrick Puzo, Nathalie Seguin-Moreau</i>	
Study on Nuclear Fragmentation by High Speed Emulsion Read-Out System.....	815
<i>Toshiyuki Toshito</i>	
Studying Performance of a Coplanar-Anode High-Pressure Xenon Gamma-Ray Spectrometer	818
<i>Scott D. Kiff, Zhong He</i>	
The RPC System for CMS Experiment	822
<i>Gabriella Pugliese</i>	
Cosmic Ray Certification of the ATLAS Muon Barrel Chambers.....	827
<i>Alessandro Di Girolamo</i>	
Development of a He-3 MicroStrip Tube for Neutron Scattering Experiment	832
<i>Kaoru Fujita, Hiroyuki Takahashi, Siritiprussamee Prasit, Hisako Niko, Takashi Ino, Hirohiko M Shimizu, Shunji Kishimoto, Michihiro Furusaka, Hidenori Toyokawa, Masakazu Kanazawa</i>	
ASIC for Small Angle Neutron Scattering Experiments at the SNS	834
<i>Gianluigi De Geronimo, Jack Fried, Graham C. Smith, Bo Yu, Emerson Vernon, William L. Brian, Charles L. Britton, Lloyd G. Clonts, Shane S. Frank</i>	
IdE-F-X V1.1: Performances of a New CMOS 16 Channels Analogue Readout ASIC for Cd(Zn)Te Detectors	841
<i>Francis LUGIEZ, Olivier GEVIN, Pascal BARON, Eric DELAGNES, Olivier LIMOUSIN</i>	

Table of Contents

CASIS: a Very High Dynamic Range Front-End Electronics with Integrated Cyclic ADC for Calorimetry Applications.....	845
<i>Gianluigi Zampa, Valter Bonvicini, Giulio Orzan, Nicola Zampa</i>	
The SIDDHARTA Chip: a CMOS Multi-Channel Circuit for Silicon Drift Detectors Readout in Exotic Atoms Research	850
<i>Tommaso Frizzi, Luca Bombelli, Carlo Fiorini, Antonio Longoni</i>	
ACD, a New, Very Low-Power, Compact Analogue-to-Digital Conversion Technique for Particle Tracking Detectors	857
<i>Francis Anghinolfi</i>	
A Programmable Analogue Front-End ASIC for Gas Micro-Strip Detectors having a wide range of Input Capacitance	860
<i>Farah F Khalid, Lawrence L Jones, Richard Stephenson, John D Lipp</i>	
The ATLAS Event Monitoring Service - Peer-to-Peer Data Distribution in High Energy Physics	865
<i>Ingo Scholtes, Serguei Kolos, Federico Zema</i>	
LcgCAF: a CDF Submission Portal to Access Grid Resources	873
<i>Donatella Lucchesi, Francesco Delli Paoli, Daniel Jeans, Subir Sarkar, Igor Sfiligoi, Gabriele Compostella</i>	
Esperiences in the Gridification of the Geant4 Toolkit in the LCG/EGEE Environment	879
<i>Patricia Mendez Lorenzo, Massimo Lamanna, Alberto Ribon, Jakub Moscicki</i>	
The ATLAS Liquid Argon Calorimeter: Integration, Installation, Commissioning and Performance from Selected Particle Beam Test Results.....	885
<i>Bertrand Laforge</i>	
Gas Analysis and Monitoring System for the RPC Detector of CMS at LHC	891
<i>stefano bianco</i>	
Engineering Overview of the ATLAS Inner Detector	895
<i>marco olcese</i>	
Module Integration on the Inner Shells (TIB) of the CMS Tracker	902
<i>Chiara Genta</i>	
The CMS Magnet Test and Cosmic Challenge	906
<i>Tim Christiansen</i>	
Identification of Actinides Inside Nuclear Waste Packages by Measurement of Fission Delayed Gammas	909
<i>Frédéric Carrel, Mehdi Gmar, Frédéric Lainé, Joël Loridon, Jean-Luc Ma, Christian Passard</i>	
Nuclear Resonance Fluorescence of U-235	914
<i>Glen A Warren, Walter K Hensley, William Bertozzi, Stephen E Korbly, Robert J Ledoux, William H Park</i>	
Characterization of CMOS Solid-State Photomultiplier for a Digital Radiation Rate Meter	918
<i>Christopher J Stapels, Frank L Augustine, Michael R. Squillante, James F. Christian</i>	
Optimization of the Canberra UltraRadiac GM Tube Wrapping.....	923
<i>Hank Zhu, Susan Kane, Stephen Croft, Ram Venkataraman, Frazier Bronson</i>	
Optimized Strategies for Smart Nuclear Search.....	926
<i>Konstantin N. Borozdin, Alexei V. Klimenko, William C Priedhorsky, Nicolas W Hengartner, Charles C. Alexander, R. Andres Cortez, Herbert G. Tanner</i>	
Luminosity Measurement at ATLAS with a Scintillating Fiber Tracker.....	929
<i>Stefan Ask</i>	
New Effective Organic Scintillators for Fast Neutron and Short-Range Radiation Detection	935
<i>Nikolai Z Galunov, Sergiy V Budakovskiy, Jong Kyung Kim, Yong Kyun Kim, Oleg A Tarasenko, Evgeniya V Martynenko</i>	
Performance of the Liquid Xenon Scintillation Detector for the MEG Experiment	940
<i>Wataru Ootani</i>	

Table of Contents

A High Sensitivity Gamma Ray Imager (HiSGRI) Based on Wavelength-Shifting Fiber Readout of LaBr₃ Scintillators.....	943
<i>Brent Budden, Gary L Case, Michael L Cherry, Joachim Isbert, Michael Stewart</i>	
An FPGA Based Implementation for Real-Time Processing of the LHC Beam Loss Monitoring System's Data.....	950
<i>Christos Zamantzas, Bernd Dehning, Ewald Effinger, Jonathan Emery, Gianfranco Ferioli</i>	
ADONIS : a New System for High Count Rate HPGe Spectrometry	955
<i>Thierry MONTAGU, Eric BARAT, Thomas DAUTREMER, Jean LEFEVRE, Laurent LARIBIERE, Jean-Christophe TRAMA</i>	
Configurable Digital Emulator of Radiation Sources.....	959
<i>Roberto Abbiati, Sebastiano Scarpaci, Angelo Geraci, Giancarlo Ripamonti</i>	
Radiographic Inspection of Thick Metal Components, Part I: Fitting the Standard Linear Image Formation Model	964
<i>Marc C Robini, Jean-Philippe Labruyere, Isabelle E Magnin</i>	
A Configurable Digital Processor for Scintillation Detector Events	969
<i>Angelo Geraci, Roberto Abbiati, Sergio Brambilla, Franco Camera, Benedicte Million, Sebastiano Scarpaci</i>	
Radiographic Inspection of Thick Metal Components, Part II: a New Stochastic Approach to 3-D Reconstruction	973
<i>Marc C Robini, Jean-Philippe Labruyere, Isabelle E Magnin</i>	
Software Requirements Analysis for Nuclear Experiments.....	978
<i>Elvira Gaytán Gallardo</i>	
A Reliable Multicast Protocol, TRMP, for Data Acquisition Systems	982
<i>Yasushi Nagasaka, Shinji Kajiyama</i>	
De-Oscillating Preamplifier Signals Through Digital Filtering Techniques.....	986
<i>Francesca Zocca, Alberto Pullia</i>	
14-Bit and 2GS/s Low Power Digitizing Boards for Physics Experiments	990
<i>Dominique R Breton, Eric DELAGNES</i>	
Automatic Test System for Wafer Level Probing of Optical and Electrical Parameters of Photodiode Array Dies	996
<i>Ilja Goushcha, Bernd Tabbert, Mike Peters, Robin Langeveld, Aleksander O Goushcha</i>	
A High-Speed Data Acquisition System for Segmented Ge-Detectors.....	999
<i>Attila Hidvegi, Daniel Eriksson, Bo Cederwall, Samuel Silversein, Christian Bohm</i>	
Replaceable Middleware Communication Modules for Distributed Data Acquisition Systems.....	1002
<i>Clyde C W Robson, Abdelkader Bousselham, Christian Bohm</i>	
Development of a High Resolution TDC Module for the WASA Detector System Based on the GPX ASIC	1005
<i>Harald Kleines, Wilhelm Erven, Peter Wüstner, Axel Ackens, Günter Kemmerling, Magnus Wolke, Klaus Zwill</i>	
Simulation Study of the ATLAS Muon Drift Tube Chambers Performance in Presence of Magnetic Field.....	1008
<i>Rachel M Avramidou, Evangelos N Gazis, Kalliopi Mermigka, Rob Veenhof</i>	
A Simple Technique for Identifying Natural Alpha Emitters.....	1012
<i>SHIVCHARAN LAL SHARMA, ANIL KUMAR GOURISHETTY, RAJANI KANTH CHOUDHURY</i>	
The Performance of the ATLAS Innermost MDT Muon Precision Tracker in Cosmic Rays and in Positron and Muon Beams	1017
<i>Athanasia S Krepouri, Konstantinos I Bachas, Christos A Anastopoulos, Rosy E Nicolaidou, Chariclia I Petridou, Dimitrios Sampsonidis</i>	

Table of Contents

Scintillation Light, Ionization Yield and Scintillation Decay Times in High Pressure Xenon and Xenon Methane	1021
<i>Kirill N Pushkin, Dmitry Y Akimov, Alexander A Burenkov, Valery V Dmitrenko, Aleksey G Kovalenko, Vadim N Lebedenko, Ilya S Kuznetsov, Viktor N Stekhanov, Chikara Tezuka, Sergey E Ulin, Ziyatdin M Uteshev, Konstantin F Vlasik</i>	
Large Pulse-Height Loss Due to Capacitive Decay in the Detector-Circuit During Collection of Charges.....	1028
<i>SHIVCHARAN LAL SHARMA, ANIL KUMAR GOURISHETTY, DEEPAK CHANDRA BISWAS, RAJANI KANTH CHOUDHURY</i>	
Measurements of Ballistic Deficits for Parallel Plate Ionization Chambers.....	1032
<i>SHIVCHARAN LAL SHARMA, ANIL KUMAR GOURISHETTY, DEEPAK CHANDRA BISWAS, RAJANI KANTH CHOUDHURY</i>	
Photoelectron Collection Efficiency in Mixtures of Gases with CF₄.....	1035
<i>José Escada, Paulo J.B.M. Rachinhas, Teresa H.V.T. Dias, Filomena P. Santos, José A.M. Lopes, Carlos A.N. Conde, Allan D. Stauffer</i>	
Performance of Glass RPC in Streamer Mode for Irradiating Coherent Photons	1039
<i>Shinya Narita, Yoshimoto Hoshi, Naoyuki Saito, Kazushi Neichi, Akira Yamaguchi</i>	
Elimination of Ballistic Deficits for Ionization Chamber Pulses by Using Trapezoidal Pulse Shaper	1044
<i>ANIL KUMAR GOURISHETTY, SHIVCHARAN LAL SHARMA, RAJANI KANTH CHOUDHURY</i>	
Improving Spectroscopic Performance of a Coplanar-Anode High-Pressure Xenon Gamma-Ray Spectrometer	1048
<i>Scott D. Kiff, Zhong He, Gary C. Tepper</i>	
Monte Carlo Calculation of Drift Velocities and Diffusion Coefficients for Ar⁺ Ions in Gaseous Argon	1052
<i>Joao A. S. Barata, Carlos A. N. Conde</i>	
The ATLAS RPC Test Stand at INFN Roma Tor Vergata.....	1056
<i>Giulio Aielli, Paolo Camarri, Roberto Cardarelli, Massimo Corradi, Anna Di Ciaccio, Luigi Di Stante, Barbara Liberti, Emiliano Paoletti, Enrico Pastori, Luigi Pasquali, Andrea Salamon, Rinaldo Santonico, Elena Solfaroli, Lucrezia Palumbo</i>	
Linearity of the Photocurrent Response with Light Intensity for Silicon PIN Photodiode Array	1060
<i>Aleksander O Goushcha, Bernd Tabbert</i>	
Simulation Study of Silicon Avalanche Photodiodes	1064
<i>S.W. Jung, M. Moon, H.J. Kim, H. Park, S. Ryu</i>	
Effects of the Resistivity and Crystal Orientation of the Silicon PIN Detector on the Dark Current and Radiation Response Characteristics.....	1068
<i>Kun Sik Park, Jong Moon Park, Yong Sun Yoon, Jin Gun Koo, Bo Woo Kim, Chang Joo Yoon, Kwang Soo No</i>	
Analysis and Optimization of Signal-to-Noise Ratio in CMOS Active Pixels for High Resolution X-Ray Imaging	1073
<i>Young Soo Kim, Gyuseong Cho, Jun-Hyung Bae</i>	
Compact System for High Resolution X-Ray Transmission Radiography, in-Line Phase Enhanced Imaging and Micro CT of Biological Samples.....	1077
<i>Jan Jakubek, Jiri Dammer, Carlos Granja, Tomas Holy, Stanislav Pospisil, Josef Uher</i>	
Microradiographic Observation of Material Damage Evolution	1081
<i>Daniel Vavrik, Tomas Holy, Jan Jakubek, Martin Jakubek, Zdenek Vykydal</i>	
Probabilistic ISOCS Uncertainty Estimator Application for Segmented Gamma Scanner	1084
<i>Gregor G Geurkov, Valery Atrashkevich, Andrey Bosko, Frazier Bronson, Brian Young</i>	
Timing in Thick Silicon Pad Detectors	1087
<i>A. Studen, D. Burdette, E. Chesi, N. H. Clinthorne, S. S. Huh, K. Honscheid, H. Kagan, C. Lacasta, G. Llosa, M. Miku, W. L. Rogers, P. Weilhammer</i>	

Table of Contents

Reducing the Distortion in Resistive Layer Positioning Devices: a Simulation Study	1091
<i>Philippe Després, Tobias Funk, William C. Barber, Kanai S Shah, and Bruce H. Hasegawa</i>	
Development of Multi-Pixel Photon Counter (MPPC)	1094
<i>Koei Yamamoto, Kazuhisa Yamamura, Ken'ichi Sato, Tsuyoshi Ota, Hiroki Suzuki, Shinji Ohsuka</i>	
Study of Performance with Diverting Agents in Formation Damage and Return of Permeability for Unconsolidated Sandstones Using Computed Tomography	1098
<i>Ricardo Tadeu Lopes, Joao Luiz Batista Ribeiro, Joao Crisosthomo Queiroz, Luis Carlos Baralho Bianco, Marcelino Jose Anjos, Elisabete Ferreira Campos, Arnaldo Rodrigues D Almeida</i>	
Development of Multi-Pixel Photon Counters	1105
<i>S. Gomi, M. Taguchi, H. Hano, S. Itoh, T. Kubota, T. Maeda, Y. Mazuka, H. Otono, E. Sano, Y. Sudo, T. Tsubokawa, M. Yamaoka, H. Yamazaki, S. Uozumi, T. Yoshioka, T. Iijima, K. Kawagoe, S. H. Kim, T. Matsumura, K. Miyabayashi, T. Murakami, T. Nakadaira</i>	
A Study on the Radiation Damage in Large Size LSO and LYSO Crystal Samples	1112
<i>Jianming Chen, Rihua Mao, Liyuan Zhang, Ren-yuan Zhu</i>	
High-Energy Photon Detection with LYSO Crystals	1118
<i>Rainer W Novotny, Werner M Doering, Peter Drexler, Michaela Thiel, Andreas Thomas, Matthias Rost, Valera Dormenev</i>	
Non-Proportionality and Energy Resolution of NaI(Tl) at Wide Temperature Range (-40°C to +23°C)	1122
<i>Lukasz Swiderski, Marek Moszynski, Wieslaw Czarnacki, Agnieszka Syntfeld-Kazuch, Michal Gierlik</i>	
A Grid-Type Scintillating Device for Radiation Imaging	1129
<i>Eiji Takada, Mitsunobu Hayashi, Hiroyuki Imai, Hirofumi Kuroda, Jun Kawarabayashi</i>	
Radiation Detectors Scintillator-Photodiode on the Base A2B6 Crystals for Application in Homeland Security and Medical Equipment	1134
<i>Borys V. Grynyov, Volodymyr D. Ryzhikov, Sergei V. Naydenov, Craig F. Smith, Alexander D. Opolonin, Olena K. Lysetska, Nikolai A. Shumeiko, Natalia L. Kurna, Gennadiy M. Onischenko, Sergey E. Tretyak, Sergey N. Galkin, Eugeny F. Voronkin</i>	
Pixelated CsI(Tl) Scintillator for CMOS-Based X-Ray Image Sensor	1139
<i>Bo Kyung Cha, Gyuseong Cho, Byoung-Jik Kim, M.S. Rahman, Sung Chae Jeon, Jun Hyung Bae, Yong Ki Chi, Gyu-Ho Lim, Young-Hee Kim</i>	
Non-Proportionality and Energy Resolution of CsI(Tl)	1144
<i>Agnieszka Syntfeld-Kazuch, Lukasz Swiderski, Wieslaw Czarnacki, Michal Gierlik, Wlodzimierz Klamra, Marek Moszynski, Paul Schotanus</i>	
Plasma Panel Sensors as Scintillation Detectors	1150
<i>Peter S. Friedman</i>	
Floating Zone Growth and Luminescence Characteristics of Cerium-Doped Gadolinium Pyrosilicate Single Crystals	1160
<i>Sohan Kawamura, Junichi H Kaneko, Mikio Higuchi, Tohru Yamaguchi, Jun Haruna, Yasuhiro Yagi, Kenzo Susa, Fumiyuki Fujita, Akira Homma, Shusuke Nishiyama, Hiroyuki Ishibashi, Kazuhisa Kurashige, Michihiro Furusaka</i>	
Distributed Radiation Sensor with Flexible Light Guide Filled with Liquid Organic Scintillator	1164
<i>Jun Kawarabayashi, Norihiro Naoi, Keisuke Asai, Kenichi Watanabe, Tetsuo Iguchi</i>	
Improvement on Scintillation Properties and Afterglow for Lu₂xGd₂(1-x)SiO₅:Ce (LGSO,x=0.2) Single Crystals	1166
<i>Tatsuya Usui, Shigenori Shimizu, Naoaki Shimura, Kazuhisa Kurashige, Yasushi Kurata, Hiroyuki Ishibashi, Hajime Yamamoto</i>	
Study of Statistical and Non-Statistical Components of Energy Resolution for High-sensitive Beta Camera	1170
<i>Hidehito Nakamura, Hiroyasu Ejiri, Masaharu Nomachi, Vo Hong Hai, Hideo Murayama</i>	

Table of Contents

Light Output Response of GSO(Ce) Crystal to Relativistic Carbon Ions.....	1175
<i>Genichiro Wakabayashi, Yusuke Koba, Minoru Imamura, Yusuke Uozumi, Naoya Koba, Takuro Shimazu, Motohisa Kaneko, Hitoshi Ohkawa, Nobuo Ikeda, Tadahiro Kin, Naruhiro Matsufuji</i>	
Luminescence Efficiency of Lu₂SiO₅: Ce (LSO) Powder Scintillator for X-Ray Medical Radiography Applications.....	1178
<i>Stratos David, Christos Michail, Ioannis Valais, Dimitrios Nikolopoulos, Nektarios Kalivas, Ioannis Kalatzis, Anastasios Karatopis, Dionysis Cavouras, Giannis S Panayiotakis, Ioannis Kandarakis</i>	
Thermoluminescence of Cs₂LiYCl₆, Cs₂LiYCl₆:Ce³⁺ and Cs₂LiYCl₆:Pr³⁺ Crystals	1183
<i>Edgar V Van Loef, William M Higgins, Michael R. Squillante, Kanai S Shah</i>	
Investigation of the Luminescence Emission Properties of (Lu,Y)₂SiO₅:Ce (LYSO:Ce) and (Lu,Y)AlO₃:Ce (LuYAP:Ce) Single Crystal Scintillators under X-Ray Medical Imaging Exposure Conditions.....	1187
<i>Ioannis Valais, Stratos David, Christos Michail, Dimitrios Nikolopoulos, Nektarios Kalivas, Andrianos Toutountzis, Ioannis Sianoudis, Dionysis Cavouras, Nikolaos Dimitropoulos, Constantine D. Nomicos, Ioannis Kandarakis, George S. Panayiotakis</i>	
Radiation Damage to Scintillator in the DØ Luminosity Monitor	1192
<i>Brendan C K Casey, Yuji Enari, Kayle O DeVaughan, Richard A Partridge, Sahal Yacoob</i>	
Study of a New Class of Picosecond X-Ray Scintillators: Organic/Inorganic Perovskite	1197
<i>Menyhert Kocsis, Harald Mueller</i>	
Characterization of Silicon Photomultipliers for PET Imaging	1199
<i>Qingguo Xie, Chien-Min Kao, Karen Byrum, Gary Drake, Alexandre Vaniachine, Robert G. Wagner, Gerald C. Blazey, Victor Rykalin, Chin-Tu Chen</i>	
Position Resolution in LaBr and LaCl Scintillators Using Position-Sensitive Photomultiplier Tubes.....	1204
<i>Peter F Bloser, Mark L McConnell, John R Macri, James M Ryan, Justin J Baker</i>	
Scintillation Properties of Cs₂NaLaI₆:Ce	1208
<i>Jarek Glodo, Edgar V Van Loef, William M Higgins, Kanai S Shah</i>	
A Beta-Particle Hodoscope Constructed Using A Position-Sensitive Plastic Scintillator Active Element	1212
<i>John L Orrell, Craig E Aalseth, Anthony R Day, James E Fast, Todd W Hossbach, Matthew A Krems, Lance S Lidey, Michael D Ripplinger, Brian T Schrom</i>	
Correlating Temporal Luminosity of Scintillators to Pulse Shape Discrimination	1214
<i>GATI N LOLAP, TIMOTHY A DEVOL</i>	
Evaluation of a Junction Termination Extension APD for Use with Scintillators	1220
<i>Ernesto V Gramsch, Oleg P Pcheliakov, Igor Chistokhinb, Eugene Tishkovsky</i>	
Angular Response Functions for Sodium Iodide Detectors	1224
<i>Raymond T Klann, Qi Lou, Charles L Fink</i>	
Position Sensing with Nonuniform Electrode Designs on High-Resistivity Silicon.....	1229
<i>Mark D Hammig, David K Wehe</i>	
Intelligent Particle Finders with the ZEUS Micro-Vertex Detector.....	1234
<i>NICOLA COPPOLA, BENJAMIN KAHLE, FALK KARSTENS, RAINER MANKEL</i>	
Development of a Micro Vertex Detector for the PANDA-Experiment at the FAIR Facility.....	1239
<i>Fabian Huegging</i>	
Serial Powering of ATLAS Silicon Strip Sensors	1244
<i>Marc M Weber, Giulio Villani, Anu Tuononen</i>	
Double Sided 3D Detector Technologies at IMB-CNM	1248
<i>Giulio Pellegrini, Manuel Lozano, JoanMarc Rafi, Miguel Ullan, Richard Bates, David Pennicard, Celeste Fleta</i>	

Table of Contents

Radiation Detectors for HEP Applications Using Standard CMOS Technology.....	1253
<i>Daniele Passeri, Alessandro Marras, Pisana Placidi, Paolo Delfanti, Daniele Biagetti, Leonello Servoli, Gianmario Bilei, Paolo Ciampolini</i>	
Characterization and Scintillation Studies of a Solid-State Photomultiplier	1257
<i>Mickel McClish, Purushottam Dokhale, James F. Christian, Christopher J Stapels, Kanai S Shah</i>	
Impact of Non Ideal Signal Transfer of On-Chip Source-Follower JFET on Silicon Drift Detector Noise Performance	1263
<i>Andrea Castoldi, Antonio Galimberti, Chiara Guazzoni</i>	
Monte Carlo Studies of High-Resolution Microcalorimeter Detectors	1268
<i>Andrew S Hoover, Michael W Rabin, Clifford R Rudy, Derek M Tournear, Duc T Vo, James A Beall, William B Doriese, Robert D Horansky, Kent D Irwin, Joel N Ullom, Barry L Zink, Kristin E Chesson</i>	
64-Pixel GPD Array for WLS Fiber Readout	1273
<i>Stefan Vasile, David Warner</i>	
Electrical Characterization of Silicon Photo Multiplier Detectors for Optimal Front-End Design	1276
<i>Francesco Corsi, Cristoforo Marzocca, Alessandro Perrotta, Angelo Dragone, Maurizio Foresta, Alberto Del Guerra, Sara Marcatili, Gabriela Llosa, GianMaria Collazuol, Gian-Franco Dalla Betta, Nicoleta Dinu, Claudio Piemonte, Giorgio U. Pignatel</i>	
Curved Track Segment Finding Using Tiny Triplet Finder (TTF).....	1281
<i>Jinyuan Wu, MICHAEL H Wang, Erik Gottschalk, Zonghan Shi</i>	
Time Calibration of the LHCb Muon System	1286
<i>Adriano Lai, Sandro Cadeddu, Vincenzo De Leo, Caterina Deplano, Enrico Fois</i>	
FPGA Curved Track Fitter with Very Low Resource Usage	1290
<i>Jinyuan Wu, MICHAEL H Wang, Erik Gottschalk, Zonghan Shi</i>	
The off Detector Electronics of the LHCb Muon Detector	1296
<i>Alessandro Balla, Matteo Beretta, maurizio Carletti, Paolo Ciambrone, Maurizio Gatta, Giulio Felici, Sandro Cadeddu, Vincenzo De Leo, Caterina Deplano, Enrico Fois, Adriano Lai</i>	
Treating the Gain Non-Uniformity of Multi Channel PMTs by Channel-Specific Trigger-Levels.....	1301
<i>Matthias Streun, Uma Chavan, Horst Larue, Christoph Parl, Karl Ziemons, Mattea Veggian</i>	
The ATLAS Trigger Muon Slice	1305
<i>Michela Biglietti, Gianpaolo Carlino, Francesco Conventi, Giulio Usai, Takanori Kono, Zvi Tarem, Attila Krasznahorkay, Natalia Panikashvili, Shlomit Tarem, Gabriella Cataldi, Edoardo Gorini, Margherita Primavera, Stefania Spagnolo, Andrea Ventura</i>	
Di-Muon Selection for the Second Level Trigger in the ATLAS Experiment.....	1311
<i>Shlomit Tarem, Natalia Panikashvili</i>	
Automatic Test Fixture for the FE Control Electronics of the LHCb Muon Detector	1317
<i>Francesco Iacoangeli, Rafael Nobrega, Valerio Bocci</i>	
Signal splitting effect analysis for Muon tracker signal in frequency domain	1322
<i>Kiseon Lee, Ealgoo Kim, Jaehong Park</i>	
The Time of Flight System and Trigger Electronics for the PAMELA Experiment in Space	1326
<i>Stefano Russo, Giancarlo Barbarino, Donatella Campana, Gianfranca De Rosa, Wolfgang Mann, Giuseppe Osteria, Manfred Simon</i>	
Method of Generating Monochromatic Soft X-ray with Small Focal Spot	1330
<i>Akiko Yamaguchi, Mikio Izumi, Nobutada Aoki, Eiji Seki</i>	
The Readout Electronics and the DAQ System of the DRAGO Anger Camera	1334
<i>Alberto Gola, Carlo Fiorini, Matteo Porro, Marta Zanchi</i>	

Table of Contents

Development of the Optical Transition Radiation Monitor for the High Intensity Proton Beam Profile Measurement	1338
<i>Akihisa Toyoda, Keizo Agari, Masaharu Ieiri, Yohji Katoh, Erina Hirose, Michifumi Minakawa, Toshiyuki Mitsuhashi, Hiroyuki Noumi, Yoshinori Sato, Yoshihiro Suzuki, Hitoshi Takahashi, Minoru Takasaki, Kazuhiro Tanaka, Yutaka Yamanoi, Hiroaki Watanabe</i>	
Measurements and Simulations of Ionization Chamber Signals in Mixed Radiation Fields for the LHC BLM System	1342
<i>Markus Stockner, Bernd Dehning, Christian Fabjan, Gianfranco Ferioli, Eva Barbara Holzer</i>	
Highly Sensitive Silicon Detectors of Thermal Neutrons	1346
<i>Josef Uher, Christer Fröjd, Jan Jakubek, Christopher Kenney, Zdenek Kohout, Vladimir Linhart, Sherwood Parker, Sture Petersson, Stanislav Pospisil, Göran Thungström</i>	
A New Dual-anode Microstrip Plate for X-Rays: Experimental Results	1349
<i>Liliana P.M.M. Carita, Sergio J.C. do Carmo, Filomena P Santos, Carlos A.N. Conde</i>	
A Gas Proportional Scintillation Counter with KI and KBr Covered Microstrip Plates as Photosensors: Experimental Results	1354
<i>Sergio J.C. do Carmo, Liliana P.M.M. Carita, Filipa I.G.M Borges, Carlos A.N. Conde</i>	
Geant4 Anthropomorphic Phantoms	1359
<i>Barbara Mascialino, Susanna Guatelli, Maria Grazia Pia</i>	
Microdosimetry for Microbeam Radiation Therapy (MRT): Theoretical Calculations Using the Monte Carlo Toolkit Geant4	1363
<i>Jenny Spiga, Erik A. Siegbahn, Elke Bräuer-Krisch, Paolo Randaccio, Alberto Bravin</i>	
Integration, Installation, and Commissioning of Large Monitored Drift Tube Chambers of the ATLAS Barrel Muon Spectrometer	1368
<i>Jörg Dubbert, Manfred Groh, Oliver Kortner, Hubert Kroha, Jörg von Loeben, Jens Schmalzer, Hans von der Schmitt, Otmar Biebel, Doris Merkl, Felix Rauscher, Arnold Staude</i>	
Commissioning of the BIL Tracking Chambers for the ATLAS Muon Spectrometer	1373
<i>Fabrizio Petrucci</i>	
Global Time Fit for Track Finding on MDT Muon Chambers for the ATLAS Muon Spectrometer	1382
<i>Silvestro Di Luise, Mauro Iodice, Paolo Branchini, Fabrizio Petrucci</i>	
Level-2 Calorimeter Trigger Upgrade at CDF	1387
<i>Anwar Bhatti, Laura Sartori, Mauro Dell'Orso, Ted Liu, Mary Convey, Henry Frisch, Vadim Rusu, Gene Flanagan, Marco Piendibene, Lucas Rogondino, Viktor Veszpremi, Anadi Canepa, Simone Pagan, Giorgio Cortiana, Donatella Lucchesi, Devis Pantano, Miguel Vidal</i>	
The New D0 Level-1 Calorimeter Trigger	1392
<i>Maris Abolins, Mark Adams, Todd Adams, Ernest Agulio, Linda Bagby, Jaroslav Ban, Emanuela Barberis, Steven Beale, Jorge Benitez, Jason Biel, Raymond Brock, Jiri Bystricky, Denis Calvet, Selcuk Cihangir, Mikolaj Cwiok, Daniel Edmunds, Harold Evans</i>	
Performance Measurement of the Upgraded DØ Central Track Trigger	1396
<i>Remigius K Mommsen</i>	
The ATLAS LVL1 Barrel Muon Trigger Commissioning with Cosmic Rays	1402
<i>S Antonelli, L. Bellagamba, D. Boscherini, A. Bruni, G. Bruni, M. Corradi, P. Giusti, G. Iacobucci, P. Mazzanti, A. Polini G.Ciapetti, D.De Pedis, A.Di Mattia, A.Di Girolamo, E.Gennari, C.Luci, A.Nisati, E.Pasqualucci, Fr.Pastore, E.Petrolo, F.Spila, R.Va</i>	
The CMS Regional Calorimeter Trigger Electronics Integration	1406
<i>Sridhara Dasu, Robert Fobes, Tom Gorski, Monika Grothe, Mathew Jaworski, Pamela Klabbbers, Joe Lackey, George Ott, Phil Robl, Wesley H Smith</i>	
Development of a TCP/IP Processing Hardware	1411
<i>Tomohisa Uchida, Manobu Tanaka</i>	

Table of Contents

An Asynchronous Level-1 Tracking Trigger for Future LHC Detector Upgrades	1415
<i>Alexander Madorsky, Darin E Acosta, Honey Patodia</i>	
A Complete Read-Out Chain for X-Ray Spectrometry.....	1420
<i>Andrea Rossini, Stefano Caccia, Giuseppe Bertuccio, Fausto Borghetti, Vincenzo Ferragina, Piero Malcovati, Didier Martin, Paolo Bastia, Ivan Cappellutti, Nicoletta Ratti</i>	
Charge Collection Efficiency of ALICE Silicon Drift Detectors.....	1425
<i>Ivan V Kotov</i>	
Experience with the Test and Qualification of Double-Sided Silicon Microstrip Sensors for the ALICE Inner Tracking System.....	1429
<i>Luciano Bosisio, Oleksandr Borysov, Marco Bregant, Paolo Camerini, Enrico Cattaruzza, Giacomo Contin, Anna Dyatlovich, Enrico Fragiaco, Gabriele Gacomini, Nevio Grion, Giacomo-Vito Margagliotti, Stefano Piano, Sergiy Potin, Irina Rashevskaya</i>	
Silicon Detectors for Low Energy Particle Detection	1434
<i>Craig S Tindall, Nicholas P Palaio, Bernhard A Ludewigt, Stephen E Holland, Davin E Larson, David W Curtis, Steve E McBride, Thomas Moreau, Robert P Lin, Vassilis Angelopoulos</i>	
Monolithic Pixel Detector in a 0.15um SOI Technology.....	1440
<i>Yasuo Arai, Yoichi Ikegami, Yutaka Ushiroda, Yoshinobu Unno, Osamu Tajima, Toru Tsuboyama, Susumu Terada, Masashi Hazumi, Takashi Kohriki, Hirokazu Ikeda, Kazuhiko Hara, Hirokazu Ishino, Takeo Kawasaki, Gary Varner, Elena Martin, Hiro Tajima, Morifumi Ohn</i>	
Development of New 3d Si Detectors at BNL and CNM	1445
<i>Zheng Li, W. Chen, Y.H. Guo, D. Lissauer, D. Lynn, V. Radeka, M. Lozano, Giulio Pellegrini</i>	
Development of Large Area Integrated Silicon Tracking Elements for the LHC Luminosity Upgrade	1452
<i>Carl Haber, Robert Ely, Murdock Gilchriese, William Miller, David Lynn, David Lissauer, Zheng Li, J. Kierstead, Yannis Semertzidis, O. K. Baker, K. W. McFarlane, Anu Tuononen, Marc M Weber, Giulio Villani</i>	
Development of 130 nm CMOS Monolithic Active Pixels with In-Pixel Signal Processing	1456
<i>F. Forti, C. Andreoli, G. Batignani, S. Bettarini, F. Bosi, L. Bosisio, M. Bruschi, G. Calderini, R. Cenci, G.F. Dalla Betta, M. Dell'Orso, G. Fontana, A. Gabrielli, D. Gamba, B. Giacobbe, G. Giacomini, P. Giannetti, M.A. Giorgi, G. Giraud, L. Lancieri, A</i>	
Status of the Test System of the MWPC for the LHCb Muon System.....	1460
<i>Andre Massafferri, Giovanni Carboni, Emanuele Santovetti, Rafael Nobrega, Valerio Bocci</i>	
The CMS Electromagnetic Calorimeter Simulation.....	1465
<i>Fabio Cossutti</i>	
Simulation for LHC Radiation Background: Optimisation of Monitoring Detectors and Experimental Validation	1470
<i>Susanna Guatelli, Maurice Glaser, Barbara Mascialino, Michael Moll, Maria Grazia Pia, Federico Ravotti</i>	
A Method to Optimize the Geometry of Radiation Detectors by Exploiting the Multiphysics Nature of the Simulations.....	1473
<i>Deng Huang, Rogene M. Eichler West, David V. Jordan, Kim F. Ferris</i>	
Simulation with GEANT4 of a Novel Position Detector Based on Nanotechnologies.....	1480
<i>Alessandro Montanari, Renato Angelucci, Marco Cuffiani, Gaetano Marco Dallavalle, Luciana Malferrari, Fabrizio Odorici, Rita Rizzoli, Giulio Paolo Veronese, Maria Grazia Pia, Susanna Guatelli, Arunas Jagminas</i>	
Enclosure Effects on the Internal Field Distribution in HPGe Planar Detectors.....	1485
<i>Ivan Kojouharov, Jasmına Kojouharova, Jürgen Gerl</i>	
CERN Neutrinos to Gran Sasso (CNGS): First Beam.....	1489
<i>Edda Gschwendtner</i>	
Energy Resolution of LGSO Scintillators.....	1493
<i>Marek Moszynski, Antoni Nassalski, Wiesław Czarnacki, Agnieszka Syntfeld-Kazuch, Dariusz Wolski, Tadeusz Batsch, T. Usui, S. Shimizu, N. Shimura, K. Kurashige, K. Kurata, Hiroyuki Ishibashi</i>	

Table of Contents

Radiation Damage and Activation from Proton Irradiation of Advanced Scintillators	1500
<i>Peter F Bloser, Mark L McConnell, John R Macri, Paul J Bruillard, James M Ryan, Wojtek Hajdas</i>	
Validation of Neutrons in Geant4 Using TARC Data - production, interaction and transportation	1506
<i>Alexander S Howard</i>	
Validation of the Bremsstrahlung Models of Geant4	1511
<i>S. Chauvie, S. Guatelli, B. Mascialino, L. Pandola, M. G. Pia, P. Rodrigues, A. Trindade</i>	
Geant4 Atomic Relaxation Validation Against the NIST Reference Data	1516
<i>Valentina Zampichelli, Susanna Guatelli, Alfonso Mantero, Barbara Mascialino, Maria Grazia Pia</i>	
A New Method for Parametric Imaging of Photosynthesis with C11 CO2 and Positron Emitting Tracer Imaging System (PETIS)	1519
<i>Naoki Kawachi, Shu Fujimaki, Satomi Ishii, Nobuo Suzui, Noriko S Ishioka, Shinpei Matsushashi</i>	
Adaptive Imaging Using the I-ImaS X-Ray Imaging System	1523
<i>Matthew Noy, John Jones, Geoffrey Hall, Robert D Speller, Renato Turchetta, Renata Longo, Joar Ostby, Dionissis Cavouras, Frixos Triantis, Paul F van der Stelt, Fotis Psoadellis</i>	
Feasibility Evaluation of the Application of Silicon Drift Detectors in Studies of Drug Delivery in Liver	1528
<i>Roberto Alberti, Carlo Fiorini, Chiara Guazzoni, Tomasz Klatka, Antonio Longoni, Riccarda Delfino, V. Lorusso, Lorella Pascolo, Lisa Vaccari, Fulvia Arfelli, Lucia Mancini, Ralf H. Menk, Luigi Rigon, Giuliana Tromba</i>	
Effects of Sinogram Filtering in the Quality of PET Reconstructions: Preliminary Results	1533
<i>Mónica Abella, Santiago Redondo, Juan José Vaquero, Javier Sánchez-González, Manuel Desco</i>	
Scintillation Properties of SrHfO₃:Ce³⁺ and BaHfO₃:Ce³⁺ Ceramics	1538
<i>Edgar V Van Loef, William M Higgins, Jarek Glodo, Charles Brecher, Alex Lempicki, Venkat Venkataramani, William W Moses, Stephen E Derenzo, Kanai S Shah</i>	
Development of ZnO:Ga as an Ultra-Fast Alpha Particle Detector	1541
<i>Edith D. Bourret-Courchesne, Stephen E Derenzo, Marvin J Weber</i>	
Aging Studies of 2nd Generation BaBar RPCs	1545
<i>Henry R Band</i>	
Development of a Focusing DIRC	1550
<i>Jose F. Benitez, Jerry Va'vra, Joe Schwiening, Ivan Bedajane, Blair N Ratcliff, David W.G.S. Leith, Gholamali Mazaheri, Josef Uher, Kazuhito Suzuki</i>	
Prototype Tests and Construction of the Hadron Blind Detector for the PHENIX Experiment at RHIC	1557
<i>Craig Woody, Babek Azmoun, Alexander Milov, Takao Sakaguchi, Anne Sickles, Robert Pisani, Itzhak Tserruya, Zev Frankel, Alexander Kozolov, Anand Dubey, Deepali Sharma, Ilia Ravinovich, Lev Shekhtman, William Anderson, Jason Kamin, Thomas Hemmick, Chi-Yeng</i>	
Back Illuminated Drift Silicon Photomultiplier as Novel Detector for Single Photon Counting	1562
<i>Christine Merck, Rouven Eckhardt, Robert Hartmann, Peter Holl, Christian Koitsch, Gerhard Lutz, Razmik Mirzoyan, Hans-Guenther Moser, Jelena Ninkovic, Rainer H. Richter, Gerhard Schaller, Florian Schopper, Heike Soltan, Lothar Strueder, Masahiro Teshima</i>	
New results on the characterization of ITC-irst Silicon Photomultipliers	1566
<i>Claudio Piemonte, Roberto Battiston, Maurizio Boscardin, GianMaria Collazuol, Francesco Corsi, Gian-Franco Dalla Betta, Alberto Del Guerra, Nicoleta Dinu, Giuseppe Levi, Gabriela Llosa, Sara Marcatili, Cristoforo Marzocca, Alberto Pozza, Nicola Zorzi</i>	
CeBr₃ for Time-of-Flight PET	1570
<i>Jarek Glodo, Austin Kuhn, William M Higgins, Edgar V Van Loef, Joel S. Karp, William W. Moses, Stephen E. Derenzo, Kanai S Shah</i>	
GdI₃:Ce - a New Gamma and Neutron Scintillator	1574
<i>Jarek Glodo, William M Higgins, Edgar V Van Loef, Kanai S Shah</i>	

Table of Contents

Systematic Search for New Lanthanum Scintillators	1578
<i>Yetta Porter-Chapman, Edith D. Bourret-Courchesne, Stephen E Derenzo, Scott Taylor, Marvin J Weber</i>	
Investigation of Absolute Light Output Techniques	1583
<i>Michal Gierlik, Marek Moszynski, Antoni Nassalski, Agnieszka Syntfeld-Kazuch, Tomasz Szczniak, Lukas Swiderski</i>	
A New High-Speed, Single Photon Imaging CCD for the Optical	1589
<i>Peter Holl, Robert Andritschke, Rouven P Eckhart, Robert Hartmann, Christian Koitsch, Gerhard Lutz, Norbert Meidinger, Rainer H Richter, Gerhard Schaller, Heike Soltau, Lothar W. J. Strüder, George Vâlceanu</i>	
The Wide Field Imager of the European X-Ray Observatory	1595
<i>Peter H Lechner, Ladislav Andricek, Sven Herrmann, Gerhard Lutz, Matteo Porro, Rainer H Richter, Lothar W. J. Strueder, Johannes Treis, Klaus Heinzinger, Nils Kimmel, Thomas Lauf, Gerhard Schaller, Martina Schneck, Florian Schopper, Heike Soltau</i>	
Multi-Channel Charge Amplifier-Discriminator-Counter IC for the Space Sciences	1605
<i>Victoria B Cajipe, James H Clemmons, Martin Clajus, William R Crain, Satoshi Hayakawa, Tumay O Tumer</i>	
Radiation Shielding Study of Advanced Data and Power Management Systems (ADPMS) Housing Using Geant4	1609
<i>Francisco Garcia, Kari Kurvinen, Timo Brander, Risto Orava, Jouni Heino, Ari Virtanen, Heikki Kettunen, Mikko Tenhunen</i>	
Simulation Results from Double Sided 3D Detectors	1614
<i>David Pennicard, Giulio Pellegrini, Manuel Lozano, Richard Bates, Chris Parkes, Victoria Wright</i>	
Experimental Study of Pre-Diffusion in Multilinear Silicon Drift Detectors	1619
<i>Andrea Castoldi, Chiara Guazzoni, Robert Hartmann, Paolo Madoglio, Lothar W. J. Strueder</i>	
Wafer-Bonded Silicon Gamma-Ray Detectors	1624
<i>Eric A Wulf, Bernard F Philips, James D Kurfess, Karl D Hobart, Francis J Kub, Marko Tadjer</i>	
High Resolution Alpha Particle Spectroscopy with Cryogenic Microcalorimeters	1630
<i>J N Ullom, R D Horansky, J A Beall, W B Doriese, W D Duncan, L Ferreira, G C Hilton, K D Irwin, C D Reintsema, L R Vale, M W Rabin, A S Hoover, S P Lamont, C R Rudy</i>	
Geiger Sensor Arrays for Microvertex Applications	1633
<i>Stefan Vasile, Joshua Rau</i>	
Offline Data Handling in the NA48 Experiment	1636
<i>Cristina Biino</i>	
P326 Software Architecture	1641
<i>Emanuele Leonardi</i>	
Alignment of the Inner Detector of the ATLAS Experiment	1643
<i>Carlos Escobar</i>	
Muon Detector-Description as-Built and Its Simulation for the ATLAS Experiment	1647
<i>Daniela M. Rebuffi, Nectarios Ch. Benekos, Serguei Baranov, Laurent Chevalier, Steve Goldfarb, Jean-Francois Laporte, Thomas Moore, Ahmimed Ouraou, Daniel Pomarede, Matthias Schott, Stefania Spagnolo, Isabel Trigger</i>	
The CMS Tracker Simulation	1652
<i>Filippo Ambrogini, Vincenzo Chiochia</i>	
The CMS Simulation Software	1655
<i>Julia V. Yarba</i>	
The Simulation and the Recent Results of HARP Experiment	1660
<i>Vladimir N Ivanchenko</i>	
EKG-Gated Low-Dose Chest CT Imaging	1666
<i>Jiang Hsieh, John Londt, Sandeep Dutta, Darin Okerlund</i>	

Table of Contents

Three-Dimensional Tomosynthesis Reconstruction from 1D and 2D X-Ray Source Arrays.....	1670
<i>David S Lalush, Ramya Rajaram, Enzhuo Quan, Jian Zhang, Jianping Lu, Otto Zhou</i>	
Noise Reduction Using a Theoretically-Exact Algorithm for Helical Cone-Beam Tomography.....	1674
<i>Rajesh Venkataraman, Frederic Noo, Hiroyuki Kudo</i>	
Hyperfast Perspective Cone-Beam Backprojection.....	1679
<i>Marc Kachelriess, Michael Knaup, Olivier Bockenbach</i>	
Iterative Method for Multiple-Image Radiography Parametric Image Estimation	1684
<i>Jovan G Brankov, Luis Carlos Cobo Rus</i>	
A Multiclass Model Observer for Multislice-Multiview Images.....	1687
<i>Howard C Gifford, Andre Lehovich, Michael A King</i>	
Optimizing Sensitivity-Resolution Trade-off Using Generalized Detection/Discrimination Task and Three-Class ROC Analysis.....	1692
<i>Lana Volokh, Xin He, Eric C. Frey, Benjamin M. W. Tsui</i>	
Generalization Evaluation of Numerical Observers for Image Quality Assessment	1696
<i>Jovan G Brankov, Liyang Wei, Yongyi Yang, Miles N Wernick</i>	
Human-Observer LROC Study of Lesion Detection in Ga-67 SPECT Images Reconstructed Using MAP with Anatomical Priors	1699
<i>Andre Lehovich, Philippe P Bruyant, Howard C Gifford, Peter B Schneider, Shane Squires, Robert Licho, Gene Gindi, Michael A King</i>	
Aperture Optimization in Emission Imaging Using Optimal LROC Observers	1703
<i>Parmeshwar Khurd, Lili Zhou, Anand Rangarajan, Gene R Gindi</i>	
Generalized 3D Kernel Computation Method and Its Application in PET-Insert System	1711
<i>Debashish Pal, Joseph A. O'Sullivan, Heyu Wu, Yuan-Chuan Tai</i>	
Systematic and Distributed Time-of-Flight List Mode PET Reconstruction	1715
<i>Wenli Wang, Zhiqiang Hu, Eugene E Gualtieri, Michael J Parma, Edward S Walsh, David Sebok, Yu-Lung Hsieh, Chi-Hua Tung, Xiyun Song, Jerome J Griesmer, Jeffrey A Kolthammer, Lucretiu M Popescu, Matthew E Werner, Joel S Karp, Daniel Gagnon</i>	
Influence of Time-of-Flight Kernel Accuracy in TOF-PET Reconstruction	1723
<i>Margaret E. Daube-Witherspoon, Suleman Surti, Samuel Matej, Matthew E Werner, Shridhar Jayanthi, Joel S. Karp</i>	
Efficient 3D TOF PET Reconstruction Using View-Grouped Histo-Images: DIRECT - Direct Image Reconstruction for TOF	1728
<i>Samuel Matej, Shridhar Jayanthi, Suleman Surti, Margaret E Daube-Witherspoon, Gerd Muehllehner, Joel S Karp</i>	
Image Noise Variance in 3D OSEM Reconstruction of Clinical Time-of-Flight PET	1736
<i>Charles C Watson</i>	
A Method to Include Single Photon Events in Image Reconstruction for a 1 mm Resolution PET System Built with Advanced 3-D Positioning Detectors	1740
<i>Garry Chinn, Angela M. K. Foudray, Craig S. Levin</i>	
Accurately Positioning and Incorporating Large-Angle Tissue-Scattered Photons into PET Image Reconstruction	1746
<i>Garry Chinn, Angela M. K. Foudray, Craig S. Levin</i>	
Iterative Kinetic Parameter Estimation Within Fully 4D Image Reconstruction.....	1752
<i>Andrew J Reader, Julian C Matthews, Florent C Sureau, Claude Comtat, Regine Trebossen, Irene Buvat</i>	
Modeling Spatial Smoothness in Fully 3-D SPECT Image Reconstruction Using Multiresolution B-Splines	1757
<i>Bryan W Reutter, Grant T Gullberg, Arkadiusz Sitek, Rostyslav Boutchko, Elias H Botvinick, Ronald H Huesman</i>	

Table of Contents

Theoretical Comparison of Motion Correction Techniques for PET Image Reconstruction	1762
<i>Evren Asma, Ravindra M. Manjeshwar, Kris Thielemans</i>	
Implementation and Evaluation of a 3D PET Single Scatter Simulation with TOF Modeling.....	1768
<i>Matthew E Werner, Suleman Surti, Joel S Karp</i>	
Comparison Between TOF and Non-TOF PET Using a Scan Statistic Numerical Observer	1774
<i>Lucretiu M. Popescu, Robert M. Lewitt</i>	
Analysis of Region of Interest Quantification for PET Image Reconstruction with Selective Regularization.....	1781
<i>Sangtae Ahn, Richard M Leahy</i>	
Spatially Penalized Methods for Linear Parametric Imaging	1787
<i>Guobao Wang, Jinyi Qi</i>	
PEM-PET Image Reconstruction in a Clinically-Relevant Time Frame.....	1792
<i>Mark F Smith, Raymond R Raylman</i>	
Multi-Energy, Single-Isotope Pinhole Imaging Using Stacked Detectors.....	1797
<i>Benjamin S McDonald, Sepideh Shokouhi, Harrison H Barrett, Todd E Peterson</i>	
Second-Generation, Tri-Modality Pre-Clinical Imaging System.....	1802
<i>Kevin Parnham, Douglas J. Wagenaar, Joshua Li, Samir Chowdhury, Bradley E. Patt</i>	
An Attenuation Correction System for a Dedicated Small FOV, Dual Head, Fixed-90°, Cardiac Gamma Camera Using Arrays of Gd-153 Line Sources	1806
<i>Eric G Hawman, Manjit Ray, Ray Xu, Alexander H Vija</i>	
Development of Rapid SPECT Acquisition Protocol for Myocardial Perfusion Imaging.....	1811
<i>Alexander H Vija, James T. Chapman, Eric G. Hawman, Johannes Zeintl, Joachim Hornegger</i>	
Brain PET Partial-Volume Compensation Using Blurred Anatomical Labels	1817
<i>Frédéric Bataille, Claude Comtat, Sébastien Jan, Florent C Sureau, Régine Trébossen</i>	
Development of MRI-Compatible Nuclear Medicine Imaging Detectors	1825
<i>Douglas J Wagenaar, Marek Szawłowski, Maciej Kapusta, Kevin Parnham, Gunnar Maehlum, Nikolai Pavlov, Jon A. Gjaerum, Koki Yoshioka, Bradley E. Patt</i>	
Comparison of Position-Sensitive Versus Discrete Avalanche Photodiodes in a Continuous Crystal Gamma Camera.....	1829
<i>Philippe Després, Tobias Funk, William C. Barber, Kanai S Shah, Bruce H. Hasegawa</i>	
Experimental Measurement of Axial and Transaxial Resolutions of a Slit-Slat Collimator and Comparison to Theoretical Expectations.....	1832
<i>John R Novak, Scott D Metzler, Roberto Accorsi, Ahmet S Ayan, Ronald J Jaszczak</i>	
Helical Path, Half-Cone-Beam Acquisition for SPECT Brain Imaging.....	1837
<i>Ronald J. Jaszczak, Kim L. Greer, James E. Bowsher, Scott D. Metzler, Ruben Ter-Antonyan, Konstantin V. Bobkov</i>	
A Sensitivity Model for Multi-Pinhole SPECT	1842
<i>Frank P DiFilippo</i>	
Real Time Implementation of a Wiener Filter Based Crystal Identification Algorithm for Photon Counting CT Imaging.....	1848
<i>Nicolas Viscogliosi, Joel Riendeau, Philippe Bérard, Roch Lefebvre, Roger Lecomte, Réjean Fontaine</i>	
Maximizing the Useful Field of View of the MicroPET: Feasibility of Imaging Large Animals	1853
<i>Sheruna Naidoo, Peter L Kench, Wencke Lehnert, Steven R Meikle</i>	
Software Development Framework Supporting Multimodal Tomographic Imaging	1857
<i>Miklós Emri, Gabor Opposits, Sandor A Kis, Lajos Tron, Peter Veres, Arpad Panyik, Ivan Valastyan, Jozsef Imrek, Jozsef Molnar, Dezso Novak, Andras Kerek, Laszlo Balkay</i>	

Table of Contents

Inter-Crystal Scatter Identification for a Depth-Sensitive Detector Using Multi-Anode Outputs	1860
<i>Eiji Yoshida, Keishi Kitamura, Yuichi Kimura, Fumihiko Nishikido, Kengo Shibuya, Taiga Yamaya, Hideo Murayama</i>	
A Low-Cost Ultrahigh-Resolution Detector Development Using PMT-Quadrant-Sharing Lutetium Crystals for Small Animal PET	1865
<i>Rocio A Ramirez, Wai-Hoi Wong, Soonseok Kim, Hongdi Li, Yu Wang, Hossain Baghaei, Yuxuan Zhang, Shitao Liu, Jiguo Liu</i>	
Wavelet Based Crystal Identification of Phoswich Detectors for Small-Animal PET	1870
<i>Hicham Semmaoui, Nicolas Viscogliosi, Roger Lecomte, Réjean Fontaine</i>	
Novel Silicon Photomultipliers for PET Application	1875
<i>Gabriela Llosa, Roberto Battiston, Nicola Belcari, Maurizio Boscardin, Gianmaria Collazuol, Francesco Corsi, Gian-Franco Dalla Betta, Alberto Del Guerra, Nicoleta Dimu, Giuseppe Levi, Sara Marcatili, Sascha Moehrs, Cristoforo Marzocca, Claudio Piemonte</i>	
System Integration of the LabPET' Small Animal PET Scanner.....	1880
<i>Marc-André Tétrault, Nicolas Viscogliosi, Joël Riendeau, François Bélanger, Jean-Baptiste Michaud, Hicham Semmaoui, Philippe Bérard, François Lemieux, Louis Arpin, Jules Cadorette, Catherine M Pépin, Ghislain Robert, Martin D Lepage, Roger Lecomte</i>	
Effect of Number of Readout Channels on the Performance of a Continuous Miniature Crystal Element (cMiCE) Detector	1885
<i>Robert S Miyaoka, Tao Ling, Tom K Lewellen</i>	
A Healthy Volunteer FDG-PET Study on Annihilation Radiation Non-Collinearity.....	1889
<i>Kengo Shibuya, Eiji Yoshida, Fumihiko Nishikido, Toshikazu Suzuki, Naoko Inadama, Taiga Yamaya, Hideo Murayama</i>	
Evaluation of Planar Tomography Using Large Area Planar Positron Imaging System.....	1893
<i>Y.C. Ni, M.L. Jan, T. Yamashita, T. Okamoto, H. Kume, S.M. Chen, N. Tsurumi</i>	
Evaluation of an LYSO Based Multi-PMT Detector for Both Positron and Single Photon Imaging Usage	1896
<i>H.C. Liang, M.L. Jan, J.L. Su</i>	
Low-cost High-resolution 3rd Generation PMT-Quadrant-Sharing BGO Block Detectors for Human and Animal PET	1900
<i>Shitao Liu, Gary Wong, Hongdi Li, Rocio A Ramirez, Soonseok Kim, Jiguo Liu, Hossain Baghaei, Yu Wang, Yuxuan Zhang</i>	
The Road to the Common PET/CT Detector	1904
<i>Antoni Nassalski, Marek Moszynski, Tomasz Szczniak, Dariusz Wolski, Tadeusz Batsch</i>	
A high speed fully digital data acquisition system for Positron Emission Tomography	1909
<i>Peter D Olcott, Anthony Fallu-Labruyere, Craig S Levin, Frezghie Habte, William K Warburton</i>	
Quarter-Trio Mapping Electronics Readout Scheme for APD Block Detector in PET	1912
<i>Nan Zhang, Ron F Grazioso, Niraj K Doshi, James L Corbeil, Matthias J Schmand</i>	
Light Decay Time/Gain Shift in a LaBr(3):Ce/LYSO:Ce Phoswich Detector.....	1915
<i>Michael V Green, Jurgen Seidel, Peter Choyke, Wenzhi Xi</i>	
Evaluation of Position Sensitive Photomultiplier for Time-of-Flight Positron Emission Tomography	1919
<i>Chang Lyong Kim</i>	
Detailed Modelling of Pixellated CdZnTe Detectors for an Accurate Performance Characterization of a Multi-Modality Imaging System.....	1924
<i>Pedro Guerra, George Kontaxakis, Dimitris Visvikis, Andres Santos, Dimitra G Darambara</i>	
Digital Timing in Positron Emission Tomography	1929
<i>Pedro Guerra, Juan Enrique Ortuño, George Kontaxakis, Maria Jesus Ledesma, Juan Jose Vaquero, Manuel Desco, Andres Santos</i>	

Table of Contents

A Further Study of Timing with LSO on XP20D0 and XP20E0 for TOF PET	1933
<i>Tomasz Szczniak, Marek Moszynski, Antoni Nassalski, Pascal Lavoute, Anne Gaelle Dehaine</i>	
PET Performance of the Gemini TF: a Time-of-Flight PET/CT Scanner.....	1940
<i>Raymond F Muzic, Jr., Jeffrey A Kolthammer</i>	
Medical Dual-Energy Imaging of Bone Tissues Using ZnSe-Based Scintillator-Photodiode Detectors.....	1945
<i>Boris V. Grinyov, Vladimir D. Ryzhikov, Sergei V. Naydenov, Alexandr D. Opolonin, Elena K. Lisetska, Sergey N. Galkin, Paul Lecoq</i>	
Optimal Energy Threshold Arrangement in Photon-Counting Spectral X-Ray Imaging	1950
<i>Ewald Roessl, Roland Proksa</i>	
Investigating the DQE of the Medipix detector using the multiplicity concept.....	1955
<i>Thilo Michel, Juergen Durst, Gisela Anton, Peter Bartl, Michael Boehnel, Markus Firsching, Bjoern Kreisler, Alexander Korn, Anja Loehr, Frank Nachtrab, Daniel Niederloehner, Frank Sukowski, Patrick Takoukam-Talla</i>	
An Experimental Study on the Variation of MTF and NPS Caused by X-Ray Beam Conditions for Three Indirect Digital Radiographic Imagers.....	1960
<i>Hosang Jeon, Gyuseong Cho, Yong Ki Chi, Myung Jin Chung, Kwang Hyun Kim</i>	
MTF Measurement and a Phantom Study for Scatter Correction in CBCT Using Primary Modulation	1964
<i>Lei Zhu, Jared Starman, N. Robert Bennett, Rebecca Fahrig</i>	
ROI-Driven CT Trajectories	1969
<i>Christian Penßel, Willi A Kalender, Marc Kachelriess</i>	
A Comparison of Five Whole-Body PET Scanners by Scanning Hoffman Brain Phantom	1973
<i>Hossain Baghaei, O. R. Mawlawi, Y. Wang, H. Li, Rocio A Ramirez, S. Kim, Y. Zhang, T. Pan, J. Liu, S. Liu</i>	
Detection of Beta Particles in a Microfluidic Chip Using a Scintillator and CCD.....	1977
<i>Jennifer S. Cho, Nam T. Vu, Yong Hyun Chung, Zeta T.F. Yu, Robert W. Silverman, Richard Taschereau, Hsian-Rong Tseng, and Arion F. Chatzioannou</i>	
From Human MRI to Microscopy: Co-registration of Human Brain Images to Postmortem Histological Sections	1982
<i>Manbir Singh, Amrita Rajagopalan, Chris Zarow, Xiao-Ling Zhang, Tae-Seong Kim, Darryl Hwang, Ae-Young Lee, Helena Chui</i>	
A Power Law for Determining Renal Sufficiency Using Volume of Distribution and Weight from Bolus ^{99m}Tc-DTPA, Two Blood Sample, Pediatric Data.....	1986
<i>Carl A Wesolowski, Paul S Babyn, Richard C Puetter</i>	
The Effects of Object Variability on the Channelized Hotelling Observer Performance in the Evaluation of R4SSH and PH Myocardial SPECT	1995
<i>Chi Liu, Jingyan Xu, Benjamin M. W. Tsui</i>	
GATE simulations for small animal SPECT/PET using voxelized phantoms and rotating-head detectors.....	2000
<i>Nikolas Sakellios, Jose Luis Rubio, Nikolas Karakatsanis, George Kontaxakis, George Loudos, Andres Santos, Konstantina Nikita, Stan Majewski</i>	
Monte Carlo Computations for Radiotherapy with the Use of Dedicated Processors.....	2004
<i>Viviana Fanti, Roberto Marzeddu, Callisto Pili, Paolo Randaccio, Jenny Spiga</i>	
Incident Photon Direction Calculation Using Bayesian Estimation for Detector Systems with 3D Positioning Capability	2008
<i>Angela MK Foudray, Garry Chinn, Craig S Levin</i>	
GRAY: Photon Ray Tracer for PET Applications	2011
<i>Peter D Olcott, Samuel R Buss, Guillem Pratx, Chris K Sramek, Craig S Levin</i>	
Object Description for Increasing a Calculation Speed of the Photon Transportation in a Monte Carlo Method.....	2016
<i>Takashi Kurihara, Koichi Ogawa</i>	

Table of Contents

Design and Construction of a Prototype Rotation Modulation Collimator for near-Field High-Energy Spectroscopic Gamma Imaging	2021
<i>Amy C Sharma, Georgia D Tourassi, Anuj J Kapadia, Brian P Harrawood, Janelle E Bender, Alexander S Crowell, Matthew R Kiser, Calvin R Howell, Carey E Floyd</i>	
1H MRS and MRSI: Analysis of Acquisition Parameters and Improvement of Various Clinical Applications	2025
<i>Anastasios Karatopis, Odysseas Benekos, Eustathios Eustathopoulos, Ioannis Kandarakis, Nicolaos L. Kelekis</i>	
Toward Time Resolved Cardiac CT Images with Patient Dose Reduction: Image-Based Motion Estimation	2029
<i>Katsuyuki Taguchi, William P. Segars, Hiroyuki Kudo, Eric C. Frey, Elliot K. Fishman, Benjamin M. W. Tsui</i>	
Acquiring Localization of Permanent Radioactive Sources (I-125) in Prostate Brachytherapy	2033
<i>YOSHIYUKI NYUI, Koichi Ogawa, ETSUO KUNIEDA</i>	
Enhanced Feature Extraction in Planar Nuclear Medicine Using Pixon® Minimum-Complexity Image Processing	2037
<i>Amos Yahil, Alexander H Vija, Eric G Hawman</i>	
An Edge Directed Image Interpolation Technique Based on Wavelet Preprocessing	2042
<i>Eric P Lam</i>	
Dynamic PET Image Segmentation Using Multi-Phase Level Set Method	2047
<i>Jinxiu Liao, Jinyi Qi</i>	
Convolution-Based Forced Detection Monte Carlo Simulation Incorporating Septal Penetration Modeling	2053
<i>Shaoying Liu, Michael A King, Aaron B Brill, Michael G Stabin, Troy H Farncombe</i>	
An APD-Based Iterative Method for Simultaneous Technetium-99m/Iodine-123 SPECT Imaging	2058
<i>Sergey Shcherbinin, Anna M Celler, Manfred Trummer, Thomas D Humphries</i>	
FDG PET Images Segmentation Using Morphological Watershed : a Phantom Study	2063
<i>Perrine Tylski, Guillaume Bonniaud, Etienne Decencière, Jean Stawiaski, Dimitri Lefkopoulos, Marcel Ricard</i>	
Automated Detection of Myocardium Boundary in Rb-82 PET Images Using a Wavelet Based Approach	2068
<i>Krishnendu Saha, James A Case, James S Cullom, Tim Bateman, Bai-Ling Hsu</i>	
Comparison of LROC and Traditional ROC Studies for Lesion-Detection Task	2072
<i>Si Chen, Lana Volokh, Chi Liu, Benjamin M. W. Tsui</i>	
Non-Invasive Estimation of Potassium (39K) in Bovine Liver Using Neutron Stimulated Emission Computed Tomography (NSECT)	2076
<i>Anuj J Kapadia, Amy C Sharma, Georgia D Tourassi, Janelle E Bender, Calvin R Howell, Alexander S Crowell, Matthew R Kiser, Carey E Floyd</i>	
Quantitative CT Characterization of Body Fluids with Spectral rhoZ Projection Method	2079
<i>Bjoern J. Heismann, Andreas H. Mahnken</i>	
Image Registration of Radiographic Images Using an Elastic Approach	2081
<i>Antoine B Abche, Elie Tohme, Toufic El Chaer, Elie H Karam, Yskandar Hamam, Michel Bouchoucha, François Rocaries</i>	
Evaluation of an Input Function Model That Incorporates the Injection Schedule in FDG-PET Studies	2086
<i>Koon-Pong Wong, Sung-Cheng Huang, Michael J. Fulham</i>	
Partial Volume Correction for Image-Generated Arterial Input Functions	2091
<i>Daniel Rodriguez Gutierrez, Beier Jia, John Chiverton, Kevin Wells, Mike Partridge</i>	
Automatic Control System of a Microfluidic Blood Sampler for Quantitative microPET Studies in Small Laboratory Animals	2095
<i>Hong-Dun Lin, Guodong Sui, Cheng-Chung Lee, Robert W. Silverman, Graham Cole, Joel Leong, Sung-Cheng Huang, Michael E Phelps, Hsiao-Ming Wu</i>	

Table of Contents

Partial Volume Correction Using Median Priors in Penalized-Likelihood Image Reconstruction Methods	2099
<i>Andrew Todd-Pokropek, Munir Ahmed</i>	
Compensation for Rigid-Body Patient Motion During Reconstruction and Respiratory Motion Post-Reconstruction in Phase-Binned Slices	2103
<i>Bing Feng, Joyoni Dey, P H Hendrik, Richard D Beach, Joseph E McNamara, Mark S Smyczynski, Karen L Johnson, Michael A King</i>	
Investigation of Equal Magnitude Respiratory Gating in Quantitative Myocardial SPECT	2107
<i>William P. Segars, Seng Peng Mok, Benjamin M. W. Tsui</i>	
Estimation and Correction of Rigid and Non-Rigid Respiratory Motion of the Heart for SPECT	2111
<i>Joyoni Dey, Bing Feng, Karen L. Johnson, P. Hendrik Pretorius, Michael A. King</i>	
Wall Motion Estimation for Gated Cardiac Emission Tomography: Physical Phantom Evaluation	2116
<i>Jason G Parker, David R Gilland</i>	
Ultra Low Dose CT Attenuation Correction Maps for Emission Computed Tomography	2123
<i>Haval Kadhem, Daniel Rodriguez, Jose Rafael Tena, Kevin Wells, Emma Lewis, Matthew Guy</i>	
Simultaneous Dual Tracer PET Using Generalized Factor Analysis of Dynamic Sequences	2128
<i>Georges El Fakhri, Arkadiusz Sitek, Bastien Guérin</i>	
Evaluation of Optimal Scan Time by Bootstrap Approach for Quantitative Analysis in PET Receptor Study	2131
<i>Yoko Ikoma, Miho Shidahara, Hiroshi Ito, Chie Seki, Tetsuya Suhara, Iwao Kanno</i>	
Characterization of Spillover and Recovery Coefficients in the Gated Mouse Heart for Non-Invasive Extraction of Input Function in microPET Studies: Feasibility and Sensitivity Analysis	2134
<i>Koresh I Shoghi, Douglas J Rowland, Richard Laforest, Michael J Welch</i>	
System Matrix Modeling of Externally Tracked Motion	2137
<i>Arman Rahmim, Ju-Chieh Cheng, Katie Dinelle, William P. Segars, Mikhail A Shilov, Olivier G. Rousset, Benjamin M. W. Tsui, Dean F. Wong, Vesna Sossi</i>	
3D Implementation of Scatter Estimation in 3D PET	2142
<i>Maria Iatrou, Ravindra M. Manjeshwar, Steven G. Ross, Kris Thielemans, Charles W. Stearns</i>	
Double Scatter Simulation Using the Polarized Klein-Nishina Formula	2146
<i>Nikolaos Dikaios, Terence Spinks, Konstantina Nikita, Kris Thielemans</i>	
Scatter Correction Requirements for Likelihood-Based Attenuation Artifact Correction in PET	2151
<i>Charles M Laymon, James E Bowsher, Jonathan P. J. Carney, Todd M Blodgett</i>	
Implementation of Histogram Based Soft-Tissue Segmentation for Single Spiral Transmission Scanning in Whole Body PET	2155
<i>Tetsuro Mizuta, Keishi Kitamura, Akihiro Ishikawa, Kazumi Tanaka, Masaharu Amano</i>	
Impact of X-Ray Scatter When Using CT-Based Attenuation Correction in PET: a Monte Carlo Investigation	2161
<i>Habib Zaidi, Mohammad R AY</i>	
PET Motion Tracking with Radioactive Fiducial Markers	2166
<i>Christopher A Cardi, Paul D Acton</i>	
Integrated PET/CT Guidance System for Oncologic Interventional Radiology	2169
<i>Kenneth H Wong, Elliot Levy, Ziv Yaniv, Filip Banovac, David Earl-Graef, Kevin Cleary</i>	
STIR: Software for Tomographic Image Reconstruction Release 2	2174
<i>Kris Thielemans, Sanida Mustafovic, and Charalampos Tsoumpas</i>	
Improved PET Detection of Focal Brain Activity Using Subset-Dependent Relaxation \squareDynamic\square Row-Action Maximum Likelihood Algorithm (DRAMA)	2177
<i>Barbara L Lewellen, Donna Cross, Suzanne Craft, Laura Baker, Tsuyoshi Kosugi, Hiroyuki Okada, Thomas K Lewellen, Paul E Kinahan, Satoshi Minoshima</i>	

Table of Contents

Data Sampling in Multislice Mode PET for Multi-Ring Scanner	2180
<i>Yannick Grondin, Laurent Desbat, Michel Defrise, Thomas Rodet, Nicolas Gac, Michel Desvignes, Stephane Mancini</i>	
Incorporation of Axial System Response in Iterative Reconstruction from Axially Compressed Data of Cylindrical Scanner Using on-the-Fly Computing	2185
<i>Vladimir Y Panin, Frank Kehren, Michael E Casey</i>	
Parallelization and Runtime Prediction of the ListMode OSEM Algorithm for 3D PET Reconstruction	2190
<i>Maraike Schellmann, Thomas Kösters, Sergei Gorlatch</i>	
Fully 3-D List-Mode OSEM Accelerated by Graphics Processing Units	2196
<i>Guillem Pratx, Garry Chinn, Frezghi Habte, Peter D Olcott, Craig S Levin</i>	
Randoms Mean Value Estimation with Exact Method for Ring PET Scanner	2203
<i>Mu Chen, Vladimir Y Panin, Michael E Casey</i>	
Normalization in 3D PET: Dependence on the Activity Distribution of the Source	2206
<i>Esther Vicente, Juan José Vaquero, Samuel España, Joaquín López-Herrera, José Manuel Udias, Manuel Desco</i>	
Radiation Dose During CT Scan with PET/CT Clinical Protocols	2210
<i>Hye-Kyung Son, Sang Hoon Lee, Sora Nam, Tae-Sung Kim, Haijo Jung, Hee-Joung Kim</i>	
Multi-grid 3D-OSEM Reconstruction Technique for High Resolution Rotating-Head PET Scanners	2215
<i>Juan E. Ortuño, José L. Rubio, Pedro Guerra, George Kontaxakis, Andrés Santos</i>	
Simultaneous Estimation of Temporal Basis Functions and Fully 4D PET Images	2219
<i>Andrew J Reader, Florent C Sureau, Claude Comtat, Régine Trébossen, Irène Buvat</i>	
Data Processing Methods for a High-Throughput Brain Imaging PET Research Center	2224
<i>Judson P Jones, Arman Rahmim, Merence Sibomana, Andrew H Crabb, Ziad Burbar, Charles B Cavanaugh, Christian J. Michel, Dean F Wong</i>	
Analytical Geometric Model for Photon Coincidence Detection in 3D PET	2229
<i>Roberto de la Prieta, Juan Antonio Hernández, Emanuele Schiavi, Norberto Malpica</i>	
Quantitative Analysis of PET Reconstruction Techniques over a Wide Activity Range with 2D and 3D Acquisition Modes	2233
<i>Scott D Wollenweber, Stephen C Moore, Georges El Fakhri</i>	
Evaluation of 2D Iterative ROI Image Reconstruction Using ML-EM Method from Truncated Projections	2236
<i>Lin Fu, Jinxiu Liao, Jinyi Qi</i>	
Fan-Beam Short Scan SPECT with Uniform Attenuation	2242
<i>Qiu Huang, Jiangsheng You, Gengsheng Larry Zeng</i>	
Consistency Condition and ML-EM Checkerboard Artifacts	2245
<i>Jiangsheng You, Jing Wang, Zhengrong Liang</i>	
Fast Monte Carlo Simulation Based Joint Iterative Reconstruction for Simultaneous Tc-99m/I-123 Brain SPECT Imaging	2251
<i>Jinsong Ouyang, Georges El Fakhri, Stephen C. Moore, Marie Foley Kijewski</i>	
Quantitative Material Reconstruction in CT with Spectroscopic X-Ray Pixel Detectors - a Simulation Study	2257
<i>Markus Firsching, Daniel Niederlöhner, Thilo Michel, Gisela Anton</i>	
A Novel Approach for Reducing Metal Artifacts Due to Metallic Dental Implants	2260
<i>Mehran Yazdi, Luc Beaulieu</i>	
Helical CT Reconstruction with Large Cone Angle	2264
<i>Alexander A Zamyatin, Alexander A Katsevich, Michael D Silver, Satoru Nakanishi</i>	
Adaptation of a Fast 3D PET Reconstruction Algorithm to an Inverse-Geometry CT System	2268
<i>Samuel R Mazin, Norbert J Pelc</i>	

Table of Contents

Proton Radiography Studies for Proton CT	2276
<i>M. Petterson, N. Blumenkrantz, J. Feldt, J. Heimann, D. Lucia, A. Seiden, D. C. Williams, H. F.-W. Sadrozinski, V. Bashkirov, R. Schulte, M. Bruzzi, D. Menichelli, M. Scaringella, C. Talamonti, G. A. P. Cirrone, G. Cuttone, D. Lo Presti</i>	
Fast Dynamic Image Reconstruction for Dynamic Gated Cardiac SPECT	2281
<i>Mingwu Jin, Yongyi Yang, Miles N Wernick, Michael A King</i>	
Iterative SPECT Reconstruction Using Matched Filtering for Improved Image Quality	2285
<i>Jinghan Ye, Xiyun Song, Zuo Zhao, Angela J Da Silva, Jason S Wiener, Lingxiong Shao</i>	
Image Reconstruction from Truncated Data in SPECT with Uniform Attenuation	2288
<i>Frederic Noo, Michel Defrise, Jed D Pack, Rolf Clackdoyle</i>	
Up-Sampling with Shift Method for Windmill Correction	2293
<i>Alexander A Zamyatin, Ilmar A Hein, Michael D Silver, Satoru Nakanishi</i>	
Fan-Beam CT Image Reconstruction from Few-Views and Limited-Angular Scans	2296
<i>Emil Y. Sidky, Chien-Min Kao, Xiaochuan Pan</i>	
Resampling Density Values on R-Lines into Density Values on a Cartesian Grid	2299
<i>Stanislav Zabic, Stefan Hoppe, Frank Dennerlein, Guenter Lauritsch, and Frederic Noo</i>	
An Extrapolation Method for Image Reconstruction from a Straight-Line Trajectory	2304
<i>Hwei Gao, Li Zhang, Zhiqiang Chen, Yuxiang Xing, Jianping Cheng</i>	
New Saddle Trajectories for CT	2309
<i>Claas Bontus, Roland Proksa, Thomas Koehler</i>	
Cone-Beam Tomography with Linearly Distorted Source Trajectories	2311
<i>Frank Dennerlein, Frederic Noo, Stefan Hoppe, Joachim Hornegger, Guenter Lauritsch</i>	
Particle Initial Energy Choice in Proton Computed Tomography for Medical Purposes	2316
<i>Hugo R. Schelin, Valeriy V. Denyak, Sergei A. Paschuk, Rodrigo Rocha, Joao A. P. Setti, Margio C. L. Klock, Ivan G. Evseev, Olga I. Yevseyeva</i>	
A Prototype Micro-Insert for MicroPET F-220 and Its Initial Performance	2319
<i>Heyu Wu, Debashish Pal, Joseph A. O'Sullivan, Martin Janecek, Sergey Komarov, Yuan-Chuan Tai</i>	
On the Imaging of Very Weak Sources in an LSO PET Scanner	2323
<i>Andrew L Goertzen, Joonyoung Suk, Christopher J Thompson</i>	
Design and Calibration of a Small Animal PET Scanner Based on Continuous LYSO Crystals and PSPMTs	2328
<i>Jose M Benlloch, Vicente Carrilero, Juan V Catret, Christoph W Lerche, Filomeno Sanchez, Noriel Pavon, Francisco J Garcia de Quiros, R Colom, Antonio J Gonzalez, C Correcher, R Gadea, Angel Sebastia, Luis F Vidal, V Herrero, Francisco Jose Mora, C Mora</i>	
QuickSilver: A Flexible, Extensible, and High-Speed Architecture for Multi-Modality Imaging	2333
<i>Danny F Newport, Stefan B Siegel, Brian K Swann, Blake E Atkins, Aaron R McFarland, Danny R Pressley, Mark W Lenox, Robert E Nutt</i>	
Characteristics of the PET Component of a Dedicated Breast PET/CT Scanner Prototype	2335
<i>Yibao Wu, Kai Yang, Nathan Packard, Lin Fu, Jennifer Stickel, Vi-Hoa Tran, Jinyi Qi, John M. Boone, Simon R. Cherry, Ramsey D. Badawi</i>	
Preliminary Studies of a Simultaneous PET/MRI Scanner Based on the RatCAP Small Animal Tomograph	2340
<i>David J Schlyer, Paul Vaska, Dardo Tomasi, Craig L Woody, Sergio Solis-Najera, Jean-François Pratte, Sachin S Junnarkar, William Rooney, Sean P Stoll, Martin Purschke, Sang-June Park, Zubin Master, Sri Harsha Maramraju, Sudeepti Southekal, Paul O'Connor</i>	
Development of a Combined microPET(R)-MR System	2345
<i>Alun J Lucas, Robert C Hawkes, Pedro E Guerra, Richard E Ansorge, Robert E Nutt, John C Clark, Tim D Fryer, T Adrian Carpenter</i>	

Table of Contents

Tailoring PET Time Coincidence Window Using CT Morphological Information	2349
<i>Maurizio Conti</i>	
Optimizing Acquisition Parameters in TOF PET Scanners	2354
<i>Suleman Surti, Georges E Fakhri, Joel S Karp</i>	
The Engineering and Initial Results of a Transformable Low-Cost Ultra-High Resolution PET Camera	2360
<i>Hongdi Li, Wai-Hoi Wong, Hossain Baghaei, Jorge Uribe, Yu Wang, Yuxuan Zhang, Soonseok Kim, Rocio A Ramirez, Jiguo Liu, Shitao Liu</i>	
Respiratory Motion Correction in 4D PET/CT: Comparison of Implementation Methodologies for Incorporation of Elastic Transformations in the Reconstruction System Matrix.....	2365
<i>Frederic Lamare, Maria J Ledesma Carbayo, Andrew J Reader, Ossama R Mawlawi, Georges Kontaxakis, Andres Santos, Yves Bizais, Catherine Cheze-Le Rest, Dimitris Visvikis</i>	
Discrete Axial Rebinning for Time-of-Flight PET	2370
<i>Michel Defrise, Vladimir Y Panin, Christian J. Michel, Michael E Casey</i>	
Development and Initial Results of a Tomographic Dual-Modality Positron/Optical Small Animal Imager	2375
<i>Joerg Peter, Daniel Unholtz, Ralf B Schulz, Wolfhard Semmler</i>	
A New Vision for X-ray Soft Tissue Imaging	2379
<i>Moumen Hasnah</i>	
Initial Development of a Dual-Modality SPECT-CT System for Dedicated Mammotomography	2382
<i>Priti Madhav, Dominic J. Crotty, Randolph L. McKinley, Martin P. Tornai</i>	
Pinhole Trajectories for SPECT Imaging of the Breast, Axilla, and Upper Chest	2387
<i>James E Bowsher, Justin R Roper, Joerg Peter, Ronald J Jaszczak</i>	
Dual modality image guided breast surgery using radiomarkers	2390
<i>Patricia Goodale Judy, Priya Raghunathan, Mark B Williams</i>	
Optics Optimization for a Solid State Gamma Camera Detector Module Based on CR Lower Bound Study	2395
<i>Tae Yong Song, Yong Choi, Jae Gon Kim, Byung Jun Min, Young Bok Ahn, Jinhun Joung</i>	
Design of a Multi-Pinhole Collimator in a Dual-Headed, Stationary Small-Animal SPECT	2399
<i>Sepideh Shokouhi, Benjamin S McDonald, Donald W Wilson, Todd E Peterson</i>	
Dual-Modality Scanner for Small Animal Imaging	2403
<i>Alexander V Stolin, Donald J Pole, Randolph Wojcik, Mark B Williams</i>	
Dimensioning A Versatile CdZnTe Small Field Of View Gamma-Camera With SINDBAD, A Mixed Analytical-Monte Carlo Simulation Tool	2408
<i>Françoise MATHY, Lucie GUERIN, Olivier MONNET, Guillaume MONTEMONT, Loick VERGER</i>	
Guard Ring Elimination in CdTe and CdZnTe Detectors	2414
<i>William C Barber, Anatoli Arodzero, Nail Malakhov, Matt Q Damron, Neil E Hartsough, Danielle Moraes, Pierre Jarron, Peter Weilhammer, Einar Nygard, Jan S wanczyk</i>	
Very High Resolution Small Animal PET Using Solid-State Detectors in a Strong Magnetic Field.....	2417
<i>Don J Burdette, Enrico Chesi, Neal Clinthorne, Eric Cochran, Klaus Honscheid, Sam S Huh, Harris Kagan, Michael Knopp, Carlos Lacasta, Marko Mikuz, W Les Rogers, Petra Schmalbrock, Andrej Studen, Peter Weilhammer</i>	
Simulation Study on an Ultra-High Resolution SPECT with CdTe Detectors.....	2421
<i>Koichi Ogawa, Masaaki Muraishi</i>	
Development of a Semiconductor Gamma-Camera System with CdZnTe Detectors	2426
<i>Koichi Ogawa, Atsushi Ohta, Keisei Shuto, Nobutoku Motomura, Hiroaki Kobayashi, Shunichiro Makino, Tadaki Nakahara, Atsushi Kubo</i>	

Table of Contents

A Multi-Function Compact Small-Animal Imaging System Incorporating Multipinhole Standard and Helical SPECT and Parallel-Hole SPECT.....	2430
<i>Jianguo Qian, Eric L. Bradley, Stan Majewski, Vladimir Popov, Margaret S. Saha, Mark F Smith, Andrew G Weisenberger, Robert E. Welsh</i>	
A Data Acquisition, Event Processing and Coincidence Determination Module for a Distributed Parallel Processing Architecture for PET and SPECT Imaging	2439
<i>Blake E Atkins, Danny R Pressley, Mark W Lenox, Brian K Swann, Danny F Newport, Stefan B Siegel</i>	
Performance Enhancement of the RatCAP Awake Rat Brain PET System	2443
<i>Paul Vaska, Craig L Woody, David J Schlyer, Veljko Radeka, Paul O'Connor, Sang-June Park, Jean-François Pratte, Sachin S Junmarkar, Martin Purschke, Sudeepti Southekal, Sean P Stoll, Wynne Schiffer, Dianne E Lee, John Neill, Danielle Wharton, Nicolle Myer</i>	
A New Highly Versatile Multi-Modality Small Animal Imaging Platform	2447
<i>Shaun S. Gleason, Derek W. Austin, Robert S. Beach, Robert E Nutt, Michael J. Paulus, Shikui Yan</i>	
Digital Time Alignment of High Resolution PET Inveon Block Detectors	2450
<i>Mark W Lenox, Blake E Atkins, Danny F Newport, Aaron R McFarland, Danny R Pressley, Stefan B Siegel</i>	
Feasibility of Ultra High Spatial Resolution Better Than 1mm FWHM of Small Animal PET by Using CdTe Detector Arrays	2454
<i>Yohei Kikuchi, Keizo Ishii, Hiromichi Yamazaki, Shigeo Matsuyama, Genki Momose, Azusa Ishizaki, Jun Kisaka, Tsuyoshi Kudoh</i>	
A Neural Network Based Algorithm for Building Crystal Look-up Table of PET Block Detector	2458
<i>Dongming Hu, Blake E Atkins, Mark W Lenox, Bryan Castleberry, Stefan B Siegel</i>	
Small Animal PET Camera Design Based on 2-mm Straw Detectors.....	2462
<i>Nader N. Shehad, Athanasios Athanasiades, Christopher S. Martin, Liang Sun, Jeffrey L. Lacy</i>	
Characterization of Two Thin Position-Sensitive Avalanche Photodiodes on a Single Flex Circuit.....	2469
<i>Angela MK Foudray, Richard Farrell, Peter D Olcott, Kanai S Shah, Craig S Levin</i>	
Multi-Channel Waveform Sampling ASIC for Animal PET System.....	2473
<i>Kenji Shimazoe, Yeom Jung Yoel, Hiroyuki Takahashi, Tasuku Kojo, Yasuhiro Minamikawa, Kaoru Fujita, Hideo Murayama</i>	
A GATE Monte Carlo Simulation of Performance of a High-Sensitivity and High-Resolution LSO Based Small Animal PET Camera	2476
<i>Hossain Baghaei, Y. Zhang, H. Li, Y. Wang, Rocio A Ramirez, S. Kim, J. Liu, S. Liu, W. H. Wong</i>	
Evaluation of the Spatial Resolution Improvement of the MicroPET R4 Scanner with Wobbling Bed.....	2480
<i>Joonyoung Suk, Christopher J Thompson, Aleks Labuda, Andrew L Goertzen</i>	
Count Rate Performance and Dead Time in Singles Transmission Scanning for the microPET Focus 220 Scanner	2484
<i>Wencke Lehnert, Steven R Meikle, Danny F Newport</i>	
Count-Rate Performance of the Discovery STE PET Scanner Using Partial Collimation	2488
<i>Lawrence R MacDonald, Ruth E Schmitz, Scott D Wollenweber, Charles W Stearns, Alexander Ganin, Robert L Harrison, Adam M Alessio, Thomas K Lewellen, Paul E Kinahan</i>	
A Time-Based Front End Readout System for PET & CT	2494
<i>Thomas C Meyer, François Powolny, Francis Anghinolfi, Etienne Auffray, Manjit Dosanjh, Hartmut Hillemanns, Hans-Falk Hoffmann, Pierre Jarron, Jan Kaplon, Matthias Kronberger, Paul Lecoq, Danielle Moraes, Julia Trummer</i>	
ISPA Front End Integrated Circuit for Gamma Imaging Application.....	2499
<i>Valentino Orsolini Cencelli, Francesco de Notaristefani, Enrico D'Abramo, Andrea Fabbri, Luca Zerilli</i>	
Evaluation of a Micro-Channel Plate PMT in PET	2503
<i>Florian Bauer, Michael Loope, Matthias Schmand, Lars A Eriksson</i>	

Table of Contents

Spatial Resolution in Position-Sensitive Monolithic Scintillation Detectors	2506
<i>D.J. van der Laan, Marnix C. Maas, Dennis R. Schaart, Peter Bruyndonckx, Cedric Lemaître, Carel W.E. van Eijk</i>	
Initial Results of a Monolithic Detector with Pyramid Shaped Reflectors in PET	2511
<i>Mehmet Aykac</i>	
Comparison of Nonlinear Position Estimators for Continuous Scintillator Detectors in PET	2518
<i>Peter Bruyndonckx, Cedric Lemaître, Dennis R. Schaart, marnix Maas, D.J. van der Laan, Magalie Krieguer, Olivier Devroede, Stefaan Tavernier</i>	
Multi-Channel Readout ASIC for ToF-PET	2523
<i>Peter Fischer, Michael Ritzert, Ivan Peric, Torsten Solf</i>	
Influence of Crystal Material on the Performance of the HiRez 3D PET Scanner: a Monte-Carlo Study	2528
<i>Christian J. Michel, Lars A Eriksson, Harold Rothfuss, Bernard Bendriem, Delphine Lazaro, Irene Buvat</i>	
The jPET-D4: Performance Evaluation of Four-Layer DOI-PET Scanner Using the NEMA NU2-2001 Standard	2532
<i>Eiji Yoshida, Ayako Kobayashi, Taiga Yamaya, Mitsuo Watanabe, Fumihiko Nishikido, Keishi Kitamura, Tomoyuki Hasegawa, Masahiro Fukushi, Hideo Murayama</i>	
On-Line Time-of-Flight Mashing: the PDR Card Applied to a Long-Axis PET-TOF System for Reduced Transaxial Angular Sampling with 3-D Nearest-Neighbor Projection-Space Rebinning in Clinical PET/CT	2537
<i>William F Jones, Eric Breeding, Maurizio Conti, Frank Kehren, Michael E. Casey</i>	
Future Instrumentation in Positron Emission Tomography	2542
<i>Lars A Eriksson, David W Townsend, Maurizio Conti, Marita Eriksson, Christian Bohm, Harold Rothfuss, Matthias Schmand, Mike E Casey, Bernard Bendriem</i>	
Empirical Dual Energy Calibration for Cone-Beam Dual Energy Computed Tomography	2546
<i>Marc Kachelriess, Timo Berkus, Philip Stenner, Willi A Kalender</i>	
Modeling of MTF and DQE for Arbitrary Scintillator Thicknesses	2551
<i>Scott Zelakiewicz, Jeff Shaw</i>	
A Multi-Element Detector System for Intelligent Imaging: I-ImaS	2554
<i>Jennifer A Griffiths, Marinos G Metaxas, Gary J Royle, Cristian Venanzi, Colin Esbrand, Paul F van der Stelt, Hans Verheij, Gang Li, Renato Turchetta, Andrea Fant, Przemyslaw Gasiorek, Sergios Theodoridis, Harris Georgiou, Dionisis Cavouras, Geoff Hall</i>	
Simulation Study on an Energy-Modulated X-Ray CT	2559
<i>Koichi Ogawa, Mayuko Kishino, Tsutomu Yamakawa</i>	
An Investigation of the Potential Benefits in Trading Energy Resolution for Timing Resolution in Time-of-Flight Positron Emission Tomography	2564
<i>Chien-Min Kao, Dong Yun, Qingguo Xie, Chin-Tu Chen</i>	
Positron Range Effects on the Spatial Resolution of RPC-PET	2570
<i>Alberto Blanco</i>	
ML/EM Reconstruction Algorithm for Cosmic Ray Muon Tomography	2574
<i>Larry J Schultz, Konstantin N. Borozdin, Andrew M Fraser, Mark C Galassi, Nicolas W Hengartner, Alexei V Klimenko, Christopher L Morris, Christopher C Orum, Michael J Sossong</i>	
Spatial Resolution for Time-Resolved Optical Tomography in Slab Geometry	2578
<i>Ronny Ziegler, Thomas Köhler, Tim Nielsen, Oliver Steinkellner, Dirk Grosenick, Herbert Rinneberg</i>	
Ultra-Wideband Microwave-Induced Thermoacoustic Tomography of Human Tissues	2584
<i>Chunjing Tao, Tao Song, Wenhui Yang, Shizeng Wu</i>	
The Application of GATE and NCAT to Respiratory Motion Simulation in Allegro PET	2589
<i>Jianfeng He, Graeme O'Keefe, Gareth Jones, Tim Saunder, Sylvia J Gong, Moshi Geso, Andrew M Scott</i>	

Table of Contents

Optimization of Gated Liver FDG PET with Non-Uniform Respiration	2594
<i>Mikhail A Shilov, Eric C Frey, William P. Segars, Jingyan Xu, Benjamin M. W. Tsui</i>	
PeneloPET, a Monte Carlo PET Simulation Toolkit Based on PENELOPE: Features and Validation	2597
<i>S. España, J. L. Herraiz, E. Vicente, J. J. Vaquero, M. Desco, J. M. Udias</i>	
Impact of Photon Transport Properties on the Detection Efficiency of Scintillator Arrays.....	2602
<i>Stefan Wirth, Bjoern J. Heismann, Wilhelm Metzger, Khanh Pham-Gia</i>	
Thermoacoustic Tomography - Attenuation Impact on Reconstructed Images	2604
<i>Sarah K Patch, Markus Haltmeier</i>	
Digital Autoradiography Using CCD and CMOS Imaging Technology	2607
<i>Jorge Cabello, Alexis Bailey, Ian Kitchen, Andy T Clark, Jamie P Crooks, Rob Halsall, Michelle L Key-Charriere, Steve Martin, Mark L Prydderch, Renato Turchetta, Kevin Wells</i>	
Classification of MR Brain Tissue Using Fuzzy Estimation	2613
<i>Runa Parveen, Andrew Todd-Pokropek</i>	
Cardiac C-Arm CT: Efficient Motion Correction for 4D-FBP	2620
<i>Marcus Pruemmer, Lars Wigstroem, Joachim Hornegger, Jan Boese, Guenter Lauritsch, Norbert Strobel, Rebecca Fahrig</i>	
Sequential Contrast Enhancement of Portal Images: Study of the Influence on Image Quality and Clinical Usefulness.	2629
<i>Konstantinos Koutsofios, Stylianos Nikolettopoulos, Anastasios Episkopakis, Ioannis Kandarakis</i>	
A Unified Segmentation Method for CT Image Segmentation with Contrast Agent	2632
<i>Hsiao-Fe Lee, Po-Chia Huang, Christian Wietholt, Ching-Han Hsu, Kurt M C Lin, Chin-Tu Chen, Ing-Tsung Hsiao, Tzu-Chen Yen Yen, Meei-Ling Jan</i>	
ROC Analysis of Lesion Detectability in a Torso Phantom for PET Images from Two PET/CT Scanners.....	2636
<i>Kenneth R Bernstein, Kenneth L Matthews II, Andrew N Morrow, Blair M Smith, L. Steven Bujenovic</i>	
3D Robust Adaptive Region Growing for Segmenting [18F]fluoride Ion PET Images.....	2644
<i>Thomas GRENIER, Chantal Revol-Muller, Nicolas Costes, Marc Janier, Gérard Gimenez</i>	
A Post-Processing Method of Scatter Modeling in SPECT.....	2649
<i>Yan Yan, Gengsheng Lawrence Zeng</i>	
Comparison Between the ROI Based and Pixel Based Analysis for Neuroreceptor Studies Performed on the High Resolution Research Tomograph (HRRT).....	2653
<i>Vesna Sossi, Stephan Blinder, Katie Dinelle, Sarah Lidstone, Ju-Chieh Cheng, Arman Rahmim, Siobhan McCormick, Doris Doudet, Thomas Ruth</i>	
Clinical Study of 2D and 3D Scan Time Reduction in Head / Neck Cancer with BGO Based PET /CT Using Statistical Image Analysis.....	2658
<i>Bal Sanghera, John Lowe, Gerry Lowe, David Wellsted, Helmut Bammer, Rosemary J Chambers, Wai Lup Wong</i>	
Factors Influencing Lesion Detection in SPECT Lung Images	2662
<i>Howard C Gifford, Xiaoming M Zheng, Robert Licho, P Hendrik Pretorius, Peter B Schneider, Peter H Simkin, Michael A King</i>	
Investigation of Calcified Coronary Plaque Tracking in Cardiac CT	2667
<i>Martin T King, Maryellen L Giger, Xiaochuan Pan</i>	
Kinetics of (R)-[11C]rolipram and (S)-[11C]rolipram in the Dog Heart: Investigation of Four Compartment Models.....	2671
<i>Mireille Lortie, Jean DaSilva, Miran Kenk, Stephanie Thorn, Rob Beanlands, Robert A deKemp</i>	
Kinetic Modeling of FDG Uptake in Rat Tumors During Photodynamic Therapy.....	2676
<i>M'hamed Bentourkia, Véronique Bérard, Paté Boubacar, Johan E van Lier, Roger Lecomte</i>	

Table of Contents

A Public Domain Dynamic Mouse FDG MicroPET Image Data Set for Evaluation and Validation of Input Function Derivation Methods	2681
<i>Sung-Cheng Huang, Hsiao-Ming Wu, David truong, Mayumi Prins, Xiaoli Zhang, David B Stout, Arion F Chatziioannou, Heinrich R Schelbert</i>	
Quantitative Simultaneous In-111-WBC / Tc-99m-MDP Planar Imaging of the Foot.....	2684
<i>Xuping Zhu, Mi-Ae Park, Stephen C. Moore</i>	
Cardiac Motion Estimation from Gated Emission Computed Tomography Images	2688
<i>Jing Tang, William P. Segars, Benjamin M. W. Tsui</i>	
Estimation of 6-Degree-of-Freedom (6-DOF) Rigid-Body Patient Motion from Projection Data by the Principal-Axes Method in Iterative Reconstruction	2695
<i>Bing Feng, Michael A King</i>	
Motion Estimation in Gated Cardiac Emission Tomography by Optical Flow Techniques	2699
<i>David R Gilland, Bernard A. Mair</i>	
Variation of Kinetic Model Parameters Due to Input Peak Distortions and Noise in Simulated 82Rb PET Perfusion Studies	2703
<i>Carsten Meyer, Martin Weibrecht, Dragos Peligrad</i>	
Ensemble Learning - Independent Component Analysis Approach to Extract the Arterial Input Function from FDG-PET Images in Mice.....	2708
<i>Zheng Fu, Mohammed N Tantawy, Todd E Peterson</i>	
A LSO Beta Microprobe for Measuring Input Functions for Quantitative Small Animal PET	2713
<i>Sri Harsha Maramraju, Sean P Stoll, Craig L Woody, David J Schlyer, Wynne Schiffer, Dianne E Lee, Stephen Dewey, Paul Vaska</i>	
Partial Volume Correction Using Continuous Wavelet Technique in Small Animal PET Imaging	2717
<i>Lahcen Arhjoul, Otman Sarrhini, M'hamed Bentourkia</i>	
Region of Interest Motion Compensation in PET Image Reconstruction.....	2722
<i>Feng Qiao, Tinsu Pan, John W Clark, Jr., Osama Mawlawi</i>	
Implementation of Retrospective Respiratory Motion Compensation under Deep Breathing in Spiral Transmission Scanning of 3D PET.....	2727
<i>Akihiro Ishikawa, Keishi Kitamura, Tetsuro Mizuta, Kazumi Tanaka, Masaharu Amano, Yoshihiro Inoue</i>	
Simulation-Based Assessment of the Impact of Contrast Medium on CT-Based Attenuation Correction in PET	2731
<i>Mohammad R Ay, Habib Zaidi</i>	
Quantitative Image Reconstruction for the RatCAP PET Scanner	2736
<i>Sudeepti Southeikal, Martin Purschke, Sang-June Park, Sachin S Junnarkar, Jean-François Pratte, Sean P Stoll, Vasilios Boronikolas, Dianne E Lee, David J Schlyer, Craig L Woody, Paul Vaska</i>	
Geometric Model of Single Scatter in PET.....	2740
<i>Ivan G. Kazantsev, Samuel Matej, Robert M. Lewitt</i>	
The Quantitative Accuracy and Efficiency of the Dual Reconstruction Scheme Including a Practical Scatter/random Approximation in Dynamic PET Imaging	2744
<i>Ju-Chieh Cheng, Arman Rahmim, Stephan Blinder, Katie Dinelle, Vesna Sossi</i>	
High Accuracy Multiple Order Scatter Model for 3D Whole Body PET	2748
<i>Pawel J Markiewicz, Mahbubunnabi Tamal, Peter J Julyan, David L Hastings, Andrew J Reader</i>	
A Breath Control Device with EKG Monitoring (ABCDE) for Routine Imaging and Therapy	2753
<i>Stephane Chauvie, Gianni Perno, Simona Peano, Andrea Bianchi, Alberto Biggi</i>	
Evaluation of CT Field of View Restoration for PET-CT Attenuation Correction	2759
<i>Albert H Lonn, Jiang Hsieh, Mark L Nyka</i>	

Table of Contents

Respiratory Gating of MicroPET and Clinical CT Studies Using List-mode Acquisition	2761
<i>Sang Keun Woo, Kyeong Min Kim, Gi Jeong Cheon, Kwang Sun Woo, Wee Sup Chung, Joo Hyun Kang, Tae Hyun Choi, Tae Sup Lee, Chang Woon Choi, Sang Moo Lim</i>	
Evaluation of PET Tracer Binding Recovered by Partial Volume Correction Technique in Case of Hippocampic Atrophy	2765
<i>Nicolas Costes, Anthon Reilhac</i>	
New Sinogram Filter Design Utilizing Sinusoidal Trajectories	2770
<i>Sari Peltonen, Ulla Ruotsalainen</i>	
A Generalization of Green's One-Step-Late Algorithm for Penalized ML Reconstruction of PET Images	2775
<i>Bernard A. Mair, Jeff Zahnen</i>	
Experimental Evaluation of System Models for PET with Block Detectors.....	2778
<i>Michel S Tohme, Jinyi Qi</i>	
Parallel List-Mode Reconstruction and Calculation of the System Matrix for the High-Resolution ClearPET (TM) Neuro	2783
<i>Patrick Musmann, Uwe Pietrzyk, Nils U Schramm, Simone Weber</i>	
Fast 3D Iterative Reconstruction of PET Images Using PC Graphics Hardware	2787
<i>Bing Bai, Anne M Smith</i>	
Dynamic List-Mode Reconstruction of PET Data Based on the ML-EM Algorithm.....	2791
<i>Brigitte Gundlich, Patrick Musmann, Simone Weber</i>	
Accurate Estimation of Single Counts from Axially Compressed Random Data	2796
<i>Vladimir Y Panin</i>	
Comparison of Maximum-Likelihood List-Mode Reconstruction Algorithms in PET	2801
<i>Ralph Brinks, Colas Schretter, Carsten Meyer</i>	
Fully 3D PET Iterative Reconstruction Using Distance-Driven Projectors and Native Scanner Geometry	2804
<i>Ravindra M Manjeshwar, Steven G Ross, Maria Iatrou, Charles W Stearns</i>	
An Efficient Algorithm for Targeted Reconstruction of Tomographic Data	2808
<i>Charles W Stearns, Ravindra M Manjeshwar, Scott D Wollenweber</i>	
Polar Pixels for High Resolution Small Animal PET	2812
<i>Cibeles Mora, Magdalena Rafecas</i>	
An Inversion of the 180° Exponential Radon Transform.....	2818
<i>Qiu Huang, Gengsheng L. Zeng</i>	
An Analytical Algorithm for Skew-Slit Imaging Geometry with Uniform Attenuation Correction in SPECT	2822
<i>Qiulin Tang, Gengsheng L Zeng, Qiu Huang</i>	
Effect of Overlapping Projections on Reconstruction Image Quality in Multipinhole SPECT.....	2826
<i>Kathleen Vunckx, Johan Nuyts</i>	
Quadratic Regularization Design for Iterative Reconstruction in 3D Multi-Slice Axial CT	2834
<i>Hugo R Shi, Jeffrey A. Fessler</i>	
Statistical Cone-Beam CT Image Reconstruction Using the Cell Broadband Engine.....	2837
<i>Michael Knaup, Willi A. Kalender, Marc Kachelriess</i>	
Accelerated Line Search for Coordinate Descent Optimization.....	2841
<i>Zhou Yu, Jean-Baptiste Thibault, Ken Sauer, Charles A. Bouman, Jiang Hsieh</i>	
A Comparison Between Filtered Backprojection, Post-Smoothed Weighted Least Squares, and Penalized Weighted Least Squares for CT Reconstruction.....	2845
<i>Maria Iatrou, Bruno DeMan, Samit Basu</i>	

Table of Contents

Compensation for Patient and Detector Scatter and Crosstalk Contamination in in-111 SPECT Using Fast Monte Carlo-Based Iterative Reconstruction.....	2851
<i>Jinsong Ouyang, Georges El Fakhri, Robert E. Zimmerman, Stephen C. Moore</i>	
SPECT Image Quality and Quantification.....	2854
<i>Herfried Wiecek</i>	
Cone-Beam Imaging of Delta Functions	2859
<i>Rolf Clackdoyle, Louise Grezes-Besset, Laurent Desbat, Catherine Mennessier, Ivan Bricault</i>	
Reconstruction of a Dual-Head Small-Animal PET System: An SVD Study.....	2864
<i>Yun Dong, Chien-Min Kao</i>	
A Rebinning-Type Backprojection-Filtration Algorithm for Image Reconstruction in Helical Cone-Beam CT.....	2869
<i>Lifeng Yu, Dan Xia, Yu Zou, Xiaochuan Pan</i>	
Cone-Beam Tomography from Short-Scan Circle-plus-Arc Data Measured on a C-Arm System.....	2873
<i>Stefan Hoppe, Frank Dennerlein, Guenter Lauritsch, Joachim Hornegger, Frederic Noo</i>	
Metal Artifact Reduction in Helical Cone-Beam Computed Tomography	2878
<i>Jie Tang, Li ZHANG, Zhiqiang CHEN, Yuxiang Xing, Jianping Cheng</i>	
Sampling Requirements for Circular Cone Beam Tomography.....	2882
<i>Jeffrey Brokish, Yoram Bresler</i>	
Two Finite Inverse Hilbert Transform Formulae for Local Tomography	2885
<i>Gengsheng Lawrence Zeng, Jiangsheng You, Qiu Huang</i>	
Circular Cone-Beam Micro-CT for Small Animal Imaging with Truncated Data.....	2889
<i>Seungryoung Cho, Lifeng Yu, Charles A Pelizzari, Xiaochuan Pan</i>	
Stochastic Discrete Reconstruction (SDR) for Nuclear Medicine Tomographic Systems.....	2892
<i>Arkadiusz Sitek, Anna M Celler, Grant T Gullberg</i>	
A FBP Reconstruction Formula for 2D Tomography with Bilateral Truncation.....	2895
<i>Rolf Clackdoyle, Frederic Noo, Moctar Salem Ould Mohamed, Catherine Mennessier</i>	
An Immediate After-Backprojection Filtering Method with Blob-Shaped Window Functions for Voxel-Based Iterative Reconstruction.....	2900
<i>Bin Zhang, Gengsheng L. Zeng</i>	
Accurate Image Reconstruction in Circular Cone-Beam CT	2904
<i>Emil Y. Sidky, Xiaochuan Pan</i>	
Factorization of the Reconstruction Problem in Circular Cone-Beam Tomography and Its Use for Stability Analysis	2908
<i>Frank Dennerlein, Frederic Noo, Joachim Hornegger, Guenter Lauritsch</i>	
Calibration of the Circle-plus-Arc Trajectory	2913
<i>Stefan Hoppe, Frederic Noo, Frank Dennerlein, Guenter Lauritsch, Joachim Hornegger</i>	
Sinogram-Domain Correction for Resolution Non-Uniformities Caused by Anode Angulation in CT.....	2919
<i>Patrick Jean La Riviere, Phillip Vargas</i>	
Monotonic Iterative Reconstruction Algorithms for Targeted Reconstruction in Emission and Transmission Computed Tomography	2924
<i>Patrick Jean La Riviere</i>	
Data Readout and Processing Toolkit for Small-Size Gamma Cameras	2929
<i>Vladimir Popov, Pavel Degtiarenko, Igor Musatov, Mark B Williams</i>	
Quantitative Processing of Cardiac Dynamic Patient Data with Slow Camera Rotation	2933
<i>Rostyslav Boutchko, Arkadiusz Sitek, Jicun Hu, Bryan W. Reutter, Grant T. Gullberg, Elias H. Botvinick</i>	

Table of Contents

Correlation of Diffraction MicroCT Images of Breast Tissue with Pathological Analysis	2936
<i>Jennifer A Griffiths, Gary J Royle, Julie A Horrocks, Andrew M Hanby, Robert D Speller</i>	
Bayesian Image Reconstruction for the Clear-PEM Scanner.....	2940
<i>Mónica Vieira Martins, Nuno Matela, Andreia Trindade, Pedro Rodrigues, Nuno Oliveira, Hugo Cordeiro, Nuno Chichorro Ferreira, João Varela, Pedro Almeida</i>	
A Study of the Application of MWPC-Based Positron Cameras for Breast Imaging	2944
<i>Robert John Ott, Noel Evans, Alan Jeavons</i>	
A near Field Correction for Coded Aperture Imaging in Scintimammography.....	2948
<i>Mohammed Ali Alnafea, Kevin Wells, N M Spyrou, M I Saripan, M Guy</i>	
3-D Contrast-Detail Analysis for Dedicated Emission Mammotomography.....	2954
<i>Spencer J Cutler, Kristy L Perez, Martin P Tornai</i>	
Optimization of the Acquisition Parameters for a SPET System Dedicated to Breast Imaging.....	2959
<i>Nico Lanconelli, Renato Campanini, Emiro Iampieri, Roberto Pani, Maria Nerina Cinti, Paolo Bennati, Nicola Belcari, Manuela Camarda, Luigi Spontoni, Sara Vecchio, Paolo Randaccio, Paolo Russo, Alberto Del Guerra</i>	
Feasibility Study of Multipinhole Collimators for High Resolution Small Animal Imaging	2963
<i>Enrique W Izaguirre, Mingshan Sun, James Carver, Bruce H. Hasegawa</i>	
Reconstruction of Phantom SPECT Scans Acquired with a Slit-Slat Collimator.....	2966
<i>Scott D Metzler, Ahmet S Ayan, Roberto Accorsi, John R Novak</i>	
Development of a Electron Tracking Compton Gamma-Ray Camera Using a Gas Micro-Tracking Device for Nuclear Medicine	2971
<i>Shigeto Kabuki, Kaori Hattori, Atsushi Kubo, Hidetoshi Kubo, ETSUO KUNIEDA, Kentro Miuchi, Tadaki Nakahara, Hironobu Nishimura, Toru Tanimori</i>	
Analytical Derivation and Experimental Verification of a Sensitivity Formula for Slit-Slat SPECT Collimation	2976
<i>Roberto Accorsi, Scott D Metzler, John R Novak, Ahmet S Ayan, Ronald J Jaszczak</i>	
A Compact High Performance Readout Electronics Solution for H9500 Hamamatsu 256 Multianode Photomultiplier Tube for Application in Gamma Cameras.	2981
<i>Vladimir Popov, Stan Majewski</i>	
An MR Compatible LSO-PET Scanner for Molecular Imaging Studies.....	2986
<i>Jane E Mackewn, Stephen F Keevil, William A Hallett, Phillip Halsted, Richard A Page, Mick T Kelly, Steven CR Williams, Paul K Marsden</i>	
A CsI-Active Pixel Sensor Based Detector for Gamma Ray Imaging.....	2990
<i>Robert John Ott, Emma Harris, Phil Evans, Noel Evans, John Osmond, Andrew Holland, Mark Prydderch, Andrew Clark, Jamie Crooks, Rob Halsall, Michelle Key-Charriere, Steve Martin, Renato Turchetta</i>	
Effects of Incorrect Interaction Identification on Image Resolution in HPGe Compton Cameras.....	2993
<i>John E Gillam, Toby E Beveridge, Stewart Midgley, Helen C Boston, Andy J Boston, Reynold J Cooper, Alex Grint, Andrew R Mather, Paul J Nolan, David P Scraggs, Gerald Turk, Chris J Hall, Ian Lazarus, Rob A Lewis, Andy Berry, Imants Svalbe</i>	
Localizing the Imaged-Object Position by a Stationary Position-Sensitive Scintillation Camera Using Tilted-Collimator Technique	2997
<i>Nikolay Mihaylov Uzunov, Michele Bello, Pasquale Boccaccio, Giuliano Moschini, Davide Camporese, Dante Bollini, Giuseppe Baldazzi</i>	
Instrumentation Development of a SPECT-CT System to Image Awake Mice	3000
<i>Andrew G. Weisenberger, Brian Kross, Stan Majewski, Vladimir Popov, Vi-Hoa Tran, Benjamin Welch, Justin Baba, James Goddard, Martin Pomper, Benjamin M. W. Tsui, Mark F. Smith</i>	
An Investigation to Design High Performance Multi-Pinhole Collimator.....	3004
<i>Byung Jun Min, Yong Choi, Nam-Yong Lee, Tae Yong Song, Jin Ho Jung, Key Jo Hong, Young Bok Ahn, Jinhun Joung</i>	

Table of Contents

Design and Performance of a New SPECT Detector for Multimodality Small Animal Imaging Platforms.....	3008
<i>Derek W Austin, Michael J Paulus, Shaun S Gleason, Robert A Mintzer, Stefan B Siegel, Said D Figueroa, Timothy J Hoffman, Jonathan S Wall</i>	
Depth of Interaction Decoding of a Continuous Crystal Detector.....	3012
<i>Tao Ling, Thomas K Lewellen, Robert S Miyaoka</i>	
A Monte Carlo Simulation Study on Detector Arrangement for a Small Bore DOI-PET Scanner: jPET-RD	3018
<i>Tetsuya Kobayashi, Taiga Yamaya, Hisashi Takahashi, Keishi Kitamura, Tomoyuki Hasegawa, Hideo Murayama, Mikio Suga</i>	
Region-Based Efficiency Correction for the High-Resolution Quad-HIDAC PET Scanner.....	3022
<i>Leticia Ortega Maynez, Peter J. Julyan, David L. Hastings, Andrew J. Reader</i>	
Signal to Noise Ratio of Monolithic Scintillation Detectors for High Resolution PET	3027
<i>Marnix C. Maas, D.J. van der Laan, Dennis R. Schaart, Peter Bruyndonckx, Cedric Lemaître, Carel W.E. van Eijk</i>	
Impact of Detector Defects on Image Quality and Quantification for the microPET Focus 220 Scanner.....	3032
<i>Wencke Lehnert, Steven R Meikle</i>	
Development of an Improved Detector Module for miniPET-II	3037
<i>Jozsef Imrek, Gyula Hegyesi, Gabor Kalinka, Jozsef Molnar, Dezso Novak, Ivan Valastyan, Janos Vegh, Laszlo Balkay, Miklos Emri, Attila Kis, Lajos Tron, Tamas Bukki, Zsolt Szabo, Andras Kerek</i>	
Spatial Resolution Measured by a Prototype System of Two 4-Layer DOI Detectors for jPET-RD	3041
<i>Fumihiko Nishikido, Tomoaki Tsuda, Naoko Inadama, Eiji Yoshida, Kei Takahashi, Kengo Shibuya, Taiga Yamaya, Keishi Kitamura, Hideo Murayama</i>	
Digital Coincidence Processing for the RatCAP Conscious Rat Brain PET Scanner.....	3045
<i>Sang-June Park, Sudeepti Southekal, Martin Purschke, Sachin S Junnarkar, Jean-François Pratte, Veljko Radeka, Paul O'Connor, Sean P Stoll, Roger Lecomte, Rejean Fontaine, Craig L Woody, David J Schlyer, Paul Vaska</i>	
Simulations of the Effect of Partial Collimation on Count Rates of an LSO PET System.....	3049
<i>Ruth E Schmitz, Paul E Kinahan, Robert L Harrison, Thomas K Lewellen</i>	
Dynode-Timing Method for PET Block-Detectors	3053
<i>Florian Bauer, Nan Zhang, Matthias Schmand, Michael Loope, Lars A Eriksson</i>	
Innovative Electronics Architecture for PET Imaging.....	3057
<i>Pierre Etienne Vert, Jacques Lecoq, Gérard Montarou, Nicoleta Pauna, Baptiste Joly, Madjid Boutemour, Hervé Mathez, Renaud Gaglione, Patrick Le Dû</i>	
(A, B, C, E) and (T, L, E) Multiplexing Readout Concept for PET Block Detectors.....	3060
<i>Nan Zhang, Matthias J Schmand, Niraj K Doshi</i>	
Implementation of a High-Rate USB Data Acquisition System for PET and SPECT Imaging.....	3063
<i>James Proffitt, William Hammond, Stan Majewski, Vladimir Popov, Raymond R Raylman, Andrew G Weisenberger</i>	
Noise Optimization and Monte Carlo Simulation of a PET Detector Based on Continuous LSO Crystal and Large-Area APDs	3068
<i>Srilalan Krishnamoorthy, Sean P Stoll, Martin Purschke, Jean-François Pratte, Craig L Woody, David J Schlyer, Paul O'Connor, Paul Vaska</i>	
Multichannel Readout Electronics for Flat Panel PSPMT	3072
<i>Enrico D'Abramo, Francesco de Notaristefani, Valentino Orsolini Cencelli</i>	
Design Consideration for Double-Sided Silicon Detectors Applicable to PET Imaging.....	3076
<i>Andrej Studen and Neal Clinthorne</i>	

Table of Contents

Optimization of Crystal Arrangement on 8-Layer DOI PET Detector	3082
<i>Naoko Inadama, Hideo Murayama, Tomoaki Tsuda, Fumihiko Nishikido, Kengo Shibuya, Taiga Yamaya, Eiji Yoshida, Kei Takahashi, Atsushi Ohmura</i>	
Design of a Modular and Efficient CAMAC/LabVIEW-Based Data Acquisition System for a Time of Flight PET Test-Bed	3086
<i>Kristen A Wangerin, Jorge Uribe, Sergei Dolinsky, Adrian Ivan, Nicole Haupt, Kent Burr, and Floris P Jansen</i>	
A CompactPCI Based Event Routing Subsystem for PET and SPECT Data Acquisition.....	3091
<i>Aaron R McFarland, Danny F Newport, Blake E Atkins, Danny R Pressley, Stefan B Siegel, Mark W Lenox</i>	
Clinical Comparison of HiRez vs Non-HiRez LSO Crystal Sampling for Lesion Detection and SUV Quantification	3094
<i>Sebastien Hapdey, Sebastien Vauclin, Alain Manrique, Irene Buvat, Marjolaine Fourcade, Olivier de Dreuille, Isabelle Gardin, Pierre Vera</i>	
Quantitative Experimental Comparison of HRRT Versus HR+ PET Brain Studies	3097
<i>Floris H.P. van Velden, Reina W Kloet, Hugo W.A.M. de Jong, Adriaan A Lammertsma, Ronald Boellaard</i>	
A Large Volume PET Scanner for Low Dose Applications	3100
<i>Bjoern W Jakoby, David W Townsend, Merence Sibomana, Amy K LeBlanc, Gregory B Daniel</i>	
Small Animal X-Ray Micro-CT with Zoom-in Imaging Capability.....	3102
<i>Soo Y Lee, Min H Cho, Sang C Lee, In K Chun, Jeong J Park</i>	
Ultra-High Resolution X-Ray CT System with a CdTe Detector	3106
<i>Junpei Yoshitake, Koichi Ogawa</i>	
Hyperfast Parallel-Beam Backprojection.....	3111
<i>Marc Kachelriess, Michael Knaup, Olivier Bockenbach</i>	
Optical Determination of the Cross Talk of CT Detection Systems	3115
<i>Oded Buchinsky, Lev Gregorian, Igor Uman, Naor Wainer</i>	
Photon Counting X-Ray CT System with a Semiconductor Detector.....	3119
<i>Kazuhiko Kowase, Koichi Ogawa</i>	
A Proposed Cone Beam Version of Electron Beam CT.....	3124
<i>Hermann Schomberg</i>	
Performance Evaluation of a Prototype Micro-CT System.....	3127
<i>Seungryoung Cho, Junguo Bian, Charles A Pelizzari, Jeffrey S Souris, Chin-Tu Chen, Xiaochuan Pan</i>	
Physical Performance and Clinical Workflow of a New LSO HI-REZ PET/CT Scanner	3130
<i>Bjoern W Jakoby, Yanic Bercier, Charles C Watson, Vitaliy Rappoport, John W Young, Bernard Bendriem, David W Townsend</i>	
Automated Calibration Method for Parallax Corrected Positioning Algorithms in Monolithic Scintillators	3135
<i>Cedric Lemaître, Peter Bruyndonckx, Dennis R. Schaart, marnix Maas, D.J. van der Laan, Magalie Krieguer, Olivier Devroede, Stefaan Tavernier</i>	
Assessment of the activity distribution of metal radionuclides in plastic phantoms using $^{1/4}$SPECT imaging and gamma counting.....	3139
<i>Mi-Ae Park, Ashfaq Mahmood, Robert E Zimmerman, Naengnoi Limpa-Amara, G Mike Makrigiorgos, Stephen C Moore</i>	
Accelerated SPECT Monte Carlo Simulation Using Multiple Projection Sampling and Convolution-Based Forced Detection	3142
<i>Shaoying Liu, Michael A King, Aaron B Brill, Michael G Stabin, Troy H Farncombe</i>	
Evaluation of Different Random Estimation Methods for the MADPET-II Small Animal PET Scanner Using GATE	3148
<i>Irene Torres-Espallardo, Magdalena Rafecas, Virginia Ch Spanoudaki, David P McElroy, Sibylle I Ziegler</i>	

Table of Contents

Design and Implementation of a Block Detector Simulation in SimSET	3151
<i>Robert L Harrison, Steven B Gillispie, Tom K Lewellen</i>	
Impact of Scatter Modeling Error on 3D Maximum Likelihood Reconstruction in PET	3154
<i>Mahbubunnabi Tamal, Paul J Markiewicz, Peter J Julyan, David L Hastings, Andrew J Reader</i>	
Monte Carlo Database Production for Human Brain PET Imaging Using GATE	3159
<i>Sébastien Jan, Claude Comtat, Régine Trébossen</i>	
RTNCAT (Real Time NCAT): Implementing Real Time Physiological Movement of Voxellized Phantoms in GATE	3163
<i>Patrice Descourt, William P. Segars, Frederic Lamare, Ludovic Ferrer, Benjamin M. W. Tsui, Yves Bizais, Manuel Bardies, Dimitris Visvikis</i>	
Image Reconstruction from Sparse Data in Echo-Planar Imaging	3166
<i>Samuel J LaRoque, Emil Y Sidky, Xiaochuan Pan</i>	
Geometrical Repeatability and Motion Blur Analysis of a New Multi-Projection X-Ray Imaging System.	3170
<i>Amarpreet Chawla, Ehsan Samei</i>	
Signal-to-Noise Monte-Carlo Analysis of Base Material Decomposed CT Projections	3174
<i>Bjoern J. Heismann</i>	
Simulation and Experimental Study of Multiple-Fibers per Voxel Detection by ICA in DTI Tractography	3176
<i>Manbir Singh, Chi-Wah Wong, Jeong-Won Jeong</i>	
Quantifying Phase Analysis Parameters for Normal Cardiac Synchrony	3180
<i>Barbora Dej, Richard Wassenaar</i>	
Fully Automated Software for Polar-Map Registration and Sampling from PET Images	3185
<i>Ran Klein, Mireille Lortie, Robert S Beanlands, Robert A deKemp, Andy Adler</i>	
A Method for Automatic Extraction of Striatal Structures for Dose-Finding Studies in PET	3189
<i>Esa Wallius, Jussi Tohka, Jussi Hirvonen, Jarmo Hietala, Ulla Ruotsalainen</i>	
Efficient Model of the Collimator Blurring in Pinhole SPECT	3195
<i>Andriy Andreyev, Michel Defrise, Christian Vanhove</i>	
Comparison of Image Segmentation and Registration Based Methods for Analysis of Misaligned Dynamic H₂¹⁵O Cardiac PET Images	3200
<i>Anu Juslin, Jussi Tohka, Jyrki Lötjönen, Ulla Ruotsalainen</i>	
A Template Based Approach for Automatic Seed Detection in Post-Implant CT Images for Prostate Brachytherapy	3205
<i>Mehran Yazdi, shabnam GhadarGhadr, Luc beaulieu</i>	
Multi-modal and Multi-temporal Image Registration in the Presence of Gross Outliers Using Feature Voxel-Weighted Normalized Mutual Information	3209
<i>Zhijun Gu, Binjie Qin</i>	
A Fast Method for Kinetic Parameter Estimation	3213
<i>Imam S Yetik, Jinyi Qi</i>	
Wavelet Denoising of Dynamic PET Data: Application to the Parametric Imaging of Peripheral Benzodiazepine Receptor	3217
<i>Miho Shidahara, Yoko Ikoma, Chie Seki, Yota Fujimura, Kinei Yoshida, Hiroshi Ito, Tetsuya Suhara, Iwao Kanno</i>	
A Combined Noise Reduction and Partial Volume Estimation Method for Image Quantitation	3221
<i>John P Chiverton, Kevin Wells, Mike Partridge</i>	
Location-Known-Exactly Human-Observer ROC Studies of Attenuation and Other Corrections for SPECT Lung Imaging	3229
<i>Andre Lehovich, Howard C Gifford, Michael A King</i>	

Table of Contents

Calculation of Left Ventricular Ejection Fraction of Abnormal Hearts in SPECT	3233
<i>Rostyslav Boutchko, Arkadiusz Sitek, Bryan W. Reutter, Grant T. Gullberg, Thomas F. Budinger, Saul Schaefer, Charles A. Barnett</i>	
An Assessment of a Visual Tracking System (VTS) to Detect and Compensate for Patient Motion During SPECT	3235
<i>Joseph E McNamara, Philippe P Bruyant, Bing Feng, Andre Lehovich, Karen Johnson, Songxiang Gu, Michael A Gennert, Michael A King</i>	
Effect of Truncation in Quantitative Cardiac Imaging with Small Field-of-View Pinhole SPECT	3239
<i>Tsutomu Zeniya, Hiroshi Watabe, Antti Sohlberg, Toru Inomata, Hiroyuki Kudo, Hidehiro Iida</i>	
Calibration Accuracy Evaluation for Stereo Reconstruction	3242
<i>Songxiang Gu, Joseph E McNamara, Matthew O. Ward, Karen Johnson, Michael A. Gennert, Michael A. King</i>	
Evaluation of Spillover and Partial Volume Effect Compensation on Quantitative Accuracy in Cardiac SPECT Perfusion Imaging.....	3247
<i>P. Hendrik Pretorius, Michael A. King</i>	
Quantifying the Effects of Acquisition Parameters in Cardiac SPECT Imaging and Comparison with Visual Observers.....	3251
<i>Johannes Zeintl, Alexander H Vija, Jim T Chapman, Eric G Hawman, Joachim Hornegger</i>	
Body-Contour Acquisition Versus Circular Orbit Acquisition with Resolution Recovery in Cardiac SPECT	3258
<i>Antti O Sohlberg, Hiroshi Watabe, Hidehiro Iida</i>	
The Current Status of a Non-Invasive Arterial Monitor under Development	3262
<i>Gareth R Jones, Graeme J O'Keefe, Roger P Rassool, Andrew M Scott</i>	
Non-Invasive and Selective Measurement of the Arterial Input Function Using a PET Wrist Scanner	3266
<i>Aarti M Kriplani, David J Schlyer, Paul Vaska, Vasily Dzhordzhadze, Sean P Stoll, Sudeepti Southekal, Sang-June Park, Craig L Woody, Sachin S Junnarkar, Jean-François Pratte</i>	
Optimizing the Quantitative in vivo Imaging for Longitudinal Studies in Rat Brain Using FDG and microPET	3271
<i>Hsiao-Ming Wu, Neil G Harris, Waldemar Ladno, Judy Edwards, Hong-Dun Lin, Graham Cole, Richard L Sutton, David A Hovda, Michael E Phelps, Sung-Cheng Huang</i>	
Motion Correction for Respiratory Gated PET Images.....	3273
<i>Nicole C Detorie, Magnus Dahlbom</i>	
Lesion Detectability in Motion Compensated Image Reconstruction of Respiratory Gated PET/CT.....	3278
<i>Kris Thielemans, Ravindra M. Manjeshwar, Xiaodong Tao, Evren Asma</i>	
Investigation of Subject Motion Encountered During a Typical Positron Emission Tomography Scan.....	3283
<i>Katie Dinelle, Stephan Blinder, Ju-Chieh Cheng, Sarah Lidstone, Ken Buckley, Tom Ruth, Vesna Sossi</i>	
Attenuation-Emission Alignment in Cardiac PET/CT with Consistency Conditions.....	3288
<i>Adam M Alessio, Paul E Kinahan, Grace Chen, Kelley Branch, James Caldwell</i>	
An Attenuation Correction Method for Respiratory-Gated PET/CT Image	3292
<i>Tomohiro Yamazaki, Hidenori Ue, Hideaki Haneishi, Akira Hirayama, Takashi Sato, Shigeru Nawano</i>	
Evaluation of an Energy-Based Method for Scatter Correction in Positron Emission Tomography	3297
<i>Hsing-Tsuen Chen, Chien-Min Kao, Bill Penney, Chin-Tu Chen</i>	
Scatter Correction in PET Using the Transport Equation	3305
<i>Thomas Koesters, Frank Natterer, Frank Wuebbeling</i>	
An Analytical Scatter Correction for Singles-Mode Transmission Data in PET	3310
<i>Eric Vandervoort, Vesna Sossi</i>	
Simultaneous Attenuation and Scatter Correction in Small Animal PET Imaging.....	3315
<i>M'hamed Bentourkia, Otman Sarrhini</i>	

Table of Contents

CT-Based Attenuation Correction for PET Brain Imaging	3320
<i>Stephen J Lokitz, R Edward Coleman, Timothy G Turkington</i>	
Quantitative VOI-Based Analysis of Template-Guided Attenuation Correction in 3D Brain PET	3326
<i>Marie-Louise Montandon, Habib Zaidi</i>	
Accurate Motion Compensation Incorporating All Detected Events in the HRRT Scanner	3331
<i>Arman Rahmim, Katie Dinelle, Ju-Chieh Cheng, Mikhail A Shilov, William P. Segars, Olivier G. Rousset, Benjamin M. W. Tsui, Dean F. Wong, Vesna Sossi</i>	
A Monte Carlo Study of Deconvolution Algorithms for Partial Volume Correction in Quantitative PET	3339
<i>Jussi Tohka, Anthonin Reilhac</i>	
A New Rebinning Algorithm for 3D PET Data	3346
<i>Kjell Erlandsson, Ronald van Heertum, John J Mann</i>	
A Method for System Matrix Construction and Processing for Reconstruction of In-Beam PET Data	3351
<i>Georgiy Shakirin, Paulo Crespo, Wolfgang Enghardt</i>	
Simulation-based Evaluation of Iterative	
Reconstructions in Dynamic [18F]MPPF PET studies	3355
<i>Sandrine Tomei, Anthonin Reilhac, Irène Buvat, Christian J. Michel, Gérard Gimenez, Nicolas Costes</i>	
Fast Forward Projection and Backward Projection Algorithm Using SIMD	3361
<i>I.K. Hong, S.T. Chung, H.K. Kim, Y.B. Kim, Y.D. Son, Z.H. Cho</i>	
Influence of Outside Field of View Activity on the Quality of High Resolution Research Tomograph (HRRT) Brain Studies	3369
<i>Reina W Kloet, Hugo W.A.M. de Jong, Floris H.P. van Velden, Adriaan A Lammertsma, Ronald Boellaard</i>	
Probability Based Positron Range Modeling in Inhomogeneous Medium for PET	3372
<i>Yubin Wan, Qingguo Xie, Chanjuan Hu, Shuyun Wan, Jin Zhao, Yongji Wang</i>	
Multi-Scale Selection of the Stopping Criterion for MLEM Reconstructions in PET	3376
<i>Nicolai B Bissantz, Bernard A. Mair, Axel Munk</i>	
Noise Study in Monte Carlo Estimated System Matrix for OPET	3380
<i>Fernando R Rannou, Arion F Chatziioannou</i>	
First Human Brain Images of the jPET-D4 Using 3D OS-EM with a Pre-Computed System Matrix	3384
<i>Taiga Yamaya, Eiji Yoshida, Keishi Kitamura, Takashi Obi, Katsuyuki Tanimoto, Kyosan Yoshikawa, Hiroshi Ito, Hideo Murayama</i>	
MLEM Reconstructed Image Resolution from the LabPET Animal Scanner	3388
<i>Tyler Dumouchel, Vitali Selivanov, Jules Cadorette, Roger Lecomte, Robert A deKemp</i>	
Dynamic Load Balancing on Distributed Listmode Time-of-Flight Image Reconstruction	3392
<i>Zhiqiang Hu, Wenli Wang, Eugene E. Gualtieri, Michael J. Parma, Edward S. Walsh, David Sebok, Yu-Lung Hsieh, Chi-Hua Tung, Jerome J. Griesmer, Jeffrey A. Kolthammer, Daniel Gagnon, Lucretiu M. Popescu, Matt Werner, Joel S. Karp, Anca Bucur</i>	
Adaptive Spatially Variant Optimization of a Temporal Spline Basis for Dynamic PET Reconstruction	3397
<i>Jeroen Verhaeghe, Ronald Phlypo, Stefaan Vandenberghe, Steven Staelens, Yves D'Asseler, Ignace Lemahieu</i>	
Optimal and Robust PET Data Sinogram Restoration Based on the Response of the System	3404
<i>J. L. Herraiz, S. España, E. Vicente, J. J. Vaquero, M. Desco, J. M. Udias</i>	
Radon Space and Frequency Space Interpolation Methods for Circular-Orbit Cone-Beam Imaging	3408
<i>Fengfeng Jing, Gengsheng L Zeng</i>	
Targeted Fully 3D Monte Carlo Reconstruction in SPECT	3410
<i>Ziad El Bitar, Yolande Petegnief, David Hill, Vincent Breton, Irène Buvat</i>	

Table of Contents

New Ray-Driven System Matrix for Small-Animal Pinhole-SPECT with Detector Blur, Geometric Response and Edge Penetration Modeling	3414
<i>Christian Wietholt, Ing-Tsung Hsiao, Chin-Tu Chen</i>	
Level Set Reconstruction for Sparse Angularly Sampled Data	3420
<i>Sungwon Yoon, Angel R. Pineda, Rebecca Fahrig</i>	
A Faster Ordered-Subset Convex Algorithm for Iterative Reconstruction.....	3424
<i>Enzhuo Quan, David S. Lalush</i>	
Noise Properties in Helical Cone-Beam CT Images.....	3428
<i>Dan Xia, Emil Y Sidky, Lifeng Yu, Xiaochuan Pan</i>	
Suppression of Metal Streak Artifacts in CT Using a MAP Reconstruction Procedure	3431
<i>Catherine Lemmens, David Faul, Jim Hamill, Sigrid Stroobants, Johan Nuyts</i>	
Sinogram Correction Methods Using Sinogram Decomposition	3438
<i>Alexander A Zamyatin, Satoru Nakanishi</i>	
A Method of Truncation Compensation for Pinhole Tomography	3441
<i>Bryan C Yoder, David S Lalush</i>	
Fully 5D Reconstruction of Gated Dynamic Cardiac SPECT Images	3445
<i>Mingwu Jin, Yongyi Yang, Miles N. Wernick, Michael A. King</i>	
Theory for Image Reconstruction from Divergent-Beam Projections in SPECT	3449
<i>Frederic Noo, Jed D Pack</i>	
One-Step Backprojection Algorithm for Computed Tomography.....	3453
<i>DoSik Hwang, Larry Zeng</i>	
PET Reconstruction Using Generalized Natural Pixels and a Monte Carlo Generated System Matrix	3458
<i>Yu Chen, Stefaan Vandenberghe, Steven Staelens, Jan Verhaeghe, Stephen J. Glick</i>	
Fast Shear-like Divergent-Beam Backprojection Algorithms	3463
<i>Ashvin K George, Yoram Bresler</i>	
A New FBP-Type Algorithm on Improving FDK Reconstruction for Z-Axially Untruncated Data from a Circular Orbit	3467
<i>Liang Li, Zhiqiang Chen, Yuxiang Xing, Li Zhang, Kejun Kang</i>	
Application of Pack and Noo's Cone-Beam Inversion Formula to a Wide Class of Trajectories.....	3471
<i>Haiquan Yang, Meihua Li, Kazuhito Koizumi, Hiroyuki Kudo</i>	
A general exact method for synthesizing parallel-beam projections from cone-beam projections by filtered backprojection.....	3476
<i>Liang Li, Zhiqiang Chen, Yuxiang Xing, Li Zhang, Kejun Kang, Ge Wang</i>	
Closed Sinusoid Trajectory for C-Arm CT Imaging	3480
<i>Haiquan Yang, Meihua Li, Kazuhito Koizumi, Hiroyuki Kudo</i>	
Exact Reconstruction for Dual Energy Computed Tomography Using an H-L Curve Method	3485
<i>Guowei ZHANG, Zhiqiang CHEN, Li ZHANG, Jianping Cheng</i>	
Lung Nodule Detection in Screening Computed Tomography	3489
<i>Ilaria Gori, Roberto Bellotti, Piergiorgio Cerello, Sorin Cristian Cheran, Giorgio De Nunzio, Maria Evelina Fantacci, Parnian Kasae, Giovanni Luca Masala, Alessandro Preite Martinez, Alessandra Retico</i>	
Dosimetry in I131 Internal Emitter Therapy Using Voxel Dependent Integrated Time-Activities Derived from Multiple, Registered SPECT and CT Images	3492
<i>Scott J. Wilderman, Anca M. Avram, James Kritzman, Robert Ackerman, Yuni K. Dewaraja</i>	
Study of 11C-Acetoacetate Uptake by Rat Heart and Brain Using Small Animal PET Imaging.....	3497
<i>M'hamed Bentourkia, Sébastien Tremblay, Jacques Rousseau, Roger Lecomte, Stephen Cunnane</i>	

Table of Contents

Non-Rigid Registration with Position Dependent Rigidity for Whole Body PET Follow-up Studies	3502
<i>Kurt De Moor, Johan Nuyts, Lily Plessers, Sigrid Stroobants, Frederik Maes, Patrick Dupont</i>	
Improved Clinical Parametric Imaging Using List-Mode Reconstruction via Resolution System Modeling	3507
<i>Florent C Sureau, Claude Comtat, Andrew J Reader, Claire Leroy, Maria-Joao Santiago-Ribeiro, Irène Buvat, Régine Trébossen</i>	
Modified MLEM Algorithm for Artifact Suppression in CT	3511
<i>May Oehler, Thorsten M. Buzug</i>	
Constant-Activity-Rate Infusions for Myocardial Blood Flow Quantification with ⁸²Rb and 3D PET.....	3519
<i>Robert A deKemp, Ran Klein, Mireille Lortie, Rob Beanlands</i>	
Monte Carlo Modeling of Cascade Gamma Rays in PET	3522
<i>Xuping Zhu, Georges El Fakhri</i>	
Rodent Brain Imaging with SPECT and CT	3526
<i>Youngho Seo, Dong-Wei Gao, Tomoki Hashimoto, Benjamin L. Franc, Michael W. Dae, Bruce H. Hasegawa</i>	
Imaging Performance of An Integrative Ultra-High Resolution SPECT/CT System.....	3528
<i>Ling-Jian Meng, Chien-Min Kao, Di Li, Seungryong Cho, Charles A Pelizzari, Jeffrey S Souris, Xiaochuan Pan, Chin-Tu Chen</i>	
Direct Detection of Beta Particles on a Microfluidic Chip Using Position Sensitive APDs	3536
<i>Nam T. Vu, Yong H. Chung, Zeta T.F. Yu, Robert W. Silverman, Richard Taschereau, Richard Farrell, Kanai S Shah, Hsian-Rong Tseng, Arion F. Chatziioannou</i>	
A Low-Cost Approach to High-Resolution, Single-Photon Imaging Using Columnar Scintillators and Image Intensifiers	3540
<i>Brian W. Miller, H. Bradford Barber, Harrison H. Barrett, Li Ying Chen, Donald W. Wilson</i>	
Neutron Spectroscopy of Mouse Using Neutron Stimulated Emission Computed Tomography (NSECT)	3546
<i>Anuj J Kapadia, Amy C Sharma, Georgia D Tourassi, Janelle E Bender, Calvin R Howell, Alexander S Crowell, Matthew R Kiser, Carey E Floyd</i>	
Design and Development of a High Performance Micro-CT System for Small-Animal Imaging	3549
<i>Eduardo Lage, Juan José Vaquero, Santiago Redondo, Mónica Abella, Gustavo Tapias, Ángel Udías, Manuel Desco</i>	
Assessment of a New CT System for Small Animals	3553
<i>Santiago Redondo, Juan José Vaquero, Eduardo Lage, Mónica Abella, Gustavo Tapias, Angel Udias, Manuel Desco</i>	
The Medipix3 Prototype, a Pixel Readout Chip Working in Single Photon Counting Mode with Improved Spectrometric Performance	3557
<i>Rafael Ballabriga, Michael Campbell, Erik H. M. Heijne, Xavier Llopart, Lukas Tlustos</i>	
Thick Silicon Strip Detectors for Small-Animal SPECT Imaging.....	3562
<i>Sepideh Shokouhi, Heather L Durko, Mark A Fritz, Lars R Furenlid, Todd E Peterson</i>	
Suppression of Afterglow in CsI(Tl) by Codoping with Eu²⁺: Fabrication of Microcolumnar Films for High-Resolution High-Speed Imaging	3567
<i>Vivek V. Nagarkar, Valeriy Gaysinskiy, Elena E. Ovechkina, Stuart R. Miller, Charles Brecher, Alexander Lempicki, Michael R. Squillante</i>	
Prototype Solid State Photomultiplier Based Intra-Operative Beta Camera.....	3571
<i>Elena S Heckathorne, Robert W. Silverman, Farhad Daghighian, Magnus Dahlbom</i>	
A Novel Active Pixel Sensor with on-Pixel Analog-to-Digital Converter for Mammography	3576
<i>Costas D Arvanitis, Sarah E Bohndiek, Gabriele Segneri, Christian Venanzi, Gary J Royle, Andy T Clark, Jamie P Crooks, Rob Halsall, Michelle L Key-Charriere, Steve Martin, Mark L Prydderch, Renato Turchetta, Robert D Speller</i>	

Table of Contents

DRAGO: a High Resolution Gamma-Ray Imager for Medical Imaging	3581
<i>Carlo Fiorini, Alberto Gola, Marta Zanchi, Antonio Longoni, Matteo Porro, Peter H Lechner, Heike Soltau, Lothar W. J. Strueder</i>	
Crystal Growth and Characterization of Detector Grade (Cd,Zn)Te Crystals	3585
<i>Michael Fiederle, Alex Fauler, Andreas Zwerger, Markus Dambacher</i>	
High Temperature Properties of CdTe Crystals, Doped by Sb	3589
<i>Petro Fochuk, Roman Grill, Yevhen Nykonyuk, Yuri Krustok, Zinaida Zakharuk, Oleh Panchuk</i>	
Deep Traps Induced by 700keV Protons in CdTe and CdZnTe Detectors	3594
<i>Beatrice Fraboni, Anna Cavallini, Natalia Auricchio, Marco Bianconi</i>	
Characterisation of Pixellated CdZnTe Detectors for Use in a Portable Gamma-Ray Spectrometer	3598
<i>Sarah V Rigby, Andrew J Boston, Paul J Nolan, David Oxley, Alex N Grint, Andrew Petts, Ian H Lazarus, John Simpson, Simon C Letts, Vic F Pucknell, Paul Seller, David M Cullen</i>	
Multi-Energy, Fast Counting Hybrid CZT Pixel Detector with Dedicated Readout Integrated Circuit	3602
<i>Martin Clajus, Victoria B. Cajipe, Satoshi Hayakawa, Tumor O. Tumer, Paul D. Willson</i>	
Room-Temperature Replacement for Ge Detectors ... Are We There Yet?	3607
<i>Paul N Luke, Mark Amman</i>	
Improvements in Bismuth Tri-Iodide Platelets for Room Temperature X-Ray Detection	3616
<i>Laura Fornaro, Ivana Aguiar, Ana Noguera, Maria Perez, Mauricio Rodriguez</i>	
Performance-Limiting Defects in CdZnTe Detectors	3622
<i>Aleksey E Bolotnikov, Giuseppe S Camarda, Gabriella A Carini, Yonggang Cui, Kyle T Kohlman, Longxia Li, Mark B Salomon, Ralph B James</i>	
High-Performance, Large-Volume THM CdZnTe Detectors for Medical Imaging and Homeland Security Applications	3629
<i>Henry Chen, Salah Awadalla, Glenn Bindley, Aleksey E. Bolotnikov, Giuseppe Salvatore Camarda, Gabriella A Carini, Ralph B James</i>	
Analysis of Coplanar Grid CdZnTe Detector Properties	3638
<i>Benjamin W Sturm, Zhong He, Christopher Chwasz</i>	
A New Architecture for Pixellated Solid-state Gamma Camera Used in Nuclear Medicine	3644
<i>Lucie GUERIN, Loïck VERGER, Véronique REBUFFEL, Olivier MONNET</i>	
Readout System for Arrays of Frisch-ring CdZnTe Detectors	3649
<i>Yonggang Cui, Aleksey E. Bolotnikov, Gabriella A Carini, Giuseppe Salvatore Camarda, Gianluigi De Geronimo, Jack Fried, Paul O'Connor, Ralph B James, Alireza Kargar, Mark J Harrison, Douglas S. McGregor</i>	
Growth of Thick Films CdTe from the Vapor Phase	3654
<i>Michael Fiederle, Dominic Greiffenberg, Ralf Sorgenfrei, Karl-Heinz Bachem</i>	
Optimizing the Spectral Response of Coplanar-Grid Sensors	3658
<i>Gianluigi De Geronimo, Gabriella A Carini, Jack Fried, Stephen A. Soldner</i>	
CdTe Detector Characteristics Around 30oC when using Periodic Bias Reset Technique	3661
<i>Tomoyuki Seino, Isao Takahashi</i>	
A System for the Characterization and Testing of CdZnTe/CdTe Pixel Detectors for X-ray and Gamma-ray Imaging	3665
<i>Anatoli Arodzero, William C Barber, Matthew Q. Damron, Neal E. Hartsough, Jan S. Iwanczyk, Nail Malakhov, Einar Nygard, Danielle Moraes, Peter Weilhammer, Pierre Jarron</i>	
Composition Study of CdTe Charges Synthesized by the Travelling Heater Method	3670
<i>Nicholas Audet, Blagovest Levicharsky, Andrea Zappettini, Mingzeng Zha</i>	
Analysis of Polarization Phenomenon and Deep Acceptor in CdTe Radiation Detector	3673
<i>Hiroiyuki Toyama, Akira Higa, Ikumi Owan, Satoru Yamanoha, Masaaki Yamazato, Takehiro Maehama, Ryoichi Ohno, Minoru Toguchi</i>	

Table of Contents

Electrophysical Characteristics of TlBr Crystals Grown in Various Media	3679
<i>Nikolay B. Smirnov, Igor S. Lisitsky, Michail S. Kuznetsov, Anatoly V. Govorkov, Elena A. Kozhukhova</i>	
Improved Process for the Detector Grade TlBr Single Crystals	3684
<i>Vasilij Kozlov, Hans Andersson, Markku Leslelä, and Heikki J Sipilä</i>	
Recent Progress in TlBr Radiation Detectors	3687
<i>Yuri Dmitriev, Hadong Kim, William M Higgins, Leonard J Cirignano, Purushottam Dokhale, Philip Wong, Kanai S Shah</i>	
Temperature Dependence of Spectroscopic Performance of Thallium Bromide X- and Gamma-Ray Detectors	3690
<i>Toshiyuki Onodera, Keitaro Hitomi, Tadayoshi Shoji</i>	
Type Conversion of Polycrystalline CdZnTe Thick Films by Multiple Compensation	3694
<i>Ki Hyun Kim, Jae Ho Won, Shin Hang Cho, JongHee Suh, Jin Ki Hong, Sun Ung Kim</i>	
Simulation Study on DOI-PET Module Design Using LSO and New SiPM	3698
<i>Chae hun Lee, Gyuseong Cho, Hyun duck Kim, Ho sang Jeon, Bo sun Kang</i>	
Development of Real-Time Monitoring System for Nuclear Material in Transport	3701
<i>Sung Woo Kwak, Ho Sik Yoo, Hye Won Shim, Ho Jin Lee, Jong Uk Lee, Donghan Yu, Gyungsik Min</i>	
Application of PILATUS II Detector Modules for High Resolution X-Ray Imaging Crystal Spectrometers on the Alcator C-Mod Tokamak	3704
<i>Manfred L Bitter, Christian Broennimann, Eric F Eikenberry, Kenneth W Hill, Alex Ince-Cushman, Sang Gon Lee, John E Rice, Steven Scott</i>	
Study of Charge Charing on CdTe\CZT Detectors with Segmented Electrodes	3707
<i>Natalia Auricchio, Ezio Caroli, Giulio Ventura, Adriano Cola, Ariano Donati, Adelaide Raulo, Eugenio Perillo, Waldes Dusi</i>	
Study of Detection Efficiency of 3D Position-Sensitive Pixellated CdZnTe Detectors	3711
<i>Dan Xu, Zhong He, Feng Zhang</i>	
Characterization of a New ASIC Readout for Pixel CZT Detectors for Hard X-Ray Astronomy	3716
<i>Ezio Caroli, Natalia Auricchio, Bertuccio Giuseppe, Stefano Caccia, Ariano Donati, Stefano Del Sordo, Giulio Ventura</i>	
Electrical Properties and X-Ray Sensitivity of Semi-Insulating CdZnTe:Pb Crystals	3720
<i>Jae Ho Won, Sin Hang Cho, Jong Hee Seo, Ki Hyun Kim, Sun Ung Kim, Jin Ki Hong</i>	
Photocurrent and Surface Photo-Voltage Spectroscopy Investigations of CdTe-Based Compounds	3724
<i>Anna Cavallini, Antonio Castaldini, Daniela Cavalcoli, Beatrice Fraboni</i>	
Polycrystalline Boron Nitride Based Alpha and Neutron Detectors	3728
<i>M. Schieber, M. Roth, A. Zuck, O. Khakhan, J. Uher, V. Linhart, S. Pospisil, M. Fiederle</i>	
Development of Perforated Si Diodes for Neutron Detection	3732
<i>Walter J McNeil, Eric L Patterson, Steven L Bellinger, Troy C Unruh, Douglas S McGregor, Kenneth J Shultis</i>	
Effects of Different Orientation on CdZnTe Detectors	3736
<i>Lan Zhang, Yuanjing Li, Zhi Deng, Weibin Zhu, Jian Cai, Lin XUe, Longxia Li</i>	
Boron Oxide Encapsulated Vertical Bridgman: a Method for Preventing Crystal-Crucible Contact in the CdZnTe Growth	3739
<i>Andrea Zappettini, Mingzeng Zha, Maura Pavesi, Lucio Zanotti</i>	
Simulated Performance of CZT-Based Focal Plane Detectors for Gamma-Ray Lenses	3742
<i>Andreas C. Zoglauer, Cornelia B. Wunderer, Georg Weidenspointner, Ezio Caroli, Rui da Silva, Steven E. Boggs, Peter von Ballmoss, Jürgen Knödelseder</i>	
Comparison of Mercuric Bromide and Lead Bromide Layers as Photoconductors for Direct X-Ray Imaging Applications	3750
<i>Laura Fornaro, Natalia Sassen, Maria Perez, Ana Noguera, Ivana Aguiar</i>	

Table of Contents

Isothermal Currents in Some Red Mercuric Iodide Single Crystals.....	3755
<i>SHIVCHARAN LAL SHARMA</i>	
Optimization of Single-Sided Charge-Sharing Strip Detectors	3759
<i>Louis-André Hamel, Mathieu Benoit, Burçin Dönmez, John R. Macri, Mark L. McConnell, Tomohiko Narita, James M. Ryan, Mark Widholm</i>	
Simulation and Design of Orthogonal Capacitive Strip CdZnTe Detectors.....	3762
<i>Guillaume Montémont, Marie-Claude Gentet, Olivier MONNET, Jacques Rustique, Loïck VERGER</i>	
Three-Dimensional Position Sensitive CdZnTe Detector Array for PNNL.....	3767
<i>Feng Zhang, Zhong He, Carolyn E. Seifert</i>	
Electric Field Properties of CdTe Schottky Detectors.....	3772
<i>Adriano Cola, Isabella Farella, Anna Maria Mancini, Ariano Donati</i>	
Pulse Deficit Correction Trigger for Planar CdTe Based Gamma-Ray Spectrometer.....	3778
<i>Dexter Eames</i>	
Characterization of CdTe/n⁺-Si Heterojunction Diodes for Nuclear Radiation Imaging Detectors	3781
<i>Madan Niraula, Kazuhito Yasuda, Kotaro Noda, Koji Nakamura, Ikki Shingu, Masahiro Yokota, Motohiro Omura, Shinpei Minoura, Hiroyuki Ohashi, Ryuichi Tanaka, Yasunori Agata</i>	
Nucam: a 128 Channel Integrated Circuit with Pulse-Height and Rise-Time Measurement on Each Channel Including on-Chip 12bit ADC for High-Z X-Ray Detectors.....	3786
<i>Paul Seller, Alec I hardie, Lawrence L Jones, Andrew J Boston, Sarah V Rigby</i>	
Very Large Area Silicon Drift Detector Spectroscopic Performances.....	3790
<i>Gianluigi Zampa, Alexander Rashevsky, Andrea G. Vacchi</i>	
Design and Performance of the X-123 Compact X-Ray and Gamma-Ray Spectroscopy System	3794
<i>Robert H Redus, Alan Huber, John Pantazis, Thanos Pantazis, David Sperry</i>	
Development and Characterisation of Large La-Halide Gamma-Ray Scintillators for Future Planetary Missions	3798
<i>Stefan Kraft, Ernst-Jan Buis, Erik Maddox, Alan Owens, Francesco G A Quarati, Dorenbos Pieter, A J.J. Bos, J T.M. de Haas, H. Brouwer, Corinne Dathy, Vladimir Ouspenski, Sytze Brandenburg, Reint Ostendorf</i>	
Applications of Monte Carlo Method to Simulate Gamma-Ray Interaction in Si and Ge.....	3805
<i>Fei Gao, Luke W Campbell, Ram Devanathan, Yulong Xie, Anthony J Peurrung, William J Weber</i>	
Gamma Ray Spectroscopy with THM CdZnTe Detectors.....	3809
<i>Henry Chen, Salah Awadalla, Glenn Bindley, Antonio Copete, Jaesub Hong, Jonathan Grindlay, Mark Amman, Julie S Lee, Paul N Luke</i>	
Evaluation of a Large Pixellated Cadmium Zinc Telluride Detector for Small Animal Radionuclide Imaging.....	3817
<i>Enrique W. Izaguirre, Mingshan Sun, Thor Vandehei, Philippe Després, Tobias Funk, Yong Huang, Junqiang Li, Kevin Parnham, Bradley E. Patt, Bruce H. Hasegawa</i>	
Dual-Isotope SPECT Imaging of Mice with Semiconductor CZT.....	3821
<i>Douglas J. Wagenaar, JoAnn Zhang, Tim Kazules, Thor VandeHei, Marek Szawlowski, Erlend Bolle, Bradley E. Patt</i>	
CdTe Orthogonal Strip Detector for Small Animal PET.....	3827
<i>Hadong Kim, Leonard J Cirignano, Purushottam Dokhale, Paul Bennett, Jennifer R Stickel, Gregory S Mitchell, Simon R Cherry, Michael R. Squillante, Kanai S Shah</i>	
Micromegas Type Neutron Detector for ADS System.....	3831
<i>Julien pancin, Samuel Andriamonje, Stephan Aunes, Arnaud Giganon, Yanis Giomataris, J.F. Lecolley, Marc Riallot, Roberto Rosa</i>	

Table of Contents

Micromegas in CAST and prospects	3832
<i>T. Geralis, P. Abbon, S. Andriamonje, S. Aune, D. Besin, S. Cazaux, T. Dafni, T. Decker, B. O. Dogan, G. Fanourakis, E. Ferrer Ribas, J. Galan Lacarra, M. Gros, A. Giganon, I. Giomataris, R. Hill, I. G. Irastorza, K. Kousouris, J. Morales, T. Papaevangelo</i>	
Micromegas: Large-Size High-Rate Trackers in COMPASS	3838
<i>Fabienne Kunne, Philippe Abbon, Jacques Ball, Yann Bedfer, Colin Bernet, Etienne Burtin, Theopisti Dafni, Eric Delagnes, Arnaud Giganon, Nicole d'Hose, Jean-Marc Le Goff, Alain Magnon, Claude Marchand, Jacques Marroncle, Damien Neyret, Stefano Panebianco,</i>	
A GEM Module with Two Large 3-GEM Towers	3842
<i>Emilio Radicioni, Thorsten Lux, Nicolas Abgrall, José Alcaraz, Anselmo Cervera, Pierre Bene, Alain Blondel, Didier Ferrere, Gabriel V Jover, Floria Masciocchi, Federico Nova, Eric Perrin, Jean-Pierre Richeux, Ana Y Rodriguez, Federico Sanchez</i>	
A Study of Gain Stability and Charging Effects in GEM Foils	3847
<i>Babek Azmoun, Craig Woody, Bernd Surov, Frank Simon, Richard Majka, Nikolai Smirnov, David Crary, Kerry Kearney, George Keeler, Georgia Karagorigia, Patrick Lynch, Matthew Rumore, Evan Kornacki, John Sinsheimer, Jason Kamin, Matthew Durham</i>	
A New GEM-like Imaging Detector with Electrodes Coated with Resistive Layers	3852
<i>Antonio Di Mauro, Bengt Lund-Jensen, Paolo Martinengo, Eugenio Nappi, Vladimir Peskov, Luciano Periale, Pio Picchi, Francesco Pietropaolo, Igor Rodionov</i>	
The Performance of the Micro Time Projection Chamber Based on $\frac{1}{4}$-PIC	3860
<i>Hironobu Nishimura, Kaori Hattori, Ken'ichi Tsuchiya, Shigeto Kabuki, Hidetoshi Kubo, Kentaro Miuchi, Tsutomu Nagayoshi, Yoko Okada, Reiko Orito, Hiroyuki Sekiya, Atsushi Takada, Toru Tanimori, Kazuki Ueno</i>	
Discharge Protection and Ageing of Micromegas Pixel Detectors	3865
<i>A.A.Aarts, V.M. Blanco Carballo, M. Chefd'eville, P. Colas, S. Dunand, M. Fransen, H. van der Graaf, Y. Giomataris, F. Hartjes, E. Koffeman, J. Melai, H. Peek, W. Riegler, C. Salm, J. Schmitz, S. M. Smits, J. Timmermans, J.L. Visschers</i>	
Advanced Compton Camera with the Ability in Electron Tracking Based on Micro Pixel Gas Detector for Medical Imaging	3870
<i>Toru Tanimori, Kaori Hattori, Esuto Kunieda, Atsushi Kubo, Hidetoshi Kubo, Kentaro Miuchi, Tadaki Nakahara, Hironobu Nishimura, Yoko Okada, Reiko Orito, Hiroyuki Sekiya, Takashi Shirahata, Atsushi Takada, Shigeto Kabuki, Kazuki Ueno, Ryota Kohara</i>	
Compton Electrons Tracking Within a Single Silicon Layer with Controlled-Drift Detectors	3875
<i>Andrea Castoldi, Antonio Galimberti, Chiara Guazzoni, Robert Hartmann, Lothar W. J. Strueder</i>	
Detective Quantum Efficiency and Deadtime Losses in Compton Imaging Systems	3880
<i>Kivanc Nurdan, Tuba Conka Nurdan, Albert Heinrich Walenta, Aaron Bertrand Brill</i>	
Orthogonal Strip HPGe Planar SmartPET Detectors in Compton Camera Configuration	3884
<i>Helen C Boston, John E Gillam, Andrew J Boston, Reynold J Cooper, John R Cresswell, Alex N Grint, Andrew R Mather, Paul J Nolan, David P Scraggs, Chris J Hall, Ian H Lazarus, Andrew Berry, Toby E Beveridge, Rob A Lewis</i>	
Clinical Aspects of Proton Therapy and Recent Developments in Australia	3888
<i>Michael A Jackson</i>	
Proton Monte Carlo in the Clinic	3891
<i>Christina Zacharatou Jarlskog, Hongyu Jiang, Roelf Slopsema, Katia Parodi, Hanne M Kooy, Harald Paganetti</i>	
Heavy ion beams monitoring for radiobiology applications	3894
<i>Caroline Pautard, Emmanuel Balanzat, Gilles Ban, Estelle Batin, Benjamin Carniol, Jean Colin, Daniel Cussol, David Etasse, Jean-Marc Fontbonne, Anne-Marie Frelin, Marc Labalme, Philippe Laborie</i>	
Efficient Method for Generating a Pinhole Edge Penetration Model for Iterative Reconstruction Using GATE	3899
<i>Christian Wietholt</i>	

Table of Contents

Optimizing the Scalability of Parallelized GATE Simulations	3904
<i>Jan De Beenhouwer, Steven G. Staelens, Yves D'Asseler, Ignace Lemahieu</i>	
Comparison of Scatter/Primary Measurements with GATE Simulations for X-Ray Spectra in Cone Beam CT Mammography	3909
<i>Yu Chen, Bob Liu, Michael O'Connor, Clay S. Didier, Stephen J. Glick</i>	
Patient Bed Design for an Integrated Mamotomography System.....	3915
<i>D.J. Crotty, P. Madhav, R.L. McKinley, M.P. Tornai</i>	
Monte Carlo Simulation Study of Several Camera Designs for the PET Component of a Dedicated Breast PET/CT Scanner	3920
<i>S L Bowen, Y Yang, Y Wu, S R Cherry, J M Boone, W W Moses, R D Badawi</i>	
Development of a High-Energy Gamma Camera for Use with NSECT Imaging of the Breast.....	3925
<i>Amy C Sharma, Georgia D Tourassi, Anuj J Kapadia, Janelle E Bender, Jessie Q Xia, Brian P Harrawood, Alexander S Crowell, Matthew R Kiser, Calvin R Howell, Carey E Floyd</i>	
Neutron Stimulated Emission Computed Tomography (NSECT) for Early Detection of Breast Cancer	3928
<i>Anuj J Kapadia, Amy C Sharma, Georgia D Tourassi, Janelle E Bender, Calvin R Howell, Alexander S Crowell, Mathew R Kiser, Carey E Floyd</i>	
Investigation of Elemental Distribution of Breast Tissue Samples by X-ray Fluorescence Microtomography	3932
<i>G R Pereira, H S Rocha, M J Anjos, C A Perez, R T Lopes</i>	
Diffraction Enhanced Imaging to Analyze Breast Samples	3936
<i>Henrique S Rocha, Gabriela R Pereira, Paulo Faria, Guinther Kellerman, Irineu Mazzaro, German A Tirao, Carlos M Giles, Ricardo T Lopes</i>	