

2007 IEEE Radio Frequency Integrated Circuits Symposium

**Honolulu, HI
3-5 June 2007**

Volume 1 of 2



**IEEE Catalog Number:
ISBN:**

**07CH37828
1-4244-0530-0**

Table of Contents

Design and Layout Techniques for the Optimization of nMOS SPDT Series-Shunt Switches in a 130nm SiGe BiCMOS Technology.....	1
<i>Jonathan P. Comeau, John D. Cressler, Mark A. Mitchell</i>	
A Single Chip 802.11abgn Enhancement Mode PHEMT MMIC with Dual LNAs, Switches, and Distortion Compensation Power Amplifiers.....	5
<i>Henrik Morkner, Michael Vice, Mete Karakucuk, Warren Abey, Lan Nguyen, Julie Kessler, Ron Ruebusch</i>	
Switched Doherty Power Amplifiers for CDMA and WCDMA.....	9
<i>Thomas Apel, Yu-Lung Tang, Otto Berger</i>	
MOSFET Model Extraction Using 50GHz Four-Port Measurements.....	13
<i>James Brinkhoff, Subhash Chander Rustagi, Jinglin Shi, Fujiang Lin</i>	
Ka-Band Low-Loss and High-Isolation 0.13 (μ)m CMOS SPST/SPDT Switches Using High Substrate Resistance.....	17
<i>Byung-Wook Min, Gabriel M. Rebeiz</i>	
Coherent BPSK Demodulator MMIC Using an Anti-Parallel Synchronization Loop.....	21
<i>You Zheng, Carlos E. Saavedra</i>	
A 90nm CMOS Doherty Power Amplifier with Integrated Hybrid Coupler and Impedance Transformer.....	25
<i>Mostafa Elmala, Ralph Bishop</i>	
A 2.4-GHz 0.82-mW Hybrid Balun for Low-Power Fully-Differential Direct Conversion Receivers in 0.18 (μ)m CMOS.....	29
<i>Hyunchol Shin, Jubong Park</i>	
An 8-GHz Beamforming Transmitter IC in 130-nm CMOS.....	33
<i>Johan Wernehag, Henrik Sjoland</i>	
Experimental Characterization of the Effect of Metal Dummy Fills on Spiral Inductors.....	37
<i>Lan Nan, Koen Moutaahan, Yong-Zhong Xiong, Jinglin Shi, Subhash Chander Rustagi, Ban-Leong Ooi</i>	
A 12 mW, 7.5 GHz Bandwidth, Inductor-Less CMOS LNA for Low-Power, Low-Cost, Multi-Standard Receivers.....	41
<i>Bevin G. Perumana, Jing-Hong Conan Zhan, Stewart S. Taylor, Joy Laskar</i>	
CR018 Wideband Noise Model for AMS/RF CMOS Simulation.....	45
<i>M.T. Yang, C.W. Kuo, Patricia P.C. Ho, Darryl C.W. Kuo, C.C. Chen, T.J. Yeh, Charles Teng, Jay Jayapalan, Gary Brown, Geoffrey Yeap, Yang Du, Sally Liu</i>	
A 12-GHz Low Phase Noise VCO by Employing CMOS Field-Plate Transistors.....	49
<i>Chien-Cheng Wei, Hsien-Chin Chiu, Wu-Shiung Feng</i>	
A 52 GHz, 8.5 dB Traveling Wave Amplifier in 0.13 (μ)m Standard CMOS Process.....	53
<i>Matthieu Egels, Jean Gaubert, Philippe Pannier, Sylvain Bourdel</i>	
A Low-Noise 2.5GHz Direct-Conversion Receiver Front-End with Low-Distortion Baseband Filters.....	57
<i>Osama Shana'a</i>	
A New Approach of High Frequency Noise Modeling for 70-nm NMOS Transistors by Accurate Noise Source Extraction.....	61
<i>Y. Kiyota, C.-H. Chen, T. Kubodera, A. Nakamura, K. Takeshita, M.J. Deen</i>	
Achieving Wideband Sub-1dB Noise Figure and High Gain with MOSFETs if Input Power Matching is not Required.....	65
<i>Eric A.M. Klumperink, Qiaohui Zhang, Gerard J.M. Wienk, Roel Witvers, Jan Geralt Bij de Vaate, Bert Woestenburg, Bram Nauta</i>	
Performance and Yield Optimization of mm-Wave PLL Front-End in 65nm SOI CMOS.....	69
<i>Daihyun Lim, Jonghae Kim, Jean-Olivier Plouchart, Daeik Kim, Choongyeun Cho, Duane S. Boning</i>	

Table of Contents

A 0.18-(μm) CMOS Low-Spurious Local Signal Generator for MB-OFDM UWB Radio	73
<i>Takashi Tokairin, Noriaki Matsuno, Keiichi Numata, Tadashi Maeda, Shinichi Tanaka</i>	
A 0.13(μm) CMOS 5GHz Fully Integrated 2x3 MIMO Transceiver IC with Over 40dB Isolation	77
<i>Ryoichi Tachibana, Shouhei Kousai, Takayuki Kato, Hiroyuki Kobayashi, Rui Ito, Asuka Maki, Daisuke Miyashita, Yuta Araki, Toru Hashimoto, Hiroaki Hoshino, Takahiro Sekiguchi, Mitsuyuki Ashida, Ichiro Seto, Mototsugu Hamada, Ryuichi Fujimoto, Hiroshi Yoshi</i>	
A Low-Phase-Noise Low-Power 27-GHz SiGe-VCO Using Merged-Transformer Matching Circuit Technique	81
<i>Takahiro Nakamura, Toru Masuda, Katsuyoshi Washio, Hiroshi Kondoh</i>	
Ultra Low-Capacitance Bond Pad for RF Applications in CMOS Technology	85
<i>Yuan-Wen Hsiao, Ming-Dou Ker</i>	
Single Chip Cellular Radios for GSM, GPRS, EDGE.....	89
<i>Dietolf Seippel, Markus Hammes, Jens Kissing, Paolo de Nicola, Cyril Vannier</i>	
A 0.13-(μm) CMOS Ultra-Low Power Front-End Receiver for Wireless Sensor Networks.....	93
<i>Wenjian Chen, Tino Copani, Hugh J. Barnaby, Sayfe Kiaei</i>	
Heterogeneously Integrated 10Gb/s CMOS Optoelectronic Receiver for Long Haul Telecommunication.....	97
<i>Hasan Sharifi, Saeed Mohammadi</i>	
A Single-Chip DBS Tuner-Demodulator SoC Using Discrete AGC, Continuous I/Q Correction and 200MS/s Pipeline ADCs.....	101
<i>A. Maxim, R. Poorfard, R. Johnson, P. Crawley, J. Kao, Z. Dong, M. Chennam, T. Nutt, D. Trager</i>	
A 9.1-to-11.5-GHz Four-Band PLL for X-Band Satellite & Optical Communication Applications	105
<i>Ja-Yol Lee, Kwidong Kim, Seung-Chul Lee, Jong-Kee Kwon, Jongdae Kim, Sang-Heung Lee</i>	
Low-Capacitance SCR with Waffle Layout Structure for On-Chip ESD Protection in RF ICs	109
<i>Chun-Yu Lin, Ming-Dou Ker</i>	
A Highly Efficient Broadband (7--14 GHz) Monolithic Class E Power Amplifier for Space Based Radar	113
<i>R. Tayrani</i>	
1-Watt Conventional and Cascoded GaN-SiC Darlington MMIC Amplifiers to 18 GHz.....	117
<i>Kevin W. Kobayashi, YaoChung Chen, Ioulia Smorchkova, Roger Tsai, Mike Wojtowicz, Aaron Oki</i>	
Integrated Blocker Filtering RF Front Ends.....	121
<i>Aminghasem Safarian, Amin Shameli, Ahmadreza Rofougaran, Maryam Rofougaran, Franco De Flaviis</i>	
Double Cross Coupled Colpitts VCO with Low Phase Noise Using InGaP/GaAs HBT Technology	125
<i>Bhanu Shrestha, Nam-Young Kim</i>	
A Sub 1V CMOS LNA Dedicated to 802.11b/g Applications with Self-Test & High Reliability Capabilities.....	129
<i>Mikael Cimino, Herve Lapuyade, Magali De Matos, Thierry Taris, Yann Deval, Jean-Baptiste Begueret</i>	
A 2.4GHz Fully Integrated Transmitter Front End with +26.5-dBm On-Chip CMOS Power Amplifier	133
<i>Po-Chih Wang, Chia-Jun Chang, Wei-Ming Chiu, Pei-Ju Chiu, Chun-Cheng Wang, Chao-Hua Lu, Kai-Te Chen, Ming-Chong Huang, Yi-Ming Chang, Shih-Min Lin, Ka-Un Chan, Ying-His Lin, Chao-Cheng Lee</i>	
A Multi-Standard Digital Envelope Modulator for Polar Transmitters in 90nm CMOS.....	137
<i>Paul T.M. van Zeijl, Manel Collados</i>	
Low-Cost Direct Conversion RF Front-Ends in Deep Submicron CMOS	141
<i>Jing-Hong Conan Zhan, Brent R. Carlton, Stewart S. Taylor</i>	
A High Performance Balanced Power Amplifier and Its Integration into a Front-End Module at PCS Band	145
<i>Gary Zhang, Shiaw Chang, Ziv Alon</i>	
A Highly Linear Broadband CMOS LNA Employing Noise and Distortion Cancellation	149
<i>Wei-Hung Chen, Gang Liu, Boos Zdravko, Ali M. Niknejad</i>	

Table of Contents

Built-In Self Test of RF Transceiver SoCs: From Signal Chain to RF Synthesizers	153
<i>Alberto Valdes-Garcia, Waleed Khalil, Bertan Bakkaloglu, Jose Silva-Martinez, Edgar Sanchez-Sinencio</i>	
A 60-GHz Double-Balanced Gilbert Cell Down-Conversion Mixer on 130-nm CMOS	157
<i>Fan Zhang, Efstratios Skafidas, William Shieh</i>	
11.8GHz CMOS VCO with 62% Tuning Range Using Switched Coupled Inductors	161
<i>Murat Demirkan, Stephen P. Bruss, Richard R. Spencer</i>	
A 10GHz Distributed Voltage Controlled Oscillator for WLAN Application in a VLSI 65nm CMOS Process	165
<i>N. Seller, A. Cathelin, Herve Lapuyade, Jean-Baptiste Begueret, E. Chataigner, Didier Belot</i>	
On the P⁺ Guard Ring Sizing Strategy to Shield Against Substrate Noise	169
<i>S. Bronckers, G. Vandersteen, G. Van der Plas, Y. Rolain</i>	
A Colpitts Oscillator Design for a GSM Base Station Synthesizer	173
<i>J. Steinkamp, F. Henkel, P. Waldow, O. Pettersson, C. Hedenas, B. Medin</i>	
A Bondpad-Size Narrowband LNA for Digital CMOS	177
<i>J. Borremans, P. Wambacq, G. Van der Plas, Y. Rolain, M. Kuijk</i>	
Stability Analysis of On-Chip Multi-Stage RF Power Amplifiers	181
<i>Martin Unterweissacher, Koen Mertens, Thomas Brandtner, Wolfgang Pribyl</i>	
A 24GHz Pulse-Mode Transmitter for Short-Range Car Radar.....	185
<i>Peng Zhao, Hugo Veenstra, John R. Long</i>	
A g_m-Boosted Current-Reuse LNA in 0.18(μ)m CMOS	189
<i>Jeffrey S. Walling, Sudip Shekhar, David J. Allstot</i>	
A Flip-Chip Silicon IPMOS Power Amplifier and a DC/DC Converter for GSM 850/900/1800/1900 MHz Systems	193
<i>Ali Tombak, Robert J. Baeten, Jon D. Jorgenson, David C. Dening</i>	
A 90nm CMOS Direct Conversion Transmitter for WCDMA.....	197
<i>Xuemin Yang, Anosh Davierwalla, David Mann, Kevin G. Gard</i>	
Power Amplifier Predistortion Linearization Using a CMOS Polynomial Generator	201
<i>Adil A. Kidwai, Bahram Jalali</i>	
A Dual-Band High Efficiency CMOS Transmitter for Wireless CDMA Applications	205
<i>Junxiong Deng, Mark Chew, Sameer Vora, Marco Cassia, Thomas Marra, Kamal Sahota, Vladimir Aparin</i>	
Hot Carrier Degradation and Performance of 65nm RF n-MOSFET	209
<i>Mohammed Fakhruddin, Mao Chyuan Tang, Jeff Kuo, James Karp, David Chen, C.S. Yeh, S.C. Chien</i>	
A Broadband CMOS Multiplier-Based Correlator for IR-UWB Transceiver SoC	213
<i>Haolu Xie, Xin Wang, Albert Wang, Bin Zhao, Lee Yang, Yumei Zhou</i>	
A 10GHz Low Phase Noise 0.13(μ)m CMOS LC-VCO for Mixed Signal SoCs Using Noise Rejection Caged Inductors.....	217
<i>A. Maxim</i>	
A 60-GHz CMOS Transmit/Receive Switch.....	221
<i>Chien M. Ta, Efstratios Skafidas, Robin J. Evans</i>	
An 860 to 960MHz RFID Reader IC in CMOS.....	225
<i>Pradeep B. Khannur, Xuesong Chen, Dan Lei Yan, Dan Shen, Bin Zhao, M. Kumarasamy Raja, Ye Wu, Aruna B. Ajjikuttira, Wooi Gan Yeoh, Rajinder Singh</i>	
A Miniature, Folded-Switching, Up-Conversion Mixer for UWB Applications Using 0.18-(μ)m CMOS Process	229
<i>Pin-Cheng Huang, Fong-Cheng Chang, Shih-Fong Chao, Huei Wang</i>	

Table of Contents

Top-Down PLL Design Methodology Combining Block Diagram, Behavioral, and Transistor-Level Simulators.....	233
<i>B. Nicolle, W. Tatinian, J.-J. Mayol, J. Oudinot, G. Jacquemod</i>	
Direct Extraction Techniques for Thermal Resistance of MESFET and HEMT Devices	237
<i>Iltcho Angelov, Camilla Karnfelt</i>	
CPW and Discontinuities Modeling for Circuit Design up to 110 GHz in SOI CMOS Technology	241
<i>A. Siligaris, C. Mounet, B. Reig, P. Vincent</i>	
A Wideband OFDM Transceiver Implementation for Beyond 3G Radio Systems	245
<i>Jarmo Koskinen, Petri Eloranta, Pauli Seppinen, Paavo Kosonen, Aarno Parssinen</i>	
A Sub-10mW 2Mbps BFSK Transceiver at 1.35 to 1.75GHz	249
<i>Timothy M. Hancock, Matthew Straayer, Andrew Messier</i>	
RF-MEMS Based Adaptive Antenna Matching Module.....	253
<i>Andre van Bezooijen, Maurice de Jongh, Christophe Chanlo, Lennart Ruijs, Henk Jan ten Dolle, Pieter Lok, Freek van Straten, Jack Sneep, Reza Mahmoudi, Arthur H.M. van Roermund</i>	
A 5.8 GHz Linear Power Amplifier in a Standard 90nm CMOS Process Using a 1V Power Supply	257
<i>Peter Haldi, Debopriyo Chowdhury, Gang Liu, Ali M. Niknejad</i>	
A Ka Band, Static, MCML Frequency Divider, in Standard 90nm-CMOS LP for 60 GHz Applications	261
<i>Hammad M. Cheema, Reza Mahmoudi, Mihai A.T. Sanduleanu, Arthur H.M. van Roermund</i>	
Novel Collector Structure Enabling Low-Cost Millimeter-Wave SiGe:C BiCMOS Technology.....	265
<i>Jay P. John, Jim Kirchgessner, Dave Morgan, Jill Hildreth, Morgan Dawdy, Ralf Reuter, Hao Li</i>	
Silicon Schottky Diode Power Converters Beyond 100 GHz	269
<i>C. Mishra, U. Pfeiffer, R. Rassel, S. Reynolds</i>	
An Area and Power Efficient Cartesian Phase Shifter + Mixer Circuit Applied to WLAN System.....	273
<i>Ali Afsahi, Arya Behzad, Stephen Au, Rozi Roufoogaran, Jacob Rael</i>	
A 6.3 GHz BFSK Transmitter with On-Chip Antenna for Self-Powered Medical Sensor Applications	277
<i>Victor Karam, Peter H.R. Popplewell, Atif Shamim, John Rogers, Calvin Plett</i>	
A WCDMA HBT Power Amplifier Module with Integrated Si DC Power Management IC for Current Reduction Under Backoff Operation	281
<i>Gary Hau, Jeffrey Turpel, James Garrett, Harvey Golladay</i>	
40GHz Low Noise Receiver Circuits Using BCB Above-Silicon Technology Optimized for Millimeter-Wave Applications.....	285
<i>S. Pruvost, R. Cuchet, D. Pellissier, I. Telliez, M. Devulder, X. Gagnard, P. Ancey, M. Aid, F. Danneville, G. Dambrine, N. Rolland, S. Lepilliet</i>	
Fully Depleted SOI RF Switch with Dynamic Biasing	289
<i>C.L. Chen, C.K. Chen, P.W. Wyatt, J.M. Knecht, D.-R. Yost, P.M. Gouker, P.D. Healey, C.L. Keast</i>	
Low Noise Low Cost Rx Solutions for Pulsed 24GHz Automotive Radar Sensors.....	293
<i>S. Pruvost, L. Moquillon, E. Imbs, M. Marchetti, P. Garcia</i>	
A Disruptive Software-Defined Radio Receiver Architecture Based on Sampled Analog Signal Processing	297
<i>F. Rivet, Yann Deval, Jean-Baptiste Begueret, D. Dallet, Didier Belot</i>	
A 2 mW, Sub-2 dB Noise Figure, SiGe Low-Noise Amplifier for X-Band High-Altitude or Space-Based Radar Applications.....	301
<i>Tushar K. Thiruvikraman, Wei-Min Lance Kuo, Jonathan P. Comeau, Akil K. Sutton, John D. Cressler, Paul W. Marshall, Mark A. Mitchell</i>	
A 1.8-GHz 2-Watt Fully Integrated CMOS Push-Pull Parallel-Combined Power Amplifier Design	305
<i>Ockgoo Lee, Ki Seok Yang, Kyu Hwan An, Younsuk Kim, Hyungwook Kim, Jae Joon Chang, Wangmyong Woo, Chang-Ho Lee, Joy Laskar</i>	

Table of Contents

An RFID System with Fully Integrated Transponder.....	309
<i>Amin Shameli, Aminghasem Safarian, Ahmadreza Rofougaran, Maryam Rofougaran, Franco De Flaviis</i>	
A 0.5 V Receiver in 90 nm CMOS for 2.4 GHz Applications.....	313
<i>Nebojsa Stanic, Ajay Balankutty, Peter Kinget, Yannis Tsividis</i>	
Application of Digital Adaptive Pre-Distortion to Mobile Wireless Devices	317
<i>George Norris, Joe Staudinger, Jau-Horng Chen, Claudio Rey, Patrick Pratt, Rick Sherman, Hamza Fraz</i>	
All-PMOS Wideband VCO with an Automatic Amplitude Controller for Multi-Band Multi-Standard Radios	321
<i>Quang Diep Bui, Chul Soon Park</i>	
15 to 18-GHz Programmable Sub-Integer Frequency Synthesizer for a 60-GHz Transceiver.....	325
<i>Brian A. Floyd</i>	
A 15-GHz 7-Channel SiGe:C PLL for 60-GHz WPAN Application	329
<i>Ja-Yol Lee, Sang-Heung Lee, Haecheon Kim, Hyun-Kyu Yu</i>	
Characterization and Modeling of Metal/Double-Insulator/Metal Diodes for Millimeter Wave Wireless Receiver Applications	333
<i>Stephen Rockwell, Derrick Lim, Bruce A. Bosco, Jeffrey H. Baker, Blake Eliasson, Keith Forsyth, Michael Cromar</i>	
A Wideband Scalable and SPICE-Compatible Model for On-Chip Interconnects up to 80 GHz.....	337
<i>Kai Kang, Lan Nan, Subhash Chander Rustagi, Koen Mouthaan, Jinglin Shi, Rakesh Kumar, Le-Wei Li</i>	
High-Q Integrated Inductor Using Post-CMOS Selective Grown Porous Silicon (SGPS) Technique for RFIC Applications	341
<i>Chen Li, Huailin Liao, Chuan Wang, Jun Yin, Ru Huang</i>	
A 5.8-GHz VCO with Precision Gain Control	345
<i>Lin Jia, Yeung Bun Choi, Wooi Gan Yeoh</i>	
A Highly Integrated X-Band Frequency Quadrupler MMIC Using 3D-MMIC Technology	349
<i>Yo Yamaguchi, Takana Kaho, Kazuhiro Uehara</i>	
A 0.3mm² Miniaturized X-Band On-Chip Slot Antenna in 0.13(μ)m CMOS	353
<i>Nader Behdad, Dan Shi, Wonbin Hong, Kamal Sarabandi, Michael P. Flynn</i>	
A CMOS 5GHz Image-Reject Receiver Front-End Architecture	357
<i>Dicle Ozis, Jeyanandh Paramesh, David J. Allstot</i>	
A Low-Power 5GHz Transceiver in 0.13(μ)m CMOS for OFDM Applications with Sub-mm² Area.....	361
<i>Yiping Han, Lawrence E. Larson</i>	
A Scalable Lossy Substrate Model for Nanoscale RF MOSFET Noise Extraction and Simulation Adapted to Various Pad Structures.....	365
<i>J.C. Guo, Y.H. Tsai</i>	
A 2.4-GHz LC-Tank VCO with Minimum Supply Pushing Regulation Technique.....	369
<i>Xuejin Wang, Bertan Bakkaloglu</i>	
A 5 x 5 mm Highly Integrated Dual-Band WLAN Front-End Module Simplifies 802.11 a/b/g and 802.11n Radio Designs	373
<i>Chun-Wen Paul Huang, William Vaillancourt, Christophe Masse, Joe Soricelli, Tony Quaglietta, Mark Doherty, Adrian Long, Charles Reiss, Gord Rabjohn, Andrew Parolin</i>	
A 26 to 40GHz Wideband SiGe Balanced Power Amplifier IC	377
<i>Michael Chang, Gabriel M. Rebeiz</i>	
Fully Integrated High-Q Switched Capacitor Bandpass Filter with Center Frequency and Bandwidth Tuning.....	381
<i>Ahmed El Oualkadi, Majid El Kaamouchi, Jean-Marie Paillot, Danielle Vanhoenacker-Janvier, Denis Flandre</i>	

Table of Contents

Substrate Coupling Effect Under Various Noise Injection Topologies in LC-Voltage Controlled Oscillator	385
<i>Shen-Sz Wang, Yu-Chen Wu, Shawn S.H. Hsu, Chih-Yuan Chan</i>	
A 2.5mW 900MHz Receiver Employing Multiband Feedback with Bias Current Reuse	389
<i>Junghwan Han, Ranjit Gharpurey</i>	
A Cochlea-Based Preselector for UWB Applications	393
<i>C. Galbraith, Gabriel M. Rebeiz, R. Drangmeister</i>	
A Compact Dual-Band Power Amplifier Driver for 2.4GHz and 5.2GHz WLAN Transmitters.....	397
<i>Haakan Magnusson, Haakan Olsson</i>	
A 9-Bit 9.6GHz 1.9W Direct Digital Synthesizer RFIC Implemented in 0.18(mu)m SiGe BiCMOS Technology	401
<i>Xuefeng Yu, Fa Foster Dai, Dayu Yang, Vasanth Kakani, J. David Irwin, Richard C. Jaeger</i>	
A Fully On-Chip 10Gb/s CDR in a Standard 0.18 (mu)m CMOS Technology	405
<i>Jinghua Li, Jose Silva-Martinez</i>	
Broadband Noise Modeling of SiGe HBT Under Cryogenic Temperatures.....	409
<i>Bhaskar Banerjee, Sunitha Venkataraman, Chang-Ho Lee, Joy Laskar</i>	
A 0.13-(mu)m CMOS Digital Phase Shifter for K-Band Phased Arrays	413
<i>Kwang-Jin Koh, Gabriel M. Rebeiz</i>	
5-GHz Frequency Synthesizer with Auto-Calibration Loop.....	417
<i>Myeungsu Kim, Kwengmook Lee, Yongil Kwon, Joonhyung Lim, T.J. Park</i>	
A Wide-Band CMOS Variable-Gain Low Noise Amplifier for Multi-Standard Terrestrial and Cable TV Tuner.....	421
<i>Dong-Gu Im, Seong-Sik Song, Hong-Teuk Kim, Kwyro Lee</i>	
A Spectrally Pure 5.0 W, High PAE, (6--12 GHz) GaN Monolithic Class E Power Amplifier for Advanced T/R Modules	425
<i>R. Tayrani</i>	
3.1--4.7GHz WiMedia UWB RF/Analog Front-End in 130nm CMOS	429
<i>M.W. Lynch, C. Demirdag, N. Belabbes, S. Carnevali, C. Lacy, M. Yu, A. Burns, W. An, H. Jin, J. Park, D.S. Malhi</i>	
Development of Long-Range UHF-Band RFID Tag Chip Using Schottky Diodes in Standard CMOS Technology	433
<i>Nhan Tran, Bomson Lee, Jong-Wook Lee</i>	
A 10 GS/s Distributed Waveform Generator for Sub-Nanosecond Pulse Generation and Modulation in 0.18(mu)m Standard Digital CMOS	437
<i>Yunliang Zhu, Jonathan D. Zuegel, John R. Marciante, Hui Wu</i>	
A 77-GHz Receiver Front End for Passive Imaging	441
<i>Johnna Powell, Helen Kim, Charles G. Sodini</i>	
Single and Dual Loop Ring Oscillator Based Frequency Synthesizers for Broadband Tuner Applications	445
<i>A. Maxim</i>	
A 10GS/s 5-Bit Ultra-Low Power DAC for Spectral Encoded Ultra-Wideband Transmitters.....	449
<i>Joe I. Jamp, Junxiang Deng, Lawrence E. Larson</i>	
A 3 to 9-GHz Dual-Band Up-Converter for a DS-UWB Transmitter in 0.18-(mu)m CMOS.....	453
<i>Annamalai Arasu M., Yuanjin Zheng, Wooi Gan Yeoh</i>	
A New Noise Parameter Model of Short-Channel MOSFETs.....	457
<i>Jongwook Jeon, Ickhyun Song, In Man Kang, Yeonam Yun, Byung-Gook Park, Jong Duk Lee, Hyungcheol Shin</i>	
A Dual-Band Direct-Conversion RF Front-End for WiMedia UWB Receiver	461
<i>Jouni Kaukoviuri, Jussi Ryyanen, Kari A.I. Halonen</i>	

Table of Contents

A 3.5 GHz 25 W Silicon LDMOS RFIC Power Amplifier for WiMAX Applications	465
<i>C. Cassan, P. Gola</i>	
A Low-Loss Compact Linear Varactor Based Phase-Shifter	469
<i>J.H. Qureshi, S. Kim, K. Buisman, C. Huang, M.J. Pelk, A. Akhnoukh, Lawrence E. Larson, L.K. Nanver, L.C.N. de Vreede</i>	
Parasitic Capacitance Optimization of GaAs HBT Class E Power Amplifier for High Efficiency CDMA EER Transmitter	473
<i>Ki Young Kim, Ji Hoon Kim, Sung Min Park, Chul Soon Park</i>	
A Dual Band, Wide Tuning Range CMOS Voltage Controlled Oscillator for Multi-Band Radio	477
<i>Burak Catli, Mona M. Hella</i>	
A Low-Power Low-Noise Single-Chip Receiver Front-End for Automotive Radar at 77 GHz in Silicon-Germanium Bipolar Technology	481
<i>Marcus Hartmann, Christoph Wagner, Kay Seemann, Johannes Platz, Herbert Jager, Robert Weigel</i>	
A High Dynamic Range CMOS RF Power Amplifier with a Switchable Transformer for Polar Transmitters.....	485
<i>Younsuk Kim, Bon-Hyun Ku, Changkun Park, Dong Ho Lee, Songcheol Hong</i>	
A 16mW 8Mbps Fractional-N FSK Modulator at 15.8--18.9GHz.....	489
<i>Matthew Straayer, Andrew Messier, Timothy M. Hancock</i>	
Distortion Simulations with the PSP Model: Common-Gate Circuits	493
<i>C. Michael Olsen, Lawrence F. Wagner, Josef Watts, J. Robert Jones, Robin Croston, John J. Pekarik</i>	
A Low Distortion FM Tuner Analog Front-End with Multi-tanh Low Noise Amplifier	497
<i>Jingyu Hu, Mike May, Matt Felder, Len DiSanza, Lawrence Ragan</i>	
CMOS Radio with an Integrated 26dBm Power Amplifier for a Complete System-on-Chip Cordless Phone	501
<i>C. Grewing, S. van Waasen, B. Bokinge, W. Einerman, A. Emericks, R. Engberg, C. Hedenas, H. Hellberg, M. Hjelm, S. Irmscher, T. Johansson, A.-M. Lamm, M. Lewis, B. Li, O. Pettersson, W. Simburger, D. Theil, R. Thuringer</i>	
A 1.2V, Inductorless, Broadband LNA in 90 nm CMOS LP	505
<i>Maja Vidojkovic, Mihai A.T. Sanduleanu, Johan van der Tang, Peter Baltus, Arthur H.M. van Roermund</i>	
65nm CMOS Burst Generator for Ultra-Wideband Low Data Rate Systems	509
<i>David Marchaland, Franck Badets, Martine Villegas, Didier Belot</i>	
A 500(mu)W 2.4GHz CMOS Subthreshold Mixer for Ultra Low Power Applications.....	513
<i>Hanil Lee, Saeed Mohammadi</i>	
2 GHz CMOS Voltage-Controlled Oscillator with Optimal Design of Phase Noise and Power Dissipation	517
<i>D.J. Young, S.J. Mallin, M. Cross</i>	
De-Embedding Considerations for High Q RFIC Inductors	521
<i>Kavita Goverdhanam, Yuri Tretiakov, G. Ali Rezvani, Sharad Kapur, David E. Long</i>	
The Present State of the Art of Wide-Bandgap Semiconductors and Their Future	525
<i>Mark J. Rosker</i>	
Tuned LC Clock Buffers with Static Phase Adjust.....	529
<i>ViswaBharath Reddy, Ward Titus, Jack Kenney</i>	
A Q-Band Low Phase Noise Voltage Controlled Oscillator Using Balanced (pi)-Feedback in 2-(mu)m GaAs HBT Process	533
<i>Chi-Hsein Lin, Kung-Hao Liang, Hong-Yeh Chang, Yi-Jen Chan, Chau-Ching Chiong, Eric Bryerton</i>	
A 100MHz -- 2.5GHz Direct Conversion CMOS Transceiver for SDR Applications.....	537
<i>Gio Cafaro, Tom Gradishar, Joe Heck, Steve Machan, Geetha Nagaraj, Scott Olson, Raul Salvi, Bob Stengel, Bill Ziemer</i>	

Table of Contents

An Efficient Technique for Performance Analysis of a Receiver in the Presence of Calibration/Compensation Algorithms.....	541
<i>Chan Fernando, Khurram Muhammad</i>	
A 1.2-V, 5.8-mW, Ultra-Wideband Folded Mixer in 0.13-(μm) CMOS.....	545
<i>Kihwa Choi, Dong Hun Shin, C. Patrick Yue</i>	
Asymmetric DC Offsets and IIP2 in the Presence of LO Leakage in a Wireless Receiver	549
<i>Imtinan Elahi, Khurram Muhammad</i>	
A Tuned-Input Tuned-Output VCO in 0.18(μm) CMOS	553
<i>Sudip Shekhar, Sankaran Aniruddhan, David J. Allstot</i>	
Built-In Self Testing of a DRP-Based GSM Transmitter	557
<i>Oren Eliezer, Imran Bashir, R. Bogdan Staszewski, Poras T. Balsara</i>	
Digital RF Processor (DRP) for Mobile Phones	561
<i>R. Bogdan Staszewski, Khurram Muhammad, Oren Eliezer</i>	
A Superheterodyne Receiver Front-End with On-Chip Automatically Q-Tuned Notch Filters	565
<i>Baoyong Chi, Zhihua Wang, S. Simon Wong</i>	
Regenerative Frequency Divider with Synchronous Fractional Outputs	569
<i>Omeed Momeni, Kaushik Sengupta, Hossein Hashemi</i>	
An X-Band Superharmonic Injection-Coupled Quadrature VCO (IC-QVCO) with a Tunable Tail Filter for I/Q Phase Calibration.....	573
<i>Ibrahim R. Chamas, Sanjay Raman</i>	
65 nm HR SOI CMOS Technology: Emergence of Millimeter-Wave SoC.....	577
<i>F. Gianesello, S. Montusclat, B. Martineau, D. Gloria, C. Raynaud, S. Boret, G. Dambrine, S. Lepilliet, R. Pilard</i>	
Experimental Study on the Role of Hot Carrier Induced Damage on High Frequency Noise in Deep Submicron NMOSFETs	581
<i>Hao Su, Hong Wang, Tao Xu, Rong Zeng</i>	
A 5.2 GHz BFSK Receiver with On-Chip Antenna for Self-Powered RFID Tags and Medical Sensors.....	585
<i>Peter H.R. Popplewell, Victor Karam, Atif Shamim, John Rogers, Calvin Plett</i>	
A 2.4 to 5.4 GHz Low Power CMOS Reconfigurable LNA for Multistandard Wireless Receiver.....	589
<i>Chang-Tsung Fu, Chun-Lin Ko, Chien-Nan Kuo</i>	
A 2--10 GHz Digital CMOS Phase Shifter for Ultra-Wideband Phased Array System	593
<i>Dong-Woo Kang, Songcheol Hong</i>	
A 24-GHz CMOS Direct-Conversion Sub-Harmonic Downconverter	597
<i>Rahul M. Kodkani, Lawrence E. Larson</i>	
1.8-GHz CMOS Power Amplifier with Stage-Convertible Structure Using Differential Line Inductor	601
<i>Changkun Park, Dong Ho Lee, Yumi Lee, Jeonghu Han, Sang-Hyun Baek, Younsuk Kim, Songcheol Hong</i>	
On-Chip Circuit for Measuring Data Jitter in the Time or Frequency Domain.....	605
<i>Masahiro Ishida, Kiyotaka Ichiyama, Takahiro J. Yamaguchi, Mani Soma, Masakatsu Suda, Toshiyuki Okayasu</i>	
A 45-to-60-GHz Two-Band SiGe:C VCO for Millimeter-Wave Applications.....	609
<i>Ja-Yol Lee, Sang-Heung Lee, Haecheon Kim, Hyun-Kyu Yu</i>	
A 0.18-(μm) CMOS UWB LNA with 5 GHz Interference Rejection	613
<i>Yuan Gao, Yuanjin Zheng, Ban-Leong Ooi</i>	
A 900-MHz Direct-Conversion Transceiver for Mobile RFID Systems.....	617
<i>Jong-Eun Jang, Hoon Lee, Seung-Wan Choi, Karam Ahn, Myoung-Sub Jung, Eui-Seok Song, Juno Kim, Hyoung-Hwan Roh, Gi-Beom Kim, Sung-Woo Bae, Ha-Ryoung Oh, Yeong-Rak Seong, Jun-Seok Park</i>	

Table of Contents

60-GHz LNA Using a Hybrid Transmission Line and Conductive Path to Ground Technique in Silicon	621
<i>Javier Alvarado Jr., Kevin T. Kornegay, Debasis Dawn, Stephane Pinel, Joy Laskar</i>	
A Multi-Band 900MHz/1.8GHz/5.2GHz LNA for Reconfigurable Radio	625
<i>Vu Kien Dao, Quang Diep Bui, Chul Soon Park</i>	
Analog Path for Triple Band WCDMA Polar Modulated Transmitter in 90nm CMOS	629
<i>Siraj Akhtar, Petteri Litmanen, Mehmet Ipek, Jerry Heng-Chih Lin, Salvatore Pennisi, Feng-Jung Huang, R. Bogdan Staszewski</i>	
Nonlinear Behavioral Modeling of Passive RFID-Transponder-Frontends	633
<i>Kay Seemann, Marcus Hartmann, Fatih Cilek, Albert Missoni, Gerald Holweg, Robert Weigel</i>	
80/160-GHz Transceiver and 140-GHz Amplifier in SiGe Technology	637
<i>E. Laskin, P. Chevalier, A. Chantre, B. Sautreuil, S.P. Voinigescu</i>	
A Compact 5GHz Standing-Wave Resonator-Based VCO in 0.13(μ)m CMOS	641
<i>Dan Shi, Jack East, Michael P. Flynn</i>	
A 60-GHz Millimeter-Wave CMOS Marchand Balun	645
<i>J.-X. Liu, C.-Y. Hsu, H.-R. Chuang, C.-Y. Chen</i>	
Frequency Synthesizer and FSK Modulator for IEEE 802.15.4 Based Applications	649
<i>W. Rahajandraibe, L. Zaid, V. Cheynet de Beaupre, G. Bas</i>	
Vertical-Ground-Plane Transmission Lines for Miniaturized Silicon-Based MMICs	653
<i>Juin-Wei Huang, Chao-Shiun Wang, Chorng-Kuang Wang, Shih-Huang Yeh</i>	
Internal Unilaterization Technique for CMOS mm-Wave Amplifiers	657
<i>Babak Heydari, Ehsan Adabi, Mounir Bohsali, Bagher Afshar, Amin Arbabian, Ali M. Niknejad</i>	
Power-Efficient Decision-Feedback Equalizers for Multi-Gb/s CMOS Serial Links	661
<i>John F. Bulzacchelli, Alexander V. Rylyakov, Daniel J. Friedman</i>	
A Fully Integrated CMOS Transmitter for Ultra-Wideband Applications	665
<i>Tao Yuan, Yuanjin Zheng, Chyuen-Wei Ang, Le-Wei Li</i>	
A UHF Mobile RFID Reader IC with Self-Leakage Canceller	669
<i>Jeiyoung Lee, Jaehong Choi, Kang Ho Lee, Bonkee Kim, Minsu Jeong, Youngho Cho, Heeyong Yoo, Kyoungon Yang, Seyeob Kim, Seong-Mo Moon, Jae-Young Lee, Sangkyu Park, Wanchul Kong, Jin Kim, Tae-Ju Lee, Bo-Eun Kim, Beom-Kyu Ko</i>	
30 GHz CMOS Low Noise Amplifier	673
<i>Ehsan Adabi, Babak Heydari, Mounir Bohsali, Ali M. Niknejad</i>	
A Monolithic Voltage-Boosting Parallel-Primary Transformer Structures for Fully Integrated CMOS Power Amplifier Design	677
<i>Kyu Hwan An, Younsuk Kim, Ockgoo Lee, Ki Seok Yang, Hyungwook Kim, Wangmyong Woo, Jae Joon Chang, Chang-Ho Lee, Haksun Kim, Joy Laskar</i>	
A 97.2 mW 1.8 GHz Low Power CMOS Transmitter for Mobile WiBro and WiMAX	681
<i>Heeyong Yoo, Jongsik Kim, Tae Wook Kim, Minsu Jeong, Youngho Cho, Bonkee Kim, Hyunchol Shin, Bo-Eun Kim, Beom-Kyu Ko</i>	
Novel High-Q Inductor Using Active Inductor Structure and Feedback Parallel Resonance Circuit	685
<i>Sujin Seo, Namsik Ryu, Heungjae Choi, Yongchae Jeong</i>	
A 2.4V_{p-p} Output, 0.045–32.5 GHz CMOS Distributed Amplifier	689
<i>Jorge Aguirre, Calvin Plett, Peter Schvan</i>	
Temperature Compensated 2.45 GHz Ring Oscillator with Double Frequency Control	693
<i>W. Rahajandraibe, L. Zaid, V. Cheynet de Beaupre, G. Bas</i>	

Table of Contents

A WiMAX Receiver with Variable Bandwidth of 2.5 -- 20 MHz and 93 dB Dynamic Gain Range in 0.13- (mu)m CMOS Process	697
<i>Da-Rong Huang, Shiau-Wen Kao, Yi-Hsin Pang</i>	