

2007 Spanish Conference on Electron Devices

(6^a Conferencia de Dispositivos Electrónicos)

Proceedings

31 January 2007 - 2 February 2007

Madrid, Spain



TABLE OF CONTENTS

Section 1: Materials, technology and process simulation

| | |
|--|-----------|
| Electroluminescence from C- and Si- Rich Silicon Oxides in Continuous Wave and Pulsed Excitation | 1 |
| <i>O. Jambois, A. Perez-Rodríguez, P. Pellegrino, Josep Carreras, M. Perálvarez, C. Bonafos, S. Schamm, G. BenAssayag, V. Paillard, M. Perego and B. Garrido</i> | |
| Physics Based Models for Process Optimization..... | 5 |
| <i>Lourdes Pelaz, Luis A. Marqués, María Aboy, Pedro López and Iván Santos</i> | |
| Towards More Complex Shapes of Macroporous Silicon..... | 9 |
| <i>T. Trifonov, M. Garín, A. Rodríguez, L. F. Marsal, J. Pallarès and R. Alcubilla</i> | |
| Evaluation of Surface Passivation Layers for Bulk Lifetime Estimation of High Resistivity Silicon for Radiation Detectors..... | 13 |
| <i>J. M. Rafi, L. Cardona-Safont, M. Zabala, F. Campabadal, G. Pellegrini and M. Lozano</i> | |
| MOVPE Technology for the Growth of III-V Semiconductor Structures..... | 17 |
| <i>I. García, B. Galiana, I. Rey-Stolle and C. Algora</i> | |
| Atomistic Simulation of Damage Accumulation during Shallow B and as Implant Into Si | 21 |
| <i>Pedro López, Lourdes Pelaz, Luis A. Marqués, Iván Santos and J. A. Van den Berg</i> | |
| Increase on Siemens Reactor Throughput by Tailoring Temperature Profile of Polysilicon Rods | 25 |
| <i>G. del Coso, C. del Cañizo, I. Tobías and A. Luque</i> | |
| Boron Electrical Activation in SOI Compared to Bulk Si Substrates..... | 29 |
| <i>María Aboy, Lourdes Pelaz, Pedro López, J. Montserrat and F. J. Bermúdez</i> | |
| The Effect of RF and MW Power on the SiNx Films Grown by PECVD | 33 |
| <i>S. Ponce-Alcántara, C. del Cañizo, J. Hofstetter and A. Luque</i> | |
| Molecular Dynamics Study of Damage Generation Mechanisms in Silicon at the Low Energy Regime | 37 |
| <i>Iván Santos, Luis A. Marqués, Lourdes Pelaz and Pedro López</i> | |
| Study of Porous Alumina Porosity after Pore Widening Process..... | 41 |
| <i>L. Vojkuvka, L. F. Marsal and J. Pallares</i> | |

| | |
|--|-----------|
| Molecular Dynamics Simulation of Octadecaborane Implantation into Silicon | 44 |
| <i>Luis A. Marqués, Lourdes Pelaz, Iván Santos, Pedro López, María Aboy and Vincent C. Venezia</i> | |

Section 2: Modeling and devices simulation

| | |
|---|-----------|
| Surface Charge Effects in Ballistic T-Branch Nanojunctions | 48 |
| <i>I. Iñiguez-de-la-Torre, J. Mateos, T. González, D. Pardo, S. Bollaert, Y. Roelens and A. Cappy</i> | |

| | |
|--|-----------|
| Semi-Classical Study of the Limitations of the "Mean-Field" Approximation for the Accurate Simulation of Nanometric Devices | 52 |
| <i>G. Albareda, J. Suñé and X. Oriols</i> | |

| | |
|---|-----------|
| Simulation of Tapered Lasers with Separate Contacts | 56 |
| <i>H. Odriozola, J. M. G. Tijero, L. Borruel, S. Sujeki, E. C. Larkins and I. Esquivias</i> | |

| | |
|---|-----------|
| Implementation of a Quantum Corrections in a 3D Parallel Drift-Diffusion Simulator | 60 |
| <i>Antonio J. García-Loureiro, Karol Kalna and Asen Asenov</i> | |

| | |
|--|-----------|
| Parameter Extraction Method using Genetic Algorithms for an Improved OTFT Compact Model | 64 |
| <i>P. Moreno, R. Picos, M. Roca, E. García-Moreno, B. Iñiguez and M. Estrada</i> | |

| | |
|---|-----------|
| Influence of Gate Geometry in Integrated MOS Varactors on Accumulation Mode for RF | 68 |
| <i>E. Amselem, B. González, J. García, I. Aldea, M. Marrero, A. G. Iturri, J. del Pino, S. L. Khemchandani and A. Hernández</i> | |

| | |
|--|-----------|
| Iterative Maps for the Nonlinear Pulsed Digital Oscillator for MEMS | 72 |
| <i>J. Ricart, J. Pons and M. Domínguez</i> | |

| | |
|---|-----------|
| Study of the Corner Effects on Pi-Gate SOI MOSFETs | 76 |
| <i>F. G. Ruiz, A. Godoy, F. Gámiz, L. Donetti and C. Sampedro</i> | |

| | |
|---|-----------|
| Monte Carlo Comparison Between InAlAs/ InGaAs Double-Gate and Standard HEMTs | 80 |
| <i>B. G. Vasallo, T. González, D. Pardo, J. Mateos, N. Wichmann, S. Bollaert and A. Cappy</i> | |

| | |
|--|-----------|
| Monte Carlo Simulation of AlGaIn/GaN Heterostructures | 84 |
| <i>J. Mateos, S. Pérez, I. Iñiguez-de-la-Torre, D. Pardo and T. González</i> | |

| | |
|--|------------|
| Quantum Corrected EMC Simulation of Ultrashort DGSOI Devices: Ballistic vs. Diffusive Regime | 88 |
| <i>C. Sampedro, F. Gámiz, A. Godoy, L. Donetti and F. G. Ruiz</i> | |
| Analysis of the Impact of Intrinsic Parameter Fluctuations in a 50 nm InP HEMT | 92 |
| <i>Natalia Seoane, Antonio García-Loureiro, Karol Kalna and Asen Asenov</i> | |
| Modeling Germanium p-n Junctions for Multi-junction Solar Cell Applications..... | 96 |
| <i>P. Espinet, I. Rey-Stolle, B. Galiana, M. Baudrit and C. Algora</i> | |
| Mesh Generation for "Atomistic" Simulation of Nanometre Scale MOSFETs..... | 100 |
| <i>Manuel Aldegunde, Antonio J. García-Loureiro, Karol Kalna and Asen Asenov</i> | |
| Effect of the Dielectric Background on the Quality Factors of Silver Metallo- Dielectric Photonic Crystals..... | 104 |
| <i>M. A. Ustyantsev, L. F. Marsal, J. Ferré-Borrull and J. Pallarès</i> | |
| Monte Carlo Analysis of Tunneling and Thermionic Transport in a Reverse Biased Schottky Diode..... | 108 |
| <i>Elena Pascual, Raúl Rengel and María J. Martín</i> | |
| Quasi-3D Model of Edge-Emitting Lasers Accounting for Coherent and Incoherent Coupling of Lateral Modes | 112 |
| <i>J. M. G. Tijero, H. Odriozola, L. Borrueal and I. Esquivias</i> | |
| Shading Effects in Characteristic Parameters of PV Modules | 116 |
| <i>S. Silvestre and A. Chouder</i> | |
| Two-Dimensional Simulation of Current Self-Distribution in Oxide-Confined Vertical-Cavity Surface-Emitting Lasers | 119 |
| <i>J. Arias, L. Borrueal, B. Romero and I. Esquivias</i> | |
| New Explicit Charge and Capacitance Models for Undoped Surrounding Gate MOSFETs..... | 123 |
| <i>Oana Moldovan, Benjamin Iñiguez, David Jiménez and Jaume Roig</i> | |
| InAlAs/InGaAs Heterostructures for THz Generation..... | 127 |
| <i>S. Pérez, J. Mateos, D. Pardo and T. González</i> | |
| Optimisation of SiNx:H Anti-Reflection Coatings for Silicon Solar Cells | 131 |
| <i>J. Hofstetter, C. del Cañizo, S. Ponce-Alcántara and A. Luque</i> | |

Section 3: Characterization and reliability

| | |
|--|-----|
| Equivalent Electrical Circuit Model for the Post-Breakdown Current in SiO₂/TiO₂ Gate Stacks | 135 |
| <i>E. Miranda, J. Tinoco, I. Garduno, M. Estrada and A. Cerdeira</i> | |
| Characterization of Impurities in GaInNAs pn Junctions from Capacitance Transient Spectroscopy | 139 |
| <i>J. A. Jiménez Tejada, M. J. Deen, P. Lara Bullejos, J. A. López Villanueva, F. M. Gómez-Campos and S. Rodríguez-Bolívar</i> | |
| Effects of Dielectric Degradation and Breakdown in MOSFETs Characteristics. Impact on Digital and Analog Circuits | 143 |
| <i>R. Fernández, J. Martín-Martínez, R. Rodríguez, M. Nafria and X. Aymerich</i> | |
| Electrodeposited CuIn(S,Se)₂ Films for Low Cost High Efficiency Solar Cell Applications: Microstructural Analysis | 146 |
| <i>V. Izquierdo-Roca, J. Álvarez-García, A. Pérez-Rodríguez, L. Calvo-Barrio, A. Romano-Rodríguez, J. R. Morante, O. Ramdani, V. Bermudez, P. P. Grand, L. Parissi and O. Kerrec</i> | |
| Electrical Characterization of New Electrochromic Devices | 150 |
| <i>Ricardo Vergaz, David Barrios, José M. Sánchez-Pena, Cristina Pozo-Gonzalo and José A. Pomposo</i> | |
| 2-DEG Characteristics Improvement by N₂-Plasma Exposure in GaN HEMT Heterostructures | 154 |
| <i>F. González-Posada, A. F. Braña, D. L. Romero, M. F. Romero, A. Jimenez, A. Arranz, C. Palacio and E. Muñoz</i> | |
| SiGe Bipolar Transistors for Harsh Radiation Environments | 158 |
| <i>S. Díez, M. Ullán, F. Campabadal, M. Lozano, G. Pellegrini, D. Knoll and B. Heinemann</i> | |
| Nanoscale and Device Level Reliability of High-k Dielectrics Based CMOS Nanodevices | 162 |
| <i>L. Aguilera, E. Amat, R. Rodríguez, M. Porti, M. Nafria and X. Aymerich</i> | |
| A Portable Low-Cost SEU Evaluation Board for SRAMs | 165 |
| <i>Francisco J. Franco and Raoul Velazco</i> | |

ARXPS Characterization of InGaP/GaAs Heterointerface Grown by MOVPE.....169
M. C. López, B. Galiana, C. Algora, I. Rey-Stolle, I. Garcia, M. Gabas and J. R. Ramos-Barrado

Precise Characterization of the Frequency Chirp in Directly Modulated DFB Lasers.....173
Asier Villafranca, Javier Lasobras and Ignacio Garcés

Section 4: Sensors, Actuators and MEMS

A Silicon-Based Direct Methanol Micro Fuel Cell.....177

Non Linear Actuation Model for Lateral Electrostatically-Actuated DC-Contact RF MEMS Series Switches.....181
A. Lázaro, D. Girbau, L. Pradell and A. Nebot

Planar Microelectrodes on Flexible Polymeric Substrates for Cochlear Implants.....185
M. Aresti, N. Torres and F. J. Gracia

NO₂ Detection with Single Walled Carbon Nanotube Networks.....189
I. Sayago, E. Terrado, M. C. Horrillo, M. Aleixandre, M. J. Fernández, H. Santos, W. K. Maser, A. M. Benito, M. T. Martinez, J. Gutiérrez and E. Muñoz

High Frequency Response of a Novel Biosensor Based on Interdigitated μ -Electrodes (ID μ E's).....193
Enrique Valera, Javier Ramón-Azcón, F.-J. Sanchez, Luis M. Castañer, M.-P. Marco and Ángel Rodríguez

μ -Porous Silicon (μ PS) Gas Sensor Based on Interdigitated μ -Electrodes (ID μ E's)197
Enrique Valera, Olga Casals, Michael Vetter and Ángel Rodríguez

High Q Factor RF MEMS Tunable Metallic Parallel Plate Capacitor201
J. A. Etxebarria and F. J. Gracia

Dielectric Charging in MEMS Switches After Ion-Gun Irradiation.....205
D. Molinero and L. Castañer

Dimension-Scaling of Microcantilevers Resonators.....209
M. Narducci, E. Figueras, I. Gràcia, L. Fonseca, J. Santander and C. Cané

Piezoresistive Microcantilevers for Biomolecular Force Detection212
Guillermo Villanueva, Gemma Rius, Josep Montserrat, Francesc Pérez-Murano and Joan Bausells

| | |
|--|------------|
| Development and Optimization of Pre-Concentrator for Enhanced Benzene Detection | 216 |
| <i>F. Blanco, P. Ivanov, M. Vinaixa, X. Vilanova, I. Gracia, C. Cané and X. Correig</i> | |
| Silicon μ-Preconcentrator for Improved Gas Detection | 219 |
| <i>P. Ivanov, F. Blanco, I. Gràcia, N. Sabaté, A. Ruiz, X. Vilanova, X. Correig, L. Fonseca, E. Figueras, J. Santander and C. Cané</i> | |
| Study of a Palladium Coated Bragg Grating Sensor to Detect and Measure Low Hydrogen Concentrations | 223 |
| <i>M. Aleixandre, P. Corredera, M. L. Hernanz, I. Sayago, M. C. Horrillo and J. Gutierrez-Monreal</i> | |
| MEMS Actuated Piezoelectrically with AlN Films | 226 |
| <i>Sheila González-Castilla, Javier Malo, Lucía Vergara, Jimena Olivares, Marta Clement, José Ignacio Izpura, Jesús Sangrador and Enrique Iborra</i> | |
| Towards a Microsystem of Multiple Production of Micro-Drops Manufactured on Silicon..... | 230 |
| <i>Francisco Perdigones, Antonio Luque, Alfonso Gañan-Calvo, Jaume Esteve, Josep Monserrat and José M. Quero</i> | |
| Section 5: Photovoltaic and optoelectronic devices and displays | |
| Effect of Thickness on Bifacial Silicon Solar Cells..... | 234 |
| <i>A. C. Pan, C. del Cañizo and A. Luque</i> | |
| c-Si Surface Passivation for Photovoltaic Applications by Means of Antireflective Amorphous Silicon Carbide Layers | 238 |
| <i>R. Ferre, I. Martín, P. Ortega, M. Vetter, M. Garín and R. Alcubilla</i> | |
| III-V Multijunction Solar Cells for Concentrations Around 1000X: The IES-UPM Strategy..... | 242 |
| <i>B. Galiana, I. García, J. R. González, M. Baudrit, I. Rey-Stolle and C. Algora</i> | |
| Optical Switch for Instrumentation Based on Liquid Crystals | 246 |
| <i>C. Vázquez, P. C. Lallana, D. S. Montero, J. M. S. Pena and J. M. Otón</i> | |
| Strained M-Plane GaN for Polarization-Sensitive Applications | 250 |
| <i>C. Rivera, P. Misra, J. L. Pau, E. Muñoz, O. Brandt, H. T. Grahn and K. H. Ploog</i> | |

| | |
|--|------------|
| Role of Doping and Thickness of Emitter in the Efficiency of Monocrystalline Si Solar Cells | 254 |
| <i>C. Vázquez, J. Alonso, M. A. Vázquez, L. J. Caballero, A. Martínez, R. Romero and J. R. Ramos-Barrado</i> | |
| Measurement of Pretilt Angle and Cell Gap in Reflective Vertically Aligned Nematics | 258 |
| <i>X. Quintana, M. A. Geday, B. Cerrolaza, D. Pérez-Medialdea, N. Bennis and J. M. Otón</i> | |
| A Multijunction Solar Cell Simulation Program for the Development of Concentration Systems | 262 |
| <i>J. A. López Villanueva, V. Díaz, S. Rodríguez Bolívar, J. A. Jiménez Tejada and E. Rodríguez</i> | |
| Modal Suppression and Single-Mode Emission in Photonic Crystal Coupled-Cavity Ring-Like Lasers..... | 266 |
| <i>L. J. Martínez, A. R. Alija, C. Seassal, P. Viktorovitch and P. A. Postigo</i> | |
| See-Through Passive Antiferroelectric Helmet-Mounted Liquid Crystal Display | 270 |
| <i>X. Quintana, J. M. Otón, N. Bennis and H. De Smet</i> | |
| Evaluation of the Limiting Efficiencies of Photovoltaic Converters under Monochromatic Illumination | 274 |
| <i>Rafael Peña and Carlos Algora</i> | |
| A 4k Projection Display for D-Cinema, Medical Imaging and Simulation | 277 |
| <i>J. M. Otón, X. Quintana, M. A. Geday, N. Bennis, G. Van Doorselaer, M. Vermandel, B. Meerschman, A. Van Calster, H. De Smet, D. Cuypers, T. Podprocky, K. H. Kraft, S. Hausser, R. Dabrowski, P. Kula, B. Maximus, K. Van Belle, P. Scarfield, K. Murray, M. Ba</i> | |
| Highly Asymmetric Antiferroelectric Liquid Crystal Displays | 281 |
| <i>M. A. Geday, V. Urruchi, N. Bennis, A. Spadlo, E. Martinelli, G. Galli, X. Quintana and J. M. Otón</i> | |
| Thermophotovoltaic Systems Based on Gallium Antimonide Infrared Cells | 285 |
| <i>Diego Martín, Alejandro Datas, Victoria Corregidor and Carlos Algora</i> | |
| Photovoltaic Mini-Modules Using Silicon on Insulator Technology | 289 |
| <i>P. Ortega, S. Bermejo, M. Vetter and L. Castañer</i> | |

| | |
|--|------------|
| Reflection Analysis of 2D-Photonic Crystal Lattice Using Bragg-Diffraction Phenomena | 293 |
| <i>Zdenek Král, Josep Ferré-Borrull, Lluís F. Marsal, Josep Pallarès, Trifon Trifonov, Angel Rodríguez and Ramon Alcubilla</i> | |
| Design of InGaN Based Photodiodes by Internal Field Engineering..... | 296 |
| <i>J. Pereiro, C. Rivera, J. L. Pau, A. Navarro, S. Fernandez-Garrido, E. Muñoz, R. Czernecki, S. Grzanka and M. Leszczynski</i> | |
| Real Metals in Metallo-Dielectric Photonic Crystals in the Visible..... | 300 |
| <i>Josep Ferré-Borrull, Elisabet Xifré-Pérez, Lluís F. Marsal and Josep Pallarès</i> | |
| Reduction of Thermal Load in the Fabrication Process of Bifacial Silicon Solar Cells | 304 |
| <i>J. Coello, C. del Cañizo and A. Luque</i> | |
| Novel Lithographic Technology for OLED-Based Display Manufacturing..... | 307 |
| <i>B. Arredondo, B. Romero, X. Quintana, A. Gutiérrez-Llorente, A. L. Alvarez, R. Mallavia and J. M. Otón</i> | |
| Near Room Temperature InAs Quantum Wires Lasers on InP at Short Wavelength Infrared..... | 311 |
| <i>F. Suárez, D. Fuster, L. González, Y. González, J. M. García and M. L. Dotor</i> | |
| Light Emitting Devices in the Visible Obtained by PECVD and Ion Implantation..... | 315 |
| <i>M. Perálvarez, J. Barreto, O. Jambois, J. Carreras, C. Domínguez, J. A. Rodríguez and B. Garrido</i> | |
| Automated Characterisation System for Liquid Crystal Displays..... | 318 |
| <i>M. A. Geday, X. Quintana, N. Bennis, B. Cerrolaza, D. Pérez-Medialdea and J. M. Otón</i> | |
| Noise Study in Photodiodes Based on InGaN/GaN MQW..... | 321 |
| <i>Alvaro Navarro, Carlos Rivera, Roberto Cuerdo, José Luis Pau, Juan Pereiro, Fernando Calle and Elías Muñoz</i> | |

Section 6: Micro and nano-devices

| | |
|---|------------|
| Quantum Dot Infrared Photodetector for Mid-Infrared Detection at High Temperatures | 325 |
| <i>R. Gargallo-Caballero, M. Sanz, A. Guzmán, E. Calleja and E. Muñoz</i> | |

| | |
|---|-------------------------|
| Local Growth of Carbon Nanotubes by Thermal Chemical Vapor Deposition from Iron Based Precursor Nanoparticles | 329 |
| <i>I. Martín, G. Rius, G. Gabriel, M. J. Esplandiu, N. Mestres, F. Perez-Murano, E. Lora-Tamayo and P. Godignon</i> | |
| A Study on Band Nonparabolicity Effects in Nanostructures | 333 |
| <i>F. M. Gómez-Campos, S. Rodríguez-Bolívar and J. E. Carceller</i> | |
| Photonic Sensors Based on Integrated Reflectivity, Ellipsometry and Spectrometry Measurements in Submicron Size Geometries | 336 |
| <i>R. Casquel, M. Holgado, C. Molpeceres, M. Morales and J. L. Ocaña</i> | |
| Monte Carlo Analysis of Carrier Transport from Diffusive to Ballistic Regime in Nanometer SOI MOSFETs | 340 |
| <i>María J. Martín, Raúl Rengel, Elena Pascual and Tomás González</i> | |
| Section 7: RF microwave and power devices | |
| Punch-Through Effects in RF Bulk LDMOS Transistors | 344 |
| <i>I. Cortés, P. Fernández-Martínez, D. Flores, S. Hidalgo and J. Rebollo</i> | |
| Emitter Pedestal Design of GaInP/GaAs Heterojunction Bipolar Transistors..... | 348 |
| <i>Juan M. López-González</i> | |
| A CAD Model of Nanoscale Double-Gate MOSFET for RF and Noise Applications Including Quantum and Non-Stationary Effects | 351 |
| <i>A. Lázaro, B. Nae, O. Moldovan and B. Iñiguez</i> | |
| A Compact Quantum Model of Nanoscale Double-Gate MOSFET for RF and Noise Simulations | 355 |
| <i>A. Lázaro, B. Nae, O. Moldovan and B. Iñiguez</i> | |
| A Physical-Based Method for Parameter Extraction of On-Chip Spiral Inductor | 359 |
| <i>Amaya Goñi, Javier del Pino, Javier García, Benito González, S. L. Khemchandani and Antonio Hernández</i> | |
| Author Index | follows page 364 |