

2007 Digest of the LEOS Summer Topical Meetings

**Portland, OR
23-25 July 2007**



**IEEE Catalog Number:
ISBN:**

**07TH8940
1-4244-0926-8**

Table of Contents

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Myths and Truths about Optical OFDM | 1 |
| <i>Sebastian Randel, Matthias Schuster, Jeffrey Lee, Florian Breyer</i> | |
| Pre-Emphasis and RF-Pilot Tone Phase Noise Compensation for Coherent OFDM Transmission Systems | 3 |
| <i>S.L. Jansen, I. Morita, N. Takeda, H. Tanaka</i> | |
| Ethernet Evolution: The Path to 100 Gigabit Ethernet | 5 |
| <i>John D. Ambrosia</i> | |
| 100G Ethernet ... A Review of Serial Transport Options | 7 |
| <i>Peter J. Winzer, Greg Raybon</i> | |
| Electronic Dispersion Compensation Beyond 10 Gb/s | 9 |
| <i>Kim Roberts, Nortel, Ottawa</i> | |
| Coherent Equalization versus Direct Detection for 111-Gb/s Ethernet Transport | 11 |
| <i>D. van den Borne, T. Duthel, C. R. S. Fludger, E. D. Schmidt, T. , C. Schullien, E. Gottwald, G. D. Khoe, H. de Waardt</i> | |
| Ultra Long-Haul QPSK Transmission using a Digital Coherent Receiver | 13 |
| <i>S.J. Savory, G. Gavioli, V. Mikhailov, R.I. Killey, P. Bayvel</i> | |
| Realtime Optical Synchronous QPSK Transmission with DFB lasers | 15 |
| <i>T. Pfau, O. Adamczyk, V. Herath, R. Peveling, S. Hoffmann, M. Porrmann, R. Noé</i> | |
| PDL-Tolerant Real-time Polarization-Multiplexed QPSK Transmission with Digital Coherent Polarization Diversity Receiver | 17 |
| <i>T. Pfau, R. Peveling, S. Hoffmann, S. Bhandare, S. Ibrahim, D. Sandel, O. Adamczyk, M. Porrmann, R. Noé, Y. Achiam, D. Schlieder, A. Koslovsky, Y. Benarush, J. Hauden, N. Grossard, H. Porte</i> | |
| Compensation of coherent DQPSK receiver imperfections | 19 |
| <i>I. Roudas, M. Sauer, J. Hurley, Y. Mauro, S. Raghavan</i> | |
| 40G-OTN FEC Former LSI Enabling Coding for Advanced Modulation Formats and 4 x 10GbE Transparent Multiplexing | 21 |
| <i>Masahito Tomizawa, Yutaka Miyamoto</i> | |
| Practical Challenges for Electronic Dispersion Compensation in CMOS | 23 |
| <i>Anthony Chan Carusone</i> | |
| Implementation Aspects of High-Speed DSP for Transmitter and Receiver Signal Processing | 25 |
| <i>John Sitch</i> | |
| Review of Recent Progress in MLSE Receiver | 27 |
| <i>James Whiteaway, Chris Fludger, Stefan Langenbach, Theo Kupfer</i> | |
| Chromatic dispersion compensation effectiveness of an MLSE-EDC receiver for three variants of duobinary | 29 |
| <i>John D. Downie, Jason Hurley</i> | |
| Metastable States of MLSE Receiver Induced by Extreme PMD Conditions | 31 |
| <i>M.D. Feuer, M. Brodsky, K.E. Cornick, T. Kupfer, S. Aramideh, P. Noutsios, M. Birk</i> | |
| Performance Optimization of Soft-decision FEC Receivers | 33 |
| <i>Kiyoshi Onohara, Takashi Mizuochi</i> | |
| Modulation Coding for Optical Channels | 35 |
| <i>Zeinab Taghavi, Nikola Alic, George C. Papen</i> | |
| Chromatic Dispersion Compensation using LDPC-Coded Turbo Equalization | 37 |
| <i>Hussam G. Batshon, Ivan B. Djordjevic, Lyubomir L. Minkov</i> | |
| Iterative Decodable Block-Codes for High-Speed Optical Transmission | 39 |
| <i>Ivan B. Djordjevic</i> | |

Table of Contents

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Coherent Detection in Submarine Systems | 41 |
| <i>Yi Cai</i> | |
| QPSK with Coherent Detection over Ultra-long Distance Improved by Nonlinearity Mitigation | 43 |
| <i>Gabriel Charlet</i> | |
| Fiber Nonlinearity Mitigation by Electronic and Optical Techniques..... | 45 |
| <i>Ren'e-Jean Essiambre</i> | |
| QAM based coherent transmission technologies using DSP | 47 |
| <i>Masataka Nakazawa</i> | |
| Investigation of Electronic Equalization in Coherent Receivers with Complex Modulation Schemes | 49 |
| <i>Christina Hebebrand, Werner Rosenkranz</i> | |
| Implementation Tolerances for Coherent Analog Links Using I/Q Detection and Digital Demodulation | 51 |
| <i>Michael L. Dennis, Thomas R. Clark</i> | |
| 16-QAM Signal Design and ection in Presence of Nonlinear Phase Noise..... | 53 |
| <i>Alan Pak Tao Lau, Joseph M. Kahn</i> | |
| Optical Homodyne Receiver Comprising Phase and Polarization Diversities with Digital Signal Processing..... | 55 |
| <i>Kazuro Kikuchi</i> | |
| Fundamental Limits on the Performance of Maximum-Likelihood Sequence Estimation in Dispersive Optical Links..... | 57 |
| <i>Pierluigi Poggiolini</i> | |
| Electronic Dispersion Compensation Based on Maximum-Likelihood Sequence Estimation for 10 Gb/s Fiber-Optic Communication Systems | 59 |
| <i>Xianming Zhu, Srikanth Raghavan, Shiva Kumar</i> | |
| Simple Method for MLSE Performance Estimation | 61 |
| <i>M. Rubsamen, P. J. Winzer, R.-J. Essiambre</i> | |
| Subwavelength Optical Elements and Nanoimprint Technology for Optical System on Chip..... | 63 |
| <i>Stephen Y. Chou</i> | |
| Mechanotransduction in Endothelial Cells: Role of Laser and Electro-Optics in Mechanobiology | 65 |
| <i>Shu Chien</i> | |
| Optofluidic Technologies..... | 66 |
| <i>J.R. Adleman, D.A. Boyd, D. Goodwin, D. Psaltis</i> | |
| Enhanced Design of OptoFluidic Microscopy | 68 |
| <i>T. A. Elkatib, Khaled Salama, Z. Rena Huang</i> | |
| Optofluidic Microring Dye Laser | 70 |
| <i>Zhenyu Li, Zhaoyu Zhang, Axel Scherer, Demetri Psaltis</i> | |
| Integrated Terahertz Biophotonics: Terahertz Spectroscopy of Proteins in Microfluidic Devices..... | 72 |
| <i>Paul A. George, Farhan Rana</i> | |
| Singal-to-noise Ratio Enhancement Using 3-D Sensing Filaments in Structure-Induced Micro Fluid Turbulence | 74 |
| <i>Juntao Wu, Kung-Li Deng</i> | |
| Photonic metamaterials ... new oppportunities for nanoimprint | 76 |
| <i>Nils Feth, Manuel Decker, Gunnar Dolling, Matthias W. Klein, Stefan Linden, Martin Wegener</i> | |
| Broadband 3D Integrated Optics in Photonic Band Gap Materials | 78 |
| <i>Sajeev John</i> | |
| Nanoimprinted photonic crystals enhanced light emitters via surface plasmon..... | 80 |
| <i>V. Reboud, N. Kehagias, M. Zelsmann, C. Schuster, M. Fink, F. Reuther, G.Gruetzner, C. M. Sotomayor Torres</i> | |

Table of Contents

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| UV-based Nano Imprint Fabrication of Gold Grating Couplers on Silicon-on-Insulator | 82 |
| <i>Stijn Scheerlinck, Dries Van Thourhout, Roel Baets</i> | |
| CMOS Chemical and Biochemical Sensors using Nanostructured Materials..... | 84 |
| <i>Sung Jin Kim, Vamsy P. Chodavarapu, Albert. H. Titus, Frank V. Bright, Venu Govindaraju, Alexander N. Cartwright</i> | |
| Excitons in Biological and Non-Biological Nano-Structured Systems: Progress Towards Bio-inspired Photodetectors..... | 86 |
| <i>Ji Ung Lee</i> | |
| Self-Formed Functional Polymer Wires Mimicking Filament Structure in Aquatic Respiration System for Intravascular In-vivo Bio-chemical Sensing..... | 88 |
| <i>Kung-Li Deng, Juntao Wu, Tom Gorczyca, Ken Bousman, Renato Guida, Boon Lee</i> | |
| Implantable Multichannel Silicon-based neural probe | 90 |
| <i>Pei Weihua, Chen Hongda, Zhang Ruoxin, Sui Xiaohong, Zhu Lin, Lu Lin</i> | |
| Origination and Tooling of Optical Structures on Planar and 3D Surfaces for Mass Fabrication | 92 |
| <i>Juergen Soechtig, Alexander Stuck</i> | |
| Fabrication of Optical Components for Light Management by UV Embossing..... | 94 |
| <i>Markus Rossi, Jyrki Saarinen</i> | |
| Micro- and Nanobiological Systems: New Technologies and Applications Nathaniel C. Cady, CNSE, University at Albany..... | 96 |
| <i>Nathaniel C. Cady</i> | |
| A Waveguide Biosensor's Local Evanescent Field Response to an Immunoassay Complex..... | 97 |
| <i>Kevin L. Lear, Guangwei Yuan, Matthew D. Stephens, Xinya He, Robert Pownall, Rongjin Yan, Phil Nikkel, Charles S. Henry, Thomas W. Chen, David S. Dandy</i> | |
| Subretinal Implantable Micro Photodetector Array | 99 |
| <i>Chen Hongda, Pei Weihua, Tang Jun, Wu Huijuan, Hu Xiaofeng, Chen Jinghua, Li Xiaoxin</i> | |
| Combined nanoimprint and photolithography of integrated polymer optics | 101 |
| <i>Mads Brøkner-Christiansen, Mikkel Schøler, Morten Gersborg-Hansen, Anders Kristensen</i> | |
| Fabrication and characterization of organic solid-state lasers using imprint technologies | 103 |
| <i>Martin Punke, Marc Stroisch, Thomas Woggon, Andreas Pütz, Mattias P. Heinrich, Martina Gerken, Uli Lemmer, Mathias Bruendel, Dominik G. Rabus, JingWang, Thomas Weimann</i> | |
| Photonic Integrated Circuits fabricated by Deep UV and Hot Embossing | 105 |
| <i>Mathias Bruendel, Yasuhisa Ichihashi, Juergen Mohr, Martin Punke, Dominik G. Rabus, Matthias Worgull, Volker Saile</i> | |
| Micro/Nano-Imprinting of Polymer Optical Waveguides for Optical Printed Circuit Board (O-PCB) Fabrication | 107 |
| <i>El-Hang Lee</i> | |
| Fabrication of Replicated Polymer Optical Waveguide | 109 |
| <i>Yoshitaka Tatara, Hayami Hosokawa</i> | |
| UV-embossed polymer optical bench for integration of polymer waveguide devices..... | 111 |
| <i>Jin Tae Kim, Jung Jin Ju, Suntak Park, Seung Koo Park, Min-Su Kim, Myung-Hyun Lee</i> | |
| Monitoring Fluorescence in Cultured Neural Networks using Polymer Waveguide Excitation | 113 |
| <i>R. Adam Seger, Dominik G. Rabus, Yasuhisa Ichihashi, Mathias Bruendel, Jeremy Hieb, Michael S. Isaacson</i> | |
| Nanofluidic Devices for Rapid Analysis of DNA and Proteins | 115 |
| <i>J. Fu, J. Han</i> | |
| Integrated Microfluidic Photonic Sensors | 117 |
| <i>Jessica Godin, Yu-Hwa Lo</i> | |

Table of Contents

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Laser-Ablated Microfluidics for Nanoflow Life Science Measurements | 119 |
| <i>Reid Brennen</i> | |
| Optofluidic Intracavity Spectroscopy of Canine Lymphoma and Lymphocytes | 121 |
| <i>Kevin L. Lear, Hua Shao, Weina Wang, Susan E. Lana</i> | |
| Nanoimprint and nano-machining process for tunable hollow waveguide devices | 123 |
| <i>Tomofumi Takeishi, Satoshi Suda, Fumio Koyama</i> | |
| Electronics Produced by Roll-to-roll Self-Aligned Imprint Lithography | 125 |
| <i>W. B. Jackson, C. Perlova, M. Amanza-Workmana, S. Braymenb, A. Chaikena, F. Jeffreyb, J. Hauschildtb, A. Jeansa, O. Kwona, H. Luo, P. Meia, C. Taussiga</i> | |
| Large-area replication technology for the production of electrical-optical circuit boards (EOCB) | 127 |
| <i>Andreas Neyer, Erik Rabe, Stefan Kopetz, Daqing Zhu, Dengke Cai</i> | |
| Proposed Applications of 3-D Optical Interconnect Technologies to Integrated Chemical Systems | 129 |
| <i>Tetsuzo Yoshimura</i> | |
| Novel sensor architecture for high-throughput and high-sensitivity biomolecular interaction analysis | 131 |
| <i>Maggie A. Bynum, Gregory D. VanWiggeren, Evan Thrush, Stan Jefferson, Karla Robotti, Douglas M. Baney, Kevin Killeen</i> | |
| Soft Lithographic Fabrication of Microresonators | 133 |
| <i>A. M. Armani, K. J. Vahala</i> | |
| A High Sensitivity Surface Plasmon Resonance Configuration based on the Phase Retardation Detection | 135 |
| <i>Yu-Chuan Tung, Wen-Kai Kuo</i> | |
| Agile Wideband Light Source for Optical Coherence Tomography Using Optical SSB Frequency Sweep Technique | 137 |
| <i>Takehiro Yamamoto, Ryuji Kohno</i> | |
| A Non-invasive Dual-Channel Oximeter based on Near-Infrared Spectroscopy (NIRS) | 139 |
| <i>Yuhui Luo, Jordan Tse, Chinlon Lin, Lian-Kuan Chen, Andrew Burd, Linda Huang</i> | |
| High-performance Ultra Violet 4H-SiC Avalanche Photodiode detectors | 141 |
| <i>Xiaogang Bai, Dion Mcintosh, Handin Liu, Joe Campbell</i> | |
| Atomic Frequency Standards and their Impact on the Past, Present and Future of the Second | 143 |
| <i>U. Sterr</i> | |
| Present Status of the Development of the Yb Optical Lattice Clock at NMIJ/AIST | 145 |
| <i>M. Yasuda, F. -L. Hong, T. Kohno, T. Kurosu, A. Onae, H. Katori</i> | |
| Direct two-photon resonant excitation and absolute frequency measurement of cesium transitions using a femtosecond comb | 147 |
| <i>Vela Mbele, Jason E. Stalnaker, Vladislav Gerginov, Tara M. Fortier, Scott A. Diddams, Leo Hollberg, Carol E. Tanner</i> | |
| The Yb and Ca Standards: Approaches to High Stability, High Accuracy, and Transportable Optical Atomic Clocks | 149 |
| <i>C. W. Oates, Z. W. Barber, J. Stalnaker, C. W. Hoyt, Y. Le Coq, S. A. Diddams, T. M. Fortier, L. Hollberg</i> | |
| Measurement of Acetylene-d Absorption Lines with a Self-Referenced Fiber Laser Frequency Comb | 151 |
| <i>Jie Jiang, John Bernard, Alan Madej, Sibyl Drissler, David J. Jones, Andrzej Czajkowski</i> | |
| Frequency Measurement of an Optical Lattice Clock | 153 |
| <i>Feng-Lei Hong, Yasuhisa Fujii, Michito Imae</i> | |
| Super-Stable Optical Comb and Pulse Generation Using Electro-Optic Modulation | 155 |
| <i>Takahide Sakamoto, Tetsuya Kawanishi, Masahiro Tsuchiya, Masayuki Izutsu</i> | |

Table of Contents

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Widely Tunable (1.0-1.7 μm) Yb-doped Fiber Mode-Locked Laser Source with ~ 100 fs Pulse Widths based on Raman Frequency Shift..... | 157 |
| <i>Jahan Dawlaty, Andy Chong, Farhan Rana</i> | |
| Quantitative Measurement of the Dynamics of a Mode-locked Laser | 159 |
| <i>Jared K. Wahlstrand, Curtis R. Menyuk, John T. Willits, Thomas R. Schibli, Steven T. Cundiff</i> | |
| Er- and Yb-doped Fiber Laser Frequency Combs and Their Applications | 161 |
| <i>I. Hartl, M. E. Fermann</i> | |
| High Power (>150 mW) Electrically Pumped Semiconductor Modelocked Lasers at 1550 nm with Pulse Widths Approaching 6 ps..... | 163 |
| <i>Faisal R Ahmad, Farhan Rana</i> | |
| Narrow Linewidth 1.5 μm sources and the Thermal Limit..... | 165 |
| <i>W. C. Swann, L. Lorini, J. Bergquist, N. R. Newbury</i> | |
| Slab-Coupled Optical Waveguide Devices for Low-Noise Signal Generation..... | 167 |
| <i>Paul W. Juodawlkis, Jason J. Plant, Frederick J. O'Donnell</i> | |
| Optical Waveform Generation, Measurement, and Utilization..... | 169 |
| <i>John R. Lowell, Enrique Parra</i> | |
| Optical Arbitrary Pulse Train Generation via Spectral Line-by-Line Pulse Shaping..... | 170 |
| <i>Z. Jiang, C.-B. Huang, D.E. Leaird, A.M. Weiner</i> | |
| Generation of High Repetition Rate Femtosecond Pulse Trains with a High Finesse External Fabry-Perot Cavity | 172 |
| <i>J. Chen , J. W. Sickler, T. Wilken, P. Fendel, R. Holzwarth, T. W. Hänsch, E. P. Ippen, F. X. Kärtner</i> | |
| High Speed Arbitrary Waveform Generation and Processing using a Photonic Digital-to-Analog Converter..... | 174 |
| <i>A. Leven, Y. Yang, R. Kopf, A. Tate, T. C. Hu, J. Frackoviak, R. Reyes, N. G. Weimann, Y. K. Chen, R. DeSalvo, G. Burdge, G. Deibner, F. Quinlan, S. Gee, P. Delfyett</i> | |
| 5-GHz optical arbitrary waveform generation using > 100 independently controlled spectral lines from a compressed phase-modulated CW laser comb..... | 176 |
| <i>C.-B. Huang, Z. Jiang, D.E. Leaird, A.M. Weiner</i> | |
| Increasing the Mode-Spacing of Stabilized Frequency Combs with Optical Filter Cavities | 178 |
| <i>S. A. Diddams, A. M. Weiner, V. Mbele, L. Hollberg</i> | |
| Ultrafast Time Scale Transformation and Recording Utilizing Parametric Temporal Imaging..... | 180 |
| <i>Corey V. Bennett</i> | |
| Large-Scale, Long-Term Stable Femtosecond Timing Distribution and Synchronization Systems | 182 |
| <i>Jungwon Kim, Frank Ludwig, Jeff Chen, Florian Loehl, Franco Wong, Holger Schlarb, Franz Kärtner</i> | |
| Optical frequency transfer over 38 km of installed fiber at less than 3×10^{-19} residual fractional instability..... | 184 |
| <i>P. A. Williams, W. C. Swann, N. R. Newbury</i> | |
| Ultrahigh dynamic-range distance measurement using a femtosecond frequency comb..... | 186 |
| <i>K. Minoshima, H. Inaba, H. Matsumoto Y. Iino, K. Kumagai</i> | |
| Techniques for Photonic Generation of Millimeter-Wave Signals | 188 |
| <i>Raman Kashyap, Jianping Yao, Xiupu Zhang</i> | |
| The potential of high speed UTC-TW photo detectors to generate sub-MM wave signals - predictions by a new analytical model | 190 |
| <i>A. Madjar, P. K. L. Yu</i> | |
| Microwave photonic frequency multiplication for a tunable millimeter and terahertz CW signal generator with improved spurious characteristics | 192 |
| <i>Ho-Jin Song, Naofumi Shimizu, Tomofumi Furuta, Hiroshi Ito, Tadao Nagatsuma</i> | |

Table of Contents

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Microwave Frequency Generation up to 27.5 GHz Using a Dual-Wavelength Brillouin Fiber Laser | 194 |
| <i>Michael L. Dennis, Raymond M. Sova, Thomas R. Clark</i> | |
| An Extraordinary New Class of Electro-Optic Materials: Binary Chromophore Glasses | 196 |
| <i>Larry R. Dalton</i> | |
| Hybrid Electro-Optic Polymer Devices: Beating the Drive Voltage/Insertion Loss Trade-Off | 198 |
| <i>R. A. Norwood</i> | |
| Enhanced Band-Edge and Defect-Mode Effects of Laser Action in Chiral Liquid Crystals | 200 |
| <i>M.Ozaki, Y.Matsuhisa, H.Yoshida, A.Fujii, Y.Huang, Y.Zhou, S.-T.Wu</i> | |
| Systematic Investigation of Nematic Liquid Crystal Mixtures at 30 GHz | 202 |
| <i>Felix Goelden, Artiom Lapanik, Alexander Gaebler, Stefan Mueller, Wolfgang Haase, Rolf Jakoby</i> | |
| Nanosecond ... cw Visible-IR All-Optical Switching and Nonlinear Transmission with a Nonlinear Organic Optical Liquid in Bulk and Guided Wave Geometry | 204 |
| <i>I. C. Khoo, A. Diaz, J. Liou, J. H. Park, M. Stinger</i> | |
| Microstructure, Charge Transport and Trapping in Anisotropic Polymeric Thin Film Transistors | 206 |
| <i>L. H. Jimison, J. Rivnay, M. F. Toney, A. Salleo</i> | |
| PQ-based derivatives doped PMMA photopolymers for holographic data storage | 208 |
| <i>Shiuan Huei Lin, Yi-Nan Hsiao, Ken Y. Hsu</i> | |
| Polymeric composite materials for optical data storage and processing | 210 |
| <i>F.Simoni, R.Castagna, L.Criante, O.Francescangeli, D.E.Lucchetta, F.Vita</i> | |
| Self-healing of polymer lasers and two-photon absorbers | 212 |
| <i>Ye Zhu, Juefei Zhou, Natnael Embaye, Mark G. Kuzyk</i> | |
| Photodetection and Photovoltaic Properties of Polymer Composite Materials Based on Pentacene and Carbon Nanotube | 214 |
| <i>Namchul Cho, Won Jin Kim, Kwang-Sup Lee, Kaushik Roy Choudhury, Yudhisthira Sahoo, Tymish Ohulchansky, Paras N. Prasad</i> | |
| High "intrinsic" first hyperpolarizability by modulating the conjugation path between donor and acceptor | 216 |
| <i>Javier Pérez-Moreno, Yuxia Zhao, Mark G. Kuzyk, Koen Clays</i> | |
| Systematic Design and Simulation of Polymer Microring Resonators with the Combination of Beam Propagation Method and Matrix Model | 217 |
| <i>Haishan Suna, Larry Daltonb, Antao Chenc</i> | |
| Entangled and correlated tw two-photon o-absorption effects of an organic material | 219 |
| <i>Dong-Ik Lee, Theodore Goodson</i> | |
| Porphyrin-Based Molecular Wires | 221 |
| <i>Harry L. Anderson</i> | |
| Spectral narrowing of emission in self-assembled colloidal photonic superlattices | 223 |
| <i>Kasper Baert, Renaud A. L. Vallée, Koen Clays</i> | |
| Towards Robust 100G Ethernet Transmission | 224 |
| <i>C. R. S. Fludger, T. Duthel, C. Schullien</i> | |
| High Data Rate Submarine Transmission Systems: Getting to and beyond 40 Gb/s | 226 |
| <i>Morten Nissov, Yi Cai, Jin-Xing Cai</i> | |
| Transmission Systems beyond 100 Gbit/s: Status and Technologies | 228 |
| <i>R. Ludwig, C. Schmidt-Langhorst, B. Huettl, C. Schubert, S. Weisser, L. Raddatz</i> | |
| Terabit OTDM transmission „ Key challenges | 230 |
| <i>Masataka Nakazawa, Toshihiko Hirooka</i> | |

Table of Contents

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| All-optical Signal Processing for Ultra-high Speed Photonic Network | 232 |
| <i>Fumio Futami</i> | |
| High Resolution Optical Waveform Sampling Techniques | 234 |
| <i>Peter A. Andrekson</i> | |
| High-speed all-optical signal processing techniques for high-speed optical transmission | 236 |
| <i>Satoki Kawanishi</i> | |
| Pitfalls when Modeling High-Speed Optical Transmission Systems | 238 |
| <i>André Richter, Hadrien Louchet, Igor Koltchanov</i> | |
| Novel 100Gbps Ethernet Systems for Next-generation Metro Transport and Wide-area Access Networks using Optical carrier suppression and separation Technique | 240 |
| <i>Arshad Chowdhury, Zhensheng Jia, Gee-Kung Chang, Richard Younce</i> | |
| An Exact Analysis of RZ- vs. NRZ-DPSK Performance in ASE Noise Limited High Speed Optical Systems | 242 |
| <i>Q. Zhang, C. R. Menyuk</i> | |
| Polarization-Mode-Dispersion Impairments and Mitigation in Ultra-High Speed Transmission | 244 |
| <i>Chongjin Xie</i> | |
| All-Order PMD Compensation of Sub-picosecond Optical Pulses with Arbitrary Input States of Polarization | 246 |
| <i>Houxun Miao, Andrew M. Weiner, Leo Mirkin, Peter J. Miller</i> | |
| LDPC-Coded Modulation for High-Speed Optical Transmission Systems | 248 |
| <i>Ivan B. Djordjevic</i> | |
| 80Gb/s-256QAM Format using Phase Noise Tolerant Pilot Carrier Aided Homodyne Detection | 250 |
| <i>Yukiyoishi Kamio, Moriya Nakamura, Tetsuya Miyazaki</i> | |
| Advanced Modulation Format for 100-Gbit/s Transmission | 252 |
| <i>Itsuro Morita</i> | |
| A spectrum-efficient 80-Gbit/s DPSK transmitter using phase interleaving technology without optical-time or polarization-division multiplexing | 254 |
| <i>Guo-Wei Lu, Tetsuya Miyazaki</i> | |
| Generation of 100+++ Gbit/s signals using multilevel modulation formats | 256 |
| <i>Torgor Tokle, Murat Serbay, Jesper Bevenssee Jensen, Werner Rosenkranz, Palle Jeppesen</i> | |
| Photoreceivers for 100 Gbit/s Applications | 258 |
| <i>A. Umbach, G. Unterbörsch, H.-G. Bach, C. Schubert, R.H. Derksen, J.H. Sinsky</i> | |
| Performance Optimization for 80 Gb/s NRZ-DPSK Transceiver with Pre-Emphasized Electrical Signal Driving Path | 260 |
| <i>Q. Zhang, A. Rahman, M. A. Khaliq, H-W Huang, R. Sultana</i> | |
| Challenges in Test and Measurement for 100GE serial TDM system studies | 262 |
| <i>Thomas Lee, Volker Filsinger, Lars Klapproth</i> | |