

# **2007 IEEE 19th International Conference on Indium Phosphide & Related Materials**

**Matsue, Japan  
14-18 May 2007**

**Volume 1 of 2**



**IEEE Catalog Number: 07CH37859  
ISBN: 1-4244-0874-1**

# Table of Contents

<b>RECENT PROGRESS IN DEVICES AND CIRCUIT TECHNOLOGIES FOR MILLIMETER-WAVE APPLICATIONS .....</b>	<b>1</b>
<i>Eiichi Sano and Koji Inafune</i>	
<b>In As WRAP-GATE NANOWIRE TRANSISTORS.....</b>	<b>5</b>
<i>Lars-Erik Wernersson</i>	
<b>Sub-THz Resonant Tunneling Diode Oscillators With Offset-Fed Slot Antenna .....</b>	<b>8</b>
<i>Safumi Suzuki, Kimitoshi Hanashima, Naomichi Kishimoto and Masahiro Asada</i>	
<b>SELF OSCILLATION OF THE PLASMA WAVES IN A DUAL GRATING GATES HEMT DEVICE.....</b>	<b>12</b>
<i>Y.M. Meziani, M. Hanabe, A. Koizumi and T. Otsuji, E. Sano</i>	
<b>A 60-GHz-BAND OPTICAL INJECTION-LOCKED OSCILLATOR USING a TOP/BACK-ILLUMINATED InP/InGaAs HPT.....</b>	<b>16</b>
<i>Hideki Kamitsuna, Minoru Ida and Kenji Kurishima</i>	
<b>2-38 GHz Broadband Compact InGaAs PIN Switches using a 3-D MMIC Technology.....</b>	<b>20</b>
<i>Jung Gil Yang, Hyunchul Eom, Sunkyu Choi and Kyoungsoon Yang</i>	
<b>Multidirectional Transmission Electron Microscope Observation of a Single InAs/GaAs Self-Assembled Quantum Dot.....</b>	<b>24</b>
<i>T. Inoue, T. Kita and O. Wada, M. Konno, T. Yaguchi and T. Kamino</i>	
<b>SURFACE ROUGHNESS MEASUREMENTS ON SEMICONDUCTORS USING WHITE LIGHT INTERFEROMETRY.....</b>	<b>27</b>
<i>Roy Blunt</i>	
<b>Electron lifetime of heavily C-doped InGaAs and GaAsSb as a function of doping density.....</b>	<b>31</b>
<i>D. Vignaud, D.A. Yarekha, J.F. Lampin, M. Zaknoune, S. Godey, F. Mollot</i>	
<b>Quantum Dots with Perfectly Resonant Emission Energies .....</b>	<b>33</b>
<i>Armando Rastelli, Lijuan Wang, Suwit Kiravittaya, Oliver Schmidt</i>	
<b>SINGLE PHOTON EMISSION FROM AN INGAAS QUANTUM DOT PRECISELY POSITIONED ON A NANO-PLANE.....</b>	<b>38</b>
<i>Tung-Po Hsieh and Jen-Inn Chyi, Hsiang-Szu Chang, Wen-Yen Chen and Tzu Min Hsu</i>	
<b>ENHANCED MAXIMUM MODAL GAIN OF 1.3-<math>\mu</math>m ANTIMONY MEDIATED InAs SELF-ASSEMBLED QUANTUM-DOT LASERS .....</b>	<b>42</b>
<i>M. Ishida, K. Watanabe, N. Kumagai, Y. Nakata, N. Hatori, H. Sudo, T. Yamamoto, M. Sugawara and Y. Arakawa</i>	
<b>IMPROVED EMISSION WAVELENGTH REPRODUCIBILITY OF In P-BASED ALL MOVPE GROWN 1.55 <math>\mu</math>m QUANTUM DOT LASERS.....</b>	<b>46</b>
<i>D. Franke, P. Harde, J. Boettcher, M. Moehrle, A. Sigmund and H. Kuenzel</i>	
<b>TEMPERATURE DEPENDENCE OF GAIN CHARACTERISTICS IN P-DOPED 1.3-<math>\mu</math>m QUANTUM DOT LASERS .....</b>	<b>50</b>
<i>Tetsutaro Yukutake, Mitsuru Ishida, Nobuaki Hatori, Hisao Sudo, Tsuyoshi Yamamoto, Yoshiaki Nakata, Hiroji Ebe, Mitsuru Sugawara, Yasuhiko Arakawa</i>	
<b>Emission of Electrons in InAs Quantum Dot Memory Devices Studied by Drain-Current Deep Level Transient Spectroscopy .....</b>	<b>54</b>
<i>Noboru Ooike, Junichi Motohisa and Takashi Fukui</i>	
<b>CURRENT STATUS OF HIGH PERFORMANCE QUANTUM CASCADE LASERS AT THE CENTER FOR QUANTUM DEVICES .....</b>	<b>58</b>
<i>M. Razeghia, A. Evans, Y. Bai, J. Nguyen, S. Slivken, S.R. Darvish, K. Mi</i>	
<b>High Power and Wide Tuning Range External Cavity Wavelength Tunable Laser .....</b>	<b>64</b>
<i>Koji Kudo and Kenji Sato</i>	

# Table of Contents

<b>Tunable Double-ring-resonator-coupled Laser over Full C-band with Low Tuning Current .....</b>	<b>68</b>
<i>T. Segawa, S. Matsuo, T. Kakitsuka, T. Sato, Y. Kondo and H. Suzuki</i>	
<b>Integration of a Traveling-Wave Electro-Absorption Modulator with a Widely Tunable SG-DBR Laser.....</b>	<b>72</b>
<i>Matthew M. Dummer, Matthew N. Sysak, James W. Raring, Anna Tauke-Pedretti, Larry A. Coldren</i>	
<b>FAST SWITCHING TUNABLE LASER SOURCES FOR WAVELENGTH DIVISION</b>	
<b>MULTIPLEXING IN PASSIVE OPTICAL ACCESS NETWORKS .....</b>	<b>76</b>
<i>B. Roycroft, S.K. Mondal, P. Lambkin, P. Engelstaedter, B. Corbett, F.H. Peters, F. Smyth, L. Barry, R. Phelan, J.F. Donegan, A.D. Ellis</i>	
<b>Nonparabolic Valence Subband in In0:53Ga0:47As/In0:52Al0:48 As Multi-Quantum Wells Using Transmission Spectroscopy.....</b>	<b>80</b>
<i>K. Tanaka and N. Kotera</i>	
<b>STRAIN ISSUES ON CRYSTAL GROWTH OF BULK InGaAs FROM GaAs SEED.....</b>	<b>84</b>
<i>M. R. Islam, M. S. Rahman, P. Verma and M. Yamada</i>	
<b>Improved modeling of Coulomb-enhanced and Urbach-broadened absorption edge of direct-gap semiconductors for band-parameter extraction.....</b>	<b>88</b>
<i>E. Y. Lin, T. S. Lay and T. Y. Chang</i>	
<b>POLARIZATION EFFECTS OF EXCITATION LIGHT SOURCE ON PHOTOLUMINESCENCE SPECTRA OF INGAASP/INP QUANTUM WELL STRUCTURES.....</b>	
<i>Hajime Imai and Asako Motomura</i>	<b>92</b>
<b>INP-HEMT-TIA WITH DIFFERENTIAL OPTICAL INPUT USING VERTICAL HIGH TOPOLOGY PIN-DIODES.....</b>	
<i>I. Nannen, A. Poloczek, A. Matiss, W. Brockerhoff, I. Regolin, F.-J. Tegude</i>	<b>96</b>
<b>CHARACTERISTICS OF 80 nm T-GATE METAMORPHIC HEMTS WITH 60 % INDIUM CHANNEL .....</b>	
<i>Hyung Sup Yoon, Jae Yeob Shim, Dong Min Kang, Ju Yeon Hong and Kyung Ho Lee</i>	<b>99</b>
<b>AN ANALYTICAL MODEL AND MEASUREMENT ON THE InAlAs/InGaAs HIGH-ELECTRON-MOBILITY TRANSISTOR WITH OXIDIZED InAlAs GATE .....</b>	
<i>Jung-Sheng Huang, Kuan-Wei Lee, Fang-Ming Lee, Yung-Sheng Huang, Yeong-Her Wang</i>	<b>103</b>
<b>EVIDENCE OF EXISTENCE OF DIFFERENT SURFACE STATES IN INPBASED HIGH ELECTRON MOBILITY TRANSISTORS (HEMTS) .....</b>	
<i>Chee Leong Tan, Hong Wang and K. Radhakrishnan</i>	<b>107</b>
<b>FUNDAMENTAL PROPERTIES OF INTENTIONALLY NEUTRALIZED ARGON FAST ATM BEAM ETCHING FOR III-V SEMICONDUCTORS.....</b>	
<i>Michihiko Suhara, Mamoru Naoi, Norihiko Matsuzaka, Eigo Matsuura and Tsugunori Okumura</i>	<b>110</b>
<b>(Cl<sub>2</sub>:Ar) ICP/RIE DRY ETCHING OF Al(Ga)Sb FOR AlSb/InAs HEMTs.....</b>	
<i>Eric Lefebvre, Malin Borg, Mikael Malmkvist, Jan Grahn, Ludovic Desplanque, Xavier Wallart, Yannick Roelens, Gilles Dambrine, Alain Cappy and Sylvain Bollaert</i>	<b>114</b>
<b>Fabrication of hot electron transistors controlled by insulated gate.....</b>	
<i>Takahiro Hino, Akira Suwa, Takashi Hasegawa, Hisashi Saito, Masaya Oono, Yasuyuki Miyamoto and Kazuhito Furuya</i>	<b>118</b>
<b>Theoretical and Experimental Study of the InP/InGaAs PIN Diode for Millimeter-wave MMIC Applications.....</b>	
<i>Jung Gil Yang, Sunkyu Choi, Yongsik Jeong and Kyoungsoon Yang</i>	<b>122</b>
<b>PHOTO-ILLUMINATED InP TERAHERTZ IMPATT DEVICE .....</b>	
<i>Moumita Mukherjee and Nilratan Mazumder</i>	<b>126</b>
<b>HIGH CURRENT AND LOW TURN-ON VOLTAGE InAlAs/InGaAsSb/InGaAs HETEROJUNCTION BIPOLAR TRANSISTOR .....</b>	
<i>Shu-Han Chen, Sheng-Yu Wang, Kuo-Hung Teng and Jen-Inn Chyi</i>	<b>130</b>

# Table of Contents

<b>DC Characteristics of GaAsSb/InGaAs Type-II Heterojunction Bipolar Transistor.....</b>	<b>134</b>
<i>Sheng-Yu Wang, Shu-Han Chen, Kuo-Hung Teng and Jen-Inn Chyi</i>	
<b>Current Transport Mechanism in InP/InAlAs/GaAsSb/InP Double Heterojunction Bipolar Transistors .....</b>	<b>136</b>
<i>Hong Wang, Chai Wah Ng, K. Radhakrishnan and Geok Ing Ng</i>	
<b>Surface Recombination in InP/InAlAs/GaAsSb/InP Double Heterojunction Bipolar Transistors .....</b>	<b>140</b>
<i>Chai Wah Ng, Hong Wang and K. Radhakrishnan</i>	
<b>A Compact Thermal-Via Packaging Design of GaInP/GaAs Collector-Up HBTs in Small High-Power Amplifiers.....</b>	<b>143</b>
<i>P. H. Lee, J. H. Chou and H. C. Tseng</i>	
<b>Study on Growth of Mg-doped N-polar InN by RF-MBE and its Electrical Properties .....</b>	<b>147</b>
<i>D. Muto, H. Naoi, S. Takado, T. Araki and Y. Nanishi</i>	
<b>HIGH OPTICAL QUALITY OF InAs QUANTUM DOTS WITH AN InAlAsSb STRAIN-REDUCING LAYER .....</b>	<b>149</b>
<i>Pei-Chin Chiu, Wei-Sheng Liu, Meng-Jie Shiau and Jen-Inn Chyi, Wen-Yen Chen, Hsing-Szu Chang and Tzu-Min Hsu</i>	
<b>Wide Bandgap Wavelength Control of InAs/InP Quantum Dots Array Waveguides by Selective MOVPE.....</b>	<b>152</b>
<i>M. Akaishi, Y. Yamauchi, T. Okawa, Y. Saito, J. Yoshida, K. Shimomura</i>	
<b>ROLE OF SURFACE MORPHOLOGY FOR INAS QUANTUM DOT OR DASH FORMATION ON INGAASP/INP (100).....</b>	<b>156</b>
<i>N. Sritirawisarn, F.W.M. van Otten, T. J. Eijkemans and R. Nötzel</i>	
<b>InGaAs/GaAs RING-LIKE NANOSTRUCTURES GROWN BY DROPLET EPITAXY USING MOLECULAR BEAM EPITAXY .....</b>	<b>160</b>
<i>Naraporn PANKAOW, Somsak PANYAKEOW and Somchai RATANATHAMMAPHAN</i>	
<b>Structural and Optical Characteristics of Strain-mediated InGaAs Quantum Dots.....</b>	<b>164</b>
<i>C. Y. Chen, David J. Feng, T. E. Tzeng, T. S. Lay and T. Y. Chang</i>	
<b>Emission and absorption polarization in InGaAs multiple quantum dots layers of different spacer layer thickness .....</b>	<b>168</b>
<i>K. Y. Chuang, C. Y. Chen, T. E. Tzeng, David J. Feng, T. S. Lay and T. Y. Chang</i>	
<b>Wide Emission Spectra from Multi-stack InGaAs Quantum Dots .....</b>	<b>172</b>
<i>T. E. Tzeng, David J. Y. Feng, C. Y. Chen, T. S. Lay and T. Y. Chang</i>	
<b>Control of Optical Emission from Coupled Excitonic States in Quantum Dot Superlattice Structures.....</b>	<b>175</b>
<i>H. Nakatani, T. Kita, O. Kojima, O. Wada, K. Akahane, M. Tsuchiya</i>	
<b>Nine-fold photoluminescence enhancement using photonic crystals with graphite lattice.....</b>	<b>179</b>
<i>M. Mulot, O. Sihvonen, F.Raineri, I. Sagnes, G. Vecchi, R. Raj, H. Lipsanen</i>	
<b>OPTICAL GAIN OF INGAASP MQW WITH DIFFERENT PHOTONIC CRYSTAL WAVEGUIDES .....</b>	<b>181</b>
<i>Kaiyu Cui, Yidong Huang, Xiaoyu Mao, Wei Zhang, Jiangde Peng</i>	
<b>Internal Quantum Efficiency Enhancement of Silicon Nanocrystals Using Doublelayer Au Film Surface-Plasmon Waveguide.....</b>	<b>185</b>
<i>Xuan Tang, Yidong Huang, Yuxuan Wang, Wei Zhang and Jiangde Peng</i>	
<b>N-type Modulation-Doped InGaAlAs/InP Strain-Balanced Quantum-Well SOA/Laser Fabricated by a Multi-Step Wet-Etching Process .....</b>	<b>189</b>
<i>David J. Y. Feng, C. L. Chiu, J. D. Chen, C. M. Lai, T. S. Lay and T. Y. Chang</i>	
<b>Quantum Well Intermixing in InGaAs/InGaAlAs Structures by Using ICP-RIE and SiO<sub>2</sub> Sputtering.....</b>	<b>193</b>
<i>H. J. Chang, E. Y. Lin, K. Y. Chuang, C. L. Chiu, T. S. Lay and T. Y. Chang</i>	

# Table of Contents

<b>PROCESSING OF InP-BASED SHALLOW RIDGE LASER WAVEGUIDES USING A HBr ICP PLASMA .....</b>	<b>196</b>
<i>S. Bouchoule, S. Azouigui, G. Patriarche, S. Guilet, L. Le Gratiet, A. Martinez, F. Lelarge and A. Ramdane</i>	
<b>N2-BASED ICP-RIE ETCHING FOR InP-BASED PHOTONIC CRYSTAL MEMBRANES .....</b>	<b>200</b>
<i>K. H. Lee, S. Guilet, I. Sagnes and A. Talneau</i>	
<b>DEEP ETCHED DBR GRATINGS IN InP FOR PHOTONIC INTEGRATED CIRCUITS.....</b>	<b>204</b>
<i>B. Docter, E.J. Geluk, M.J.H. Sander-Jochem, F. Karouta and M.K. Smit</i>	
<b>ROOM TEMPERATURE DRY ETCHING OF INP-BASED SEMICONDUCTORS FOR OPTOELECTRONIC DEVICE FABRICATION USING INDUCTIVELY COUPLED PLASMA.....</b>	<b>207</b>
<i>Changzheng Sun, Jian Wang, Qiwei Zhou, Bing Xiong and Yi Luo</i>	
<b>Low Residual Stress and High Repeatability of SiNx Thin Films for InP-based Optoelectronic Device Fabrication by Dual Radio Frequency Plasma Enhanced Chemical Vapor Deposition .....</b>	<b>211</b>
<i>Yu Song, Bing Xiong, Changzheng Sun and Yi Luo</i>	
<b>Tunable Near Infra Red InP / InGaAs QWs Based Photodetector Integrated in a MOEMS Structure for the Realisation of a Micro-Spectrometer.....</b>	<b>215</b>
<i>O. Parillaud, M. Garrigues, J-L. Leclercq, R. Gil-Sobraquès, M. Crochon, J-M. Roger, O. Amore, B. Vilotich</i>	
<b>HIGHLY STRAINED InGaAs QUANTUM WELL WITH GaAs STRAIN COMPENSATING LAYER ON InGaAs TERNARY SUBSTRATE FOR 1.3 μm LASER.....</b>	<b>219</b>
<i>Masakazu Arai, Kyoichi Kinoshita, Shinichi Yoda, Yasuhiro Kondo</i>	
<b>PROTON RADIATION EFFECTS IN HIGH-POWER GaInP/AIGaInP SEMICONDUCTOR LASERS.....</b>	<b>223</b>
<i>Shun-ichi Gonda, Hiroyuki Tsutsumi, Yoshifumi Ito, Kyo Kume, Ryoya Ishigami, Takamitsu Makino, Takenori Morita, Hirofumi Kan</i>	
<b>FABRICATION OF DOUBLE CHANNEL RECESSED LATERALLY COUPLED SURFACE METAL GRATING DFB LD USING HOLOGRAPHIC LITHOGRAPHY .....</b>	<b>227</b>
<i>S. J. Jang, Y. T. Lee</i>	
<b>AN OPTOELECTRONIC SWITCH WITH MULTIPLE OPERATION STATES .....</b>	<b>230</b>
<i>Der-Feng Guo, Jung-Hui Tsai, Tzu-Yen Weng</i>	
<b>InGaAs/InAlAs Five-Layer Asymmetric Coupled Quantum Well and Its Application to Compact and Low-Voltage Optical Switch .....</b>	<b>234</b>
<i>T. Arakawa, Takahiro Toya, K. Yamaguchi, T. Uchimura, J.-H. Noh and K. Tada</i>	
<b>Design on Polarization Independent Side-Long-Period-Grating Loaded Semiconductor Waveguide-type Gain Equalizing Devices.....</b>	<b>238</b>
<i>K. Terada, E. Fujii, Z. Wu and K. Utaka</i>	
<b>Analysis of InAlGaAs/InAlAs/InP multi-mode interference photonic switch with Mach-Zehnder interferometer for higher switching performances.....</b>	<b>242</b>
<i>Y. Ueda, T. Ishikawa and K. Utaka</i>	
<b>40 GBPS ELECTROABSORPTION MODULATED DFB LASER WITH TILTED FACET FORMED BY DRY ETCHING .....</b>	<b>245</b>
<i>Joong-Seon Choe, Yong-Hwan Kwon, Jae-Sik Sim, Sung-Bok Kim and Myung-Hyun Lee</i>	
<b>INAS/InP QUANTUM DASH BASED ELECTRO OPTIC MODULATOR WITH OVER 70 NM BANDWIDTH AT 1.55 μM .....</b>	<b>249</b>
<i>G. Moreau, A. Martinez, K. Merghem, S. Guilet, S. Bouchoule, G. Patriarche, B. Rousseau, F. Lelarge, P. Voisin and A. Ramdane</i>	
<b>OPTIMIZATION OF TUNNELING-INJECTION InAs/InP (100) QUANTUM DASHES LASERS FOR HIGH-SPEED OPTOELECTRONIC DEVICES.....</b>	<b>252</b>
<i>F. Lelarge, B. Rousseau, F. Martin, F. Poingt, L. Le Gouezigou, O. Le Gouezigou, F. Pommereau, A. Accard and F. van-Dijk</i>	

# Table of Contents

<b>LOW THRESHOLD HIGH EFFICIENCY INAS/INGAALAS/INP ~1.55 <math>\mu\text{m}</math> QUANTUM DASH-IN-A-WELL LASERS.....</b>	<b>256</b>
<i>S. Hein, A. Somers, S. Höfling, A. Forchel</i>	
<b>SURFACE PASSIVATION EFFECT OF ELECTRON-BEAM RESIST ON InAs QUANTUM DOTS AND THEIR IMPROVED LUMINESCENCE EFFICIENCY.....</b>	<b>260</b>
<i>Y. Idutsu, Y. Hayashi, M. Endo, K. Uesugi and I. Suemune</i>	
<b>Quantum Dot Superluminescent Diodes - Bandwidth Engineering and Epitaxy for High Powers.....</b>	<b>264</b>
<i>T. L. Choi, S. K. Ray, Z. Zhang, D. Childs, K. M. Groom, B.J. Stevens, H. Liu, M. Hopkinson, R. A. Hogg</i>	
<b>InP-BASED AVALANCHE PHOTODIODES WITH &gt; 2.1<math>\mu\text{m}</math> DETECTION CAPABILITY.....</b>	<b>268</b>
<i>Y. L. Goh, J. S. Ng, C. H. Tan, J. P. R. David, R. Sidhu, A. L. Holmes Jr., and J. C. Campbell</i>	
<b>TEMPERATURE DEPENDENCE OF InP-BASED AVALANCHE PHOTODIODES.....</b>	<b>271</b>
<i>D. S. G. Ong, J. S. Ng, L. J. J. Tan, C. H. Tan and J. P. R. David</i>	
<b>Development of Integration Process of InGaAs/InP Heterojunction Bipolar Transistors with InP-Passivated InGaAs pin Photodiodes.....</b>	<b>274</b>
<i>Toshihiro Kita, Ryuji Yamabi, Yoshihiro Yoneda, Sosaku Sawada and Hiroshi Yano</i>	
<b>Real Time Probing of Self-Assembling Process Steps in InAs/GaAs Quantum Dot Growth.....</b>	<b>278</b>
<i>Takuya Kudo, Tomoya Inoue, Takashi Kita and Osamu Wada</i>	
<b>POST-ANNEALING EFFECTS ON EMISSION CHARACTERISTICS OF InAs QUANTUM DOTS ON GaNAs BUFFER LAYER.....</b>	<b>282</b>
<i>R. Suzuki, T. Miyamoto and F. Koyama</i>	
<b>EPITAXIAL LATERAL OVERGROWTH OF InP IN MICRO LINE AND SUBMICRO MESH OPENINGS .....</b>	<b>286</b>
<i>F. Olsson, M. Xie, F. Gerard , A. R. Alija, I. Prieto, P. A. Postigo and S. Lourdudoss</i>	
<b>Desorption Time of As Adsorbed on GaInAs Surface Analyzed by X-ray CTR Scattering .....</b>	<b>290</b>
<i>A. Mori, Y. Otake, T. Ujihara, M. Tabuchi and Y. Takeda</i>	
<b>EFFECTS OF Zn- AND S-DOPING ON KINETICS OF GaAs SELECTIVE AREA MOVPE.....</b>	<b>294</b>
<i>Haizheng Song, Yunpeng Wang, Masakazu Sugiyama, Yoshiaki Nakano and Yukihiro Shimogaki</i>	
<b>LOW-TEMPERATURE GROWTH OF InAs ON GLASS AND PLASTIC FILM SUBSTRATES BY MOLECULAR-BEAM DEPOSITION.....</b>	<b>298</b>
<i>M. Takushima, Y. Kajikawa, Y. Kuya, M. Shiba and K. Ohnishi</i>	
<b>Quinary TiGaInNAs DQW Structures: Effect of Growth Temperature and Growth Rate on Ti Incorporation .....</b>	<b>302</b>
<i>D. Krishnamurthy, A. Fujiwara, S. Hasegawa and H. Asahi</i>	
<b>Emitter layer design for high-speed InP HBTs with high reliability.....</b>	<b>306</b>
<i>Norihide Kashio, Kenji Kurishima, Yoshino K. Fukai, Shoji Yamahata and Yasuyuki Miyamoto</i>	
<b>Photoluminescence spectroscopy investigations of Si-doped InP nanowires fabricated by selective-area metalorganic vapor phase epitaxy.....</b>	<b>308</b>
<i>Ying Ding, Junichi Motohisa and Takashi Fukui</i>	
<b>DC and RF Characteristics of 60 nm T-gate MHEMTs with 53 % Indium Channel .....</b>	<b>310</b>
<i>Jae Yeob Shim, Hyung Sup Yoon, Dong Min Kang, Ju Yeon Hong and Kyung Ho Lee</i>	
<b>Critical Thickness of Nano-scale Lattice Mismatched Heterostructures.....</b>	<b>312</b>
<i>P. F. Lu and S. M. Wang</i>	
<b>CURRENT STATUS AND PROSPECTS OF PHOTONIC IC TECHNOLOGY.....</b>	<b>314</b>
<i>M.K. Smit, E.A.J.M. Bente, M.T. Hill, F. Karouta, X.J.M. Leijtens, Y.S. Oei, J.J.G.M. van der Tol, R. Nötzel, P.M. Koenraad, H.S. Dorren, H. de Waardt, A.M.J. Koonen, G.D. Khoe</i>	

# Table of Contents

<b>Advances and Prospects of Quantum Dot Devices for Information Technologies.....</b>	<b>318</b>
<i>Yasuhiko Arakawa</i>	
<b>Frequency Limits of InP-based Integrated Circuits.....</b>	<b>320</b>
<i>Mark Rodwell, E. Lind, Z. Griffith, S. R. Bank, A. M. Crook, U. Singisetty, M. Wistey, G. Burek, A.C. Gossard</i>	
<b>Epitaxial Growth of (In)GaN Systems for Monolithic Optoelectronic Integrated Circuits on Si Substrates .....</b>	<b>325</b>
<i>H. Yonezu, Y. Furukawa and A. Wakahara</i>	
<b>HETEROEPIТАXY OF ANTIMONIDES ON InP .....</b>	<b>328</b>
<i>K. Y. Cheng and Bing-Ruey Wu</i>	
<b>Sb-mediated growth of high-density InAs quantum dots and GaAsSb embedding growth by MBE .....</b>	<b>332</b>
<i>Naoki Kakuda, Takayuki Yoshida and Koichi Yamaguchi</i>	
<b>GROWTH PROCESS OF GaAs CAP LAYERS ON GaSb/GaAs QUANTUM DOT SURFACES .....</b>	<b>336</b>
<i>K. Uesugi and M. Sato, Y. Idutsu and I. Suemune</i>	
<b>SELECTIVE FORMATION OF HIGH DENSITY InAs QUANTUM DOT ARRAYS USING TEMPLATES FABRICATED BY THE NANO-JET PROBE.....</b>	<b>340</b>
<i>S. Ohkouchi, Y. Sugimoto, N. Ozaki, H. Ishikawa and K. Asakawa</i>	
<b>MOVPE Growth of Height Controlled and Directly Connected InAs Columnar Quantum Dots .....</b>	<b>344</b>
<i>Ayahito Uetake, Tomoyuki Akiyama, Kenichi Kawaguchi, Hiroji Ebe, Mitsuru Ekawa, Mitsuru Sugawara and Yasuhiko Arakawa</i>	
<b>Developments in Spintonic Materials.....</b>	<b>348</b>
<i>Christopher Palmstrom</i>	
<b>IMPACT OF INTERFACE FORMATION ON INTERSUBBAND TRANSITIONS IN MBE GaInAs:Si/AlAsSb MULTIPLE COUPLED DQWs .....</b>	<b>349</b>
<i>Klaus Biermann, Harald Kuenzel, Christiana Villas-Boas Tribuzy, Sabine Ohser, Harald Schneider and Manfred Helm</i>	
<b>Intersubband transitions in InGaAs/AlAsSb coupled double quantum wells with InAlAs coupling barriers .....</b>	<b>353</b>
<i>M. Nagase, T. Simoyama, T. Mozume, T. Hasama and H. Ishikawa</i>	
<b>NANO LASERS IN PHOTONIC VLSI.....</b>	<b>357</b>
<i>Martin T. Hill, Y. S. Oei, M. K. Smit</i>	
<b>80 °C CW OPERATION OF GaInAsP/InP MEMBRANE BH-DFB LASER WITH AIR-BRIDGE STRUCTURE.....</b>	<b>359</b>
<i>Hideyuki NAITOH, Shinichi SAKAMOTO, Mamoru OHTAKE, Tadashi OKUMURA, Takeo MARUYAMA, Nobuhiko NISHIYAMA and Shigehisa ARAI</i>	
<b>Effects of a Bottom Substrate on Emission Properties of a Photonic Crystal Nanolaser .....</b>	<b>363</b>
<i>Se-Heon Kim, Min-Kyo Seo, Ju-Young Kim and Yong-Hee Lee</i>	
<b>Coupling characteristic of micro planar lens for 2D photonic crystal waveguides.....</b>	<b>367</b>
<i>N. Ikeda, H. Kawashima, Y. Sugimoto, T. Hasama, K. Asakawa, H. Ishikawa</i>	
<b>A Double Pulse Generator by 2D Photonic Crystal Waveguide System.....</b>	<b>370</b>
<i>Noritsugu Yamamoto, Jun-ichiro Sugisaka, Hirofumi Shimada, Makoto Okano and Kazuhiro Komori</i>	
<b>Role of Re-absorption Effect to Quality Factor in Quantum-Dot Photonic-Crystal Nanocavities.....</b>	<b>373</b>
<i>T. Tawara, H. Kamada, Y. -H. Zhang, T. Tanabe, N. I. Cade, H. Gotoh, D. Ding, S. R. Johnson, E. Kuramochi, M. Notomi, H. Nakano</i>	
<b>InAs QUANTUM DOTS GROWN ON SELECTIVE AREAS WITH A METAL MASK FOR PHOTONIC-CRYSTAL-BASED ULTRA-SMALL AND ULTRA-FAST ALL OPTICAL DEVICES.....</b>	<b>376</b>
<i>N. Ozaki, Y. Takata, S. Ohkouchi, Y. Sugimoto, N. Ikeda, Y. Watanabe, Y. Kitagawa, A. Mizutani and K. Asakawa</i>	

# Table of Contents

<b>SUB-MILLIAMPERE OPERATION OF 1540 nm WAVELENGTH DISTRIBUTED REFLECTOR LASER WITH WIRELIKE ACTIVE REGIONS .....</b>	<b>380</b>
<i>Saeed Mahmud Ullah, Ryo Suemitsu, Seung-Hun Lee, Masato Otake, Nobuhiko Nishiyama, Shigehisa Arai</i>	
<b>TOLERANCE TO OPTICAL FEEDBACK OF 10 GBPS QUANTUM-DASH BASED LASERS EMITTING AT 1.55 <math>\mu</math>m .....</b>	<b>384</b>
<i>S. Azouigui, B. Dagens, F. Lelarge, J.G. Provost, A. Accard, F. Grillot, A. Martinez, Q. Zou, G. Patriarche, A. Ramdane</i>	
<b>IMPROVED TEMPERATURE DEPENDENCES OF GaInAsP/InP DFB LASERS WITH WIRELIKE ACTIVE REGIONS BY Bragg WAVELENGTH DETUNING.....</b>	<b>387</b>
<i>Yoshifumi Nishimoto, Dhanorm Plumwongrot, Saeed Mahmud Ullah, Yosuke Tamura, Munetaka Kurokawa, Takeo Maruyama, Nobuhiko Nishiyama and Shigehisa Arai</i>	
<b>SYSTEMATIC STUDY OF THE EFFECTS OF MODULATION P-DOPING ON 1.3<math>\mu</math>M INAS/GAAS DOT-IN-WELL LASERS.....</b>	<b>391</b>
<i>R.R. Alexander, D. Childs, H. Agarwal, K.M. Groom, H.Y. Liu, M. Hopkinson, R.A. Hogg</i>	
<b>MMIC Compatible Wafer-Level Packaging Technology.....</b>	<b>395</b>
<i>P. Chang-Chien, X. Zeng, K. Tornquist, M. Nishimoto, M. Battung, Y. Chung, J. Yang, D. Farkas, M. Yajima, C. Cheung, K. Luo, D. Eaves, J. Lee, J. Uyeda, D. Duan, O. Fordham, T. Chung, R. Sandhu and R. Tsai</i>	
<b>Extremely High gm &gt; 2.2 S/mm and fT &gt; 550 GHz in 30-nm Enhancement-Mode InP-HEMTs with Pt/Mo/Ti/Pt/Au Buried Gate.....</b>	<b>399</b>
<i>Keisuke Shinohara, Wonill Ha, Mark J.W. Rodwell and Berinder Brar</i>	
<b>HIGH GAIN G-BAND MMIC AMPLIFIERS BASED ON SUB-50 nm GATE LENGTH InP HEMT .....</b>	<b>403</b>
<i>P.H. Liu, W. Yoshida, J. Lee, L. Dang, J. Wang, W. Liu, J. Uyeda, D. Li, X. B. Mei, W. Deal, M. Barsky, Y. M. Kim, M. Lange, T. P. Chin, V. Radisic, T. Gaier, A. Fung, R. Lai</i>	
<b>50 nm MHEMT Technology for G- and H-Band MMICs .....</b>	<b>405</b>
<i>Arnulf Leuther, Axel Tessmann, Michael Dammann, Christoph Schwörer, Michael Schlechtweg, Michael Mikulla, Rainer Lösch, Günter Weimann</i>	
<b>35-nm-Gate In0.7Ga0.3As/In0.52Al0.48As HEMT with 520-GHz fT .....</b>	<b>409</b>
<i>Issei Watanabe, Akira Endoh, Takashi Mimura and Toshiaki Matsui</i>	
<b>Beyond CMOS: Logic Suitability of InGaAs HEMTs.....</b>	<b>413</b>
<i>Jesús A. del Alamo and Dae-Hyun Kim</i>	
<b>InAlAs/InGaAs HEMTs WITH MINIMUM NOISE FIGURE OF 1.0 dB AT 94 GHz .....</b>	<b>417</b>
<i>T. Takahashi, M. Sato, K. Makiyama, T. Hirose and N. Hara</i>	
<b>35nm InP HEMT FOR MILLIMETER AND SUB-MILLIMETER WAVE APPLICATIONS.....</b>	<b>421</b>
<i>X. B. Mei, W. Yoshida, W. Deal, P.H. Liu, J. Lee, J. Uyeda, L. Dang, J. Wang, W. Liu, D. Li, M. Barsky, Y. M. Kim, M. Lange, T. P. Chin, V. Radisic, T. Gaier, A. Fung, R. Lai</i>	
<b>HIGH PERFORMANCE AND HIGH RELIABILITY OF 0.1 <math>\mu</math>m InP HEMT MMIC TECHNOLOGY ON 100 mm InP SUBSTRATES.....</b>	<b>425</b>
<i>R. Lai, Y. C. Chou, L. J. Lee, P. H. Liu, D. Leung, Q. Kan, X. Mei, C. H. Lin, D. Farkas, M. Barsky, D. Eng, A. Cavus, M. Lange, P. Chin, M. Wojtowicz, T. Block and A. Oki</i>	
<b>DC AND RF PERFORMANCE OF 0.2-0.4 <math>\mu</math>m GATE LENGTH InAs/AlSb HEMTs .....</b>	<b>429</b>
<i>Malin Borg, Eric Lefebvre, Mikael Malmkvist, Ludovic Desplanque, Xavier Wallart, Yannick Roelens, Gilles Dambrine, Alain Cappy, Sylvain Bollaert and Jan Grahn</i>	
<b>LARGE-SCALE PHOTONIC INTEGRATED CIRCUITS.....</b>	<b>433</b>
<i>Radhakrishnan Nagarajan, Masaki Kato, Jacco Pleumeekers, Peter Evans, Sheila Hurtt, Andrew Dentai, Mark Missey, Arnold Chen, Atul Mathur, Damien Lambert, Prashant Chavarkar, Johan Back, Ranjani Muthiah, Sanjeev Murthy, Randal Salvatore, Charles Joyner, Jon Rossi, Richard Schneider, Mehrdad Ziari, Fred Kish, David Welch</i>	

# Table of Contents

<b>FUNDAMENTAL-MODE OPERATION OF GaInAsP/InP MEMBRANE DFB LASERS BONDED ON SOI SUBSTRATE AND ITS WAVEGUIDE INTEGRATION.....</b>	<b>436</b>
<i>Tadashi OKUMURA, Takeo MARUYAMA, Masaki KANEMARU, Shinichi SAKAMOTO, Shigeo TAMURA and Shigehisa ARAI</i>	
<b>Highly reliable operation of InGaAlAs/InGaAsP integrated lasers .....</b>	<b>440</b>
<i>K. Shinoda, S. Makino, T. Kitatani, T. Shiota and M. Aoki</i>	
<b>Design of Strain and Bandgap Profiles of InGaAsP Fabricated by Selective Area Metal-Organic Vapor Phase Epitaxy for Polarization Independent Operation .....</b>	<b>444</b>
<i>Tomonari Shioda, Masakazu Sugiyama and Yoshiaki Nakano</i>	
<b>INTEGRATION OF FRONT POWER MONITOR WITH DISTRIBUTED REFLECTOR LASER THROUGH DEEP ETCHED NARROW GROOVE ISOLATION .....</b>	<b>448</b>
<i>Ryo SUEMITSU, Saeed Mahmud ULLAH, Seung-Hun LEE, Masato OTAKE, Nobuhiko NISHIYAMA and Shigehisa ARAI</i>	
<b>ULTRAFAST EFFICIENT PHOTODIODES EXCEEDING 100 GHZ BANDWIDTH (INVITED) .....</b>	<b>452</b>
<i>H.-G. Bach</i>	
<b>HIGH-GAIN TOP-ILLUMINATED OPTOELECTRONIC INTEGRATED RECEIVER.....</b>	<b>458</b>
<i>S. Kraus, D. Cohen-Elias, S. Cohen, A. Gavrilov, O. Karni, Y. Swirski, G. Eisenstein and D. Ritter</i>	
<b>Extremely low excess noise InAlAs avalanche photodiodes.....</b>	<b>462</b>
<i>C.H. Tan, Y.L. Goh, A.R.J. Marshall, L.J.J. Tan, J.S. Ng and J.P.R. David</i>	
<b>Optical Response of InP-based High-Electron Mobility Transistor and its Applications to High-Speed Photo-Detectors and Signal Converters.....</b>	<b>465</b>
<i>Hiroshi Murata, Noriyo Kobayashi, Yasuyuki Okamura, Toshihiko Kosugi, Takatomo Enoki</i>	
<b>Mesa-type InGaAs pin PDs with InP-Passivation Structure Monolithically Integrated with Resistors and Capacitors with Large Capacitance.....</b>	<b>468</b>
<i>Ryuji Yamabi, Tomohiro Kagiya, Yoshihiro Yoneda, Sosaku Sawada and Hiroshi Yano</i>	
<b>PRESENT STATE AND FUTURE TASKS OF III-V BULK CRYSTAL GROWTH.....</b>	<b>472</b>
<i>Peter Rudolph</i>	
<b>GROWTH OF PLATY InGaAs SINGLE CRYSTALS AND FABRICATION OF 1.3 <math>\mu</math>m LASER DIODES .....</b>	<b>478</b>
<i>K. Kinoshita, T. Ueda, S. Adachi, T. Masaki, S. Yoda, M. Arai, T. Watanabe, M. Yuda and Y. Kondo</i>	
<b>REFRACTIVE INDEX, ABSORPTION COEFFICIENT, AND PHOTOELASTIC CONSTANT: KEY PARAMETERS OF InGaAs MATERIAL RELEVANT TO InGaAs-BASED DEVICE PERFORMANCE.....</b>	<b>482</b>
<i>M. S. Alam, M. S. Rahman, M. R. Islam, A. G. Bhuiyan and M. Yamada</i>	
<b>GaInNAs LATTICE-MATCHED TO GaAs FOR PHOTODIODES .....</b>	<b>486</b>
<i>J. S. Ng, W. M. Soong, M. J. Steer, M. Hopkinson, J. P. R. David, J. Chamings, A. R. Adams, S. J. Sweeney and J. Allam</i>	
<b>INCORPORATION BEHAVIORS OF GROUP V ELEMENTS IN GaAsSbN GROWN BY GAS SOURCE MOLECULAR BEAM EPITAXY.....</b>	<b>489</b>
<i>Ta-Chun Ma, Yan-Ting Lin, Tsung-Yi Chen, Li-Chang Chou and Hao-Hsiung Lin</i>	
<b>MYSTERIOUS MATERIAL InN IN NITRIDE SEMICONDUCTORS - WHAT'S THE BANDGAP ENERGY AND ITS APPLICATION? .....</b>	<b>493</b>
<i>Takashi Matsuoka and Masashi Nakao</i>	
<b>MBE GROWTH OF THICK InGaAsN LAYERS LATTICE-MATCHED TO InP SUBSTRATES.....</b>	<b>497</b>
<i>K. Miura, Y. Nagai, Y. Iguchi, M. Tsubokura, H. Okada, Y. Kawamura</i>	
<b>MOVPE-GROWN InAs/InGaAs MULTIPLE-QUANTUM-WELL LASERS EMITTING AT 2.33 <math>\mu</math>m.....</b>	<b>501</b>
<i>Tomonari Sato, Manabu Mitsuhasha, Takaaki Kakitsuka and Yasuhiro Kondo</i>	

# Table of Contents

<b>InP Pseudomorphic Heterojunction Bipolar Transistor (PHBT) With <math>F_t &gt; 750\text{GHz}</math> .....</b>	<b>505</b>
<i>M. Feng and Williams Snodgrass</i>	
<b>Sub-300 nm InGaAs/InP Type-I DHBTs with a 150 nm collector, 30 nm base demonstrating 755 GHz <math>f_{max}</math> and 416 GHz <math>f_T</math> .....</b>	<b>509</b>
<i>Zach Griffith, Erik Lind and Mark J.W. Rodwell</i>	
<b>High Yield Transferred Substrate InP DHBT .....</b>	<b>513</b>
<i>T. Kraemer, F. Lenk, A. Maassdorf, H.J. Wuerfl, G. Traenkle</i>	
<b>KIRK EFFECT IN TYPE-II INP/GAASSB DHBTS WITH A COLLECTOR DOPING SPIKE .....</b>	<b>515</b>
<i>H.G. Liu, Y.P. Zeng, O. Ostinelli and C.R. Bolognesi</i>	
<b>STUDY OF FAILURE MECHANISMS IN InP/GaAsSb/InP DHBT UNDER BIAS AND THERMAL STRESS .....</b>	<b>519</b>
<i>B. Grandchamp, C. Maneux, N. Labat, A. Touboul, Ph. Bove, M. Riet, J. Godin, A. Scavenne</i>	
<b>Strained In<sub>1-x</sub>Ga<sub>x</sub>P/GaAsSb DHBT.....</b>	<b>523</b>
<i>G. Hillier, R. Navaratnarajah, A. Dzankovic, G. Du, R. Tatavarti and N. Pan</i>	
<b>High-performance GaInNAs Long-wavelength Lasers.....</b>	<b>526</b>
<i>T. Kitatani, J. Kasai, K. Nakahara, K. Adachi and M. Aoki</i>	
<b>Wide Temperature Range Operation at 43Gbit/s of 1.55μm InGaAlAs Electroabsorption Modulated Laser with Single Active Layer.....</b>	<b>530</b>
<i>A. Garreau, M-C. Cuisin, J-G. Provost, F. Jorge, A. Konczykowska, C. Jany, J. Decobert, O. Drisse, F. Blache, D. Carpentier, E. Derouin, F. Martin, N. Lagay, J. Landreau and C. Kazmierski</i>	
<b>200-km 10-Gbit/s OPTICAL DUOBINARY TRANSMISSION USING AN n-i-n InP MACH-ZEHNDER MODULATOR .....</b>	<b>533</b>
<i>Takeshi Kurosaki, Yasuo Shibata, Nobuhiro Kikuchi, Ken Tsuzuki, Wataru Kobayashi, Hiroshi Yasaka and Kazutoshi Kato</i>	
<b>GaInNAs ELECTROABSORPTION MODULATED LASER.....</b>	<b>537</b>
<i>Kenji Koyama, Jun-ichi Hashimoto, Takashi Ishizuka, Yukihiro Tsuji, Takashi Yamada, Chie Fukuda, Yutaka Onishi, Kousuke Fujii and Tsukuru Katsuyama</i>	
<b>High-Speed AlGaInAs-MQW Integrated EA Modulator/DFB Laser Module Based on Identical Epitaxial Layer Scheme for 40 Gb/s Optic Fiber Communication Systems .....</b>	<b>541</b>
<i>Yi Luo, Pengfei Cai, Changzheng Sun, Bing Xiong</i>	
<b>InP/InAs core-multishell heterostructure nanowires grown by metalorganic vapor phase epitaxy .....</b>	<b>544</b>
<i>Takashi Fukui, Premila Mohan and Junichi Motohisa</i>	
<b>AlAs/GaAs/GaP HETEROSTRUCTURE NANOWIRES GROWN ON Si SUBSTRATE .....</b>	<b>548</b>
<i>G. Zhang, K. Tateno, H. Sanada, T. Sogawa and H. Nakano</i>	
<b>Single n-InAs Nanowire MIS-Field-Effect Transistor: Experimental and Simulation Results .....</b>	<b>552</b>
<i>Q. T. Do, K. Blekker, I. Regolin, W. Prost and F.-J. Tegude</i>	
<b>Electron Phase Modulation in a High Q Nanomechanical Resonator .....</b>	<b>556</b>
<i>Imran Mahboob, H. Okamoto, M. Ueki, H. Yamaguchi</i>	
<b>Recent Advances of VCSEL Technologies.....</b>	<b>559</b>
<i>Fumio Koyama and Tomoyuki Miyamoto</i>	
<b>703-nm InGaAsP QUANTUM-WELL RIDGE-WAVEGUIDE LASERS .....</b>	<b>565</b>
<i>E. Nomoto, T. Taniguchi, S. Sasaki, J. Kasai, T. Ohtoshi and M. Aoki</i>	
<b>HIGH SINGLE MODE POWER WAFER FUSED InAlGaAs/InP - AlGaAs/GaAs VCSELs EMITTING IN THE 1.3-1.6μm WAVELENGTH RANGE.....</b>	<b>569</b>
<i>A. Mereuta, V. Iakovlev, A. Caliman, P. Royo, A. Mircea, A. Rudra, G. Suruceanu, A. Syrbu and E. Kapon</i>	

## Table of Contents

<b>30-GBPS TRANSMISSION OVER 100 M-MMFS (GI32) USING 1.1 <math>\mu</math>M-RANGE VCSELS AND RECEIVERS .....</b>	<b>573</b>
<i>K. Fukatsu, K. Shiba, Y. Suzuki, N. Suzuki, H. Hatakeyama, T. Anan, K. Yashiki and M. Tsufi</i>	
<b>Polarization of single InGaAs quantum dots in photonic crystal nanocavities .....</b>	<b>577</b>
<i>W.-Y. Chen, H.-S Chang, T.-P. Hsieh, J.-I. Chyi and T. M. Hsu</i>	