

2006 International Conference on Photonics in Switching

**Herakleion, Greece
16-18 October 2006**



IEEE Catalog Number:
ISBN 10:
ISBN 13:

CFP0699A-PRT
0-7803-9789-4
978-0-7803-9789-7

STRATEGIC SESSION II

Technology Development towards Ubiquitous Society	16
Dr. Michiharu Nakamura	
Executive Vice President and Executive officer Hitachi L.t.d	

SESSION 1: OPTICAL PROCESSING I

O 1.1 Hybrid integrated SOA-devices for optical signal processing	27
A. Poustie	
CIP Ltd, B55 Adastral Park, Martlesham Heath, Ipswich, IP5 3RE, U.K.	
O 1.2 Demonstration of Optical 3R Regenerator for 10 Gb/s NRZ signal in Reconfigurable Recirculating Loop Transmission	30
M. Funabashi, Z. Zhu¹, Z. Pan¹, L. Paraschis², and S. J. B. Yoo¹	
1: Dept. of Electrical and Computer Engineering, University of California at Davis, Davis, CA 95616, USA	
2: Advanced Technology, Core Routing, Cisco Systems, San Jose, CA 95134, USA	
O 1.3 Simulation of the switching of an All-Optical Flip-Flop based on a SOA/DFB-Laser Diode Optical Feedback Scheme	33
W. D'Oosterlinck¹, G. Morthier¹, R. Baets¹, T. Erneux²	
1 Department of Information Technology, Ghent University-IMEC, Sint-Pietersnieuwstraat 41,B-9000 Gent, Belgium	
2: Optique Nonlinéaire Théorique, Université Libre de Bruxelles, Campus Plaine CP 231, B-1050 Bruxelles, Belgium	
O 1.4 Versatile All-Optical Clock Recovery Circuit for OOK and DPSK Modulated Data Traffic	36
G. Contestabile, M. Presi, N. Calabretta, A. D'Errico, E. Ciaramella	
Scuola Superiore Sant'Anna, via Moruzzi 1 – 56124, Pisa Italy	

SESSION 2: PERFORMANCE OF NETWORKS DEPLOYING OPS/OBS-I

O.2.1 Traffic Performance of Buffered Multi-stage Optical Packet Switch	39
Carla Raffaelli Michele Savi	
D.E.I.S. – University of Bologna, Viale Risorgimento, 2, Bologna Italy	
O 2.2 Factors influencing Edge Smoothing Effects in Optical Packet Switched Network	42
Zheng Lu, David Hunter	
1: University of Essex, Department of Electronic Systems Engineering, Wivenhoe Park, Colchester CO4 3SQ, UK	
O 2.3 A Novel RWA Cooperation Method Considering Retransmission In Optical Burst Switched Networks	45
Yusuke Hirota, Hideki Tode, Koso Murakami	
Department of Information Networking, Graduate School of Information Science and Technology, Osaka University, Yamadaoka 1-5, Suita-shi, Osaka, 565-0871 Japan	
O 2.4 Which trade-off between time and wavelength congestion resolution in Optical Burst or Packet Switching?	48
Franco Callegati, W. Cerroni	
DEIS - University of Bologna, Via Venezia, 52 – 47023, Cesena (FC), ITALY	

SESSION 3: KEY OPTICAL SWITCHING FUNCTIONALITIES

O 3.1 Tunable Wavelength Conversion Using PPLN at Data Rates Up To 160 Gb/s51

A. Nirmalathas¹, H. Furukawa², K.A. Lee³, S. Shinada², N. Wada², T. Miyazaki²

1: National ICT Australia, Victoria Research Laboratory, Dept of Electrical and Electronic Engineering, The University of Melbourne, Victoria 3010, Australia

2: Photonic Networks Group, New Generation Network Research Center National Institute of Information and Communications Technologies (NICT), Koganei, Japan 3: ARC Special Research Centre for Ultra-broadband Information Networks, Dept of Electrical and Electronic Engineering, The University of Melbourne, Victoria 3010, Australia

O 3.2 Numerical study of ultra-high speed wavelength conversion using a Gain-Clamped SOA in combination with optical filtering54

G. Morthier¹, W. D'Oosterlinck¹, S. Sales²

1: Department of Information Technology, Ghent University - IMEC, Sint-Pietersnieuwstraat 41, B-9000 Gent, Belgium

2: ITEAM Research Institute, Building 8G, Universidad Politécnica de Valencia, Camino de Vera s/n, 46022 Valencia, Spain

O 3.3 All optical wavelength conversion via cross-phase modulation in chalcogenide glass rib waveguides57

B. Luther-Davies², D. Moss¹, M.R.E. Lamont¹, V. Ta'eed¹, S. Madden², and B. J. Eggleton¹

1: Centre for Ultrahigh-bandwidth Devices for Optical Systems (CUDOS) School of Physics, University of Sydney, Sydney, NSW, 2006, Australia

2: Centre for Ultrahigh-bandwidth Devices for Optical Systems (CUDOS) The Australian Nation University, Canberra, ACT, 0200, Australia

O 3.4 Demonstration of Field Trial Experiments to Investigate the Cascadability of a 10 Gb/s Optical 3R Regenerator with All-optical Clock Recovery60

Zuqing Zhu¹, Zhong Pan¹, Masaki Funabashi¹, Bo Xiang¹, Loukas Paraschis², David L. Harris³, and S. J. B. Yoo¹

1: Department of Electrical and Computer Engineering, University of California, Davis, CA 95616, USA

2: Optical Networking Advanced Technology Group, Cisco Systems, 3: Advanced Technology Labs, Sprint

SESSION 4: SYSTEMS AND TECHNOLOGY FOR OPS/OBS

O 4.1 160Gbit/s/port Optical Packet Switch Prototype and Related Technologies63

Naoya Wada

National Institute of Information and Communications Technology (NICT), 4-2-1, Nukui-Kita, Koganei, Tokyo 184-8795, Japan.

O 4.2 VCSG-based All-Optical Header Extractor for IM/DPSK Optical Packets66

C. Porzi¹, L. Poti², A. Bogoni², M. Guina³, N. Calabretta¹

1: Scuola Superiore sant Anna, Via Moruzzi1 Pisa Italy

2: CNIT, Via Moruzzi1 Pisa Italy

3: ORC, Korkealoulumkatu 3, 33720, Tampere, Finland

O 4.3 SCM optical label switching scheme in a WDM packet transmitter employing a switching SG-DBR laser69

F. Smyth¹, A. Mishra², E. Connolly¹, A. Ellis², D. Cotter², A. Kaszubowska¹, L. Barry¹

1: Research Institute for Networks and Communications Engineering, Dublin City University, Glasnevin, Dublin 9.

2: Tyndall National Institute, "Lee Maltings", Prospect Row, Cork, Ireland

O 4.4 3-D MEMS-based Dynamically Reconfigurable Optical Packet Switch (DROPS)72

H.-F. Chou¹, C.-H. Huang¹, J. E. Bowers¹, F. Toudeh-Fallah², R. Gyurek²

1: Department of Electrical and Computer Engineering, University of California, Santa Barbara, CA 93106, USA

2: Cisco Systems, Inc., San Jose, CA 95134, USA

O 4.5 Regenerative Properties of Bulk and Quantum Dot SOA Based All-Optical Mach-Zehnder Interferometer DPSK Wavelength Converters75

Jin Wang, Yang Jiao, Rene Bonk, Wolfgang Freude and Juerg Leuthold

University of Karlsruhe, Institute of High-Frequency and Quantum Electronics, D-76131 Karlsruhe

SESSION 5: PHOTONICS IN SWITCHING SPECIAL SESSION

- O 5.1 Towards Petabit-per-Second Optical Routers78**
Rodney S. Tucker
ARC Special Research Centre for Ultra-Broadband Information Networks, Department of Electrical and Electronic Engineering, University of Melbourne, Parkville, Vic 3010, Australia
- O 5.2 Networking challenges for High-Capacity Low-Latency, Optically-Switched Interconnects80**
M. Dales, M. Glick
Intel Research, 15 JJ Thomson Avenue, Cambridge, CB3 0FD, United Kingdom
- O 5.3 Photonic Switching: Has its time come?83**
Hadjifotiou, BSc, MSc, PhD, RAEng, FIEE, CEng.,
Department of Electronic System Engineering, University of Essex, Wivenhoe Park, Colchester, CO4 3SQ, United Kingdom.

SESSION 6: TESTBEDS AND DEMONSTRATIONS

- O 6.1 GMPLS/OXC Network Testbed of JGN II86**
Shuichi Okamoto¹ and Tomohiro Otani^{1,2}
1: National Institute of Information and Communications Technology (NICT) Tsukuba Research Center, 1-8-1 Otemachi, Chiyoda-ku, Tokyo, 100-0004 Japan
2: KDDI R&D Laboratories, Inc., 2-1-15 Ohara, Fujimino, Saitama, 356-8502 Japan
- O 6.2 MUPBED: A Pan-European Research Network Field Trial89**
Jan Späth
Ericsson GmbH, Gerberstr. 33, 71522 Backnang, Germany
- O 6.3 The Bandwidth on Demand Service for the European Research and Education Networks92**
M. Campanella¹, R. Krzywania², V. Reijs³, A. Sevasti⁴
1: GARR, Via Celoria 16, 20133 Milano, ITALY
2: PSNC, Noskowskiego 12/14, 61-704 Poznan, POLAND
3: HEAnet, 5 George's Dock, Dublin 1, IRELAND
4: GRNET, 56 Mesogion Ave., 11527, Athens, GREECE
- O 6.4 Optical Label Switching Routers for Scalable High-Performance Photonic Internet96**
S. J. Ben Yoo
Department of Electrical and Computer Engineering, University of California, Davis, California 95616, U. S. A.

SESSION 7: NOVEL COMPONENTS

- O 7.1 Progress on modifying silicate glasses for practical electro-optic devices99**
H. An and S. Fleming
Optical Fibre Technology Centre, University of Sydney, 206 National Innovation Centre, ATP, Eveleigh, NSW 1430, Australia
- O 7.2 A Novel 1x2 Wavelength Routing Switch based on a Tunable Hybrid Liquid-Crystal Solc Filter102**
Rachid Hamdi¹, Badr-Eddine Benkelfat¹, Qin Zou¹, Bruno Vinouze², and Malek Benslama³
1: GET - Institut National des Télécommunications, CNRS SAMOVAR UMR 5157, 9 rue Charles Fourier, 91011 Evry Cedex, France
2: GET - Ecole Nationale Supérieure des Télécommunications de Bretagne, Département d'Optique, BP 832, 29285 Brest Cedex, France
3: Electromagnetism and Telecommunication Laboratory, University of Constantine, Algeria

O 7.3 Tunable wavelength-band switch using large coupling-coefficient Bragg grating on SOI rib waveguide	105
Z. Wu¹, S. Honda¹, J. Matsui¹, K. Utaka¹, T. Edura², M. Tokuda², K. Tsutsui², Y. Wada²	
1: School of Science and Engineering, WASEDA University, 3-4-1 Okubo, Shinjuku, Tokyo 169-8555, Japan	
2: NTRC Laboratory, WASEDA University, 5-1-3 Waseda Tsurumaki-cho, Shinjuku, Tokyo 162-0041, Japan	

SESSION 8: OPTICAL SWITCHING AND THE NEXT GENERATION NETWORKS-I

O 8.1 A Cost Model for the WDM Layer	108
M. Gunkel¹, R. Leppla¹, M. Wade², A. Lord², D. Schupke³, G. Lehmann³, C. Fürst⁴, S. Bodamer⁴, B. Bollenz⁵, H. Haunstein⁵, H. Nakajima⁶, J. Martensson⁷	
1: T-Systems Enterprise Services GmbH, Deutsche-Telekom-Allee 7, D-64295 Darmstadt, Germany	
2: BT, Adastral Park, Martlesham Heath, Ipswich IP5 3RE, UK	
3: Siemens, Corporate Technology, Otto-Hahn-Ring 6, D-81730 Munich, Germany	
4: Ericsson GmbH, Gerberstr. 33, D-71522 Backnang, Germany	
5: Lucent Technologies Network Systems GmbH, Thurn-und-Taxis-Str. 10, D-90411 Nuremberg, Germany	
6: France Telecom, R&D, 2 avenue Pierre-Marzin, 22307 Lannion Cedex, France	
7: Acreo, Electrum 236, SE-164 40 Kista, Sweden	
O 8.2 A cost analysis of Optical IP Switching in new generation optical networks	114
M. Ruffini, D. O'Mahony, L. Doyle	
Centre for Telecommunication Value-Chain Research, University of Dublin, Trinity College, Dublin 2, Ireland	
O 8.3 Risk analysis for optical network operator facing uncertain traffic and costs	117
S. Verbrugge, J. Van Ooteghem, C. Heyse, D. Colle, M. Pickavet, P. Demeester	
Ghent University – IBBT, Dept. of Information Technology (INTEC), G. Crommenlaan 8 bus 201, 9050 Gent, Belgium	
O 8.4 Performance Monitoring in the Next Generation of Optical Networks	120
Martin Nordal Petersen	
COM-DTU, Department of Communications, Optics, and Materials, Technical University of Denmark DK-2800 Lyngby, Denmark.	

SESSION 9: OPTICAL PROCESSING II

O 9.1 Applications of Ultra-Short Pulse Sources in OTDM Networks	123
G. Zarris¹, L. M. Sadeghioon¹, C. G. Leburn², Hyun-Do Jung³, K. M. Guild¹, D. Simeonidou¹, and M. O' Mahony¹	
1: Photonic Networks Research Laboratory, Electronic Systems Engineering Dept., University of Essex, Colchester CO4 3SQ, UK	
2: J. F. Allen Physics Research Laboratories, School of Physics and Astronomy, University of St Andrews	
3: The COBRA Research Institute, Eindhoven University of Technology	
O 9.2 Wavelength-flexible optical signal conversion using a NOLM-based XPM circuit followed by a Brillouin-assisted notch-filtering technique	126
M. Saruwatari, K. Tsuji, N. Onodera, and T. Yamaguchi	
Department of Communications Engineering, National Defense Academy 1-10-20 Hashirimizu, Yokosuka 239-8686, Japan.	
O 9.3 Reduced timing sensitivity in all-optical switching using flat-top control pulses obtained by the optical Fourier transform technique	129
L. K. Oxenϕlwe, M. Gallii, H.C. Mulvad Hansen, A.T. Clausen and P. Jeppesen	
COM-DTU Department of Communications, Optics and Materials, Technical University of Denmark, building 345V, DK-2800	
O 9.4 Pattern Effect Mitigation in the Turbo-Switch	132
R. Giller¹, X. Yang¹, R. J. Manning¹, R. P. Webb¹ and D. Cotter¹	
1: Photonic Systems Group, Tyndall National Institute and Dept. of Physics, University College Cork, Ireland.	

SESSION 10: PERFORMANCE OF NETWORKS DEPLOYING OPS/OBS-II

- O 10.1 Optical burst add-drop multiplexing and link techniques**135
Yong Hyub Won and Jeong Sik Cho
School of Engineering, Information and Communications University 119, Munjiro, Yuseong-Gu, Daejeon, 305-714, Korea
- O 10.2 Probe-and-go: a novel approach to OBS**138
J. D. Angelopoulos, K. Kanonakis, H. C. Leligou, C. Linardakis
National Technical University of Athens. Heroon Polytechniou 9, 15773, Zografou, Athens, Greece
- O 10.3 An Impact of Optical Buffer on Reflection-based Deflection Routing in OPS Networks**141
Masayuki Morita, Yu Tanaka, Yusuke Hirota, Hideki Tode, Koso Murakami
Department of Information Networking, Graduate School of Information Science and Technology, Osaka University, Yamadaoka 1-5, Suita-shi, Osaka, 565-0871 Japan
- O 10.4 The impact of dynamic optical bandwidth provisioning on network resilience.**144
Lars Dittmann
COM, Technical University of Denmark (DTU)

SESSION 11: SUBSYSTEMS FOR OPS/OBS

- O 11.1 Optical Code Label Switching and its Applications**146
K. Kitayama¹, N. Kataoka², S. Yoshima^{1*}, N. Wada², H. Onaka³, and G. Cincotti⁴
1: Osaka University, Yamadaoka, Suita, Osaka 565-0871, Japan *S. Yoshima is now with Mitsubishi Electric Corp., Japan.
2: National Institute of Information and Communication Technology, 4-2-1 Nukui-Kitamachi, Koganei, Tokyo 184-8795 Japan
3: Fujitsu Laboratory, LTD., 4-1-1 Kamikodanaka, Nakahara-ku, Kawasaki 211-8588, Japan
4 : University Roma Tre, Rome I-00146, Italy
- O 11.2 All-optical regenerative memory using a semiconductor optical amplifier in a single loop mirror**149
N. C. Johnson, J. A. Harrison, K. J. Blow
Photonics Research Group, Aston University, Birmingham, UK, B4 7ET
- O 11.3 Architecture, design and physical layer modelling of an all-optical buffering system for all-optical label switched routers**152
E. Kehayas, L. Stampoulidis, K. Vyrsoinos, D. Apostolopoulos, H. Avramopoulos
Photonics Communications Research Laboratory, National Technical University of Athens, 9 Iroon Polytechniou, Zografou, GR 15773, Greece
- O 11.4 Feasibility Demonstration of 1.3/1.5 μm Amplifier-Free Transmission Link at 10 Gb/s Using Two-Mode Injection Locked Laser Diode as Low-Cost All-Optical 2R Regenerator**155
Hung-Chang Chien¹, Chien-Chung Lee¹, Slen Chi^{1,2}
1: Department of Photonics & Institute of Electro-Optical Engineering, National Chiao Tung University, 1001 Ta-Hsueh Road, Hsinchu, Taiwan 300, R.O.C.
2: Department of Electrical Engineering, Yuan Ze University, Chung-Li, Taiwan 320, R.O.C.

SESSION 12: PHOTONICS IN SWITCHING SPECIAL SESSION II

O 12.1 Chalcogenide Glasses for All-optical Processing 158

B. Luther-Davies¹, S.J.Madden¹, D-Y Choi¹, R-P Wang¹, A.V.Rode¹, A.Prasad¹, R.A. Jarvis¹, D.Moss², B. Eggleton², C. Grillet², M. R. E. Lamont², E. Magi², V. Ta'eed², M. Shookooh-Saremi², N.Baker², I.Littler², L.Fu², M.Rochette², Y.Ruan³,

Centre for Ultrahigh Bandwidth Devices for Optical Systems

1: Laser Physics Centre, Australian National University, Canberra, ACT 0200 Australia

2: School of Physics, University of Sydney, Sydney NSW 2006, Australia

3: Centre of Expertise in Photonics, School of Chemistry and Physics, University of Adelaide, SA5005 Australia

O 12.2 Contention Resolution in an Asynchronous All-Optical Packet Switch 161

Lena Wosinska^{1,2} and JiaJia Chen^{1,3}

1: The Royal Institute of Technology KTH, School of Information and Communication Technology (ICT), Electrum 229, Isafjordsgatan 24, 164 40 Kista, SWEDEN

2: KPRC, Kista Photonics Research Center, Stockholm, SWEDEN

3: Zhejiang University, Centre for Optical and Electromagnetic Research, Joint Laboratory of Optical Communications, Hangzhou 310058, CHINA

O 12.3 Fusion of Fiber-Optic and PCB Technologies for In-board Optical Interconnection 164

Hyo-Hoon Park¹, Sung Hwan Hwang¹, Mu Hee Cho¹, Sae-Kyoung Kang¹, and Tae-Woo Lee¹

1: Optical Interconnection and Switching Laboratory, Information and Communications University, P.O. Box 77, Yuseong, Daejeon, 305-600, Republic of Korea

SESSION 13: CONTROL PLANE AND LAYER INTEROPERABILITY IN OPTICALLY SWITCHED NETWORKS-II

O 13.1 Ultra-Fast Optical Routing including Impairment Constraints (UFORIC) 167

Ken Guild

Department of Electronic Systems Engineering, University of Essex, CO4 3SQ, United Kingdom

O 13.2 Design of Novel Optical Router Controller and Arbiter Capable of Asynchronous, Variable length Packet Switching 169

Haijun Yang, Venkatesh Akella, Chen-Nee Chuah, and S. J. Ben Yoo

University of California at Davis, USA

O 13.3 Efficient Contention Resolution Algorithms for Recirculation Multicast Based Optical Router Switch Architecture 172

Haijun Yang, Zhong Pan, Venkatesh Akella, Chen-Nee Chuah, and S. J. Ben Yoo

University of California at Davis, USA

O 13.4 Reservation Collision Avoidance in GMPLS Wavelength-routed Optical Networks 175

A. Giorgetti, N. Sambo, L. Valcarengi, P. Castoldi

Sant'Anna School of University Studies and Doctoral Research, Pisa, Italy

SESSION 14: SWITCHING FABRICS

O 14.1 Comparison of Wavelength-Selective Cross-Connect Architectures for Reconfigurable All-Optical Networks ..178

V. Kaman, S. Yuan, O. Jerphagnon, R. J. Helkey, J. E. Bowers

Calient Networks, 25 Castilian Drive, Goleta, CA, 93117, USA

O 14.2 Optical Multicasting Performance Evaluation using Multi-Wavelength Conversion by Four-Wave Mixing in DSF at 10/20/40 Gb/s181

N. Yan¹, A. Teixeira², T. Silveira^{2,3}, I. Tafur Monroy^{1,4}, P. Monteiro^{2,3}, G. Tosi Beleffi⁵, T. Koonen¹

1: Eindhoven University of Technology, P.O. Box 513, Eindhoven 5600 MB, Netherlands

2: Instituto de Telecomunicacoes, 3180-193 Aveiro, Portugal

3: Siemens IC-COM RD R, 2720-093, Amadora Portugal

4: COM DTU, Department of Communications, Optics and Materials, DK-2800 Kgs Lyngby, Denmark

5: ISCOM, Rome, Italy

O.14.3 Modular Broadcast-and-Select Optical Crossconnects and their Physical Layer Modelling184

C. Matrakidis¹, C. (T.) Politi¹, A. Stavdas¹

1: University of Peloponnese, Terma Karaiskaki, 22100 Tripoli, Greece

O 14.4 Inter-symbol interference comparison for wavelength and waveband switching in all-optical optical cross-connect nodes187

Philip N. Ji^{1,2}, Lei Xu¹, Jianjun Yu¹, Ting Wang¹, Osamu Matsuda³

1: NEC Laboratories America, Inc., 4 Independence Way, Princeton, NJ 08540, USA

2: University of New South Wales, UNSW, Sydney, NSW 2052, Australia

3: NEC Corporation, 1131, Hinode, Abiko, Chiba 270-1198, Japan

SESSION 15: CONTROL PLANE AND LAYER INTEROPERABILITY IN OPTICALLY SWITCHED NETWORKS-II

O 15.1 Experimentation of single-hop WDM rings for metro and distributed switching applications190

A. Bianciotto, V. De Feo, R. Gaudino, A. La Porta, F. Neri, and M. Petracca

Dipartimento di Elettronica, Politecnico di Torino C.so Duca degli Abruzzi 24, 10129, Torino, Italy

O 15.2 Transparent Switching: Converged Network and Switching Architecture with QoS Scalability194

A. H. S. Kim¹, B. A. Leon-Garcia²

1: ECE Dept., Carnegie-Mellon University

2: ECE Dept. University of Toronto

O 15.3 An Intelligent Network Management System with Multi-Tier Distributed Intelligence for Optical Packet-Agile Transport Networks197

Jinqiang Yang and S. J. Ben Yoo

Department of Electrical Engineering, University of California, Davis, CA 95616, USA

O 15.4 GRNET3 - The Future Research Infrastructure in Greece200

A. Liakopoulos¹, C. Tziouvaras²

1, 2: Greek Research & Technology Network S.A., 56 Mesogion Ave, Athens, Greece

SESSION 16: OPTICAL PROCESSING III

- O 16.1 Optical Buffering and Switching for Optical Packet Switching**203
J. Bowers, E. Burmeister, D. Blumenthal
Electrical and Computer Engineering Department, University of California at Santa Barbara, CA 93106 USA
- O 16.2 Spectral Phase Encoder Using an Arrayed-Waveguide Grating with Phase-Adjustable Structures**206
D. Miyamoto¹, H. Tsuda¹
1: Keio University, 3-14-1 Hiyoshi Kohoku-ku Yokohama Japan
- O 16.3 All-optical Analogue-to-digital Conversion with bitwise signal allocation using a spatial coding method for 3bit grey code**209
T. Nishitani, T. Konishi, and K. Itoh
Graduate School of Engineering, Osaka University, 2-1 Yamadaoka, Suita-shi, Osaka, 565-0871 Japan
- O.16.4 Realization of all-optical half adder using XGM in semiconductor optical amplifiers without additional input beam**212
Sang H. Kim¹, J. H. Kim^{1,2}, C. W. Son¹, G. Kim¹, Y. T. Byun¹, Y. M. Jhon¹, S. Lee¹, D. H. Woo¹, and S. H. Kim¹
1: Photonics Research Center, Korea Institute of Science and Technology, 39-1 Hawolgok, Seongbuk, Seoul 136-791, Korea,
2: Department of Electrical Engineering, Pennsylvania State University, University Park, PA 16802, USA

SESSION 17: OPTICAL SWITCHING AND THE NEXT GENERATION NETWORKS-II

- O 17.1 Migration towards optical transparency in Metro- and Backbone Transport Networks**215
Ralph Leppla, Matthias Gunkel, Volker Fürst, Bodo Jacobs, Michael Reiss
T-Systems Enterprise Services GmbH, Deutsche-Telekom-Allee 7, D-64295 Darmstadt, Germany
- O.17.2 Complementary Optimal Approaches for Survivable WDM Mesh Network Design: Transceiver Deployment and Traffic Engineering**219
Leandro C. Resendo and Moises R. N. Ribeiro
Electrical Engineering Department, Federal University of Espirito Santo – Brazil, P.O. 0190-11 CEP 29060-970
- O 17.3 Efficient use of Sparse Wavelength Converters in Wavelength-Routed Networks with Shared-Path Protection**222
G. Wedzinga¹, S. Arakawa¹, M. Murata¹
1: Graduate School of Information Science and Technology, Osaka University, Yamada-oka 1–5, Suita, Osaka 565–0871, Japan
- O 17.4 A Genetic Algorithm to Design Logical Topologies with Low Congestion in Reconfigurable WDM Networks**225
Ramon J. Duran, Ignacio de Miguel, Noemi Merayo, Patricia Fernández, Juan Carlos Aguado, Rubén M. Lorenzo and Evaristo J. Abril
GCO –Department of Signal Theory, Communications and Telematics Engineering. University of Valladolid. Campus Miguel Delibes. Camino del Cementerio s/n, 47011 Valladolid, Spain
- O 17.5 Optical Access in the BREAD Roadmap**228
P. Van Daele
IMEC – Gent University, INTEC Dept., Gaston Crommenlaan 8 box 201, B-9050 Gent-Ledeberg Belgium

SESSION 18: PACKET SWITCHED SYSTEMS AND NETWORKS

O 18.1 Low Latency Optical Packet Switched Interconnection Networks231

Benjamin A. Small and Keren Bergman

Columbia University Department of Electrical Engineering 500 West 120th Street, New York 10027

O.18.2 Tunable Optical Delays, Buffering and WDM:TDM Conversion via Active Latin-Routing AWG's featuring Unit-Length Re-Circulating Waveguides234

M. C. Parker¹, D. K. Hunter², S. D. Walker²

1: Fujitsu Laboratories of Europe, Columba House, Adastral Park, Ipswich IP5 3RE, U.K.

2: University of Essex, Dept. of Electronics Systems Engineering, Wivenhoe Park, Colchester, CO4 3SQ, U.K.

O 18.3 Quality of Service in a Multi-Fiber Optical Packet Switch237

D. Careglio², G. Muretto¹, C. Raffaelli¹, J. Solé-Pareta², E. Viñes^{1,2}

1: DEIS University of Bologna, Via Risorgimento 2, 40136 Bologna, Italy

2: CCABA, Universitat Politècnica de Catalunya, Jordi Girona 1-3, 08034 Barcelona, Spain

O. 18.4 Clustering core nodes allows efficient all-optical payload switching240

A. Stavdas¹, K. Kanonakis², G. Koukouvakis², H.C. Leligou², Th. Orphanoudakis¹, J.D. Angelopoulos²

1: University of Peloponnese, Dept. of Telecommunications Science and Technology, Tripolis, Greece

2: National Technical University of Athens, 157753 Zografou, Athens, Greece

O 18.5 Multi-hop Optical-label Switching Using Optical 3R Regeneration243

Z. Pan¹, H. Yang¹, Z. Zhu¹, M. Funabashi¹, S. J. B. Yoo¹

1: Department of Electrical and Computer Engineering, University of California, Davis, Davis, CA 95616, USA

POSTERS P.01-P.11

P.01 A 40Gbit/s Gateless Multicast-Capable Optical Switch Fabric246

Yong-Kee Yeo¹, Jianjun Yu², Gee-Kung Chang¹

1: School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA 30332-0250, USA.

2: NEC Labs America, Princeton, NJ 0854, USA

P.02 Vertical cavity laser with depleted optical thyristor structure for optical switching systems249

Woon-Kyung Choi¹, D. G. Kim¹, Y. W. Choi¹, S. Lee², D. H. Woo², K. D. Choquette³

1: Microwave and Lightwave Telecommunications Lab., School of Electrical and Electronic Engineering, Chung-Ang University, 221 Heuksuk-Dong, Dongjak-ku, Seoul, 156-756, Korea

2: Photonics Research Center, Korea Institute of Science and Technology, P.O. Box 131, Cheongryang, Seoul 130-650, Korea

3: Photonic Device Research Group, Electrical and Computer Engineering, University of Illinois at Urbana-Champaign, 208 N. Wright Street, Urbana, IL, 61820, USA

P.03 All-optical Logic Gates using Absorption Modulation of an Injection-locked Fabry-Perot Laser Diode252

H. Yoo, H. J. Lee, Y. D. Jeong and Y. H. Won

1: Optical Communications Research Center, Electronics and Telecommunications Research Institute, 1110-6, Oryong-Dong, Buk-Gu, Gwangju, Korea, 500-480

2: Division of Information & Communication Engineering, Kyungnam University, 449 Wolyoung-dong, Masan, 631-701, Korea

3: Optical Network Engineering Lab. School of Engineering, Information and Communications University, 119 Munjiro, Yuseong-gu, Daejeon, Korea, 305-714

P.04 Negative Feedback Optical Amplification Effect and Inverted Optical Triode based on Cross-gain Modulation in Semiconductor Optical Amplifiers255

Y. Maeda

Advanced Science and Technology Department, Toyota Technological Institute 2-12-1 Hisakata, Tempaku, Nagoya 468-8511, Japan.

P.05 Grid OBS Network with OCDMA-PON Control Plane & Inverted Gold Codes258

J. S. Pereira¹ and H. J. A. da Silva²

1: Escola Superior de Tecnologia e Gestao do Instituto Politécnico de Leiria, Alto do Vieiro, Morro do Lena, P-2401-951 Leiria, Portugal & Instituto de Telecomunicações, Universidade de Coimbra, Polo II, P-3030-290 Coimbra, Portugal

2: Instituto de Telecomunicações, Universidade de Coimbra, Polo II, P-3030-290 Coimbra, Portugal

P.06 Backpressure Reduction with Bi-directional Data Vortex Network261

Q. Yang

Engineering Department, Harvey Mudd College, 301 Platt Boulevard, Claremont, CA 91711, USA

P.07 Dynamic Traffic Multiplexing over EPONs Achieving Guaranteed QoS and Optimal Bandwidth Utilization264

T. Orphanoudakis¹, H.-C. Leligou², E. Kosmatos³, G. Prezerakos³

1: University of Peloponnese, Karaiskaki str., 22100, Tripoli, Greece

2: Technological Education Institute (TEI) of Piraeus, P. Rali & Thivon 250, Aigaleo, Greece

3: National Technical University of Athens, Heroon Poloytechneiou 9, Zographou Campus, Athens, Greece

P.08 Evaluation of the Inherent Ripple Effects on the Performance of an Optical DQPSK Signal Generated by Using Only One MZM267

Wei-Ren Peng¹, Jason (Jyehong) Chen¹, Shen-You Tsai¹, Cheng Tsao¹, and Sien Chi^{1,2}

1: Department of Photonics and Institute of Electro-Optical Engineering, National Chiao Tung University, Hsinchu, Taiwan 300, R. O. C.

2: Department of Electrical Engineering, Yuan Ze University, Chung Li, Taiwan 320, R.O.C

P.09 Photonic power: delivering power over fiber for optical networks270

Dr. Jan-Gustav Werthen, Engineering Director and Mort Cohen, Product Line Manager

Photonic Power Business Unit, JDSU Corporation

P.10 A WDM Optical Backplane with AWG Based Passive Routing273

E. D. Kyriakis-Bitzaros^{2,1}, E. Grivas¹, G. Halkias¹, S. Katsafouros¹, P. Dumon³, G. Morthier³, R. Baets³, T. Farrell⁴, N. Ryan⁴, I. McKenzie⁵, and E. Armadillo⁵

1:NCSR Demokritos, Institute of Microelectronics, Agia Paraskevi, Attiki, Greece.

2:TEI of Piraeus, Dept. of Electronics, Egaleo, Greece,

3:University of Ghent, INTEC, Ghent, Belgium.

4:Intune Technologies, Dublin, Ireland.

5:ESA/ESTEC, Noordwijk, The Netherlands

P.11 All-Optical Circular Shift Register Using Semiconductor Optical Amplifiers276

Young Min Jhon¹, Jae Hun Kim^{1,2}, Young Tae Byun¹, Seok Lee¹, Deok Ha Woo¹, Sun Ho Kim¹

Photonics Research Center, Korea Institute of Science and Technology, 39-1 Hawolgok, Seongbuk, Seoul 136-791, Korea