

2007 IEEE Pulsed Power Conference

**Albuquerque, NM
17-22 June 2007**

Volume 1 of 4



IEEE Catalog Number:

ISBN 10:

ISBN 13:

CFP07PPC-PRT

1-4244-0913-6

978-1-4244-0913-6

Plenary Publications

PL1: Super-Plenary

Pulsed Power Sciences at Sandia National Laboratories - The Next Generation

1

K. Matzen; *Pulsed Power Sciences Center, Sandia National Laboratories, Albuquerque, NM, USA*

PL1-B: Super-Plenary Part II

PL2: Tuesday Joint Plenary with SOFE

The National Ignition Facility and the Golden Age of High Energy Density Science

16

E. I. Moses; *National Ignition Facility, Lawrence Livermore National Laboratory, Livermore, CA, USA*

PL3: Wednesday Plenary - PSAC Award Address

PL4: Thursday Extended Plenary - Erwin Marx Award Address

PL5: Friday Extended Plenary - Peter Haas Award Address

Contributed Papers

1P: Basic Plasma Phenomena (P)

Measurements of the Hall Dynamo in the Reversed Field Pinch Edge During Reconnection Events 20

A. V. Kuritsyn, G. Fiksel, A. F. Almagri, S. C. Prager, J. S. Sarff, T. D. Tharp; *Department of Physics, University of Wisconsin-Madison, Madison, WI, USA*

Geometrical Effects of Exploding Films on Plasma Formation 24

J. Zirnheld¹, K. Burke¹, P. Strzempka¹, A. Kraus¹, M. Donadio², M. Sussmann², H. Moore², H. Singh²; ¹*Electrical Engineering, University at Buffalo, Buffalo, NY, USA*; ²*Advanced Energy Armament Systems Center, U.S. Army RDECOM-ARDEC, Picatinny Arsenal, NJ, USA*

Threshold Arcing Characteristics for Pulsed Exploding Films 29

W. J. Sarjeant¹, A. Halstead¹, M. Hood¹, H. Moore², H. Singh², M. Donadio², M. Sussmann²; ¹*Energy Systems Institute, University at Buffalo, Buffalo, NY, USA*; ²*Advanced Energy Armament Systems Center, U.S. Army RDECOM-ARDEC, Picatinny, NJ, USA*

High Power Ultrasound Impulses Induced by Wire-Guided Spark Discharges in Water 33

I. V. Timoshkin, S. J. MacGregor, M. J. Given, R. A. Fouracre; *Dept. Electronic & Electrical Engineering, University of Strathclyde, Glasgow, UK*

Analysis of the Current Waveforms Observed in Underwater Spark Discharges 37

M. J. Given¹, I. V. Timoshkin¹, M. P. Wilson¹, S. J. MacGregor¹, J. M. Lehr²; ¹*Dept. Electronic & Electrical Engineering, University of Strathclyde, Glasgow, UK*; ²*Advanced Accelerator and Exploratory Pulsed Power, Sandia National Laboratories, Albuquerque, New Mexico, USA*

Probe Diagnostics of High-Pressure Microwave Plasmas for Shock Wave Propagation Study 41

A. V. Tarasova, N. K. Podder; *Department of Math & Physics, Troy University, Troy, AL, USA*

Dynamics of the Lightning Discharge During the Return Stroke 45

J. M. Cvetić, P. V. Osmokrović; *Faculty of Electrical Engineering, University of Belgrade, Belgrade, Serbia*

1P: X-Ray Diagnostics (P)

Radiation Measurement Accuracy of Z-Dynamic Hohlraums 49

G. C. Idzorek, T. E. Tierney, R. G. Watt; *P-22, Los Alamos National Laboratory, Los Alamos, NM, USA*

1P: Plasma, Ion, and Electron Sources (P)

- A Simple Model for Pre-Breakdown over-Voltage and Methods for Analysis of Switching Diagnosis on Early Stages of PFMA1 Discharge** 53
F. Rocchi¹, S. Mannucci¹, M. Sumini¹, D. Mostacci¹, A. Tartari², E. Angeli²; ¹*Nuclear Engineering Laboratory of Montecuccolino, University of Bologna, Bologna, Italy*; ²*Department of Physics, University of Ferrara, Ferrara, Italy*
- Langmuir Probe Diagnostics on Continuous, Electron Beam Produced Plasma in Argon, Nitrogen and Their Mixtures** 60
E. H. Lock, S. G. Walton, R. F. Fernsler; *Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*
- Pulsed Low Energy Electron Sources for Material Surface Modification** 65
S. A. Korenev, R. P. Johnson; *Muons, Inc., Batavia, IL, USA*
- DEVELOPMENT OF A 30 KW PLASMA GUN SYSTEM HAVING SEMIPERMANENT LIFETIME** 69
Y. W. Choi; *Korea Electrotechnology Research Institute, Changwon, South Korea*
- Dielectric Cathodes: a Review and Some Recent Developments** 73
I. D. Smith, D. J. Nett, F. M. Clausen; *L-3 Pulse Sciences, San Leandro, CA, USA*
- Effect of Plasma Density on High Current Beam Extracted from a Mevva Ion Source** 79
W. Xiang¹, P. Spädtke²; ¹*Institute of Electronic Engineering of CAEP, Mianyang, China*; ²*Gesellschaft für Schwerionenforschung mbH, Darmstadt, Germany*
- Supershort avalanche electron beam generation in N₂ and He at quasi-continuous gap voltage** 83
V. F. Tarasenko, E. H. Baksht, M. I. Lomaev, D. V. Rybka; *LOR, High Current Electronics Institute, Tomsk, Russia*
- Discharge Current and Current of Supershort Avalanche E-Beam at Volume Nanosecond Discharge in Non-Uniform Electric Field** 87
V. F. Tarasenko, E. H. Baksht, M. I. Lomaev, D. V. Rybka; *LOR, High Current Electronics Institute, Tomsk, Russia*

1P: Plasmas for Lighting, Displays, and Microdischarges (P)

- Spot Mode Operation of a Helium-Xenon Discharge for Lighting** 91
J. Winter, H. Lange, I. A. Porokhova, F. Sigenege, D. Uhrlandt; *INP Greifswald, Greifswald, Germany*

1P: Closing Switches (P1)

A High-Repetition Rate Closing Switch for EMP Applications	97
P. Sarkar ¹ , B. M. Novac ¹ , I. R. Smith ¹ , R. A. Miller ² , M. J. Roberts ² ; ¹ <i>Department of Electronic and Electrical Engineering, Loughborough University, Loughborough, Leicestershire, UK</i> ; ² <i>Electronics Department, Dstl, Malvern, Worcestershire, UK</i>	
A Test Facility for PCSS Triggered Pulsed Power Switches	101
M. E. Swalby, S. F. Glover, F. J. Zutavern, K. W. Reed, M. J. Cich, A. Mar, T. A. Saiz, M. L. Horry, F. E. White; <i>Sandia National Laboratories, Albuquerque, NM, USA</i>	
PCSS Lifetime Testing for Pulsed Power Applications	106
T. A. Saiz, F. J. Zutavern, S. F. Glover, K. W. Reed, M. J. Cich, A. Mar, M. E. Swalby, M. L. Horry; <i>Sandia National Laboratories, Albuquerque, NM, USA</i>	
Characterization of Runtime and Jitter on a Laser Triggered Spark Gap Switch	110
B. Hutsel, D. Sullivan, A. Benwell, J. Vangordon, S. Kovaleski, J. Gahl; <i>Electrical and computer engineering, University of Missouri - Columbia, Columbia, MO, USA</i>	
Investigation of High Electric Fields at the Electrode-SiC Interface in Photo-Switches	114
C. M. Fessler, K. S. Kelkar, W. C. Nunnally, N. E. Islam; <i>Electrical & Computer Engineering Department, University of Missouri-Columbia, Columbia, MO, USA</i>	
Cygnus Diverter Switch Analysis	120
E. C. Ormond ¹ , D. S. Nelson ¹ , I. Molina ¹ , S. R. Cordova ¹ , J. R. Smith ² , G. D. Corrow ³ , M. D. Hansen ³ , D. J. Henderson ³ , C. V. Mitton ³ ; ¹ <i>Sandia National Laboratories, Mercury, NV, USA</i> ; ² <i>Los Alamos National Laboratory, Los Alamos, NM, USA</i> ; ³ <i>National Securities Technologies, North Las Vegas, NV, USA</i>	
Spectroscopic Studies of Gas Switches for Linear Transformer Drivers	125
K. D. Hahn ¹ , J. R. Woodworth ¹ , W. T. Clark ¹ , Y. Maron ² , J. R. Blicke ³ , R. Starbird ⁴ , M. J. Hardin ⁴ ; ¹ <i>Sandia National Laboratories, Albuquerque, NM, USA</i> ; ² <i>Weizmann Institute, Rehovot, Israel</i> ; ³ <i>K-Tech Corporation, Albuquerque, NM, USA</i> ; ⁴ <i>NSTech, Los Alamos, NM, USA</i>	
Analysis of Laser Induced Plasma in High Pressure SF₆	129
W. T. Clark ^{1,2} , D. E. Bliss ² , M. E. Savage ² , B. S. Stoltzfus ² , J. R. Woodworth ² ; ¹ <i>Optical Science and Engineering, University of New Mexico, Albuquerque, NM, USA</i> ; ² <i>Sandia National Laboratories, Albuquerque, NM, USA</i>	
Pulsed Hollow Cathode Discharge Characteristics	133
E. B. Sozer, K. Koppisetty, H. Kirkici; <i>Department of Electrical and Computer Engineering, Auburn University, Auburn, AL, USA</i>	
Study on Solid State Modulator Based on Power MOSFET Devices	136
Z. Linwen, L. Yuan, L. Xiaoping, H. Hui, W. Yongwei, Z. Fuxin; <i>Institute of Fluid Physics, CAEP, Mianyang, China</i>	

Factors Affecting the Operation of Multi-Electrode Spark Gaps	140
S. J. MacGregor ¹ , I. V. Timoshkin ¹ , M. J. Given ¹ , R. A. Fouracre ¹ , J. M. Lehr ² , L. K. Warne ² ; ¹ <i>Dept. Electronic & Electrical Engineering, University of Strathclyde, Glasgow, UK</i> ; ² <i>Sandia National Laboratories, Albuquerque, New Mexico, USA</i>	

1P: High Current/High Power Pulsers (P)

Design and First Tests of Five 100 GW Fast LTD Cavities into an E-Beam Diode Load	144
A. A. Kim ¹ , V. A. Sinebryukhov ¹ , B. M. Kovalchuk ¹ , A. N. Bostrikov ¹ , V. G. Durakov ¹ , S. N. Volkov ¹ , S. V. Frolov ¹ , V. M. Alexeenko ¹ , M. G. Mazarakis ² , D. H. McDaniel ² , C. L. Olson ² , R. M. Gilgenbach ³ ; ¹ <i>Pulsed Power Dept., Institute of High Current Electronics, Tomsk, Russia</i> ; ² <i>Sandia National Laboratories, Albuquerque, NM, USA</i> ; ³ <i>University of Michigan, Ann Arbor, MI, USA</i>	
Super Fast 75 ns LTD Stage	148
A. A. Kim ¹ , V. A. Sinebryukhov ¹ , B. M. Kovalchuk ¹ , A. N. Bostrikov ¹ , V. G. Durakov ¹ , S. N. Volkov ¹ , S. V. Frolov ¹ , V. M. Alexeenko ¹ , F. Bayot ² , C. Drouilly ² , F. Cubaynes ² , L. Véron ³ , M. Toury ³ , C. Vermare ³ , R. Nicolas ³ ; ¹ <i>Institute of High Current Electronics, Tomsk, Russia</i> ; ² <i>ITHPP, Thégna, France</i> ; ³ <i>CEA/DAM, Pontfaverger, France</i>	
Design of a MITL for a 1 MA LTD Driving a Wire Array Z-Pinch Load	152
M. R. Gomez ¹ , J. C. Zier ¹ , R. M. Gilgenbach ¹ , Y. Y. Lau ¹ , W. Tang ¹ , M. G. Mazarakis ² , W. A. Stygar ² ; ¹ <i>Plasma, Pulsed Power, and Microwave Lab, University of Michigan, Ann Arbor, MI, USA</i> ; ² <i>Sandia National Labs, Albuquerque, NM, USA</i>	
Current Adder with Programmable Pulse Shaping	156
F. E. White ¹ , S. F. Glover ² , K. W. Reed ² , M. J. Harden ³ ; ¹ <i>Ktech Corporation, Albuquerque, NM, USA</i> ; ² <i>Sandia National Laboratories, Albuquerque, NM, USA</i> ; ³ <i>National Security Technology LLC, Los Alamos, NM, USA</i>	
Precision Electron Flow Measurements in a Disk Transmission Line	161
J. P. Martin ^{1,2} , M. E. Savage ¹ ; ¹ <i>Sandia National Laboratories, Albuquerque, NM, USA</i> ; ² <i>University of New Mexico, Albuquerque, NM, USA</i>	
Computer Simulations of the Magnetically Insulated Transmission Lines and Post-Hole Convolute of ZR	165
T. D. Pointon, W. L. Langston, M. E. Savage; <i>Sandia National Laboratories, Albuquerque, USA</i>	
Plasma Formation, Evolution, and Dynamics in 100-1000 TW Vacuum-Transmission-Line Post-Hole Convolute	171
D. V. Rose ¹ , D. R. Welch ¹ , T. P. Hughes ¹ , R. E. Clark ¹ , W. A. Stygar ² ; ¹ <i>Voss Scientific, LLC, Albuquerque, NM, USA</i> ; ² <i>Sandia National Laboratories, Albuquerque, NM, USA</i>	
Experimental Investigation of Explosive High Power Pulse Source	175
W. Xie, H. Liu, H. Li, W. Dai, J. Den; <i>Institute of Fluid Physics, CAEP, Sichuan, China</i>	

1P: Charged Particle and Neutron Diagnostics (P)

1A: Plasmas for Lighting, Displays, and Microdischarges

Investigating Intensities of Very High Voltage Rise Dv/dt Pulsed Power Source in Atmospheric Microplasma 179

S. Khadijah, T. Akitsu, T. Otagawa, S. Yamazaki, T. Sakurai; *Interdisciplinary Graduate School of Medicine and Engineering, University of Yamanashi, Kofu, Yamanashi, Japan*

Terahertz Radiation from Glow Discharge in Coaxial Resonator 186

A. T. Lin; *Department of Physics & Astronomy, University of California at Los Angeles, Los Angeles, USA*

1B: Plasma, Ion, and Electron Sources (1)

Simulating Hypersonic Atmospheric Conditions in a Laboratory Setting Using a 6-in- 190 Diameter Helicon Source

K. M. Lemmer¹, A. D. Gallimore¹, T. B. Smith¹, S. Nguyen¹, D. R. Austin¹, D. Morris², C. Davis², J. Zagel²; ¹*Aerospace Engineering, University of Michigan, Ann Arbor, MI, USA*; ²*ElectroDynamic Applications, Ann Arbor, MI, USA*

1C: Basic Plasma Phenomena (1)

Bremsstrahlung from Hot and Dense Plasmas: A Many-Body Theoretical Approach 194

C. Fortmann, G. Roepke, A. Wierling; *Quantum theory and many-particle systems, Institute for Physics, University of Rostock, Rostock, Germany*

Contraction of Superhigh Pressure Discharge Channel at Achievement of the Pease- 198 Braginskii Critical Current

P. G. Rutberg, M. E. Pinchuk, A. A. Bogomaz, A. V. Budin, S. Y. Losev, A. A. Pozubenkov; *Institute for Electrophysics and Electric Power of Russian Academy of Sciences, Saint-Petersburg, Russia*

1D: X-ray, Charged Particle, and Neutron Diagnostics

COMMISSIONING EXPERIMENTS ON THE 100 TERAWATT SANDIA LASER 204

J. A. King¹, J. Pasley¹, F. Beg¹, E. Brambrink², A. Edens², M. Geissel², D. Headley², P. K. Rambo², J. Schwarz², D. B. Sinars², R. B. Stephens³; ¹*MAE, University of California, San Diego, San Diego, CA, USA*; ²*Sandia National Laboratory, Albuquerque, NM, USA*; ³*General Atomics, San Diego, CA, USA*

Flash X-Ray Diffraction System for Ultrafast Temperature and Phase Transition Measurements 209

D. V. Morgan, D. R. Macy, M. J. Madlener, J. G. Morgan; *LAO, NSTec, Los Alamos, NM, USA*

Diagnostics of Plasma on Installation Angara - 5-1 213

G. M. Oleinik, V. V. Alexandrov, I. N. Frolov, E. V. Grabovsky, A. N. Gribov, A. N. Gritsuk, K. N. Mitrofanov, Y. N. Laukhin, I. Y. Porofeev, G. S. Volkov, V. I. Zaitsev; *TRINITI, Troitsk, Russia*

1E: High Current/High Power Pulsers

Status on the Sphinx Machine Based on the 1microsecond Ltd Technology 217

F. Lassalle, B. Roques, C. Mangeant, A. Loyen, A. Georges, H. Calamy, J. -F. Cambonie, S. Laspalles, D. Cadars, G. Rodriguez, J. -M. Delchie, P. Combes, T. Chanconie, J. Saves; *Centre d'études de Gramat, Gramat, France*

High Current Linear Transformer Driver (LTD) Experiments 222

M. G. Mazarakis¹, W. E. Fowler¹, D. H. McDaniel¹, C. L. Olson¹, S. T. Rogowski¹, R. A. Sharpe¹, K. W. Struve¹, A. A. Kim², V. A. Sinebryukhov², A. N. Bostrikov², S. N. Volkov², V. G. Durakov², R. M. Gilgenbach³; ¹*1672, Sandia National Laboratories, Albuquerque, NM, USA*; ²*Pulsed Power Dept., High Current Electronic Institute, Tomsk, Russia*; ³*Nuclear Engineering & Radiol., University of Michigan, Ann Arbor, MI, USA*

Genetic Optimization for Pulsed Power System Configuration 226

S. F. Glover¹, K. W. Reed¹, F. E. White², M. J. Harden³; ¹*Sandia National Laboratories, Albuquerque, NM, USA*; ²*Ktech Corporation, Albuquerque, NM, USA*; ³*National Security Technology LLC, Los Alamos, NM, USA*

1F: Closing Switches (1)

PCSS Triggered Pulsed Power Switches 231

F. J. Zutavern¹, S. F. Glover¹, K. W. Reed¹, M. J. Cich¹, A. Mar¹, M. E. Swalby¹, T. A. Saiz¹, M. L. Horry¹, F. R. Gruner², F. E. White³; ¹*Sandia National Laboratories, Albuquerque, NM, USA*; ²*Kinetech LLC, Olympia, WA, USA*; ³*Ktech Corporation, Albuquerque, NM, USA*

GaAs Photoconductive Semiconductor Switch Fabrication for Improved Reliability 236

M. J. Cich, R. J. Kaplar, J. D. Weiss, A. Mar, T. A. Saiz, M. E. Swalby, F. J. Zutavern, S. F. Glover, M. L. Horry, K. W. Reed; *Sandia National Laboratories, Albuquerque, NM, USA*

Laser Triggering of Spark Gap Switches with Less than 100uJ's of Energy 240

S. F. Glover, J. A. Alexander, K. W. Reed, G. E. Pena, M. L. Horry, J. M. Usher, J. M. Lehr; *Sandia National Laboratories, Albuquerque, NM, USA*

Zr Laser Triggered Gas Switch Requirements and Performance 245
K. R. LeChien¹, D. E. Bliss¹, J. M. Lehr¹, J. E. Maenchen¹, D. H. McDaniel¹, M. E. Savage¹,
K. W. Struve¹, J. R. Woodworth¹, J. P. Corley², K. C. Hodge², P. E. Wakeland², K. R. Prestwich³,
¹Sandia National Laboratories, ALBUQUERQUE, NM, USA; ²Ktech Corporation, ALBUQUERQUE,
NM, USA; ³Kenneth R. Prestwich Consulting, ALBUQUERQUE, NM, USA

Optical Diagnostics of the Zr Gas Switch 250
J. R. Woodworth¹, D. E. Bliss¹, M. E. Savage¹, K. R. LeChien¹, J. E. Maenchen¹, J. M. Lehr¹,
J. P. Corley², K. C. Hodge², D. Guthrie², Z. Wallace², V. Anaya², G. Feltz², P. Wakeland²,
T. Thompson², J. R. Blickem², M. J. Hardin³; ¹MS 1193, Sandia National Laboratories, Albuquerque,
NM, USA; ²Ktech Corporation, Albuquerque, NM, USA; ³NSTECHE, Los Alamos, NM, USA

Jitter and Recovery Rate of a Triggered Spark Gap with High Pressure Gas Mixtures 254
Y. -J. Chen, J. J. Mankowski, J. W. Walter, J. C. Dickens; *Center for Pulse Power and Power
Electronics, Texas Tech University, Lubbock, USA*

2A: High Power Microwaves (1)

Space Applications of High Power Microwaves 258
J. N. Benford; *Microwave Sciences, Inc., Lafayette, CA, USA*

Short Pulse High Power Microwave Surface Flashover 266
L. M. McQuage, G. F. Edmiston, J. P. Mankowski, A. A. Neuber; *Center for Pulsed Power and Power
Electronics, Dept. of Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, USA*

Initiation of HPM Surface Flashover 270
G. F. Edmiston, A. A. Neuber, J. T. Krile, L. M. McQuage, H. Krompholz; *Electrical Engineering,
Texas Tech University, Lubbock, TX, USA*

Repetitively-Pulsed Relativistic BWO with Enhanced Mechanical Frequency Tunability 274
E. M. Totmeninov, S. A. Kitsanov, A. I. Klimov, I. K. Kurkan, S. D. Polevin, V. V. Rostov; *Physical
Electronics, Institute of High Current Electronics, Tomsk, Russia, Russia*

2B: High Energy Capacitors, Transmission Lines, and Transformers

The Development and Performance of High Energy Density Capacitors 278
F. W. MacDougall¹, J. Ennis¹, X. H. Yang¹, T. R. Jow², J. Ho², M. Schneider¹, J. R. MacDonald¹,
P. J. Fox¹, T. E. Hopkins¹, S. -P. S. Yen³; ¹General Atomics Electronic Systems, Inc., San Diego, CA,
USA; ²Army Research Laboratory, Adelphi, MD, USA; ³Jet Propulsion Laboratory, Pasadena, CA,
USA

Recent Advances in High Voltage, High Energy Capacitor Technology 282
J. B. Ennis, F. W. MacDougall, C. Yang, R. A. Cooper, K. Seal, C. Naruo, B. Spinks, P. Kroessler,
J. Bates; *Energy Products, General Atomics Electronic Systems, Inc., San Diego, CA, USA*

Metallized Bopp Main Energy Storage and Preionization Capacitors for Iskra-6 Facility	286
<i>G. Borelli¹, G. Picci¹, M. Rabuffi¹, I. Galakhov², V. Osin²; ¹ICAR S.p.A., Monza, Italy; ²Power conditioning system for lasers, RFNC-VNIIEF, Sarov, Russia</i>	
Stacked Annular Form Factor Film Capacitors for High Voltage and High Current Applications	290
<i>T. A. Hosking, M. A. Brubaker; SBE Inc., Barre, VT, USA</i>	
Ceramic-Polymer Composite for High Energy Density Capacitors	294
<i>J. Borchardt¹, J. Alexander¹, K. Slenes², R. De La Fuente²; ¹Sandia National Laboratories, Albuquerque, NM, USA; ²TPL Inc., Albuquerque, NM, USA</i>	
Performance Limitations of Transmission Line Oscillators for High Power Mesoband Sources	298
<i>J. S. Tyo¹, M. C. Skipper², M. D. Abdalla², S. P. Romero², D. V. Giri³; ¹University of Arizona, Tucson, AZ, USA; ²ASR Corporation, Albuquerque, NM, USA; ³Pro-Tech, Alamo, CA, USA</i>	
A High DB/DT, Square-Pulse Excitation Magnetic Core Test Stand for Comparison of Ferrite, Metglas, and Nanocrystalline Materials	302
<i>R. D. Curry, R. Burdt; Electrical and Computer Engineering, Univ. of Missouri-Columbia, Columbia, MO, USA</i>	
Magnetically Insulated Pulse Transformers	307
<i>M. Istenic, B. M. Novac, J. Luo, R. Kumar, I. R. Smith; Department of Electronic and Electrical Engineering, Loughborough University, Loughborough, Leicestershire, UK</i>	

2C: Medical, Biological, & Environmental Applications (1)

Electromagnetic Implosion Using an Array	311
<i>C. E. Baum; ECE Department, University of New Mexico, Albuquerque, NM, USA</i>	
Sterilization of Spores Using a Direct Current Steady State Atmospheric Pressure Plasma Discharge Apparatus	314
<i>A. Balasundaram¹, I. Alexeff², E. P. Pradeep³, N. Karnam², N. R. Pulasani²; ¹Dept of Industrial and Information Engineering, University of Tennessee, Knoxville, TN, USA; ²Dept of Electrical and Computer Engineering, University of Tennessee, Knoxville, TN, USA; ³Dept of Statistics, Operations and Management Sciences, University of Tennessee, Knoxville, TN, USA</i>	
Comparison of Antibacterial Effect in Atmospheric Pressure Plasmas Excited with Fast-Rising Voltage Pulse	316
<i>T. Akitsu, K. Katayama-Hirayama; Interdisciplinary Graduate School of Medicine and Engineering, University of Yamanashi, Kofu, Yamanashi, Japan</i>	

Bacterial Inactivation by Pulsed Corona Discharge in Water 320
P. Lukes¹, M. Clupek¹, V. Babicky¹, T. Vykouk²; ¹*Department of Pulse Plasma Systems, Institute of Plasma Physics, v.v.i., Academy of Sciences of the Czech Republic, Prague, Czech Republic;* ²*Department of Water Technology and Environmental Engineering, Institute of Chemical Technology, Prague, Czech Republic*

Water-Bloom Treatment by Underwater Pulsed Streamer-like Discharges 324
H. Akiyama¹, Z. Li¹, T. Ohno¹, X. Lin¹, D. Wang¹, H. Sato¹, T. Namihira¹, T. Sakugawa¹, H. Takano¹, S. Kunitomo², M. Ayukawa², H. Fujiwara²; ¹*Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan;* ²*Ebara Environmental Engineering Co.,LTD, Tokyo, Japan*

2D: Fast Z-Pinches & Radiation Sources (1)

Time-Resolved Voltage Measurements of Imploding Radiation Sources with a Vacuum Voltmeter at 6 MA 328
D. P. Murphy, B. V. Weber, R. J. Commisso, J. P. Apruzese, D. Mosher; *Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*

Measurements of the Enclosed Electric Power at Compression of Wire Arrays on Installation "ANGARA-5-1" 332
V. V. Aleksandrov, I. N. Frolov, E. V. Grabovski; *Department of Current-Driving Plasma, SRC RF TRINITI, Troitsk, Russia*

Study of Radiating Z Pinches and «Baikal» Project 336
E. V. Grabovski¹, V. V. Alexandrov¹, V. A. Afanasyev¹, P. V. Sasorov², V. P. Smirnov¹; ¹*SRC RF TRINITI, Troitsk, Russia;* ²*SRC RF ITEP, Moscow, Russia*

2E: Basic Plasma Phenomena (2)

Pure Electron Plasmas Confined on Magnetic Surfaces 340
J. W. Berkery, T. S. Pedersen, Q. R. Marksteiner, M. S. Hahn, J. P. Kremer, R. G. Lefrancois; *Applied Physics and Applied Math Dept., Columbia University, New York, NY, USA*

Investigation of Recombination Effects in Dielectric Barrier Discharges: a Model 344
K. Arshak, I. Guiney, E. Forde; *Electronic and Computer Engineering, University of Limerick, Limerick, Ireland*

Plasma Particle Analysis on and near the Surface in Barrier Discharges Usin Laser-Based Measurement 349
T. Sakurai; *Interdisciplinary Graduate School of Medicine and Engineering, University of Yamanashi, Kofu, Japan*

2F: Microwave/RF Plasma Interactions

An Operating Intelligent Plasma Antenna

353

T. Anderson^{1,2}, I. Alexeff^{1,2}, E. Farshi^{1,2}, N. Karnam¹, E. P. Pradeep¹, N. R. Pulasani¹, J. Peck³;
¹Electrical Engineering, University Of Tennessee, Knoxville, TN, USA; ²Haleakala R&D, Brookfield, Massachusetts, USA; ³Impeccable Instruments, Knoxville, TN, USA

2P: High Energy Capacitors (P)

Testing of High Energy Density Capacitors

357

T. J. Crowley¹, B. Shaheen¹, S. Bayne², R. Jow³; ¹AMSRD-ARL-SE-DP, ARL, Adelphi, MD, USA; ²AMSRD-ARL-SE-DE, ARL, Adelphi, MD, USA; ³AMSRD-ARL-SE-DC, ARL, Adelphi, MD, USA

Electro-Thermal Simulation Studies for Pulsed Voltage Induced Energy Absorption and Potential Failure in Microstructured ZnO Varistors

361

R. Joshi¹, G. Zhao¹, H. P. Hjalmarson²; ¹Electrical & Computer Engineering, Old Dominion University, Norfolk, VA, USA; ²Sandia National Laboratories, Albuquerque, NM, USA

2P: Optical and Microwave Diagnostics (P)

Design of a Multichord Optical Interferometer with an Axial Fiber-Optic Probe to Measure Electron Density in a Field-Reversed Configuration

367

J. F. Camacho¹, E. L. Ruden²; ¹NumerEx, Albuquerque, NM, USA; ²Directed Energy Directorate, Air Force Research Laboratory, Albuquerque, NM, USA

2P: Atmospheric-Pressure Nonthermal Plasmas (P1)

Processing of Films and Fabrics with the Mod-Viii Roll-to-Roll One Atmosphere Uniform Glow Discharge Plasma (OAUGDP®) Reactor

372

Z. Chen, Q. Li, X. Dai, T. Bonds, J. R. Roth; *ECE Department, University of Tennessee, Knoxville, USA*

Atmospheric Pressure Transient Micro Glow Discharge Driven by Burst Pulse Generator with Nonlinear Transmission Line

376

S. Ibuka, F. Furuya, K. Ogura, K. Yasuoka, S. Ishii; *Dept. of Electrical and Electronic Eng., Tokyo Institute of Technology, Tokyo, Japan*

Generation of Microplasma by Pulsed Discharge of a Liquid Filament

382

N. Shirai, K. Matsui, S. Ibuka, K. Yasuoka, S. Ishii; *Dept. of Electrical and Electronic Eng., Tokyo Institute of Technology, Tokyo, Japan*

NO Removal by Ns Pulsed Streamer Discharge 387
T. Tokuichi, D. Wang, T. Namihira, S. Katsuki, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto 865-8555, Japan*

Processing and Characterization of Nano Aluminium Powder Using Electric Explosion Process (eep) 391
R. Sarathi¹, T. K. Sindhu¹, S. R. Chakravarthi¹, R. Jayaganthan²; ¹*Electrical Engineering, Indian Institute of Technology Madras, Chennai, Chennai, India*; ²*Metallurgical Engineering, Indian Institute of Technology Roorkee, Roorkee, India*

2P: Medical, Biological, & Environmental Applications (P1)

Influence of Streamer-to-Glow Transition in NO_x Removal Using Pulsed Power Generator with SOS Diodes 395
K. Takaki¹, K. Kanesawa¹, S. Mukaigawa¹, T. Fujiwara¹, T. Go²; ¹*Iwate University, Morioka, Iwate, Japan*; ²*Ichinoseki National College of Technology, Ichinoseki, Iwate, Japan*

Influence of NO Initial Concentration on Removal Efficiency in Dielectric Barrier Discharge Reactor 399
K. Takaki, T. Sato, S. Mukaigawa, T. Fujiwara; *Iwate University, Morioka, Iwate, Japan*

The Effect of Pulsed Streamer-like Discharge in Liquid on Transcriptional Activation of Retrotransposon Genes of a Red Alga, *Porphyra Yezoensis* 403
T. Ohno, Z. Li, X. Lin, W. Zhang, H. Takano, S. Takio, T. Namihira, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan*

Effect of Pulse Width on Ozone Generation in Pulsed Streamer Discharges 407
H. Tamaribuchi, D. Wang, T. Namihira, S. Katsuki, H. Akiyama; *Graduate School of Sci. & Tech., Kumamoto University, Kumamoto 860-8555, Japan*

Impulsive Field Near the Second Focus Along the Symmetry Axis of a Prolate-Spheroidal IRA 411
S. Altunc, C. E. Baum, C. Christodoulou, E. Schamiloglu; *Department of Electrical and Computer Engineering, University of New Mexico, Albuquerque, NM, United States*

2P: Closing Switches (P2)

Cygnus PFL Switch Jitter 415
C. V. Mitton¹, G. D. Corrow¹, M. D. Hansen¹, D. J. Henderson¹, D. S. Nelson², E. C. Ormond², S. R. Cordova², I. Molina², J. R. Smith³; ¹*National Security Technologies (NSTec), 2621 Losee Rd, USA*; ²*Sandia National Laboratories, Albuquerque, NM, USA*; ³*Los Alamos National Laboratory, Los Alamos, NM, USA*

Behaviour of High Current Switch for LMJ Project	420
B. Cassany ¹ , L. Courtois ¹ , P. Eyl ¹ , P. Patrice ¹ , C. Drouilly ² ; ¹ CEA, Le Barp, France; ² ITHPP, Thegra, France	
Sequential Nanosecond Switch	423
V. V. Kladukhin ¹ , S. V. Kladukhin ¹ , S. P. Khramtsov ¹ , N. F. Kovalev ² ; ¹ Institute of Electrophysics, Ekaterinburg, Russia; ² Institute of Applied Physics, Nizhny Novgorod, Russia	
Material Testing on High Voltage Laser Triggered Gas Switches for ZR	428
P. E. Wakeland ¹ , J. Corley ¹ , K. Hodge ¹ , D. Guthrie ¹ , V. Anaya ¹ , Z. Wallace ¹ , T. Thompson ¹ , G. Feltz ¹ , R. Maier ² , K. LeChien ² , M. Savage ² , J. Van Den Avyle ³ , J. Woodworth ² , D. Bliss ² ; ¹ Pulsed Power, Ktech Corporation, Albuquerque, NM, USA; ² Pulsed Power, Sandia National Laboratories, Albuquerque, NM, USA; ³ Material Science, Sandia Consultant, Albuquerque, NM, USA	
Do Gas-Filled Switches Still Have a Future?	432
K. G. Frank, B. -J. Lee, I. Petzenhauser, H. Rahaman; <i>Physics Department I, University of Erlangen-Nuremberg, Erlangen, Germany</i>	
Thyratron Grid Protection and Monitor System	438
B. Richardson, R. Sheldrake, C. Pirrie; <i>RF systems, e2v technologies, Chelmsford Essex, UK</i>	
Spectrographic Analysis of the Plasma Arc Generated Within the Rimfire Gas Switch	442
R. D. Curry, C. Yeckel; <i>Electrical and Computer Engineering, Univ. of Missouri-Columbia, Columbia, MO, USA</i>	
Avalanche Injection and Lock-on in Photoconductive Semiconductor Switches	446
H. P. Hjalmanson ¹ , K. E. Kambour ¹ , C. W. Myles ² , R. P. Joshi ³ ; ¹ Sandia National Laboratories, Albuquerque, NM, USA; ² Physics Department, Texas Tech University, Lubbock, TX, USA; ³ Department of Electrical and Computer Engineering, Old Dominion University, Norfolk, VA, USA	
Development of a Heavy Duty Pulsed Power Generator with Ten Spark Gap Switches	451
Z. Liu ¹ , G. Pemen ¹ , H. Winands ¹ , B. V. Heesch ¹ , K. Yan ² ; ¹ Electrical engineering, Eindhoven University of Technology, Eindhoven, Netherlands; ² Environmental Science, Zhejiang University, Hangzhou, China	
Application of a Self-Breakdown Hydrogen Spark Gap Switch on High Power Pulse Modulator	455
J. -L. Liu ^{1,2} , Y. Yin ² , T. -W. Zhan ² , J. -H. Feng ² , H. -H. Zhong ² ; ¹ Department of Electrical Engineering, Tsinghua University, Beijing, China; ² College of Optoelectric Science and Engineering, National University of Defense Technology, Changsha, China	
Experimental Study of the Voltage Recovery Characteristics of Spark Gap Switch with Different Gases	459
Y. Yin, J. -L. Liu, H. -H. Zhong, J. -H. Feng; <i>College of Optoelectric Science and Engineering, National University of Defense Technology, Changsha 410073, China</i>	

2P: Compact Pulsed Power (P)

- Design of an Ultra Compact UWB Pulse Former** 464
B. Martin¹, P. Delmote¹, B. Jecko²; ¹EMW, French-German Research Institute of Saint-Louis, Saint Louis, France; ²OSA, University of Limoges, Limoges, France
- Evaluation of BJTs as Closing Switch of Miniaturized Marx Generator** 468
C. Yamada, T. Ueno, T. Namihira, T. Sakugawa, S. Katsuki, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto 860-8555, Japan*
- High Power RF Generation from Non-Linear Delay Lines** 472
J. D. Darling, P. W. Smith; *Department of Engineering Science, University of Oxford, Oxford, UK*
- Compact High Voltage Subnanosecond Pulsed Power Delivery System for Biological Applications** 476
P. Krishnaswamy, A. Kuthi, M. -T. Chen, S. -J. Chen, P. T. Vernier, M. A. Gundersen; *Department of Electrical Engineering and Physics, University of Southern California, Los Angeles, CA, USA*
- Stacked, Parallel-Plate Solid-Dielectric Blumlein Lines for Compact Pulsed Power** 481
M. T. Domonkos¹, J. O'Loughlin¹, D. Brown², C. W. Gregg², T. Montoya³, J. Parker², K. Slenes⁴, T. Tran¹, P. Turchi¹; ¹DEHP, Air Force Research Laboratory, Kirtland AFB, NM, USA; ²SAIC, Albuquerque, NM, USA; ³Voss Scientific, Albuquerque, NM, USA; ⁴TPL, Inc., Albuquerque, NM, USA

2P: Pulsed Power Diagnostics (P)

- Simple, Noninvasive and Wide-Band Current and Voltage Sensors for Use with Coaxial Cables** 486
R. Kumar, B. M. Novac, I. R. Smith; *Department of Electronic and Electrical Engineering, Loughborough University, Loughborough, Leicestershire, UK*
- B-Dot Detector Signal Recording at the Darht II Accelerator** 490
J. B. Johnson¹, C. A. Ekdahl¹, W. B. Broste²; ¹HX-6/HX Division, Los Alamos National Lab, Los Alamos, NM, USA; ²NS Tech, Los Alamos, NM, USA
- Dual-Waveform Ringing Gain Analysis and Its Application to the Pre-Pulse Reduction on Blumlein-Based X-Ray Machines** 493
T. J. Williams, S. G. Clough; *Radiographic Diode and Pulsed Power Team, Hydrodynamics Department, AWE, Reading, Berkshire, UK*
- Pre-Pulse Minimisation on Blumlein-Based X-Ray Machines by Optimisation of Balance Circuit Parameters** 499
T. J. Williams, S. G. Clough; *Radiographic Diode and Pulse Power Team, Hydrodynamics Department, AWE, Reading, Berkshire, UK*

2P: Microwave/RF Plasma Interactions (P)

- Dispersion Characteristics of Cyclotron Waves in a Warm Plasma Waveguide** 505
F. M. Aghamir; *Plasma Physics Research Center, Azad University, Tehran, Iran*
- Variation of the Discharge Characteristics with the Ion Mass in a Capacitive Coupled Rf Plasma** 509
S. O. Cetiner, S. Veitzer, P. Stoltz; *Tech-X Corporation, Boulder, USA*

2P: Transmission Lines and Transformers (P)

- Coaxial Wave Transformer with Bends** 511
V. V. Kladukhin¹, S. V. Kladukhin¹, S. P. Khramtsov¹, N. F. Kovalev²; ¹*Institute of Electrophysics, Ekaterinburg, Russia*; ²*Institute of Applied Physics, Nizhny Novgorod, Russia*
- High Energy Density Dielectrics for Transmission Line** 514
W. Jue¹, Y. Ping², L. Bin³; ¹*Institute of Electrical Engineering, Chinese Academy of Sciences, Bei Jing, China*; ²*Institute of Electrical Engineering, Chinese Academy of Sciences, Bei Jing, China*; ³*Xi'an Jiaotong University, Xi'an, China*
- Low Impedance Z-Pinch Drivers Without Post-Hole Convolute Current Adders** 519
D. B. Seidel¹, M. E. Savage¹, C. W. Mendel, Jr.²; ¹*Pulsed Power Sciences Center, Sandia National Laboratories, Albuquerque, NM, USA*; ²*Cove Consulting, Belle Haven, VA, USA*

2P: Fast Z-Pinches & Radiation Sources (P1)

- Absolute Spectral Radiation from 200-ns X-Pinch Plasma** 525
L. E. Aranchuk, J. B. Larour; *Lab Physique Technologie des Plasmas, Ecole Polytechnique / CNRS, Palaiseau, France*

3A: Fast Wave Devices - Gyroamplifiers and Novel Concepts

- Large Orbit Gyrotron as High-Power Far-Infrared Radiation Source** 529
W. Jiang¹, K. Hashimoto¹, K. Itoh¹, T. Hayashi², T. Saito², T. Idehara², M. Kamada³; ¹*Nagaoka University of Technology, Nagaoka, Japan*; ²*University of Fukui, Fukui, Japan*; ³*Japan Atomic Energy Agency, Naka, Japan*
- Investigation of High-Harmonic Gyrotrons with Frequency-Doubled Prebunched Beams** 533
A. W. Fliflet, M. K. Hornstein, S. H. Gold; *Div. of Plasma Physics, Naval Research Laboratory, Washington, DC, USA*

3B: Compact Pulsed Power

Ferrite-Free, Oil-Switched, Four-Stage High-Gradient Module for Compact Pulsed Power Applications 538

M. A. Rhodes, J. Watson, D. Sanders, S. Sampayan, G. Caporaso; *Beam Research, Lawrence Livermore National Laboratory, Livermore, CA, USA*

Energy Storage Capacitor Cell with Semiconductor Switches 542

B. E. Fridman¹, V. A. Belyakov¹, E. N. Bondarchuk¹, A. T. Chegodaev¹, A. A. Drozdov¹, R. S. Enikeev¹, N. A. Kovrizgnyh¹, V. P. Muratov¹, V. P. Prokopenko¹, A. G. Roshal¹, Y. V. Aristov², S. V. Korotkov², G. D. Chumakov³, A. A. Hapugin³, V. A. Martynenko³; ¹*STC Sintez, D.V. Efremov Scientific Research Institute of Electrophysical Apparatus, S.-Petersburg, Russia*; ²*Ioffe Physico-Technical Institute, S.-Petersburg, Russia*; ³*JSC Electroprivyamitel, Saransk, Russia*

Discrete Pulse Forming Lines for a Compact z-pinch Pulsed Power Generator 546

L. S. Caballero Bendixsen, P. W. Smith; *Department of Engineering Science, University of Oxford, Oxford, Oxfordshire, UK*

Repetitive Pulsed Power Based on Semiconductor Switching Devices 550

W. Jiang¹, N. Oshima¹, T. Yokoo¹, K. Nakahiro¹, H. Honma¹, K. Takayama², M. Wake², N. Shimizu³, A. Tokuchi⁴; ¹*Nagaoka University of Technology, Nagaoka, Japan*; ²*High Energy Accelerator Research Organization, Tsukuba, Japan*; ³*NGK Insulators Ltd., Nagoya, Japan*; ⁴*Nichikon Corporation, Kusatsu, Japan*

Compact Spark-Gap Switched PFL Based on Ceramic Blocks 553

J. E. Dolan¹, N. Seddon¹, C. R. Spikings¹, A. J. G. Cannon²; ¹*BAE SYSTEMS Advanced Technology Centre, Bristol, UK*; ²*MBDA UK Novel Systems, Bristol, UK*

Design Principles for Vector Inversion Generators 556

Z. Shotts, M. F. Rose, Z. Roberts; *Radiance Technologies Inc., Huntsville, AL, USA*

Design and Testing of a Vector Inversion Generator Operating as a RF Oscillator 560

Z. S. Roberts, Z. Shotts, F. Rose, R. Miller, M. Zorn; *Radiance Technologies, Auburn, AL, USA*

3C: Closing Switches (2)

Evaluation of Switch Jitter on a High Pressure Coaxial Spark Gap 564

C. James, J. C. Dickens, S. Holt; *Dept of Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, USA*

Novel Closing Switches on the Base of Fast Ionization Fronts in Semiconductors 568

I. V. Grekhov, S. V. Korotkov, P. B. Rodin; *Solid State Electronis Div., Ioffe Physico-Technical Institute, Russian Academy of Sciences, St.Petersburg, Russia*

3D: Atmospheric-Pressure Nonthermal Plasmas (1)

- Characterization of Nano-Seconds Pulsed Streamer Discharges** 572
T. Namihira, T. Tokuichi, D. Wang, S. Katsuki, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan*
- Development and Suppression of Instability in Post-Discharge Channel** 576
S. B. Leonov¹, M. N. Shneider²; ¹*Joint Institute of High Temperature RAS, Moscow, Russia;* ²*Princeton University, Princeton, NJ, USA*
- Functionalization of Polymers Using N₂ Pulsed Dielectric Barrier Discharge** 582
J. H. Yim¹, H. Ayan², D. Pappas³, V. N. Vasilets², A. Fridman², G. R. Palmese¹; ¹*Department of Chemical & Biological Engineering, Drexel University, Philadelphia, PA, USA;* ²*Department of Mechanical Engineering & Mechanics, Drexel University, Philadelphia, PA, USA;* ³*U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, USA*
- Matching a Pulsed Power Modulator to a Corona Plasma Reactor** 587
G. J. J. Winands¹, A. J. M. Pemen¹, E. J. M. V. Heesch¹, Z. Liu¹, K. Yan²; ¹*Electrical engineering, Eindhoven University of Technology, Eindhoven, Netherlands;* ²*Department of Environmental Science, Zhejiang University, Hangzhou, China*

3E: Intense Electron and Ion Beams (1) - Radiography Applications

- Plasma-Filled Rod-Pinch Diode Research on Gamble II** 591
B. V. Weber¹, R. J. Allen¹, R. J. Commisso¹, G. Cooperstein¹, D. D. Hinshelwood¹, D. Mosher¹, D. P. Murphy¹, P. F. Ottinger¹, D. G. Phipps¹, J. W. Schumer¹, S. J. Stephanakis¹, S. B. Swanekamp¹, S. C. Pope², J. R. Threadgold², L. A. Biddle², S. Clough², A. W. P. Jones², M. A. Sinclair², D. Swatton², T. Carden², B. V. Oliver³; ¹*Naval Research Laboratory, Washington, DC, USA;* ²*Atomic Weapons Establishment, Aldermaston, UK;* ³*Sandia National Laboratories, Albuquerque, NM, USA*
- IDERIX: an 8MV Flash X-Rays Machine Using a LTD Generator Design** 599
L. Véron¹, M. Toury¹, C. Vermare¹, F. Bayol², G. Avrillaud², A. A. Kim³; ¹*CEA/PEM, Pontfaverger, France;* ²*ITHPP, Tegra, France;* ³*HCEI, Tomsk, Russia*
- High Power Pinched-Beam Diode Development for Radiographic Applications** 603
D. D. Hinshelwood¹, R. J. Allen¹, R. J. Commisso¹, G. Cooperstein¹, B. M. Huhman¹, S. L. Jackson¹, D. Mosher², D. P. Murphy¹, P. F. Ottinger¹, J. W. Schumer¹, S. B. Swanekamp², B. V. Weber¹, F. C. Young², J. Threadgold³, B. V. Oliver⁴; ¹*Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA;* ²*L3 Communications, Reston, VA, USA;* ³*AWE, Aldermaston, UK;* ⁴*Sandia National Laboratories, Albuquerque, NM, USA*

Development of the Self Magnetic Pinch Diode as a High Brightness Radiographic Source 609

J. R. Threadgold¹, P. Martin¹, A. Jones¹, D. Short¹, J. Mclean¹, G. Cooper¹, A. Heathcote¹, D. Hinshelwood², D. Mosher², R. Allen², G. Cooperstein², S. Portillo³, B. Oliver³, D. Rose⁴, D. Welch⁴, N. Bruner⁴; ¹*Diode Research Team, AWE Aldermaston, Reading, UK*; ²*Pulsed Power, Naval Research Laboratory, Washington, USA*; ³*Pulsed Power, Sandia National Laboratories, Albuquerque, USA*; ⁴*Voss Scientific, Albuquerque, USA*

Initial Investigations into the Role of the Bremsstrahlung Conversion Target in the Self Magnetic Pinch Radiographic Diode 614

P. N. Martin, J. Threadgold, A. Jones, D. J. Short, J. Mclean, G. Cooper, K. Webb, G. Jefferies, P. Juniper; *Atomic Weapons Establishment, Reading, Berkshire, UK*

3F: Optical, Microwave, and Pulsed Power Diagnostics

A Single Channel Discharge Reactor for the Diagnosis of Dielectric Barrier Discharge Reactors 618

S. Yao, Y. Fujioka; *Chemical Research Group, Research Institute of Innovative Technology for the Earth, Kyoto, Japan*

Spatial Dynamics of Oscillations in a Thermal Plasma Jet 622

J. Hlína, J. Gruber, J. Šonský; *Department of Electrophysics, Institute of Thermomechanics, Academy of Sciences of the Czech Republic, Prague, Czech Republic*

Direct Comparison of Quantitative Shadowgraphy with Interferometry for Plasma Density Measurements 626

A. Gopal, S. Minardi, C. Petridis, M. Tatarakis; *Department of Electronics, Technological Educational Institute of Crete - Branch of Chania, Chania, Greece*

Improved Method for Embedded Object Detection and Reconstruction Through near-Field Pulse Imaging Techniques 630

N. E. Islam, S. Tantong, B. Camps-Raga, P. Kirawanich; *University of Missouri, Columbia, USA*

The Diagnostics Development Program for Pulsers at Physics International Co 635

D. G. Pellinen; *None, Livermore, USA*

4A: Fast Z-Pinches & Radiation Sources (2)

Time Resolved X-Ray Plasma Emission in Low Current X-Pinches 639

D. M. Haas, S. C. Bott, Y. Eshaq, U. Ueda, F. N. Beg; *Mechanical and Aerospace Engineering Department, University of California, San Diego, La Jolla, CA, USA*

Impact of Load Variations on the Stagnation of Nested Stainless Steel and Copper Z Pinches 643

C. A. Coverdale¹, C. Deeney², B. Jones¹, P. D. LePell³, A. L. Velikovich⁴, J. W. Thornhill⁴, J. Davis⁴, Y. K. Chong⁴, R. W. Clark⁴, J. P. Apruzese⁴, K. G. Whitney⁵, J. Chittenden⁶; ¹*Sandia National Labs, Albuquerque, NM, USA*; ²*NNSA, DOE, Washington DC, USA*; ³*Ktech Corporation, Albuquerque, NM, USA*; ⁴*Naval Research Lab, Washington DC, USA*; ⁵*Berkeley Scholars, Washington DC, USA*; ⁶*Imperial College, London, UK*

Microsecond Planar Wire Array Implosions on the GIT-12 Generator

649

A. V. Shishlov, S. A. Chaikovsky, A. V. Fedunin, F. I. Fursov, V. A. Kokshenev, N. E. Kurmaev, A. Y. Labetsky, V. I. Oreshkin, A. G. Rousskikh, N. A. Zhidkova; *Institute of High Current Electronics, Tomsk, Russia*

4B: Low Pressure Non-Equilibrium Plasma Processing

An Experimental Study of Hydrogen Production by Dissociation of Water Vapor in a Helicon Plasma Source 654

S. Nguyen¹, K. Lemmer¹, A. Gallimore¹, J. Foster²; ¹*Aerospace Engineering, University of Michigan, Ann Arbor, MI, USA*; ²*Nuclear Engineering and Radiological Sciences, University of Michigan, Ann Arbor, MI, USA*

4C: Thrusters

Atomospheric Discharge Using a High Power Millimeter Wave and Its Application to Rocket Propulsion 658

Y. Oda¹, K. Komurasaki¹, K. Takahashi², A. Kasugai², K. Sakamoto²; ¹*Department of Advanced Energy, the university of Tokyo, Kashiwa, Chiba, Japan*; ²*Naka Fusion Institute, Japan Atomic Energy Agency, Naka, Ibaraki, Japan*

Hollow Cathode Conditioning and Discharge Initiation Studies

662

B. Rubin, J. D. Williams; *Mechanical Engineering, Colorado State University, Fort Collins, CO, USA*

Correlation of Direct and Remote Measurements on a Hollow Cathode Plasma Discharge

666

C. C. Farnell, J. D. Williams, C. C. Farnell; *Mechanical Engineering, Colorado State University, Fort Collins, USA*

Genetic Algorithm for Ion Thruster Grid Design

670

C. C. Farnell, J. D. Williams; *Mechanical Engineering, Colorado State University, Fort Collins, USA*

4D: Medical, Biological, & Environmental Applications (2)

- DNA Fragmentation Induced by Intense Burst Sinusoidal Electric Fields** 674
N. Nomura¹, Y. Yamamoto¹, R. Hayashi¹, K. Uto¹, S. Katsuki¹, H. Akiyama¹, I. Uchida², S. -I. Abe²,
H. Takano²; ¹*Dept. of Electrical and Computer Engineering, Kumamoto University, Kumamoto, Japan;* ²*Dept. of Biological Science, Kumamoto University, Kumamoto, Japan*

4E: High Power Microwaves (2)

- RF Pulse Formation in Nonlinear Transmission Lines** 678
N. Seddon, J. E. Dolan, C. R. Spikings; *BAE SYSTEMS Advanced Technology Centre, Bristol, UK*
- Theoretical Pulsed Ring down Antenna Array Performance** 682
J. Walter, J. Dickens, J. Mankowski, M. Kristiansen; *Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, USA*
- Experimental Studies of Anode and Cathode Materials in a Repetitive-Driven Axial Vircator** 686
M. Elfsberg, T. Hurtig, A. Larsson, C. Möller, S. E. Nyholm; *Defence & Security Systems and Technology, Swedish Defence Research Agency, Tumba, Sweden*
- Efficiency and Extraction Optimization of Relativistic Magnetron** 690
W. Jiang, H. Yamazaki, M. Daimon; *Nagaoka University of Technology, Nagaoka, Japan*

4F: Repetitive Pulsed Power Systems

- Solid-State Upgrade for the COBRA JUDY S-Band Phased Array Radar** 694
M. Kempkes, M. Gaudreau, J. Casey, T. Hawkey, J. Mulvanwy, R. Herron; *Diversified Technologies Inc., Bedford, MA, USA*
- Solid-State Repetitive Sos-Based Generators Providing a Peak Power of Gw-Range** 698
S. N. Rukin, A. I. Bushlyakov, S. K. Lyubutin, A. V. Ponomarev, B. G. Slovikovsky,
S. P. Timoshenkov, S. N. Tsyanov; *Ural Division, Institute of Electrophysics Russian Academy of Sciences, Ekaterinburg, Russia*
- High Repetition Rate Pulsed Power Generator for Extreme Ultraviolet Light Source** 702
T. Sakugawa, K. Nagano, Y. Kondo, T. Namihira, S. Katsuki, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan*
- High-Voltage / High-Current Pulse Power for Civil, Commercial, Research, and Military Test Applications - Part IV: Pulse Magnetic Welding** 706
Y. Livshiz, A. Izhar, O. Gafri; *R and D, Pulsar Ltd., Yavne, Israel*

Repetitive All Solid State Pulse Marx Type Generator with Energy Recovery Clamp Circuit for Inductive Loads	711
<i>L. M. S. Redondo, M. T. Pereira; DEEA/CEEI, Instituto Superior de Engenharia de Lisboa, Lisbon, Portugal</i>	
Openable Coils for Magnetic Pulse Industrial Applications	716
<i>Y. Livshiz, A. Izhar, O. Gafri; R and D, Pulsar Ltd., Yavne, Israel</i>	
All-Solid-State Pulsed Power Supply Based on Marx Generator	720
<i>K. Liu, Y. Wu, J. Qiu; Department of Electrical Light Source, Fudan University, Shanghai, China</i>	

3P: Thrusters (P)

3P: Atmospheric-Pressure Nonthermal Plasmas (P2)

Absolute Measurements of Nitric Oxide Production Rate in Atmospheric Plasma Jet	724
<i>A. V. Pipa, T. Bindemann, E. Kindel, J. Roepcke, D. Uhrlandt, K. -D. Weltmann; INP Greifswald, Greifswald, Germany</i>	
Simulation of Atmospheric Pressure Methane-Hydrogen Microdischarge for Diamond like Carbon (dlc) Film Deposition	728
<i>T. I. Farouk, B. Farouk, A. Gutsol, A. Fridman; Dept of Mechanical Engineering and Mechanics, Drexel University, Dept of Mechanical Engineering and Mechanics, Philadelphia, PA, USA</i>	
Plasma Torch Optical Diagnostic of a Single-Phase Alternating Current Plasma Generator	732
<i>A. V. Pavlov, P. G. Rutberg, G. V. Nakonechny, R. V. Ovchinnikov, S. D. Popov, A. A. Safronov, A. I. Sakov, E. O. Serba, A. V. Surov; Institute for Electrophysics and Electric Power, Russian Academy of Sciences, St-Petersburg, Russia</i>	
Investigation of Coaxial Chemical Reactor Configuration for Nanosecond Pulsed Power Discharge	736
<i>N. Shimomura¹, F. Fukawa¹, T. Yano¹, S. Yamanaka¹, K. Teranishi¹, H. Akiyama²; ¹Institute of Technology and Science, The University of Tokushima, Tokushima, Japan; ²Department of Electrical and Computer Engineering, Kumamoto University, Kumamoto, Japan</i>	

3P: Medical, Biological, & Environmental Applications (P2)

- Germination Studies of Soybeans as a Biofuel Resource Using Magnetic and Electromagnetic Fields** 740
D. Sleper¹, P. Kirawanich², S. Tantong², B. Camps-Raga², J. E. Thompson³, N. E. Islam²; ¹*Division of Plant Sciences, University of Missouri, Columbia, USA*; ²*Electrical & Computer Engineering, University of Missouri, Columbia, USA*; ³*College of Engineering, University of Missouri, Columbia, USA*
- A WIDE-BAND FOCUSING SYSTEM FOR BIOELECTRIC APPLICATIONS** 744
S. Xiao¹, M. A. Migliaccio¹, T. Camp¹, J. F. Kolb¹, K. H. Schoenbach¹, C. E. Baum²; ¹*Old Dominion University, Frank Reidy Research Center for Bioelectrics, Norfolk, VA, USA*; ²*University of New Mexico, Department of Electrical and Computer Engineering, Albuquerque, NM, USA*
- Evaluation of Concrete Made from Recycled Coarse Aggregates by Pulsed Power Discharge Treatments** 748
T. Namihira, K. Nakashima, S. Narahara, S. Inoue, S. Iizasa, S. Maeda, M. Shigeishi, M. Ohtsu, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan*
- A Compact Nitric Oxide Supply for Medical Application** 752
S. Sakai¹, M. Matsuda¹, D. Wang¹, T. Namihira¹, H. Akiyama¹, K. Okamoto², K. Toda¹; ¹*Graduate School of Science and Technology, Kumamoto University, Kumamoto 860-8555, Japan*; ²*Department of Intensive and Critical Care Medicine, Shinshu University School of Medicine, Nagano 390-8621, Japan*
- Electroporation as an Optimizing Step in the Drying of Green Biomass** 756
M. Sack, C. Eing, L. Buth, T. Berghöfer, W. Frey, H. Bluhm; *IHM, Forschungszentrum Karlsruhe, Karlsruhe, Germany*
- Investigation of Ways and Methods to Increase the Time of Continuous Operation of Alternating Current Plasma Generators in Industrial Applications** 760
A. V. Surov, P. G. Rutberg, K. A. Kuzmin, V. E. Kuznetsov, A. V. Nikonov, R. V. Ovchinnikov, A. A. Safronov, V. A. Spodobin, O. B. Vasilieva; *Institute for Electrophysics and Electric Power, Russian Academy of Sciences, St-Petersburg, Russia*
- The Effects of Two Successive High Voltage Pulses on Aquatic Organisms** 764
S. Kono¹, K. Hirayama¹, K. Matsushita¹, H. Akiyama²; ¹*Electrical Engineering Department, Ariake National College of Technology, Omuta, Fukuoka, Japan*; ²*Department of Electrical and Computer Engineering, Kumamoto University, Kumamoto, Kumamoto, Japan*

3P: High Power Microwaves (P1)

- Repetitive Generation of X-Band Superradiation at 3-Gw Peak Power** 768
M. I. Yalandin¹, S. K. Luybutin¹, S. N. Rukin¹, K. A. Sharypov¹, V. G. Shpak¹, S. A. Shunailov¹, B. G. Slovikovsky¹, S. P. Timoshenkov¹, M. R. Ulmasculov¹, V. V. Rostov², D. M. Grishin², V. P. Gubanov², A. A. Elchaninov², A. I. Klimov², G. A. Mesyats³; ¹*Institute of Electrophysics UB RAS, Ekaterinburg, Russia*; ²*High Current Electronics Institute SB RAS, Tomsk, Russia*; ³*Lebedev Physical Institute RAS, Moscow, Russia*
- COMPACT Ka-BAND GENERATOR of MICROWAVE SUPERRADIATIVE PULSES** 772
M. I. Yalandin¹, K. A. Sharypov¹, V. G. Shpak¹, S. A. Shunailov¹, M. R. Ulmasculov¹, V. V. Rostov², G. A. Mesyats³; ¹*Institute of Electrophysics UB RAS, Ekaterinburg, Russia*; ²*High Current Electronics Institute SB RAS, Tomsk, Russia*; ³*Lebedev Physical Institute RAS, Moscow, Russia*
- Measurement of Parameters of X-Band High Power Microwave Superradiative Pulses** 776
A. I. Klimov, O. B. Kovalchuk, V. V. Rostov, A. N. Sinyakov; *Physical Electronics, Institute of High Current Electronics, Tomsk, Russia, Russia*
- Experimental Studies of an Axial Vircator with Different Cathode Geometries** 780
M. U. Karlsson, F. Olsson, S. -E. Wiippa, J. Axinger, B. O. Bergman; *Dammbrokontoret, BAE Systems Bofors AB, Karlskoga, Sweden*
- A Virtual Cathode Oscillator With Double Cavities** 784
H. Wang, Y. Zhang; *College of Opeoelectronic Science and Engineering, National University of Defense Technology,, changsha, China*

3P: Intense Electron and Ion Beams (P)

- A Compact, 1-MV, 6-kA Radiography Source With A One-Meter Extension And Right-Angle Bend** 788
B. M. Huhman¹, R. J. Allen¹, G. Cooperstein¹, D. Mosher², F. C. Young², J. W. Schumer¹; ¹*Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*; ²*L-3 Corporation Titan Group, Reston, VA, USA*
- Radiographic Paraxial Diode Investigations on RITS-6** 794
K. D. Hahn¹, B. V. Oliver¹, M. D. Johnston¹, D. R. Welch², G. Cooper³, J. McLean³, N. Bruner², S. Portillo¹, D. V. Rose², J. Leckbee¹, I. Molina¹, S. Cordova¹; ¹*Pulsed Power Applications, Sandia National Laboratories, Albuquerque, NM, USA*; ²*Voss Scientific, Albuquerque, NM, USA*; ³*Atomic Weapons Establishment, Reading, Berkshire, UK*
- Immersed-Bz Diode Research on RITS at Sandia** 798
D. C. Rovang¹, M. D. Johnston¹, J. E. Maenchen¹, B. V. Oliver¹, S. Portillo¹, E. Puetz¹, N. Bruner², D. V. Rose², D. R. Welch², G. M. Cooper³, J. Mclean³; ¹*Sandia National Laboratories, Albuquerque, NM, USA*; ²*Voss Scientific, Albuquerque, NM, USA*; ³*Atomic Weapons Establishment, Aldermaston, Reading, Berkshire, UK*

**Modeling Dynamic Magnetically Insulated Transmission Line Flow in a Transmission 802
Line Code**

J. W. Schumer, P. F. Ottinger, D. D. Hinshelwood, R. J. Allen; *Plasma Physics Division, Naval Research Laboratory, Washington, DC 20375, USA*

Modeling the RITS-6 Transmission Line

807

N. L. Bruner¹, D. Rose¹, D. Welch¹, D. Johnson², B. Oliver³, V. Bailey², C. Mostrom¹; ¹*Voss Scientific, LLC, Albuquerque, NM, USA*; ²*L-3 Communications Pulse Sciences Division, San Leandro, CA, USA*; ³*Sandia National Laboratories, Albuquerque, NM, USA*

Power Flow in the Vacuum Section of the Eros Accelerator

811

A. W. P. Jones, J. Threadgold, M. Sinclair, A. Stevens; *Atomic Weapons Establishment, Aldermaston, UK*

Electron Density Measurements on Radiographic Diodes

815

S. L. Jackson¹, D. D. Hinshelwood¹, B. V. Weber¹, A. Critchley², W. McBarron², P. Martin², J. Threadgold², B. V. Oliver³; ¹*Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*; ²*AWE, Aldermaston, UK*; ³*Sandia National Laboratories, Albuquerque, NM, USA*

Characterization of an Intense Electron Beam Driven by CESAR a 600 kV 300 kA Pulsed Power Generator

822

L. Voisin, D. Hebert, T. Desanlis, A. Galtié; *CEA/CESTA, Le Barp, France*

Scalloped Hibachi and Vacuum-Pressure Foil for Electra: Electron Beam Pumped KrF Laser

826

R. Jaynes¹, J. Sethian², F. Hegeler³, T. Albert³; ¹*SAIC, McLean, VA, USA*; ²*NRL, Washington, DC, USA*; ³*CTI, Alexandria, VA, USA*

Generation of Intense Pulsed Heavy Ion Beam by Bipolar Pulse Accelerator

831

H. Ito, D. Nakanishi, I. Kitamura, K. Masugata; *Electrical and Electronic Engineering, University of Toyama, Toyama, Toyama, Japan*

Generation of an Intense Pulsed Aluminum Ion Beam by a Magnetically Insulated Ion Diode with Vacuum Arc Ion Source

835

K. Masugata, H. Ito; *Department of Electrical Engineering, University of Toyama, Toyama, Japan*

Intense Relativistic Electron Beam Diode in Presence of Prepulse

839

A. Roy, J. Mondal, R. Menon, S. Mitra, D. P. Kumar, A. Sharma, K. V. Nagesh, K. C. Mittal, D. P. Chakravarthy; *Accelerator and Pulse Power Division, Bhabha Atomic Research Centre, Mumbai, 400085, India*

Generation and Dose Distribution Measurement of Flash X-Ray in KALI-5000 System

843

J. Mondal, R. Menon, A. Roy, S. Mitra, D. D. P. Kumar, A. Sharma, K. C. Mittal, K. V. Nagesh, D. P. Chakravarthy; *Accelerator and Pulse Power Division, Bhabha Atomic Research Centre, Mumbai, 400085, India*

3P: Opening Switches (P)

- Opening Switch Utilizing Shock Wave Induced Conduction in PMMA and PVC** 846
C. Lynn, A. Neuber, J. Dickens; *Center for Pulsed Power and Power Electronics, Lubbock, Tx, USA*

3P: Low Pressure Non-Equilibrium Plasma Processing (P)

- Plasma Immersion Ion Implantation with Lithium Ions** 850
R. M. Oliveira¹, M. Ueda¹, J. O. Rossi¹, B. L. D. Moreno²; ¹*Plasma Laboratory, National Institute for Space Research, SJ Campos, SP, Brazil*; ²*Materials Laboratory, National Institute for Space Research, SJ Campos, Brazil*
- Short Repetitive Pulses of 50-75 kV Applied to Plasma Immersion Implantation of Aerospace Materials** 853
J. O. Rossi, M. Ueda, C. B. Mello, G. da Silva; *Plasma Laboratory, National Institute for Space Research, SJ Campos, SP, Brazil*

3P: Repetitive Pulsed Power Systems (P)

- PFMA-1: a 1-Hz, 150-kJ Pulsed Power System for Plasma Focus Generation** 857
F. Rocchi¹, M. Sumini¹, D. Mostacci¹, S. Mannucci¹, A. Tartari², E. Angeli², R. E. Beverly III³; ¹*Nuclear Engineering Laboratory of Montecuccolino, University of Bologna, Bologna, Italy*; ²*Department of Physics, University of Ferrara, Ferrara, Italy*; ³*R. E. Beverly III and Associates, Lewis Center, Ohio, USA*
- Solid-State IGBT/SOS-based Generator with 100-kHz Pulse Repetition Frequency** 861
S. N. Rukin, S. K. Lyubutin, A. V. Ponomarev, B. G. Slovikovsky, S. N. Tsyranov, P. V. Vasiliev; *Ural Division, Institute of Electrophysics Russian Academy of Sciences, Ekaterinburg, Russia*
- High-Voltage Generator of Microsecond Pulses** 865
I. I. Vintzenko, A. I. Mashchenko, V. Y. Mityushkina; *Nuclear Physics Institute, Tomsk, Russia*
- Pulsed Modulator for an IEC Neutron Source** 869
G. E. Dale; *ISR-6, Los Alamos National Laboratory, Los Alamos, NM, USA*
- Compact Marx Generator for Repetitive Applications** 874
H. Heo¹, S. S. Park¹, S. C. Kim¹, J. H. Seo¹, S. H. Kim¹, O. R. Choi¹, S. H. Nam¹, D. W. Choi², J. Y. Kim², W. S. Lee², J. H. So², W. Jang²; ¹*Pohang Accelerator Laboratory, Pohang, Kyungbuk, South Korea*; ²*ADD, Daejeon, South Korea*

3P: Vacuum Microelectronics (P)

3P: Fast Z-Pinches & Radiation Sources (P2)

Different Mechanisms of Shock Wave Generation and Breakdown upon Electrical Explosion of Thin Wires in Open Air 877

S. I. Tkachenko¹, D. V. Barishpoltsev², G. V. Ivanenkov², V. M. Romanova², A. E. Ter-Oganesyan², A. R. Mingaleev², T. A. Shelkovenko², S. A. Pikuz²; ¹Joint Institute for High Temperatures, Russian Academy of Sciences, Moscow, Russia; ²P.N.Lebedev Physical Institute, Leninsky Prospekt 53, Moscow, Russia

3P: Inertial Confinement Fusion and High Energy Density Hydrodynamics (P)

Dynamic Friction Experiments at the Atlas Pulsed Power Facility 881

C. L. Rousculp¹, J. E. Hammerberg¹, D. M. Oro¹, G. Rodriguez¹, R. J. Faehl¹, R. E. Reinovsky¹, J. R. Becker², R. A. Berglin², K. W. Delzer², G. H. Gomez², R. M. Malone², T. V. Pate², K. E. Theuer²; ¹Los Alamos National Laboratory, Los Alamos, NM, USA; ²National Security Technologies, Las Vegas, NV, USA

Application of Pulsed Power to the Compression of Magnetized Plasmas 886

S. Woodruff; Woodruff Scientific, LLC, Seattle, WA, USA

Magnetic Screening Against Shaped-Charge Action 890

G. A. Shvetsov¹, A. D. Matrosov¹, S. V. Fedorov², A. V. Babkin²; ¹Lavrentyev Institute of Hydrodynamics, Novosibirsk, Russia; ²Bauman Moscow State Technical University, Moscow, Russia

Sheared Flow as a Stabilizing Mechanism in Astrophysical Jets 894

L. F. Wanex, R. Presura; Nevada Terawatt Facility, University of Nevada, Reno, NV, USA

3P: Post-Deadline Submissions (P)

Calculation of Metallized Capacitor's Inner Pressure Intensity and Its Influence on the Self-healing Characteristics 899

Z. Kong, F. Lin, L. Dai, H. Li; College of Electrical and Electronic Engineering, Huazhong University of Science and Technology, Wuhan, China

Direct Approach Of RF/HPM Generation In Regards To MCG 903

M. M. Kekez; High-Energy Frequency Tesla Inc., Ottawa, Ont., Canada

TIN-Fueled High-Repetition-Rate Z-Pinch EUV Source for Semiconductor Lithography 908

Y. Teramoto¹, Z. Narihiro¹, D. Yamatani¹, T. Yokoyama¹, K. Bessho¹, Y. Joshima¹, T. Shirai¹, S. Mouri¹, T. Inoue¹, H. Mizokoshi¹, H. Yabuta¹, K. C. Paul¹, T. Takemura¹, T. Yokota¹, K. Kabuki¹, K. Miyauchi¹, K. Hotta¹, H. Sato¹, G. Niimi², T. Hosokai²; ¹*Extreme Ultraviolet Lithography System Development Association, Gotenba, Shizuoka, Japan*; ²*Ushio Inc., Gotenba, Shizuoka, Japan*

Progress in PIC Simulation of Dielectric Barrier Discharge for a Plasma Actuator 912

M. Huerta¹, L. Ludeking²; ¹*Physics Department, University of Miami, Coral Gables, FL, United States*; ²*ATK Mission Systems, Newington, VA, United States*

High Voltage Solid State Switched Vector Inversion Generator 918

J. Hanlon¹, Z. Shotts¹, S. Best², M. F. Rose¹; ¹*Radianc Technologies, Inc., Auburn, AL, USA*; ²*Space Research Institute, Auburn, AL, USA*

A PROTOTYPE DESIGN APPROACH FOR LIGHTNING DIRECT STRIKE TEST FACILITY 923

L. S. N. Wang; *Survivability & Vulnerability Assessment Directorate, White Sands Missile Range, NM, USA*

5A: High Energy Density Hydrodynamics

Pulsed Power Hydrodynamics: Atlas Results and Future Perspectives 930

R. E. Reinovsky; *Applied Physics, Los Alamos National Laboratory, Los Alamos, NM, USA*

Energy Losses in High Current Density Conductors 937

R. B. Spielman¹, S. Chantrenne¹, D. H. McDaniel²; ¹*Pulsed Power Division, Ktech Corporation, Albuquerque, NM, USA*; ²*Sandia National Laboratories, Albuquerque, NM, USA*

Blast Wave Measurements of Icf Hohlraum Energy Loss at Z 942

R. G. Watt¹, R. J. Kanzleiter¹, T. E. Tierney¹, G. Idzorek¹, R. R. Peterson¹, M. R. Lopez², M. Jones²; ¹*Los Alamos National Laboratory, Los Alamos, NM, USA*; ²*Sandia National Laboratories-Albuquerque, Albuquerque, NM, USA*

High Density High Velocity Plasma Jets Interaction 947

S. A. Galkin, N. I. Bogatu, J. -S. Kim; *FAR-TECH, Inc., San Diego, CA, USA*

Underwater Electrical Wire Explosion 951

Y. E. Krasik¹, A. Grinenko¹, S. Efimov¹, A. Sayapin¹, A. Fedotov¹, V. T. Gurovich¹, D. Veksler¹, J. Felsteiner¹, V. Oreshkin²; ¹*Physics Department, Technion, Haifa, Israel*; ²*High Current Electronics Institute, SB RAN, Tomsk, Russia*

5B: Atmospheric-Pressure Nonthermal Plasmas (2)

- Non-thermal Atmospheric RF Plasma in One-dimensional Spherical Coordinates** 957
Y. Sakiyama¹, D. B. Graves²; ¹*Dept. Mechanical Engineering, The University of Tokyo, Tokyo, Japan;* ²*Dept. Chemical Engineering, University of California, Berkeley, CA, USA*

5C: Intense Electron and Ion Beams (2) - Transport

- Adiabatic Thermal Equilibrium for Axisymmetric Intense Beam Propagation** 961
J. Zhou, K. Samokhvalova, C. Chen; *Plasma Science and Fusion Center,, MIT, Cambridge, MA, USA*
- The Role of Plasma Evolution in the Operation of a Self Magnetically Pinched Diode** 966
D. R. Welch¹, D. V. Rose¹, N. Bruner¹, B. V. Oliver²; ¹*Voss Scientific, LLC, Albuquerque, NM, USA;* ²*Sandia National Laboratories, Albuquerque, NM, USA*
- Influence of Dissipation on Instability of Overlimiting Electron Beam** 970
E. V. Rostomyan, L. B. Hovhakimyan; *Theoretical, Institute of Radiophysics & Electronics National Ac Sci of Armenia, Ashtarack, Armenia*

5D: ZR & Compact Pulsed Power

- Update on the Z Refurbishment Project (ZR) at Sandia National Laboratories** 975
E. A. Weinbrecht, D. D. Bloomquist, D. H. McDaniel, G. R. McKee, G. L. Donovan, J. W. Weed, T. V. Faturous, C. Moncayo; *Pulsed Power Sciences, Sandia National Laboratories, Albuquerque, NM, USA*
- An Overview of Pulse Compression and Power Flow in the Upgraded Z Pulsed Power Driver** 979
M. E. Savage¹, L. F. Bennett¹, D. E. Bliss¹, W. T. Clark¹, R. S. Coats¹, J. M. Elizondo¹, K. R. LeChien¹, C. Harjes¹, J. M. Lehr¹, J. E. Maenchen¹, D. H. McDaniel¹, M. F. Pasik¹, T. D. Pointon¹, A. C. Owen¹, D. B. Seidel¹, D. L. Smith¹, B. S. Stoltzfus¹, K. W. Struve¹, L. K. Warne¹, J. R. Woodworth¹, C. W. Mendel², K. R. Prestwich², B. Shoup³, D. L. Johnson⁴, J. P. Corley⁵, K. C. Hodge⁵, T. C. Wagoner⁵, P. E. Wakeland⁵, W. A. Stygar¹; ¹*Org. 1671, Sandia National Laboratories, Albuquerque, NM, USA;* ²*Org. 1671, Consultant, Albuquerque, NM, USA;* ³*Advanced Engineering Sciences, ITT Corporation, Albuquerque, NM, USA;* ⁴*L-3 Pulsed Sciences, San Leandro, CA, USA;* ⁵*Ktech Corporation, Albuquerque, NM, USA*
- Circuit Model Predictions for the Performance of ZR** 985
K. W. Struve¹, H. C. Harjes¹, J. P. Corley²; ¹*Dept. 1671, Sandia National Laboratories, Albuquerque, NM, USA;* ²*Ktech Corporation, Albuquerque, NM, USA*

Reduction of Electron Flow Current and Localized Anode Energy Deposition in Transitions from Coaxial Feeds to a Disk	990
<i>W. L. Langston, T. D. Pointon; EM and Plasma Physics Analysis, Sandia National Laboratories, Albuquerque, NM, USA</i>	
Solid State Pulse Adding System for Transient Plasma Ignition	995
<i>T. Tang, D. R. Singleton, H. Chen, C. D. Cathey, A. Kuthi, M. A. Gundersen; EE-EP, Univeristy of Southern California, Los Angeles, Ca, USA</i>	
Multi-Filament Triggering of Pcss for High Current Utilizing Vcsel Triggers	1000
<i>A. Mar, D. K. Serkland, G. A. Keeler, L. D. Roose, K. M. Geib, G. M. Loubriel, F. J. Zutavern; Directed Energy, Sandia National Laboratories, Albuquerque, NM, USA</i>	

5E: Vacuum Microelectronics & High Power Microwaves

5F: Opening Switches

A Simple High-Performance Exploding Wire Opening Switch	1004
<i>B. M. Novac¹, I. R. Smith¹, G. Louvadis²; ¹Department of Electronic and Electrical Engineering, Loughborough University, Loughborough, Leicestershire, UK; ²Electronics Department, Dstl, Fort Halstead, Kent, UK</i>	
Quantitative Analysis of Gas Circuit Breaker Physics Through Direct Comparison of 3D Simulations with Measurements	1008
<i>N. P. Basse, M. Abrahamsson, M. Seeger, T. Votteler; ABB Switzerland Ltd., Corporate Research, Baden-Dättwil, Switzerland</i>	
MHD Simulation of a Moving Arcs	1013
<i>S. Kosse¹, M. Wendt¹, D. Uhrlandt¹, K. -D. Weltmann¹, C. Franck²; ¹INP Greifswald, Greifswald, Germany; ²Corporate Research, ABB Switzerland Ltd., Baden-Daettwil, Switzerland</i>	
Electro-Explosive Fuse Optimization for Helical Flux Compression Generator Using a Non-Explosive Test Bed	1018
<i>D. McCauley, D. Belt, J. Mankowski, J. Dickens, A. Neuber, M. Kristiansen; Center for Pulse Power and Power Electronics, Texas Tech University, Lubbock, Texas, USA</i>	

PD1: Panel Discussion on High Power Microwaves: Where is it going?

6A: Solid State Switches

- A Hard Switch Modulator for the International Linear Collider** 1022
M. Kempkes; *Diversified Technologies Inc., Bedford, MA, USA*
- Solid State on-off Pulse Switches Using IGBT Technology** 1025
A. Welleman¹, W. Fleischmann¹, W. Kaesler²; ¹*ABB Switzerland Ltd, Semiconductors, CH-5600 Lenzburg, Switzerland*; ²*Puls-Plasmatechnik GmbH, D-44140 Dortmund, Germany*
- Pulse Evaluation of High Voltage SiC Diodes** 1029
H. O'Brien¹, W. Shaheen², S. B. Bayne¹, A. K. Agarwal³; ¹*U.S. Army Research Laboratory, Adelphi, MD, USA*; ²*Berkeley Research Associates, Beltsville, MD, USA*; ³*Cree, Inc., Durham, NC, USA*
- Evaluation of the Safe Operating Area of a 2.0 cm², 4 kV Si SGTO** 1034
H. O'Brien¹, W. Shaheen², T. Crowley², S. B. Bayne¹; ¹*U.S. Army Research Laboratory, Adelphi, MD, USA*; ²*Berkeley Research Associates, Beltsville, MD, USA*
- Wide Bandgap Extrinsic Photoconductive Switches** 1040
J. S. Sullivan, J. R. Stanley; *Beam Research Program, Lawrence Livermore National Laboratory, Livermore, CA, USA*
- Long-Pulse Modulator for the Superconducting RF Test Facility at KEK** 1044
M. Akemoto, H. Honma, H. Nakajima, T. Shidara, S. Fukuda; *High Energy Accelerator Research Organization(KEK), Tsukuba, Japan*

6B: Slow Wave Devices (1)

- Advantages of the Extended Interaction Klystron Technology at Millimeter and Sub-Millimeter Frequencies** 1049
B. Steer, M. Hyttinen, P. Horoyski, A. Roitman, R. Dobbs, D. Berry; *mmW Development, CPI Canada, Georgetown, Ontario, Canada*
- Start up and Saturation in Monotrons** 1054
J. J. Barroso; *National Institute for Space Research, S. José dos Campos, Brazil*

6C: Medical, Biological, & Environmental Applications (3)

Mechanism of Blood Coagulation by Non Thermal Atmospheric Pressure Dielectric Barrier Discharge 1058

S. Kalghatgi¹, G. Fridman², M. Balasubramanian³, A. Brooks⁴, V. Vasilets⁵, A. Fridman⁵, A. Gutsol⁵, G. Friedman¹; ¹*Department of Electrical and Computer Engineering, College of Engineering, Drexel University, Philadelphia, Pennsylvania, USA*; ²*School of Biomedical Engineering, Science and Health Systems, Drexel University, Philadelphia, Pennsylvania, USA*; ³*Department of Pathology and Laboratory Medicine, College of Medicine, Drexel University, Philadelphia, Pennsylvania, USA*; ⁴*Department of Surgery, College of Medicine, Drexel University, Philadelphia, Pennsylvania, USA*; ⁵*Department of Mechanical Engineering and Mechanics, Drexel University, Philadelphia, Pennsylvania, USA*

Commercial Pulsed Electric Field (PEF) Systems for Food and Wastewater Processing 1064

M. Kempkes; *Diversified Technologies Inc., Bedford, MA, USA*

PARAMETRIC SURVEY ON NO REMOVAL IN AN INTERMITTENT DIELECTRIC BARRIER DISCHARGE BY ONE-CYCLE SINUSOIDAL POWER SOURCE 1068

K. Yukimura¹, H. Murakami¹, M. Itoh²; ¹*Department of Electrical Engineering, Doshisha University, Kyotanabe, Kyoto, Japan*; ²*Department of Chemical Engineering and Materials Science, Doshisha University, Kyotanabe, Kyoto, Japan*

Potential Applications of Tandem Shock Waves in Cancer Treatment 1074

P. N. Sunka¹, V. N. Stelmashuk¹, J. N. Benes², P. N. Pouckova², J. N. Kralova³; ¹*Pulsed Plasma Systems, Institute of Plasma Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic*; ²*Institute of Biophysics, First Faculty of Medicine, Charles University, Prague, Czech Republic*; ³*Institute of Molecular Genetics, Prague, Czech Republic*

6D: High Current Accelerators - Charged Particle Beams

Estimating the Reliability of the LLNL Flash X-Ray (FXR) Machine 1078

M. M. Ong, R. Kihara, J. M. Zentler, B. R. Kreitzer, W. J. DeHope; *Lawrence Livermore National Laboratory, Livermore, USA*

Performance of the Darht Second Axis Induction Cells 1082

K. Nielsen¹, J. Baraza¹, M. Kang¹, B. Prichard²; ¹*Los Alamos National Lab, Los Alamos, NM, USA*; ²*SAIC, Los Alamos, NM, USA*

Pulsed Power Driven Flash X-Ray Sources for the Hydrus Project at AWE 1085

K. J. Thomas, I. Crotch; *Hydrodynamics Dept., AWE, Reading, Berks. RG7 4PR, UK*

Cygnus Performance in Subcritical Experiments 1089

J. R. Smith¹, D. S. Nelson², E. C. Ormond², S. R. Cordova², I. Molina², G. D. Corrow³, M. D. Hansen³, D. J. Henderson³, S. S. Lutz³, C. V. Mitton³; ¹*P-22, Los Alamos National Laboratory, Los Alamos, NM, USA*; ²*Sandia National Laboratories, Albuquerque, NM, USA*; ³*NSTec, Las Vegas, NV, USA*

Circuit Simulation of the MITL in an IVA with a Non-Ideal Center Conductor 1095
R. Allen, P. Ottinger, J. Schumer; *Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*

6E: Dusty Plasmas

Interparticle Forces Between the Upper and Lower Particles in a Vertically Aligned Dust Particle Chain 1102

J. Kong, J. Carmona-Reyes, T. W. Hyde; *CASPER, Baylor University, Waco, TX, USA*

Hypervelocity Dust Storm Launched with a Coaxial Plasma Gun 1106

C. M. Ticos, Z. Wang, G. A. Wurden; *Plasma Physics P-24, Los Alamos National Laboratory, Los Alamos, NM, USA*

PARTICLE DYNAMICS IN DUST ACOUSTIC WAVES AND PLASMA BUBBLES OF DUSTY PLASMAS 1110

C. -T. Liao, C. -Y. Tsai, L. -W. Teng, L. I; *Department of Physics, National Central University, Chungli, Taiwan*

6F: Computational Physics and Techniques

End-to-End Modeling with the HEIMDALL Code to Scope High-Power Microwave Systems 1114

J. N. Benford¹, J. A. Swegle²; ¹*Microwave Sciences, Inc., Lafayette, CA, United States*; ²*Savannah River National Laboratory, Aiken, SC, United States*

Some Practical Issues in the Treatment of Electromagnetic Boundaries in FDTD-PIC 1119

L. D. Ludeking, A. J. Woods; *ATK Mission Research and Technical Services, Newington, VA, USA*

A study of Wideband Pulse Interactions on a Large System Using the Modular Junction Topological Approach 1123

P. Kirawanich¹, S. J. Yakura², N. E. Islam¹; ¹*University of Missouri, Columbia, MO, USA*; ²*Directed Energy Directorate, Air Force Research Laboratory, Kirtland AFB, NM, USA*

4P: Slow Wave Devices (P)

Studies of Coherent Velocity Phase Space Structures in Traveling-Wave Tubes and Their Impact on Transmitter Performance 1129

J. P. Tate; *Santa Ana, California, USA*

4P: Explosive Power Generators (P)

- High-Voltage Pulse Generations by Power Conditioning of Flux Compression Generators** 1133
J. Kuk, D. Yim, J. Kim, C. Kim; *TEDC-3-7, Agency for Defense Development, Daejeon, South Korea*
- Analytical Method for Calculation of Currents Produced by Shock Wave Ferromagnetic Generators** 1137
E. F. Talantsev¹, S. I. Shkuratov¹, J. Baird¹, L. L. Altgilbers², A. H. Stults³; ¹*Loki Incorporated, Rolla, MO, USA*; ²*U.S. Army Space and Missile Defense Command, Huntsville, AL, USA*; ³*U.S. Army Aviation Research, Development and Engineering Center, Huntsville, AL, USA*
- Explosive-Driven Mini-System Based on Shock Wave Ferromagnetic Seed Source and Loop Magnetic Flux Compression Generator** 1141
S. I. Shkuratov¹, E. F. Talantsev¹, J. Baird¹, L. L. Altgilbers², A. H. Stults³; ¹*Loki Incorporated, Rolla, MO, USA*; ²*U.S. Army Space and Missile Defense Command, Huntsville, AL, USA*; ³*U.S. Army Aviation Research, Development and Engineering Center, Huntsville, AL, USA*
- Operation of the Longitudinal Shock Wave Ferroelectric Generator Charging a Capacitor Bank: Experiments and Digital Model** 1146
S. I. Shkuratov¹, E. F. Talantsev¹, J. Baird¹, A. V. Ponomarev², L. L. Altgilbers³, A. H. Stults⁴; ¹*Loki Incorporated, Rolla, MO, USA*; ²*Institute of Electrophysics, Russian Academy of Sciences, Ekaterinburg, Russia*; ³*U.S. Army Space and Missile Defense Command, Huntsville, AL, USA*; ⁴*U.S. Army Aviation Research, Development and Engineering Center, Huntsville, AL, USA*
- Small Helical Magnetic Flux Compression Generators: Experiments and Analysis** 1151
P. Appelgren, G. Bjarnholt, M. Elfsberg, T. Hurtig, A. Larsson, S. E. Nyholm; *Defence & Security Systems and Technology, Swedish Defence Research Agency, Tumba, Sweden*
- Modelling of a Small Helical Magnetic Flux Compression Generator** 1155
P. Appelgren, S. Andreasson, T. Hurtig, A. Larsson, S. E. Nyholm; *Defence & Security Systems and Technology, Swedish Defence Research Agency, Tumba, Sweden*
- Optimized Output Voltage of Flux Compression Generators by Modified Detonation Method** 1159
K. Niayesh, J. Jadidian, A. H. Mohamadzade Niaki; *School of Electrical and Computer Engineering, University of Tehran, Tehran, Iran*
- Fuse and Load Testing with Mid-Sized, High Energy Density Flux Compression Generators** 1165
A. J. Young¹, T. A. Holt¹, M. A. Elsayed¹, A. A. Neuber¹, M. Kristiansen¹, L. L. Altgilbers², A. H. Stults³; ¹*Center for Pulsed Power and Power Electronics Research, Texas Tech University, Lubbock, Texas, USA*; ²*SMDC, U.S. Army, Huntsville, Alabama, USA*; ³*AMRDEC, U.S. Army, Huntsville, Alabama, USA*
- Experimental Series on Behavior of Post-Damage Recollected Material** 1169
A. M. Kaul, G. Rodriguez; *X-1-PTA, Los Alamos National Laboratory, Los Alamos, NM, USA*

Development of an Ultra-Compact Explosively Driven Magnetic Flux Compression Generator System 1173

J. T. Krile¹, S. L. Holt¹, D. J. Hemmert¹, J. W. Walter², J. C. Dickens², L. L. Altgilbers³, A. H. Stults⁴;
¹HEM Technologies, Lubbock, TX, USA; ²Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, USA; ³Space and Missile Defense Command, U.S. Army, Huntsville, AL, USA; ⁴Aviation & Missile Research, Development, & Engineering Center, U.S. Army, Huntsville, AL, USA

Testing of New Ferroelectric Elements Custom Engineered for Explosively Driven Ferroelectric Generator Applications 1177

S. L. Holt¹, J. T. Krile¹, D. J. Hemmert¹, W. S. Hackenberger², E. F. Alberta², J. W. Walter³, J. C. Dickens³, L. L. Altgilbers⁴, A. H. Stults⁵; ¹HEM Technologies, Lubbock, TX, USA; ²TRS Technologies Inc., State College, PA, USA; ³Texas Tech University, Lubbock, TX, USA; ⁴U.S. Army SMDC, Huntsville, AL, USA; ⁵U.S. Army AMRDEC, Huntsville, AL, USA

ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLOSIVELY DRIVEN PLASMA JETS 1181

J. Walter, J. Dickens, M. Kristiansen; *Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, USA*

4P: Computational Physics and Techniques (P)

Nonstationary Simulation of Electron Beam Interaction with Coupled Resonant Microwave Oscillators 1185

N. M. Ryskin¹, V. N. Titov²; ¹Dept. of Nonlinear Physics, Saratov State University, Saratov, Russia; ²Dept. of Electronics, Oscillations and Waves, Saratov State University, Saratov, Russia

High-Order Compact Schemes for Plasma Wave Simulation 1191

M. D. White; *Ohio Aerospace Institute, Dayton, OH, USA*

Electrostatic Modeling of Vacuum Insulator Triple Junctions 1195

L. K. Tully, A. D. White, D. A. Goerz, J. B. Javedani, T. L. Houck; *Lawrence Livermore National Laboratory, Livermore, CA, USA*

Application of Derived Characteristics of Magnetic Cores to 3-Stage MPC Simulation 1201

J. Choi, T. Namihira, T. Sakugawa, S. Katsuki, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan*

Computational Modeling of High Pressure Gas Breakdown and Streamer Formation in External Electric Fields 1205

D. V. Rose¹, D. R. Welch¹, C. Thoma¹, L. K. Warne², R. Jorgenson²; ¹Voss Scientific, LLC, Albuquerque, NM, USA; ²Sandia National Laboratories, Albuquerque, NM, USA

4P: Solid State Switches (P)

A Design of Novel Gate Driver in SI-Thyristor for Pulsed Power Switching 1209

B. Kim¹, K. -C. Ko¹, E. Hotta²; ¹*Dept. of Electrical Eng, Hanyang university, Seoul, South Korea;*
²*Dept. of Energy Science, Tokyo Institute of Technology, Yokohama, Japan*

Stability of Over-Voltage Diode Characteristics in Exploitation Conditions 1215

M. Vujasic¹, P. Osmokrovic¹, B. Loncar², V. Vukic³; ¹*Faculty of Electrical Engineering, University of Belgrade, Belgrade, Serbia;* ²*Faculty of Technology and Metallurgy, University of Belgrade, Belgrade, Serbia;* ³*Institute of Electrical Engineering, Belgrade, Serbia*

4P: Microwave Systems (P)

Consolidation of Polycrystalline Ytria Powder by Millimeter-Wave Sintering for Laser Host Applications 1219

M. K. Hornstein¹, R. W. Bruce¹, A. W. Fliflet¹, S. H. Gold¹, M. Kahn¹, M. A. Imam²; ¹*Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA;* ²*Materials Science and Technology Division, Naval Research Laboratory, Washington, DC, USA*

4P: Medical, Biological, & Environmental Applications (P3)

Distinctive Features of Biomass Gasification Using AC Plasma Generators Working on Air 1223

A. N. Bratsev, V. E. Popov, V. B. Kovshechnikov, V. A. Kuznetsov, I. I. Kumkova, A. A. Ufimtsev, S. V. Shtengel; *Institute for Electrophysics and Electric power Russian academy of sciences, St.-Petersburg, Russia*

Use of Underwater Discharge Plasmas to Keep Aquarium Environment 1227

K. Yoshinaga, K. Yamamoto, T. Namihira, T. Sakugawa, S. Katsuki, H. Akiyama; *Graduate School of Science and Technology, Kumamoto University, Kumamoto 860-8555, Japan*

Air and Water Sterilization Using Non-Thermal Plasma 1231

N. D. Vaze¹, K. P. Arjunan¹, M. J. Gallagher¹, V. N. Vasilets¹, A. Gutsol¹, A. Fridman¹, S. Anandan²; ¹*Drexel Plasma Institute, Drexel University, Philadelphia, PA, USA;* ²*Department of Bioscience and Biotechnology, Drexel University, Philadelphia, PA, USA*

Decomposition of Brilliant Blue FCF in Water by Pulsed Power Discharge in a Water Droplets Spray 1236

T. Handa, Y. Minamitani, Y. Higashiyama; *electrical engineering, Yamagata University, yonezawa, Japan*

Output Characteristics of High Power Pulsed Electromagnetic Wave Generator for Medical Applications Using Water Gap Switch and Water Capacitor 1240

Y. Minamitani, Y. Ohe, T. Ueno, Y. Higashiyama; *Department of Electrical Engineering, Yamagata University, Yonezawa, Japan*

Pulsed Electric Discharges in Water and Oxide Nanoparticles 1244

P. G. Rutberg¹, V. A. Kolikov¹, V. N. Snetov¹, A. Y. Stogov¹, L. A. Noskin², S. B. Landa², A. V. Arutjunan²; ¹*Institute for Electrophysics and Electric Power RAS, Saint-Petersburg, Russia*; ²*Institute for Nuclear Physics RAS, Gatchina, Saint-Petersburg, Russia*

Determination of Fracturing Mechanisms in Ice Using Pulsed Power 1248

J. Zirnheld¹, S. Olabisi¹, B. Onyenucheya¹, E. Halstead¹, A. Halstead¹, H. Moore², H. Singh²; ¹*Electrical Engineering, University at Buffalo, Buffalo, NY, USA*; ²*U.S. Army RDECOM-ARDEC, Picatinny Arsenal, NJ, USA*

Application of IES Pulsed Power Generator for Mushroom Cultivation 1253

K. Takaki¹, K. Kanesawa¹, N. Yamazaki¹, S. Mukaigawa¹, T. Fujiwara¹, K. Takahashi², K. Yamashita², K. Nagane³; ¹*Iwate University, Morioka, Iwate, Japan*; ²*Morioka Forest Association, Morioka, Iwate, Japan*; ³*Nagane Co. Ltd., Kunohe-gun, Iwate, Japan*

4P: High Current Accelerators- Charged Particle Beams (P)

Beam Clean-up Zone Calculations for 2.5MV, 1.4kA Experiments on DARHT-2 1257

Y. Tang¹, T. P. Hughes², C. A. Ekdahl³, M. E. Schulze⁴; ¹*ATK-Misison Research, Albuquerque, NM 87110, USA*; ²*Voss Scientific, Albuquerque, NM 87108, USA*; ³*Los Alamos National Laboratory, Los Alamos, NM 87545, USA*; ⁴*SAIC, San Diego, CA 92121, USA*

“Real-Life” Pulse Flattening on the LLNL Flash X-Ray (FXR) Machine 1261

W. J. DeHope, R. Kihara, M. M. Ong, J. M. Zentler, B. R. Kreitzer; *Lawrence Livermore National Laboratory, Livermore, CA, USA*

RITS-6 Output Pulse Modifications 1264

J. Leckbee¹, B. Oliver¹, J. Maenchen¹, S. Portillo¹, M. Johnston¹, K. Hahn¹, D. Rovang¹, I. Molina¹, S. Cordova¹, D. L. Johnson², D. Van De Valde³; ¹*Sandia National Laboratories, Albuquerque, NM, USA*; ²*L3 Communications - Pulse Sciences, San Leandro, CA, USA*; ³*EG&G Technical Services, Inc., Albuquerque, NM, USA*

Influence of Variable Impedance Terminations and Input Voltages on the Operating Conditions of an Under-Matched Magnetically-Insulated Transmission Line 1268

V. L. Bailey¹, P. Corcoran¹, D. L. Johnson¹, I. Smith¹, B. Oliver², J. Maenchen²; ¹*L-3 Communications Pulse Sciences, San Leandro, CA, USA*; ²*Sandia National Laboratories, Albuquerque, NM, USA*

45 GW Pulsed-Power Generator 1272

A. Lindblom¹, A. Larsson^{1,2}, H. Bernhoff¹, M. Leijon¹; ¹*Division for Electricity and Lightning Research, Uppsala University, Uppsala, Sweden*; ²*Defence & Security Systems and Technology, Swedish Defence Research Agency, Tumba, Sweden*

DC GUN PHOTO-INJECTOR DESIGN FOR CEA RF ACCELERATOR 1276
S. J. Pichon, D. Guilhem, R. Bailly-Salins, J. -L. Lemaire; *DAM, CEA, BP 12, Bruyères-le-Châtel, 91680, France*

Inductive Voltage Adder Network Analysis and Model Simplification 1280
W. Zhang, W. Eng, C. -I. Pai, J. Sandberg, Y. Tan, Y. Tian; *Collider-Accelerator, Brookhaven National Laboratory, Upton, NY, USA*

4P: Laser Plasmas and Particle Acceleration (P)

Dynamics of Laser-Plasma Expansion Across Strong Magnetic Field 1284
R. Presura, V. V. Ivanov, Y. Sentoku, A. Esaulov, V. I. Sotnikov, S. Neff, C. Plechaty, S. Wright, P. J. Laca, A. Haboub, A. Morozov, M. Bakeman, S. Gaillard, P. Leblanc, R. Royle, J. Andersen, T. E. Cowan; *Nevada Terawatt Facility, University of Nevada, Reno, Reno, NV, USA*

Faraday Cup Measurements of the Energy Spectrum of Laser-Accelerated Protons 1288
S. Neff, S. Wright, C. Plechaty, J. Ford, R. Royle, R. Presura; *Nevada Terawatt Facility, University of Nevada, Reno, Reno, NV, USA*

Dipole RF Power from Laser Plasmas with No Dipole Moment 1292
F. Felber; *Physics Division, Starmark, Inc., San Diego, CA, USA*

Growth of Gaussian Spikes on Gaussian Laser Beam in a Plasma with Relativistic Nonlinearity 1296
A. Singh¹, M. Aggarwal¹, T. S. Gill²; ¹*Physics, National Institute of Technology, Jalandhar, Punjab, India;* ²*Physics, Guru Nanak Dev University, Amritsar, Punjab, India*

4P: Generators & Networks (P)

Massive Conductor Impedance and Peculiarities of Transients in Electrical Circuits with Massive Conductors of Pulsed Power Facilities 1301
B. E. Fridman, R. S. Enikeev; *STC "Sintez", D.V. Efremov Scientific Research Institute of Electrophysical Apparatus, S.-Petersburg, Russia*

Spice Simulation for Hard-Tube Modulators Design 1305
J. O. Rossi, J. J. Barroso, M. Ueda; *Plasma Laboratory, National Institute for Space Research, SJ Campos, SP, Brazil*

Active Reset Circuit with Energy Recovery for Solid State Modulators 1309
J. Biela, D. Bortis, J. W. Kolar; *ETH Zurich, Power Electronics System Laboratory, Zurich, Switzerland*

- Cygnus Trigger System** 1313
D. S. Nelson¹, E. C. Ormond¹, S. R. Cordova¹, I. Molina¹, J. R. Smith², G. D. Corrow³, M. D. Hansen³,
D. J. Henderson³, C. V. Mitton³; ¹*Sandia National Laboratories, Albuquerque, NM, USA*; ²*Los Alamos National Laboratory, Los Alamos, NM, USA*; ³*NSTec, N. Las Vegas, NV, USA*
- A Bipolar Marx Generator for a Mobile Electroporation Device** 1319
M. Sack, R. Stängle; *IHM, Forschungszentrum Karlsruhe, Karlsruhe, Germany*
- Active Gate Control for Current Balancing in Paralleled IGBT Modules in a Solid State Modulator** 1323
D. Bortis, J. Biela, J. W. Kolar; *Power Electronic Systems Laboratory, ETH Zurich, Zurich, Switzerland*
- Design of a High Voltage Triple Resonance Pulser** 1327
S. H. Nam, S. S. Park, H. Heo, S. C. Kim, S. H. Kim; *Accelerator, Postech/PAL, Pohang, South Korea*
- High-Voltage Multi-Pulse Generator Based on Series-PFL** 1332
Y. Li; *accelerator physics and applications, Institute of Fluid Physics CAEP, Mianyang, Sichuan, China*
- Pulse Generators with Nanosecond Leading Edge Duration based on TPI-Type Pseudospark Switches for FEL Complex** 1335
O. V. Anchugov¹, Y. G. Matveev¹, S. A. Shvedov¹, V. D. Bochkov², D. V. Bochkov², V. M. Dyagilev²,
V. G. Ushich², V. G. Popov³, S. F. Mikhailov³; ¹*G.I. Budker Nuclear Physics Institute, Siberian Branch, RAS, Novosibirsk, Russia*; ²*Pulsed Technologies Ltd., Ryazan, Russia*; ³*FEL Laboratory, Duke University, Durham, NC, USA*
- Application of TPI1-10k/50 Thyratrons for Building a Modulator, Intended for Supply of Inductive-Resistive Load in Double-Pulse Mode** 1339
A. V. Akimov¹, P. V. Logachev¹, V. D. Bochkov², D. V. Bochkov², V. M. Dyagilev², V. G. Ushich²;
¹*G.I. Budker Institute, Siberian Branch, RAS, Novosibirsk, Russia*; ²*Pulsed Technologies Ltd., Ryazan, Russia*

7A: Explosive Power Generators

- The Ranchito Helical Magnetic Flux Compression Generator** 1343
J. H. Goforth¹, C. M. Fowler¹, D. H. Herrera¹, H. Oona¹, D. G. Tasker¹, D. T. Torres¹,
R. A. Anderson², E. V. Baluyot², T. J. Clancy², D. P. Milhous², D. B. Reisman², A. D. White²; ¹*Los Alamos National Laboratory, Los Alamos, NM, USA*; ²*Lawrence Livermore National Laboratory, Livermore, CA, USA*
- Compact Autonomous Completely Explosive Pulsed Power System** 1347
S. I. Shkuratov¹, E. F. Talantsev¹, J. Baird¹, L. L. Altgilbers², A. H. Stults³; ¹*Loki Incorporated, Rolla, MO, USA*; ²*U.S. Army Space and Missile Defense Command, Huntsville, AL, USA*; ³*U.S. Army Space and Missile Defense Command, Huntsville, AL, USA*

Investigation of an FCG and Pulse Transformer Based Power Conditioning System 1352
T. A. Holt¹, A. J. Young¹, M. A. Elsayed¹, A. A. Neuber¹, M. Kristiansen¹, K. A. O'Connor²,
R. D. Curry²; ¹*Center for Pulsed Power & Power Electronics Research, Texas Tech University,
Lubbock, TX, USA;* ²*Department of Electrical Engineering, University of Missouri-Columbia,
Columbia, MO, USA*

Investigation of a High Voltage, High Frequency Power Conditioning System for Use with Flux Compression Generators 1356
R. D. Curry¹, K. O'Connor¹, L. Altgilbers²; ¹*Electrical and Computer Engineering, Univ. of Missouri-Columbia, Columbia, MO, USA;* ²*Space and Missile Defense Command, Huntsville, AL, USA*

On Models of Pulse Power Storage and Forming Lines 1360
P. D. Smith¹, C. Qu¹, K. Hong²; ¹*Department of Mathematics, Macquarie University, New South Wales, Australia;* ²*Defence Science and Technology Organisation, Edinburgh, Australia*

High Accuracy Isentropic Compression Studies with High Explosive Pulsed Power 1364
D. G. Tasker, J. H. Goforth, H. Oona; *Los Alamos National Laboratory, Los Alamos, NM, USA*

7B: Fast Wave Devices - Gyrotrons

7C: Microwave Systems

Hollow Beam Klystron Design for the International Linear Collider 1368
S. Humphries¹, P. Ferguson²; ¹*Field Precision LLC, Albuquerque, NM, USA;* ²*MDS Company, Oakland, CA, USA*

Modeling of a Single Element Pulsed Ring-down Antenna for Implementation in a Phased Array System 1372
D. Belt, J. Walter, J. Mankowski, J. Dickens; *Departments of Electrical and Computer Engineering and Physics, Texas Tech University, Lubbock, TX, USA*

7D: Laser Plasmas and Particle Acceleration

Collimated Ion Beam by a Laser-Illuminated Tailored Target 1376
S. Kawata, M. Nakamura, R. Sonobe, S. Miyazaki, N. Onuma, T. Kikuchi; *Graduate School of Engineering, Utsunomiya University, Utsunomiya, Japan*

Gamma-Ray Compton Light Source Development at LLNL 1382
F. V. Hartemann¹, S. G. Anderson¹, D. J. Gibson¹, C. A. Hagmann², M. S. Johnson², I. Jovanovic¹,
M. J. Messerly¹, J. A. Pruet², M. Y. Shverdin¹, A. M. Tremaine², D. P. McNabb², C. W. Siders¹,
C. P. Barty¹; ¹*NIF/PS&A, LLNL, Livermore, CA, USA;* ²*PAT/N-Div., LLNL, Livermore, CA, USA*

e-PLAS Analysis of Short Pulse Laser-Matter Interaction Experiments

1387

R. J. Mason¹, M. Wei², F. Beg², R. B. Stephens³, C. M. Snell⁴; ¹Research Applications Corporation, Los Alamos, NM, USA; ²University of California, San Diego, CA, USA; ³General Atomics, San Diego, CA, USA; ⁴Los Alamos National Laboratory, Los Alamos, NM, USA

7E: Atmospheric-Pressure Nonthermal Plasmas (3)

Non-Thermal Plasma-Assisted Combustion Research at Los Alamos

1391

L. A. Rosocha¹, Y. Kim¹, G. K. Anderson¹, S. Abbate², R. Sanchez-Gonzalez³; ¹Plasma Physics, Los Alamos National Laboratory, Los Alamos, NM, USA; ²ONERA, Paris, France; ³Universidad Autonoma de Queretaro, Queretaro, Mexico

FUEL REFORMING USING DIELECTRIC BARRIER DISCHARGE AND REFORMED FUEL EFFECTS ON BUNSEN FLAME

1395

M. Kim¹, A. Ambhore¹, Y. Kim²; ¹Mechanical Engineering, University of Texas at El Paso, El Paso, TX, USA; ²Plasma Physics, Los Alamos National Laboratory, Los Alamos, NM, USA

Dyeing Behavior of Atmospheric Dielectric Barrier Discharge Ar-O₂ Plasma Treated Poly(ethylene Terephthalate) Fabric

1399

X. L. Tang^{1,2}, Z. F. Ren^{3,4}, X. L. Chen¹, G. Qiu^{1,2}; ¹Plasma and Surface Research Center, College of Science, Donghua University, Shanghai 201620, P. R. China; ²College of Material Science and Engineering, Donghua University, Shanghai 201620, P. R. China; ³Department of Basic Science, Jining Medical College, Jining, Shandong 272013, P. R. China; ⁴College of Textile, Donghua University, Shanghai 201620, P. R. China

7F: Intense Electron and Ion Beams (3) / Plasma, Ion, and Electron Sources (2)

Plasma Emission Sources for High-Current Electron Beam Generation

1403

Y. E. Krasik, D. Yarmolich, J. Gleizer, V. Vekselman, Y. Hadas, J. Felsteiner; *Physics Department, Technion, Haifa, Israel*

Generation of Powerful Sub-Nanosecond E-Beams and X-Rays in Gas Discharges under Atmospheric Pressure

1409

V. F. Tarasenko; *LOR, High Current Electronics Institute, Tomsk, Russia*

On the Mechanism of Picosecond Electron Beam Generation in Gas-Filled Diode with Cold Cathode

1413

M. I. Yalandin¹, K. A. Sharypov¹, V. G. Shpak¹, S. A. Shunailov¹, G. A. Mesyats²; ¹Institute of Electrophysics UB RAS, Ekaterinburg, Russia; ²Lebedev Physical Institute RAS, Moscow, Russia

Reflex Triode X-Ray Source Research on Gamble II

1417

B. V. Weber, R. J. Commisso, G. Cooperstein, D. D. Hinshelwood, D. Mosher, D. P. Murphy, S. J. Stephanakis, S. B. Swanekamp; *Naval Research Laboratory, Washington, DC, USA*

8A: Thermal Plasma Chemistry and Materials Processing

Understanding Plasma Fluid Dynamics Inside Plasma Torches Through Advanced Modeling 1423

V. Colombo¹, E. Ghedini¹, S. Dallavalle², M. Vancini²; ¹Department of mechanical engineering, University of Bologna, Bologna, Italy; ²Cebora S.p.A., Cadriano di Granarolo (BO), Italy

The Impact of Molecular Radiation Processes in Water Plasma on Performance of Water-Vortex and Hybrid-Stabilized Electric Arcs 1429

J. Jenista, M. Bartlová, V. Aubrecht; *Institute of Plasma Physics AS CR, v.v.i., Praha, Czech Republic*

Suspension Plasma Spraying of Alumina Coatings: Process and Coating Structure 1433

J. -F. Coudert, V. Rat, H. Ageorges, A. Denoirjean, P. Fauchais, G. Montavon; *SPCTS - UMR CNRS 6638, Faculty of Sciences, University of Limoges, 87060 Limoges cedex, France*

Recycle of Metal-Plating on Plastics by Pulse Arc Discharges 1437

T. Nagashima¹, H. Akiyama², T. Namihira²; ¹Matsushita Electric Industrial Co., LTD, Osaka, Japan; ²Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan

8B: Dusty Plasmas (2) / Computational Physics and Techniques (2)

Phase Structural Transitions for Large 2D Dust Clusters in Complex Plasmas 1441

K. Qiao, T. W. Hyde; *CASPER, Baylor University, Waco, TX, USA*

Advanced PIC Algorithm with Adaptive Meshless Field Solver 1445

S. A. Galkin¹, B. P. Cluggish¹, J. -S. Kim¹, S. Y. Medvedev²; ¹FAR-TECH, Inc., San Diego, CA, USA; ²Keldysh Institute for Applied Mathematics, Moscow, Russia

Hybrid Simulation Algorithms for Plasma Accelerators and Fast Ignition 1449

C. H. Thoma¹, T. P. Hughes¹, D. R. Welch¹, R. E. Clark¹, J. J. MacFarlane², I. E. Golovkin²; ¹Voss Scientific, LLC, Albuquerque, NM, USA; ²Prism Computational Sciences, Madison, WI, USA

Analytic Model for Wall Heating in Pulsed- Power Systems 1453

R. J. Faehl¹, I. R. Lindemuth², R. E. Siemon²; ¹Allyson Faehl, Inc., Santa Fe, NM, USA; ²University of Nevada, Reno, Reno, NV, USA

8C: Pulsed Power for Lasers

Status of the NIF Power Conditioning System 1457

S. D. Hulse¹, G. T. Ullery¹, D. E. Petersen¹, D. L. Pendleton¹, C. W. Ollis¹, M. A. Newton¹, P. A. Arnold¹, T. B. Harwell², D. J. Cordoza²; ¹Lawrence Livermore National Laboratory, Livermore CA, USA; ²Raytheon Technical Services, Chula Vista, CA, USA

Plasma Electrode Pockels Cell Subsystem Performance in the National Ignition Facility 1462

A. F. Hinz¹, C. W. Ollis¹, F. Barbosa¹, R. A. Zacharias¹, E. S. Fulkerson¹, P. A. Arnold¹, C. L. Bishop²;
¹Lawrence Livermore National Laboratory, Livermore CA, USA; ²IAP World Services, Livermore CA, USA

A High Current, High Voltage Solid-State Pulse Generator for the NIF Plasma Electrode Pockels Cell 1468

P. A. Arnold¹, F. Barbosa¹, E. G. Cook², B. C. Hickman², G. L. Akana², C. A. Brooksby³; ¹National Ignition Facility, Lawrence Livermore National Laboratory, Livermore CA, USA; ²Beam Research Program, Lawrence Livermore National Laboratory, Livermore CA, USA; ³National Security Technologies, Livermore CA, USA

15 kJ Flash Lamp, Power Conditioning Unit Designed for Safety, Reliability & Manufacturability 1473

B. Merritt, G. Dreifuerst, G. F. James, S. Strickland, E. Tse; *National Ignition Facility, Lawrence Livermore National Laboratory, Livermore, CA, USA*

Capacitor Bank Module for Multi Megajoule Energy Storage 1479

B. M. Kovalchuk¹, E. V. Kumpyak¹, A. A. Kim¹, N. V. Tsoy¹, V. A. Visir¹, G. V. Smorudov¹, V. N. Kiselev¹, V. V. Chupin¹, A. V. Kharlov¹, F. Bayol², L. Frescaline², F. Cubaynes², C. Drouilly², P. Eyl³, B. Cassany³, L. Courtois³, P. Patelli³, J. -M. Mexmain⁴, D. Rubin de Cervens⁴, C. Cavailler⁴;
¹Institute of High Current Electronics, Tomsk, Russia; ²ITHPP, Thégua, France; ³CEA-CESTA, Le Barp, France; ⁴CEA-DAM, Bruyère le Châtel, France

The Electra KrF Laser System 1483

F. Hegeler¹, M. C. Myers², M. F. Wolford², J. D. Sethian², R. Jaynes³, P. Burns⁴, M. Friedman¹, J. L. Giuliani², T. Albert¹, J. Parish¹; ¹Commonwealth Technology, Inc, Alexandria, VA, USA; ²Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA; ³Science Applications International Corp., McLean, VA, USA; ⁴Research Support Instruments, Lanham, MD, USA

8D: Power Supplies and Modulators

A Precision 75kW, 25kV Power System for a Klystron Amplifier 1488

G. L. Bees, L. Simpson, A. Tydeman; *Lambda Americas, Neptune, NJ, USA*

A High Power Dynamically Flexible Pulse Width Radar Modulator 1492

R. L. Cassel, S. S. Hitchcock, R. N. Hitchcock; *Stangenes Industries Inc., Palo Alto, CA, USA*

Resonant Link PFN Charger and Modulator Power Supply 1495

R. N. Limpaecher, R. Rodriguez; *Electrical Power Technology Division, SAIC, Manassas, VA, USA*

A Battery Powered, 200-KW Rapid Capacitor Charger for a Portable Railgun in Burst Mode Operation at 3 RPS 1500

R. Allen, J. Neri; *Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*

25kW 3-Phase Unity Power Factor Buck Boost Rectifier with Wide Input and Output Range for Pulse Load Applications 1505

D. Bortis, S. Waffler, J. Biela, J. W. Kolar; *Power Electronic Systems Laboratory, ETH Zurich, Zurich, Switzerland*

Characterization of a High Power Nanocrystalline Transformer 1509

R. C. Edwards, M. G. Giesselmann; *Pulsed Power & Pwr. Elec., Texas Tech University, Lubbock, Tx, USA*

49-MJ Pulsed Power Facility to Produce High Magnetic-Fields 1513

M. Jung, J. Jöring, G. Wollmann, J. Hofmann, R. Kerschke, T. Weise; *Branch Unterlüß, Rheinmetall Waffe Munition GmbH, Unterlüß, Germany*

8E: Slow Wave Devices (2)

Study of an Open Column Slow-Wave Grating Structure with Arbitrarily-Shaped Slots 1517

B. Chen, Y. Wei, Y. Gong, J. Lin, G. Zhao, W. Wang; *Vacuum Electronics National Laboratory, University of Electronic Science and Technology of China, Chengdu, 610054, China*

8F: Insulation & Dielectric Breakdown (1)

Effects of UV Illumination on Surface Flashover under Pulsed Unipolar Excitation 1521

J. T. Krile, A. A. Neuber, H. G. Krompholz; *Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, USA*

PULSED AND DC DISCHARGES IN SUPERCRITICAL CARBON DIOXIDE 1528

T. Kiyan, K. Tanaka, A. Uemura, M. Takade, B. C. Roy, T. Namihira, M. Sasaki, H. Akiyama, M. Goto, M. Hara; *Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan*

Pulsed Breakdown Characteristics of Helium in Partial Vacuum in kHz Range 1532

K. Koppisetty¹, H. Kirkici¹, D. Schweickart²; ¹*Electrical and Computer Engineering Department, Auburn University, Auburn, AL, USA*; ²*Air Force Research Laboratory, Wright Patterson Air Force Base, Ohio, USA*

Increasing Electric Field Standoff Between Conductors in Vacuum 1536

D. G. Pellinen; *None, Livermore, USA*

The Effect of Nitrogen Sparging on the Long Term Stability of the Breakdown Electric Field Strength in a Repetitively Pulsed Oil Dielectric Switch 1539

R. D. Curry¹, P. Norgard¹, J. M. Turner²; ¹*Electrical and Computer Engineering, University of Missouri-Columbia, Columbia, MO, USA*; ²*Chemistry, University of Missouri-Columbia, Columbia, MO, USA*

Reliability of Three-Electrode Spark Gaps for Synthetic Test Circuits

1543

P. Osmokrovic¹, M. Pesic², Z. Trifkovic³, A. Vasic³; ¹Faculty of Electrical Engineering, University of Belgrade, Belgrade, Serbia; ²Electric power industry of Serbia, E.A. "Jugoistok", Nis, Serbia; ³Faculty of Mechanical Engineering, University of Belgrade, Belgrade, Serbia

5P: Thermal Plasma Chemistry and Processing (P)

Production of Nitrogen-Containing Carbon Plasma Using Shunting Arc Discharge for 1547 Carbon Nitride Films Preparation

K. Takaki¹, K. Imanishi¹, S. Mukaigawa¹, T. Fujiwara¹, Y. Suda², K. Yukimura³; ¹Iwate University, Morioka, Iwate, Japan; ²Hokkaido University, Sapporo, Hokkaido, Japan; ³Doshisha University, Kyotanabe, Kyoto, Japan

Coaxial Energetic Deposition as a Means to Produce Superconducting Niobium Thin 1551 Films for Large Particle Accelerators

B. L. Bures¹, A. Gerhan¹, M. Krishnan¹, A. -M. Valente²; ¹Alameda Applied Sciences Corp, Alameda, CA, USA; ²Thomas Jefferson National Accelerator Facility, Newport News, VA, USA

High-Voltage Plasma Generators of Alternating Current with Rod Electrodes 1556 Stationary Operating on Oxidizing Media

P. G. Rutberg, I. I. Kumkova, V. E. Kuznetsov, S. D. Popov, A. P. Rutberg, A. A. Safronov, V. N. Shiryayev, A. V. Surov; *Institute for Electrophysics and Electric Power, Russian Academy of Sciences, St-Petersburg, Russia*

Characteristic Features of Operation of High-Voltage Electric Arc Plasma Generators 1560 with Rod Electrodes and Power from 5 up to 50 kW in a Pilot Plasmachemical Unit

S. D. Popov, P. G. Rutberg, V. P. Gorbunov, S. A. Kushev, S. A. Lukyanov, G. V. Nakonechny, V. E. Popov, V. A. Spodobin, E. O. Serba; *Institute for Electrophysics and Electric Power, Russian Academy of Sciences, St-Petersburg, Russia*

Time Dependent 3D Large Eddy Simulation of a Dc Non-Transferred Arc Plasma 1565 Spraying Torch with Particle Injection

E. Ghedini, V. Colombo; *D.I.E.M. and C.I.R.A.M., University of Bologna, Bologna, Italy*

5P: High Power Microwaves (P2)

Non-Axisymmetric Slowed Structure and Plasma Modes in a Waveguide with a 1569 Dielectric Rod and Magnetized Plasma

A. S. Shlapakovski, M. Y. Krasnitsky; *Nuclear Physics Institute, Tomsk, Russia*

Observation of Mode Competition in an 11.4-GHz Magnicon Amplifier 1573

S. H. Gold, A. W. Fliflet, M. K. Hornstein, A. K. Kinkead; *Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*

5P: Dusty Plasmas (P)

- Charging of Fractal Dust Aggregates in a Plasma Environment** 1577
L. S. Matthews, T. W. Hyde; *CASPER, Baylor University, Waco, TX, USA*
- Vertical Dust Particle Chains - Mass and Charge Measurements** 1581
J. Carmona-Reyes, J. Kong, T. W. Hyde; *CASPER, Baylor University, Waco, TX, USA*
- Particulate Contamination Within Fusion Devices and Complex (Dusty) Plasmas** 1585
J. Creel, J. Carmona-Reyes, J. Kong, T. W. Hyde; *CASPER, Baylor University, Waco, TX, USA*

5P: Space Plasmas (P)

- Neutrino Astronomy with High Spatial Resolution is Already Existing** 1589
V. A. Rantsev-Kartinov; *Plasma Theory Department, RRC, Moscow, Russia*
- Plasma Impedance Probe Analysis with a Finite Difference Time Domain Model** 1595
E. A. Spencer¹, S. Sridharan¹, C. Swenson¹, J. Ward²; ¹*Electrical and Computer Engineering Dept., Utah State University, Logan, USA;* ²*Electrical and Computer Engineering Dept., Weber State University, Ogden, USA*
- MHD Shock Heating in Solar Corone Holes** 1599
M. A. Huerta, J. A. Orta, G. C. Boynton, J. Lee; *Physics Department, University of Miami, Coral Gables, FL, USA*
- Static-Discharges Give Clue to Crater Chain Formation** 1605
Z. D. Parker; *Eloy, AZ, USA*

5P: Rotating Machines (P)

5P: Power Supplies and Modulators (P)

- A Hybrid Solid State Induction Modulator for Klystrons** 1609
R. L. Cassel¹, M. N. Nguyen¹, E. G. Cook², C. A. Brooksby³; ¹*SLAC, Menlo Park, CA, USA;* ²*LLNL, Livermore, CA, USA;* ³*NSTec, Livermore, CA, USA*
- A Topology of On/off Marx Modulator with Protection of Load and Solid State Switches** 1612
A. K. Krasnykh; *Klystron and Microwave Dept, Stanford Linear Accelerator Center, Menlo Park, CA, USA*

A Coreless Approaches for ON/OFF Marx Type Modulators	1615
<i>A. K. Krasnykh; Klystron and Microwave Dept, Stanford Linear Accelerator Center, Menlo Park, CA, USA</i>	
High Repetitive Pulsed Power Modulator Based on IGBT switches for PSII Application	1618
<i>H. J. Ryoo, J. S. Kim, G. H. Rim, G. Goussev; Industry Application Lab., KERI, Changwon, South Korea</i>	
Current Loop Gate Driver Circuit for Pulsed Power Supply Based on Semiconductor Switches	1622
<i>H. J. Ryoo, J. S. Kim, G. H. Rim, D. Sytykh, G. Goussev; Industry Application Lab., KERI, Changwon, South Korea</i>	
A 25kV, 250kW Multiphase Resonant Power Converter for Long Pulse Applications	1627
<i>M. J. Bland¹, J. C. Clare¹, P. W. Wheeler¹, B. Richardson²; ¹EEE, University of Nottingham, Nottingham, UK; ²e2v technologies, Chelmsford, UK</i>	
High-Voltage, Square-Wave Trigger Pulse Generator	1631
<i>A. Robledo-Martinez¹, R. Vega¹, L. E. Cuellar¹, A. Ruiz-Meza¹, E. Guzmán¹, F. Castillo²; ¹Dept. Energia, Universidad Autónoma Metropolitana, Mexico City, Mexico; ²ICN, Universidad Nacional Autónoma de México, Mexico City, Mexico</i>	
MULTIPLE COUPLED RESONATOR POWER SUPPLY	1635
<i>R. H. Potter¹, R. J. Adler¹, J. A. Gilbrech¹, J. M. Potter², D. New¹; ¹Ionatron, Inc., North Star Power Engineering, Tucson, AZ, USA; ²JP Accelerator Works Inc., Los Alamos, NM, USA</i>	

5P: Insulation and Dielectric Breakdown (P)

Calculation and Analysis on Electric Field of High Gradient Insulator	1640
<i>C. Ren, W. Yuan, P. Yan, J. Wang, J. Wang; Chinese Academy of Sciences, Institute of Electrical Engineering, Beijing, China</i>	
DC Breakdown Voltage of Carbon Dioxide Medium under Needle to Plane Electrode	1644
<i>M. Takade, K. Tanaka, A. Uemura, B. C. Roy, T. Kiyon, T. Namihira, M. Sasaki, H. Akiyama, M. Goto, M. Hara; Graduate School of Science and Technology, Kumamoto University, Kumamoto 860-8555, Japan</i>	
Scaling Laws for Sub-Nanosecond Breakdown in Gases with Pressures below One Atmosphere	1648
<i>W. H. Justis, J. E. Chaparro, H. G. Krompholz, L. L. Hatfield, A. A. Neuber; Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, Texas, USA</i>	
X-Ray Emission from Sub-Nanosecond Gas Breakdown	1652
<i>J. E. Chaparro, W. H. Justis, H. G. Krompholz, L. L. Hatfield, A. A. Neuber; Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, Texas, USA</i>	

Volume Discharge Based Description of Pulsed Breakdown in Triggered Spark Gaps in Air 1656

K. Niayesh, E. Hashemi, E. Agheb; *School of Electrical and Computer Engineering, University of Tehran, Tehran, Iran*

Insulation & Dielectric Breakdown Design Considerations in Sub-Atmospheric Environments 1661

D. L. Schweickart¹, H. Kirkici², L. C. Walko³; ¹*Propulsion Directorate, Air Force Research Laboratory, Dayton, OH, USA*; ²*Electrical & Computer Dept, Auburn University, Auburn, AL, USA*; ³*Innovative Scientific Solutions, Inc., Dayton, OH, USA*

Surface Flashover of Dielectric Materials Used in Pulsed Power Research 1665

M. P. Wilson¹, R. A. Fouracre¹, M. J. Given¹, S. J. MacGregor¹, I. V. Timoshkin¹, K. J. Thomas², M. A. Sinclair², J. M. Lehr³; ¹*Dept. Electronic & Electrical Engineering, University of Strathclyde, Glasgow, UK*; ²*Hydrodynamics Dept./Pulsed Power, AWE Aldermaston, Reading, UK*; ³*Advanced Accelerators and Exploratory Pulsed Power, Sandia National Laboratories, Albuquerque, New Mexico, USA*

5P: Fast Z-Pinches & Radiation Sources (P3)

Numerical Modeling of Plasma Formation with Megagauss Magnetic Fields 1669

V. Makhin¹, T. J. Awe¹, B. S. Bauer¹, A. Esaulov¹, I. R. Lindemuth¹, R. E. Siemon¹, W. L. Atchison², M. H. Frese³, R. J. Faehl⁴, M. P. Desjarlais⁵, S. F. Garanin⁶; ¹*Physics, University of Nevada, Reno, Reno, NV, USA*; ²*LANL, Los Alamos, NM, USA*; ³*NumerEx, Inc, Albuquerque, NM, USA*; ⁴*LANL/NHMFL, Los Alamos, NM, USA*; ⁵*SNL, Albuquerque, NM, USA*; ⁶*VNIIEF, Sarov, Russia*

MHD Instabilities in Non-Equilibrium Z-Pinch Driven by a Multi-Megaampere Current 1673

M. A. Angelova, B. S. Bauer, I. R. Lindemuth, R. E. Siemon, V. Makhin; *Department of Physics, University of Nevada, Reno, Reno, Nevada, USA*

Optical Observation of Gas Jet Z-Pinch Discharge Produced Extreme Ultraviolet Light Source 1679

M. Watanabe, N. Kishi, N. Iizuka, T. Orishimo, J. Fei, A. Okino, E. Hotta; *Department of Energy Sciences, Tokyo Institute of Technology, Yokohama, Japan*

CAPEX-U Device - Driver for Discharge-Based Soft X-Ray Lasers with Wavelength < 15 nm 1683

K. Kolacek, O. Frolov, V. Prukner, J. Schmidt, J. Straus; *Dept. of Pulse Plasma Systems, Institute of Plasma Physics, Academy of Sciences of the Czech Republic, v.v.i., 182 00 Prague 8, Czech Republic*

High Voltage Capillary Discharge System for Excitation of Soft X-Ray Laser 1687

Y. Sakai, T. Komatsu, M. Watanabe, A. Okino, E. Hotta; *Department of Energy Sciences, Tokyo institute of technology, 4259-J2-35, Nagatsuta, Midori-ku, Yokohama, Japan*

Comparison of Plastic Ablation Materials of Capillary Discharge 1691

S. Kim, K. Yang, J. Kim, Y. Lee; *Ground Weapon System, Agency for Defense Development, Taejeon, South Korea*

- Study of Energy Balance in Low-Inductive Capillary Discharges in EUV Sources** 1695
V. A. Burtsev, N. V. Kalinin; *The D.V. Efremov Scientific Research Institute of Electrophysical Apparatus, St. Petersburg, Russia*
- Time Resolving Study of D-D Reaction** 1699
P. Kubes¹, D. Klir¹, J. Kravarik¹, K. Rezac¹, I. Ivanova–Stanik², L. Karpinski², M. Paduch², M. Scholz², H. Schmidt², M. J. Sadowski²; ¹*Department of Physics, Czech Technical University in Prague, FEE, Prague, Czech Republic*; ²*PF-1000 team, IPPLM Warsaw Hery 23, 00-908, Warsaw, Poland*
- Effect of Anode Shapes on Neutron Emission from a Repetitive Plasma Focus Device** 1703
F. Malik¹, H. Schmidt², S. M. Hassan¹, R. S. Rawat¹, T. Zhang¹, S. Mahmood¹, J. J. Lin¹, T. L. Tan¹, P. Lee¹, S. V. Springham¹; ¹*Natural Sciences and Science Education, National Institute of Education, Nanyang Technological University, Singapore, Singapore*; ²*International Centre for Dense Magnetized Plasma, Institute of Plasma Physics and Laser Microfusion, Warsaw, Poland*
- Shadowgraphic and Euv Emission Studies of Low Energy Miniature Plasma Focus Device** 1707
S. M. Hassan, R. S. Rawat, T. Zhang, S. Mahmood, J. Lin, F. Malik, S. V. Springham, T. L. Tan, P. Lee; *Natural Sciences and Science Education, National Institute of Education, Nanyang Technological University, Singapore, Singapore*
- Characterization of a 500J Dense Plasma Focus for Producing Soft X-Rays** 1711
B. L. Bures, M. Krishnan, P. Coleman, J. R. Thompson, K. Champagne, K. Wilson, A. Bixler; *Alameda Applied Sciences Corp, San Leandro, CA, USA*
- Influence of insulator length on the downstream electron temperature and electron density in the coaxial electrode of plasma focus device** 1715
Y. J. Hong¹, M. W. Moon¹, K. B. Song¹, P. Y. Oh¹, B. H. Hong¹, W. J. Yi², H. M. Shin¹, E. H. Choi¹; ¹*Electrophysics, Charged Particle Beam and Plasma Laboratory/PDP Research Center, Seoul, South Korea*; ²*Central Research, Samsung SDI, Seoul, South Korea*
- New Mechanism for Ion Emission in Plasma Focus Device** 1720
H. R. Yousefi, J. I. Sakai, H. Ito, K. Masugata; *Department of Electric and Electronic Systems, university of Toyama, Toyama, Japan*

5P: Magnetic Fusion Energy & Alternate Concepts (P)

- High Performance Hypervelocity Plasma Jet Simulation and Design Optimization** 1724
M. W. Phillips, D. Witherspoon; *HyperV Technologies Corp., Chantilly, VA, USA*

FRC Compression Heating Experiment (FRCHX) at AFRL

1728

C. Grabowski¹, J. H. Degnan², F. Camacho³, S. K. Coffey³, G. Coulter⁴, M. T. Domonkos², D. G. Gale¹, B. Martinez¹, J. V. Parker¹, D. Ralph¹, E. L. Ruden², W. Sommars¹, S. C. Hsu⁵, T. P. Intrator⁵, R. M. Renneke⁵, P. Sieck⁵, W. J. Waganaar⁵, G. A. Wurden⁵, F. Thio⁶; ¹S.A.I.C., Albuquerque, NM, USA; ²Directed Energy Directorate, Air Force Research Laboratory, Kirtland AFB, NM, USA; ³NumerEx, Albuquerque, NM, USA; ⁴Voss Scientific, Inc., Albuquerque, NM, USA; ⁵Los Alamos National Laboratory, Los Alamos, NM, USA; ⁶US Department of Energy, Office of Fusion Energy Studies, Germantown, MD, USA

5P: Pulsed Power for Lasers (P)

5P: Electromagnetic Launch (P)

Optimal State Feedback Control for Pulsed Power Supplies

1732

J. P. Kapinski; *Curtiss Wright - Advanced Products and Systems Division, Mt. Pleasant, PA, USA*

Operation of a 5-MJ Capacitor Bank for EML Materials Testing

1736

J. M. Neri, B. Huhman; *Naval Research Laboratory, Washington, DC, USA*

Inductive Heating of Materials for the Study of High-Temperature Mechanical Properties

1740

D. Wetz, D. Surls, D. Landen, S. Satapathy, M. Crawford; *Institute for Advanced Technology, The University of Texas at Austin, Austin, Texas, USA*

Design of a Computer-Based Control System Using Labview for the Nemesys Electromagnetic Launcher Facility

1745

B. M. Huhman, J. M. Neri; *Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*

A Feasibility Study for a Fragment-Producing Chemical-Electrical Launcher

1753

T. A. Haill¹, T. A. Mehlhorn¹, R. J. Lawrence, Jr.^{2,1}, J. R. Asay^{2,1}, Y. M. Gupta², C. J. Bakeman², J. R. LaFollett²; ¹Pulsed Power Sciences Center, Sandia National Laboratories, Albuquerque, NM, USA; ²Institute for Shock Physics, Washington State University, Pullman, WA, USA

9A: Inertial Confinement Fusion

Integrated Implicit Particle-in-Cell (PIC) Simulations of PetaWatt Laser Heating of Compressed Cores for Fast Ignition.

1757

R. B. Campbell¹, D. R. Welch², T. A. Mehlhorn¹; ¹Sandia National Laboratories, Albuquerque, NM, USA; ²Voss Scientific, Albuquerque, NM, USA

Pulsed Power Experiments at the Kurchatov Institute Aimed at ICF 1761

A. S. Kingsep, S. S. Anan'ev, Y. L. Bakshaev, A. V. Bartov, P. I. Blinov, A. S. Chernenko, S. A. Danko, G. I. Dolgachev, Y. G. Kalinin, E. D. Kazakov, V. D. Korolev, D. D. Maslennikov, V. I. Mizhiritsky, V. P. Smirnov; *Nuclear Fusion Inst, Russian Research Centre, Moscow, Russia*

Experimental Modeling on the Recyclable Magnetically Insulated Transporting Lines Aimed at the IFE Reactor 1765

Y. G. Kalinin¹, S. S. Anan'ev¹, Y. L. Bakshaev¹, A. V. Bartov¹, P. I. Blinov¹, A. S. Chernenko¹, E. D. Kazakov¹, A. S. Kingsep¹, V. D. Korolev¹, V. I. Mizhiritsky¹, V. P. Smirnov¹, M. Mazarakis², C. Olson²; ¹*Nuclear Fusion Inst, Russian Research Centre, Moscow, Russia*; ²*Sandia National Laboratories, Albuquerque, USA*

Blast Wave Experiments at Z 1769

T. E. Tierney¹, G. Idzorek¹, D. L. Peterson¹, R. R. Peterson¹, H. E. Tierney¹, R. G. Watt¹, M. R. Lopez², M. Jones²; ¹*Los Alamos National Laboratory, Los Alamos, NM, USA*; ²*Sandia National Laboratories, Albuquerque, NM, USA*

9B: Space Plasmas

9C: Fast Z-Pinches & Radiation Sources (3)

ENERGETICS OF A LONG-IMPLOSION-TIME, 12-CM-DIAMETER ARGON-GAS-PUFF Z PINCH AT 6.5 MA 1773

R. J. Commisso¹, J. P. Apruzese¹, D. Mosher¹, D. P. Murphy¹, B. V. Weber¹, J. W. Banister², B. H. Failor², J. S. Levine², N. Qi², H. M. Sze², A. Bixler³, P. L. Coleman³, A. Jarema³, J. Knight³, S. Lee³, M. Krishnan³, J. Thompson³, K. Wilson³, C. A. Coverdale⁴, C. Deeney⁴; ¹*Plasma Physics Division, Naval Research Laboratory, Washington, DC, USA*; ²*Pulse Sciences Division, L-3 Communications, San Leandro, CA, USA*; ³*Alameda Applied Sciences Corporation, San Leandro, CA, USA*; ⁴*Sandia National Laboratories, Albuquerque, NM, USA*

EUV Spectroscopy of Low-Temperature Plasmas Created in the Final Anode-Cathode Gap of the Z-Machine 1780

A. P. Shevelko¹, D. E. Bliss², M. G. Mazarakis², J. S. McGurn², K. W. Struve², E. D. Kazakov¹, I. Y. Tolstikhina¹, T. J. Weeks³; ¹*Optical Division, P.N. Lebedev Physical Institute RAS, Moscow, Russia*; ²*Sandia National Laboratories, Albuquerque, NM, USA*; ³*Phys. Dept., Brigham Young University, Provo, UT, USA*

Calculation of Tungsten Emission Spectra for Megaamper Z-Pinches 1785

I. Y. Vichev, V. G. Novikov, A. D. Solomyannaya; *Keldysh Institute of Applied Mathematics RAS, Moscow, Russia*

9D: Electromagnetic Launch

- Solid Projectile Helical Coil Electromagnetic Launcher** 1789
T. G. Engel¹, J. M. Neri², M. J. Veracka³; ¹*Electrical and Computer Engineering, Univ Missouri-Columbia, Columbia, MO, USA*; ²*Code 6777, Naval Research Laboratory, Washington, DC, USA*; ³*Code 5711, Naval Research Laboratory, Washington, DC, USA*
- Modification and Testing of a Battery-Inductor Repetitive Pulsed Power Supply for a Small Railgun** 1793
A. Sitzman, D. Surls, J. Mallick; *Institute for Advanced Technology, The University of Texas at Austin, Austin, Texas, USA*
- Development of a Plasma Railgun for Affordable and Rapid Access to Space** 1799
D. Wetz, F. Stefani, D. Motes, J. Parker, I. McNab; *Institute for Advanced Technology, The University of Texas at Austin, Austin, Texas, USA*
- A Synchronous Free-Running Arc Distributed Energy Railgun** 1805
R. W. Karhi, J. J. Mankowski, J. C. Dickens; *Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, USA*
- Induction Coilgun for EM Mortar** 1810
R. J. Kaye¹, B. N. Turman¹, M. S. Aubuchon¹, D. C. Lamppa¹, G. A. Mann¹, D. W. Borgwarth², S. A. Johnson², R. Poppe², K. R. Fulton³, G. Malejko³, P. J. Magnotti³, D. H. Nguyen³, E. van Reuth⁴; ¹*Sandia National Laboratories, Albuquerque, NM, USA*; ²*Land & Armaments, BAE Systems, Minneapolis, MN, USA*; ³*U.S. Army Armament Research, Development, Engineering, and Test Center, Picatinny Arsenal, NJ, USA*; ⁴*Defense Advanced Research Projects Agency, Arlington, VA, USA*
- Modelling of a Parallel Augmented Railgun with PSPICE. Validation of the Model and Optimization of the Augmenting Circuit.** 1814
M. I. R. Coffo, J. Gallant; *Department of Weapon Systems and Ballistics, Royal Military Academy, Brussels, Belgium*

9E: High Power Microwaves (3)

- Dissipative Instability under Weak Beam-Plasma Coupling** 1818
E. V. Rostomyan; *Theoretical, Institute of Radiophysics & Electronics National Ac Sci of Armenia, Ashtarak, Armenia*
- Development of High Power Microwave Compressors** 1822
S. A. Novikov, Y. G. Yushkov, S. N. Artemenko, P. Y. Chumerin, R. V. Shpuntov; *Nuclear Physics Institute, Tomsk, Russia*

9F: Insulation & Dielectric Breakdown (2)

- Breakdown Performance Statistics of a Nanoparticle Composite System** 1826
D. M. Sanders¹, E. G. Cook¹, E. M. Anaya¹, L. Wang¹, S. E. Sampayan¹, G. J. Caporaso¹,
K. M. Slenes², J. Jacquin², R. De La Fuente²; ¹*Lawrence Livermore Laboratory, Livermore, CA, USA*;
²*TPL Inc., Albuquerque, NM, USA*
- Pulsed Volume and Surface Discharges in an SF₆ Environment** 1831
R. Vela, J. T. Krile, A. A. Neuber, H. G. Krompholz; *Center for Pulsed Power and Power Electronics,
Texas Tech University, Lubbock, TX, USA*
- Vacuum Surface Flashover of +45 Degree Insulators for Microsecond Pulses** 1836
J. B. Javedani, D. A. Goerz, T. L. Houck, E. J. Lauer, R. D. Speer, L. K. Tully, G. E. Vogtlin;
EE/NSED, Lawrence Livermore National Laboratory, Livermore, CA, USA
- Influence of Resistance of Electric Arc on Transients Due to Disconnect Switching in Air-Insulated Substations** 1840
S. Carsimamovic¹, Z. Bajramovic¹, M. Veledar², M. Ljevak³, A. Carsimamovic⁴, P. Osmokrovic⁵;
¹*Faculty of Electrical Engineering, University of Sarajevo, Sarajevo, Bosnia & Herzegovina*; ²*ABB
Representation for B&H, Sarajevo, Bosnia & Herzegovina*; ³*Energoinvest Bosnia & Herzegovina,
Sarajevo, Bosnia & Herzegovina*; ⁴*Independent System Operator, Sarajevo, Bosnia & Herzegovina*;
⁵*Dept. of Physics, Faculty of Electrical Engineering, University of Belgrade, Belgrade, Serbia*