

2007 IEEE Sensors

**Atlanta, GA
28-31 October 2007**

Volume 1 of 3



IEEE Catalog Number:
ISBN 10:
ISBN 13:

CFP07SEN-PRT
1-4244-1261-7
978-1-4244-1261-7

TABLE OF CONTENTS

Monday, October 29, 2007

KEYNOTE PRESENTATION

- A1K-A THE ROLE OF METAMATERIALS AND PLASMONS FOR NOVEL SENSING APPLICATIONS 1**
David R. Smith
Duke University, USA

SPECIAL SESSION A2L-A – Nanobiosensors for Cancer & Medical Applications

- A2L-A1 MICRODEVICES FOR BIOMOLECULAR AND SINGLE CELL DETECTION 2**
S. Manalis
Massachusetts Institute of Technology, USA
- A2L-A3 EMERGING NANOSTRUCTURES AND DEVICES FOR DIAGNOSTICS AND THERAPEUTICS 3**
V.P. Dravid, M. Aslam, S. Sharma, G. Shekhawat, T. Meade, and S. Tark
Northwestern University, USA
- A2L-A4 MICROCANTILEVER BIOSENSORS 5**
R. Datar, A. Passian, R. Desikan, and T. Thundat
Oak Ridge National Laboratory, USA
- A2L-A5 INTEGRATING MAGNETIC AND OPTICAL NANOTECHNOLOGY FOR SELECTIVE CAPTURE
AND MULTIPLEXED ANALYSIS OF RARE TUMOR CELLS 6**
T. Sathe, A. Saheb, and S. Nie
Georgia Institute of Technology and Emory University, USA

SPECIAL SESSION A2L-B – Novel Sensors for Human Breath Analysis

- A2L-B1 MODULAR SAMPLING AND ANALYSIS TECHNIQUES FOR THE REAL-TIME
ANALYSIS OF HUMAN BREATH 10**
M. Frank¹, G. Farquar¹, K. Adams¹, M. Bogan¹, A. Martin¹, H. Benner¹, C. Spadaccini¹, P. Steele¹, S. Sankaran²,
B. Loyola², J. Morgan², and C. Davis²
¹Lawrence Livermore National Laboratory, USA and ²University of California, Davis, USA
- A2L-B3 PHOTO-IONIZATION MASS SPECTROMETRY FOR ON-LINE ANALYSIS OF ORGANIC
COMPOUNDS IN HUMAN BREATH AND IN TOBACCO SMOKE UPON INHALATION 14**
R. Zimmermann, C. Mocker, T. Adam, F. Mühlberger, and S. Mitschke
Institute of Ecological Chemistry, GERMANY and University of Augsburg, GERMANY
- A2L-B4 MICROFABRICATED DIFFERENTIAL MOBILITY SPECTROMETERS FOR BREATH ANALYSIS 16**
S. Sankaran, W. Zhao, B. Loyola, J. Morgan, M. Molina, M. Shivo, R. Rana, N. Kenyon, and C. Davis
University of California, Davis, USA
- A2L-B5 COMPACT MID-IR BREATH ANALYSIS SYSTEM 20**
M. Pushkarsky, M. Weida, T. Day, D. Arnone, and R. Pritchett
Daylight Solutions Inc., USA

SESSION A2L-C – Sensor System & Circuits

A2L-C1	UNIVERSAL SMART SENSORS INTERFACE AND SIGNAL CONDITIONER	24
	S.Y. Yurish <i>Universitat Politecnica de Catalunya, SPAIN</i>	
A2L-C2	WIRELESS MEASUREMENT SYSTEM FOR CAPACITIVE PRESSURE SENSORS USING STRAIN COMPENSATED SiGeB	28
	K. Arshak ¹ , E. Jafer ¹ , T. McGloughlin ¹ , T. Corbett ¹ , S. Chatzandroulis ² , and D. Goustouridis ² ¹ University of Limerick, IRELAND and ² NCSR “Demokritos”, GREECE	
A2L-C3	HARDWARE-SOFTWARE DESIGN FOR AUTONOMOUS SENSORS	32
	F. Martínez, Á. Velázquez, R. Palacios, M. Martinez, and G. Obieta <i>IKERLAN Technological Research Centre, SPAIN</i>	
A2L-C4	CONTACTLESS EXCITATION AND READOUT OF PASSIVE SENSING ELEMENTS MADE BY MINIATURIZED MECHANICAL RESONATORS	36
	M. Baù, V. Ferrari, D. Marioli, E. Sardini, M. Serpelloni, and A. Taroni <i>University of Brescia, ITALY</i>	
A2L-C5	A LOW-NOISE SWITCHED-CAPACITOR FRONT END FOR CAPACITIVE SENSOR	40
	A. Heidary and G.C.M. Meijer <i>Delft University of Technology, THE NETHERLANDS</i>	

SPECIAL SESSION A2L-D – Sensor Reliability

A2L-D1	RELIABILITY ISSUES IN MINIATURIZED SENSORS: IMPORTANCE OF STANDARDS. WHAT IS NEEDED?	44
	A. Hartzell and M. da Silva <i>Exponent/Failure Analysis Associates, USA</i>	
A2L-D3	AN APPROACH FOR THE STUDY OF RELIABILITY FOR A MEMS MAGNETIC ACTUATOR	45
	E. Berkcan, S. Chandrasekaran, and M. Aimi <i>GE Global Research, USA</i>	
A2L-D4	WAFER-LEVEL ENCAPSULATION AND SEALING OF ELECTROSTATIC HARPS TRANSducers	49
	S. Pourkamali and F. Ayazi <i>Georgia Institute of Technology, USA</i>	
A2L-D5	DEVELOPMENT OF RELIABILITY TEST GUIDELINES FOR MICROELECTROMECHANICAL SYSTEMS IN MILITARY APPLICATIONS	53
	R. Mason ¹ , M. Miller ¹ , J. Kannard ¹ , M. Singleton ¹ , D. Skelton ² , and J. Zunino ² ¹ Concurrent Technologies Corporation, USA and ² U.S. Army Corrosion Office, USA	

SPECIAL SESSION A3L-A – In-Vivo Sensor Systems

A3L-A1	PACKAGING OF IMPLANTABLE MICROSYSTEMS	58
	K. Najafi <i>University of Michigan, USA</i>	
A3L-A3	A LOW POWER, LOW VOLTAGE CURRENT READ-OUT CIRCUIT FOR IMPLANTABLE ELECTRO-CHEMICAL SENSORS	64
	M.A. Huque, M.R. Haider, M. Zhang, T. Oh, and S.K. Islam <i>University of Tennessee, USA</i>	
A3L-A4	OXYGEN-TENSION MEASUREMENTS – THE FIRST STEP TOWARDS PREVENTION AND EARLY DETECTION OF ANASTOMOTIC LEAKAGE	68
	D. Tanase ¹ , N. Komen ² , A. Draaijer ³ , G.J. Kleinrensink ² , J. Jeekel ² , J.F. Lange ² , and P.J. French ¹ ¹ Delft University of Technology, THE NETHERLANDS, ² Erasmus Medical Centre, THE NETHERLANDS, and ³ TNO Quality of Life, THE NETHERLANDS	

A3L-A5	A MULTI-LAYER PARYLENE ELECTRODE ARRAY FOR USE IN AN IMPLANTABLE MICROSYSTEM FOR TREATMENT OF NEUROLOGICAL DISORDERS	72
	C.A. Mousoulis and D.P. Papageorgiou <i>Northeastern University, USA</i>	

A3L-A6	FULLY PACKAGED NON-ENZYMATIC GLUCOSE MICRO-SENSOR FOR IN-VIVO AND CONTINUOUSLY MONITORING SYSTEM APPLICATIONS	75
	D.J. Park, Y.J. Lee, and J.Y. Park <i>Kwangwoon University, KOREA</i>	

SESSION A3L-B – Modeling & Simulation

A3L-B1	CONCEPT OF A MINIATURIZED ION MOBILITY SPECTROMETER AND A NUMERICAL MODEL FOR FAST SYSTEM DESIGN AND OPTIMIZATION	79
	S. Barth, W. Baether, and S. Zimmermann <i>Draegerwerk AG, GERMANY</i>	

A3L-B2	SIMPLE BUT ACCURATE MODELS FOR SQUEEZE-FILM DAMPERS	83
	T. Veijola <i>Helsinki University of Technology, FINLAND</i>	

A3L-B3	DESIGN, MODELING AND SIMULATION OF A CLOSED-LOOP CONTROLLER FOR A DUAL BACKPLATE MEMS CAPACITIVE MICROPHONE	87
	K. Kadirvel, D.T. Martin, J. Liu, R. Fox, M. Sheplak, L.N. Cattafesta, and T. Nishida <i>University of Florida, USA</i>	

A3L-B4	RAPID DETECTION OF ANALYTES WITH IMPROVED SELECTIVITY USING COATED MICROCANTILEVER CHEMICAL SENSORS AND ESTIMATION THEORY	91
	M.J. Wenzel ¹ , F. Josse ¹ , E. Yaz ¹ , S.M. Heinrich ¹ , and P.G. Datskos ² <i>¹Marquette University, USA and ²Oak Ridge National Laboratory, USA</i>	

A3L-B5	3D SIMULATION OF CONJUGATE HEAT TRANSFER OF ULP HOTPLATES FOR A MOX GAS SENSING DEVICE	95
	M. Messina ¹ , F. Franzé ¹ , N. Speciale ¹ , E. Cozzani ² , and A. Roncaglia ² <i>¹University of Bologna, ITALY and ²National Research Council of Italy, ITALY</i>	

A3L-B6	PACKAGE-LEVEL SIMULATION AND VERIFICATION OF MICROSYSTEMS	99
	J. Song, M. Li, Q.-A. Huang, and J.-Y. Tang <i>Southeast University, CHINA</i>	

SESSION A3L-C – Inertial Sensors

A3L-C1	CONCEPTS AND LIMITS FOR THE MINIATURIZATION OF SILICON DIFFERENTIAL VIBRATING INERTIAL MICRO-BEAM ACCELEROMETER	103
	B. Le Foulgoc ¹ , O. Le Traon ¹ , T. Bourouina ² , A. Bosseboeuf ³ , F. Marty ² , H. Mathias ³ , and A. Parent ¹ <i>¹ONERA, FRANCE, ²ESIEE, FRANCE, and ³Université Paris XI, FRANCE</i>	

A3L-C2	A COMPARATIVE STUDY OF CONDITIONING ARCHITECTURES FOR CONVECTIVE ACCELEROMETERS	107
	O. Leman, F. Mailly, L. Latorre, and P. Nouet <i>University Montpellier, FRANCE</i>	

A3L-C3	A NOVEL IN-OPERATION HIGH g-SURVIVABLE MEMS GYROSCOPE	111
	K. Azgin, Y. Temiz, and T. Akin <i>Middle East Technical University, TURKEY</i>	

A3L-C4	VIBRATION SENSITIVITY OF MEMS TUNING FORK GYROSCOPES	115
	S.W. Yoon, S.W. Lee, N.C. Perkins, and K. Najafi <i>University of Michigan, USA</i>	

A3L-C5	MULTI-DEGREE OF FREEDOM TUNING FORK GYROSCOPE DEMONSTRATING SHOCK REJECTION	120
	A.R. Schofield, A.A. Trusov, and A.M. Shkel <i>University of California, Irvine, USA</i>	

A3L-C6	NOVEL 3-AXIS GYROSCOPE ON A SINGLE CHIP USING SOI-TECHNOLOGY	124
	M. Traechtler, T. Link, J. Dehnert, J. Auber, P. Nommensen, and Y. Manoli <i>HSG-IMIT, GERMANY</i>	

SESSION A3L-D – Sensor Networks

A3L-D1	INTEGRATED SENSOR NETWORK WITH EVENT-DRIVEN ACTIVATION FOR RECORDING IMPACT EVENTS IN TEXTILE-REINFORCED COMPOSITES	128
	K.-U. Roscher ¹ , H. Grätz ¹ , A. Heinig ¹ , W.-J. Fischer ² , G. Pfeifer ² , and E. Starke ² <i>¹Fraunhofer IPMS, GERMANY and ²Technical University of Dresden, GERMANY</i>	

A3L-D2	OPTIMAL ON-DEMAND MOBILE SENSOR ALLOCATION	132
	R.K. Guha ¹ and S. Ray ² <i>¹University of Pennsylvania, USA and ²University of Bridgeport, USA</i>	

A3L-D3	A ZIGBEE SENSOR ELEMENT FOR DISTRIBUTED MONITORING OF SOIL PARAMETERS IN ENVIRONMENTAL MONITORING	135
	A. Valente, R. Morais, C. Serôdio, P. Mestre, S. Pinto, and M. Cabral <i>Universidade de Trás-os-Montes e Alto Douro, PORTUGAL</i>	

A3L-D4	A SIMPLE WIRELESS BATTERYLESS SENSING PLATFORM FOR RESISTIVE AND CAPACITIVE SENSORS	139
	T. Ativanichayaphong, J. Wang, W. Huang, S. Rao, and J.-C. Chiao <i>University of Texas, Arlington, USA</i>	

A3L-D5	REALISING WACNET THROUGH A ZIGBEE-BASED ARCHITECTURE	143
	A. Desmet, F. Naghdy, and M. Ros <i>University of Wollongong, AUSTRALIA</i>	

A3L-D6	AN ENVIRONMENTALLY AWARE, INTELLIGENTLY CONTROLLED SYSTEM FOR POWER EFFICIENT WIRELESS SENSOR NETWORKS	147
	J. Podpora and L. Reznik <i>Rochester Institute of Technology, USA</i>	

POSTER SESSION – A4P – Chemical & Gas Sensors

A4P-E1	SPIRAL μPRECONCENTRATOR FOR GAS SENSOR DETECTION IN THE ppb RANGE	151
	P. Ivanov ¹ , I. Grácia ¹ , F. Blanco ² , N. Sabaté ¹ , X. Vilanova ² , A. Vergara ² , X. Correig ² , E. Figueras ¹ , L. Fonseca ¹ , and C. Cané ¹ <i>¹National Centre of Microelectronics, SPAIN and ²University Rovira i Virgili, SPAIN</i>	

A4P-E2	NEW SENSING MATERIALS FOR SAW SENSORS USING POLYMER-SILICATE COMPOSITES	155
	M. Rapp and S. Rupp <i>Institute of Microstructure Technology, GERMANY</i>	

A4P-E3	INTEGRATED TEMPERATURE, HUMIDITY AND GAS SENSORS ON FLEXIBLE SUBSTRATES FOR LOW-POWER APPLICATIONS	158
	A. Oprea ¹ , J. Courbat ² , N. Bârsan ¹ , D. Briand ² , N.F. de Rooij ² , and U. Weimar ¹ <i>¹University of Tuebingen, GERMANY and ²University of Neuchâtel, SWITZERLAND</i>	

A4P-E4	COMPARATIVE STUDY OF IRRADIATED AND ANNEALED ZnO THIN FILMS FOR ROOM TEMPERATURE AMMONIA GAS SENSING	162
	A. Kshirsagar ¹ , A.B. Joshi ¹ , A. Joshi ¹ , D.K. Avasthi ² , T.M. Bhawe ¹ , and S.A. Gangal ¹ <i>¹University of Pune, INDIA and ²Inter University Accelerator Centre, INDIA</i>	

A4P-E5	Pt/SnO₂ NANOWIRES/SiC BASED HYDROGEN GAS SENSOR	166
	M. Shafiei ¹ , K. Kalantar-Zadehi ¹ , W. Wlodarskii ¹ , E. Comini ² , S. Bianchi ² , and G. Sberveglieri ² <i>¹RMIT University, AUSTRALIA and ²University of Brescia, ITALY</i>	
A4P-E6	ULTRA LOW POWER MOX SENSORS WITH ppb-LEVEL VOC DETECTION CAPABILITIES	170
	I. Elmi, S. Zampolli, E. Cozzani, M. Passini, G. Pizzochero, G.C. Cardinali, and M. Severi <i>National Research Council, ITALY</i>	
A4P-E7	ODOR RECORDER USING MASS SPECTROMETRY AND LARGE-SCALE DATA	174
	T. Nakamoto and T. Nakama <i>Tokyo Institute of Technology, JAPAN</i>	
A4P-E8	MICROBOLOMETER ON POLYMER MEMBRANE WITH HEAT FEEDBACK CONTROL FOR NON RADIATIVE APPLICATIONS	178
	M. Denoual ¹ , S. Delaunay ¹ , F. Durantel ¹ , B. Guillet ¹ , S. Lebargy ¹ , J. Bastie ² , and D. Robbes ¹ <i>¹ENSICAEN, FRANCE and ²CNAM, FRANCE</i>	
A4P-E9	DESIGN STUDY OF MICROMACHINED THERMAL EMITTERS FOR NDIR GAS SENSING IN THE 9-12 μM WAVELENGTH RANGE	181
	E. Cozzani, C. Summonte, L. Belsito, G.C. Cardinali, and A. Roncaglia <i>National Research Council, ITALY</i>	
A4P-E10	THIN FILM BULK ACOUSTIC RESONATOR VAPOR SENSORS WITH SINGLE-WALLED CARBON NANOTUBES-BASED NANOCOMPOSITE LAYER	185
	M. Penza ¹ , E. Verona ² , W. Wlodarski ³ , G. Cassano ¹ , P. Aversa ¹ , D. Suriano ¹ , M. Benetti ² , D. Cannatà ² , and F. Di Pietrantonio ² <i>¹ENEA, ITALY, ²CNR, ITALY, and ³RMIT University, AUSTRALIA</i>	
A4P-E11	STABILITY OF FET – BASED HYDROGEN SENSORS AT HIGH TEMPERATURES	189
	C. Senft ¹ , W. Widanarto ¹ , H.P. Frerichs ² , Ch. Wilberts ² , and I. Eisele ¹ <i>¹University of the Federal Armed Forces, GERMANY and ²Micronas GmbH, GERMANY</i>	
A4P-E12	DEVELOPMENT OF A NEW WIRELESS CHEMICAL SENSOR FOR CO₂ DETECTION	193
	W. Wang, T. Kim, K. Lee, H. Oh, and S. Yang <i>Ajou University, KOREA</i>	
A4P-E13	A HIGHLY SENSITIVE MICRO-THERMAL SENSOR FOR HYDROGEN DETECTION	197
	S.-C. Park, S.-I. Yoon, C.-I. Lee, S. Song, and Y.-J. Kim <i>Yonsei University, KOREA</i>	
A4P-E14	DETECTION OF AGRICULTURAL CHEMICALS OF LEAF VEGETABLES USING A POSITIVELY CHARGED LIPID MEMBRANE SENSOR	201
	Y. Naito ¹ , H. Ikezaki ¹ , and K. Toko ² <i>¹Intelligent Sensor Technology Inc., JAPAN and ²Kyushu University, JAPAN</i>	
A4P-E15	DEVELOPMENT OF NITRATE-SELECTIVE ELECTROCHEMICAL SENSOR WITH INTEGRATED MICRO-FLUIDICS	205
	S. Aravamudhan, S. Ketkar, and S. Bhansali <i>University of South Florida, USA</i>	
A4P-E16	INVESTIGATION OF FUNCTIONALIZATION LAYERS FOR NO₂ DETECTION	209
	M. Qazi, S. Park, T. Vogt, and G. Koley <i>University of South Carolina, USA</i>	
A4P-E17	SEMICONDUCTOR QUANTUM DOT/POLYMER THIN FILM BASED HYDROCARBON SENSOR: CHARACTERIZATION OF SENSING PROPERTIES	213
	Z. Zhao, M. Arrandale, O. Vassiltsova, M.A. Petrukhina, and M.A. Carpenter <i>University at Albany, USA</i>	

POSTER SESSION – Sensor & Actuator Systems and Networks

A4P-F1	DEVELOPMENT OF 6-AXIS FORCE/MOMENT SENSOR FOR HUMANOID ROBOT'S FOOT	217
	G.-S. Kim, H.-J. Shin, and J. Yoon <i>Gyeongsang National University, KOREA</i>	
A4P-F2	SENSOR PROPERTY OF A NOVEL EAP DEVICE WITH IONIC-LIQUID-BASED BUCKY GEL	221
	N. Kamamichi ^{1,2} , M. Yamakita ^{2,3} , K. Asaka ^{2,4} , Z.-W. Luo ^{2,5} , and T. Mukai ² ¹ <i>Tokyo Denki University, JAPAN</i> , ² <i>RIKEN, JAPAN</i> , ³ <i>Tokyo Institute of Technology, JAPAN</i> , ⁴ <i>National Institute of Advanced Industrial Science and Technology (AIST), JAPAN</i> , and ⁵ <i>Kobe University, JAPAN</i>	
A4P-F3	PIEZOELECTRIC POLYMER SENSOR ARRAYS FOR INFORMATION INPUT DEVICES	225
	B. Elling ¹ , R. Danz ¹ , I. Hauslen ² , and K. Tehrani ² ¹ <i>Fraunhofer Institute for Applied Polymer Research, GERMANY</i> and ² <i>Fraunhofer Institute FIRST, GERMANY</i>	
A4P-F4	A HYBRID MEMS-BASED NAVIGATION SYSTEM AND ITS NUMERICAL ANALYSIS	227
	R. Zhu and Z. Zhou <i>Tsinghua University, CHINA</i>	
A4P-F5	SENSOR FOR ENTRY GUIDE GAP MEASUREMENT IN HOT STRIP MILL	231
	A.K. Paul, K. Narasimha Rao, K. Venkata Ramana, B.K. Santra, and N. Neogi <i>Steel Authority of India Limited, INDIA</i>	
A4P-F6	DEVELOPMENT OF A HIGH-SPEED CAPACITIVE SURFACE SENSOR FOR FLUID DISTRIBUTION IMAGING	236
	S. Thiele, M.J. Da Silva, and U. Hampel <i>Forschungszentrum Dresden-Rossendorf e. V., GERMANY</i>	
A4P-F7	A CMOS 2D MICRO-FLUXGATE EARTH MAGNETIC FIELD DETECTING SYSTEM WITH RS232 DIGITAL OUTPUT	240
	M. Ferri ¹ , A. Rossini ¹ , A. Baschirotto ² , G. Venchi ¹ , E. Dallago ¹ , and P. Malcovati ¹ ¹ <i>University of Pavia, ITALY</i> and ² <i>University of Salento, ITALY</i>	
A4P-F8	A STANDALONE PROGRAMMABLE SIGNAL PROCESSING UNIT FOR VERSATILE CHARACTERIZATION OF MEMS GYROSCOPES	244
	A.A. Trusov, I. Chepurko, A.R. Schofield, and A.M. Shkel <i>University of California, Irvine, USA</i>	
A4P-F9	DETECTION OF EXPLOSIVES VAPORS WITH A PORTABLE DETECTOR BASED ON QUARTZ-CRYSTAL MICROBALANCE	248
	F. Parret, P. Montméat, and P. Prené <i>CEA Le Ripault, FRANCE</i>	
A4P-F10	BATTERYLESS-WIRELESS MEMS SENSOR SYSTEM WITH A 3D LOOP ANTENNA	252
	S. Sasaki ¹ , T. Seki ¹ , K. Imanaka ¹ , T. Toriyama ² , M. Kimata ² , T. Miyano ² , and S. Sugiyama ² ¹ <i>Omron Corporation, JAPAN</i> and ² <i>Ritsumeikan University, JAPAN</i>	
A4P-F11	AN ECG ANALYSIS ON SENSOR NODE FOR REDUCING TRAFFIC OVERLOAD IN u-HEALTHCARE WITH WIRELESS SENSOR NETWORK	256
	D.-S. Lee ¹ , S. Bhardwaj ¹ , E. Alasaarela ² , and W.-Y. Chung ¹ ¹ <i>Dongseo University, KOREA</i> and ² <i>University of Oulu, FINLAND</i>	
A4P-F12	DESIGN, FABRICATION, AND CHARACTERIZATION OF A READOUT INTEGRATED CIRCUIT (ROIC) FOR CAPACITIVE MEMS SENSORS	260
	M. Lee, S. Lee, S. Jung, C. Je, G. Hwang, and C. Choi <i>Electronics & Telecommunications Research Institute (ETRI), KOREA</i>	
A4P-F13	AUTONOMOUS LOW POWER MICROSYSTEM POWERED BY VIBRATION ENERGY HARVESTING ..	264
	R.N. Torah, M.J. Tudor, K. Patel, I.N. Garcia, and S.P. Beeby <i>University of Southampton, UK</i>	

A4P-F14	A SENSOR INTERFACE SYSTEM FOR MEASURING THE IMPEDANCE (C_x, R_x) OF SOIL AT A SIGNAL FREQUENCY OF 20MHz	268
	Z.-Y. Chang, B.P. Iliev, and G.C.M. Meijer <i>Delft University of Technology, THE NETHERLANDS</i>	
A4P-F15	PERFORMANCE TRADEOFFS OF THREE CONTACTLESS ANGLE DETECTION SYSTEMS	272
	A.J. Lopez-Martin and A. Carlosena <i>Public University of Navarra, SPAIN</i>	
A4P-F16	FPGA BASED SYSTEM DESIGN SUITABLE FOR WIRELESS HEALTH MONITORING EMPLOYING INTELLIGENT RF MODULE	276
	K. Arshak ¹ , E. Jafer ¹ , and C.S. Ibala ² <i>¹University of Limerick, IRELAND and ²XILINX, IRELAND</i>	
A4P-F17	COMPACT RF IMPEDANCE-SPECTRUM-ANALYZER FOR LATERAL FIELD EXCITED LIQUID ACOUSTIC WAVE SENSORS	280
	T. Schneider ¹ , U. Hempel ¹ , S. Doerner ¹ , D. McCann ² , J.F. Vetelino ² , and P.R. Hauptmann ¹ <i>¹University Magdeburg, GERMANY and ²University of Maine, USA</i>	
A4P-F18	ELECTROSTATICALLY DRIVEN TOUCH-MODE POLY-SiC MICROSPEAKER	284
	R.C. Roberts, J. Du, A. Ongkodjojo Ong, D. Li, C.A. Zorman, and N.C. Tien <i>Case Western Reserve University</i>	
A4P-F19	A BIDIRECTIONAL READOUT INTEGRATED CIRCUIT (ROIC) WITH CAPACITANCE-TO-TIME CONVERSION OPERATION FOR HIGH PERFORMANCE CAPACITIVE MEMS ACCELEROMETERS	288
	S. Lee, M. Lee, S. Jung, C. Je, J. Park, G. Hwang, and C. Choi <i>Electronics and Telecommunications Research Institute (ETRI), KOREA</i>	
A4P-F20	DEVELOPMENT AND EVALUATION OF AN ATTITUDE MEASURING SYSTEM THAT USES ACCELERATION INFORMATION OF WALKING FOR BIPED ROBOTS	292
	M. Takahashi ^{1,2} , K. Nishiwaki ² , S. Kagami ^{1,2} , and H. Mizoguchi ^{1,2} <i>¹Tokyo University of Science (TUS), JAPAN and ²National Institute of Advanced Industrial Science and Technology (AIST), JAPAN</i>	
A4P-F21	FULLY INTEGRATED MICROFLUIDIC DEVICE WITH CARBON SENSING ELECTRODE	296
	A.A. Dawoud ¹ and R. Jankowiak ² <i>¹Iowa State University, USA and ²Kansas State University, USA</i>	
A4P-F22	A WIRELESS DATA AND POWER TELEMTRY SYSTEM USING NOVEL BPSK DEMODULATOR FOR NON-DESTRUCTIVE EVALUATION OF STRUCTURES	300
	S.R. Sonkusale and Z. Luo <i>Tufts University, USA</i>	
 POSTER SESSION – Phenoma, Modeling & Evaluation		
A4P-G1	EVAPORATION MODEL OF MICRO-MENISCI FOR THERMOELECTRIC DROP SENSOR	304
	J. Ni, W. Benecke, and W. Lang <i>Universität of Bremen, GERMANY</i>	
A4P-G2	REMOTE MOISTURE SENSING UTILIZING ORDINARY RFID TAGS	308
	J. Sidén ¹ , X. Zeng ^{1,2} , T. Unander ^{1,3} , A. Koptyug ⁴ , and H.-E. Nilsson ¹ <i>¹Mid-Sweden University, SWEDEN, ²Jiangsu University, CHINA, ³SCA R&D Centre AB, SWEDEN, and ⁴Sensible Solutions Sweden AB, SWEDEN</i>	
A4P-G3	FRACTAL BROWNIAN MOTION FOR FEATURE EXTRACTION IN NOISY SIGNALS FROM GAS SENSORS	312
	J.S. Gonschorowski ¹ , G.C.S. Quispe ¹ , F.J.R. Fernandez ¹ , W.J. Salcedo ¹ , and N. Peixoto ² <i>¹Universidade de São Paulo, BRASIL and ²George Mason University, USA</i>	

A4P-G4	APPLICATION OF ARTIFICIAL NEURAL NETWORK (ANN) FOR PREDICTING THE BEHAVIOR OF MICROMACHINED DIAPHRAGM ACTUATED ELECTROSTATICALLY	316
	H.W. Lee ¹ , M.I. Syono ¹ , and I.H.A. Azid ² <i>¹MIMOS Berhad, MALAYSIA and ²Universiti Sains Malaysia, MALAYSIA</i>	
A4P-G5	MODELING AND SIMULATION OF A RESISTIVE THERMAL PROBE	320
	D.-K. Min and S. Hong <i>Samsung Advanced Institute of Technology, KOREA</i>	
A4P-G6	THE SWELLING EFFECTS DURING THE DEVELOPMENT PROCESSES OF DEEP UV LITHOGRAPHY OF SU-8 PHOTORESISTS: THEORETICAL STUDY, SIMULATION AND VERIFICATION	325
	Z. Zhou, Q.-A. Huang, W. Li, W. Lu, Z. Zhu, and M. Feng <i>Southeast University, CHINA</i>	
A4P-G7	HIGH-ACCURACY IMAGE CENTROIDDING ALGORITHM FOR CMOS-BASED DIGITAL SUN SENSORS ..	329
	Y.-K. Chang, B.-H. Lee, and S.-J. Kang <i>Korea Aerospace University, KOREA</i>	
A4P-G8	A COMPLETELY SCALABLE LUMPED-CIRCUIT MODEL FOR HORIZONTAL AND VERTICAL HALL DEVICES	337
	P.D. Dimitropoulos ¹ , N. Nastos ² , S. Reymond ¹ , P.M. Drljaca ¹ , and R.S. Popovic ¹ <i>¹Swiss Federal Institute of Technology Lausanne (EPFL), SWITZERLAND and ²University of Thessaly, GREECE</i>	
A4P-G9	COMPARISON OF THE DYNAMIC RESPONSE OF CALORIMETRIC AND HOT-FILM FLOW TRANSDUCERS	341
	F. Kohl ¹ , R. Beigelbeck ¹ , S. Cerimovic ¹ , A. Talic ¹ , J. Schalko ² , and A. Jachimowicz ² <i>¹Austrian Academy of Sciences, AUSTRIA and ²Vienna University of Technology, AUSTRIA</i>	
A4P-G10	BAYESIAN NETWORK MODELING OF ACOUSTIC SENSOR MEASUREMENTS	345
	C. Cai, M. Qian, and S. Ferrari <i>Duke University, USA</i>	
A4P-G11	THE NONLINEAR BEHAVIOR OF A POST-BUCKLED CIRCULAR PLATE	349
	M. Williams, B. Griffin, B. Homeijer, B. Sankar, and M. Sheplak <i>University of Florida, USA</i>	
A4P-G12	FINITE ELEMENT MODELING OF HEXAGONAL SURFACE ACOUSTIC WAVE DEVICE IN LiNbO₃	353
	S.K.R.S. Sankaranarayanan, V.R. Bhethanabotla, and B. Joseph <i>University of South Florida, USA</i>	
A4P-G13	3D MODELING AND SIMULATION OF SH-SAW DEVICES USING THE FINITE ELEMENT METHOD	357
	S. Krishnamurthy ¹ , M.Z. Atashbar ¹ , and K. Kalantar-Zadeh ² <i>¹Western Michigan University, USA and ²RMIT University, AUSTRALIA</i>	
A4P-G14	MODEL-BASED OBJECT CHARACTERIZATION WITH ACTIVE INFRARED SENSOR ARRAY	360
	V. Pavlov, H. Ruser, and M. Horn <i>Bundeswehr University Munich, GERMANY</i>	
A4P-G15	SINGLE-ELEMENT WEATHER SENSOR FOR AUTOMATIC WINDOWS	364
	M. Horn and H. Ruser <i>Bundeswehr University Munich, GERMANY</i>	
A4P-G16	EFFECT OF THE ELECTRICAL DOUBLE LAYER ON THE PERFORMANCE OF NANOMETER INTERDIGITATED ELECTRODES	367
	X. Yang and G. Zhang <i>University of Georgia, USA</i>	
A4P-G17	IMPROVING MEASUREMENT ACCURACY IN SENSOR NETWORKS BY AN OBJECT MODEL GENERATION AND APPLICATION	371
	L. Reznik and K.A. Kluever <i>Rochester Institute of Technology, USA</i>	

POSTER SESSION – Optical Sensors

A4P-H1	MOLECULAR PROBE BASED ON PHOTONIC CRYSTAL FIBER (PCF) AND SURFACE ENHANCED RAMAN SCATTERING (SERS)	375
	Y. Zhang, C. Shi, C. Gu, L. Seballos, and J.Z. Zhang <i>University of California, Santa Cruz, USA</i>	
A4P-H2	MAGNETIC GARNETS FOR LIGHTNING CURRENT MEASUREMENTS	378
	S.G.M. Krämer ¹ , F.P. León ¹ , and Y.N. Méndez Hernández ² ¹ <i>Technical University München, GERMANY</i> and ² <i>GE Global Research, GERMANY</i>	
A4P-H3	DISPLACEMENT ESTIMATION WITH AN OPTICAL FEEDBACK INTERFEROMETER USING AN EVOLUTIONARY ALGORITHM	382
	A. Doncescu ¹ , C. Bes ² , and T. Bosch ² ¹ <i>LAAS CNRS, FRANCE</i> and ² <i>ENSEEIH, INP, FRANCE</i>	
A4P-H4	LASER DIODE UNDER STRONG FEEDBACK FOR MECHATRONICS APPLICATIONS	387
	J. El Assad ¹ , T. Bosch ¹ , and G. Plantier ² ¹ <i>Université de Toulouse, FRANCE</i> and ² <i>ESEO, FRANCE</i>	
A4P-H5	DISTRIBUTED SENSING SYSTEM OF OPTICAL LOW-COHERENCE REFLECTOMETRY USING AN ARRAY OF IDENTICAL FIBER BRAGG GRATINGS	391
	W. Liu, Z.-G. Guan, G. Liu, and S. He <i>Zhejiang University, CHINA</i>	
A4P-H6	PECVD SILICON CARBIDE WAVEGUIDES FOR MULTICHANNEL SENSORS	395
	G. Pandraud, P.J. French, and P.M. Sarro <i>Delft University of Technology, THE NETHERLANDS</i>	
A4P-H7	STUDY ON WHITE LIGHT OPTICAL FIBER INTERFEROMETRY FOR pH SENSOR APPLICATIONS	399
	J. Goicoechea, C.R. Zamarreño, I.R. Matías, and F.J. Arregui <i>Universidad Pública de Navarra, SPAIN</i>	
A4P-H8	DEVELOPMENT OF OPTICAL 3-AXIS DISTRIBUTED FORCES SENSOR FOR WALKING ANALYSIS	403
	M. Ueda, H. Uno, H. Takemura, and H. Mizoguchi <i>Tokyo University of Science, JAPAN</i>	
A4P-H9	EVALUATION OF LASER-INDUCED BREAKDOWN SPECTROSCOPY QUANTITATIVE SENSING PERFORMANCE USING A MICRO-DROPLET EJECTION SYSTEM	407
	S. Ikezawa, M. Wakamatsu, J. Pawlat, and T. Ueda <i>Waseda University, JAPAN</i>	
A4P-H10	MULTI-WAVELENGTH TUNABLE FIBER LASER USING SOA: APPLICATION TO FIBER BRAGG GRATING VIBRATION SENSOR ARRAY	411
	S. Tanaka, K. Inamoto, H. Yokosuka, H. Somatomo, and N. Takahashi <i>National Defense Academy, JAPAN</i>	
A4P-H11	Au-(Y₂O₃)_x(ZrO₂)_{1-x} THIN FILMS FOR HIGH TEMPERATURE GAS DETECTION VIA CHANGES IN OPTICAL ABSORPTION: INTERFACIAL INFLUENCES ON METALLIC NANOPARTICLE OPTICAL PROPERTIES	415
	P.H. Rogers, G. Sirinakis, and M.A. Carpenter <i>University at Albany, USA</i>	
A4P-H12	MULTIMODE VCSELS FOR SELF-MIXING VELOCITY MEASUREMENTS	419
	J. Perchoux and T. Bosch <i>ENSEEIH-INP, FRANCE</i>	
A4P-H13	OPTICAL DETECTION HETEROGENEOUSLY INTEGRATED WITH A COPLANAR DIGITAL MICROFLUIDIC LAB-ON-A-CHIP PLATFORM	423
	R. Evans, L. Luan, N.M. Jokerst, and R.B. Fair <i>Duke University, USA</i>	

A4P-H14 ADDRESSABLE MICROMACHINED UV LIGHT SOURCES FOR ACTIVE PATTERNING	427
Y. Choi, R. Devireddy, Y. Jung, and A.B. Frazier <i>Georgia Institute of Technology, USA</i>	
A4P-H15 PLASMON ENHANCEMENTS FOR FIR DETECTION	431
A.G.U. Perera ¹ , S.G. Matsik ¹ , P.V.V. Jayaweera ¹ , D.H. Huang ² , H.C. Liu ³ , and M. Buchanan ³ ¹ <i>Georgia State University, USA</i> , ² <i>U.S. Air Force Research Lab, USA</i> , and ³ <i>National Research Council, CANADA</i>	
A4P-H16 INFRARED THERMOPILE DETECTOR ARRAY FOR THE INTEGRATED MICROSPECTROMETER	435
A. Emadi, H. Wu, S. Grabarnik, G. De Graaf, and R.F. Wolffenbuttel <i>Delft University of Technology, THE NETHERLANDS</i>	
A4P-H17 A PLANAR LIQUID LENS DESIGN BASED ON ELECTROWETTING	439
J. Park, C.-X. Liu, and J.-W. Choi <i>Louisiana State University, USA</i>	
A4P-H18 DETECTION AND HOMODYNE MIXING OF TERAHERTZ GAS LASER RADIATION BY SUBMICRON GaAs/AlGaAs FETs	443
D. Veksler, A. Muravjov, W. Stillman, N. Pala, and M. Shur <i>Rensselaer Polytechnic Institute, USA</i>	
A4P-H19 MICROFABRICATED OPTICAL COMPRESSIVE LOAD SENSORS	446
G.D. Cole, J. Kotovsky, K.L. Lin, and H.E. Petersen <i>Lawrence Livermore National Laboratory, USA</i>	
 SESSION A5L-A – Biomicrosystems	
A5L-A1 THERMALLY ADJUSTABLE MICROLENSES FOR BIOLOGICAL IMAGING	450
L. Wang ¹ , C.-M. Cheng ¹ , Q. Lin ² , and P.R. Leduc ¹ ¹ <i>Carnegie Mellon University, USA</i> and ² <i>Columbia University, USA</i>	
A5L-A2 APPLICATION OF AN INTEGRATED MICROFLUIDIC TOTAL INTERNAL REFLECTION (TIR)-BASED CHIP TO NANO-PARTICLE IMAGE VELOCIMETRY (NANO-PIV)	454
N.C.H. Le, R. Yokokawa, D.V. Dao, T.D. Nguyen, J. Wells, and S. Sugiyama <i>Ritsumeikan University, JAPAN</i>	
A5L-A3 MICRO ANALYSIS SYSTEM FOR DIGESTIVE ENZYMES BASED ON INTEGRATED AUTOMATIC pH-STATS	458
K. Morimoto, J. Fukuda, and H. Suzuki <i>University of Tsukuba, JAPAN</i>	
A5L-A4 HOT-EMBOSSSED PIEZOELECTRIC POLYMER MICRO-DIAPHRAGM ARRAYS INTEGRATED WITH LAB-ON-A-CHIP FOR PROTEIN ANALYSIS	462
C. Li, P.-M. Wu, A. Browne, S. Lee, and C.H. Ahn <i>University of Cincinnati, USA</i>	
A5L-A5 MICROFLUIDIC FLOW CYTOMETER WITH ON-CHIP LENS SYSTEMS FOR IMPROVED SIGNAL RESOLUTION	466
J. Godin and Y.-H. Lo <i>University of California, San Diego, USA</i>	
A5L-A6 MICROFLUIDIC DEVICE FOR ON-CHIP MANIPULATION OF LIQUID PLUGS FOR BIOSENSING APPLICATIONS	470
Y. Shimizu, W. Satoh, A. Takashima, F. Sassa, J. Fukuda, and H. Suzuki <i>University of Tsukuba, JAPAN</i>	

SESSION A5L-B – Phenomena

A5L-B1	A NOVEL CIRCULAR SAW (SURFACE ACOUSTIC WAVE) DEVICE IN CMOS	474
	O. Tigli and M.E. Zaghoul <i>George Washington University, USA</i>	
A5L-B2	SAW STREAMING IN ZnO SURFACE ACOUSTIC WAVE, MICROMIXER AND MICROPUMP	478
	Y.Q. Fu ¹ , X.Y. Du ¹ , J.K. Luo ¹ , A.J. Flewitt ¹ , W.I. Milne ¹ , D.S. Lee ² , N.M. Park ² , S. Maeng ² , S.H. Kim ² , Y.J. Choi ² and J. Park ² ¹ University of Cambridge, UK and ² Electronics and Telecommunications Research Institute (ETRI), KOREA	
A5L-B3	TEMPERATURE DEPENDENCE OF HIGH FREQUENCY PARAMETERS OF PVDF FOR LENGTH MODE ULTRASONIC AIR TRANSDUCERS	484
	M. Toda and M. Thompson <i>Measurement Specialties Inc., USA</i>	
A5L-B4	A METHOD TO REALIZE CONTROLLED AIR/LIQUID INTERFACES AND INTERFACIAL POLYMER MICRO MEMBRANES IN MICROFLUIDIC CHANNELS	488
	D. Cheng, Y.P. Choe, and H. Jiang <i>University of Wisconsin, Madison, USA</i>	
A5L-B5	METAL/SnO₂ INTERFACE EFFECTS ON CO SENSING, OPERANDO STUDIES	492
	J. Bertrand ¹ , A. Haensch ² , D. Koziej ² , N. Barsan ² , C. Pijolat, U. Weimar, and J.-P. Viricelle ¹ ¹ Ecole Nationale Supérieure des Mines, FRANCE and ² University of Tuebingen, GERMANY	
A5L-B6	p-Si MICROPROBE ARRAYS GROWN AT LOW TEMPERATURE BY SELECTIVE VLS USING <i>IN-SITU</i> DOPING AND THEIR PROPERTIES	496
	M.S. Islam, T. Kawashima, K. Sawada, and M. Ishida <i>Toyohashi University of Technology, JAPAN</i>	

SESSION A5L-C – IR and THz Sensors

A5L-C1	HIGH YIELD FRONT-ETCHED STRUCTURE FOR CMOS COMPATIBLE IR DETECTOR	500
	T. Li, Y. Liu, P. Zhou, Y. Wang, and Y. Wang <i>Chinese Academy of Science, CHINA</i>	
A5L-C2	TUNNELING QUANTUM DOT SENSORS FOR MULTI-BAND INFRARED AND TERAHERTZ RADIATION DETECTION	503
	G. Ariyawansa ¹ , S.G. Matsik ¹ , A.G.U. Perera ¹ , X.H. Su ² , and P. Bhattacharya ² ¹ Georgia State University, USA and ² University of Michigan, USA	
A5L-C3	SINGLE AND MULTI EMITTER TERAHERTZ DETECTORS USING n-TYPE GaAs/AlGaAs HETEROSTRUCTURES	507
	A.B. Weerasekara ¹ , R.C. Jayasinghe ¹ , M.B.M. Rinzan ¹ , S.G. Matsik ¹ , A.G.U. Perera ¹ , M. Buchanan ² , H.C. Liu ² , G. von Winckel ³ , A. Stintz ³ , and S. Krishna ³ ¹ Georgia State University, USA, ² Institute for Microstructural Sciences, CANADA, and ³ University of New Mexico, USA	
A5L-C4	FABRICATION AND EXPERIMENTAL TESTING OF INDIVIDUAL MULTI-WALLED CARBON NANOTUBE (CNT) BASED INFRARED SENSORS	511
	J. Zhang, N. Xi, H. Chen, and K.W.C. Lai <i>Michigan State University, USA</i>	
A5L-C5	DESIGN OF A NOVEL FULLY INTEGRATED IR – ABSORPTION SENSOR SYSTEM	515
	J. Kasberger ¹ and B. Jakoby ² ¹ Integrated Microsystems Austria, AUSTRIA and ² Johannes Kepler University Linz, AUSTRIA	
A5L-C6	AMORPHOUS Ge_xSi_{1-x}O_y:H MICROBOLOMETERS WITH HIGH RESPONSIVITY	519
	M.M. Rana and D.P. Butler <i>University of Texas, Arlington, USA</i>	

SPECIAL SESSION A5L-D – Smart CMOS Image Sensors

A5L-D1	POWER AND AREA EFFICIENT COLUMN-PARALLEL ADC ARCHITECTURES FOR CMOS IMAGE SENSORS	523
	M.F. Snoei ¹ , A.J.P. Theuwissen ^{1,2} , J.H. Huijsing ¹ , and K.A.A. Makinwa ¹ <i>¹Delft University of Technology, THE NETHERLANDS and ²DALSA Semiconductors, THE NETHERLANDS</i>	
A5L-D3	RESPONSIVITY OF GATED PHOTODIODE IN SOS TECHNOLOGY	527
	A. Fish ¹ , O. Yadid-Pecht ² , and E. Culurciello ³ <i>¹University of Calgary, CANADA, ²Ben-Gurion University, ISRAEL, and ³Yale University, USA</i>	
A5L-D4	A CMOS IMAGE SENSOR WITH ON CHIP IMAGE COMPRESSION BASED ON PREDICTIVE BOUNDARY ADAPTATION AND QTD ALGORITHM	531
	S. Chen ¹ , A. Bermak ¹ , Y. Wang ¹ , and D. Martinez ² <i>¹Hong Kong University of Science and Technology, HONG KONG and ²LORIA-CNRS, FRANCE</i>	
A5L-D5	A UV PHOTODETECTOR WITH INTERNAL GAIN FABRICATED IN SILICON ON SAPPHIRE CMOS	535
	M. Adlerstein Marwick, and A.G. Andreou <i>Johns Hopkins University, USA</i>	

Tuesday, October 30, 2007

KEYNOTE PRESENTATION

B1K-A	CRICKET INSPIRED FLOW-SENSOR ARRAYS	539
	Gijs Krijnen ¹ , T. Lammerink ¹ , R. Wiegink ¹ , and J. Casas ² <i>¹University of Twente, THE NETHERLANDS and ²Université François Rabelais, FRANCE</i>	

SESSION B2L-A – Carbon Nanotubes & Nanocrystals

B2L-A1	GAS SENSING PROPERTIES OF SWCNT AND TEFLON AF COMPOSITES	547
	A. Kärkkanen, T. Avarmaa, and R. Jaaniso <i>University of Tartu, ESTONIA</i>	
B2L-A2	GAS SENSING PROPERTIES OF CNT-SnO₂ NANOCOMPOSITE THIN FILM PREPARED BY E-BEAM EVAPORATION	550
	A. Wisitsoraat ¹ , E. Comini ² , G. Sberveglieri ² , W. Wlodarski ³ , and A. Tuantranont ¹ <i>¹National Electronics and Computer Technology Center, THAILAND, ²University of Brescia, ITALY, and ³MIT University, AUSTRALIA</i>	
B2L-A3	CARBON NANOTUBE-BASED HYDROGEN GAS SENSOR ELECTROCHEMICALLY FUNCTIONALIZED WITH PALLADIUM	554
	J. Suehiro, S. Yamane, and K. Imasaka <i>Kyushu University, JAPAN</i>	
B2L-A4	LARGE AREA NANOCRYSTALLINE GRAPHITE FILMS ON SIC FOR GAS SENSING APPLICATIONS	558
	M.V.S. Chandrashekar ¹ , M. Qazi ² , J. Lu ¹ , G. Koley ² , and M.G. Spencer ¹ <i>¹Cornell University, USA and ²University of South Carolina, USA</i>	
B2L-A5	NANOSTRUCTURED THIN FILMS OF Ba DOPED In₂O₃ SENSORS FOR MONITORING TRACE LEVELS OF NO_x	562
	K.I. Gnanasekar, C. Shekhar, E. Prabhu, V. Jayaraman, and T. Gnanasekaran <i>Indira Gandhi Centre for Atomic Research, INDIA</i>	

SESSION B2L-B – Optical Sensors I

B2L-B1	COHERENCE MULTIPLEXING OF ABSORPTION SENSORS	566
	Z.-G. Guan, B. Zhou, G. Liu, and S. He <i>Zhejiang University, CHINA</i>	
B2L-B2	RESONANT DETECTION AND MODULATION OF TERAHERTZ RADIATION BY 2DEG PLASMONS IN GaN GRATING-GATE STRUCTURES	570
	N. Pala ¹ , D. Veksler ² , A. Muravjov ² , W. Stillman ² , R. Gaska ¹ , and M. Shur ² ¹ <i>Sensor Electronic Technology, Inc., USA</i> and ² <i>Rensselaer Polytechnic Institute, USA</i>	
B2L-B3	TEMPERATURE-DEPENDENT-FREE PIGTAILED ELECTRO-OPTIC SENSORS FOR VECTORIAL MEASUREMENT OF MICROWAVE SIGNALS	573
	M. Bernier ¹ , L. Duvillaret ¹ , G. Gaborit ¹ , A. Paupert ² , and J.-L. Lasserre ² ¹ <i>Institut de Microélectronique d'Electromagnétisme et Photonique, FRANCE</i> and ² <i>Centre d'Etude de Gramat, FRANCE</i>	
B2L-B4	SMART BI-SPECTRAL IMAGE SENSOR FOR 3D VISION	577
	A. Kolar ¹ , T. Graba ¹ , A. Pinna ¹ , O. Romain ¹ , E. Belhaire ² , and B. Granado ¹ ¹ <i>Université Pierre et Marie CURIE, FRANCE</i> and ² <i>Universite Paris-Sud, FRANCE</i>	
B2L-B5	ELECTRICAL MODEL OF A SINGLE PIXEL SOI PHOTOTRANSISTOR RELYING ON THE TRANSIENT CHARGE PUMPING TECHNIQUE	581
	L. Harik, M. Kayal, and J.-M. Sallese <i>Ecole Polytechnique Fédérale de Lausanne (EPFL), SWITZERLAND</i>	
B2L-B6	SINGLE PHOTON AVALANCHE DETECTORS IN STANDARD CMOS	585
	M. Dandin ¹ , N. Nelson ¹ , V. Saveliev ¹ , I. Weinberg ² , H. Ji ¹ , and P. Abshire ¹ ¹ <i>University of Maryland, USA</i> and ² <i>Fast Imaging Company, USA</i>	

SESSION B2L-C – Optical Biosensors

B2L-C1	A NEW FLUORESCENT VESICULAR SENSOR FOR SACCHARIDES BASED ON BORONIC ACID-DIOL RECOGNITION ON THE INTERFACES OF VESICLES	589
	G. Li, T. Jiang, X. Zhang, Q. Wang, and G. Li <i>Jiln University, CHINA</i>	
B2L-C2	SURFACE PLASMON RESONANCE ENHANCED COMMON PATH INTERFEROMETRY FOR HIGH SENSITIVITY LABEL FREE BIOMOLECULE INTERACTION ANALYSIS	592
	C. Greef ¹ , V. Petropavlovskikh ¹ , O. Nilsen ¹ , B. Hacıoglu ¹ , B. Khattatov ¹ , and J. Hall ² ¹ <i>AlphaSniffer, LLC, USA</i> and ² <i>Hall Stable Lasers, LLC, USA</i>	
B2L-C3	A NOVEL RING SHAPED PHOTODIODE FOR REFLECTANCE PULSE OXIMETRY IN WIRELESS APPLICATIONS	596
	S. Duun, R.G. Haahr, K. Birkelund, P. Raahauge, P. Petersen, H. Dam, L. Nørgaard, and E.V. Thomsen <i>Technical University of Denmark, DENMARK</i>	
B2L-C4	OPTICAL SENSORS BASED ON S-LAYER PROTEINS	600
	S. Scheicher ¹ , B. Kainz ² , S. Köstler ³ , C. Konrad ³ , M. Suppan ³ , A. Bizzarri ³ , D. Pum ² , V. Ribitsch ¹ , and U.B. Sleytr ² ¹ <i>Karl-Franzens University, AUSTRIA</i> , ² <i>University of Natural Resources and Applied Life Sciences, AUSTRIA</i> , and ³ <i>Joanneum Research, AUSTRIA</i>	
B2L-C5	FIBER-OPTIC COUPLER BIOSENSOR	604
	H. Tazawa and T. Kanie <i>Sumitomo Electric Industries, Ltd., JAPAN</i>	
B2L-C6	TAPERED OPTICAL FIBER BIOSENSOR FOR THE DETECTION OF ANTI-GLIADIN ANTIBODIES	608
	J.M. Corres, J. Bravo, I.R. Matias, and F.J. Arregui <i>Universidad Publica de Navarra, SPAIN</i>	

SPECIAL SESSION B2L-D – Sensors in Extreme Environments

B2L-D1	SENSING REQUIREMENTS FOR REAL-TIME MONITORING AND CONTROL IN ENERGY PRODUCTION	612
	R.N. Ghosh and R. Loloee <i>Michigan State University, USA</i>	
B2L-D3	OPTICAL OXYGEN SENSORS USING TUNABLE DIODE LASER SPECTROSCOPY: APPLICATION TO HARSH REACTIVE PROCESSES	616
	V. Ebert ¹ and J.W. Fleming ² ¹ Heidelberg University, GERMANY and ² Naval Research Laboratory, USA	
B2L-D4	EXPLORING SILICON CARBIDE FOR THERMAL INFRARED RADIATORS	620
	M. Mehregany <i>Case Western Reserve University, USA</i>	
B2L-D5	A LOW TCR NANOCOMPOSITE STRAIN GAGE FOR HIGH TEMPERATURE AEROSPACE APPLICATIONS	624
	O.J. Gregory and X. Chen <i>University of Rhode Island, USA</i>	

SESSION B3L-A – Nanostructure for Chemical Sensors

B3L-A1	COMPACT SPR GAS SENSOR FOR MOBILE ROBOT OLFACTION USING METAL NANOSTRUCTURE AND LED LIGHT SOURCE	628
	Y. Kagawa, M. Satoh, T. Numata, H. Ishida, and N. Umeda <i>Tokyo University of Agriculture and Technology, JAPAN</i>	
B3L-A2	NANOWIRE SENSOR FOR VOLATILE ORGANIC COMPOUNDS BY FORMATION OF CHARGE TRANSFER COMPLEX	632
	K. Masunaga, M. Sato, K. Hayashi, and K. Toko <i>Kyushu University, JAPAN</i>	
B3L-A3	CHEMICAL SENSORS FROM LEAD METALLOPHTHALOCYANINE WHISKERS	636
	E. Strelkov and A. Kolmakov <i>Southern Illinois University, USA</i>	
B3L-A4	OPTICAL TRANSDUCTION OF THE CHEMICAL SENSITIVITY OF PORPHYRIN NANOTUBES BY CSPT PLATFORM	640
	E. Martinelli ¹ , F. Dini ¹ , D. Monti ¹ , R. Paolesse ¹ , D. Filippini ² , A. D'Amico ¹ , I. Lundström ² , and C. Di Natale ¹ ¹ University of Rome Tor Vergata, ITALY and ² University of Linköping, SWEDEN	
B3L-A5	RAPID FABRICATION OF A NANO INTERDIGITATED ARRAY ELECTRODE AND ITS AMPEROMETRIC CHARACTERIZATION AS AN ELECTROCHEMICAL SENSOR	644
	A.K. Samarao ¹ , M.J. Rust ² , and C.H. Ahn ² ¹ Georgia Institute of Technology, USA and ² University of Cincinnati, USA	
B3L-A6	A LOW VOLTAGE GAS IONIZATION SENSOR BASED ON SPARSE GOLD NANORODS	648
	R.B. Sadeghian and M. Kahrizi <i>Concordia University, CANADA</i>	

SESSION B3L-B – Optical Sensors II

B3L-B1	DESIGN OF A SLIM-LINE INTEGRATED PROBE USING OPTICAL FIBRE TECHNOLOGY THAT IS SUITABLE FOR MICROWAVE ENVIRONMENTS AND MEASURES REFLECTION SPECTROSCOPY AND TEMPERATURE	652
	M. O'Farrell ¹ , C. Sheridan ¹ , E. Lewis ¹ , W.Z. Zhao ² , K.T.V. Grattan ² , T. Sun ² , J. Kerry ³ , and N. Jackman ³ ¹ University of Limerick, IRELAND, ² City University London, UK, and ³ Jackman Food Solutions International Ltd., IRELAND	

B3L-B2	A RANGE FINDING ARRAY SENSOR PERFORMING CORRELATED CALCULATIONS WITH A PN CODE MODULATION LIGHT	656
	T. Joboji ¹ and S. Sugawa ² <i>¹Hamamatsu Photonics K.K., JAPAN and ²Tohoku University, JAPAN</i>	
B3L-B3	DESIGN AND FABRICATION OF AN EXTREME TEMPERATURE SENSING OPTICAL PROBE USING SILICON CARBIDE TECHNOLOGIES	660
	N.A. Riza ¹ , M. Sheik ¹ , and F. Perez ² <i>¹University of Central Florida, USA and ²Nuonics, Inc., USA</i>	
B3L-B4	Au-(Y₂O₃)_x(ZrO₂)_{1-x} THIN FILMS AS AN ALL-OPTICAL METHOD FOR MEASURING EMISSIONS AT HIGH TEMPERATURES	663
	P.H. Rogers, G. Sirinakis, and M.A. Carpenter <i>University at Albany, USA</i>	
B3L-B5	ANALYSIS OF PHOTO-ELASTIC MODULATION IN ACCELERATION SENSING	667
	F. Chen and Z. Salcic <i>University of Auckland, NEW ZEALAND</i>	
B3L-B6	A 3.2 kHz, 13-BIT OPTICAL ABSOLUTE ROTARY ENCODER WITH A CMOS PROFILE SENSOR	671
	Y. Sugiyama, Y. Matsui, H. Toyoda, N. Mukozaka, A. Ihori, T. Abe, M. Takabe, and S. Mizuno <i>Hamamatsu Photonics K.K., JAPAN</i>	

SESSION B3L-C – Biosensors

B3L-C1	DETECTION OF ALCOHOL WITH VERTICALLY ALIGNED CARBON NANOFIBER (VACNF)	675
	M.L. Weeks ¹ , T. Rahman ¹ , P.D. Frymier ¹ , S.K. Islam ¹ , and T.E. McKnight ² <i>¹University of Tennessee, USA and ²Oak Ridge National Laboratory, USA</i>	
B3L-C2	REAL-TIME PROTEIN BINDING DETECTION WITH NEUROMORPHIC INTEGRATED SENSOR	678
	B.C. Jacquot ¹ , N.L. Muñoz ¹ , D.W. Branch ² , and E.C. Kan ¹ <i>¹Cornell University, USA and ²Sandia National Laboratory, USA</i>	
B3L-C3	BIOCHEMICAL RESPONSES OF NANO-PILLAR GATE FIELD-EFFECT DEVICES	682
	Y. Miyahara ¹ , T. Sakata ² , A. Matsumoto ² , C. Kataoka-Hamai ¹ , H. Inoue ¹ , N. Sato ² , and I. Makino ² <i>¹National Institute for Materials Science, JAPAN and ²University of Tokyo, JAPAN</i>	
B3L-C4	DEVELOPMENT OF POLYETHYLENEGLYCOL MONOLAYER-BASED SPR IMMUNOSENSOR FOR DETECTION OF LOW-MOLECULAR-WEIGHT FRAGRANTS	686
	K.V. Gobi ¹ , K. Matsumoto ¹ , K. Toko ¹ , H. Ikezaki ² , and N. Miura ¹ <i>¹Kyushu University, JAPAN and ²Insent Inc., JAPAN</i>	
B3L-C5	DEVELOPMENT OF A SHEAR HORIZONTAL SAW RFID BIOSENSOR	691
	J.K. Perng ¹ , P.J. Edmonson ² , and W.D. Hunt ¹ <i>¹Georgia Institute of Technology, USA and ²P.J. Edmonson, Ltd., CANADA</i>	
B3L-C6	HYDROGEL-BASED INTEGRATED ANTENNA-pH SENSOR	695
	S.-N. Lee ¹ , Z. Ding ² , J.-I. Kim ² , J.-G. Yook ¹ , B. Ziaie ² , and D. Peroulis ² <i>¹Yonsei University, KOREA and ²Purdue University, USA</i>	

SPECIAL SESSION B3L-D – Sensing Interfaces with Electrochemical Scanning Probes

B3L-D1	AFM/EC NANO PROBING OF SINGLE CELLS AND ORGANELLES	699
	R. Fasching, W.-H. Ryu, S.-J. Bai, J.-S. Park, T. Fabian, J. Moseley, A. Grossman, and F. Prinz <i>Stanford University, USA</i>	
B3L-D3	COMPARISON OF TWO REDOX COUPLES FOR AFM-SECM	703
	P.L.T.M. Frederix ¹ , P.D. Bosshart ¹ , T. Akiyama ² , N.F. De Rooij ² , U. Staufer ² , and A. Engel ¹ <i>¹University of Basel, SWITZERLAND and ²University of Neuchâtel, SWITZERLAND</i>	

B3L-D4	ELECTROCHEMICAL CANTILEVER SENSORS AND SCANNING PROBE MICROSCOPY	707
	T. Thundat and G.M. Brown <i>Oak Ridge National Laboratory, USA</i>	
B3L-D5	NEW METHODS FOR CALIBRATED SCANNING THERMAL MICROSCOPY (SThM)	708
	P.S. Dobson ¹ , G. Mills ² , and J.M.R. Weaver ¹ ¹ <i>University of Glasgow, UK and</i> ² <i>Kelvin Nanotechnology, UK</i>	
B3L-D6	DEVELOPMENTS IN NANOWIRE SCANNING ELECTROCHEMICAL – ATOMIC FORCE MICROSCOPY (SECM-AFM) PROBES	712
	D.P. Burt ¹ , P.S. Dobson ¹ , J.M.R. Weaver ¹ , N.R. Wilson ² , P.R. Unwin ² , and J.V. Macperson ² ¹ <i>University of Glasgow, UK and</i> ² <i>University of Warwick, UK</i>	

POSTER SESSION – B4P – Biosensors

B4P-E1	MULTI-CHIP HIGH-DENSITY MICROELECTRODE SYSTEM FOR ELECTROGENIC-CELL RECORDING AND STIMULATION	716
	J. Sedivy, U. Frey, F. Heer, S. Hafizovic, and A. Hierlemann <i>ETH Zürich, SWITZERLAND</i>	
B4P-E2	MICRO FLUIDIC BIOSENSOR SYSTEM BASED ON QUARTZ CRYSTAL RESONATORS FOR FAST ONLINE ADHERENT CELL PROLIFERATION AND STIMULATION ANALYSIS	720
	T. Jacobs, A. Gomide, T. Kähne, A. Kienle, M. Naumann, and P. Hauptmann <i>Otto von Guericke University Magdeburg, GERMANY</i>	
B4P-E3	BIOCHIP FOR DNA AMPLIFICATION AND LABEL-FREE DNA DETECTION	724
	G. Hairer ¹ , M.H. Mansfeld ² , C. Nöhammer ² , and M.J. Vellekoop ¹ ¹ <i>Vienna University of Technology, AUSTRIA and</i> ² <i>Austrian Research Centers GmbH-ARC, AUSTRIA</i>	
B4P-E4	A NOVEL DETECTION FOR BIOMOLECULE USING RF LC RESONATOR	728
	Y.I. Kim ¹ , Y. Park ¹ , and H. Baik ² ¹ <i>Samsung Advanced Institute of Technology, KOREA and</i> ² <i>Yonsei University, KOREA</i>	
B4P-E5	USING MAGNETO-INDUCTIVE SENSORS TO DETECT TONGUE POSITION IN A WIRELESS ASSISTIVE TECHNOLOGY FOR PEOPLE WITH SEVERE DISABILITIES	732
	X. Huo ¹ , J. Wang ¹ , and M. Ghovanloo ² ¹ <i>North Carolina State University, USA and</i> ² <i>Georgia Institute of Technology, USA</i>	
B4P-E6	DIELECTROPHORETIC WHOLE BLOOD SEPARATION DEVICE INTEGRATING A SPIRAL PUMP AND CYTOMETRY	736
	J. Gregory, Y.S. Ng, E.M. Jung, and S. Kodandaramaiah <i>University of Michigan, USA</i>	
B4P-E7	DUAL MICRO-THERMOPILE BASED BIOCALORIMETER FOR ENZYME-SUBSTRATE REACTION	740
	B.-S. Kwak, B.-S. Kim, H.-H. Cho, J.-S. Park, and H.-I. Jung <i>Yonsei University, KOREA</i>	
B4P-E8	AMPEROMETRIC MICROBIOSENSORS FOR STUDYING ATP AT THE CAROTID BODY	744
	J.-F. Masson ¹ , C. Kranz ² , E.B. Gauda ³ , and B. Mizaikoff ² ¹ <i>Université de Montréal, CANADA, </i> ² <i>Georgia Institute of Technology, USA, and</i> ³ <i>Johns Hopkins University, USA</i>	

POSTER SESSION – Mechanical Sensors

B4P-F1	SiC BASED PRESSURE SENSOR FOR HIGH-TEMPERATURE ENVIRONMENTS	748
	G. Wiczorek ¹ , B. Schellin ¹ , G. Fagnani ² , L. Drera ² , and E. Obermeier ¹ ¹ <i>Technical University of Berlin, GERMANY and</i> ² <i>Gefran SpA, ITALY</i>	

B4P-F2	STABILITY AND ERROR ANALYSIS OF A NEW 6 DOF MOTION SENSOR USING MULTIPLE ACCELEROMETERS	752
	R. Onodera and N. Mimura <i>Niigata University, JAPAN</i>	
B4P-F3	INVESTIGATION OF TOP/BOTTOM ELECTRODE AND DIFFUSION BARRIER LAYER FOR PZT THICK FILM MEMS SENSORS	756
	T. Pedersen ¹ , C.C. Hindrichsen ¹ , R. Lou-Møller ² , K. Hansen ³ , and E.V. Thomsen ¹ ¹ <i>Technical University of Denmark, DENMARK</i> , ² <i>InSensor A/S, DENMARK</i> , and ³ <i>Ferroperm Piezoceramics A/S, DENMARK</i>	
B4P-F4	SLENDER TACTILE SENSOR FOR HIGH-ASPECT-RATIO MICRO METROLOGY	760
	E. Peiner ¹ , L. Doering ² , and M. Balke ¹ ¹ <i>Technical University Carolo-Wilhelmina at Braunschweig, GERMANY</i> and ² <i>Physikalisch-Technische Bundesanstalt (PTB), GERMANY</i>	
B4P-F5	INVESTIGATIONS ON THE HIGH-TEMPERATURE PERFORMANCE OF SPUTTER-DEPOSITED ALUMINIUM OXIDE THIN FILMS	764
	S. Fricke ^{1,2} , A. Friedberger ² , G. Mueller ² , H. Seidel ¹ , and U. Schmid ¹ ¹ <i>Saarland University, GERMANY</i> and ² <i>EADS Deutschland GmbH, GERMANY</i>	
B4P-F6	A HIGH-PERFORMANCE MONOLITHIC TRIAXIAL HIGH-G ACCELEROMETER	768
	P. Dong, X. Wu, and S. Li <i>National University of Defense Technology, CHINA</i>	
B4P-F7	THE DESIGN OF NANO-FILM TUNNELING-EFFECT MICRO GYROSCOPE	772
	J. Liu ^{1,2} , Z. Ma ¹ Y. Shi ¹ , W. Zhang ¹ , B. Zhang ¹ and F. Ma ² ¹ <i>North University of China, CHINA</i> and ² <i>University of California, Berkeley, USA</i>	
B4P-F8	RESONANT FERROFLUIDIC INCLINOMETERS	776
	B. Andó, A. Ascia, S. Baglio, and C. Trigona <i>Università di Catania, ITALY</i>	
B4P-F9	SOUND SOURCE LOCALIZATION USING PIEZORESISTIVE MULTI-CANTILEVER MICROPHONES	780
	Y.C. Kim, J.Y. Kim, Y.J. Park, and S.S. Lee <i>Korea Advanced Institute of Science and Technology (KAIST), KOREA</i>	
B4P-F10	A POLYMER-BASED FLEXIBLE TACTILE SENSOR AND ITS APPLICATION TO ROBOTICS	784
	E.-S. Hwang and Y.-J. Kim <i>Yonsei University, KOREA</i>	
B4P-F11	A MINIATURE CONDENSER MICROPHONE FOR PORTABLE TERMINALS APPLICATIONS	788
	H.J. Kim, J.W. Lee, S.Q. Lee, S.K. Lee, and K.H. Park <i>Electronics and Telecommunications Research Institute (ETRI), KOREA</i>	
B4P-F12	TACTILE SENSOR WITHOUT WIRE AND SENSING ELEMENT IN THE TACTILE REGION BASED ON EIT METHOD	792
	Y. Kato ¹ , T. Hayakawa ² , T. Shibata ² , and T. Mukai ¹ ¹ <i>RIKEN, JAPAN</i> and ² <i>Tokai Rubber Industries Ltd., JAPAN</i>	
B4P-F13	A HIGHLY SENSITIVE STRAIN SENSOR USING SURFACE ACOUSTIC WAVE AND ITS EVALUATION FOR WIRELESS BATTERY-LESS SENSOR NETWORK	796
	R. Konno ¹ , M. Mitsui ¹ , H. Kuwano ¹ , S. Nagasawa ¹ , K. Sano ¹ , and J. Hayasaka ² ¹ <i>Tohoku University, JAPAN</i> and ² <i>NEC TOKIN, JAPAN</i>	
B4P-F14	DECOUPLED Z-AXIS MICROGYROSCOPE USING OBLIQUE COMB FOR FREQUENCY TUNING	800
	C.-P. Hsu, D.-H. Tsai, M.-C. Yip, and W. Fang <i>National Tsing Hua University, TAIWAN</i>	
B4P-F15	CORROSION ENHANCED CAPACITIVE STRAIN GAUGE AT 370°C	804
	B. Jamshidi, R.G. Azevedo, M.B.J. Wijesundara, and A.P. Pisano <i>University of California, Berkeley, USA</i>	

B4P-F16	A HIGH-SENSITIVITY 3-D TACTILE SENSOR FOR MINIMALLY INVASIVE SURGERY	808
	R.B. Katragadda, Z. Wang, and Y. Xu <i>Wayne State University, USA</i>	
B4P-F17	ADVANCED MEMS DEVELOPMENT FOR HIGH POWER SENSOR APPLICATION	811
	B.C. Kim ¹ and R. Kasim ² <i>¹University of Alabama, USA and ²Intel Corporation, USA</i>	
B4P-F18	SUPER FLEXIBLE SENSOR SKIN USING LIQUID METAL AS INTERCONNECT	815
	H. Hu, K. Shaikh, and C. Liu <i>University of Illinois, Urbana-Champaign, USA</i>	
 POSTER SESSION – Physical Sensors		
B4P-G1	STABILIZED ARC DISCHARGES AS HARSH ENVIRONMENT TRANSDUCERS	818
	A. May and E. Andarawis <i>General Electric, USA</i>	
B4P-G2	SUB-10e CHARGE RESOLUTION FOR ROOM TEMPERATURE ELECTROMETRY	821
	J. Lee, Y. Zhu, and A. Seshia <i>University of Cambridge, UK</i>	
B4P-G3	A SMALL SIZE HIGH PRESSURE SENSOR BASED ON METAL THIN FILM TECHNOLOGY	825
	A. Stoetzler ¹ , H.P. Didra ¹ , D. Dittmann ¹ , R. Henn ¹ , A. Jasenek ¹ , F. Klopff ¹ , M. Metz ² , A. Scharping ¹ , and W. Frey ¹ <i>¹Robert Bosch GmbH, GERMANY and ²Bosch Research and Technology Center North America, USA</i>	
B4P-G4	THERMOELECTRIC FLOW SENSORS WITH MONOLITHICALLY INTEGRATED CHANNEL STRUCTURES FOR MEASUREMENTS OF VERY SMALL FLOW RATES	828
	R. Buchner, P. Bhargava, C. Sosna, W. Benecke, and W. Lang <i>University of Bremen, GERMANY</i>	
B4P-G5	AN ACOUSTIC TEMPERATURE SENSOR TO MONITOR VARIABLE FREQUENCY MICROWAVE CURING OF POLYMER DIELECTRICS	832
	C.E. Davis, A.J. Dickherber, W.D. Hunt, and G.S. May <i>Georgia Institute of Technology, USA</i>	
B4P-G6	DEVELOPMENT OF A INFRARED THERMOPILE DETECTOR WITH A THIN SELF-SUPPORTING SU-8 MEMBRANE	836
	C.G. Mattsson ¹ , G. Thungström ¹ , K. Bertilsson ¹ , H.-E. Nilsson ¹ , and H. Martin ² <i>¹Mid Sweden University, SWEDEN and ²SenseAir AB, SWEDEN</i>	
B4P-G7	A STUDY OF CROSS-AXIS EFFECT FOR MICROMACHINED THERMAL GAS INERTIAL SENSOR	840
	R. Zhu ¹ , H. Ding ¹ , Y. Su ² , and Y. Yang ³ <i>¹Tsinghua University, CHINA, ²Nanjing University of Science & Technology, CHINA, and ³The 13th Research Institute of CETC, CHINA</i>	
B4P-G8	ONE-SIDE-ELECTRODE-TYPE FLUID-BASED INCLINOMETER COMBINED WITH CMOS CIRCUITRY .	844
	A.B.A. Manaf, K. Nakamura, J. Onishi, and Y. Matsumoto <i>Keio University, JAPAN</i>	
B4P-G9	INTEGRATED GMR BASED WHEEL SPEED SENSOR FOR AUTOMOTIVE APPLICATIONS	848
	K. Kapsler ¹ and J. Sterling ² <i>¹Infineon Technologies AG, GERMANY and ²Infineon Technologies North American Corp., USA</i>	
B4P-G10	CLOSED LOOP PCB FLUXGATE WITHOUT COMPENSATION COIL	852
	L. Rovati ¹ , S. Cattini ¹ , M. Marchesi ² , and E. Dallago ³ <i>¹Università degli Studi di Modena e Reggio Emilia, ITALY, ²STMicroelectronics, ITALY, and ³Università degli Studi di Pavia, ITALY</i>	

B4P-G11	LOW- POWER OPERATION OF A PRECISION CMOS TEMPERATURE SENSOR BASED ON SUBSTRATE PNPs	856
	A.L. Aita ^{1,2} and K.A.A. Makinwa ² <i>¹Federal University of Santa Maria, BRAZIL and ²Delft University of Technology, THE NETHERLANDS</i>	
B4P-G12	TRUE 2D CMOS INTEGRATED HALL SENSOR	860
	S. Reymond, P. Kejik, and R.S. Popovic <i>Swiss Federal Institute of Technology, SWITZERLAND</i>	
B4P-G13	DESIGN, OPTIMIZATION AND CHARACTERIZATION OF AN ACOUSTIC PLATE MODE VISCOMETER	864
	J. Andle, R. Haskell, R. Sbardella, G. Morehead, M. Chap, J. Columbus, and D. Stevens <i>Vectron International, USA</i>	
B4P-G14	DESIGN, PACKAGING AND CHARACTERIZATION OF A TWO-PORT BULK WAVE LANGASITE VISCOMETER	868
	J. Andle, R. Haskell, R. Sbardella, G. Morehead, M. Chap, J. Columbus, and D. Stevens <i>Vectron International, USA</i>	
B4P-G15	A NOVEL SENSOR SYSTEM FOR LIQUID PROPERTIES BASED ON A MICROMACHINED BEAM AND A LOW-COST OPTICAL READOUT	872
	C. Riesch ¹ , E.K. Reichel ² , A. Jachimowicz ¹ , F. Keplinger ¹ , and B. Jakoby ² <i>¹Vienna University of Technology, AUSTRIA and ²Johannes Kepler University Linz, AUSTRIA</i>	
B4P-G16	A CORIOLIS VIBRATING GYRO MADE OF A STRONG PIEZOELECTRIC MATERIAL	876
	A. Parent, O. Le Traon, S. Masson, and B. Le Foulgoc <i>ONERA, FRANCE</i>	
B4P-G17	AN ULTRA LOW-NOISE VIBRATION MONITORING SYSTEM	880
	F. Gerfers ¹ , H. Bar ² , T. Northemann ³ , M. Kuderer ³ , A. Buhmann ³ , Y. Manoli ³ , M. Kohlstadt ¹ , and L.-P. Wang ¹ <i>¹Intel Corporation, USA, ²Intel Corporation, ISRAEL, and ³Albert-Ludwigs University, GERMANY</i>	
B4P-G18	A 0.35um-CMOS, WIDE-BAND, LOW-NOISE HALL MAGNETOMETER FOR CURRENT SENSING APPLICATIONS	884
	P.D. Dimitropoulos, P.M. Drljaca, and R.S. Popovic <i>Swiss Federal Institute of Technology Lausanne (EPFL), SWITZERLAND</i>	
B4P-G19	A NOVEL 2-D CAPACITIVE SILICON FLOW SENSOR	888
	Z.-W. Wei, M. Qin, and Q.-A. Huang <i>Southeast University, CHINA</i>	
B4P-G20	MAGNETOSTRICTIVE/PIEZOELECTRIC MAGNETOELECTRIC TRANSDUCER WITH AN ELASTIC SUBSTRATE	892
	L. Bian, Y. Wen, P. Li, L. Cheng, and P. Liu <i>Chongqing University, CHINA</i>	
B4P-G21	MICRO STRUCTURED PLANAR GRADIENT COILS FOR LOW FIELD MAGNETIC RESONANCE IMAGING	896
	D. Ellersiek, S. Harms, F. Casanova, B. Blümich, G. Dura, W. Mokwa, and U. Schnakenberg <i>RWTH Aachen University, GERMANY</i>	
B4P-G22	PRESSURE SENSOR USING ELECTROKINETIC ENERGY CONVERSION PHENOMENA	900
	D. Kim ¹ , D.-K. Kim ² , S.-J. Park ¹ , and S.J. Kim ² <i>¹Korea Institute of Machinery and Materials, KOREA and ²Korea Advanced Institute of Science and Technology (KAIST), KOREA</i>	
B4P-G23	MICRO IR SPECTROMETER BASED ON BLAZE GRATING	904
	H. Zhou, T. Li, Y. Wang, X. Li, and Y. Wang <i>Shanghai Institute of Microsystem and Information Technology, CHINA</i>	

B4P-G24	A NOVEL COMBINED RHEOMETER AND DENSITY METER SUITABLE FOR INTEGRATION IN MICROFLUIDIC SYSTEMS	908
	E.K. Reichel ¹ , C. Riesch ² , and B. Jakoby ¹ <i>¹Johannes Kepler University, AUSTRIA and ²Vienna University of Technology, AUSTRIA</i>	
B4P-G25	PROPERTIES OF InSb THIN FILMS SANDWICHED BY Al_{0.1}In_{0.9}Sb INSULATING LAYERS GROWN ON GaAs(100) SUBSTRATES BY MOLECULAR BEAM EPITAXY	912
	I. Shibasaki ¹ , H. Geka ² , S. Yamada ² , A. Okamoto ² , and H. Goto ² <i>¹Asahikasei Corporation, JAPAN and ²Asahikasei EMD Corporation, JAPAN</i>	
B4P-G26	DESIGN AND FABRICATION OF A CONVECTIVE 3-DOF ANGULAR RATE SENSOR	915
	V.T. Dau, T.X. Dinh, D.V. Dao, O. Tomonori, and S. Sugiyama <i>Ritsumeikan University, JAPAN</i>	
B4P-G27	MEMS BASED PRESSURE SENSOR WITH TRIPLE MODULAR REDUNDANCY	919
	P. Venkata Reddy ¹ , M.M. Nayak ¹ , and K. Rajanna ² <i>¹Indian Space Research Organization, INDIA and ²Indian Institute of Science, INDIA</i>	
B4P-G28	PRINCIPLE OF A DUAL-BAND SEARCH COIL MAGNETOMETER: A NEW INSTRUMENT TO INVESTIGATE MAGNETIC FIELDS FLUCTUATION IN SPACE	922
	C. Coillot, J. Moutoussamy, and G. Chanteur <i>CETP/CNRS, FRANCE</i>	
B4P-G29	PRECISE THERMOGRAPHY OF MICROSYSTEMS IN THE VISIBLE REGION USING A STANDARD CCD CAMERA	926
	D. Teysseux ¹ , D. Briand ² , L. Thiery ¹ , N.F. de Rooij ² , and B. Cretin ¹ <i>¹FEMTO-ST, FRANCE and ²University of Neuchâtel, SWITZERLAND</i>	
B4P-G30	A THICKNESS SHEAR MODE ZINC OXIDE LIQUID SENSOR WITH OFF-AXIS EXCITATION	930
	C.D. Corso, A. Dickherber, and W.D. Hunt <i>Georgia Institute of Technology, USA</i>	
B4P-G31	NANOMETER SCALE COMPLEMENTARY SILICON MOSFETs AS DETECTORS OF TERAHERTZ AND SUB-TERAHERTZ RADIATION	934
	W. Stillman ^{1,2} , F. Guarin ² , V.Y. Kachorovskii ^{1,3} , N. Pala ^{1,4} , S. Romyantsev ^{1,3} , M.S. Shur ¹ , and D. Veksler ¹ <i>¹Rensselaer Polytechnic Institute, USA, ²IBM Microelectronics, USA, ³Ioffe Institute of Russian Academy of Sciences, RUSSIA, and ⁴Sensor Electronics Technology, Inc., USA</i>	
B4P-G32	A NOVEL CHARACTERIZATION METHOD FOR THERMAL THIN-FILM PROPERTIES APPLIED TO PECVD SILICON NITRIDE	938
	R. Beigelbeck ¹ , F. Kohl ¹ , J. Kuntner ² , F. Keplinger ² , and B. Jakoby ³ <i>¹Austrian Academy of Sciences, AUSTRIA, ²Vienna University of Technology, AUSTRIA, and ³Johannes Kepler University Linz, AUSTRIA</i>	
B4P-G33	4H SiC BETA-POWERED TEMPERATURE TRANSDUCER	942
	M.V.S. Chandrashekhar, R. Duggirala, A. Lal, and M.G. Spencer <i>Cornell University, USA</i>	
B4P-G34	EARLY-WARNING WIRELESS TELEMETER FOR HARSH-ENVIRONMENT BEARINGS	946
	A. Kovacs, D. Peroulis, and F. Sadeghi <i>Purdue University, USA</i>	
B4P-G35	AN EVANESCENT-MODE CAVITY RESONATOR BASED THERMAL SENSOR	950
	A. Mahmood, H.H. Sigmarsson, H. Joshi, W.J. Chappell, and D. Peroulis <i>Purdue University, USA</i>	

POSTER SESSION – Applications

B4P-H1	A CMOS INTEGRATED CAPACITANCE-TO-FREQUENCY CONVERTER WITH DIGITAL COMPENSATION CIRCUIT DESIGNED FOR SENSOR INTERFACE APPLICATIONS	954
	C.-T. Chiang ^{1,2} , C.-S. Wang ² , and Y.-C. Huang ² <i>¹Industrial Technology Research Institute, TAIWAN and ²National Chiao Tung University, TAIWAN</i>	
B4P-H2	FAST SAW BASED SENSOR SYSTEM FOR REAL-TIME ANALYSIS OF VOLATILE ANAESTHETIC AGENTS	958
	N. Barié ¹ , A. Voigt ¹ , J. Marcoll ² , and M. Rapp ¹ <i>¹Institute of Microstructure Technology, GERMANY and ²Drägerwerk AG, GERMANY</i>	
B4P-H3	A MISICFET BASED GAS SENSOR SYSTEM FOR COMBUSTION CONTROL IN SMALL-SCALE WOOD FIRED BOILERS	962
	M. Andersson ¹ , L. Everbrand ¹ , A. Lloyd Spetz ¹ , T. Nyström ² , M. Nilsson ² , C. Gauffin ² , and H. Svensson ² <i>¹Linköping University, SWEDEN and ²NIBE AB, SWEDEN</i>	
B4P-H4	MICRO ACOUSTIC MONITORING WITH MEMS ACCELERMETERS: TOWARDS A WSN IMPLEMENTATION	966
	C. Alippi, C. Galperti, and M. Zanchetta <i>Politecnico di Milano, ITALY</i>	
B4P-H5	TALKER IDENTIFICATION USING REVERBERATION SENSING SYSTEM	970
	A.R. Abu-El-Quran, J.S. Gammal, R.A. Goubran, and A.D.C. Chan <i>Carleton University, CANADA</i>	
B4P-H6	LOCAL SEALING OF HIGH ASPECT RATIO VIAS FOR SINGLE STEP BOTTOM-UP COPPER ELECTROPLATING OF THROUGH WAFER INTERCONNECTS	974
	M. Saadaoui, W. Wien, H.V. Zeijl, H. Schellevis, M. Laros, and P.M. Sarro <i>Delft University of Technology, THE NETHERLANDS</i>	
B4P-H7	MULTI-POINT SENSING SYSTEM FOR PLANTAR PRESSURE MEASUREMENT	978
	Venugopal G ¹ , B.J. Parmar ¹ , M.M. Nayak ² , and K. Rajanna ¹ <i>¹Indian Institute of Science, INDIA and ²Indian Space Research Organization, INDIA</i>	
B4P-H8	SILICON SUBSTRATE MICROELECTRODES VOLTAMMETRY PERFORMANCES IN WHITE WINE FAULTS IDENTIFICATION AND QUANTIFICATION	982
	L. Francioso ¹ , R. Bjorklund ² , T.K. Ruleker ² , and P. Siciliano ¹ <i>¹CNR-IMM Lecce, ITALY and ²Linköping University, SWEDEN</i>	
B4P-H9	COLLISION AVOIDANCE BY THE FUSION OF DIFFERENT BEAM-WIDTH ULTRASONIC SENSORS	985
	C.-Y. Lee, H.-G. Choi, J.-S. Park, K.-Y. Park, and S.-R. Lee <i>Kyungpook National University, KOREA</i>	
B4P-H10	A NON-INVASIVE AND REMOTE INFANT MONITORING SYSTEM USING CO₂ SENSORS	989
	H. Cao, L.-C. Hsu, T. Ativanichayaphong, J. Sin, and J.-C. Chiao <i>University of Texas, Arlington, USA</i>	
B4P-H11	IN SITU MEASUREMENT OF PLAYING CHILDREN BY WIRELESS WEARABLE ELECTROMYOGRAPHY	993
	G. Kawakami ¹ , Y. Nishida ² , and H. Mizoguchi ¹ <i>¹Tokyo University of Science, JAPAN and ²National Institute of Advanced Industrial Science and Technology (AIST), JAPAN</i>	
B4P-H12	VOICE RECOGNITION ALGORITHM FOR PORTABLE ASSISTIVE DEVICES	997
	H.G. Nik, G.M. Gutt, and N. Peixoto <i>George Mason University, USA</i>	
B4P-H13	FIELD-DEPLOYABLE MICROFLUIDIC SENSOR FOR PHOSPHATE IN NATURAL WATERS	1001
	J. Cleary, C. Slater, and D. Diamond <i>Dublin City University, IRELAND</i>	

B4P-H14	SENSING EGG QUALITY DURING STORAGE BY RADIOFREQUENCY COMPLEX PERMITTIVITY MEASUREMENT	1005
	S. Trabelsi ¹ , W. Guo ² , S.O. Nelson ¹ , and D.R. Jones ¹ <i>¹Richard B. Russell Agricultural Research Center, USA and ²Northwest Agriculture and Forestry University, CHINA</i>	
B4P-H15	MICRO-CANTILEVER ARRAY PRESSURE MEASUREMENT SYSTEM FOR BIOMEDICAL INSTRUMENTATION	1009
	W. Qu, S.K. Islam, G. To, and M. Mahfouz <i>University of Tennessee, USA</i>	
B4P-H16	FEASIBILITY OF A GIANT MAGNETOIMPEDANCE SANDWICH MAGNETOMETER FOR SPACE APPLICATIONS	1013
	J. Moutoussamy ¹ , C. Coillot ¹ , G. Chanteur ¹ , and F. Alvès ² <i>¹CETP, FRANCE and ²LGEP, FRANCE</i>	
B4P-H17	VELOCITY MEASUREMENT OF MULTI-PHASE FLOWS BASED ON ELECTRICAL CAPACITANCE VOLUME TOMOGRAPHY	1017
	Q. Marashdeh ¹ , F. Wang ¹ , W. Warsito ² , and L.-S. Fan ¹ <i>¹Ohio State University, USA and ²University of Indonesia, INDONESIA</i>	
B4P-H18	MAGNETOPNEUMOGRAPHY – SUPPRESSION OF BACKGROUND FIELD VARIATIONS IN SCANNED DATA FOR INVERSION USING MULTIPLE FLUXGATES	1020
	J. Tomek and A. Platil <i>Czech Technical University, CZECH REPUBLIC</i>	
B4P-H19	AN ELECTROMAGNETICALLY ACTUATED MICROMACHINED LOUDSPEAKER FOR HEARING AIDS APPLICATIONS	1024
	S.-S. Je and J. Chae <i>Arizona State University, USA</i>	

SESSION B5L-A – Hydrogen Sensors & Recognition Structures

B5L-A1	IN SITU DRIFT STUDY OF HYDROGEN AND CO ADSORPTION ON Pt/SiO₂ MODEL SENSORS	1028
	E. Becker ¹ , M. Andersson ² , A.L. Spetz ² , and M. Skoglundh ¹ <i>¹Chalmers University of Technology, SWEDEN and ²Linköping University, SWEDEN</i>	
B5L-A2	SAFE MEMBRANE – RELEASING PROCESS FOR THERMOELECTRIC HYDROGEN GAS SENSOR	1032
	L.F. Houlet, W. Shin, M. Nishibori, N. Izu, T. Itoh, and I. Matsubara <i>National Institute of Advanced Industrial Science and Technology (AIST), JAPAN</i>	
B5L-A3	CROSS SENSITIVITY AND STABILITY OF FET-BASED HYDROGEN SENSORS	1036
	T. Galonska ¹ , W. Widarnato ¹ , C. Senft ¹ , O. Senftleben ¹ , I. Eisele ¹ , H.P. Frerichs ² , and Ch. Wilbertz ² <i>¹University of the Federal Armed Forces, GERMANY and ²Micronas GmbH, GERMANY</i>	
B5L-A4	CAPACITIVE BASED LIQUID CRYSTAL CHEMICAL AND BIOLOGICAL SENSORS	1040
	A. Abu-Abed ¹ , R.G. Lindquist ¹ , S. Jovanov ¹ , E. Jovanov ¹ , J. Namkung ¹ , and N. Abbott ² <i>¹University of Alabama, USA and ²University of Wisconsin, USA</i>	
B5L-A5	A LIQUID CRYSTAL BASED GAS SENSOR USING MICROFABRICATED PILLAR ARRAYS AS A SUPPORT STRUCTURE	1044
	S.S. Sridharamurthy, K.D. Cadwell, N.L. Abbott, and H. Jiang <i>University of Wisconsin, Madison, USA</i>	
B5L-A6	SELECTIVE RECOGNITION OF BILE ACIDS BY MOLECULAR IMPRINTS	1048
	R. Zhang, S. Wei, and B. Mizaikoff <i>Georgia Institute of Technology, USA</i>	

SESSION B5L-B – Mechanical Sensors

- B5L-B1 A FULLY INTEGRATED CAPACITIVE PRESSURE SENSOR WITH HIGH SENSITIVITY** 1052
X.-D. Huang, J.-Q. Huang, M. Qin, and Q.-A. Huang
Southeast University, CHINA
- B5L-B2 A HIGHLY VERSATILE AND ROBUST TACTILE SENSING SYSTEM** 1056
D. Göger and H. Wörn
University of Karlsruhe, GERMANY
- B5L-B3 HIGH PERFORMANCE SOI-CMOS WALL SHEAR STRESS SENSORS** 1060
I. Haneef, S.Z. Ali, F. Udrea, J.D. Coull, and H.P. Hodson
University of Cambridge, UK
- B5L-B4 COUPLING HIGH FORCE SENSITIVITY AND HIGH STIFFNESS IN PIEZORESISTIVE CANTILEVERS WITH EMBEDDED Si-NANOWIRES** 1065
K. Naeli and O. Brand
Georgia Institute of Technology, USA
- B5L-B5 FEASIBILITY STUDY FOR A THREE-AXIAL JOYSTICK BASED ON AN ARRAY OF LATERAL HALL ELEMENTS** 1069
H. Zangl¹, T. Bretterkieber¹, G. Steiner¹, and K. Riedmüller²
¹Graz University of Technology, AUSTRIA and ²austriamicrosystems AG, AUSTRIA
- B5L-B6 BIOMIMETIC FLOW-SENSOR ARRAYS BASED ON THE FILIFORM HAIRS ON THE CERCI OF CRICKETS** 1073
R.J. Wiegerink, A. Floris, R.K. Jaganatharaja, N. Izadi, T.S.J. Lammerink, and G.J.M. Krijnen
University of Twente, THE NETHERLANDS

SESSION B5L-C – Magnetic Biosensors

- B5L-C1 A MAGNETO-INDUCTIVE SENSOR BASED WIRELESS PHARMACEUTICAL COMPLIANCE MONITORING SYSTEM** 1077
X. Huo¹ and M. Ghovanloo²
¹North Carolina State University, USA and ²Georgia Institute of Technology, USA
- B5L-C2 DEVELOPMENT OF A NOVEL MICRO IMMUNE-MAGNETOPHORESIS CELL SORTER** 1081
J. Kim^{1,2}, U. Steinfeld¹, H.-H. Lee¹, and H. Seidel²
¹Korea Institute of Science and Technology-Europe, GERMANY and ²University of Saarland, GERMANY
- B5L-C3 CHARACTERIZATION OF PHAGE-COUPLED MAGNETOELASTIC MICRO-PARTICLES FOR THE DETECTION OF *BACILLUS ANTHRACIS* STERNE SPORES** 1085
J. Wan, M.L. Johnson, S. Horikawa, V.A. Petrenko, and B.A. Chin
Auburn University, USA
- B5L-C4 A FERROFLUID IMMUNOASSAY BASED ON MAGNETIC FIELD-INDUCED BIREFRINGENCE** 1089
B.Y. Ku and D.A. Horsley
University of California, Davis, USA
- B5L-C5 THE EFFECT OF PHAGE SOLUTION CHEMISTRY ON THE SPORE BINDING AFFINITY OF MAGNETOELASTIC BIOSENSORS** 1093
S. Huang, H. Yang, M.L. Johnson, R.S. Lakshmanan, I. Chen, V.A. Petrenko, J.M. Barbaree, and B.A. Chin
Auburn University, USA
- B5L-C6 INTERDIGITATED ARRAY ELECTRODES WITH MAGNETIC FUNCTION AS A PARTICLE-BASED BIOSENSOR** 1097
Z. Peng¹, X. Yang², G. Zhang², and P.J. Hesketh¹
¹Georgia Institute of Technology, USA and ²University of Georgia, USA

SPECIAL SESSION B5L-D – Smart Sensors & Interface Electronics

B5L-D1	STANDARD CMOS HALL-SENSOR WITH INTEGRATED INTERFACE ELECTRONICS FOR A 3D COMPASS SENSOR	1101
	J. van der Meer ¹ , F. Riedijk ¹ , K. Makinwa ² , and J. Huijsing ² <i>¹Xensor Integration, THE NETHERLANDS and ²Delft University of Technology, THE NETHERLANDS</i>	
B5L-D3	MICROPOWER SENSORS FOR NEUROPROSTHESIS	1105
	T. Denison, W. Santa, G. Molnar, and K. Miesel <i>Medtronic Neurological Technologies, USA</i>	
B5L-D4	WIRELESS VESTIBULAR EVOKED MYOGENIC POTENTIALS SYSTEM	1109
	T. Torfs ¹ , R.F. Yazicioglu ^{1,2} , P. Merken ¹ , B. Gyselinckx ³ , R. Puers ² , R. Vanspauwen ⁴ , F.L. Wuyts ⁴ , and C. Van Hoof ^{1,2} <i>¹IMEC, BELGIUM, ²Catholic University of Leuven, BELGIUM, ³IMEC-NL, BELGIUM, and ⁴University of Antwerp, BELGIUM</i>	
B5L-D5	INTERFACING WITH NEURONS AT HIGH SPATIOTEMPORAL RESOLUTION	1113
	U. Frey, J. Sedivy, F. Heer, S. Hafizovic, and A. Hierlemann <i>ETH Zürich, SWITZERLAND</i>	
B5L-D6	A SMART ANGULAR RATE SENSOR SYSTEM	1116
	A. Sharma, M.F. Zaman, and F. Ayazi <i>Georgia Institute of Technology, USA</i>	

Wednesday, October 31, 2007

KEYNOTE PRESENTATION

C1K-A	WEARABLE SENSOR NETWORK CONNECTING ARTIFACTS, NATURE AND HUMAN BEINGS	1120
	Kiyoshi Itao <i>University of Tokyo, JAPAN</i>	

SESSION C2L-A – DNA Sensors & Electro Physiology

C2L-A1	DNA SENSORS BASED ON CONDUCTING POLYMERS FUNCTIONALIZED WITH CONJUGATED SIDE CHAIN	1124
	H. Peng, C. Soeller, and J. Travas-Sejdic <i>University of Auckland, NEW ZEALAND</i>	
C2L-A2	A NOVEL NEURAL RECORDING PROBE WITH BUILT-IN LOAD SENSORS	1128
	C.-C. Wen, Y.-T. Lee, S.-R. Yeh, and W. Fang <i>National Tsing Hua University, TAIWAN</i>	
C2L-A3	SnO₂ NANOWIRE BIO-TRANSISTOR FOR ELECTRICAL DNA SENSING	1132
	S. Todros ¹ , C. Baratto ¹ , E. Comini ¹ , G. Faglia ¹ , M. Ferroni ¹ , G. Sberveglieri ¹ , G. Andreano ² , L. Cellai ² , A. Flamini ² , G. Marrazza ³ , A. Nannini ⁴ , G. Pennelli ⁴ , and M. Piotta ⁴ <i>¹University of Brescia, ITALY, ²CNR, ITALY, ³University of Florence, ITALY, and ⁴University of Pisa, ITALY</i>	
C2L-A4	A COMPACT SYSTEM FOR SINGLE ION CHANNEL RECORDING	1136
	M. Rossi, M. Bennati, F. Lodesani, S. Branchetti, and M. Tartagni <i>University of Bologna, ITALY</i>	
C2L-A5	NERVE SIGNAL MONITORING USING AN IMPLANTABLE MICROELECTRODE	1140
	Y.-H. Kim ¹ , K.-M. Ahn ² , C. Lee ¹ , Y.-J. Kim ¹ , J.-H. Lee ³ , and M. Lee ¹ <i>¹Yonsei University, KOREA, ²University of Ulsan, KOREA, and ³Seoul National University, KOREA</i>	

C2L-A6	A DRUG-DELIVERY PROBE WITH AN IN-LINE FLOWMETER BASED ON TRENCH REFILL AND CHEMICAL MECHANICAL POLISHING TECHNIQUES	1144
	Y. Li, K. Baek, M. Gulari, and K.D. Wise <i>University of Michigan, USA</i>	

SESSION C2L-B – Acoustic & Resonant Sensors

C2L-B1	DESIGN AND CHARACTERIZATION OF A CMOS MICROMACHINED CAPACITIVE ACOUSTIC SENSOR	1148
	M-H. Chen, S.-J. Hung, J.-H. Hsu, and M.S.-C. Lu <i>National Tsing Hua University, TAIWAN</i>	
C2L-B2	CHARACTERIZATION AND NOISE ANALYSIS OF CAPACITIVE MEMS ACOUSTIC EMISSION TRANSDUCERS	1152
	W. Wu, D.W. Greve, and I.J. Oppenheim <i>Carnegie Mellon University, USA</i>	
C2L-B3	A NOVEL MICRO RATE SENSOR USING A SURFACE-ACOUSTIC-WAVE (SAW) DELAY-LINE OSCILLATOR	1156
	S.W. Lee ^{1,2} , J.W. Rhim ¹ , S.W. Park ² , and S.S. Yang ² <i>¹Agency for Defense Development, KOREA and ²Ajou University, KOREA</i>	
C2L-B4	MONITORING THE EVAPORATION OF FEMTOLITER DROPLETS WITH CMOS INTEGRATED NANOMECHANICAL MASS SENSORS	1160
	J. Arcamone ¹ , T. Ondarçuhu ² , E. Dujardin ² , G. Rius ¹ , and F. Pérez-Murano ¹ <i>¹CNM – IMB (CSIC), SPAIN and ²CEMES-CNRS, FRANCE</i>	
C2L-B5	POLYMER MASS LOADING OF CMOS/MEMS MICROSLIT CANTILEVER FOR GRAVIMETRIC SENSING	1164
	S.S. Bedair and G.K. Fedder <i>Carnegie Mellon University, USA</i>	
C2L-B6	DOUBLY CLAMPED NANOBEAM AS A PIEZORESISTIVE MASS SENSOR	1168
	J. Jiao, Q. Zhao, H. Yang, T. Li, X. Li, and Y. Wang <i>Chinese Academy of Sciences, CHINA</i>	

SESSION C2L-C – Optical (Bio)-Chemical Sensors

C2L-C1	FIBER-OPTIC-BASED CORROSION SENSOR USING OTDR	1172
	J.F. Martins-Filho ¹ , E. Fontana ¹ , J. Guimarães ¹ , D.F. Pizzato ¹ , and I.J. Souza Coêlho ² <i>¹Federal University of Pernambuco (UFPE), BRAZIL and ²UNIVASF, BRAZIL</i>	
C2L-C2	GaN QUANTUM DOTS AS OPTICAL TRANSDUCERS IN FIELD EFFECT CHEMICAL SENSORS	1175
	O. Weidemann ¹ , E. Monroy ² , G. Jegert ¹ , S. Birner ¹ , M. Stutzmann ¹ , and M. Eickhoff ¹ <i>¹Technische Universität München, GERMANY and ²CEA-Grenoble, FRANCE</i>	
C2L-C3	OPTICAL TASTE SENSOR USING DYE-DOPED HETERO-STRUCTURED LB FILM	1177
	M. Morisawa, K. Miyazawa, and S. Muto <i>University of Yamanashi, JAPAN</i>	
C2L-C4	FUNCTIONALIZED LATERAL SURFACE COATED LASERS FOR CHEM-BIO DETECTION	1181
	L.L. Goddard, T.C. Bond, G.D. Cole, and E.M. Behymer <i>Lawrence Livermore National Laboratory, USA</i>	
C2L-C5	SILICON STRAIGHT TUBE FLUID DENSITY SENSOR	1185
	M. Najmzadeh ¹ , S. Haas ² , and P. Enoksson ¹ <i>¹Chalmers University of Technology, SWEDEN and ²Imego AB, SWEDEN</i>	

C2L-C6	SMART MICROPLATES: PHOTODIODE WITHIN SILICON PYRAMIDAL CAVITY FOR DETECTING BEAD-BASED CHEMILUMINESCENCE AND AC CHARACTERIZATION FOR RFID-TYPE READOUT	1189
	Y.S. Park, M.A. Andringa, D.P. Neikirk, H.S. Hewage, and E.V. Anslyn <i>University of Texas, Austin, USA</i>	

SESSION C2L-D – Applications of Sensors I

C2L-D1	AN ACOUSTIC POSITION SENSING SYSTEM FOR LARGE SCALE INTERACTIVE DISPLAYS	1193
	M. Reynolds ¹ , A. Mazalek ¹ , and G. Davenport ² <i>¹Georgia Institute of Technology, USA and ²Massachusetts Institute of Technology, USA</i>	
C2L-D2	PROLONGED WEARABLE ECG MONITORING – A WAVELET BASED APPROACH	1197
	S. Zaunseder ¹ , W.-J. Fischer ¹ , R. Poll ² , S. Netz ¹ , and M. Rabenau ² <i>¹Fraunhofer Institute for Photonic Microsystems, GERMANY and ²Technical University of Dresden, GERMANY</i>	
C2L-D3	TESTING AND CALIBRATION OF SMART PEBBLE FOR RIVER BED SEDIMENT TRANSPORT MONITORING	1201
	E. Akeila ¹ , Z. Salcic ¹ , N. Kularatna ² , B. Melville ¹ , and A. Dwivedi ¹ <i>¹University of Auckland, NEW ZEALAND and ²University of Waikato, NEW ZEALAND</i>	
C2L-D4	HUMAN JOINT MOVEMENT RECOGNITION BY USING ULTRASOUND ECHO BASED ON TEST FEATURE CLASSIFIER	1205
	Y. Tsutsui ¹ , Y. Sakata ¹ , T. Tanaka ¹ , S. Kaneko ¹ , and M.Q. Feng ² <i>¹Hokkaido University, JAPAN and ²University of California, Irvine, USA</i>	
C2L-D5	PROTOTYPE OF INFANT DROWNING PREVENTION SYSTEM AT HOME WITH WIRELESS ACCELEROMETER	1209
	Y. Nishida ¹ , K. Hiratsuka ² , and H. Mizoguchi ² <i>¹National Institute of Advanced Industrial Science and Technology (AIST), JAPAN and ²Tokyo University of Science, JAPAN</i>	
C2L-D6	2D SOUND SOURCE LOCALIZATION IN AZIMUTH & ELEVATION FROM MICROPHONE ARRAY BY USING A DIRECTIONAL PATTERN OF ELEMENT	1213
	A. Ikeda ¹ , Y. Sasaki ¹ , S. Kagami ² , H. Mizoguchi ¹ , and T. Enomoto ³ <i>¹Tokyo University of Science, JAPAN, ²National Institute of Advanced Industrial Science and Technology (AIST), JAPAN, and ³Kansai Electric Power Co., Inc., JAPAN</i>	

SESSION C3L-A – Sensor Arrays & Parameter Modulation

C3L-A1	A COMPARISON OF MULTI-TRANSDUCER ARRAYS AND SINGLE-TRANSDUCER ARRAYS FOR THE DETERMINATION OF MULTI-VAPOR MIXTURES	1217
	C. Jin ¹ , E.T. Zellers ¹ , P. Kurzwski ² , and A. Hierlemann ² <i>¹University of Michigan, USA and ²ETH Zurich, SWITZERLAND</i>	
C3L-A2	A HIERARCHICAL STRATEGY FOR UNDER-GROUND EARLY FIRE DETECTION BASED ON A T-CYCLED SEMICONDUCTOR GAS SENSOR	1221
	T. Conrad, P. Reimann, and A. Schütze <i>Saarland University, GERMANY</i>	
C3L-A3	A MULTI-PARAMETER PLATFORM FOR GAS SENSING USING SEMICONDUCTING METAL OXIDE FILMS	1225
	G. Zhong, G. Bernhardt, R. Lad, S. Collins, and R. Smith <i>University of Maine, USA</i>	
C3L-A4	IDENTIFICATION OF VAPOURS USING A SINGLE CARBON BLACK/POLYMER COMPOSITE SENSOR AND A NOVEL TEMPERATURE MODULATION TECHNIQUE	1229
	T. Iwaki, J.A. Covington, and J.W. Gardner <i>University of Warwick, UK</i>	

C3L-A5	DESIGN OF AN ELECTROCHEMICAL IMPEDANCE TEST CELL WITH SERVOMECHANICALLY ADJUSTABLE CELL CONSTANT	1233
	H. Ma, J.H. Lang, and A.H. Slocum <i>Massachusetts Institute of Technology, USA</i>	

C3L-A6	THERMOPILE SENSORS FOR THE DETECTION OF AIRBORNE POLLUTANTS	1237
	D.J. Lawrence, G.L. Coffman, T.C. DeVore, P.T. Olin, and W.G. Tucker <i>James Madison University, USA</i>	

SESSION C3L-B – Evaluation

C3L-B1	CHARACTERIZATION OF A NOZZLE-INTEGRATED CAPACITIVE SENSOR FOR MICROFLUIDIC JET SYSTEMS	1241
	M. van der Velden, J. Wei, J.W. Spronck, R.H. Munnig Schmidt, and P.M. Sarro <i>Delft University of Technology, THE NETHERLANDS</i>	

C3L-B2	INFLUENCE ON MOISTURE SENSOR PERFORMANCES, AND CHARACTERIZATION OF DIFFERENT SPECIFIC AREA POROUS SILICON LAYERS	1245
	W. Ludurczak ¹ , C. Pellet ¹ , O. Garel ² , E. Dufour-Gergam ² , and F. Verjus ³ <i>¹University of Bordeaux, FRANCE, ²University of Paris, FRANCE, and ³NXP Semiconductors, FRANCE</i>	

C3L-B3	GAS PRESSURE SENSING BASED ON MEMS RESONATORS	1251
	K. Brückner, V. Cimalla, F. Niebelschütz, R. Stephan, K. Tonisch, O. Ambacher, and M.A. Hein <i>Technische Universität Ilmenau, GERMANY</i>	

C3L-B4	DESIGN OF AN OPTIMIZED ELECTROTHERMAL FILTER FOR A TEMPERATURE-TO-FREQUENCY CONVERTER	1255
	S. Xia and K.A.A. Makinwa <i>Delft University of Technology, THE NETHERLANDS</i>	

C3L-B5	SENSOR CALIBRATION OF PLANAR FOUR-CONTACT DEVICES WITH UP TO TWO EXTENDED CONTACTS	1259
	M. Cornils and O. Paul <i>University of Freiburg, GERMANY</i>	

C3L-B6	HIGH PRECISION IMAGE SENSOR SCALE FACTOR CALIBRATION	1263
	E. Shen ¹ , H. Mebrahtu ² , W. Gao ¹ , A. Badali ¹ , P. Thomas ³ , and R. Hornsey ¹ <i>¹York University, CANADA, ²Duke University, USA, and ³Topaz Technology Inc., CANADA</i>	

SESSION C3L-C – Optical Chemical Sensors

C3L-C1	HOLLOW WAVEGUIDE GAS SENSOR FOR MID-INFRARED TRACE GAS ANALYSIS	1267
	S.-S. Kim ¹ , C. Young ¹ , J. Chan ² , C. Carter ² , and B. Mizaikoff ¹ <i>¹Georgia Institute of Technology, USA and ²Lawrence Livermore National Laboratory, USA</i>	

C3L-C2	HIGH-RESPONSIVITY 2.3-μm HETEROJUNCTION PHOTOTRANSISTOR WITH A STRAINED InAs/InGaAs MQW ABSORPTION LAYER FOR GAS SENSING	1271
	H. Fukano, T. Sato, M. Mitsuhashi, Y. Kondo, and H. Yasaka <i>NTT Corporation, JAPAN</i>	

C3L-C3	SURFACE CUSTOMIZED OPTICAL MICRORESONATOR SENSORS FOR INTEGRATED CHIP-SCALE PORTABLE SENSING APPLICATIONS	1275
	S.-Y. Cho ¹ , G. Dobbs ² , N.M. Jokerst ¹ , and B. Mizaikoff ² <i>¹Duke University, USA and ²Georgia Institute of Technology, USA</i>	

C3L-C4	ADVANCED EMBEDDED CONTROL AND DATA ACQUISITION SYSTEMS FOR LASER-BASED QUARTZ-ENHANCED PHOTOACOUSTIC SPECTROSCOPY	1279
	S.G. So, O.A. Rifai, G. Wysocki, A.A. Kosterev, and F.K. Tittel <i>Rice University, USA</i>	

C3L-C5	OPTICAL COHERENCE-MULTIPLEXED SENSORS BASED ON IN-FIBER MICHELSON	1283
	M. Jiang, Z. Guan, and S. He <i>Zhejiang University, CHINA</i>	
C3L-C6	DEVELOPMENT OF A FIBRE-OPTIC DOAS SENSOR FOR THE DETECTION OF EXHAUST GASES USING RATIOMETRIC SEPARATION TECHNIQUES	1287
	G. Dooly, C. Fitzpatrick, P. Chambers, and E. Lewis <i>University of Limerick, IRELAND</i>	

SESSION C3L-D – Applications of Sensors II

C3L-D1	A SELF-LEARNING MULTI-SENSING SELECTION PROCESS: MEASURING OBJECTS ONE BY ONE	1291
	A. Golfarelli, R. Codeluppi, and M. Tartagni <i>University of Bologna, ITALY</i>	
C3L-D2	ROBUST ADAPTIVE ELECTRONICS FOR SENSOR CONDITIONING	1295
	G. Zatorre ¹ , N. Medrano ² , M.T. Sanz ² , P.A. Martínez ² , S. Celma ² , and J. Bolea ² ¹ <i>Teltronic, S.A.U., SPAIN</i> and ² <i>University of Zaragoza, SPAIN</i>	
C3L-D3	A NEW APPROACH OF A PIEZOELECTRIC VIBRATION-BASED POWER GENERATOR TO SUPPLY NEXT GENERATION TIRE SENSOR SYSTEMS	1299
	M. Keck <i>Ilmenau Technical University, GERMANY</i>	
C3L-D4	UNBALANCED LOAD ESTIMATION ALGORITHM USING MULTIPLE MECHANICAL MEASUREMENTS FOR HORIZONTAL WASHING MACHINES	1303
	Y. Yuan, A. Buendia, R. Martin, and F. Ashrafzadeh <i>Whirlpool Corporation, USA</i>	
C3L-D5	MEASURING 6D CHIP ALIGNMENT IN MULTI-CHIP PACKAGES	1307
	A. Chow, D. Hopkins, R. Ho, and R. Drost <i>Sun Microsystems Laboratories, USA</i>	
C3L-D6	DEVELOPMENT OF A UNIVERSAL WIRELESS SENSOR SYSTEM FOR AUTOMATED ENVIRONMENTAL EVENT MONITORING	1311
	L. Yambem, M. Yapici, and J. Zou <i>Texas A&M University, USA</i>	

SPECIAL SESSION C4L-A – Molecular Level Detection Mechanism for Bio & Chemical Sensors

C4L-A1	VIBRATIONAL ANALYSIS OF H₂ AND NH₃ ON Pt/SiO₂ AND Ir/SiO₂ MODEL SENSORS	1315
	M. Wallin ¹ , M. Byberg ¹ , H. Grönbeck ¹ , A. Lloyd Spetz ² , M. Eriksson ² , and M. Skoglundh ¹ ¹ <i>Chalmers University of Technology, SWEDEN</i> and ² <i>Linköping University, SWEDEN</i>	
C4L-A3	COMPARISON OF THE PERFORMANCES OF β-ALUMINA AND YSZ POTENTIOMETRIC GAS SENSORS FOR EXHAUST AUTOMOTIVE APPLICATION	1318
	J.P. Viricelle, P. Breuil, C. Pijolat, J.C. Marchand, and G. Tournier <i>Ecole Nationale Supérieure des Mines, FRANCE</i>	
C4L-A4	TIN, NIOBIUM AND VANADIUM MIXED OXIDE THIN FILMS BASED GAS SENSORS FOR CHEMICAL WARFARE AGENT ATTACKS PREVENTION	1322
	E. Comini, A. Ponzoni, I. Alessandri, E. Bontempi, L.E. Depero, and G. Sberveglieri <i>Brescia University, ITALY</i>	
C4L-A5	HYDROGEN RESPONSE MECHANISM OF A PROTON PUMPING GATE FET GAS SENSOR	1326
	K. Tsukada, T. Yamaguchi, T. Kiwa, and H. Yamada <i>Okayama University, JAPAN</i>	

C4L-A6	MECHANISMS OF POLYTHIOPHENE CHEMICAL SENSORS	1330
	B. Li and D.N. Lambeth <i>Carnegie Mellon University, USA</i>	

SPECIAL SESSION C4L-B – Quantum Cascade & Mid-Infrared Laser Based Sensors

C4L-B1	QUANTUM CASCADE LASER BASED TRACE GAS SENSOR TECHNOLOGY: RECENT ADVANCES AND APPLICATIONS	1334
	F.K. Tittel, Y. Bakhirkin, R.F. Curl, A. Kosterev, R. Lewicki, S. So, and G. Wysocki <i>Rice University, USA</i>	
C4L-B3	BREATH-ANALYSIS USING MID-INFRARED TUNABLE LASER SPECTROSCOPY	1337
	K. Namjou, C.B. Roller, and G. McMillen <i>Ekips Technologies Inc., USA</i>	
C4L-B4	COMPACT QUANTUM CASCADE LASER INSTRUMENT FOR RAPID HIGH SENSITIVITY MEASUREMENTS OF TRACE GASES IN AIR	1341
	J.B. McManus, J.H. Shorter, D.D. Nelson, and M.S. Zahniser <i>Aerodyne Research, Inc., USA</i>	
C4L-B5	OPTIMIZING GAS SENSORS BASED ON QUANTUM CASCADE LASERS AND PHOTONIC BANDGAP HOLLOW WAVEGUIDES	1345
	C. Young ¹ , S. Hartwig ² , A. Lambrecht ² , S.-S. Kim ¹ , and B. Mizaikoff ¹ ¹ Georgia Institute of Technology, USA and ² Fraunhofer Institute for Physical Measurement Techniques, GERMANY	
C4L-B6	MODELING AND DESIGN OF A HIGHLY COMPACT CHAOTIC CAVITY FOR OPTICAL GAS SENSING APPLICATIONS	1349
	D. Qu and C. Gmachl <i>Princeton University, USA</i>	

SESSION C4L-C – Preconcentrators & Spectrometers

C4L-C1	A FIVE-MICROVALVE FULLY INTEGRATED PRECONCENTRATOR	1353
	B. Bae, J. Yeom, R.I. Masel, and M.A. Shannon <i>University of Illinois, Urbana-Champaign, USA</i>	
C4L-C2	PRECONCENTRATING MINICOLUMN SENSORS FOR TRACE ENVIRONMENTAL MONITORING	1357
	J.W. Grate ¹ , O.B. Egorov ² , R. Ozanich ¹ , J.S. Hartman ¹ , and M.J. O'Hara ¹ ¹ Pacific Northwest National Laboratory, USA and ² Isoray Medical Inc., USA	
C4L-C3	NOVEL GAS CHROMATOGRAPHIC MICROSYSTEM WITH VERY LARGE SENSOR ARRAYS FOR ADVANCED ODOUR DISCRIMINATION	1361
	F.K. Che Harun, P.H. King, J.A. Covington, and J.W. Gardner <i>University of Warwick, UK</i>	
C4L-C4	GAS DETECTION USING A MICROMACHINED FTIR SPECTROMETER	1364
	D. Briand ¹ , O. Manzardo ¹ , J. Hildenbrand ² , J. Wöllenstein ² , and N.F. de Rooij ¹ ¹ University of Neuchâtel, SWITZERLAND and ² Fraunhofer-IPM, GERMANY	
C4L-C5	PHOTONIC MEMS FOR NIR IN-SITU GAS DETECTION AND IDENTIFICATION	1368
	T.C. Bond, G.D. Cole, L.L. Goddard, and E.M. Behymer <i>Lawrence Livermore National Laboratory</i>	
C4L-C6	A NOVEL ION SOURCE AND DETECTOR FOR A MINIATURE MASS SPECTROMETER	1372
	K.H. Gilchrist ¹ , C.A. Bower ¹ , S. Natarajan ² , M.R. Lueck ¹ , J.R. Piascik ¹ , C.B. Parker ² , J.T. Glass ² , and B.R. Stoner ¹ ¹ RTI International, USA and ² Duke University, USA	

SESSION C4L-D – Sensor Systems & Actuators

- C4L-D1 INTEGRATED SENSING SYSTEM FOR STAMPING MONITORING CONTROL** 1376
N. Mahayotsanun¹, J. Cao¹, M. Peskin¹, S. Sah², R. Gao², and C.T. Wang³
¹Northwestern University, USA, ²University of Massachusetts, USA, and ³General Motors, USA
- C4L-D2 INTEGRATION OF MEMS ACTUATORS WITH MAGNETIC TUNNEL JUNCTION SENSORS** 1380
G. Martinez Jaramillo, M.-L. Chan, and D.A. Horsley
University of California, Davis, USA
- C4L-D3 NOVEL MICROFABRICATED BATTERIES FOR MARINE SENSORS:
IN-SITU CATHOLYTE GENERATION VIA WATER ADDITION** 1384
A.M. Cardenas-Valencia¹, J. Bumgarner¹, C.J. Biver², J. Dlutowski², and L. Langebrake¹
¹SRI International, USA and ²University of South Florida, USA
- C4L-D4 CONTROL OF PLURAL NUMBER OF ARRAYED MICROVALVES
USING pH-RESPONSIVE HYDROGEL** 1388
J.Y. Park¹, C. Liu², and S.H. Lee¹
¹Korea University, KOREA and ²Beijing Jiaotong University, CHINA
- C4L-D5 LOW POWER, PIEZOELECTRIC MICRO MASS FLOW
CONTROLLER FOR LIQUID FUEL INJECTION** 1392
M. Schiffer¹, C. Stefanini², V. Manente³, P. Tunestål³, and E. Obermeier¹
¹Technical University of Berlin, GERMANY, ²Scuola Superiore Sant'Anna, ITALY, and
³Lund Institute of Technology, SWEDEN
- C4L-D6 INDUCTIVELY COUPLED SENSOR/ACTUATOR SYSTEM FOR CLOSED-LOOP CONTROL
APPLICATIONS AT HIGH TEMPERATURES AND IN AGGRESSIVE ENVIRONMENTS** 1396
A. Kiefer and L.M. Reindl
University of Freiburg, GERMANY

SPECIAL SESSION C5L-A – The Challenges of Sensing Oxygen

- C5L-A1 NEW DEVELOPMENTS OF AN OPTOCHEMICAL MEASUREMENT SYSTEM FOR THE
CONTINUOUS MONITORING IN SUBCUTANEOUS TISSUE BY MICRODIALYSIS** 1400
A. Bizzarri, C. Konrad, M. Čajlaković, and V. Ribitsch
Joanneum Research, Forschungsgesellschaft mbH, AUSTRIA
- C5L-A3 DISSOLVED OXYGEN SENSING IN A FLOW STREAM USING MOLYBDENUM
CHLORIDE OPTICAL INDICATORS** 1404
R. Loloee, P.A. Askeland, and R.N. Ghosh
Michigan State University, USA
- C5L-A4 OXYGEN CONSUMPTION OF MAMMALIAN EMBRYOS AND OOCYTES
MONITORED BY SCANNING ELECTROCHEMICAL MICROSCOPY** 1408
H. Shiku¹, T. Yasukawa¹, T. Matsue¹, T. Ito-Sasaki¹, M. Yokoo¹, H. Abe¹, and S. Aoyagi²
¹Tohoku University, JAPAN and ²Hokuto Denko Co., JAPAN
- C5L-A5 MICROFABRICATED CLARK-TYPE SENSOR FOR MEASURING DISSOLVED OXYGEN** 1412
J. Park¹, J.-H. Chang¹, M. Choi¹, D.-Y. Lee², Y.K. Pak², and J.J. Pak¹
¹Korea University, KOREA and ²University of Ulsan, KOREA

SESSION C5L-B – Acoustic/Resonant Chemical Sensors

- C5L-B1 ODOR SENSING SYSTEM USING BALL SAW DEVICES FUNCTIONALIZED
WITH SELF-ASSEMBLED LIPOPOLYMERS** 1416
B. Wyszynski¹, M. Sekine¹, T. Nakamoto¹, N. Nakaso², and K. Noguchi²
¹Tokyo Institute of Technology, JAPAN and ²Toppan Printing Corporation, JAPAN

C5L-B2	LIQUID-PHASE DETECTION OF ORGANOPHOSPHATES PESTICIDES USING GUIDED SH-SAW SENSOR	1420
	A. Mensah-Brown ¹ , M.J. Wenzel ¹ , F. Josse ¹ , E. Yaz ¹ , and O. Sadik ² <i>¹Marquette University, USA and ²State University of New York at Binghamton, USA</i>	
C5L-B3	PLANO-CONVEX SHAPED LANGASITE MICROBALANCES FOR HIGH TEMPERATURE APPLICATIONS	1424
	E. Ansorge ¹ , J. Sauerwald ² , H. Fritze ² , and B. Schmidt ¹ <i>¹Otto von Guericke University Magdeburg, GERMANY and ²Clausthal University of Technology, GERMANY</i>	
C5L-B4	INDIUM PHOSPHIDE RESONANT CHEMICAL SENSOR WITH A MONOLITHICALLY INTEGRATED OPTICAL READOUT SCHEME	1428
	N.P. Siwak, X.Z. Fan, N. Goldsman, and R. Ghodssi <i>University of Maryland, USA</i>	
C5L-B5	DESIGN AND TESTING OF SINGLE AND DOUBLE SIDED CANTILEVERS FOR CHEMICAL SENSING ...	1432
	A. Choudhury ¹ , R. Vujanic ² , P.J. Hesketh ¹ , Z. Hu ³ , and T.G. Thundat ³ <i>¹Georgia Institute of Technology, USA, ²ETH Zürich, SWITZERLAND, and ³Oak Ridge National Laboratory, USA</i>	
C5L-B6	MICROFABRICATION AND CHARACTERIZATION OF SiO₂ MICROCANTILEVER FOR HIGH SENSITIVE MOISTURE SENSOR	1436
	Q. Chen, J. Fang, H.-F. Ji, and K. Varahramyan <i>Louisiana Tech University, USA</i>	

SESSION C5L-C – Electrochemical Biosensors

C5L-C1	STABILITY OF A RF SPUTTERED ZnO SOLIDLY MOUNTED RESONATOR SENSOR IN VARYING TEMPERATURE AND CONDUCTIVITY ENVIRONMENTS	1440
	A. Dickherber, C.D. Corso, and W. Hunt <i>Georgia Institute of Technology, USA</i>	
C5L-C2	A FULLY DIFFERENTIAL RAIL-TO-RAIL CAPACITANCE MEASUREMENT CIRCUIT FOR INTEGRATED CELL SENSING	1444
	S. B. Prakash, and P. Abshire <i>University of Maryland, USA</i>	
C5L-C3	AN ELECTROCHEMICAL DOPAMINE SENSOR WITH CMOS DETECTION CIRCUIT	1448
	F.-L. Zhan ¹ , W.-Y. Chang ² , L.-M. Kuo ¹ , S.-W. Wang ¹ , C.-H. Lin ² , Y.-S. Yang ² , and M.S.-C. Lu ¹ <i>¹National Tsing Hua University, TAIWAN and ²National Chiao Tung University, TAIWAN</i>	
C5L-C4	LABEL-FREE DIFFERENTIAL LEUKOCYTE COUNTS USING A MICROFABRICATED, SINGLE-CELL IMPEDANCE SPECTROMETER	1452
	D. Holmes, T. Sun, J. Holloway, J. Cakebread, D. Davis, and H. Morgan, <i>University of Southampton, UK</i>	
C5L-C5	DETECTION OF PHOTOSYSTEM I REACTION CENTERS USING CHEMICALLY DERIVATIZED HIGH ELECTRON MOBILITY TRANSISTOR	1456
	S.A. Eliza ¹ , S.K. Islam ¹ , I. Lee ² , E. Greenbaum ² , M.N. Ericson ² , and M.A. Khan ³ <i>¹University of Tennessee, USA, ²Oak Ridge National Laboratory, USA, and ³University of South Carolina, USA</i>	

SESSION C5L-D – Physical Sensors

C5L-D1	AN ENERGY HARVESTING MEMS FREQUENCY DETECTOR	1460
	I. Sari, T. Balkan, and H. Kulah <i>Middle East Technical University, TURKEY</i>	
C5L-D2	AN AIR-COUPLED CAPACITIVE MICROMACHINED ULTRASOUND TRANSDUCER FOR NONCONTACT NONDESTRUCTIVE EVALUATION	1464
	X. Wang ¹ , Y. Fan ¹ , W.-C. Tian ¹ , H.-J. Kwon ² , S. Kennerly ¹ , G. Claydon ¹ , and A. May ¹ <i>¹GE Global Research Center, USA and ²GE Sensing, USA</i>	

C5L-D3	SMOOTH CONTACT MODE CAPACITIVE PRESSURE SENSOR WITH POLYIMIDE DIAPHRAGM	1468
	J. Han, J. Yeom, J. Lee, R.I. Masel, and M.A. Shannon <i>University of Illinois, Urbana-Champaign, USA</i>	
C5L-D4	OPTICAL MICROPHONE STRUCTURES FABRICATED FOR BROAD BANDWIDTH AND LOW NOISE ...	1472
	M. Okandan ¹ , N. Hall ^{1,2} , B. Bicen ² , C. Garcia ² , and F.L. Degertekin ² ¹ <i>Sandia National Laboratories, USA</i> and ² <i>Georgia Institute of Technology, USA</i>	
C5L-D5	A MICROMECHANICAL PARYLENE SPIRAL-TUBE SENSOR AND ITS APPLICATIONS OF UNPOWERED ENVIRONMENTAL PRESSURE/TEMPERATURE SENSING	1476
	P.-J. Chen and Y.-C. Tai <i>California Institute of Technology, USA</i>	
C5L-D6	A VERTICAL HALL DEVICE IN STANDARD SUBMICRON CMOS TECHNOLOGY	1480
	J. Pascal, L. Hébrard, J.-B. Kammerer, V. Frick, and J.-P. Blondé <i>Université Louis Pasteur Strasbourg, FRANCE</i>	