APEC 2008 Twenty-Third Annual IEEE Applied Power Electronics Conference and Exposition

Austin, TX 24-28 February 2008

Pages 1-534



IEEE Catalog Number: ISBN 13:

CFP08APE-PRT 978-1-4244-1873-2

Parasitic Inductance Effect on Switching Losses for a High Frequency Dc-Dc Converter	3
A Practical Minimum Time Control Method for Buck Converters Based on Capacitor Charge Balance Eric Meyer and Yan-Fei Liu	10
Universal Multilevel DC-DC Converter with Variable Conversion Ratio, High Compactness Factor and Limited Isolation Feature	17
A Novel Non-Isolated Two-Phase Full Bridge Topology for VRM Applications	24
A High Power Density 1.75 mm2 Fully Integrated Closedloop Buck Converter with Varactor Control Scheme Prabal Upadhyaya, Nan Shi, Sean Bradburn, Herbert L. Hess	31
A Simple Analytical Switching Loss Model for Buck Voltage Regulators	36
A Single Switch Dual Output Non-Isolated Boost Converter	43
Generalization of a Nonlinear Average Current Control Method for CCM and DCM Operation	51
Revisiting the Closed Loop Response of PWM Converters Controlled by Voltage Feedback	58
Projected Cross Point - A New Average Current-Mode Control Approach	65
Design Considerations for Magnetic Feedback Using Amplitude Modulation	71
Improvement in Transient Upload Response of Boost Converter Using Input Inductor Current Injection Based on FPGA Digital Control K. I. Hwu, Y. T. Yau	78
Improved Impedance Profile Prediction Using Non-Linear Switching Regulator Model	85
Analysis of the effect of the parameter variation on the flux weakening controller for improving torque capability	91
Short Circuit Fault Detection in PMSM by means of Empirical Mode Decomposition (EMD) and Wigner Ville Distribution (WVD)	98
Sinusoidal Surface-Mounted PM Machine Drive Using A Minimal Resolution Position Encoder	104
Fault Detection of Eccentricity and Bearing Damage in a PMSM by means of Wavelet Transforms Decomposition of the Stator Current	111
A Practical Method to Eliminate the Conduction Torque Ripple in BLDCM Using Cascade Topology	117
Reducing Steady-State Current Distortions in Sensorless Control Strategies by Using Adaptive Test Pulses F.M.L.L. De Belie. P. Sergeant and J.A.A. Melkebeek	121

A Novel Sliding Mode Observer with Multilevel Discontinuous Control for Position Sensorless PMSM Drives	127
S. Chi, Jinsheng Sun	
A Converter Topology to Interface Low Voltage Solar/Fuel Cell Type Energy Sources to Electric Utility	135
A Digitally Controlled Double Stage Soft-switching Converter for Grid-connected Photovoltaic Applications	141
Fundamental Frequency Modulated Multilevel Inverter for Three-Phase Stand-Alone Photovoltaic Application	148
Design Considerations for Long-Term Remote Photovoltaic-Based Power Supply	154
A Simplified Series-Parallel Structure for the Regulated Peak Power Tracking (RPPT) System	160
A Fast and Accurate Maximum Power Point Tracker for PV Systems	167
A Novel Topology and Control Strategy for Maximum Power Point Trackers and Multi-String Grid-Connected PV Inverters	173
System Design of a 3D Integrated Non-isolated Point of Load Converter	181
System in Package with Mounted Capacitor for Reduced Parasitic Inductance in Voltage Regulators	187
Selection of Heatsink and Fan for High-Temperature Power Modules under Weight Constraint	192
On-Chip Bondwire Transformers for Power SOC Applications	199
Investigation on Current Density Limits in Power Printed Circuit Boards	205
Simulation of the Non-Idealities in Current Sharing in Parallel IGBT Subsystem	211
Interleaving Impact on Harmonic Current in DC and AC Passive Components of Paralleled Three-Phase Voltage-Source Converters	219
A Novel Neutral Current Control Strategy for the Three-phase Four-wire Boost PFC Converter	226
Digital Carrier Modulation and Sampling Issues of Matrix Converters	231
Space Vector Modulated Four-Wire Unidirectional Three-Phase/Level/Switch (VIENNA) Rectifier with an Additional Leg for DC Link Voltage Balancing	238
RB-IGBT Gate Drive Circuit and Its Application in Two-stage Matrix Converter	245

High Voltage, High Power Density Bi-Directional Multi-Level Converters Utilizing Silicon and Silicon Carbide (SiC) Switches	252
Bradley Reese, Marcelo Schupbach, Alex Lostetter, Brian Rowden, Robert Saunders, Juan Balda	
Performance Evaluation of Three Control Strategies for Three-Level Neutral Point Clamped PWM Rectifier	250
Zhang Yingchao, Zhao Zhengming, Mohamed Eltawil and Yuan Liqiang	······ 437
Power and Propulsion Systems Design for an Autonomous Omni-directional Mobile Robot	267
A Matrix-Z-Source Con verter for Automotive Integrated Starter Alternator System	273
Efficiency Analysis of Hybrid Electric Vehicle (HEV) Traction Motor-Inverter Drive for Varied Driving Load Demands1	280
Hybridization Fuel Cell with Supercapacitor for FCEV	286
Energy Management Design for a 5kW Fuel Cell Distributed Power System	291
Consideration for the Pulse-link DC-AC Converter for Fuel Cells	298
Effect of Paralleling Switches on Reduction of Reliability of Fuel Cell DC-DC Converters	304
Power Density and Efficiency Optimization of Resonant and Phase-Shift Telecom DC-DC Converters	311
An Improved Active-clamp ZVS Forward Converter Circuit	318
Control of Chaos by Resonant Parametric Perturbation in a Current Mode Controlled Buck- Boost Dc-Dc Converter	323
A Novel Asymmetrical Dual Switch Forward Converter Employing Resonant Reset Technique for Soft Switching	328
Fully Integrated Isolated DC-DC Converter Using Micro-Transformers	335
PCB LAYOUT VIAs EFFECT ON POWER SUPPLY PERFORMANCE	339
A DC-DC Digitally Controlled Buck Regulator Utilizing First-order S Frequency Discriminators	346
A Novel Isolated Two-phase Full Bridge Topology for VRM Applications	353
A PI-Based Control Strategy for Mitigation of Torque Harmonics in Switched Reluctance Motor Drives	363
Synchronous Reluctance Motor Drive System Parameter Identification Using a Current Regulator	370
Application of a Disturbance Observer for a Relative Position Control System	377

Fault Analysis of Non-Uniform Airgap Length in Frictionless Linear Induction Motor Drive	383
Effective Modeling of Leakage Inductance for use in Circuit Simulation	391
Study on optimal design method for Passive Power Filters set at high voltage bus considering many practical aspects	396
An Electrical Circuit based 3-D Thermal Model of a Fan Cooled 600µH, 80A Inductor for a Plasma Cutting Power Supply	402
A New Dynamic Electrical Model of Domestic Induction Heating Loads	409
Energy Efficiency, its Benefits and Methods to close the Efficiency gap	417
How Low Can You Go?" The Role of Power Electronics in Achieving Higher Levels of Efficiency for Desktop Computers	423
Opportunities, Challenges, and Recommendations to Measure and Improve Secondary Power Supply Efficiency S. Rajagopalan, T. Geist, B. Fortenbery, P. May-Ostendorp	429
Is the Power Market ready for Advanced Telecommunications Computing Architecture Systems (ATCA) - Board-level Power Considerations? F.E. Cirolia	436
A Cost-Effective Ac-ac Voltage Sag Protector with a Fast Dynamic Response Using a New RMS Averaging Method	443
Rating and Design Issues of DVR Injection Transformer	449
An Artificial Neural Network Based Method for Harmonic Detection in power system	456
Passive Soft-Switching Snubber Circuit with energy recovery	465
Pulse Width Modulated Buck-Boost Five-Level Current Source Inverters	469
PWM Inverter Output Filter Cost to Losses Trade Off and Optimal Design	476
A Novel Three Level Dual Buck Half Bridge Inverter	483
Digital Control with Asynchronous Linear-non-Linear Compensator	491
Digital Load Current Feed-forward Control Method for a DC-DC Converter	498
Fully-Digital Hysteretic Voltage-Mode Control for dc-dc Converters based on Asynchronous Sampling S. Saggini, E. Orietti, P. Mattavelli, A. Pizzutelli, A. Bianco	503
An Improved Novel Driving Scheme of Synchronous Rectifiers for LLC Resonant Converters	510

Multiple-Phase High-Accuracy Hysteretic Current-mode Voltage Regulator for Powering Microprocessors	517
Chunping Song, Jeff L Nilles	
Digital PWM/PFM Controller with Input Voltage Feed-Forward for Synchronous Buck Converters	523
Self-Tuning Digital Current Estimator for Low-Power Switching Converters	529
A very simple control strategy for Power Factor Correctors driving High-Brightness Light-Emitting Diodes	537
Effects of Parametric Uncertainty in Designing a High-Brightness LED Light System	544
LED Backlight Power System with Auto-tuning Regulation Voltage for LCD Panels	551
A Digital Boost Converter to Drive White LEDs	558
A Novel LED Driver with Adaptive Drive Voltage	565
An Analysis of Current Accuracies in Peak and Hysteretic Current Controlled Power LED Drivers	572
Synchronous Rectified Soft-Switched Phase-Shift Full-Bridge Converter with Primary Energy Storage Inductor	581
An Advanced PWM Strategy to Improve Efficiency and Voltage Transfer Ratio of Three-Phase Isolated Boost DC/DC Converter Hanju Cha, Soonho Choi, Prasad Enjeti	587
An Improved Current-fed ZVS Isolated Boost Converter for Fuel Cell Applications	593
Design Guidelines on the Effect of Resonant Transitions of Forward Converter on Efficiency with Active Clamp	600
A New Isolated DC-DC Boost Converter using Three-State Switching Cell	607
An Improved Design of a DC-DC Converter Using an Integrated Magnetic Component	614
High-Efficiency Regulated Gate Driver for Power MOSFET	621
A Gate Driver with Negative and Double Positive Output Voltages Under Positive-Voltage Source	627
Research on AC Electronic Load Based on back to back Single-phase PWM Rectifiers	630
Active Load for Burn-in Test of Buck-Type DC-DC Converter with Ultra-Low Output Voltage	635
Interface Circuits for Multiphase Piezoelectric Energy Harvesters	639

Optimal Operation of Contactless Transformers with Resonance in Secondary Circuits	645
The domestic induction heating appliance: an overview of recent research	651
An Energy Storage System Combining a 320-V, 12-F Electric Double Layer Capacitor Bank with a Bidirectional Isolated DC-DC Converter	661
Improvement of engine cold start capability using supercapacitor and lead-acid battery hybrid	668
A Hybrid EMI filter with Ultra-Wide Bandwidth	676
Multi-Layer Folded High-Frequency Toroidal Inductor Windings	682
Microfabricated Inductors for 20 MHz Dc-Dc Converters	689
A Novel Control Method For Interleaved Transition Mode PFC	697
Line Current Distortions of DCM/CCM Boundary Boost PFC Converter	702
Investigation of an Alternative APFC Control with no Sensing of Line Voltage Based on a Triangular Modulation Carrier	709
High active mode efficiency switching mode power supply	715
The Voltage-Controlled Compensation Ramp: A New Waveshaping Technique for Power Factor Correctors	722
Common Mode EMI Study and Reduction Technique in Interleaved Multi-channel PFC Pengju Kong, Shuo Wang, Chuanyun Wang) and Fred C. Lee	729
Integration of Parasitic Cancellation Techniques for EMI Filter Design	736
Equivalent Parallel Capacitance Cancellation for Noise Reduction Application	745
A Variable Speed Wind Energy Conversion System Connected To The Grid For Small Wind Generator	751
Reduction of Current Ripples due to Current Measurement Errors in a Doubly Fed Induction Generator	756
Dc-link Voltage Control of Full Power Converter for Wind Generator Operating in Weak Grid Systems	761
Three-Phase Power Factor Correction Rectifier Applied To Wind Energy Conversion Systems	768
Optimized Envelope Tracking Power Supply for Tetra2 Base Station RF Power Amplifier	777

Bi-Directional DC/DC Converters for Plug-in Hybrid Electric Vehicle (PHEV) Applications	784
A Novel Protection Scheme for Three-Level Converter Based on Monitoring Flying Capacitor Voltage	790
Design of High Efficiency Flyback Converter with Energy Regenerative Snubber	796
A compact, high voltage 25kW, 50 kHz DC-DC converter based on SiC JFETs	801
High Efficiency Quasi-Parallel Voltage Regulators	811
Reduction of Output Capacitance in Dc-Dc Converters using Anticipated Load Transients	818
Input Voltage Switched DC-DC Converter with Improved Transient Performance	824
Evaluation of Coupled Inductor Voltage Regulators	831
A New Active Compensator Scheme for Dynamic Voltage Scaling in Voltage Regulators	838
A Constant Switching Frequency Coupled-Inductor VR with Improved Light Load Efficiency	844
Motor Overvoltages Limitation by Means of a New EMI-Reducing PWM Strategy for Three-Level Inverters	853
A. Videt, P. Le Moigne, N. Idiry, P. Baudessonz, and J.J. Franchaud	
Overvoltage Protection of inverter-fed drives with the help of energy varistors - dimensioning and lifetime considerations	860
A. Rocks, V. Hinrichsen	
Extending Voltage Range and Reducing Torque Ripple of Five-Phase Motor Drives with Added Voltage Harmonics	866
Jing Huang, Keith A. Corzine, Chris M. Hutson, and Shuai Lu	
Inverter Power Drive Transistor Diagnostic and Extended Operation under One-Transistor Trigger Suppression	873
Antonio Ginart, Douglas Brown, Patrick Kalgren and Michael J Roemer	
A Comparative Analysis of Pulsating vs. Rotating Vector Carrier Signal Injection-Based Sensorless Control	870
Dejan Raca, Pablo García, David Reigosa, Fernando Briz, and Robert Lorenz	
A New Control Method for Single-DC-Source Cascaded H-Bridge Multilevel Converters Using Phase- Shift Modulation	886
Jingsheng Liao, Keith Corzine, and Mehdi Ferdowsi	
An Active Suppression Circuit for the Reduction of di/dt Event Supply Voltage Variation	893
A Novel ESD Super-Clamp Structure for TVS Applications	897
Integrated Circuit Implementation for a GaN HFETs Driver Circuit	901
A Novel Monolithic Self-Synchronized Rectifier	907

Circuit Simulation Model for a 100 A, 10 kV Half-Bridge SiC MOSFET/JBS Power Module	913
New Low Reverse Recovery Charge (QRR) High-Voltage Silicon Diodes Provide Higher Efficiency than Presently Available Ultrafast Rectifiers	918
A 10KV Shunt Hybrid Active Filter for a Power Distribution System	927
Study on Shunt Active Power Filter with High Quality Grid Current Waveform	933
Parallel Control of the UPS Inverters	939
Digital Control based on the Shifting Phase for Grid Connected Photovoltaic Inverter	945
A Wide Range Active and Reactive Power Flow Controller for a Solid Oxide Fuel Cell Power Conditioning System	952
A Piezoelectric Transformer Based Inverter Topology for Immerging CCFL Inverter	959
Damping Power Fluctuation of Wind Energy Generating System by a Novel DC Link Voltage Control	968
Design and Control of a Three-Phase Grid- Connected Photovoltaic System with Developed Maximum Power Point Tracking	973
A Reconfigurable Solar Photovoltaic Array Under Shadow Conditions	980
Maximum Power Point Tracking using the Optimal Duty Ratio for DC-DC Converters and Load Matching in Photovoltaic Applications	987
A Novel Phase Interleaving Algorithm for Multi-terminal Systems	992
Operation of Self-Excited Induction Generator Through Matrix Converter	999
A Novel PFC Circuit Using Ladder Type Filter Employing only Passive Devices	1005
Implementation of Open-Loop Control for Interleaved DCM/CCM Boundary Boost PFC Converters	1010
Bridgeless PFC Boost Rectifier with Optimized Magnetic Utilization	1017
A Simple Passive ZCS Circuit for PFC Converter	1022
Dual Boost High Performances Power Factor Correction (PFC)	1027
A Novel Closed Loop Interleaving Strategy of Multiphase Critical Mode Boost PFC Converters	1033

Dual-Edge Phase-Shift-Modulation for Circulating Current Control in Full-Bridge Resonant Converters	1041
Loop Gain Measurement Of Paralleled Dc-Dc Converters With Average-Current-Sharing Control	1048
Un-terminated Frequency Response Measurements and Model Order Reduction for Black-Box Terminal Characterization Models	1054
Constrained Worst Case Loads for Microprocessors	1061
New Resonant Gate Driver for Low Voltage Synchronous Buck Converter Based on Topologies Optimization	1067
Li Liu, Yu Ma, Xiaogao Xie, Chen Zhao, Wei Yao, Zhaoming Qian	
A Novel ZVS Step-up Push-Pull Type Isolated LLC Series Resonant Dc-Dc Converter for UPS Systems and Its Topology Variations	1073
Ultra High Efficiency Bidirectional DC-DC Converter With Multi-Frequency Pulse Width Modulation	1079
Digital Current Mode Control Architecture With Improved Performance for DC-DC Converters	1087
A Novel Peak and Deep Current Mode Control for Two Switches Buck-Boost Converter	1093
Novel Digital Multi-Phase Duty Cycle Modulation Methods for Voltage Regulators	1099
Non-Zero Error Method for Improving Output Voltage Regulation of Low-Resolution Digital Controllers for SMPS	1106
Zhenyu Zhao and Aleksandar Prodic	
Induction Motor Rotor Fault Diagnosis using Wavelet Analysis of One-Cycle Average Power	1113
An Induction Motor Drive Including a Self-Tuning Loss-Model Based Efficiency Controller	1119
LQR-Based Stator Field Oriented Control for the Induction Motor Drives	1126
Total Air-gap Flux Minimization in Dual Stator Winding Induction Machines	1132
Sensorless Induction Motor Drive for Photovoltaic Pumping Applications	1139
Independent Voltage Control for Series Connected Six-Phase and Three-Phase Induction Machines	1144
A novel control strategy for the series-in series hybrid active filter	1153
A New Hybrid Active Power Filter Topology with Continuous Compensation Bandwidth and Small Active Capacity	1158
Enxing Yang, Zhiqiang Wang, Hao Wang and Guozhu Chen	
Optimal DC Current Control for Four-Wire Current Source Active Power Filter	1163

An Advanced DC Voltage Based Control for Series Active Power Filter	1169
Research on Control System of DC Voltage for Active Power Filters with Three-Level NPC Inverter	1173
Time Delay Control of Power Converters: Mixed- Frame and Stationary-Frame Variants	1181
Input Impedance Modeling of Single-Phase PFC by the Method of Harmonic Linearization	1188
Small-signal Modeling of Three-phase Boost Rectifier under Non-sinusoidal Condition	1195
Improved Charge Control with Adjustable Input Power Factor and Optimized Switching Pattern for a 150 kHz Three-Phase Buck Rectifier	1200
A Variable Structure Controller for a Single Stage Three Level Resonant PFC Rectifier	1207
Optimization of Universal Ballasts through Magnetic Regulators	1214
Current Sensorless Control for Single-Phase Boost-Type SMR	1221
Analysis and Design of Energy Storage for Current-Source 1-ph Grid-Connected PV Inverters	1229
Analysis and Specification of DC Side Voltage in Static Var Generator Regarding Compensation Characteristics of Generators	1235
Experimental Results and Design Guidelines Derived from the Testing of a 2 MW, 250 Hz, Auxiliary Resonant Commutated Pole Bi-Directional Converter	1240
Exact Power Loss Estimation Method for High Voltage Power Converters with 5kV SiC-PiN Diode	1247
Analysis and Design of Bi-Directional Z-Source Inverter for Electrical Vehicles	1252
Z-Source Networks for Power Conversion	1258
Single-Phase Z-Source Inverter	1266
The Maximum Pulse Current Estimation for the Lithium-Ion Battery	1273
Temperature Compensation Algorithm for Interrupted Charge Control Regime for a VRLA Battery in Standby Applications	1278
A Novel Solid State Fault Current Limiter for DC Power Distribution Network	1284
Distributed Generation System Based on Single-Phase Grid, Induction Generator and Solar Photovoltaic Panel	1290

High Frequency Isolation On-line UPS System for Low Power Applications	1296
A new analog controller for three-phase four-wire voltage generation inverters	1303
Phase Feedforward Control For Single-Phase Boost-Type SMR	1313
High Efficiency 100 W Quasi-Resonant Multi-Phase Interleaved PFC Using Planar Magnetic Components Bogdan T. Bucheru, Ionel Dan Jitaru	1319
Research on AC Chopper Power Module with Module Parallel Control	1324
A Current-Sensorless Digital Controller for Active Power Factor Correction Control Based on Kalman Filters	1328
Soft Switched Ac Link Buck Boost Converter	1334
A Novel High Efficiency Soft-Switched PWM Boost Rectifiers With Low Conduction Losses	1340
A New and Simple Structure of PC Power Supply with Low Cost and High Efficiency to Meet 80 Plus Requirement	1347
Research on the Filters Used in the PWM VSR	1353
A Novel AC-DC Converter Un-requiring Inductors for Power Conversion	1358
A design methodology for LLC resonant converters based on inspection of resonant tank currents	1361
Current Limited Supplied, Output Shunt Regulated, Off-Line Switching Power Supply for use with an Ultrasonic Motion Detector	1368
A Voltage-Adjustable Three-Phase Rectifier with Constant Power Flow	1372
DCR Current Sensing Technique for PFC Circuits	1378
Two Buck Choppers Built-In Single Phase One Stage PFC Converter with Reduced DC Voltage Ripple and Its Specific Control Scheme	1384
Stability Performance of Two-Stage PFC Converters under Nonlinear-Carrier Control and Average-Current-Mode Control	1389
Dc-link Three-Phase to Three-Phase Three-Level Five-Leg Converter	1396
A Dual-Frame Hybrid Vector Control of Vector- Modulated VIENNA I Rectifier for Unity Power Factor Operation Under Unbalanced Mains Condition Hesameddin Mirzaee Teshnizi, Ali Moallem, and Mohammad Reza Zolghadri, Mehdi Ferdowsi	1402

Asymmetrical Interleaving Strategy for Multi-Channel PFC	1409
A Simple DSP Based Control System Design for a Three-Phase High Power Factor Boost Rectifier	1416
Design Tradeoffs in PWM Rectifiers with Active Filtering Function Ernesto Bárcenas Bárcenas, Víctor Cárdenas, Jaime Arau Roffiel	1423
A New Current-Source Gate Driver for a Buck Voltage Regulator	1433
Comparison of State-of-the-Art Digital Control and Analogue Control for High Bandwidth Point of Load Converters	1440
The Short Winding Path Coupled Inductor Voltage Regulators	1446
Estimation of Microprocessor Instantaneous Load Current for Voltage Regulator Optimization	1453
A Soft-Switching Synchronous Buck Converter for Zero Voltage Switching (ZVS) in Light and Full Load Conditions	1460
Utilizing Flexible Printed Circuit Board (FPCB) to Realize Passives Integration in LLC Resonant Converter	1465
Design and Optimisation of A High Current, High Frequency Monolithic Buck Converter	1472
Soft Switching of KY Converter	1477
Improved Transformer Design for High Frequency VRM Applications	1483
Analysis and Implementation of Instantaneous Current Control for Multiple Boost Converter in WECS Weiwei Shi, Hui Liang, Jiuchun Jiang	1490
A Novel Phase-shift Full-bridge ZVS PWM DC-DC Converter Employing Auxiliary Circuit	1496
Novel Control Technique For Single Inductor Multiple Output Converters Operating in CCM with Reduced Cross-Regulation	1502
Novel Hysteretic Control Method for Multiphase Voltage Regulators	1508
Advanced Control Circuit For Intermediate Bus Converter	1515
A Multiple-Input Dc-Dc Positive Buck-Boost Converter Topology	1522
Four Switch Buck-Boost Converter for Telecom DC-DC Power Supply Applications	1527
Modularization Structure for Series-Parallel Connected Converters	1531

Interleaved Four-Phase Buck-Based Current Source with Center-Tapped Energy-Recovery Scheme for Electrical Discharge Machining	1536
Ray-Lee Lin, Cheng-Ching Hsu, and Shih-Kuen Changchien	
A DC-DC Digitally Controlled Buck Regulator Utilizing Multi-bit S Frequency Discriminators	1543
Stability Problems of Peak Current Control at Narrow Duty Cycles	1549
Efficiency Characteristics of a Half-bridge Series Resonant Converter for the Contact-less Power Supply Eun-Soo Kim, Hwan-Kook Song, Joo-Hun Kim, Hyun-Kwan Lee, Yoon-Ho Kim	1555
Wide Input Wide Output (WIWO) DC-DC Converter	1562
Investigating Effects of Magnetizing Inductance on Coupled-Inductor Voltage Regulators	1569
Novel Techniques of the Reduction of Standby Power Consumption for Multiple Output Converters	1575
Σ Δ ADC based Current Mode Power Supply Controller with Digital Voltage Loop	1582
A Novel Bidirectional Interleaved Boost Converter with High Voltage Gain	1589
Power Connector Evaluation for Thermal Performance	1597
A Smart Gate Drive with Self-Diagnosis for Power MOSFETs and IGBTs	1602
Offset rejection for PLL based synchronization in grid-connected converters	1611
Five-level voltage-source inverter for shunt active power filter	1618
Parallel Inverters with High Frequency Pulse dc Link	1623
A Wireless Load Sharing Controller to Improve the Performance of Parallel-Connected Inverters	1628
A Zigzag Cascaded Multilevel Inverter Topology with Self Voltage Balancing	1632
Two Arm Inverter with Three Level Boost Converter for Three Phase Induction Motors	1636
Matrix Converter: Improvement on the Start-Up and the Switching Behavior	1642
A Dc-Dc Current Source Power Supply with Novel Load Current Signal Extraction	1651
Small-Signal Analysis of the Lower-Frequency Power Transfer Model (II)	1659
An Improved Method of Parameter Abstraction for A Novel Diode Reverse Recovery Model in Time- Domain Simulation	1664

A Novel Control Strategy for Optimization of Power Capacity Based on Railway Power Static Conditioner	1669	
Yingdong Wei, Qirong Jiang, Xiujuan Zhang	.00>	
Topology Exchange Between KY Converter and Its Derivative	.675	
Development of a Simulation Model for an Aircraft Electrical Main Generator	.679	
A Novel Electrothermal IGBT Modeling Approach for Circuit Simulation Design	.685	
A Novel Control for Load Voltage Conditioning by a Series Power Quality Controller without DC Energy Source	.690	
Xinming Huang, Jinjun Liu		
Simulated Electric Arc Furnace Voltage Flicker Mitigation with 3-Level Current-Controlled STATCOM 10 P. Lauttamus and H. Tuusa	.697	
Nonlinear Digital PID Controller for DC-DC Converters	704	
Sensorless Explicit Model Predictive Control of the DC-DC Buck Converter with Inductor Current Limitation	.710	
SSPC Model with Variable Reset Time, Environmental Temperature Compensation and Thermal Memory Effect	716	
Digital State Feedback Control and Feed-Forward Compensation for a Parallel Module DC-DC Converter using the Pole Placement Technique	.722	
Multivariable Analysis of VR Controllers with Load Line Regulation and Phase Current Balancing	.728	
Research on the Power Electronic Load Based on Repetitive Controller	.735	
Application of source reconstruction techniques and NF-FF transformations to estimate the EMI regulation compliance of a power electronic circuit	.741	
Bidirectional DC-DC Converter Modeling and Unified Controller with Digital Implementation	.747	
Aggregated Modeling and Control of a Boost-Buck Cascade Converter for Maximum Power Point Tracking of a Thermoelectric Generator	.754	
Sampled-Data Modeling Of a New Ultra-fast 48V Voltage Regulator Module: Experimental Validation	.761	
Permanent Magnet Motor-Drive Frequency Response Characterization for Transient Phenomena and Conducted EMI Analysis	.767	
Novel Strategy of Dead-Time Compensation for PWM Voltage-Source Inverter	.779	
Proposed Resonant Compensator for High Performance Drive Train Systems With Large Time Delay	784	

The Complex Controller Applied to the Induction Motor Control	1791
A Novel Speed Sensorless Field-Oriented Control Scheme of IM Using Extended Kalman Filter with Load Torque Observer	1796
Drive the PMSM Motor Using Hexagram Converter	1803
A New Feedforward Compensation to Reject DC-link Voltage Ripple in Bi-directional Z-Source Inverter ASD System Xinping Ding, Zhaoming Qian, Shuitao Yang, Fangzheng Peng	1809
A Fast Switching Method for PM Synchronous Motor Speed Control	1814
A Direct Torque Controlled Induction Motor Drive Based on Control of Tangential and Radial Component of Stator Flux Vector	1819
Dual Scalar Controlled Drives of Induction Motors Using Single Voltage Source Inverter for Long Cable Applications	1826
Design Of An Air-Core Linear Generator Drive For Energy Harvest ApplicationS	1832
AC Drive Fault Tolerant System with Single-Phase Grid	1839
Variable Frequency Controlled Incremental Conductance Derived MPPT Photovoltaic Stand-Along DC Bus System	1849
SiC based Solid State Power Controller	1855
Development of a high-voltage closed-loop power supply for ozone generation	1861
Novel Direct Current-Space-Vector Control for Shunt Active Power Filters Based on Three-Level Inverters	1868
A novel series-in series hybrid active power filter	1874
A new IGCT Converter Topology for High Power Induction Heating Converters	1879
A New Power Supply To Ignite And Sustain Plasma In A Reactive Gas Generator	1885
Distributed Power Flow Controller Design Based-on ETO-Light Converter	1893
Active Clamp Flyback Converter with Current sharing Scheme for Multi-channel Poultry Stunning Applications	1898
A new bipolar power supply for spark erosion based on a series-parallel resonant inverter	1904

A Contactless Power Supply for Photovoltaic Power Generation System
Design Issues of Multi-modular Shunt Active Power Filter System
A Novel Reference Signal Generator for Active Power Filters Based on Recursive DFT1920 Konstantin Borisov and Herbert Ginn
Highly Efficient Capacitive De-Ionization (CDI) Water Purification System Using a Buck-Boost Converter 1926 Mohammad Alkuran, Mohamed Orabi and Norman Scheinberg
Programmable AC Power Source Used to Analyze Electronic Equipment Performance in the Electrical Power System Quality Concept
Short-circuit limitation thanks to a series connected VSC
Simple Droop Voltage Control System for Parallel Operation of UPS
Analysis and Modeling of Conductive EMI Noise of Power Electronics Converters in Electric and Hybrid Electric Vehicles
Low Complexity MPPT Technique Exploiting the Effect of the PV Cell Series Resistance
A Linear MOSFET Regulation System to Improve the Performance of the Booster-Ramping Power Supplies at the APS
The Characteristics and Application of Thyristor Controlled Reactance Series Compensation by Adjustable Coupling
10MHz Current Mode 4 Switch Buck Boost Converter (4SBBC) for Polar Modulation
Design Considerations for Fuel Cell Powered UPS
A Rotor and Stator Method to Increase the Power Available from an Automotive Alternator at Idle Speed 1991 Tony O'Gorman, Dennis Stephens, Brian Conway, Ted Bohn
Interleaved Flyback Converter with Turn-on/off Snubber for Poultry Stunning Applications
Design and Analysis Artificial Intelligence (AI) research for Power Supply - Power Electronics Expert System (PEES)
A Novel PLL Design Method Applied to Grid Fault Condition