

2008 IEEE/SEMI Advanced Semiconductor Manufacturing Conference

**Cambridge, MA
5-7 May 2008**



IEEE Catalog Number:
ISBN 13:

CFP08ASC-PRT
978-1-4244-1964-7

Table of Contents

Successful Competition and Manufacturing Efficiency through LEAN Concepts	1
<i>Douglas Grose</i>	
Advanced method to monitor design-process marginality for 65nm node and beyond	2
<i>Hermes Liu, Crockett Huang, S F Tzou, Chris Young, David Tsui, Ellis Chang</i>	
Challenges in 65nm Poly, RX and STI Defect Learning	6
<i>Chienfan Yu, Javier Ayala, Cung Tran, James Gay, Anthony Santiago, Eric Meyette, Elizabeth Hampton, Garrett Oakley, Kenneth Bandy, Timothy McCormack, Rajasekhar Venigalla, Frederick Scholl</i>	
SEM-based methodology for root cause analysis of wafer edge and bevel defects	11
<i>Ronnie Porat, Kfir Dotan, Shirley Hemar, Lior Levin, Ken Li, George Sung, Chen-Ting Lin, Sheng-Kuo Lin, Hsin-I Wang</i>	
In-line Monitor of Non-overlay Misalignment Defect by Dark-Field Inspection System	15
<i>Sean Huang, Henry Chen, Wensheng Li, He Huang, Yin Xiang, Hongbo Jiang, Siqun Xiao</i>	
In-Line Process Window Monitoring using Voltage Contrast Inspection	19
<i>Oliver D. Patterson, Hyoung H. Kang, Kevin Wu, Petra Feichtinger</i>	
Challenges of High-Precision Capacitor Integration	25
<i>Pushpa Mahalingam, Marshall Cathey, David Guiling, Britton Robbins, Weidong Tian, Imran Khan</i>	
Preventing Lithography-Induced Maverick Yield Events With A Dispense System Advanced Equipment Control Method	31
<i>Jennifer Braggin</i>	
Unsaturated Fluorocarbons in the Etching Process, Environmental Benefit, Technical Hurdles	37
<i>Thuy Tran-Quinn , Mark Lakritz</i>	
Simulation on A Novel Ga-doped Phase Change Memory for Next Generation Embedded Non-Volatile Memory Application	43
<i>Xiu-Lan Cheng, Wen Yin, Zhi-Gang Feng, Tian-Yi Liang</i>	
Development of 38nm Bit-Lines using Copper Damascene Process for 64-Giga bits NAND Flash	49
<i>Byungjoon Hwang, Namsu Lim, Jang-Ho Park, Sowi Jin, Minjeong Kim, Jaesuk Jung, Byungho Kwon, Jongwon Hong, Jeehoon Han, Donghwa Kwak, Jaekwan Park, Jung-Dal Choi, Won-Seong Lee</i>	
"Confluence of Design, Manufacturing and Test: Demystifying Yield"	52
<i>T. W. Williams</i>	
Inline Defect Root Cause Analysis of Cu CMP Shorts Using Dual Beam FIB	53
<i>Ronnie Porat, Hanan Eshwege, Eran Valfer, Denis David, David Pepper, Fabrizio Cricchio, Benoit Hirschberger, Dave Kolar</i>	
Defectivity Characterization of post-CMP Voiding in 32nm Cu Metallization	56
<i>C. A. Boye, J. J. Kelly, D. Canaperi</i>	
Novel Process Control with Differentiating STI Micro-scratches leading to Faster Root Cause Analysis	61
<i>Tian-Hoe Lim, Richard C.K. Ho, George Hoo</i>	
A Pattern Recognition Tool for Automatic Etch Process Quality Check	65
<i>Stefano Russo, Felice Russo</i>	
Utilizing Design Layout Information to Improve Efficiency of SEM Defect Review Sampling	69
<i>Scott Jansen, Glenn Florence, Alexa Perry, Steven Fox</i>	
A system to translate product yield targets to equipment particle targets	72
<i>Anand Inani, Hua Fang, Brian Stine</i>	
From Strain to High-K/Metal Gate - the 65 - 45 nm Transition	76
<i>Dick James</i>	

Table of Contents

Flex-ALD Lanthanum Materials for High-k/Metal-Gate Applications	82
<i>Ce Ma, Kee-Chan Kim, Graham McFarlane, Atul Athalye</i>	
Thickness and Uniformity Modeling of the Deposition of Shape Memory Polymers for Information Storage Applications	85
<i>Edem Wornyoa, Ken Gallb, Gary S. Maya</i>	
Effectively Reducing the CoO & Minimized PFC Emission by Successful Evaluating CVD Alternative Cleaning Gas, Zyron® c-C4F8	90
<i>J M Hsu, Max Chen, Y C Kuo, Terry T. Lee, Gary Loh</i>	
A Methodology for Improving Granularity of Wafer Strength Testing to Characterize and Qualify a 150 micron DFM Wafer Thinning Process	94
<i>Brian Dries, Jeff Kingsbury, Elias Mohamed</i>	
Comparison of Wax and Wax-free Mounting of Irregular Piezocomposite Materials for Thinning for High-frequency Medical Devices	100
<i>A.L.Bernassau, J.J.McAneny, T.McGroggan, T.W.Button, H.Hughes, C.Meggs, S.Cochran</i>	
Characterization of Static-dissipative Ceramics for ESD and Contamination Control Purposes	105
<i>Qiang Zhao, Wayne C. Boone, Raymond H. Bryden, Oh-Hun Kwon</i>	
Control of RF Match Presets: Common Source of Variation	111
<i>Cindy Daigle</i>	
Early Detection of a Manufacturing Problem using Product Test Data	114
<i>Michael Beutl, Alexander Prosegger, Axel Wawrina, Dieter Rathei</i>	
An efficient methodology for Electrical Monitoring in manufacturing environment	117
<i>F.Domart, D.Saout, F.Degand, A.Tran, A.Chauvet, JL.Grolier, O.Richard</i>	
Etching Mechanisms of Fluoroelastomer Seals and Performance Characteristics	123
<i>W. Brock Alexander, John Foggiato</i>	
Generating Cycle Time-Throughput Curves using Effective Process Time based Aggregate Modeling	127
<i>C.P.L. Veeger, L.F.P. Etman, J. van Herk, J.E. Rooda</i>	
High Resolution Monitoring of Implant and Anneal Uniformity Using Thermo-Probe Technology	134
<i>Derrick Shaughnessy, Iad Mirshad, Alex Salnik, Lena Nicolaidis</i>	
Improved Capabilities for the 372M and 472 Polishing Platforms	136
<i>Robert L. Rhoades, Sanjay Basak, Chris Karlsrud, Kathy Leaf</i>	
In-line methodology for defectivity analysis from dark field wafer inspection to defect root cause analysis using FIB cut.	138
<i>Grégoire Ducotey, Alexandre Couvrat, Véronique Audran, David Peppe, Laurent Couturier, Denis David</i>	
Linewidth Roughness and Cross-sectional Measurements of Sub-50 nm Structures Using CDSAXS and CD-SEM	142
<i>Chengqing Wang, Kwang-Woo Choi, Wei-En Fu, Ronald L. Jones, Derek L. Ho, Christopher Soles, Eric K. Lin, Wen-li Wu, James S. Clarke, John S. Villarrubia, Benjamin Bunday</i>	
Pursuing the Increase of Factory Automation in 200mm Frontend Manufacturing to Manage the Changes Imposed by the Transition from High-Volume Low-Mix to High-Mix Low-Volume Production	148
<i>Harald Heinrich, Germar Schneider, Frank Heinlein, Sophia Keil, Arthur Deutschländer, Rainer Lasch</i>	
Matrix Factorisation Techniques for Endpoint Detection in Plasma Etching	156
<i>E. Ragnoli, S. McLoone, J. Ringwood, N. Macgerailt</i>	
New Method for Monitoring Implantation by Using Particle Inspection	162
<i>Chia-Hung Sun, Jun-Wei Gong, Ta-Yung Wang, Chung-I Chang, Tings Wang</i>	

Table of Contents

A Novel Advanced Process Control for Semiconductor Manufacturing: Dual Proximate Inverse System Feedback Control.....	167
<i>Sheng Hua, Xiu-Lan Cheng, Tong-Dan Jin</i>	
Novel One-Dimensional Scattering Bar Rule via Computer Aided Design	173
<i>Chun Yu Lin, Ben Liou, Feng Yuan Chiou, Chen Hung Ku</i>	
Quantifying Loading Efficiency Losses on Lithography Clusters.....	179
<i>Jason Foster, Milind Mohile, John Matthews</i>	
Real-time estimation and control of CD uniformity in lithography	185
<i>Arthur Tay</i>	
Single Wafer Management for Non Productive Wafers NPW	191
<i>Franz Zaugg</i>	
Tool-to-Tool Interface Standardization	196
<i>Peter van der Meulen, Marty Petraitis, Patrick Pannese</i>	
Use of Spatial Pattern Recognition (SPR) for Enhancing the Resolution and Identification of Rogue Tools in Manufacturing.....	200
<i>Mike Retersdorf, Anulekha Anand, Andrew Drozda-Freeman, Mike McIntyre, Xin Song, Jenny Wang</i>	
A Yield Model Incorporating Random and Systematic Yield Part I: Theory.....	206
<i>Hanno Melzner</i>	
Yield Optimization with Model Based DFM	216
<i>Artur Balasinski, Fedor Pikus, Jan Bielawski</i>	
The Spin on Electronics!	221
<i>Stuart Parkin</i>	
300 mm Productivity Detractors Mitigation Cost Analysis	222
<i>Denis Fandel, Robert Wright</i>	
Characterization and Optimization of Single Wafer Processing Equipment with Advanced Aqueous Formulations to Achieve Lower Cost of Ownership for Advanced Cu Interconnect Cleaning Processes.....	228
<i>Simon Kirk, Chiu Tse, Eric Wang, Cooper Wu, Sang Min Wong, Sally Ann Henry, Leo Archer, Jason West, Erkan Cakmak</i>	
New Elastomer Materials Provide Enhanced Longevity and Sealing Performance for Semiconductor Manufacturing Equipment	233
<i>John Foggiato, Brock Alexander</i>	
Effect of Reduced Equipment Downtime Variability on Cycle Time in a Conventional 300mm Fab	237
<i>Daniel Babbs, Robert Gaskins</i>	
Lowering Cost of Ownership for Lithography Equipment.....	243
<i>Clarence Ademu-John, Christopher Conley</i>	
Characterization Program for Fast Early Yield Ramp of Memory Technology	249
<i>Michael Hall, Martin Hunt, Rico Prescher, Gabriel Sellier, Holger Herzog, Barry Mitchell, Suddida Lavangkul, Pratik Satasia, Hery Susanto</i>	
Characterization of "blinking pixels" in CMOS Image Sensors.....	255
<i>Kristin Ackerson, Charles Musante, Jeffrey Gambino, John Ellis-Monaghan, Daniel Maynard, Richard J. Rassel, Kevin Ogg, Mark Jaffe</i>	
Dual Gate oxide reliability improved by Spacer and Salicide process optimisation.....	259
<i>G. Richou, D. Ottenwaelder, J.L. Baltzinger, B. Delahaye, F. Domart, A. Soudry, A. Coudray, J.F. Langlois, J. Liebault, D. Donnard, D. Garroux, P. Fraquet, F. Nogueira, N. Laporte, H. Lefevre, J.P. Brun</i>	
90nm Games Processor Wafer to Module Power Yield Optimization	264
<i>Raymond Mallette, Brad Rawlins</i>	

Table of Contents

Spatial Patterns in Sort Wafer Maps and Identifying Fab Tool Commonalities	268
<i>Eric R. St. Pierre, Eugene Tuv, Alexander Borisov</i>	
A quality-cost model of in-line inspections for excursion detection and reduction.....	273
<i>Gavin D. R. Hall, Roger Young, Matt Dunne, Mina Muro</i>	
Design for Maintenance.....	278
<i>Peter van der Meulen, Marty Petraitis, Patrick Pannese</i>	
Minimizing Charging Potential during Passivation Etch.....	282
<i>Yue Kok Hong Kenneth, Tay Chin Tiong, Se Kwang Leong James, Goh Boon Kiat</i>	
Optimizing the Operating Curve: How Can Every Fab Maximize its Performance?.....	286
<i>Asser Fayed, Charles M. Weber</i>	
TXRF Applications Supporting Yield Enhancements and Tool Monitoring in Order to Improve the Front-End Semiconductor Processing	292
<i>Thanas Budri</i>	
Contamination Considerations For Perfluoroelastomer Seals Used In Deposition Processes	297
<i>John M. Legare, Shuhong Wang, Michele Vigliotti, Shinichi Sogo</i>	
Interconnect Etch Tool Sensitivity to Wafer Backside Composition and Process Induced Defects.....	301
<i>P. S. Frankwicz, C. Plourde, S. Rothwell, L. Kennedy, T. Moutinho</i>	
Capture and Analysis of Particulate Contamination in Gaseous and Liquid Processing Materials.....	305
<i>Wayne T. McDermott</i>	
Getting Real with Real Time Dispatching in Metrology; an RTD Solution to Metrology's Imperceptible Cycle Time Impact.....	311
<i>Preston L. Beaumont, Ashley Goad, Dominic Perira</i>	
Optimizing Yield and Wafer Fab Productivity through Yield Sensitive Dispatch	318
<i>Aaron H Dries, Loren C Krott, John C Doxsey</i>	
Test Wafer Management and Automated Wafer Sorting.....	322
<i>Aziza Faruqi, Raymond Goss, Diwas Adhikari, Thomas Kowtsch</i>	
A Batch Optimization Software for diffusion area scheduling in semiconductor manufacturing.....	327
<i>Claude Yugma, Stéphane Dauzère-Pérès, Alexandre Derreumaux, Olivier Sibille</i>	
C4NP Lead Free Solder Bumping and 3D Micro Bumping.....	333
<i>James Busby, Bing Dang, Peter Gruber, David Hawken, Jayshree Shah, Renee Weisman, Eric Perfecto, Klaus Ruhmer, Stephen Buchwalter</i>	
Fabrication of 3D Packaging TSV Using DRIE	340
<i>M. Puech, JM Thevenoud, JM Gruffat, N. Launay, N. Arnal, P. Godinat</i>	
A novel in-line monitor for optimizing power vs. performance in CMOS logic.....	345
<i>R. Van Roijen, A. Loiseau, B. Rawlins, R. Logan</i>	
Use of Virtual Metrology for in-situ Visualization of Thermal Uniformity and Handoff Adjustment in RTP Critical Anneals	349
<i>Victor Vitale, Wolfgang Aderhold, Aaron Hunter, Ilias Iliopoulos, Natalia Kroupnova, Aleksey Yanovich, Nir Merry</i>	
"There's Antimony, Arsenic, Aluminum, Selenium...Materials in Semiconductor Manufacturing"	354
<i>Christopher Case</i>	
"Balancing Cycle--time and Cost with Predictive Modeling"	355
<i>Devadas (Dev) Pillai</i>	
Wafer flatness requirements for 45nm node (65nm hp) lithography process	356
<i>R. Ciari, L. James, B. Meng, M. Thompson, H. Dai, X. Xu, I. Liu, D. Dorflinger, B. Yung, C. Ngai</i>	

Table of Contents

Overlay Control Requirements for Immersion Lithography	359
<i>B. Eichelberger , M. Adel, P. Izikson, D. Tien, C. K. Huang, J. C. Robinson, Pedro Herrera</i>	
Advanced Micro-Optics Solutions for Laser-Based Semiconductor Processes	366
<i>O. Homburg, D. Hauschild, P. Harten, L. Aschke</i>	
Industry Survey of Wafer Fab Reticle Control Quality Strategies	372
<i>Russell Dover</i>	
Using Partial Die in Radial Zone Analysis.....	375
<i>Lori Maiorino Kermel, Malcolm McLean</i>	
Resistivity measurement of epitaxially grown silicon layers: The influence of native oxide growth.....	378
<i>Th. Bitzer, J. Baumgartl, G. Krzych, E. Tsidilkovski</i>	
Topological and Model Based approach to Native Conflicts correction and pitch decomposition for Double Patterning.	382
<i>Peter Nikolsky, Natalia Davydova, Ronald Goossens</i>	
SRAM Redundancy - Silicon Area versus Number of Repairs Trade-off.....	387
<i>Jeanne P. Bickford, Raymond Rosner, Erik Hedberg, Joseph W. Yoder, Thomas S. Barnett</i>	
Extension of antenna rules for reducing P2ID in 0.13 Cu dual damascene technology.....	393
<i>Qian-Wei Ding, Kay-Ming Lee, Chi-Liang Lin, Michael C. C. Hsu</i>	
Use of Corona Charge Photo-Conductance Decay (Charge-PCD) for fast metal contamination monitoring of high temperature processes	397
<i>C.Huyghebaert, T.Bearada, E.Rosseel, J.L.Everaert, E.Don, T.Pavelka</i>	
In Line Wafer Mapping TXRF Analysis Supporting Process Improvements and Process Development	402
<i>Thanas Budri, Sergei Drizlikh, Heather McCulloh</i>	
Advanced Dopant Metrology for 45 nm and Beyond	404
<i>Alex Salnik, Derrick Shaughnessy, Lena Nicolaidis</i>	