

# **2008 IEEE Workshop on Signal Propagation on Interconnects**

**Avignon, France  
12-15 May 2008**



**IEEE Catalog Number:**  
**ISBN 13:**

**CFP08SPI-PRT**  
**978-1-4244-2317-0**

# Table of Contents

<b>An Approach to Model Propagation Characteristics of Multimode Graded-Index Waveguides Manufactured by Ion-Exchange Technology .....</b>	<b>2</b>
<i>Thomas Kuhler, Elmar Griese</i>	
<b>Contactless Interconnection Methods - Capacitively Coupled Interconnection in Mobile Devices .....</b>	<b>6</b>
<i>Aarno Jussila, Jussi Takaneva</i>	
<b>Fast Passivity Assessment of Admittance Parameter Macromodels by a Half-Size Singularity Test Matrix .....</b>	<b>11</b>
<i>Bjørn Gustavsen</i>	
<b>Generation of rational model based SPICE circuits for transient simulations .....</b>	<b>15</b>
<i>Nobby Stevens and Tom Dhaene</i>	
<b>Causality Determination And Time Delay Extraction By Means Of The Eigenfunctions Of The Hilbert Transform.....</b>	<b>19</b>
<i>Luc Knockaert, Tom Dhaene</i>	
<b>Blackbox Macromodel with S-Parameters and Fast Convolution .....</b>	<b>23</b>
<i>José Schutt-Ainé, Jilin. Tan, C. Kumar, and Feras. Al-Hawari</i>	
<b>Signal and Power Integrity Performances of Striplines in Presence of 2D EBG planes.....</b>	<b>28</b>
<i>A. Ciccomancini Scogna, A. Orlandi, V. Ricciuti</i>	
<b>Modeling and Experimental Verification to Investigate the Effect of Power Supply Noise Imbalance on 900MHz Differential LNA.....</b>	<b>32</b>
<i>Kyungchoul Koo, Jongjoo Shim, Yujeong Shim and Joungho Kim</i>	
<b>Adaptive Power Architecture to Improve Energy Efficiency of The Notebook.....</b>	<b>36</b>
<i>Tawfik Rahal-Arabi, Hee-Jun Park and Don Nguyen</i>	
<b>Behavioral Models of Input/Output Buffers Including Core Noise Coupling.....</b>	<b>38</b>
<i>I.S. Stievano, C. Siviero, F.G. Canavero, I.A. Maio</i>	
<b>Using Die to chip carrier wire bond transition to build a 4th order differential LP filter for 10 Gpbs O/E receiver .....</b>	<b>43</b>
<i>J.R Cubillo, J.Gaubert, S.Bourdel</i>	
<b>Model of a Thin Film Microstrip Line on a Silicon Substrate Including Eddy Current Effects and Skin Effect.....</b>	<b>47</b>
<i>Linh Nguyen Tran, Emmanuelle Bourdel, Sébastien Quintanel and Daniel Pasquet</i>	
<b>Application of negative group delay active circuits to reduce the 50% propagation Delay of RC-line model.....</b>	<b>51</b>
<i>Blaise Ravelo, André Pérennec, and Marc Le Roy</i>	
<b>On-chip differential and common mode voltage measurement using off-chip referenced twin probing.....</b>	<b>55</b>
<i>Koh Yamanaga, Takashi Sato, and Kazuya Masu</i>	
<b>An Efficient Equivalent Circuit Model for the EMC Analysis of Power/Ground Noise .....</b>	<b>60</b>
<i>X. C. Wei, E. P. Li, and E. X. Liu</i>	
<b>Domain Decomposition via Electromagnetic Hooks for the Modeling of Complete RF blocks.....</b>	<b>64</b>
<i>J. Niehof, H.H.J.M. Janssen, W.H.A. Schilders, W. Schoenmaker, D. Ioan, G. Ciuprina, W. Pflanzl</i>	
<b>Simulation of Via Interconnects Using Physics-Based Models and Microwave Network Parameters .....</b>	<b>68</b>
<i>Renato Rimolo-Donadio, Andrzej J. Stepan, Heinz-Dietrich Brüns, James L. Drewniak, Christian Schuster</i>	
<b>Effect of Multilayered Substrate on the Barnes-Hut Center-Of-Charge Clustering Approximation: Half-Space Case Study .....</b>	<b>76</b>
<i>Ian Jeffrey and Vladimir Okhmatovski</i>	
<b>Range Analysis on the Wave Propagation Properties of a Single Wall Carbon Nano Tube.....</b>	<b>77</b>
<i>B. De Vivo, L. Egiziano, P. Lamberti and V. Tucci</i>	

# Table of Contents

<b>A Simple Lumped Port S-Parameter De-Embedding Method for On-Package-Interconnect and Packaging Component High-Frequency Modeling .....</b>	<b>81</b>
<i>Zhaoqing Chen</i>	
<b>MOCHA, MOdelling and CHAracterization for SiP - Signal and Power Integrity Analysis.....</b>	<b>85</b>
<i>A. Girardi, A. Conci, R. Izzi, T. Lessio, F.G. Canavero, I.S. Stievano, H. Dudek, D. Hardisty, M. Tarantini, M. Dieudonne, J. Van Hese, T.R. Cunha, J.C. Pedro, C. Gaquière, N. Vellas</i>	
<b>PLL Jitter Analysis with Various Power Delivery Networks on a Board.....</b>	<b>87</b>
<i>Young-Sang Son, Ji-Hoon Lim, Jin-Yong Jeon, Won-Young Jung,, Seongsoo Lee, Jae-Kyung Wee</i>	
<b>SPI Proceedings: Impact of Motherboard High Density Interconnect on High Speed Signaling .....</b>	<b>91</b>
<i>Sara Stille</i>	
<b>A 100GHz Bandwidth Matched Chip to PCB Transition Using Bond Wires for Broadband Matching.....</b>	<b>95</b>
<i>Stefan Fikar,, Richard Bogenberger, Arpad L. Scholtz</i>	
<b>A Low-Power Differential Transmission Line Interconnect Using Wafer Level Package Technology .....</b>	<b>99</b>
<i>Tomoaki Maekawa, Takahiro Ishii, Junki Seita, Hiroyuki Ito, Kenichi Okada, Hideki Hatakeyama, Yusuke Uemichi, Takuya Aizawa, Tatsuya Ito, Ryoza Yamauchi and Kazuya Masu</i>	
<b>Relative Permittivity Variation Surrounding PCB Via Hole Structures.....</b>	<b>103</b>
<i>Lambert Simonovich</i>	
<b>High speed serial links characterization for ATCA backplanes.....</b>	<b>107</b>
<i>V. Ricchiuti, A. Orlandi, G. Antonini</i>	
<b>Capacitance Sensitivity Calculation for Interconnects by Adjoint Field Technique .....</b>	<b>112</b>
<i>Yu Bi, N.P. van der Meijs, Daniel Ioan</i>	
<b>Design and Simulation of On-Chip Lossy Transmission Line Pairs .....</b>	<b>116</b>
<i>Thomas Demeester and Daniël De Zutter</i>	
<b>Period Jitter Estimation in Global Clock Trees.....</b>	<b>118</b>
<i>Jinwook Jang, Olivier Franza, Wayne Burlison</i>	
<b>Application of Thin-Film RCLG Model for the Modeling of Inkjet Printed Microstrip Lines.....</b>	<b>123</b>
<i>Juha Lilja, Riku Mäkinen, Vesa Pyyntäri, Pauliina Mansikkamäki, and Markku Kivikoski</i>	
<b>A New miniaturized Planar Electromagnetic Bandgap (EBG) Structure with Dual Slits .....</b>	<b>127</b>
<i>S. Mohamad Dawood Farzan, Amarnath Sankar</i>	
<b>Signal-to-Noise Ratio Measurements of Sound Source and Speaker System-in-Package (SiP).....</b>	<b>131</b>
<i>Hideki Sasaki, Yuki Fujimura, Tomoo Murakami and Hiroyuki Terai</i>	
<b>Experimental characterization of dummies impact on interconnects propagation performance.</b>	
<b>Optimization of dummy sizes for the CMOS 22 nm technology node .....</b>	<b>136</b>
<i>B. Blampey, M. Gallitre,, A. Farcy,, J. Poncharra, C. Bermond, B. Flechet</i>	
<b>Easy de-embedding of symmetrical coax-to-microstrip transitions .....</b>	<b>140</b>
<i>T. Fischer, M. Spang, M. Albach</i>	
<b>Use of the SPP Technique to Account for Inhomogeneities in Differential Printed-Circuit-Board Wiring .....</b>	<b>144</b>
<i>A. Deutsch, Roger Krabbenhoft, C. W. Surovic, B. Rubin, T-M. Winkel</i>	
<b>Electromagnetic analysis of RF interconnect .....</b>	<b>148</b>
<i>Y.C. Mombo Boussougou, T. Le Gouguec, Y. Quéré, D. Le Berre, P.M. Martin, F. Huret</i>	
<b>z-Domain Orthonormal Vector Fitting for Macromodeling High-Speed Modules Characterized by Tabulated Data.....</b>	<b>153</b>
<i>Behzad Nouri, Ramachandra Achar, Michel Nakhla, and Dharmendra Saraswat</i>	
<b>An improved fitting algorithm for parametric macromodeling from tabulated data .....</b>	<b>157</b>
<i>P. Triverio, S. Grivet-Talocia, M. S. Nakhla</i>	

# Table of Contents

<b>Accurate Macromodeling Based on Tabulated Magnitude Frequency Responses</b> .....	161
<i>Luciano De Tommasi, Bjørn Gustavsen and Tom Dhaene</i>	
<b>Broadband Permittivity Extraction from On-Wafer Scattering-Parameter Measurements</b> .....	166
<i>U. Arz, J. Leinhos,</i>	
<b>High Frequency Characterization of Inkjet Printed Coplanar Waveguides</b> .....	170
<i>Botao Shao, Roshan Weerasekera, Li-Rong Zheng, Ran Liu, Werner Zapka, Peter Lindberg</i>	
<b>Dielectric Loss Effects on the Modeling of Interconnect Responses for the 45 nm Node</b> .....	174
<i>S. de Rivaz, T. Lacrevez, M. Gallitre, A. Farcy, B. Blampey, C. Bermond, B. Flechet</i>	
<b>Fast Delay-Less Interconnect Macromodeling And Simulation by Assumption of a Constant Eigenvector Matrix</b> .....	179
<i>Bjørn Gustavsen</i>	
<b>Single-Input-Single-Output Passive Macromodeling via Positive Fractions Vector Fitting</b> .....	183
<i>Luciano De Tommasi, Dirk Deschrijver and Tom Dhaene</i>	
<b>Parametric Macromodeling of Time Domain Responses</b> .....	187
<i>D. Deschrijver, T. Dhaene</i>	
<b>Analytical Characterization of CPW-to-Microstrip Transitions Used in RF Test Structures</b> .....	188
<i>Reydezel Torres-Torres</i>	
<b>Using Multiple Scales Method to calculate threshold crossing time for the ramp response for high inductance VLSI interconnects</b> .....	192
<i>Agnieszka Ligocka, Wojciech Bandurski</i>	
<b>Parasitic influence, on signal integrity, of several victim lines placed asymmetrically beside and symmetrically at both sides of an attacker interconnect and mutually</b> .....	196
<i>F.Ponchel, Jf.Legier, E. Paleczny, C.Seguilot, D.Deschacht</i>	
<b>Inphase Currents and Losses in Multiconductor Cables</b> .....	200
<i>Boris M. Levin</i>	
<b>Analysis of Horizontal and Vertical Couplings in Bonding Wire Interconnections Using EFIE with Cylindrical Conduction Mode Basis Functions</b> .....	204
<i>Ki Jin Han, Madhavan Swaminathan, and Ege Engin</i>	
<b>Time and Frequency Domain Modeling, Simulation, and Measurement of a Non-Standard Cabled PCI Express® Channel</b> .....	208
<i>P. Germann, M. Doyle, R. Ericson, A. Patel</i>	
<b>Generating Reduced Order Models for High Speed VLSI Interconnects using Balancing-Free Square Root Method</b> .....	212
<i>J.V.R.Ravindra, M.B.Srinivas</i>	
<b>An Efficient Simulation CAD Tool For Interconnect Distribution Functions</b> .....	216
<i>Manouchehr Ghahramanian Golzar, Nasser Masoumi, and Ahmad Atghiaee</i>	
<b>Crosstalk Noise Reduction Techniques Using SOI Substrate</b> .....	220
<i>Fargol Hasani, Nasser Masoumi, Behjat Forouzandeh</i>	
<b>SPI Proceedings: Response of Non-uniform Microstrip lines to an EM Field Using Rigorously Coupled Multi-Conductor Strips Model</b> .....	224
<i>Hamid Khodabakhshi, Ahmad Cheldavi</i>	
<b>A New and Efficient Approach for Estimating the Time-Domain Response of Capacitive Coupled Distributed RC Interconnects</b> .....	228
<i>Massoud Masoumi,, Nasser Masoumi, and Amir Javanpak</i>	
<b>Models for Variability of Transmission Line Structures</b> .....	232
<i>Alexandra Stefanescu, Gabriela Ciuprina, Daniel Ioan, Diana Mihalache</i>	

# Table of Contents

<b>Predictive Estimation for Distribution of Interconnects .....</b>	<b>236</b>
<i>Ahmad Atghiaee and Nasser Masoumi</i>	
<b>Time-Domain Analysis of Carbon Nanotubes.....</b>	<b>241</b>
<i>H.Aghababa and Nasser Masoumi</i>	
<b>Plasmonic, Carbon Nanotube and Conventional nano-interconnects: a comparison of propagation properties.....</b>	<b>245</b>
<i>A. Maffucci, G. Miano, G. Rubinacci, A. Tamburrino, F.Villone</i>	
<b>Noise Suppression in VLSI Circuits Using Dummy Metal Fill.....</b>	<b>249</b>
<i>Steven Gaskill, Vikas Shilimkar, and Andreas Weisshaar</i>	
<b>Impact of ULK restoration techniques on propagation performance for interconnects of the 45 nm technology node and below .....</b>	<b>254</b>
<i>M. Gallitre,, B. Blampey, H. Chaabouni, A. Farcy, P. Grosgeorges, T. Lacrevez, C. Bermond, B. Flechet, P. Ancey</i>	
<b>Significance of Conductivity and Thickness of Thin Inkjet Printed Microstrip Lines.....</b>	<b>258</b>
<i>Vesa Pynttari, Riku Mäkinen, Juha Lilja, Ville Pekkanen, Pauliina Mansikkamäki and Markku Kivikoski</i>	
<b>Effect of Solder Joint Degradation on RF Impedance.....</b>	<b>262</b>
<i>Daeil Kwon, Michael H. Azarian, and Michael G. Pecht</i>	