2008 International Workshop on Earth Observation and Remote Sensing Applications

Beijing, China 30 June- 2 July 2008



Remote Sensing Methodology for the Estimation of Methane Emissions from Chinese Lakes	1
A macro hydrologic model simulation based on remote sensing data	7
Interpretation of Landslide from SPOT-5 Imageries in the Three Gorges Reservoir Area	11
Comparison Of Seasonal Change Detection From Multi-Temporal Modis And Tm Images In Southern Ontario	16
Physically Based Estimation Soil Moisture from L-band Radiometer	22
Comparison Study on the Pixel-based and Object-oriented Methods of Land-use/cover Classification with TM Data	28
Right-Angle Building Extraction Based on Graphsearch Algorithm	33
Comparison of Reflectance between MODIS Image and Simulation Using Radiation Transfer Model	40
Researching on extracting irrigated land in northern China based on MODIS data	45
A New Classifier for Remote Sensing Data Classification: Partial Leas- Squares	52
A comparison and evaluation of four vegetation analysis approaches based on remote sensing imagery	58
Detection of Suitable Soils for Zero-Till Wheat Cultivation in Pakistan using GITs	63
Forest Cover Classification From Modis Images In Northeastern Asia	69
Monitoring of Suspended Substance Concentration in Three Gorges Dam Based on The Semi- analytical Model	75
Li-Ya Gai, Zheng-Jun Liu, Ji-Xian Zhang	
Automatic Extraction of Bursaphelenchus xylophilus-induced Sporadic Death Trees on Unmanned Airborne Digital Photographs	81
Detecting Ground Deformation with Permanent Scatterer of Suzhou Region	85
Study on the Comparison of the Land Cover Classification for Multitemporal MODIS Images	90
The Study of Land Use Change Detection Based on Object-Oriented Analysis	96
Estimation of Summer Paddy in Haryana (India) using high resolution satellite data	102

Hyperspectral Image Lossy-to-Lossless Compression Using the 3D Embedded ZeroBlock Coding Alogrithm	106
Ying Hou, Guizhong Liu	
Roof confusion removal for accurate vegetation extraction in the urban environment	112
Spatial-Temporal Pattern of GIMMS NDVI and Its Dynamics in Mongolian Plateau	119
Semi-Automatic Building Extraction from High Resolution Imagery Based on Segmentation	125
Hyperspectral analysis of leaf copper accumulation in agronomic crop based on artificial neural network Huiping Liang, Xiangnan Liu	130
Plot-level trunk detection and reconstruction using one-scan-mode terrestrial laser scanning data	136
Road tracking by Parallel Angular Texture Signature	141
Object-oriented Classification of Polarimetric SAR Imagery based on Statistical Region Merging and Support Vector Machine	147
Winter Wheat Yield Estimation Model with MODIS Normalized Near-infrared Spectral Index Lin Wenpeng, Zhao Min, Liu Yunlong, Gao Jun, Wang Chenli	153
Integration method of profile matching and template matching for road extraction from high resolution remotely sensed imagery	157
Assessing the Effects of Land Use Changes on Soil Erosion in Three Gorges Reservoir Region of China Liu Aixia, Wang Jing, Liu Zhengjun	163
The glacier extraction based on ASTER data	168
Ground Truth Extraction from LiDAR Data for Image Orthorectification	171
Building Extraction from High Resolution Satellite Imagery Based on Multi-scale Image Segmentation and Model Matching	177
A Comparative Study of Urban Expansion on Hong Kong and Macao Special Administrative Region in the past three decades	184
Retrieval of Chlorophyll-a and suspended matter concentration in water supply sources of Wuxi and Suzhou using multi-spectral remote sensing images	190
An Efficient Method for Extracting Road Lane Mark by Fusing Vehicle-based Stereo Image and Laser Range Data	196
Research on Geographical information synchronizing in GRID-GIS	201
Bias-corrected RPCs for QuickBird Stereo Satellite Imagery: A Case Study in Shanghai	206

Study on Decision Tree Land Cover Classification Based on MODIS Data	211
Hyperspectral Degraded Soil Line Index and soil degradation Mapping in Agriculture-pasture Mixed Area in Northern China	217
The Spatial Characteristic of Land Surface Temperature in Beijing Area	227
Study on the Information Extraction of Evapotranspiration and Its Relation with the Urban Heat Island and Urban Expansion in Fuzhou City with Its Surrounding Areas of SE China	232
A Study on Decision Tree Classification Method of Land Use/Land Cover	238
A Comparison between Different Vegetation Water Indices in the Ability of Monitoring Water Status of Wheat in April	243
Classification of Grassland Types in Tibet by MODIS Time-series Images	249
Investigation of Diversity and Accuracy in Ensemble of Classifiers using Bayesian Decision Rules	255
Socio-economic Driving Forces of Land-use Change in Fuzhou, the Southeastern Coastal Area of China	261
Characterizing Spatial Patterns Of Phenology In China's Cropland Based On Remotely Sensed Data Wenbin Wu, Ryosuke Shibasaki, Peng Yang, Qingbo Zhou, Huajun Tang	272
Remote Sensing of Urban Expansion and Heat Island Effect in Jinjiang Estuary Area of Fujian, China	278
Inversion of Precipitable Water Vapor in Hongkong	284
United States National Land Cover Data Base Development 1992-2001 and Beyond*	290
Remote Sensing Inversion of Eco-water Resource Quantity	296
Evaluation of Atmospheric Correction Using FLAASH	302
Land cover classification in mining areas using Beijing-1 small satellite data Linshan Yuan, Peijun Du, Guangli Li, Huapeng Zhang	308
Multi-photo Combined Adjustment with Airborne SAR Images Based on a Few Ground Control Points	314
Relationships between urban heat island intensity and land use/cover factors based on Landsat ETM+ in urban agglomeration of Guangdong, China	318
Block-adjustment with Sparse GCPs and SPOT-5 HRS Imagery For the Project of West China Topographic Mapping at 1:50,000 Scale	324

Multi-Image Matching for DTM Generation from SPOT-5 HRS/HRG Imagery For the Project of West China Topographic Mapping at 1:50,000 Scale	331
Identification of Winter Wheat and Its Distribution Using the CBERS-02B Images in An Irrigation District along the Lower Yellow River, China	338
Ecological change of the Source Region of Three Rivers during last 30 years based on satellite and ground observations	344
Measurement and Pattern Analysis of Urban Sprawl Using Remote Sensing and GIS A Case Study of Wujiang, China(1978-2004)	352
A Research On The Fallow Land Of Akesu Area Based On GIS and RS	358
An Efficient Multi-Scale Segmentation For High-Resolution Remote Sensing Imagery Based On Statistical Region Merging And Minimum Heterogeneity Rule	363
The Research on Environmental Change alongside the Ming Great Wall in Ningxia and Shanxi Province by Remote Sensing	369
Retrieval of Aerosol Optical Thickness using MODIS 500 x 500m2, a study in Hong Kong and Pearl River Delta region	373
Inversion and Validation of leaf area index based on CBERDS02B image data in GuangXi province of China	379
A Remote Sensing Model Estimating Water Body Evaporation	385