

2008 IEEE Antennas and Propagation Society International Symposium

**San Diego, CA
5-11 July 2008**

Pages 1-515



**IEEE Catalog Number:
ISBN 13:**

**CFP08APS-PRT
978-1-4244-2041-4**

Table of Contents

| | |
|---|-----------|
| Shielding of Antenna Parameters in Scattering Environments Using Electromagnetic Cloaking | 1 |
| <i>Do-Hoon Kwon and Douglas H. Werner</i> | |
| Two-Dimensional Eccentric Elliptic Annular Cloak | 5 |
| <i>Do-Hoon Kwon and Douglas H. Werner</i> | |
| On Chip Spatial Power Combining for Short Range Millimeter-Wave Systems..... | 9 |
| <i>R. M. Emrick and J. L. Volakis</i> | |
| Development of Fast 3D Parasitic Extraction Using Hierarchical Method for Integrated Circuits and Packages | 13 |
| <i>Yang Yi, Shu Yan, Vivek Sarin and Weiping Shi</i> | |
| A Unified Finite-Element Solution From Zero Frequency to Microwave Frequencies for Full-Wave Modeling of Large-Scale Three-Dimensional On- Chip Interconnect Structures..... | 17 |
| <i>Jianfang Zhu and Dan Jiao</i> | |
| An Accurate Hierarchical Electromagnetic-Circuit Technique for Statistical Analysis of RF Circuits..... | 21 |
| <i>Arun V Sathanur, Ritochit Chakraborty, Vikram Jandhyala, Feng Ling, Dipanjan Gope and Swagato Chakraborty</i> | |
| From O(N) to O(M): Time-Domain Layered Finite-Element Reduction- Recovery Methods for Large Scale Electromagnetics-Based Analysis and Design of On-Chip Circuits | 25 |
| <i>Houle Gan and Dan Jiao</i> | |
| Simulation of Multiscale Problems Using Equivalence Principle Algorithm | 29 |
| <i>Mao-Kun Li and Weng Cho Chew</i> | |
| A Well-Conditioned Integral-Equation Formulation for Transient Analysis of Low- Frequency Microelectronic Devices | 33 |
| <i>H. Bagci, F. P. Andriulli, F. Vipiana, G. Vecchi and E. Michielssen</i> | |
| Semi-Helical Bondwire On-Chip Antenna | 37 |
| <i>Jie-Bang Yan and Ross D. Murch</i> | |
| Integrated On-Chip Antennas for Chip-To-Chip Communication..... | 41 |
| <i>Hristomir H. Yordanov and Peter Russer</i> | |
| A Dual-Frequency Dual-Polarized Planar Airborne Array Antenna | 45 |
| <i>Yu-Jiun Ren, Shih-Hsun Hsu, Ming-Yi Li and Kai Chang</i> | |
| Design of an Antenna Array for a Wideband Receiving System..... | 49 |
| <i>Peter Knott and Alexander P. Stuckert</i> | |
| Ja Widening the Bandwidth of Single-Fed Circularly Polarized Microstrip Patch Antenna Using Sequential Array | 53 |
| <i>Januar Janapsatya, Nasimuddin and Karu P. Esselle</i> | |
| Design of a 5.2/5.8GHz High Gain Antenna Array..... | 57 |
| <i>Jin-Sen Chen, Chun-Hao Huang and Shun-Yun Lin</i> | |
| A Circularly Polarized Open Loop Antenna with Application to an Array Fed by a Microstrip Comb Line..... | 61 |
| <i>K. Hirose, T. Sukegawa, Y. Uchikawa and H. Nakano</i> | |
| Gain and Radiation Pattern Improvement in Scanning Beams of a Shaped Dielectric Lens Antenna by Employing a Patch Array Feed | 65 |
| <i>Yosuke Tajima and Yoshihide Yamada</i> | |
| A Folding Method to Design Linear Retro-Directive Antenna Array Using Hybrid Circuits..... | 69 |
| <i>Sung-Nien Hsieh and Tah-Hsiung Chu</i> | |
| A High-Efficient Compound Printed Air-Fed Array Based on Mushroom-AMC Surface and its Sub-Array Technique* | 73 |
| <i>Zhi-Hang WU, Wen-Xun ZHANG and Dao-Lin FU</i> | |
| A Hybrid Slot and Inverted L Antenna | 77 |
| <i>Zhijun Zhang, Wenhua Chen, Zhenghe Feng, Yaqin Chen and Magdy Iskander</i> | |
| A Via-Loaded Annular-Ring Rsw Antenna..... | 81 |
| <i>Vikram Shete, David R. Jackson and Jeffery T. Williams</i> | |
| Fundamental Characteristics of Planar Folded Dipole Antenna with a Feed Line | 85 |
| <i>Takashi Yamano, Jun Itoh, Kim Yongho, Atsushi Kajitani and Hisashi Morishita</i> | |
| Coplanar Waveguide-Fed Twin Slot Antenna with and without Back Conductor..... | 89 |
| <i>Chi-Hsuan Lee, I-Ching Lan, Shih-Yuan Chen and Powen Hsu</i> | |
| Design of a Compact Genetic Microstrip Antenna with Improved Performance..... | 93 |
| <i>P. Mythili, S. Mridula, Binu Paul and S. Sreeja</i> | |
| Perturbed Square Ring Slot with Reconfigurable Polarization..... | 97 |
| <i>W. M. Dorsey, A. I. Zaghloul and M. G. Parent</i> | |

| | |
|---|-----|
| Finite-Width Conductor-Backed Coplanar Waveguide-Fed Side-Plane Antenna | 101 |
| <i>Yen-Ju Lu, I-Ching Lan, Shih-Yuan Chen and Powen Hsu</i> | |
| Design of a High-Q Resonator for Satellite Broadcasting Application | 105 |
| <i>Ki-Cheol Yoon, Hyun-Wook Lee, Jung-Geun Park and Jong-Chul Lee</i> | |
| On-Board Integration of Compact Printed Wifi Antennas with Existing DECT Antenna System | 109 |
| <i>Ph. Minard, J. -F. Pintos, A. Louzir, Ph. Chambelin, J. -Y. Le Naour and J. -L. Le Bras</i> | |
| A Novel Solenoidal Basis for the Mom Analysis of Closed Surfaces | 113 |
| <i>F. Vipiana and G. Vecchi</i> | |
| Enhanced Multi-Resolution Basis for the Mom Analysis of Electrically Large Structures | 117 |
| <i>F. Vipiana, F. P. Andriulli and G. Vecchi</i> | |
| On the Discretization of Single Source Integral Equations for Analyzing Scattering From Homogeneous Penetrable Objects | 121 |
| <i>Felipe Valdés, Francesco P. Andriulli, Hakan Bagci and Eric Michielssen</i> | |
| Fast Computation of Macro Basis Functions Interactions in Non Uniform Arrays | 125 |
| <i>David González-Ovejero and Christophe Craeye</i> | |
| The Basis Functions Involving Propagating Wave Phase Dependency for Solving the Scattering From Electrically Large Targets | 129 |
| <i>Zaiping Nie, Su Yan, Shiquan He and Jun Hu</i> | |
| Efficient Calculation of the Reduced Matrix in the Characteristic Basis Functions Method | 133 |
| <i>Jaime Laviada, Marcos R. Pino, Fernando Las-Heras and Raj Mittra</i> | |
| Parallel Mom Using Higher Order Basis Function and PLAPACK In-Core and Out-of-Core Solvers for Challenging EM Simulations | 137 |
| <i>Yu Zhang, Tapan K. Sarkar, Robert A. Van De Geijn and M. Taylor</i> | |
| Applications of the PE-Basis Function in Hybrid MOM-PO Methods | 141 |
| <i>Xianzheng Zong, Zaiping Nie, Su Yan and Shiquan He</i> | |
| Electromagnetic Surface Integral Equations and Fully Orthogonal Higher Order Basis Functions | 145 |
| <i>Matti Taskinen</i> | |
| Calculating the Wide Band Responses From Metallic Objects by Employing the Phase Extracted Basis Functions | 149 |
| <i>Su Yan, Shiquan He, Zaiping Nie and Jun Hu</i> | |
| High Gain Dielectric Resonator/Microstrip Hybrid Antenna for Millimeter-Wave Applications | 153 |
| <i>Alexandre Perron, Tayeb A. Denidni and Abdel R. Sebak</i> | |
| Hybrid Array for Wideband Millimeter-Wave Applications | 157 |
| <i>S. Costanzo, I. Venneri and G. Di Massa</i> | |
| Analysis of a Microstrip Patch Array Fed Cylindric Lens Antenna for 77GHz Automotive Radar | 161 |
| <i>Peter Wenig and Robert Weigel</i> | |
| Beam-Tilting Design of Microstrip Comb-Line Antenna Array in Perpendicular Plane of Feeding Line for Three-Beam Switching | 165 |
| <i>Yuki Hayashi, Kunio Sakakibara</i> | |
| A Patch Array Antenna for 60 Ghz Package Applications | 169 |
| <i>Duixian Liu and R. Sirdeshmukh</i> | |
| K-Band Wafer Level Antenna | 173 |
| <i>Theodore K. Anthony</i> | |
| Building Blocks for Hybrid Waveguide/Suspended-Stripline Paral-Lel/Series Fed Millimeter Wave Arrays | 177 |
| <i>E. Arneri, I. Russo, L. Boccia, G. Amendola and G. Di Massa</i> | |
| Development of a V-Band Rotman Lens Using Thin-Film Substrate with a Flip-Chip Interconnection | 181 |
| <i>Jangsoo Lee, Sangbok Park, Saengseub Song, Sanghyo Lee, Joonho So, Youngwoo Kwon, Kwangseok Seo and Changyul Cheon</i> | |
| A Millimeter-Wave Conformal Phased Microstrip Antenna Array on a Cylindrical Surface | 185 |
| <i>Qun Wu, Min Liu and Zi-Rui Feng</i> | |
| Radiation Characteristics of Ultra-Small Wireless Communication Modules for 60GHz Band WPAN | 189 |
| <i>Satoshi Yoshida, Kazuo Tsubouchi, Atsushi Tosaki, Hiroshi Oguma, Suguru Kameda, Hiroyuki Nakase and Tadashi Takagi</i> | |
| Eigenmode Analysis of Small Multi-Resonant Antennas | 193 |
| <i>Howard R. Stuart</i> | |
| Quality Factor Q of a Miniaturized Meander Microstrip Patch Antenna | 197 |
| <i>G. A. Mavridis, D. E. Anagnostou, C. G. Christodoulou and M. T. Chryssomallis</i> | |

| | |
|--|------------|
| Further Investigations of Fundamental Directivity Limitations of Small Antennas with and without Ground Planes..... | 201 |
| <i>Per-Simon Kildal and Steven R. Best</i> | |
| Evaluation of the Minimum Radiation Q for Electrically Small Antennas in Spheroidal Coordinates | 205 |
| <i>Richard Adams and Peder Hansen</i> | |
| Radiation Q of Practical Electrically Small Cylindrical Antennas As a Function of Aspect Ratio - Comparison to Minimum Q Formulas | 209 |
| <i>P. M. Hansen and R. C. Adams</i> | |
| Characteristic Mode-Based Design and Analysis of an Electrically Small Planar Spiral Antenna with Omnidirectional Pattern..... | 212 |
| <i>Bryan D. Raines, Khaled A. Obeidat and Roberto G. Rojas</i> | |
| Design and Analysis of a Helical Spherical Antenna Using the Theory of Characteristic Modes..... | 216 |
| <i>Khaled A. Obeidat, Bryan D. Raines and Roberto G. Rojas</i> | |
| On the Fundamental Q-Bandwidth Relations for Antennas..... | 220 |
| <i>George Shaker, Safieddin Safavi-Naeini, Gholamreza Rafi and Nagula Sangary</i> | |
| A Theoretical Examination of the Bandwidth Limits for Mixed Mode Electrically Small Antennas..... | 224 |
| <i>Abbas Abbaspour-Tamijani</i> | |
| Application of RCS Measurement Method for Characterization of Small Antennas | 228 |
| <i>Omar Vicencio and Jordi Romeu</i> | |
| Quantum-Dot Laser Coupled Bowtie Antenna | 232 |
| <i>J. H. Kim, C. G. Christodoulou, Z. Ku, Y. -C. Xin, N. A. Naderi and L. F. Lester,</i> | |
| Spatial Light Modulator Based Optically Controlled Beamformer | 236 |
| <i>Tomohiro Akiyama, Jiro Suzuki, Toshiyuki Ando, Takeshi Sakimura and Yohihito Hirano</i> | |
| Optical Beamforming with Tunable Ring Resonators | 240 |
| <i>Mohammad Fakharzadeh, Sujeet K. Chaudhuri and S. Safavi-Naeini</i> | |
| Optically-Controlled Reconfigurable Microstrip Patch Antenna | 244 |
| <i>R. Nathan Lavallee and Brian A. Lail</i> | |
| Impedance Matching of a Micromesh Bolometer Placed in a Silicon Parallel Plate Waveguide Spectrometer | 248 |
| <i>N. Lombart, C. M. Bradford, A. Neto and G. Chattopadhyay</i> | |
| Low-Profile Circularly Polarized Radiation Elements --- Loops with Balanced and Unbalanced Feeds..... | 252 |
| <i>K. Hirose, K. Obuse, Y. Uchikawa and H. Nakano</i> | |
| Dual Circularly Polarized Spiral and Loop Antennas Backed by a Conducting Plane Reflector..... | 256 |
| <i>K. Hirose, Y. Shimazawa, Y. Uchikawa and H. Nakano</i> | |
| Directive Dual-Band Cp Shorted Ring-Slot Antenna | 260 |
| <i>Jouko J. Heikkinen and Markku A. Kivikoski</i> | |
| A New Steerable Yagi Antenna Array for Indoor Applications..... | 264 |
| <i>G. R. Dejean</i> | |
| Low-Cost Yagi-Uda Monopole Array..... | 268 |
| <i>D. C. Nascimento, R. Schildberg and J. C. Da S. Lacava</i> | |
| Microstrip-Coplanar Stripline-Fed Yagi-Uda Antenna | 272 |
| <i>Wen-Hua Tu</i> | |
| Beam Steerable Traveling Wave Meander Line Antenna Using Varactor Diode for X-Band Applications..... | 276 |
| <i>Nihan Gokalp and Özlem Aydin Civi</i> | |
| Linear Dielectric Resonator Antenna Array Fed by Dielectric Image Line..... | 280 |
| <i>Asem Al-Zoubi, Ahmed Kishk and Allen W. Glisson</i> | |
| Comparison of Various Non-Canonical Rectangular Dielectric Resonator Antennas for Enhanced Bandwidth | 284 |
| <i>G. Almpanis, C. Fumeaux and R. Vahldieck</i> | |
| Compact Wideband Circularly Polarized Dielectric Resonator Antenna with an Underlaid Hybrid Coupler | 288 |
| <i>E. H. Lim and K. W. Leung</i> | |
| Investigations on Hexagonal Shape Dielectric Resonator Antenna (DRA) and Array with Wide Impedance Bandwidth..... | 292 |
| <i>Satish K. Sharma and Preet R. S. Sodhi</i> | |
| Wideband Dielectric Resonator Antenna Using a Trapezoid-Patch Feeding Technique..... | 296 |
| <i>Xian-Ling Liang and Tayeb A. Denidni</i> | |
| A New Hybrid Skirt Monopole Dielectric Resonator Antenna..... | 300 |
| <i>Mahmoud Niroo Jazi and Tayeb. A. Denidni</i> | |
| Dielectric Rod Antennas Array Fed Using Substrate Integrated Waveguides..... | 304 |
| <i>Song Lin, Songnan Yang, Adel Elsherbin and Aly E. Fathy</i> | |

| | |
|--|------------|
| Slot-Aperture-Coupled Linear Dielectric Resonator Array Fed by Dielectric Image Line Backed by a Reflector | 308 |
| <i>Asem Al-Zoubi, Ahmed Kishk and Allen W. Glisson</i> | |
| Simulation and Experimental Investigation of the Radiation Efficiency of a Dielectric Resonator Antenna | 312 |
| <i>Qinghua Lai, Christophe Fumeaux and Georgios Almpanis</i> | |
| Pattern Diversity Using a Single Dielectric Resonator Antenna..... | 316 |
| <i>Mahmoud A. El Sabbagh and Raafat R. Mansour</i> | |
| A Simple Method to Control the Reject Band of Microstrip Low Pass Filter Using a New Multi-Ring Defected Ground Structures (DGS) | 320 |
| <i>A. Boutejdar, A. Batmanov, A. Elsherbini, A. Omar and E. P. Burté</i> | |
| Measuring "Not So Big" Antennas | 324 |
| <i>R. B. Dybdal</i> | |
| Gain Compensations for Cavities with Slot Apertures Between Reverberant and Anechoic Environments..... | 328 |
| <i>Matthew B. Higgins</i> | |
| Parallel Plate Waveguide Simulator Design, Characterisation and DUT De-Embedding..... | 332 |
| <i>A. Munir, V. Fusco and O. Malyuskin</i> | |
| UCLA's Portable Millimeter-Wave Bipolar Planar Near-Field Antenna Measurement System | 336 |
| <i>Timothy J. Brockett and Yahya Rahmat-Samii</i> | |
| Exposure Zones Near Parasitic Elements in High Powered Antennas | 340 |
| <i>David V. Thiel</i> | |
| Simple Technique for Angle of Arrival Measurement | 344 |
| <i>O. Akhdar, D. Carsenat, C. Decroze and T. Monediere</i> | |
| Rainfall Characteristics for Radiowave Propagation Studies in Greece | 348 |
| <i>Anastasios D Papatsoris, Konstantinos Polimeris, Irene Sklari and Athanasia A Lazou</i> | |
| Development of Rain Attenuation and Rain Rate Maps for Satellite Communications System Design in Greece..... | 352 |
| <i>Anastassios D Papatsoris, Konstantinos Polimeris and Athanasia A Lazou</i> | |
| Global Formulation of the Synthetic Storm Technique to Calculate Rain Attenuation Only From Rain Rate Probability Distributions..... | 356 |
| <i>Emilio Matricciani</i> | |
| Test of the Probability Formulation of the Synthetic Storm Technique Against Reliable Measurements of Rain Rate and Rain Attenuation..... | 360 |
| <i>Emilio Matricciani and Carlo Riva</i> | |
| Chirp Sine and Cosine Transforms for a Split-Step Propagation Algorithm | 364 |
| <i>Peter J. Kajenski</i> | |
| On Stationarity and Ergodicity of the Field Scattered by Gaussian Random Slightly Rough Surfaces..... | 368 |
| <i>R. De Oliveira and R. Dusséaux</i> | |
| Range of an IEEE 802.11b/G System in Industrial Environments Based on Site Survey Measurements and Propagation Models..... | 372 |
| <i>Emmeric Tanghe, Wout Joseph, Leen Verloock, Luc Martens, Henk Capoen, Kobe Van Herwegen and Tom Buysschaert</i> | |
| Predicted MIMO Performance in Intra-Vehicle Channels..... | 376 |
| <i>Alyssa Magleby and Cynthia Furse</i> | |
| A Compact, Reconfigurable Chamber for Emulating Severe Multipath Fading | 380 |
| <i>S. Distasi, S. Melais, R. Ketcham, B. Zivanovic, J. Cooper, J. Frolik and T. Weller</i> | |
| Simulation of Near-Ground Long-Distance Radiowave Propagation Over Terrain Using Nyström Method with Phase Extraction Technique and FMM-Acceleration..... | 384 |
| <i>Dahan Liao and Kamal Sarabandi</i> | |
| Design of Through-The-Earth Mine Communication System Using Helical Antennas | 388 |
| <i>Debalina Ghosh, Hongsik Moon and Tapan K. Sarkar</i> | |
| Modelling Inter-Floor Radio-Wave Propagation in Office Buildings..... | 392 |
| <i>Andrew C. M. Austin, Michael J. Neve and Gerard B. Rowe</i> | |
| Practical Geometrical Behavior of Knife-Edge Diffraction | 396 |
| <i>Gregory D. Durgin</i> | |
| New Experimental Results and Asymptotic Representation for Ground Wave Propagation Over Land-To-Sea Mixed-Path..... | 400 |
| <i>Toru Kawano, Keiji Goto and Toyohiko Ishihara</i> | |
| Modeling of Tsunami-Induced Ionospheric Irregularities..... | 404 |
| <i>Chao-Lun Mai and Jean-Fu Kiang</i> | |

| | |
|--|------------|
| Spatial Stability in Super Wideband Channel Responses | 408 |
| <i>Dana Porrat</i> | |
| Improved Footprint Modeling for Wireless Sensor Networks | 412 |
| <i>Changfei Chen and Jeff Frolik</i> | |
| Path Loss From a Personal Electronic Device Inside an Aircraft Cabin to an Exterior Fuselage-Mounted Antenna | 416 |
| <i>K. W. Hurst and S. W. Ellingson</i> | |
| Simplified Modeling of Complex Shaped Objects Using Scattering Center Distributions and Ray Optics | 420 |
| <i>H. Buddendick and T. F. Eibert</i> | |
| Identification of Dominant Propagation Mechanisms Around Corners in a Single-Floor Office Building | 424 |
| <i>Eva C. K. Lai, Michael J. Neve and Allan G. Williamson</i> | |
| Mobile Channel Modeling for Evaluation of Multipath Components Parameters | 428 |
| <i>C. G. Karkanis, D. E. Anagnostou, I. P. Ladopoulou and M. T. Chrissyomallis</i> | |
| An Accurate 3D Hybrid Model for Electromagnetic Wave Propagation in Indoor Wireless Channels | 432 |
| <i>Michael Thiel and Kamal Sarabandi</i> | |
| On Waveguide Models of Indoor Wireless Channels: Insights From FDTD Simulations | 436 |
| <i>Jackie Leung and Costas D. Sarris</i> | |
| Finding the Right Small-Scale Fading Distribution for a Measured Indoor 2.4 GHz Channel | 440 |
| <i>Alexander H. Henderson, Christopher J. Durkin and Gregory D. Durgin</i> | |
| Measurement and Modeling of Ultra Wideband Path Loss in Indoor Laboratory Environments | 444 |
| <i>Narges Noori, Roghieh Karimzadeh Baei, Ali Abolghasemi, Masoum Fardis and Masoud Arezoomand</i> | |
| The Multipath Delay Spread Model for the LOS Case | 448 |
| <i>Jongho Kim and Youngkeun Yoon</i> | |
| High-Speed Estimation of MIMO System Capacity Using a Hierarchical Approach and Preprocessing Digital Maps | 452 |
| <i>Masahiro Motoyoshi, Hiroto Sugahara, Yuma Matsuda and Takashi Ono</i> | |
| Multipath Propagation Models for Mobile Line of Sight Conditions | 456 |
| <i>Walter Martens and François Gagnon</i> | |
| Cellular MIMO System Performance Versus Base Station Element Spacing | 460 |
| <i>Atsushi Yamamoto, Toshiteru Hayashi, Koichi Ogawa, Kim Olesen, Jesper Ø. Nielsen and Gert F. Pedersen</i> | |
| Influence of Building Type on Penetration Loss in UHF Band for 100 Buildings in Flanders | 464 |
| <i>David Plets, Wout Joseph, Leen Verloock, Emmeric Tanghe, Luc Martens, Etienne Deventer and Hugo Gauderis</i> | |
| Propagation Prediction in Urban Areas Using Geospatial Data Available on the Internet | 468 |
| <i>Zhengqing Yun, Soo Yong Lim and Magdy F. Iskander</i> | |
| Propagation Measurements and Simulations in Tunnel Environment At 5.8GHz | 472 |
| <i>J. Alonso, S. Capdevila, B. Izquierdo and J. Romeu</i> | |
| Highway and Rural Propagation Channel Modeling for Vehicle-to-Vehicle Communications At 5.9 GHz | 476 |
| <i>Lin Cheng, Benjamin E. Henty, Fan Bai and Daniel D. Stancil</i> | |
| Measurement Based Investigations of Cross-Polarization Characteristics Originating From Radio Channel in 500MHz Frequency | 480 |
| <i>Roope Parviainen, J. Ylitalo, R. Ekman, P. H. K. Talmola and E. Huuhka</i> | |
| Characterization of Temporal Fading for a Traffic Monitoring System | 484 |
| <i>Emmeric Tanghe, Wout Joseph, Leen Verloock, Luc Martens, Henk Capoen, Kobe Van Herwegen and Wim Vantomme</i> | |
| Balancing the Probability of Interference Caused by Different Communication Systems for Sharing Frequency | 488 |
| <i>Taekjin Hwang and Sanggee Kang</i> | |
| Simplified Ray-Launching Analysis for Indoor Propagation Including Multiple Reflection Effect Inside Walls | 492 |
| <i>Ryoichi Sato and Hiroshi Shirai</i> | |
| Investigation of Radar Propagation in Buildings: a 10 Billion Element Cartesian-Mesh FETD Simulation | 496 |
| <i>Mark L. Stowell, Benjamin J. Fassenfest and Daniel A. White</i> | |
| The Applications of the Radio Communication System Using Coaxial Cables | 500 |
| <i>Yasufumi Hirasawa, Masanobu Kominami and Hirofumi Fujii</i> | |
| An Acceleration Technique for Ray Tracing Simulation Based on a Shadow Volumetric Binary and Line Space Partitioning | 504 |
| <i>Simone Santini, Stefano Bertini and Agostino Monorchio</i> | |

| | |
|--|------------|
| Implementation of Multi-Hop Routing Protocols for the Dramatic Range Enhancement of Wireless Sensor Networks | 508 |
| <i>Vasileios Lakafosis and Manos M. Tentzeris</i> | |
| A Substrate Integrated Waveguide Slot Array Antenna Fed with a Grounded Coplanar Waveguide | 512 |
| <i>Rohit Sammeta, C. J. Reddy, Allen Glisson and Ahmed Kishk</i> | |
| A Broadside Substrate Integrated Horn Antenna | 516 |
| <i>Michael Wong, Abdel Razik Sebak and Tayeb A. Denidni</i> | |
| Study of a Round-Ended Banana-Shaped Slot Integrated Antenna At X-Band | 520 |
| <i>Larbi Talbi, Kheireddine Sellal, Jules Lebel and Tayeb A. Denidni</i> | |
| A Microstrip Printed Dipole Solar Antenna Using Polycrystalline Silicon Solar Cells | 524 |
| <i>Shynu S. V, Maria J. Roos Ons, Giuseppe Ruvio, Max J. Ammann, Sarah McCormack and Brian Norton</i> | |
| Scattering of Electromagnetic Waves by an Optically Controlled Semiconductor Plasma Grating Embedded in a Dielectric Slab | 528 |
| <i>Kazuo Nishimura</i> | |
| Forward Scattering Effects in RCS of Complex Targets in the 3-20 Mhz High Frequency Range | 532 |
| <i>Ryan C. Solomon, Hank Leong and Yahia M. M Antar</i> | |
| Standoff Concealed Explosives Detection Using Millimeter-Wave Radar to Sense Surface Shape Anomalies | 536 |
| <i>Jose A. Martinez-Lorenzo, Carey Rappaport, Richie Sullivan and Amanda Angel</i> | |
| Investigation of Electromagnetic Properties of Two Types Passive Retrodirective Antenna Arrays | 540 |
| <i>Hai-Ying Yao and Chao-Fu Wang</i> | |
| FDTD Analysis of Resonant Transmission in an Electrically Small Circular Aperture with a Ridge | 544 |
| <i>Junho Yeo, Ji-Whan Ko Jong-Eon Park and Young-Ki Cho</i> | |
| Radiation Relations for Electromagnetic Excitation of Layered Media | 548 |
| <i>Nikolaos L. Tsitsas and Christodoulos Athanasiadis</i> | |
| A "UWB" Half-Wavelength Dipole for Low-Frequency Gain Reference | 552 |
| <i>Raymond J. Sprungle and Chi-Chih Chen</i> | |
| A Wideband OFDM MIMO Measurement System for Antenna Evaluation | 556 |
| <i>J. Mora-Cuevas, C. Gómez-Calero, L. Cuéllar and L. De Haro</i> | |
| Electrical and Mechanical Uncertainty Study in Cylindrical Near Field Antenna Measurement Systems | 560 |
| <i>S. Burgos, F. Martín, M. Sierra-Castañer and J. L. Besada</i> | |
| Introduction of Internal Matching Circuit to Increase the Bandwidth of a Metamaterial-Inspired Efficient Electrically Small Antenna | 564 |
| <i>Richard W. Ziolkowski and Peng Jin</i> | |
| RFID-Based Flexible Low-Cost EM Field Probe | 568 |
| <i>S. Capdevila, R. Serrano, A. Aguasca, S. Blanch, J. Romeu and L. Jofre</i> | |
| Modal Analysis of a MIMO Antenna for Sensor Networks | 572 |
| <i>M. Cabedo, M. Gallo, E. Antonino, M. Ferrando and M. Bozzetti</i> | |
| Laptop Opening Angle Effects on Electromagnetic Human Interaction with an Integrated E-Shaped Back-to-Back Antenna | 576 |
| <i>J. Guterman, A. A. Moreira, C. Peixeiro and Y. Rahmat-Samii</i> | |
| Human Implanted Spiral Antenna for a 2.45GHz Wireless Temperature and Pressure SAW Sensor System | 580 |
| <i>G. Collin, A. Chami, C. Luxey, P. Le Thuc and R. Staraj</i> | |
| Implanted Antenna for Biomedical Applications | 584 |
| <i>F. Merli, L. Bolomey, E. Meurville and A. K. Skrivervik</i> | |
| Implanted Cavity Slot Antenna for 2.45 GHz Applications | 588 |
| <i>Wei Xia, Kazuyuki Saito, Masaharu Takahashi and Koichi Ito</i> | |
| On the Design of Telemetry Coils and Implantable Small Antennas for a Retinal Prosthesis to Restore Partial Vision to the Blind | 592 |
| <i>Gianluca Lazzi, Amit Qusba and Vinit Singh</i> | |
| Antenna Design Considerations for High Specific Absorption Rate in Local Hyperthermia Treatment | 595 |
| <i>M. J. Ammann, S. Curto, X. L. Bao and P. Mcevoy</i> | |
| Design of a Wideband Thin Helical Antenna for Cancer Treatment | 599 |
| <i>Zhenxin Zhu, Zhao Wang and Xiaodong Chen</i> | |
| Patch Antennas for VHF Vs Ka-Band the Very Large & the Very Small | 603 |
| <i>Vaughn P. Cable</i> | |
| A Dual Polarized UHF/VHF Honeycomb Stacked-Patch Array Antenna: Overview of an Enabling Technology for the MOSS Mission | 607 |
| <i>Preston Partridge, Mahta Moghaddam, Yahya Rahmat-Samii, Mark Haynes, Line Van Nieuwstadt, Jacqueline Vitaz, John Huang and Vaughn Cable</i> | |

| | |
|--|-----|
| Sub-Reflectarrays for Spherical Aberration Compensation: Concept and Simulations | 611 |
| <i>Shenheng Xu and Yahya Rahmat-Samii</i> | |
| ASTRO-G/VSOP-2 Off-Set Cassegrain Telescope | 615 |
| <i>Kishimoto, K. Kawahara, T. Mizuno, Y. Murata, M. C. Natori, H. Hirabayashi, M. Tsuboi, K. Higuchi, H. Saito, M. Yoshihara and S. Iikura</i> | |
| Effects of Focal Plane Array Offset and Beam Steering on Sensitivity | 619 |
| <i>Jacob S. Waldron, David B. Jones, Karl F. Warnick and Brian D. Jeffs</i> | |
| Ku-Band Time-Delayed Diversity/Satellite Diversity (TDD/Sat. D) System for Improving Link Availability Using Lune-Q Antenna | 623 |
| <i>Takeshi Hatsuda, Yasutaka Iwamori, Manabu Sasaki, Yoshiyuki Tsushima, Noriaki Yosimura, Kennitiro Kawasaki, Takaaki Zakouji, Masatosi Kuroda, Katsuyuki Imai and Yasuyuki Maekawa</i> | |
| Use of Antenna Receive Diversity to Mitigate Scintillation on KA Band Satellite Links | 627 |
| <i>Scott Enserink and Michael P. Fitz</i> | |
| Novel Low-Cost Antenna Array for Vehicular Reception of KU-Band Satellite Television | 631 |
| <i>Stefan Fikar and Arpad L. Scholtz</i> | |
| Study of a 60 GHz Rectangular Patch Antenna on a Flexible LCP Substrate for Mobile Applications | 635 |
| <i>Arnaud L. Amadjikpe, Aida Vera, Debabani Choudhury and John Papapolymerou</i> | |
| The Compact Quad-Band PCB Embedded Antenna for Mobile Handsets | 639 |
| <i>Gyubok Park, Soonho Hwang, Joonho Byun and Austin S. Kim</i> | |
| Compact Dual Band Antenna for Handheld Wireless Communication Gadgets | 643 |
| <i>Gijo Augustin, Bybi P. C., Sarin V. P., Nisha M. S., P. Mohanan, C. K. Aanandan and K Vasudevan</i> | |
| Bandwidth Property of Folded Planar Inverted-F Antennas | 647 |
| <i>Il-Young Oh, Sang-Hyuk Wi, Yongshik Lee and Jong-Gwan Yook</i> | |
| A PCB Embedded Antenna for 2.4 / 5.2 GHz WLAN and 2.6 GHz SDMB / Wimax Applications | 651 |
| <i>Soonho Hwang, Gyubok Park, Joonho Byun and Austin S. Kim</i> | |
| Dual Band Omni-Directional Planar Antenna for Wimax Applications | 655 |
| <i>Ting-Ming Hsueh, Heng-Tung Hsu, Hsi-Tseng Chou and Kwo-Lun Hung</i> | |
| A Experiment Study of RFID Antennas for RF Detection in Liquid Solutions | 659 |
| <i>Pengcheng Lv, Yu-Jiun Ren and Chieh-Ping Lai</i> | |
| Low Profile Compact-Slot Antenna Array for RFID Applications: Backscatter-Tag Identification and Localization | 663 |
| <i>L. Aberbour, C. Craeye and A. Decostre</i> | |
| RFID Tag Antenna Mountable on Metallic Surfaces and Matching Method by Parasitic Patches | 667 |
| <i>K. H. Kim, J. G. Song, D. H. Kim, H. S. Hu and J. H. Park</i> | |
| Microstrip Patch Antenna Array for Range Extension of RFID Applications | 671 |
| <i>Mehmet ABBAK and Ibrahim TEKIN</i> | |
| Compact Miniaturized Antenna for 210 MHz RFID | 675 |
| <i>Richard Q. Lee and Kue Chun</i> | |
| A Novel RFID Reader Antenna for Extreme Environments | 679 |
| <i>J. R. Sanford</i> | |
| Effect of Antenna Mutual Coupling on the UHF Passive RFID Tag Detection | 683 |
| <i>Hsueh-Jyh Li, Hsin-Hsu Lin and Hsin-Hung Wu</i> | |
| Design of a Dipole Tag Antenna Enclosed by a Short-Stub for UHF RFID Application | 687 |
| <i>Youngbaek Choi, Uisheon Kim and Jaehoon Choi</i> | |
| Design of a Loop Antenna with Stubs for RFID Tag | 691 |
| <i>Uisheon Kim, Youngbaek Choi and Jaehoon Choi</i> | |
| Time-Domain Finite Element Modeling of Antenna Arrays with Distributed Feed Network | 695 |
| <i>Rui Wang, Hong Wu, Andreas C. Cangellaris and Jian-Ming Jin</i> | |
| Implementation of the 2nd-Order ABC with Auxiliary Variables in the FETI-DPEM Method for 3D EM Problems | 699 |
| <i>Yu-Jia Li and Jian-Ming Jin</i> | |
| Stability Analysis of Some Non-Conforming FETI Domain Decomposition Methods for Electromagnetic Problems | 703 |
| <i>Georgios N. Paraschos and Marinos N. Vouvakis</i> | |
| 3-D Modeling of Electromagnetic Induction in Anisotropy Media Using Finite Element Method | 707 |
| <i>Sun Xiangyang and Nie Zaiping</i> | |
| The Legacy of Walter Rotman: Past, Present and Future | 711 |
| <i>R. Rotman</i> | |

| | |
|---|------------|
| Real-World Rotman Lens Prototyping and Analysis | 715 |
| <i>Christopher Meagher, Randall Olsen, Robert C. Ferro and Satish Kumar Sharma</i> | |
| Analog Dispersive Time Delayer for Beam-Scanning Phased Array without Beam-Squinting | 719 |
| <i>Hoang V. Nguyen, Samer Abielmona and Christophe Caloz</i> | |
| Quantities of Phase Shifters in Phased Arrays | 723 |
| <i>Howard Luh</i> | |
| Design of a 8×8 Stripline Butler Matrix with Beam Steering Capability | 727 |
| <i>Chia-Chan Chang, Ruei-Syuan Li and Ting-Yen Shih</i> | |
| A Mechanically Steerable Quasi-Yagi Endfire Array Using Dielectric Phase Shifters At 5.8GHz | 731 |
| <i>Matthew Stoneback, Junho Cha, Stefan Dahlstet and Yasuo Kuga</i> | |
| Imbalance Phase Shifter Loss Compensation by Non-Coherent Beamforming | 735 |
| <i>M. Fakharzadeh, S. H. Jamali, P. Mousavi and S. Safavi-Naeini</i> | |
| Microstrip 180 Degree Phase Shifter for Ultra Wideband Applications | 739 |
| <i>Abdelnasser A. Eldek</i> | |
| A Triple-Band Low-Profile Planar Antenna for Wireless Applications | 743 |
| <i>R. L. Li, B. Pan, T. Wu, J. Laskar and M. M. Tentzeris</i> | |
| New Multiband Asymmetric Top-Loaded Mod-P Antenna for Terrestrial and Satellite Communication Services | 747 |
| <i>Jordi Soler, Josep Parron and Joan Gemio</i> | |
| A Study on Multiband Small Antennas Consisting of Multiple Conductors | 751 |
| <i>Keisuke Noguchi, Yasuhiro Asano, Shintaro Sagawa, Shigeru Makino, Shin-Ichi Betsudan, Tetsuo Hirota, Motoo Mizusawa and Takashi Katagi</i> | |
| Design of Multiband Stacked Circular MSA with Defected Ground Structure (DGS) Slab Fed by CPW | 755 |
| <i>Ridho Chayono, Misao Haneishi and Yuichi Kimura</i> | |
| Characteristics of Switched Polarized Type Multiband Planar Antennas | 759 |
| <i>Haruo Kawakami, Masazumi Ishikawa, Satoshi Kogiso and Misao</i> | |
| A Compact Multiband Microstrip Antenna Using U and S Slots | 763 |
| <i>Fitri Yuli Zulkifli, Hilman Halim and Eko Tjipto Rahardjo</i> | |
| Design of Multi-Frequency Band Circularly Polarized Stacked Microstrip Patch Antenna | 767 |
| <i>O. Pigaglio, N. Raveu and O. Pascal</i> | |
| Compact Hexa-Band Folded Dipole Antenna | 771 |
| <i>Marc Manz and Peter Nevermann</i> | |
| Penta-Band Folded Antenna for Mobile Phone Application | 775 |
| <i>Chia-Lun Tang and Chi-Ming Chiang</i> | |
| Feasibility Study of the Upgrade to K Band of ESA Deep Space Antennas | 779 |
| <i>P. Besso, M. Bozzi, M. Formaggi, M. Pasian and L. Perregri</i> | |
| An "M"-Shaped Beam Producing Dual Stacked Reflector Antenna for Gps Satellite Applications | 783 |
| <i>Yong U. Kim</i> | |
| High-Efficiency Array for Submillimeter-Wave Imaging Applications | 787 |
| <i>N. Llombart, A. Skalare and P. H. Siegel</i> | |
| Reflector-Type Lightwave Antenna with a Small Aperture Using MEMS Processing Technology | 791 |
| <i>Yasushi Munemasa, Masatoshi Sano and Tadashi Takano</i> | |
| SVD-Beam-Shaping Synthesis Method of Reflector Antennas | 795 |
| <i>Borja Gonzalez-Valdes, Jose A. Martinez-Lorenzo, Antonio Garcia-Pino and Carey Rappaport</i> | |
| EBG Enhanced Reflector Feeds for Wide Angle Scanning Applications | 799 |
| <i>A. Neto, M. Ettore, G. Gerini and P. J. De Maagt</i> | |
| Webprac: a Reflector Antenna Analysis Code for the Internet | 803 |
| <i>Rafael Rabelo, Marco Terada and Warren Stutzman</i> | |
| Parametric Characterization of Parabolic Reflector Antennas Fed by Focal Plane Arrays | 807 |
| <i>Malcolm Ng Mou Kehn, Lotfollah Shafai and Per-Simon Kildal</i> | |
| Pillar Array-Type Parabolic Reflector Antenna Driven by Air-Lifted Monopole Fed by CB-CPW for 2.4 GHz Applications | 811 |
| <i>Sungyong Cha, Tae-Soon Yun, Jungkwun Kim and Yong-Kyu Yoon</i> | |
| Genetically-Engineered Meanderline Twist Reflector | 815 |
| <i>Kyu Y. Han and Brian A. Lail</i> | |
| Low Profile Broadband Antenna Design | 819 |
| <i>Tao Peng, Chi Chih Chen and John L. Volakis</i> | |
| Optimized Profile Planar UWB Monopole Antenna for Optimal Adaptation | 823 |
| <i>Jose Martinez-Fernandez, Jose M. Gil and Juan Zapata</i> | |

| | |
|---|-----|
| A Broadband Planar Antenna | 827 |
| <i>Wee Kian Toh, Zhi Ning Chen and Xianming Qing</i> | |
| Microstrip-Line-Fed Broadband Sleeve Monopole Antenna | 831 |
| <i>Hong-Dean Chen and Yu-Hung Tsao</i> | |
| A Broadband E-Shaped Patch Antenna of Compact Size and Low Profile | 835 |
| <i>Jiang Xiong, Zhinong Ying and Sailing He</i> | |
| Low Cost UWB Printed Dipole Antenna with Filtering Feature | 839 |
| <i>J. -F. Pintos, P. Chambelin, A. Louzir and D. Rialet</i> | |
| Reduction in Mutual Coupling Characteristics of Slot-Coupled Planar Antenna Due to Rectangular Elements | 843 |
| <i>Huilong Jiang, Ryo Yamaguchi and Keizo Cho</i> | |
| A Low Profile L Shape Meander Circular Ultra Wideband Antenna | 847 |
| <i>Xing Ping Lin and Lingxi Luo</i> | |
| A Comparison of the Focusing Properties of a Fresnel Zone Plate with a Hyperbolic Lens Using a Full Electromagnetic Analysis | 851 |
| <i>David R. Reid and Glenn S. Smith</i> | |
| Synthesis of Small Axis-Symmetrical Shaped Integrated Lens Antennas: Comparison Between Full-Wave and High-Frequency Optimization Strategies | 855 |
| <i>A. Rolland, R. Sauleau, N. T. Nguyen and M. Drissi</i> | |
| Shape Optimization of Lens Antennas for Short Range and Long Range Sensors At Millimeter Waves | 859 |
| <i>N. T. Nguyen, R. Sauleau and G. Godi</i> | |
| ILASH - Software Tool for the Design of Integrated Lens Antennas | 863 |
| <i>Eduardo Lima, Jorge R. Costa, Mário G. Silveirinha and Carlos A. Fernandes</i> | |
| Quasi-Optical Power Combining Using Waveguide-Based Hyperbolic Lens | 867 |
| <i>Xidong Wu, Huaicheng Zhao and Wen Wu</i> | |
| Conservative Subgridding for Lobatto Cell FDTD Method | 871 |
| <i>Ryan A. Chilton and Robert Lee</i> | |
| Application of Huygens Subgridding Technique to Human Body Modelling | 875 |
| <i>Maksims Abal, Enkova, Fumie Costen, Jean-Pierre B'Erenger and Anthony Brown</i> | |
| A Stable FDTD Subgridding Method for Both Spatial and Temporal Spaces | 879 |
| <i>Peter Chow, Tetsuyuki Kubota and Takefumi Namiki</i> | |
| Comparative Study of Over Set Grid Generation Method and Body Fitted Grid Generation Method with Moving Boundaries | 883 |
| <i>Hiroshi Iwamatsu, Ryo Fukumoto, Masahiro Ishihara and Michiko Kuroda</i> | |
| Digital Spectral Domain Analysis of the Errors in One-Dimensional Yee/Semi-Discrete and Yee/ADI Hybrid Griddings | 887 |
| <i>Shyh-Kang Jeng</i> | |
| Development of a Wireless Electric Field Probe Using Wireless Sensor Network for Characterization of Indoor Environments Part 1 | 891 |
| <i>Jakkrit Kunthong, Charles F. Bunting and Satish Bukkapatnam</i> | |
| Chamber Imaging Using Spherical Near-Field Scanning | 895 |
| <i>R. C. Wittmann, M. H. Francis and R. H. Dieren</i> | |
| On the Influence of the Field Acquisition Domain Regarding Near-Field to Far Field-Transformation | 899 |
| <i>Yuri Alvarez, Fernando Las-Heras and Marcos R. Pino</i> | |
| Characterization of Indirect Coupling Mechanisms From Lightning to Underground Cavities | 903 |
| <i>Matthew B. Higgins, Michele Caldwell and Marv Morris</i> | |
| Dual-Wideband Log-Periodic Antennas | 907 |
| <i>Joseph Mruk, Manseok Uhm and Dejan Filipovic</i> | |
| Reduced Size Planar Log-Periodic Dipole Arrays (Lpdas) Using Rectangular Meander Line Elements | 911 |
| <i>Ahmad A. Gheethan and Dimitris E. Anagnostou</i> | |
| Open-Ended Triangular Waveguide Antenna | 915 |
| <i>Massimiliano Simeoni, Maria Carolina Viganó and Ioan E. Lager</i> | |
| A Broadband Dual-Polarized Magneto-Electric Dipole Antenna | 919 |
| <i>Wu Bi Qun and Kwai-Man Luk</i> | |
| Underwater FDTD Simulation At Low Frequencies | 923 |
| <i>Dennis M. Sullivan and Yang Xia</i> | |
| Near to Far Field Transformation for Underwater ELF Simulation | 927 |
| <i>Yang Xia and Dennis M. Sullivan</i> | |
| Time Domain Analysis of Electromagnetic Pulses Propagating in Plasma | 931 |
| <i>Qingsheng Zeng and Gilles Y. Delisle</i> | |

| | |
|--|------|
| Effect of the Beam Forming Network on the Behavior of Broadband Planar Waveguide Slot Arrays | 935 |
| <i>G. A. Casula, F. Collu and G. Mazzarella</i> | |
| Spatial Group Delay Patterns for Three Ultra Wideband Spline Antennas | 939 |
| <i>Patrick Mcevoy, Matthias John, Sergio Curto and Max J Ammann</i> | |
| Input Impedance Characterization of the QSC Ultra Wide Band Feed | 943 |
| <i>Germán Cortés-Medellín</i> | |
| Slot-Line Mode Suppression Using a Fast-Wave Method for Broadband Antenna Feed Line Structures | 947 |
| <i>Hosaeng Kim and Rhonda Franklin Drayton</i> | |
| Multimode Horn with Two Types of Coaxial Cavities for Circular Coverage | 951 |
| <i>Hiroyuki Deguchi, Kouhei Omori and Mikio Tsuji</i> | |
| Performance Comparison of a Matched Feed Horn with a Potter Feed Horn for an Offset Parabolic Reflector | 955 |
| <i>S. B. Sharma, Dhaval Pujara, S. B. Chakrabarty and V. K. Singh</i> | |
| UTD Ray Tracing for Building Imaging Studies | 959 |
| <i>Robert J. Burkholder, Paul C. Chang, Ronald J. Marhefka and John L. Volakis</i> | |
| Edge Diffraction and Field Transition Along Shadow Boundaries Using UTD | 963 |
| <i>Constantine A. Balanis</i> | |
| The Mimo Transmission Equation | 964 |
| <i>David G. Landon and Cynthia Furse</i> | |
| Experimental Evaluation Using 16x 16 Multiuser MIMO Testbed in an Actual Indoor Scenario | 968 |
| <i>Kentaro Nishimori, Riichi Kudo, Naoki Honma, Yasushi Takatori, Ohta Atsushi and Kazuyasu Okada</i> | |
| A 60GHz Line-of-Sight 2x2 MIMO Link Operating At 1.2Gbps | 972 |
| <i>Colin Sheldon, Eric Torkildson, Munkyo Seo, C. Patrick Yue, Upamanyu Madhow and Mark Rodwell</i> | |
| Impact of a User on the Performance of MIMO Antenna Systems in Small Wireless Devices | 976 |
| <i>Umesh Navsariwala, M. Schamberger and N. Buris</i> | |
| Comparison of MIMO Spatial Correlation Approximations Under Large Angular Spread | 980 |
| <i>Jui-Ting Chuang and Fu-Chiarng Chen</i> | |
| An Antenna-Channel-Antenna Modeling Methodology for Estimating MIMO System Performance | 984 |
| <i>Mark Schamberger, Nicholas Buris and Umesh Navsariwala</i> | |
| Performance Measurements of a Two-Branch Diversity Receiver with Superdirective Antenna Array and Decoupling and Matching Network | 988 |
| <i>Christian Volmer, Jörn Weber, Ralf Stephan and Matthias A. Hein</i> | |
| Influence of Array Configuration on MIMO Channel Capacity | 992 |
| <i>C. Gómez-Calero and R. Martínez-Rodríguez-Osorio</i> | |
| Design of a Frequency Agile X-Band LNA Using BST Varactor Based Voltage Tunable Impedance Matching Networks | 996 |
| <i>Kari Groves, Guru Subramanyam, Tony Quach, Robert Neidhard, Matt Casto, Pompei Orlando and Aji Matamana</i> | |
| Beam Diversity Techniques Based on Integrated Lens Antennas Fed by Beam-Switching Linear and Planar Printed Antenna Sub-Arrays | 1000 |
| <i>N. T. Nguyen and R. Sauleau</i> | |
| Geoda: Conformal Adaptive Antenna of Multiple Planar Arrays for Satellite Communications | 1004 |
| <i>I. Montesinos, J. L. Masa, M. Sierra-Perez and J. L. Fernandez-Jambrina</i> | |
| Electronically Reconfigurable Patches for Transmit-Array Structures At 12GHz | 1008 |
| <i>P. Padilla De La Torre and M. Sierra-Castañer</i> | |
| Bandwidth Enhancement of High-Isolation Iso-Frequency Repeaters Using MEMS-Reconfigurable Loaded Parasitics | 1012 |
| <i>Javier Rodriguez De Luis, Alfred Grau Besoli, Jordi Romeu, Lluís Jofre and Franco De Flaviis</i> | |
| Determining an Appropriate Number of Bits for a Digitally Controlled Reflectarray Cell with MEMS Switches | 1016 |
| <i>Billy Wu, Adrian Sutinjo, Mike E. Potter and Michal Okoniewski</i> | |
| Nonlinear Analysis of a Reflectarray Cell Based on a Voltage-Controlled Oscillator | 1020 |
| <i>Apostolos Georgiadis and Ana Collado</i> | |
| Integration of RF MEMS Switches with the Reconfigurable Reflectarray Element: A Novel Patch-Slot Implementation | 1024 |
| <i>Harish Rajagopalan, Yahya Rahmat-Samii and William A. Imbriale</i> | |
| Reconfigurable Monopole Array with MEMS Switches for MIMO Systems | 1028 |
| <i>Marc Mowl'Er, M. Bilal Khalid and Björn Lindmark</i> | |
| Non-Periodic Direct Radiating Arrays for Multiple Beam Space Telecommunication Missions | 1032 |
| <i>C. Manganot, G. Toso, M. C. Viganó and A. G. Roederer</i> | |
| A Compact Planar Dipole Antenna with Ultra-Wide Band Performance | 1036 |
| <i>Xue Ni Low and Zhi Ning Chen,</i> | |

| | |
|---|------|
| A Novel UWB Planar Patch Antenna for Wireless Communications | 1040 |
| <i>Abdallah A. Alshehri and A. R. Sebak</i> | |
| A Novel Uni-Directional, Off-Axis CPW-Fed, Matched by Unbalanced Fork- Stub, UWB Ring Slot Antenna Printed on Single Layer PCB with Back Plane | 1044 |
| <i>Dani P. Tran, F. Muge Tanyer-Tigrek, Ioan E. Lager and Leonardus P. Lighthart</i> | |
| The Design of the Cross Semi-Ring Disc Monopole Antenna and the Band-Rejected Cross Semi-Ring Monopole Antenna for UWB Applications | 1048 |
| <i>Y. Q. Zhang and B. L. Ooi</i> | |
| Novel Ultra-Wideband CB-CBW Butler Matrix | 1052 |
| <i>Mourad Nedil, Adnane M. Habib and Tayeb . A. Denidni</i> | |
| Design of Fully Integrated 4x4 and 8x8 Butler Matrices in Microstrip/Slot Technology for Ultra Wideband Smart Antennas | 1056 |
| <i>Marek E. Bialkowski, Feng-Chi E. Tsai, Yu-Chuan Su and Kai-Hong Cheng</i> | |
| Small Open Slot Ultra-Wideband Antenna Having a Frequency Band-Reject Function | 1060 |
| <i>Kai-Cheng Yang, Wen-Shan Chen, Kuang-Yuan Ku, Hong-Twu Chen and Hsin-Cheng Su</i> | |
| Microstrip Patch Antenna on LTCC Metamaterial Substrates in Millimeter Wave Bands | 1064 |
| <i>In Kwang Kim and Vasundara V. Varadan</i> | |
| Radiation Efficiency Study on a CRLH Based PIFA Antenna | 1068 |
| <i>Óscar Quevedo-Teruel and Eva Rajo-Iglesias</i> | |
| Metamaterial-Inspired Magnetic-Based UHF and VHF Antennas | 1072 |
| <i>Richard W. Ziolkowski and Chia-Ching Lin</i> | |
| Stacked Koch Island Fractal Patch Antenna | 1076 |
| <i>F. Keshmiri, S. Raje and M. N. Moghaddasi</i> | |
| New Configurations of Planar Fractal Microstrip Antenna | 1080 |
| <i>M. Ismail, H. Elsadek, E. A. Abdallah and A. Ammar</i> | |
| Gigabit Per Second Data Transfer At 60GHz in High Gain Grid Antennas | 1084 |
| <i>Steven J. Franson and Richard W. Ziolkowski</i> | |
| Dipole Radiation Steering Using an Active Artificial Magnetic Conductor | 1088 |
| <i>Kenneth L. Ford and Jonathan M. Rigelsford</i> | |
| An Active AMC Ground Plane for Tunable Low-Profile Antennas | 1092 |
| <i>Filippo Costa, Salvatore Talarico, Agostino Monorchio and Michele Fabio Valeri</i> | |
| Suppression of Substrate Coupling Between Slot Antennas Using Electromagnetic Bandgap Structures | 1096 |
| <i>K. Payandehjoo and R. Abhari</i> | |
| Realization of Even Amplitude and Phase Distributions in Series Feed Configuration with Composite Right/Left-Handed Transmission Line | 1100 |
| <i>Zhang Jun, Zhu Qi, Lai Jiali and Xu Shanjia</i> | |
| A Low Q Electrically Small Spherical Antenna | 1104 |
| <i>Jacob J. Adams and Jennifer T. Bernhard</i> | |
| A Small Wideband Multimode Antenna | 1108 |
| <i>Howard R. Stuart and Steven R. Best</i> | |
| Electrically Small Loop Loaded Printed Dipoles for Broad Coverage | 1112 |
| <i>Xiaojing Xu and Yuanxun Ethan Wang</i> | |
| Reduced Size Folded Slot Antennas with Capacitive Loading | 1116 |
| <i>Maximilian C. Scardelletti, George E. Ponchak, Jennifer L. Jordan and Shane J. Merritt</i> | |
| Three-Dimensional Topology Optimized Electrically-Small Conformal Antenna | 1120 |
| <i>Aycan Erentok and Ole Sigmund</i> | |
| The Folded Dipole Perspective of Electrical Small Spherical Helix Antennas | 1124 |
| <i>Jerry W. Kuo and Yuanxun Ethan Wang</i> | |
| A Highly-Efficient, Unidirectional Miniaturized Slot Antenna | 1128 |
| <i>Mudar A. Al-Joumayly and Nader Behdad</i> | |
| A Miniaturized Printed Wire Antenna Utilizing 3D Substrate Metallization for Wireless Communications | 1132 |
| <i>Yanyan Zhang and H. -Y. David Yang</i> | |
| Electrically Small Ultra Wideband Antenna for EMC Measurements in Vehicles Optimized by Electromagnetic Simulation | 1136 |
| <i>Ingo Schmidt, Martin Schwark and Robert Geise</i> | |
| A Circularly Polarized Square-Ring Patch Antenna for GPS Application | 1140 |
| <i>Yang-Kai Wang, Hua-Ming Chen, J. Y. Jan, Yi-Fang Lin, Che-Yen Lin and C. F. Yang</i> | |
| Reconfigurable Top-Loaded Monopoles Using Stacked Space-Filling Curves | 1144 |
| <i>John Mcvay, Christopher Thajudeen and Ahmad Hoorfar</i> | |

| | |
|--|-------------|
| Reconfigurable High-Gain Stub-Loaded Monopoles | 1148 |
| <i>Zikri Bayraktar, Pingjuan L. Werner and Douglas H. Werner</i> | |
| Preliminary Results in the Development of a Compound Reconfigurable Antenna..... | 1152 |
| <i>Matthew J. Slater, Helen K. Pan and Jennifer T. Bernhard</i> | |
| MIMO Communication System with Reconfigurable Circular Patch Antennas..... | 1156 |
| <i>Daniele Piazza, Michele D'Amico and Kapil R. Dandekar</i> | |
| On the Performance of Adaptive MIMO Systems Using Radiation Pattern Reconfigurable Antennas..... | 1160 |
| <i>J. Sarrazin, Y. Mah E, S. Avrillon and S. Toutain</i> | |
| Reconfigurable Spiral Antenna Array for Pattern Diversity in Wideband MIMO Communication Systems..... | 1164 |
| <i>Prathaban Mookiah, Daniele Piazza and Kapil R. Dandekar</i> | |
| A Switched Beam Star Patch Antenna..... | 1168 |
| <i>A. Mehta, D. Mirshekar-Syahkal, P. J. Massey and H. Nakano</i> | |
| A Novel 8 Feed Beam Switched Antenna..... | 1172 |
| <i>A. Raaza, A. Mehta, D. Mirshekar-Syahkal and P. J. Massey</i> | |
| Compact Pattern Reconfigurable Antenna Array Based on L-Shaped Slots and PIN Diodes for Adaptive MIMO Systems..... | 1176 |
| <i>Ming-Iu Lai and Shyh-Kang Jeng</i> | |
| Bandwidth Enhancement of PESPAS Antenna by Using Inconsistent Patch Elements..... | 1180 |
| <i>Kainan Zhao, Jiawen Sun, Wenhua Chen, Yaqin Chen and Zhenghe Feng</i> | |
| Accelerated PMM Solutions Via Model-Based Parameter Estimation and Fast Fourier Transform Techniques | 1184 |
| <i>Xiande Wang and Douglas H. Werner</i> | |
| Broadband High Gain Compact Resonator Antennas Using Combined FSS..... | 1188 |
| <i>L. Moustafa and B. Jecko</i> | |
| Rigorous and Approximate Analysis of Curved Frequency Selective Surfaces..... | 1192 |
| <i>Zvonimir Sipus, Marko Bosiljevac and Juraj Bartolic</i> | |
| Transmission Analysis of Energy Saving Glass Windows for the Purpose of Providing FSS Solutions At Microwave Frequencies..... | 1196 |
| <i>Ghaffer Kiani, Lars Olsson, Anders Karlsson and Karu Esselle</i> | |
| Negative Refraction Lensing and Signal Modulation Using a Tuneable Phase Conjugating Frequency Selective Surface | 1200 |
| <i>Oleksandr Malyuskin and Vincent Fusco</i> | |
| Subwavelength Focusing in the Far-Field Using a Phase Conjugating Surface..... | 1204 |
| <i>Oleksandr Malyuskin and Vincent Fusco</i> | |
| On the Use of Vector Antennas Embedded on Fabric As Frequency Selective Surfaces..... | 1208 |
| <i>Gaurav Gupta, Ajit Rajagopalan, Behnam Pourdeyhimi and Gianluca Lazzi</i> | |
| Radome Enhancing Multi-Sector Antenna Radiation Performances | 1212 |
| <i>J. Thévenard, D. Lo Hine Tong, A. Louzir, C. Nicolas, Ch. Person and J. Ph. Coupez</i> | |
| Analysis of Impedance Resonances in a Spiral-Element Array..... | 1216 |
| <i>James C. West</i> | |
| Simulation and Implementation of Spiral Conical Radiator | 1220 |
| <i>Hank Javan</i> | |
| Current Decomposition in Helical Antennas Using ESPRIT..... | 1224 |
| <i>Yang Li, Hao Ling, Mark Mayes and Jon Mayes</i> | |
| A Planar Broadband Circularly Polarized Antenna Combining Printed Dipole and Microstrip-Fed Slot..... | 1228 |
| <i>Ciersiang Chua and Zhongxiang Shen</i> | |
| An Axially Elevated Spiral Antenna for a High Directive CP Radiation | 1232 |
| <i>Li-Ruei Kuo and Hsi-Tseng Chou</i> | |
| Design of a Spiral Antenna with Coplanar Feeding Solution | 1236 |
| <i>Karim Louertani, R'Egis Guinvarc'h, Nicolas Ribiere-Tharaud and Muriel Darces</i> | |
| Combined Dual Loop Antenna with Different Length..... | 1240 |
| <i>Akinori Matsui and Ryoichi Tajima</i> | |
| L-Band Compact Printed Quadrifilar Helix Antenna with 'Iso-Flux' Radiating Pattern for Stratospheric Balloons Telemetry | 1244 |
| <i>Nelson J. G. Fonseca, Sami Hebib and Hervé Aubert</i> | |
| Design of Wideband Single Feed Truncated Corner Microstrip Patch Antennas for Circularly Polarized Applications..... | 1248 |
| <i>Shing Lung, Steven Yang, Kai Fong Lee, Ahmed A. Kishk and Kwai Man Luk</i> | |
| Dispersion of Semi-Implicit Fractional-Step FDTD Method | 1252 |
| <i>Ryan A. Chilton and Robert Lee</i> | |

| | |
|---|-------------|
| Dispersive Finite-Difference Time-Domain Simulation of Electromagnetic Cloaking Structures | 1256 |
| <i>Yan Zhao, Christos Argyropoulos and Yang Hao</i> | |
| On the Behavior of the Group Velocity for Dispersion Optimized Finite-Difference Time-Domain Schemes | 1260 |
| <i>Anastasios H. Panaretos and Rodolfo E. Diaz</i> | |
| Imposing Surface Impedance Boundary Conditions in Unstructured FDTD | 1264 |
| <i>Gregory Kobiidze</i> | |
| A Perfect Matching Layer for Haar Wavelet Based Multi-Resolution Time- Domain Technique..... | 1268 |
| <i>Xiaojing Wang and Yang Hao</i> | |
| A Technique for Reducing the Numerical Dispersion of Conditionally and Unconditionally Stable FDTD Methods | 1272 |
| <i>Stanislav Ogurtsov and Stavros Georgakopoulos</i> | |
| Novel Implementation of the Convolution Perfectly Matched Layer in ADI-FDTD Method..... | 1276 |
| <i>Tomasz Stefanski and Timothy D. Drysdale</i> | |
| Miras-Smos Antenna Relative Phase Calibration..... | 1280 |
| <i>I. Corbella, F. Torres, J. Benito and M. Martín-Neira</i> | |
| Antenna Error Budget in the MIRAS-SMOS Instrument..... | 1284 |
| <i>F. Torres, Ana Olea, Quiterio Garcia and Manuel Martín-Neira</i> | |
| Pencil Back-Projection Method for SAR Imaging1 | 1288 |
| <i>Sahin Ozsoy and A. Arif Ergin</i> | |
| Feeding Images to a Multilayer Perceptron for Target Recognition | 1292 |
| <i>Ismail I. Joumy</i> | |
| A Novel Ultrasensitive Gas Detector System Based on Carbon Nanotube Mixtures and Antenna Radiation Variation | 1296 |
| <i>Trang T. Thai, Amil Haque, Gerald R. Dejean and Manos M. Tentzeris</i> | |
| Multilayer Composite for Below Ground Embedded Sensor Networking | 1300 |
| <i>Seongheon Jeong, Chin-Lung Yang, John R. Courter, Seung-Il Kim, R. Byron Pipes and William J. Chappell</i> | |
| Scattering of Brillouin Precursor Fields From Objects Inside Water | 1304 |
| <i>Reza Safian, Costas D. Sarris and Mohammad Mojahedi</i> | |
| Receiving Antenna Design for Ground Penetrating Tomographic Imaging | 1308 |
| <i>Lorenzo Lo Monte and Danilo Erricolo</i> | |
| High-Resolution 3-D Imaging Algorithm without Derivative Operations for UWB Through-The-Wall Radars..... | 1312 |
| <i>Shouhei Kidera, Takuya Sakamoto and Toru Sato</i> | |
| Recent Investigations in Sensing Through the Wall Radar Modeling | 1316 |
| <i>Traian Dogaru and Calvin Le</i> | |
| Evaporation Duct Estimation From Clutter Using Meteorological Statistics | 1320 |
| <i>Caglar Yardim, Peter Gerstoft and William S. Hodgkiss</i> | |
| Reverse Time Migration Algorithm for Detection of Buried Objects in Time Domain | 1324 |
| <i>M. Neyrat, C. Guiffaut and A. Reineix</i> | |
| A Novel Wide-Band Slot Antenna for Ground Penetrating Radar | 1328 |
| <i>Suman K. Gummala, Mingyu Lu, Jonathan W. Bredow and Saibun Tjuatja</i> | |
| Reflected Wave Spectrum Analysis for Estimation of Earth Subsurface Fluid Properties | 1332 |
| <i>Goparaju Sreechakra, Georgiy A. Bordakov and Jaideva C. Goswami</i> | |
| A 3-D Fast Integral Equation Method for Simulation of Induction Logging Response in Formations with Large Conductivity Contrasts | 1336 |
| <i>Xiaochun Nie, Ning Yuan and Richard C. Liu</i> | |
| A Null-Field Method for Estimating Underground Position | 1340 |
| <i>C. P. Davis, P. R. Atkins, W. W. Tucker and W. C. Chew</i> | |
| Time Reversal SAR Technique for Imaging Extended Target Shielded From Line-of-Sight..... | 1344 |
| <i>Yi Jiang and Jian-Gang Zhu</i> | |
| Experimental Through-The-Wall Detection in Cluttered Environment Using Time Reversal Processing | 1348 |
| <i>N. Maaref, P. Millot, X. Ferri`Eres, C. Pichot and O. Picon</i> | |
| Through-Wall Building Image Improvement Via Signature-Based Clean..... | 1352 |
| <i>Paul. C. Chang, Robert J. Burkholder and John L. Volakis</i> | |
| Estimating Moving Targets Behind Reinforced Walls Using Radar..... | 1356 |
| <i>M. Nikolic, A. Nehorai and A. Djordjevic</i> | |
| Radar Imaging Through Cinder Block Walls and Other Periodic Structures | 1360 |
| <i>Robert J. Burkholder, Ronald J. Marhefka and John L. Volakis</i> | |

| | |
|---|-------------|
| On the Uniqueness of Planar Near-Field Phaseless Antenna Measurements Based on Two Amplitude-Only Measurements | 1364 |
| <i>S. Farhad Razavi and Yahya Rahmat-Samii</i> | |
| The Tensor Addition Theorem: From the Viewpoint of Group Theory | 1368 |
| <i>B. He and W. C. Chew</i> | |
| On the Complex Symmetry of the Dirichlet-to-Neumann Operator | 1372 |
| <i>L. Knockaert and D. De Zutter</i> | |
| Near-Field Electromagnetic Effects on Einstein Special Relativity..... | 1376 |
| <i>William D. Walker</i> | |
| Isotropic-Uniaxial Interfaces for Anisotropic Media with Biaxial Electric and Magnetic Functions: A New Approach with Geometric Algebra..... | 1380 |
| <i>João R. Canto, Sérgio A. Matos, Carlos R. Paiva and Afonso A. Barbosa</i> | |
| Invisibility Cloaks and the Equivalence Principle for Electromagnetics..... | 1384 |
| <i>Marco A. Ribeiro and Carlos R. Paiva</i> | |
| A New Framework Based on Geometric Algebra for the Analysis of Materials and Metamaterials with Electric and Magnetic Anisotropy..... | 1388 |
| <i>S. A. Matos, J. R. Canto, C. R. Paiva and A. M. Barbosa</i> | |
| A Novel Hybrid Propagation Model | 1392 |
| <i>Jakkrit Kunthong and Charles F. Bunting</i> | |
| Capacity Performance of an Inductively Coupled Near Field Communication System | 1396 |
| <i>Hengzhen Crystal Jing and Yuanxun Ethan Wang</i> | |
| Microwave Photography | 1400 |
| <i>George G. Cheng, Yong Zhu and Jan Grzesik</i> | |
| Chemoselective Salisbury Screen Absorbers for Passive Standoff Detection of Analytes..... | 1404 |
| <i>M. G. Bray, A. Kovalev, D. H. Werner, T. S. Mayer and L. Takiff</i> | |
| Incoherent Scattering From Dense Clouds of Wire Dipoles | 1408 |
| <i>Sherman W. Marcus</i> | |
| On the Amount of Magnetic Material Necessary in Broadband Magnetic Absorbers..... | 1412 |
| <i>örgen Ramprecht and Daniel Sjöberg</i> | |
| Feasibility Study on Scaled Bistatic RCS Measurements of Aircraft in W-Band to Investigate Misguidance by the Instrument-Landing-System..... | 1416 |
| <i>R. Geise, R. Piesiewicz, A. Enders and A. Schwithal</i> | |
| Design and Realisation of Active Coatings for Wind Turbine Blades..... | 1420 |
| <i>B. Chambers, K. L. Ford and A. Tennant</i> | |
| Effect of Element Failure in Active Coatings for Wind Turbine Generator Blades..... | 1424 |
| <i>B. Chambers, K. L. Ford and A. Tennant</i> | |
| Rectangular Microstrip Antenna Design Suitable for Undergraduate Courses | 1428 |
| <i>A. F. Tinoco S., D. C. Nascimento and J. C. Da S. Lacava</i> | |
| Spaceborne Reflector Antenna and Feed Network Design in Cooperation with Engineering Programs Implementing EM CAD Tools | 1432 |
| <i>Mehmet Yüceer</i> | |
| Comparison of Two Approaches for Determining the Molecular Contributions to Skylight..... | 1436 |
| <i>Glenn S. Smith</i> | |
| A Time-Domain/Frequency-Domain Simulation Tool for Microwave Component Analysis in Microwave Engineering Courses..... | 1440 |
| <i>Ehsan Ghaneie and Xun Gong</i> | |
| Take Our Daughters and Sons to Work: Sparking Interest Into Electromagnetics..... | 1444 |
| <i>D. Arceo, C. Moeller, K. Moeller and J. Rockway</i> | |
| Project Based Graduate Antenna Courses | 1448 |
| <i>Jayanti Venkataraman, Ercument Arvas and Serhend Arvas</i> | |
| A Hands-On Approach That Makes Electromagnetics Relevant to Students - the Results of a Three Year Study ... | 1452 |
| <i>Charles F. Bunting, James C. West and Richard A. Cheville</i> | |
| High-Gain, Low-Profile EBG Resonator Antennas with Very Thin Metamaterial Superstrates | 1456 |
| <i>Yuehe Ge and Karu P. Esselle</i> | |
| Design of a Low Profile End-Fire Antenna Using Split-Ring Resonators | 1460 |
| <i>Ying Huang, Arijit De, Yu Zhang, T. K. Sarkar and Jeffrey Carlo</i> | |
| A Small CRLH-TL Metamaterial Antenna with a Magneto-Dielectric Material..... | 1464 |
| <i>Kyung Duk Jang, Jae Hee Kim, Dong Hyun Lee, Gi Ho Kim, Won Mo Seong and Wee Sang Park</i> | |

| | |
|--|------|
| Broadside Radiation Enhancement Using a Spiral Resonator MNZ Metamaterial Substrate | 1468 |
| <i>P. J. Ferrer, J. Romeu, J. M. González-Arbesú, J. Parrón, F. Capolino, F. Bilotti, L. Vegni, G. Lovat and P. Burghignoli</i> | |
| Characterization of Pulse Radiation by CRLH Leaky-Wave Antennas Using a Time-Domain Green's Function Approach | 1472 |
| <i>J. S. Gómez-Díaz, A. Alvarez-Melcon and C. Caloz</i> | |
| Compact Antenna Integrated Into Flat Plate FSS | 1476 |
| <i>N. Riauka, A. Chauraya and J. C. Vardaxoglou</i> | |
| Dual-Frequency Printed Dipole Loaded with Metamaterial Particles | 1480 |
| <i>Francisco Javier Herraiz-Martínez, Daniel Segovia-Vargas, L. E. García- Muñoz and Vicente González-Posadas</i> | |
| Reducing the Electrical Size of Magnetic Metamaterial Resonators by Geometrical Modifications: A Comparative Study for Single-Sided and Double-Sided Multiple SRR, Spiral and U-Spiral Resonators | 1484 |
| <i>Evren Ekmekci and Gonul Turhan-Sayan</i> | |
| A Novel Planar LHM Radome for Microstrip Antenna | 1488 |
| <i>Kun-Hsien Lin, Yu-Feng Yeh, Ken-Huang Lin, Chun-Yih Wu and Hung-Hsuan Lin</i> | |
| Copy Capture Aided Correlation Interferometer Direction Finding | 1492 |
| <i>Keith A. Struckman</i> | |
| Error Associated with the Direction of Arrival Estimation in the Presence of Material Bodies | 1496 |
| <i>Nuri Yilmazer Arijit De, Santana Burintramart and Tapan K. Sarkar</i> | |
| Antenna's Effects on a MIMO Radar for Angle Estimation: A Cramer-RAO Lower Bound Analysis | 1500 |
| <i>Xuan Hui Wu, Ahmed A. Kishk and Allen W. Glisson</i> | |
| An Improved Two-Antenna Direction of Arrival (DOA) Technique Inspired by Human Ears | 1504 |
| <i>Hao Xin and Jun Ding</i> | |
| A Novel Approach for 2D-DOA Estimation Using Cross-Shaped Arrays | 1508 |
| <i>Walid M. G. Diab and Hassan M. Elkamchouchi</i> | |
| Preliminary Analysis of the Calibration Procedures for a Geodesic Antenna Array (GEODA) | 1512 |
| <i>Miguel A. Salas Natera, Ramón Martínez, Leandro De Haro Ariet</i> | |
| Experiment of Blind Signal Separation of Wireless Mixture Using Complex Valued Fast Independent Component Analysis | 1516 |
| <i>Hidehisa Shiomi, Tatsuuro Yata and Yasuyuki Okamura</i> | |
| Localization of Near-Field Radiating Sources with an Arbitrary Antenna Array | 1520 |
| <i>Mohammed J. Abedin and Ananda S. Mohan</i> | |
| Cylindrical Microstrip Patch Array Modified Neural Multiple Source Tracking Algorithm | 1524 |
| <i>Selcuk Caylar&, Gülbin Duraland Kemal Leblebicioglu</i> | |
| Variable Beamwidth Array for Wireless Communications | 1528 |
| <i>Senglee Foo and Bill Vassilakis</i> | |
| A Low Profile 10:1 (200-2000 MHz) Wide Band Long Slot Array | 1532 |
| <i>J. J. Lee, S. Livingston and D. Nagata</i> | |
| Phased Array Antennas Demonstrator As a Radio Telescope - EMBRACE | 1536 |
| <i>Parbhu D. Patel, Dion W. Kant, Erik V. D. Wal and Arnold Van Ardene</i> | |
| Thinned Concentric Ring Arrays | 1540 |
| <i>Randy L. Haupt</i> | |
| Design of a Slot Array with Perturbation Walls for an Alternating-Phase Fed Single-Layer Waveguide Array | 1544 |
| <i>Yuichi Kimura, Kenta Sayama and Misao Haneishi</i> | |
| An Electronically Scanned Array with Beam Switching Using a Coupled Phase-Locked Loop Array | 1548 |
| <i>Sheng-Hong Yan and Tah-Hsiung Chu</i> | |
| Ultra-Wideband Antenna Array Using Novel Asymmetric Tapered Slot Radiator | 1552 |
| <i>Yuan Yao, Wenhua Chen, Bin Huang, Zhenghe Feng and Yaqin Chen</i> | |
| Electrodynamics of Low-Dimensional Structures: Lattice Dynamics Formalism for Carbon Nanotubes | 1556 |
| <i>Said M. Mikki and Ahmed A. Kishk</i> | |
| Conductive Textiles and Polymer-Ceramic Composites for Novel Load Bearing Antennas | 1560 |
| <i>Y. Bayram, Y. Zhou, J. L. Volakis, B-S. Shim and N. A. Kotov</i> | |
| Thz Characterization of Multi-Walled Carbon Nanotube Paper | 1564 |
| <i>Lu Wang Ziran Wu and Hao Xin</i> | |
| Three-Dimensional Plasmonic Nanoswitch: Extreme Variation of Scattering Properties Upon Rotation | 1568 |
| <i>Andrea Alù and Nader Engheta</i> | |
| Signal-to-Noise Ratio Between Coupled Carbon Nanotube Dipole Antennas | 1572 |
| <i>John D. Rockway, Jeanne T. Rockway and John W. Rockway</i> | |

| | |
|--|-------------|
| Numerical Considerations for the Finite-Difference Time-Domain Modeling of Scattering by Plasmonic Nanocylinders | 1576 |
| <i>Anastasios H. Panaretos and Rodolfo E. Diaz</i> | |
| Detection Technique of Biotin-Streptavidin Binding Using Semiconducting Single Walled Carbon Nanotube Based on Interdigital Capacitors | 1580 |
| <i>Hee-Jo Lee, Hyun-Seok Lee, Kyung-Hwa Yoo and Jong-Gwan Yook</i> | |
| Calculation of Complex Propagation Constants of Surface Plasmon Polariton Rectangular Waveguide by the Method of Lines..... | 1584 |
| <i>Tran Trong Minh, Kazuo Tanaka and Masahiro Tanaka</i> | |
| FDTD Analysis of an Antenna Covered by a Dielectric Woodpile EBG Superstrate..... | 1588 |
| <i>Katherine Lugo, Rodney A. Gomez, Yoonjae Lee, Nader Farahat, Raj Mittra and Yang Hao</i> | |
| EBG Superstrate for Gain and Bandwidth Enhancement of Microstrip Array Antennas | 1592 |
| <i>Hussein Attia and Omar M. Ramahi</i> | |
| Multi-Scale Triangular Patch High Impedance Ground Plane to Improve the Bandwidth of Conformal Bow-Tie Antennas..... | 1596 |
| <i>Bora Cakiroglu, Peter J. Collins, Michael J. Havrilla, Kubilay Sertel and Andrew J. Terzuoli</i> | |
| Improved Bandwidth Conformal Bow-Tie Antennas Printed on Multi-Scale Triangular-Patch High-Impedance Ground Planes | 1600 |
| <i>Murat Dogrul, Peter J. Collins, Michael Saville, Kubilay Sertel and Andrew J. Terzuoli</i> | |
| EBG PIFA Design for WLAN Applications1 | 1604 |
| <i>Qi Luo, Henrique M. Salgado and José R. Pereira</i> | |
| An Investigation of Directive Radiation From Ultra Subwavelength-Thick Planar Antennas with Partially-Reflecting Surfaces | 1608 |
| <i>Giampiero Lovat, Paolo Burghignoli and David R. Jackson</i> | |
| Investigation on the Relation Between Dispersion Diagram and the Radiation Pattern of Low-Profile Antennas ... | 1612 |
| <i>Giacomo Bianconi, Simone Genovesi, Agostino Monorchio and Giuliano Manara</i> | |
| EBG Enhanced Dielectric Lens Antennas for the Imaging At Sub-Mm Waves | 1616 |
| <i>A. Neto, D. Bekers, G. Gerini, J. Baselmans, S. Yates and H. Hoevers</i> | |
| Planar Low Profile and Gain Enhancement of Printed Antennas Using EBG Structures | 1620 |
| <i>Moussa Elayachi, Jean-Marc Ribero and Patrice Brachet</i> | |
| Novel Small Structure for Low Profile Antenna by Analogy with EBG Structure | 1624 |
| <i>Makoto Higaki, Akikoyamada, Kazuhiro Inoue, Shuichi Obayashi, Shuichi Sekine, Hiroki Shoki and Tasuku Morooka</i> | |
| An Electrically Small Coaxial Loop Antenna for HF | 1628 |
| <i>Peter J. Kajenski</i> | |
| Planar Circular Loop Antennas with Self-Biased Magnetic Film Loading | 1632 |
| <i>G. M. Yang, A. Daigle, M. Liu, O. Obi, S. Stout, K. Naishadham and N. X. Sun</i> | |
| Miniaturized Multi-Element Monopole Antenna | 1636 |
| <i>Wonbin Hong and Kamal Sarabandi</i> | |
| A New CPW-Feed Miniaturized Dual-Band Monopole Antenna Using Spiral Matching Resonators | 1640 |
| <i>A. Djaiz, M. Nedil, M. A. Habib, L. Talbi and T. A. Denidn</i> | |
| Designing of a Simple Tap Structure for Low Profile Small Normal Mode Helical Antenna | 1644 |
| <i>Wongook Hong, Yoshihide Yamada and Naobumi Michishita</i> | |
| Antenna Minimization with Active and Passive Matching Circuits..... | 1648 |
| <i>Stavros Koulouridis, Matilda Livadaru and J. L. Volakis</i> | |
| A Compact Antenna with Two Independently Tunable Frequency Bands..... | 1652 |
| <i>Yuliang Zheng, Andre Giere and Rolf Jakoby</i> | |
| Design of a Novel Triple-Band Antenna with Spiral Ring Shaped Parasitic Patches for T-DMB (Band-III) / DVB-H / DAB (L-Band) Applications..... | 1656 |
| <i>Dongmin Shin, Giho Kim, Wonmo Seong, Seunggil Jeon, Jeongpyo Kim and Jaehoon Choi</i> | |
| Electrically Small Loop Antenna Using the MNG Ground Plane Structure..... | 1660 |
| <i>Joong-Kwan Kim, Yong-Jin Kim and Hong-Min Lee</i> | |
| Investigation on the Phase Centre of Ultra Wideband Circular Monopole Antennas | 1664 |
| <i>Abdelhalim Mohamed and Lotfollah Shafai</i> | |
| Performance of Ultra-Wide Bandwidth (UWB) Pentagon Shape Microstrip Slot Antenna for Wireless Communications..... | 1668 |
| <i>Sunil K. Rajgopal and Satish K. Sharma</i> | |
| Design of a New Ultra Wideband Antenna with Band Rejection in WLAN Frequencies..... | 1672 |
| <i>Ali Bostani and Tayeb A. Denidni</i> | |

| | |
|--|------|
| ESTI Specification Simplifies Wimax Base Station Antenna Selection | 1676 |
| <i>J. R. Sanford,</i> | |
| Integrated Bluetooth and UWB Antenna | 1680 |
| <i>Bahadir Yildirim, Alper Genc and Bedri A. Cetiner</i> | |
| Inverted-FL Antenna with Self-Complementary Structure | 1684 |
| <i>Nobuyasu Takemura, Akihiro Maruyama and Minoru Hasegawa</i> | |
| Design of a Compact Band-Notched Antenna for Ultrawideband Communication | 1688 |
| <i>Nuurul Huda M. Sobli and Hany E. Abd-El-Raouf</i> | |
| A Novel Wideband Antenna for UMTS and WLAN Bands: Employing a Zshaped Slot and a Folded T-Shaped Ground Branch to Widen Bandwidth | 1692 |
| <i>Xuan Zheng and Zhengwei Du</i> | |
| Planar Uwb Antenna Array for Multifunctional Wireless Communication System | 1696 |
| <i>Bin Huang, Yuan Yao and Zhenghe Feng</i> | |
| Textile Antennas: Effect of Antenna Bending on Radiation Pattern and Efficiency | 1700 |
| <i>Pekka Salonen Mikko Keskilammi and Yahya Rahmat-Samii</i> | |
| Performance Analysis of Wearable Microstrip Antennas with Low-Conductivity Materials | 1704 |
| <i>Erdem Yilmaz, Dayalan P. Kasilingam and Branislav M. Notaros</i> | |
| Wearable UHF Antenna for Squad Area Networks (SAN) | 1708 |
| <i>D. Psychoudakis, C-C Chen and J. L. Volakis</i> | |
| Wide Band Wearable Antenna for DTV Reception | 1712 |
| <i>Kota Furuya, Yusuke Taira and Hisao Iwasaki</i> | |
| Design and Development of Compact Conformal RFID Antennas Utilizing Novel Flexible Magnetic Composite Materials for Wearable RF and Biomedical Applications | 1716 |
| <i>L. Yang, L. Martin, D. Staiculescu, C. P. Wong and M. M. Tentzeris</i> | |
| Dual-Polarization and Dual-Pattern Planar Antenna for Diversity in Body-Centric Communications | 1720 |
| <i>A. A. Serra, I. Khan, P. Nepa, G. Manara and P. S. Hall</i> | |
| Compact Low-Profile Patch Antenna for Medical Body area Networks at 868 MHz | 1724 |
| <i>Anupam R. Chandran, Gareth A. Conway and William G. Scanlon</i> | |
| Parametric Analysis of the Transverse Bilateral Helical Antenna | 1728 |
| <i>Mark Kenkel and Thomas Wong</i> | |
| Electromagnetic Scattering From Homogeneous Dielectric Bodies Using the Finite Difference Delay Modeling Method | 1732 |
| <i>Xiaobo Wang and Daniel S. Weile</i> | |
| Determination of the Uncertainty on the Specific Absorption Rate Using the Stochastic Collocation Method and the FDTD. | 1736 |
| <i>J. Silly-Carette, D. Lautru, A. Gati, M-F. Wong, J. Wiart and V. Fouad Hanna</i> | |
| An Optimized AFP Scheme for the Total/Scattered Field FDTD Formulation | 1740 |
| <i>Tengmeng Tan and Mike E. Potter</i> | |
| The Spectral Order of Accuracy: A Uni Ed Tool for Designing Excitation{Adaptive Wave Equation FDTD Schemes | 1744 |
| <i>B. Finkelstein and R. Kastner</i> | |
| Data Format Selection for an I/O-Intensive Large-Scale FDTD | 1748 |
| <i>Maksims Abal, Enkovs, Fumie Costen, Craig Lucas and Anthony Brown</i> | |
| Influence of the Shape of the Computational Domain on the Simulation Results in the FDTD | 1752 |
| <i>Wenhua Yu, Xiaoling Yang, Yongjun Liu, Raj Mittra, Yongquan Lu, Pai Wang, Qing Che and Rui Lu</i> | |
| Domain Decomposition Finite-Difference Time Domain Considering Multiple Reflections | 1756 |
| <i>Hany E. Abd-El-Raouf</i> | |
| Application of Analytical Expressions of Transient Potentials to the MOT Solution of Integral Equations | 1760 |
| <i>H. Arda Ülkü and A. Arif Ergin</i> | |
| Sinusoidal Plane Wave Excitation Method without Solving 1D FDTD in 2D ID-FDTD Scheme | 1764 |
| <i>Hyun Kim, Il-Suek Koh and Jong-Gwan Yook</i> | |
| Modular Broadband Planar Arrays Based on Generalized Peano-Gosper Curves | 1768 |
| <i>T. G. Spence and D. H. Werner</i> | |
| Multiobjective Optimization in the Design of Broadband Arrays Based on Aperiodic Tilings | 1772 |
| <i>T. G. Spence and D. H. Werner</i> | |
| Amplitude Only Compensation for Failed Antenna Array Using Particle Swarm Optimization | 1776 |
| <i>T. Panigrahi, A. Patnaik, S. N. Sinha and C. G. Christodoulou</i> | |
| Optimization of the End-Fire Beam Pattern of Two-Dimensional Dipole Array | 1780 |
| <i>Weixin Zhao, Arijit De, Yu Zhang, Xiaomin Lin and Tapan K Sarkar</i> | |

| | |
|---|------|
| Optimization of Antenna Beam Transmission Efficiency | 1784 |
| <i>Vahraz Jamnejad and Ahmad Hoorfar</i> | |
| Synthesis of Wideband Imaging Beamformers Using Evolutionary Programming | 1788 |
| <i>Ahmad Hoorfar, Fauzia Ahmad and Christopher Thajudeen</i> | |
| The Doughnut Lens | 1792 |
| <i>J. R. Sanford and Bill Comisky</i> | |
| Size Reduction of Dielectric-Loaded Horn Antennas Combining a Body-of- Revolution (BOR) - FDTD Solver and a Genetic Algorithm (GA) | 1796 |
| <i>A. Rolland, R. Sauleau and M. Drissi</i> | |
| Synthesizing Layered Dielectric Cylindrical Lens Antennas | 1800 |
| <i>Tin Komljenovic, Ronan Sauleau and Zvonimir Sipus</i> | |
| Optimization of a Luneberg Lens Antenna Using the Differential Evolution Algorithm | 1804 |
| <i>Minghai Zhong, Shiwen Yang and Zaiping Nie</i> | |
| Finite Measurement Distance Effects on the Broadside Symmetric Leaky Wave Antenna | 1808 |
| <i>Adrian Sutinjo, Michal Okoniewski and Ronald Johnston</i> | |
| Improved Methodology to Compare Diversity Performance of Several Multi-Antennas Systems | 1812 |
| <i>Emmanuel Dreina, Michel Pons, Tan-Phu Vuong and Smail Tedjini</i> | |
| Statistical Characterization of the Antenna and Wireless Multipath Virtual Channel Interaction | 1816 |
| <i>Eddy Luis Molina Morales, Leandro De Haro Ariet and Alejandro Milanés Arce</i> | |
| Evaluation of Wheeler Cap Antenna Efficiency Measurement Methods Using Numerical EM Simulation Data | 1820 |
| <i>Ronald H. Johnston</i> | |
| Novel Onboard Satellite Antenna Pattern Measurement Method --Antenna Pattern Measurement Results of Japanese Engineering Test Satellite VIII-- | 1824 |
| <i>Yoshinori Suzuki, Yutaka Imaizumi and Kohei Ohata</i> | |
| Measurement and Analysis of Satellite Digital Audio Signals in Rayleigh Fading Scenarios | 1828 |
| <i>D. J. M'Uller, L. M. Reiter, D. E. Barié and S. M. Lindenmeier</i> | |
| Interpolation of Perimeter Wireless Channel Measurements Into the Measurement Region | 1832 |
| <i>Ryan J. Pirkel and Gregory D. Durgin</i> | |
| Wlan Mimo Throughput Test in Reverberation Chamber | 1836 |
| <i>Natalia Olano, Charlie Orlenius &, Katsunori Ishimiya and Zhinong Ying</i> | |
| A Wireless Sensing Technique Using Passive Microwave Resonators | 1840 |
| <i>Xinhua Ren and Xun Gong</i> | |
| An Efficient Wireless IPTV Analysis for Heterogeneous Networks Operating at Both 802.11B and 802.11G Standards | 1844 |
| <i>Gildevane A. Ferreira, Edizon E. Basseto Junior, Maurício Silveira and Omar C. Branquinho</i> | |
| Demonstration of a Distributed Digital Phased Array with Wireless Beamforming1 | 1848 |
| <i>D. Jenn, M. Grahn, J. S. Gomez-Noris, R. Broadston, P. Djerf and I. Tornazakis</i> | |
| Beam Forming Algorithm for Rapid Array Collimation | 1852 |
| <i>Jake Alaburda and Kathleen D. Fasenfest</i> | |
| Robust Symmetrical Number System Direction Finding Arrays with Virtual Spacing | 1856 |
| <i>K. W. Kwai, P. E. Pace, D. C. Jenn and J. C. Chen</i> | |
| An Electronically Scanning Array with Closely-Spaced Antenna Elements | 1860 |
| <i>Lap K. Yeung and Yuanxun E. Wang</i> | |
| Demonstration of a Low Cost High Resolution Rns Digital Direction Finding Array | 1864 |
| <i>A. Lee, D. C. Jenn and P. E. Pace</i> | |
| S-Separability of the Far-Field Beam-Pattern of an Arbitrary Excitation- Function Over an Elliptical-Rim Aperture | 1868 |
| <i>Ping Kwan TAM and Kainam Thomas Wong</i> | |
| Collimation and Focusing of Wave Beams with Metal-Plate Lens Antennas Analyzed Using Nystrom-Type MDS Algorithm | 1872 |
| <i>Andrey A. Nosich, Yuriy V. Gandel, Akira Matsushima and Ronan Sauleau</i> | |
| New Planar Antenna Designs Using Surface-Wave Launchers for Controlled Leaky-Wave Beam Steering | 1876 |
| <i>Symon K. Podilchak, Al P. Freundorfer and Yahia M. M. Antar,</i> | |
| Experimental Verification of Sub-Wavelength Focusing Via a Holographic Metallic Screen | 1880 |
| <i>Alex M. H. Wong and George V. Eleftheriades</i> | |
| Application of the Multilevel Fast Multipole Method to the Analysis of Holographic Antennas | 1884 |
| <i>Felipe Cátedra, Ivan González, Abdelhamid Tayebi</i> | |
| Leaky-Wave Slot Array Antenna Fed by a Dual Reflector System | 1888 |
| <i>M. Ettorre, A. Neto, G. Gerini and S. Maci</i> | |

| | |
|--|-------------|
| A Design Method for Curvilinear Strip Grating Holographic Antennas | 1892 |
| <i>F. Caminita, M. Nannetti and S. Maci</i> | |
| Analysis of 3D Unidirectional Magnetic Photonic Crystals | 1896 |
| <i>Christopher Kung and Robert Lee</i> | |
| On the Study of Left Handed CPW Transformer on Ferrite Substrate | 1900 |
| <i>Mahmoud A Abdalla and Zhirun Hu</i> | |
| Versatile Analysis Method for Laterally-Shielded Planar Technology Leaky- Wave Antennas | 1904 |
| <i>Marta Padilla and Yiannis C. Vardaxoglou</i> | |
| Analytical Expression of the Electromagnetic Field Inside the Cylindrical Metamaterial Cloak | |
| Excited by Plane Wave | 1908 |
| <i>Qun Wu, Kuang Zhang, Fanyi Meng and Le-Wei Li</i> | |
| Investigation of Radiation Effects for 1-D Left-Handed Transmission Lines | 1912 |
| <i>Changho Choi, Kyesuk Jun and Bomson Lee</i> | |
| Techniques for Determining the Relative Weights of Spatial Harmonics Induced in Truncated Periodic Structures Such As Metamaterials..... | 1916 |
| <i>Rodney Gomez, Katherine Lugo, Nader Farahat, Raj Mittra and Lakshmy Iyer</i> | |
| A New Interpretation of Metamaterial Behavior in Terms of Coupling Between Resonant Inclusions | 1920 |
| <i>E. Semouchkina and R. Mittra</i> | |
| Magnetic Response in Non-Magneticmaterials and Coupled Dipole Interactions..... | 1924 |
| <i>Mark S. Wheeler, J. Stewart Aitchison Andmohammadmojahedi</i> | |
| Comparison of Blockage Widths of Ideally Hard Cylinders of Different Cross- Sectional Shapes | 1928 |
| <i>J. M. Fernández, E. Rajo-Iglesias, P. -S. Kildal, P. Jacobsson, T. Rylander and M. Sierra-Castañer</i> | |
| Four Co-Located Antennas for MIMO Systems with a Low Mutual Coupling Using Mode Con Nement | 1932 |
| <i>J. Sarrazin, Y. Mah E, S. Avrillon and S. Toutain</i> | |
| Signal Enhancement in a Near-Field MIMO Environment Through Adaptivity on Transmit and Polarization Diversity..... | 1936 |
| <i>Tapan K. Sarkar, Eric Mokote and Magdalena Salazar-Palma</i> | |
| Using MIMO Approach to Get Out of Many Iterations in Analog Adaptive Beamforming | 1938 |
| <i>Naoki Honma, Kentaro Nishimori, Riichi Kudo, Yasushi Takatori and Kazuyasu Okada</i> | |
| Port Balance, Efficiency and Correlation Impact Evaluation for MIMO Compact Multiantenna Systems | 1942 |
| <i>R. Serrano, S. Capdevila, D. Nyberg, J. Romeu and L. Jofre</i> | |
| Analysis and Optimization of Multi-Port Antennas by Using Circuit Simulation and Embedded Element Patterns From Full-Wave Simulation..... | 1946 |
| <i>J. Carlsson and K. Karlsson</i> | |
| Measurement of MIMO Performance of Modulated Scattering Array Antennas for Mobile Handsets..... | 1950 |
| <i>Qiang Chen, Linwang, Takanori Iwaki, Yu Kakinuma, Qiaowei Yuan and Kunio Sawaya</i> | |
| Energy and Information in Antenna Synthesis | 1954 |
| <i>Marco D. Migliore</i> | |
| The Relation of TARC-Based Radiation Efficiency and Port Termination for Multiple Antenna Systems | 1958 |
| <i>Po-Chuan Hsieh and Fu-Chiang Chen</i> | |
| A Compact Millimeter-Wave Horn Antenna Array Fabricated Through Layer-By-Layer Stereolithography | 1962 |
| <i>Lora Schulwitz and Amir Mortazawi</i> | |
| A Reactively Controlled Array Over Ground Plane for Hemispherical Coverage..... | 1966 |
| <i>David F. Kelley</i> | |
| A 4×16-Element Ku-Band Dual-Polarized Patch Antenna Array for Space SAR Imaging: Design, Diagnosis and Measurement | 1970 |
| <i>Nanbo Jin and Yahya Rahmat-Samii</i> | |
| Design Validation of Prototype Ultra-Wideband Linear Polyfractal Antenna Arrays | 1974 |
| <i>M. D. Gregory, J. S. Petko and D. H. Werner</i> | |
| An LTCC 94 GHz Antenna Array | 1978 |
| <i>Jerry Aguirre, Hsueh-Yuan Pao, Hung-Sheng Lin, Paul Garland, David O'Neill and Kevin Horton</i> | |
| Frequency Diverse Array with Beam Scanning Feature..... | 1982 |
| <i>Jingjing Huang, Kin-Fai Tong and C. J. Baker</i> | |
| Slot Array Antennas for the Juno Radiometer Application | 1986 |
| <i>Sembiam R. Rengarajan Mark S. Zawadzki and Richard E. Hodges</i> | |
| Linearly Polarized Planar Antenna Array with Large Scan Angle for Automotive Satellite TV Reception | 1990 |
| <i>Reza Azadegan</i> | |
| Two Element Planar Dipole Array Antenna for Wireless LAN | 1994 |
| <i>Mitsuo Taguchi, Daisuke Iwanaka and Tetsuya Yamashita</i> | |

| | |
|--|------|
| Liquid Crystal Based Electronically Steerable 4×4 Antenna Array with Single Horn Feed At KA-Band | 1998 |
| <i>Stefan Mueller, Markus Koeberle, Alexander Moessinger, Felix Goelden, Alexander Gaebler and Rolf Jakoby</i> | |
| Application of the Tree-Cotree Splitting for Improving Matrix Conditioning in the Full-Wave Finite-Element Analysis of High-Speed Circuits | 2002 |
| <i>Shih-Hao Lee and Jian-Ming Jin</i> | |
| Acceleration of Periodic FEBI Simulations for General BI-Anisotropic Media Using a Model-Based Parameter Estimation Technique | 2006 |
| <i>Xiande Wang, Douglas H. Werner and Do-Hoon Kwon</i> | |
| A Combined Domain Decomposition - Model Order Reduction Technique for Fast Finite Element Parametric Sweeps | 2010 |
| <i>S. Selleri, O. Farle, G. Guarnieri, M. Lösch, G. Pelosi and R. Dyczij-Edlinger</i> | |
| A Discontinuous Galerkin Finite Element Time Domain Method with PML | 2014 |
| <i>Stephen D. Gedney, Chong Luo, J. Alan Roden, Robert D. Crawford, Bryan Guernsey, Jeffrey A. Müller and Eric W. Lucas</i> | |
| Assessment of Spectral Basis Functions in BEM/FEM/GSM Domain Decomposition Methods for Scattering and Radiation Applications | 2018 |
| <i>André Barka</i> | |
| A New Hybrid Finite Element Method for Thin Material Structures | 2022 |
| <i>D. Wulf and R. Bunger</i> | |
| The FETI-DPEM Method for the Parallel Solution of 3D EM Problems | 2026 |
| <i>Yu-Jia Li and Jian-Ming Jin</i> | |
| A Linear-Time Eigenvalue Solver for Finite-Element-Based Analysis of Large-Scale Wave Propagation Problems in On-Chip Interconnect Structures | 2030 |
| <i>Jongwon Lee, Venkataramanan Balakrishnan, Cheng-Kok Koh and Dan Jiao</i> | |
| Efficient Finite-Element Solution for the Problem of Scattering From Multiple Cavities | 2034 |
| <i>Babak Alavikia and Omar M. Ramahi</i> | |
| Hybrid Physical Field Simulation: Transient Electro-Thermo-Mechanical Responses of Interwafer Interconnects Under the Impact of an EMP | 2038 |
| <i>Fan-Zhi Kong, Wen-Yan Yin, Jun-Fa Mao and Qing Huo Liu</i> | |
| Fast Methods for the Evaluation of the Diffusion Kernel with Potential Extensions to the Dissipative Kernel | 2042 |
| <i>A. D. Baczewski, M. R. Vikram, B. Shanker and L. C. Kempel</i> | |
| Adaptive Integral Method with Fast Gaussian Gridding | 2046 |
| <i>Onur Bakir, Hakan Bagci and Eric Michielssen</i> | |
| Interpolation of High Frequency Data by Using Matrix Pencil and Greens's Function | 2050 |
| <i>Jie Yang, Mary C. Taylor, Yu Zhang and Tapan K. Sarkar</i> | |
| Efficient Fill of a Nested Representation of the EFIE At Low Frequencies | 2054 |
| <i>Jin Cheng, S. A. Maloney, R. J. Adams and F. X. Canning</i> | |
| An H-Matrix-Based Method for Reducing the Complexity of Integral-Equation- Based Solutions of Electromagnetic Problems | 2058 |
| <i>Wenwen Chai and Dan Jiao</i> | |
| New Efficient Acceleration Technique for the Calculation of the Green's Functions in Rectangular Waveguides | 2062 |
| <i>F. J. Pérez Soler, J. S. Gómez Díaz, F. D. Quesada Pereira and A. Álvarez Melcón</i> | |
| Hierarchical Scheme for the Application of the Characteristic Basis Function Method Based on a Multilevel Approach | 2066 |
| <i>Carlos Delgado, Eliseo García, Felipe Cátedra and Raj Mittra</i> | |
| Multilevel Compression of the Plane Wave Transform Using Local Directional Sources and Equivalence Box | 2070 |
| <i>Zhiyong Zeng, Robert J. Adams and Francis X. Canning</i> | |
| Efficient Approach for the Analysis of Large Antennas by Using Windowed Macro-Basis Functions | 2074 |
| <i>Carlos Degado, Eliseo García and Felipe Cátedra</i> | |
| Characteristic Basis Function Method (CBFM) for Analyzing EM Scattering by Large Conducting Structures with Apertures | 2078 |
| <i>Gianluigi Tiberi, Eugenio Lucente, Raj Mittra and Agostino Monorchio</i> | |
| Evaluation of Time Domain Green's Functions for Layered Medium Using FAM and NMSP Methods | 2082 |
| <i>Boping Wu and Leung Tsang</i> | |
| An Aperture-Coupled Circularly Polarized Stacked Microstrip Antenna for GPS Frequency Bands L1, L2, and L5 | 2086 |
| <i>Ehsan Gharib Doust, Michel Clénet, Varahram Hemmati and Jim Wight</i> | |

| | |
|--|------|
| Multi-Frequency Highly Directive Fabry-Perot Based Antenna | 2090 |
| <i>Filippo Costa, Elisa Carrubba, Agostino Monorchio and Giuliano Manara</i> | |
| Trap-Loaded Pyramidal Tri-Band Antenna for Satellite Applications | 2094 |
| <i>Sami Hebib, Hervé Aubert, Olivier Pascal, Nelson J. G. Fonseca, Lionel Ries and Jean-Marc E. Lopez</i> | |
| Rim-Shaped Multi-Frequency Band Slot-Strip Antenna | 2098 |
| <i>Qinjiang Rao, Geyi Wen and Dong Wang</i> | |
| Multi-Band Patch Antenna Tuning by a Fractal-Shaped Erosion Process | 2102 |
| <i>P. Rocca, R. Azaro, M. Benedetti, F. Viani, E. Zeni and A. Massa</i> | |
| Design of a Wimax T-Type Monopole Antenna with Asymmetrical Ground Plane | 2106 |
| <i>Kai-Cheng Yang, Wen-Shan Chen and Yen-Hao Yu</i> | |
| Multi-Band Triangle Folded Antenna Design in Mobile Phone | 2110 |
| <i>Chia-Lun Tang</i> | |
| Single-Layer U-Slot Rectangular MSA for Multiband Operation | 2114 |
| <i>Carlota Salamat, Ridho Chayono, Misao Haneishi and Yuichi Kimura</i> | |
| Two-Stage Fractal Parany Antenna with Triangular Complements | 2118 |
| <i>R. Barroso, D. Marcano and M. Diaz.</i> | |
| MIMO Link-Level Simulations for an Urban Microcell Environment by an EM-Based Model | 2122 |
| <i>S. Ali, F. Kohandani, S. Qu and W. Geyi</i> | |
| Idle CPU Resource Farming for Electromagnetic Simulation and Optimization with Applications in FSS and Antenna Design | 2126 |
| <i>Matthew D. Valerio and John L. Volakis</i> | |
| A Modified Printed Inverted-F Antenna for Mobile Communications | 2130 |
| <i>A. Sulima, K. S. Han, V. Rakytyanskyy and J. W. Kim</i> | |
| A Dual-Band GPS/BT Antenna with Low Coupling to a Cellular Antenna for Mobile Phones | 2134 |
| <i>Faton Tefiku</i> | |
| Small-Size Multiband Folded Loop Antenna for Small-Size Mobile Phone | 2138 |
| <i>Yun-Wen Chi and Kin-Lu Wong</i> | |
| Ultra-Wideband PIFA with a Capacitive Feed for Penta-Band Operation in the Folder-Type Mobile Phone | 2142 |
| <i>Chih-Hsien Wu and Kin-Lu Wong</i> | |
| Small-Size Internal Dual-Band Metal-Strip Antenna for 2.4/5 GHz WLAN Operation in the Laptop Computer | 2146 |
| <i>Liang-Che Chou, Kin-Lu Wong and Cheng-Hao Kuo</i> | |
| Printed Penta-Band Monopole Slot Antenna for Application in the Folder-Type Mobile Phone | 2150 |
| <i>Chun-I Lin and Kin-Lu Wong</i> | |
| A Broadband Folded Monopole Antenna for the Handheld Device | 2154 |
| <i>Shirook M. Ali and Houssam Kanj</i> | |
| Improvements of Impedance and Radiation Performances with a Parasitic Element for Mobile Phone | 2158 |
| <i>Koichi SATO and Takashi Amano</i> | |
| Single-Feed Planar Antenna for Electric and Magnetic Fields Reception | 2162 |
| <i>Herman Hideyuki Uchida, Hiroyasu Matsui and Toshio Wakabayashi</i> | |
| A Novel Wideband Printed Diversity Antenna for Mobile Phone Application | 2166 |
| <i>Zhengyi Li, Zhengwei Du and Ke Gong</i> | |
| Investigation on Mutual Coupling Level in Dra Subarrays for Ku-Band Active Integrated Antennas | 2170 |
| <i>Anda R. Guraliuc, Leonardo Lucci, Giuliano Manara, Paolo Nepa, Giuseppe Pelosi and Stefano Selleri</i> | |
| Compact Internal Antenna Using a Ferrite Material for DVB-H Reception in Mobile Phones | 2174 |
| <i>Byeongkwan Kim, Hanphil Rhyu, In-Young Lee, Joonho Byun and Byungje Lee</i> | |
| Internal DTV Antenna on Multilayered Ferrite Substrate for Mobile Phone Applications | 2178 |
| <i>Chang-Hyun Park, Hanphil Rhyu, Sung-Hyun Kim, Changwon Jung and Byungje Lee</i> | |
| A 60-GHz Millimeter-Wave CMOS RFIC-On-Chip Meander-Line Planar Inverted-F Antenna for WPAN Applications | 2182 |
| <i>P. -J. Guo and H. -R. Chuang</i> | |
| On-Chip Micro-Meander-Antennas for Silicon LSI Wireless Interconnects | 2186 |
| <i>W. Moriyama, S. Kubota, K. Kimoto, N. Sasaki and T. Kikkawa</i> | |
| Estimation of Corner Diffracted Currents Using Matrix Pencil Method | 2190 |
| <i>Alper K. Ozturk and Robert Paknys</i> | |
| ITD Formulation for the High-Frequency Scattering by Moderately Sized Elliptic Cylinders | 2194 |
| <i>Alberto Toccafondi, Cristian Della Giovampaola, Matteo Albani and Danilo Erricolo</i> | |
| High-Frequency Asymptotic Analysis of Scattered Field for a Cylindrically Curved Conducting Open Surface by Using the Aperture Field Method | 2198 |
| <i>Keiji Goto, Toru Kawano and Toyohiko Ishihara</i> | |

| | |
|--|------|
| Hidden Rays for H-Polarized Diffraction by a Composite Wedge | 2202 |
| <i>Se-Yun Kim</i> | |
| PO-Surface to MER-Line Integral Reduction -Local Error Criteria in Terms of Fresnel Region Indices- | 2206 |
| <i>L. Rodriguez, Y. Katakai, M. Oishi and M. Ando</i> | |
| Fast Ray-Tracing for Computing N-Bounces Between Curved Surfaces | 2210 |
| <i>Felipe Cátedra, Lorena Lozano and Ivan Gonzalez</i> | |
| A Uniform Evaluation of the PO Integral for 2D Cylinders with Arbitrary Contour | 2214 |
| <i>Felipe Vico Bondía, Miguel Ferrando Bataller, Vicent Miquel Rodrigo Peñarrocha and Esperanza Alfonso Alós</i> | |
| New Version of Fasant Code | 2218 |
| <i>Iván González, Lorena Lozano, Santiago Cejudo, Francisco Saez De Adana and Felipe Cátedra</i> | |
| The UTD Analysis to EM Scattering by Arbitrarily Convex Objects Using Ray Tracing of Creeping Waves on Numerical Meshes | 2222 |
| <i>Y. C. Ruan, X. Y. Zhou, Jessie Yao Chin, T. J. Cui, Y. B. Tao and H. Lin</i> | |
| Curvature Interpolation of Facetted Surfaces for High-Frequency RCS Simulations | 2226 |
| <i>Frank Weinmann</i> | |
| 10-Gbit/S Wireless Link Systems Using the 120-GHz Band | 2230 |
| <i>Naoya Kukutsu, Akihiko Hirata, Toshihiko Kosugi, Hiroyuki Takahashi, Ryoichi Yamaguchi, Tadao Nagatsuma and Yuichi Kado</i> | |
| Antennas for Future Very-High Throughput Wireless Lans | 2234 |
| <i>Trevor S. Bird, Andrew R. Weily and Stephen M. Hanham</i> | |
| Low-Cost Omnidirectional Planar Antennas for the 122 GHz ISM Frequency Band | 2238 |
| <i>Martin Jacob, Pablo Herrero and Joerg Schoebel</i> | |
| Directive Millimetrewave Antennas Using Freeformed Ceramic Metamaterials in Planar and Cylindrical Forms | 2242 |
| <i>Yoonjae Lee, Xuesong Lu, Yang Hao, Shoufeng Yang, Julian R. G. Evans and Clive G. Parini</i> | |
| Indoor Channel Measurements of Point-to-Point Ultra Broadband Short Range Links Between 75 GHz and 110 GHz | 2246 |
| <i>R. Piesiewicz R. Geise, M. Jacob J. Jemai and T. Kürner</i> | |
| Analog Implementation of High Resolution DFT in RF Domain, Utilizing a Special Multilayer Realization of Rotman Lens | 2250 |
| <i>Mahdieh B. Shemirani and Farshid Aryanfar</i> | |
| Ultra -Small Cubic Folded Strip Antenna for Handset Devices | 2254 |
| <i>Qinjiang Rao and Geyi Wen</i> | |
| Theoretical Bounds on the Directivity and Bandwidth of Electrically Small and Wideband Antennas | 2258 |
| <i>Christian Sohl and Mats Gustafsson</i> | |
| Planar Small Radiator for Short Range Applications | 2262 |
| <i>Yuri Tikhov, Kuang Woo Nam and Young-Hoon Min</i> | |
| A Compact Antenna for Server Node of Wireless Sensor Network | 2266 |
| <i>Kittisak Phaebua, Chuwong Phongcharoenpanich, Danai Torrungrueng and Jatuporn Chinrungrueng</i> | |
| Two-Rectangular-Printed-Spiral Antenna with U-Strip | 2270 |
| <i>Kittisak Phaebua, Chuwong Phongcharoenpanich, Danai Torrungrueng and Jatuporn Chinrungrueng</i> | |
| Design of Efficient Electrically Small Dual Band Monopole Antenna Using Negative Permittivity Metamaterial Structures | 2274 |
| <i>Jung-Han Kim, Ho-Yong Kim and Hong-Min Lee</i> | |
| Reconfigurable Antenna Implementation in Multi-Radio Platform | 2278 |
| <i>Helen K. Pan, James Tsai, Jorge Martinez, Stuart Golden, Vijay K. Nair and Jennifer T. Bernhard</i> | |
| A Multiband/Scalable Reconfigurable Antenna for Cognitive Radio Base Stations | 2282 |
| <i>T. Wu, R. L. Li, S. Y. Eom, K. Lim, S. I. Jeon, J. Laskar and M. M. Tentzeris</i> | |
| Time-Varying Matching for Receiving Wideband Pulse Through Electrically Small Antennas | 2286 |
| <i>Xin Wang, Linda P. B. Katehi and Dimitrios Peroulis</i> | |
| Reconfigurable Stacked Patch Antenna with Beamsteering Capabilities | 2290 |
| <i>J. E. Ruyle, Chang Won Jung and J. T. Bernhard</i> | |
| Design of Self-Biased, Wideband Microstrip Circulators for Integrated Antenna Systems | 2294 |
| <i>Benton K. O'Neil and Jeffrey L. Young</i> | |
| An Optically Reconfigurable Dual-Band Branch-Line Coupler with Artificial Transmission Lines | 2298 |
| <i>D. Draskovic and D. Budimir</i> | |
| Modeling Time-Variant Multipath Characteristics for MIMO Channels | 2302 |
| <i>Chan Chen and Michael A. Jensen</i> | |

| | |
|--|------|
| MIMO Correlation Matrices in a Microcell Scenario for Link-Layer Simulations | 2306 |
| <i>Farzaneh Kohandani, Shirook Ali, Shouxing Qu and Jim Womack</i> | |
| Macrocell MIMO System Analysis Using Electromagnetic-Based and Measurement-Based Models | 2310 |
| <i>Shirook Ali, Farzaneh Kohandani and Wen Geyi</i> | |
| Combination of Adaptive Modulation and Power Management for the Performance Enhancement of MIMO-OFDM Systems | 2314 |
| <i>Sheng Hong, Hanzhong Chunyu, Kefei Liu and Manos Tentzeris</i> | |
| System Level Analysis of Noise and Interference Analysis for a MIMO System | 2318 |
| <i>Peruvemba R. Sai A and Dr. Cynthia Furse</i> | |
| Alternating Radiation Patterns in Patch Antennas Based MIMO Terminals | 2322 |
| <i>Eva Rajo-Iglesias, Oscar Quevedo-Teruel, Matilde Sánchez-Fernández and M. Luz Pablo-González</i> | |
| Handset 4-Port MIMO Antenna Using Slit Separated PIFA and Quarterwave-Slot Antenna Pair | 2326 |
| <i>Jie-Bang Yan, Chi-Yuk Chiu and Ross D. Murch</i> | |
| Dual-Band Antenna Cube for MIMO Applications | 2330 |
| <i>Chi-Yuk Chiu and Ross D. Murch</i> | |
| Channel Capacity Enhancement by Polarization and Pattern of Access Point Antenna in Indoor MIMO Systems | 2334 |
| <i>Daisuke Uchida, Taihei Michihata, Hiroyuki Arai, Yuki Inoue and Keizo Cho</i> | |
| A Conformal Tri-Polarization Antenna | 2338 |
| <i>Hua Zhong, Wenhua Chen, Zhijun Zhang, Zhenghe Feng and Magdy Iskander</i> | |
| Arbitrarily Oriented Biaxial Media Branch Point Singularities Pertinent to the Solution of Integral Equations Via Method of Moments | 2342 |
| <i>Gregory F. Pettis and Jay K. Lee</i> | |
| A Generalized Solution Scheme for Integral Equations | 2346 |
| <i>N. V. Nair and B. Shanker</i> | |
| Nullspace of the Static MFIE Operator and its Effect on the Numerical Solution of BIE's | 2350 |
| <i>Kristof Cools, Francesco P. Andriulli, Femke Olyslager and Eric Michielssen</i> | |
| An Implementation of the Impedance-Boundary Combined Field Integral Equation Moment Method for Arbitrarily Shaped Objects | 2354 |
| <i>James C. West</i> | |
| An Augmented Electric Field Integral Equation for Low Frequency Electromagnetic Analysis | 2358 |
| <i>Zhi Guo Qian and Weng Cho Chew</i> | |
| Evaluating the Gradient of the Thin Wire Kernel | 2362 |
| <i>Donald R. Wilton and Nathan J. Champagne</i> | |
| Numerical Computation of New Electric Field Integral Equation for 3-Dimensional Waveguide | 2366 |
| <i>Masahiro Tanaka and Kazuo Tanaka</i> | |
| Application of Equivalence Principle Domain-Decomposition Method to Electromagnetic Scattering by Complex Bodies-of-Revolution | 2370 |
| <i>Andrzej A. Kucharski</i> | |
| Integrating the Gradient of the Thin Wire Kernel | 2374 |
| <i>Nathan J. Champagne and Donald R. Wilton</i> | |
| On the Rayleigh-Ritz Scheme of 3D MFIE and its Normal Solution | 2378 |
| <i>Su Yan and Zaiping Nie</i> | |
| Numerical Analysis of Rectangular Pulse Propagation in Dispersive Materials | 2382 |
| <i>Takuji ARIMA and Toru UNO</i> | |
| Analysis of Arrays of Microstrip Half-Width Leaky Wave Antennas | 2386 |
| <i>John Mccann, Dan Janning, Dave Kuhl, Kyle Zeller, Josh Radcliffe, Stephen Schneider, Leo Kempel and Henry Griffith</i> | |
| Investigation of Dielectric Sheath and Periodic Microstrip Patch Array As Matching Layers Over Waveguide Arrays | 2390 |
| <i>Malcolm Ng, Mou Kehn and Lotfollah Shafai</i> | |
| A Single-Fed Element Antenna for Tri-Band Anti-Jamming GPS Arrays | 2394 |
| <i>Yijun Zhou, Chi-Chih Chen and John L. Volakis</i> | |
| Optimization of the Feeding Network of a 24-GHz Array Using Near-Field Measurements | 2398 |
| <i>Marta Martínez-Vázquez, Oliver Litschke, Andreas Bettray, Martin Böttcher and Stefan Weitz</i> | |
| A Simulation Tool for Design and Analysis of Planar Antenna Arrays | 2402 |
| <i>L. A. Greda, A. Walstra, M. V. T. Heckler and A. Dreher</i> | |

| | |
|--|-------------|
| Simple Switched-Beam Antenna System for Mobile Satellite Applications | 2406 |
| <i>Basari, M. Fauzan Edy Purnomo, Takanori Noro, Tamotsu Houzen, Kazuyuki Saito, Masaharu Takahashi and Koichi Ito</i> | |
| A Dual-Feed Series Microstrip Patch Array | 2410 |
| <i>Bojana Zivanovic, James Mcknight, Thomas Weller and Carlos Costas</i> | |
| A Crossed-Slot Coupled Patch Antenna Array with Wedge Design for DBS Reception | 2414 |
| <i>Yu-Shin Wang, Y. -Y. Tsai and Shyh-Jong Chung</i> | |
| Beam-Switch of Microstrip Array with Series CRLH-TL Feed Configuration | 2418 |
| <i>Li Yuanchun, Zhu Qi, Mao Wenhui and Xu Shanjia</i> | |
| Broadband Reflectarray with Element of Double-Layer Slot-Loading Patches* | 2422 |
| <i>Zhen-Guo Liu and Wen-Xun Zhang</i> | |
| Microstrip-Line-Fed Printed Slot Antenna for the Wimax Operation | 2426 |
| <i>Jen-Yea Jan, Liang-Chin Wang and Hua-Ming Chen</i> | |
| Internal Wideband Monopole Antenna for MIMO Access-Point Applications | 2430 |
| <i>Saou-Wen Su and Jui-Hung Chou</i> | |
| A Broadband Printed Dipole and a Printed Array for Base Station Applications | 2434 |
| <i>R. L. Li, B. Pan, T. Wu, K. Lim, J. Laskar and M. M. Tentzeris</i> | |
| A Dual Band Dual Polarized Microstrip Antenna for WLAN Applications | 2438 |
| <i>Sarin V. P., Nisha Nassar, Gijo Augustine, P. Mohanan, C. K Anandan and K. Vasudevan</i> | |
| Multiple Dipole Antenna for Wideband Applications | 2442 |
| <i>N. Raveu</i> | |
| Broadband Planar Antenna with a Trimmed Elliptical Element and a Ground Conductor Plane with Slits | 2446 |
| <i>Hiroyasu Matsui and Toshio Wakabayashi</i> | |
| Broadband Inverted-T Leaky-Wave Antennas | 2450 |
| <i>Lieh-Chuan Lin, Toshihide Kitazawa and Yu-De Lin</i> | |
| A 1 GHz Oscillator-Type Active Antenna | 2454 |
| <i>Jennifer L. Jordan, Maximilian Scardelletti and George E. Ponchak</i> | |
| Inter-Vehicle Communications: Study of the Integration of a 5,8GHz Antenna and a Radio Link in the 5 GHz Band | 2458 |
| <i>M. Ibambe Gatsinzi - X. Bunlon - F. Jouvie -T. Letertre and A. Azoulay</i> | |
| Phase Mode Analysis of Directional Elements in a Circular Array1 | 2462 |
| <i>Herbert M. Aumann</i> | |
| Analysis of Periodic Array of Infinitely-Long Slots Fed by Connected Dipoles | 2466 |
| <i>Boris Tomasic, Naftali Herscovici and Hans Steyskal</i> | |
| Quantifying the Noise Penalty for a Mutually Coupled Array | 2470 |
| <i>Karl F. Warnick and Peter Russer</i> | |
| Analysis of Mutual Coupling in Broadband Arrays | 2474 |
| <i>S. Wang, L. Guo, X. Chen, C. G. Parini and J. McCormick</i> | |
| Analysis of Complex Phased Array Feeds and Their Interaction with a Cylindrical Reflector | 2478 |
| <i>Christophe Craeye</i> | |
| Effects of Amplitude Dynamics for Nonlinear Coupled Oscillator Arrays | 2482 |
| <i>Hai Jiang, Krishna M. Pasala and Robert Penno</i> | |
| Analysis of Connected Patch Arrays Using the Characteristic Basis Function Method | 2486 |
| <i>Stuart Hay, John O'Sullivan and Raj Mittra</i> | |
| Radiation and Coupling Studies of Finite-Size Dual Polarized Vivaldi Arrays Using a Domain Decomposition FEM | 2490 |
| <i>Georgios N. Paraschos, Rick Kindt, Daniel H. Schaubert and Marinos N. Vouvakis</i> | |
| Modeled and Measured Mutual Impedances, Element Patterns, and Sensitivity for a 19 Element Focal Plane Array David A. Jones1, Karl F. Warnick1, Brian D. Jeffs1, Jonathan Landon1 | 2494 |
| <i>Jacob Waldron, J. Richard Fisher and Roger Norrod</i> | |
| A Mode Matching - Finite Element - Spectral Decomposition Approach for the Analysis of Finite Arrays of Horn Antennas | 2498 |
| <i>Alice Pellegrini, Stefano Bertini, Agostino Monorchio and Giuliano Manara</i> | |
| New Compact Tunable Bandpass Filter Using Defected Ground Structure with Active Devices | 2502 |
| <i>A. Boutejdar, A. Batmanov, A. Elsherbini, E. P. Burte and A. S. Omar</i> | |
| A New Analysis Method for Thick Planar EBG | 2506 |
| <i>L. Deias, G. Mazzarella and A. Mereu</i> | |
| Comparative Study of Surface Waves on High-Impedance Surfaces with and without Vias | 2510 |
| <i>O. Luukkonen, A. B. Yakovlev, C. R. Simovski and S. A. Tretyakov</i> | |

| | |
|--|------|
| Investigation of the Influence of the Cell Shape and Lattice on EBG Structures for the Effective Surface Wave Suppression | 2514 |
| <i>Simone Genovesi, Giacomo Bianconi, Sara Granelli and Gostino Monorchio</i> | |
| A Uniplanar Hexagon Electromagnetic Band-Gap Structure for Circuit Size Reduction Applications | 2518 |
| <i>Pao-Chun Lin, Chien-Chang Huang and Yuan-Hong Lin</i> | |
| Understanding the Physical Mechanism of Performance Enhancement of Antennas Via the Use of EBG Superstrates | 2522 |
| <i>Lai-Ching Ma, Jing Qu, Raj Mittra and Nader Farahat</i> | |
| Design of Compact Microstrip Lowpass Filters Using Coupled Half-Circle Defected Ground Structures (DGSS) | 2526 |
| <i>A. Boutejdar, A. Sherbini, W. Ali, S. Fouad, L. Ahmed and A. Omar</i> | |
| Ultra-Wideband Suppression of Ground Bounce Noise Using Novel Uniplanar Compact Electromagnetic Bandgap Structures | 2530 |
| <i>Long Li, Qiang Chen and Kunio Sawaya</i> | |
| UWB Propagation Channels Within an Aircraft and an Office Building Environment | 2534 |
| <i>Ingo Schmidt, Jaouhar Jemai, Radoslaw Piesiewicz, Robert Geise, Martin Schwark, Thomas Kürner and Martin Schirrmacher</i> | |
| Influence of Noise on Frequency Characteristics Compensator for Wideband Communication System | 2538 |
| <i>Mitoshi Fujimoto, Haiyan Zhao and Toshikazu Hori</i> | |
| UWB Mst Mems-Based Near-Field Imaging System | 2542 |
| <i>S. Capdevila, M. Jofre, J. Rodriguez, M. Guardiola, A. Papió, F. De Flaviis and L. Jofre</i> | |
| A Self-Tuning Cavity Resonator | 2546 |
| <i>Raoul O. Ouedraogo and Edward J. Rothwell</i> | |
| Wafer-Scale Coplanar Waveguide Slot-Coupled Ka-Band Patch Antenna for Electronic Scanning Array of a Future Satellite Communications System | 2550 |
| <i>Steven D. Keller, Steven J. Weiss, Ronald G. Polcawich and Daniel C. Judy</i> | |
| An Investigation of the Wideband Properties of a Resistively-Loaded Vshaped Conical Antenna | 2554 |
| <i>Rola Aylo, Karim Y. Kabalan, Ali El-Hajj, Mohammed Al-Husseini and Joseph Costantine</i> | |
| Compact CPW-Fed Microstrip Patch Antenna Array for Unmanned Miniature Aerial Vehicle RADAR | 2558 |
| <i>John P. Stang and Steven Weiss</i> | |
| The Application of Time Modulated Arrays in Pulse Doppler Radar | 2562 |
| <i>Gang Li, Shiwen Yang and Zaiping Nie</i> | |
| Optimal Disposition of Land Mobile Direction Finder Using EM Wave Propagation Analysis | 2566 |
| <i>Jong-Won Yang, Jun-Ho Choi, Cheol-Sun Park and Sun-Phil Nah</i> | |
| A CMOS Active Antenna/Inductor for System on a Chip (Soc) Applications | 2570 |
| <i>A. Shamim, V. Karam, P. Popplewell, L. Roy, J. Rogers and C. Plett</i> | |
| "Magic-Cube" Antenna Configurations for Ultra Compact RFID and Wireless Sensor Nodes | 2574 |
| <i>C. Kruesi and M. M. Tentzeris</i> | |
| A Self-Organizing Hybrid Sensor System with Distributed Data Fusion for Intruder Tracking and Surveillance ... | 2578 |
| <i>Ravi Palaniappan, Thomas Clarke, Parveen Wahid, Nader Behdad and Peter Kincaid</i> | |
| Impact of Elevation Angle Variations in Wideband Adcock Direction Finders Subject to Mutual Coupling | 2582 |
| <i>S. Henault, S. Rajan, R. Inkol, S. Wang and Y. M. M. Antar</i> | |
| BER of URA and UCA in AWGN | 2586 |
| <i>Zhiyong Huang and Constantine A. Balanis</i> | |
| An Innovative Virtual Digital Antenna Beam (VDAB) Forming Approach Based on Orthogonal Coding Waveforms | 2590 |
| <i>Hai Deng and Braham Himed</i> | |
| Implementation of the Independent Component Analysis Processing Circuit for Wireless Communications by FPGA | 2594 |
| <i>Toshinori Inomoto, Hidehisa Shiomi and Yasuyuki Okamura</i> | |
| Multi-Beam Antenna System for Mesh Network with Omnidirectional Mode | 2598 |
| <i>Ph. Minard, J-L. Robert and A. Louzir</i> | |
| A New MSINR Guided Concurrent Multimodulus Adaptive Array (MSINR-GCMMARY) for Enhanced Performance of MC-CDMA Uplink | 2602 |
| <i>Said E. EL-Khamy and Ali M. Gaballa</i> | |
| BER of UCA in Rician Fading Channel | 2606 |
| <i>Zhiyong Huang and Constantine A. Balanis</i> | |
| On the Integration of Smart Antennas in Wireless Sensor Networks | 2610 |
| <i>M. Benedetti, P. Rocca, M. Donelli, L. Lizzi, F. Viani, M. Martinelli, L. Ioriatti and A. Massa</i> | |

| | |
|--|------|
| Novel Combined Scan-Phase Antenna Diversity System for SDARS | 2614 |
| <i>S. Lindenmeier, D. Barié, L. Reiter, J. Hopf and S. Senega</i> | |
| Wide Band Switchable Circularly Polarized Microstrip Antenna Using Double-Balanced Multiplier | 2618 |
| <i>Yu Ushijima, Eisuke Nishiyama and Masayoshi Aikawa</i> | |
| Full 3D Spatial Time Domain Analysis of UWB Antennas | 2622 |
| <i>Elena Pancera, Christian Sturm, Joaquim Fortuny-Guasch, Thomas Zwick and Werner Wiesbeck</i> | |
| Parallel Implementation of the Periodic Boundary Condition (PBC) in the FDTD for the Investigation of Spatial Filters | 2626 |
| <i>Lai-Ching Ma and Raj Mittra</i> | |
| Efficient Finite-Difference Time-Domain Modeling of Integrated Antennas on Periodic Substrates | 2630 |
| <i>Dongying Li and Costas D. Sarris</i> | |
| Numerical Analysis of a Self-Compensating Antenna | 2634 |
| <i>Miena Armanious and J. Scott Tyo</i> | |
| FDTD Analysis of 81-Element Antipodal Fermi Antenna Array with Axially Symmetric Array Element Pattern | 2638 |
| <i>Hiroyasu Sato, Yoshiyasu Murakami, Kunio Sawaya and Koji Mizuno</i> | |
| Techniques of Time-Domain Analysis for High-Speed Digital Connectors | 2642 |
| <i>Chi-Fang Huang, Chi-Sui Jui and Mei-Chin Peng</i> | |
| An Efficient Hybrid Approach for Processing Arbitrary Linear Lumped Networks in the FDTD Method | 2646 |
| <i>Hsin-Hsiang Su, Chih-Wen Kuo and T. Kitazawa</i> | |
| Patterned Metal Printing on Pliable Composites for RF Design | 2650 |
| <i>E. Apaydin, Y. Zhou, D. Hansford, S. Koulouridis and J. L. Volakis</i> | |
| RFID Tag Antenna Matching to Frequency Dependent Microchip Impedance | 2654 |
| <i>Chye-Hwa Loo, Khaled Elmahgoub, Fan Yang, Atef Elsherbeni, Darko Kajfez, Ahmed Kishk, Tamer Elsherbeni, Leena Ukkonen, Lauri Sydänheimo, Markku Kivikoski, Sari Merilampi and Pekka Ruuskanen</i> | |
| Wideband Metal Mount UHF RFID Tag | 2658 |
| <i>K. V. S. Rao, Sander F. Lam and Pavel V. Nikitin</i> | |
| Optimization of Passive RFID Tag Antennas | 2662 |
| <i>J. Ch. Bolomey and F. Gardiol</i> | |
| A Self-Complementary Hilbert-Curve Fractal Antenna for UHF RFID Tag Applications | 2666 |
| <i>Dau-Chyrh Chang, Bing-Hao Zeng, Ji-Chyun Liu, Ivy Chen, Lih-Guong Jang and Chung-Chi Chang</i> | |
| Enhancement of Recognition Rate for Large Quantity Documents in Gate Environment | 2670 |
| <i>Jin-Seong Lee, Goojo Kim, Junho Yeo, Hong-Yul Yun, In-Oh Chu, Ho-Jun Lee and Byung-Hyun Moon</i> | |
| Performance of a Passive UHF RFID Tag in Reflective Environment | 2674 |
| <i>Matti Nikkari, Toni Björninen, Lauri Sydänheimo, Leena Ukkonen, Atef Elsherbeni, Fan Yang and Markku Kivikoski</i> | |
| Multi-Standard Slot Antenna in 860-960 MHz and 2.45GHz RFID Band | 2678 |
| <i>T. Deleruyelle, P. Pannier and S. Bourdel</i> | |
| UHF Omnidirectional Bent Dipole Antenna for Item-Level RFID Applications | 2682 |
| <i>Ivan Jeremiah Lukas, Xianming Qing, Zhi Ning Chen and Arokiaswami Alphones</i> | |
| Electrically Isotropic Artificial Dielectrics From a Realizable and Easily Engineered Physically Anisotropic Particle | 2686 |
| <i>Brian B. Glover and Keith W. Whites</i> | |
| Printed Coupled Lines with Lumped Loads for Realizing Degenerate Band Edge and Magnetic Photonic Crystal Modes | 2690 |
| <i>Gokhan Mumcu, Kubilay Sertel and John L. Volakis</i> | |
| Magnetic Loss Tangent Optimization in Design of Artificial Magnetic Slabs | 2694 |
| <i>Ali Kabiri, Leila Yousefi and Omar M. Ramahi</i> | |
| Low Loss Multilayer Frequency Selective Surface Negative Index Metamaterials for the Mid-Infrared | 2698 |
| <i>Jeremy A. Bossard, Seokho Yun, Douglas H. Werner and Theresa S. Mayer</i> | |
| "Cloaking of Conducting Cone by Plasmonic Shell in Quasistatic Limit" | 2702 |
| <i>Adnan Noor and Zhirun Hu</i> | |
| Multilayered Metamaterials for Silicon MMIC Applications | 2706 |
| <i>Philip D. Curtis, Ying Peng, Wei Tong and Zhirun Hu</i> | |
| A Transmission Polarizer by Anisotropic Metamaterials | 2710 |
| <i>Jessie Y. Chin, Mingzhi Lu and Tie Jun Cui</i> | |
| Blockage Reduction of Rhombic Cylinders Using Meta-Surfaces | 2714 |
| <i>Eva Rajo-Iglesias, Jose-Manuel Fernández and Per-Simon Kildal</i> | |
| Acceleration of the Sources Reconstruction Method Via the Fast Multipole Method | 2718 |
| <i>Yuri Alvarez, Fernando Las-Heras, Marcos R. Pino and Jesus A. Lopez</i> | |

| | |
|--|------|
| NSPWMLFMA: A Low Frequency Stable Formulation of the MLFMA in Three Dimensions | 2722 |
| <i>I. Bogaert, J. Peeters, J. Fostier and F. Olyslager</i> | |
| Fast Multipole Method for Periodic Scattering Problems | 2726 |
| <i>Yoshihiro Otani and Naoshi Nishimura</i> | |
| Hierarchical Parallelization of the Multilevel Fast Multipole Algorithm for the Efficient Solution of Large-Scale Scattering Problems | 2730 |
| <i>Ozgür Ergül and Levent Gürel,</i> | |
| Efficient Parallelization of a CBFM-MLFMA Scheme for the Computation of Complex Electromagnetic Problems | 2734 |
| <i>Eliseo García, Carlos Delgado, Iván González and Felipe Cátedra</i> | |
| Loop Loaded Wire Antenna | 2738 |
| <i>Jin Hao</i> | |
| Studies on Electric Fields Radiated From Cellular Phone Base Station Antennas | 2742 |
| <i>Hsing-Yi Chen, Tsu-Yen Su and Jhen-Yi Jhuang</i> | |
| Internal Antenna for UHF-Band Mobile RFID System | 2746 |
| <i>Nakchung Choi, Byunggil Yu, Frances J. Harackiewicz, Myun-Joo Park, Yong-Seek Chung and Byungje Lee</i> | |
| Design of an Embedded Diversity Antenna for UMTS/HSDPA-Based Data-Card Applications | 2750 |
| <i>Cheng-Nan Hu</i> | |
| Multiband Antenna-Receiver Integration Using an RF Multiplexer with Sensitivity-Constrained Design | 2754 |
| <i>S. M. Shajedul Hasan and Steven W. Ellingson</i> | |
| A Compact MIMO DRA for 802.11N Application | 2758 |
| <i>Katsunori Ishimiya, Zhinong Ying and Jun-Ichi Takada</i> | |
| Measurement of Antenna Diversity Performances on a Compact Wireless Device, in Real Environment | 2762 |
| <i>C. Decroze, D. Carsenat, M. Mouhamadou, C. Tounou, S. Reynaud,</i> | |
| Frequency Tunable Compact Antenna for Digital Terrestrial Radio Reception | 2766 |
| <i>M. Nakai, H. Iizuka, S. Sugiura and K. Sato</i> | |
| A Novel Design of a Miniature Wideband Corrugated Horn Antenna Employing Unique Sinusoidal Shaped Ridges | 2770 |
| <i>Kenneth Browne, Chi-Chih Chen and Walter D. Burnside</i> | |
| Pod-Mounted Omnidirectional Traveling-Wave Antenna with High Conformability and Multioctave Bandwidth | 2774 |
| <i>Johnson J. H. Wang and David J. Triplett</i> | |
| Efficient HF Submarine Antennas | 2778 |
| <i>Frank Plonski and Charles M. Gyenes</i> | |
| A Printed Quasi-Self-Complementary Antenna for UWB Applications | 2782 |
| <i>L. Guo, X. Chen and C. G. Parini</i> | |
| Summation Rules for the Antenna Input Impedance | 2786 |
| <i>Mats Gustafsson and Christian Sohl</i> | |
| A Wideband Antenna for P-Band Airborne SAR Applications | 2790 |
| <i>Régis Guinvarch and Nicolas Ribi`Ere-Tharaud</i> | |
| Design of the Monopole Antenna for ISL's Guided Supersonic Projectile | 2794 |
| <i>L. Bernard</i> | |
| A New Reconfigurable Antenna Based on a Rotating Feed | 2798 |
| <i>J. Costantine and C. G. Christodoulou</i> | |
| Reconfigurable Antenna for Concurrent Operation Over Cellular and Connectivity Bands | 2802 |
| <i>Chang Won Jung, Kangwook Kim, Ilkyu Kim, Haesoo Kim and Alexander Goudelev</i> | |
| A Self-Structuring Patch Antenna | 2806 |
| <i>Lynn M. Greetis and Edward J. Rothwell</i> | |
| Non-Uniform Field Modeling of Ferrite-Loaded Cavity-Backed Slot Antennas | 2810 |
| <i>Victor G. Kononov, Constantine A. Balanis, Anastasis C. Polycarpou and Craig R. Birtcher</i> | |
| RF MEMS Switch Model for Reconfigurable Antenna Design | 2814 |
| <i>M. P. Daly and J. T. Bernhard</i> | |
| Frequency Reconfigurable Printed Inverted-F Antennas | 2818 |
| <i>Jing Liang and H. Y. David Yang</i> | |
| Reconfigurable Patch That Is Resonant At Four Frequencies | 2822 |
| <i>Randy L. Haupt</i> | |
| MEMS Reconfigurable Stacked Antenna for WLAN Applications | 2826 |
| <i>Carla Medeiros, Jorge R. Costa - and Carlos A. Fernandes</i> | |

| | |
|--|-------------|
| A Differentially-Fed Microstrip Patch Antenna with Enhanced Frequency Agility | 2830 |
| <i>Hui Yuan Xiong and Sean V. Hum</i> | |
| Reconfigurable Multi-Band Twin-PIFA Antennas for Wi-Fi/Wimax and WWAN Services on a Multi-Radio Laptop Platform | 2834 |
| <i>Songnan Yang, Aly E. Fathy and Vijay K. Nair</i> | |
| Simultaneous Optimization of Subarray Weights and Sizes for Low Sidelobe Synthesis of Large Array Antennas..... | 2838 |
| <i>P. Rocca, L. Manica, M. Benedetti, R. Azaro and A. Massa</i> | |
| Optimization of Difference Pattern Features in Sub-Arrayed Monopulse Antennas Through and Excitations Matching Procedure..... | 2842 |
| <i>P. Rocca, L. Manica, M. Benedetti and A. Massa</i> | |
| Analysis of a Navigation Antenna Installed on a Civil Airplane | 2846 |
| <i>M. V. T. Heckler, L. A. Greda and A. Dreher</i> | |
| Comparison of DRA and AFSR Performances for Ku Band Rx Antennas..... | 2850 |
| <i>Isabelle Albert, Harry Chane and Frédéric Croq</i> | |
| A Novel Formulation of the Volume Integral Equation for General Large Electromagnetic Scattering Problems..... | 2854 |
| <i>L. E. Sun and W. C. Chew</i> | |
| Solving Challenging Electromagnetic Problems Using Mom and a Parallel Out-of-Core Solver on High Performance Clusters..... | 2858 |
| <i>Yu Zhang, John Porter, Mary Taylor and Tapan K. Sarkar</i> | |
| Catching Anomalies in Finite Arrays with the Help of an Infinite Array Approach | 2862 |
| <i>Christophe Craeye</i> | |
| Diakoptic Surface Integral-Equation Formulation Applied to Large Antenna Arrays | 2866 |
| <i>Dragan I. Olcan, Ivica M. Stevanovic, Branko M. Kolundzija, Juan R. Mosig and Antonije R. Djordjevic</i> | |
| An Algorithm for Fast Frequency Sweep of Planar Microwave Circuits1 | 2870 |
| <i>Gölge Ögücü and Raj Mittra</i> | |
| Particle Swarm Optimization for Multi-Band Handset Antenna Designs: A Hybrid Real-Binary Implementation | 2874 |
| <i>Nanbo Jin and Yahya Rahmat-Samii</i> | |
| Pareto Genetic Algorithm Optimization of Broadband Dipole Antenna Elements for Use in a Low Frequency Radio Telescope Array Including Mutual Coupling Effects | 2878 |
| <i>Aaron Kerkho and Hao Ling</i> | |
| An Improved PSO Method Using Gaussian Distributed Random Variables for Electromagnetic Optimization | 2882 |
| <i>Lijun Zhang, Fan Yang and Atef Z. Elsherbeni</i> | |
| Optimal Radome Design with Particle Swarm Optimization | 2886 |
| <i>Hidetoshi Chiba, Yoshio Inasawa, Hiroaki Miyashita and Yoshihiko Konishi</i> | |
| Shape Optimization of Total Radar Cross Section for Antenna Struts | 2890 |
| <i>Per Jacobsson and Thomas Rylander</i> | |
| Joint Aerodynamics and Electromagnetics Design of S-Shaped Intake Using Proper Orthogonal Decomposition Method | 2894 |
| <i>Jun-Mei Zhang, Chao-Fu Wang and Kai-Yew Lum</i> | |
| A Novel Global Optimization Method for Electromagnetic Problems, Inspired by Color-Mixing Technique..... | 2898 |
| <i>Haesung Park</i> | |
| Global Design Optimization of Complex Electromagnetic Devices Via Efficient Frequency Response Interpolations | 2902 |
| <i>Y. El-Kahlout and G. Kiziltas</i> | |
| Experimental Confocal Imaging for Breast Cancer Detection Using Silicon On-Chip UWB Microantenna Array | 2906 |
| <i>S. Kubota, Xia Xiao, N. Sasaki, K. Kimoto, W. Moriyama and T. Kikkawa</i> | |
| A Compact Broadband Tunable Antenna with Sophisticated Performance..... | 2910 |
| <i>Zhen-Biao Lin, Jack J-Q Lin and Seymour Robin</i> | |
| Wideband Matching of a Small Disk-Loaded Monopole - Friedman's Antenna Revisited..... | 2914 |
| <i>Ted L. Simpson</i> | |
| Over 150% Bandwidth, Quasi-Magnetic, Printed Antenna | 2918 |
| <i>F. Muge Tanyer-Tigrek, Dani P. Tran, Ioan E. Lager and Leonardus P. Ligthart</i> | |
| Vivaldi Antenna Taper Design Based on Impedance Matching | 2922 |
| <i>Khabat Ebnabbasi and Heinrich D. Foltz</i> | |

| | |
|---|-------------|
| Some Basic Guidelines for Miniaturizing UWB Antennas..... | 2926 |
| <i>B. A. Kramer, C. -C. Chen and J. L. Volakis</i> | |
| Uwb Vivaldi Antenna Based on a Spline Geometry with Frequency Band-Notch | 2930 |
| <i>Matthias John, Max J. Ammann and Patrick Mcevoy</i> | |
| Circularly Polarized Wideband EQSP Antenna Backed by a Cavity with Arc-Shaped Strip Absorbers..... | 2934 |
| <i>H. Nakano, K. Kikkawa, T. Yoshida and J. Yamauchi</i> | |
| Tapered Slot Antenna with Band Pass Function | 2938 |
| <i>Akinori Matsui, Yasuaki Kanda and Takeshi Suzuki</i> | |
| Design of a Ultra-Wideband Antenna with Band Notch Characteristic..... | 2942 |
| <i>Se-Hwan Choi, Ho-Jun Lee and Jong-Kyu Kim</i> | |
| Minimum Sidelobe Weights for Wideband Planar Arrays..... | 2946 |
| <i>Peter J. Bevelacqua and Constantine A. Balanis</i> | |
| Implementation of Blinds for Cross-Polarization Reduction on a Conformal Slotted-Waveguide Subarray..... | 2950 |
| <i>Glenn D. Hopkins, D. Jason Locklear, Anya N. Traille, Michael C. Brinkmann and Victor K. Tripp</i> | |
| Elimination of Scan Impedance Anomalies in Ultra-Wide Band Phased Arrays of Differentially Fed Tapered Slot Antenna Elements..... | 2954 |
| <i>E. García, E. De Lera, D. Segovia, V. González and J. A. López-Fernández</i> | |
| Interference Analysis for Spot Beam Partitioning in Cellular Satellite Communication Systems | 2958 |
| <i>Ozlem Kilic</i> | |
| Use of a Receive-Based Definition of Coupling Between Two Antennas to Reduce Mutual Coupling Effects in a Low Frequency Radio Telescope Array..... | 2962 |
| <i>Aaron Kerkho and Hao Ling</i> | |
| Effects on Scan Blindnesses of an Absorbing Layer Covering the Ground Plane in a Triangular Grid Single-Polarized Tapered-Slot Array..... | 2966 |
| <i>Anders Ellgardt</i> | |
| Surface Curvature Effects on Element Characteristics in Large, Finite, Conformal Cylindrical Dipole Arrays..... | 2970 |
| <i>Shaun D. Walker and Deb Chatterjee</i> | |
| Subarray Weighting Method for Sidelobe Suppression of Difference Pattern Based on Genetic Algorithm | 2974 |
| <i>Hu Hang, Lei Lili, Hu Yi and Wu Qun</i> | |
| Impacts of RF Radiation on the Human Body in a Passive RFID Environment | 2978 |
| <i>Darindra D. Arumugam and Daniel W. Engels</i> | |
| Reduction of Handsets' SAR Via the Applications of R-Card..... | 2982 |
| <i>Li-Ruei Kuo, Kun-Han Liu and Hsi-Tseng Chou</i> | |
| Experimental Study of Estimating SAR Values for Mobile Phone Applications..... | 2986 |
| <i>I-Fong Chen, Chia-Mei Peng and Ching-Chih Hung</i> | |
| Molecular Simulations of Biochemical Processes in Presence of a MW Signal..... | 2990 |
| <i>M. Pellegrino, F. Apollonio, M. Liberti, A. Amadei, A. Di Nola and G. D'inzeo</i> | |
| A UWB Microwave Imaging Radar System for a Small Target Detection..... | 2994 |
| <i>Chao-Hsiang Liao, Li-Der Fang, Powen Hsu and Dau-Chyrh Chang</i> | |
| Investigations Into Optimum Characteristics for the Coupling Medium in UWB Breast Cancer Imaging Systems | 2998 |
| <i>A. M. Abbosh, M. E. Bialkowski and S. Crozier</i> | |
| A Simple Model for Electromagnetic Scattering Due to Breast Tumour | 3002 |
| <i>A. M. Abbosh, M. E. Bialkowski and S. Crozier</i> | |
| Visibility of Breast Malignancy in Compressed Breast by Microwave Radiometry..... | 3006 |
| <i>S. Iudicello and F. Bardati</i> | |
| Microwave Tomography Technology Test-Bed System for Study Breast Cancer Detection Technology Based on Electromagnetic Field..... | 3010 |
| <i>Younju Lee, Hyuk Je Kim, Jong Moon Lee, Soon Ik Jeon, Tomasz M. Gregorczyk and P. M. Meaney</i> | |
| Experimental and Clinical Results of Breast Cancer Detection Using UWB Microwave Radar | 3014 |
| <i>Maciej Klemm, Ian Craddock, Jack Leendertz, Alan Preece and Ralph Benjamin</i> | |
| Hybrid Binary-Real GA for Microwave Breast Tomography | 3018 |
| <i>Abas Sabouni, Ali Ashtari, Sima Noghianian, Gabriel Thomas and Stephen Pistorius</i> | |
| Preliminary Study of a Two-Element DRA Sensor Array for Microwave Breast Cancer Detection..... | 3022 |
| <i>Wei Huang and Ahmed A. Kishk</i> | |
| Error Analysis of Breast Tumor Signature Versus Skin Thickness At Microwave Frequencies | 3026 |
| <i>Douglas A. Woten and Magda El-Shenawee</i> | |

| | |
|--|-------------|
| Three-Dimensional Microwave Imaging of Realistic Breast Phantoms Via an Inexact Gauss-Newton Algorithm | 3030 |
| <i>Panagiotis Kosmas, Jacob D. Shea, Barry D. Van Veen and Susan C. Hagness</i> | |
| Scattering of the MRI Field At 1.5T by a Vagus Nerve Stimulation Implant | 3034 |
| <i>Syed A. Mohsin, Usman Saeed, John Nyenhuis and Noor M. Sheikh</i> | |
| Effects of Supporting Structure on Wireless SAR Measurement..... | 3038 |
| <i>Mina Ayatollahi, Jianxiang Shen, Rui Qiang, Ji Chen, Yihong Qi, Todd Hubing and Perry Jarmuszewski</i> | |
| Decomposition/Superposition Technique for Multi-Transmitter System SAR Measurement | 3042 |
| <i>Jianxiang Shen, Rui Qiang, Ji Chen, David Jackson, Mina Ayatollahi, Yihong Qi and Perry Jarmuszewski</i> | |
| A Generalized View of the MRI-Related Heating of Elongated Implants | 3046 |
| <i>Syed A. Mohsin, Usman Saeed and Noor M. Sheikh</i> | |
| Effects of Conducting Spectacles on the SAR Values Inside the Human Head in a Wireless Communication Environment | 3050 |
| <i>Chih-Ming Kuo, Chih-Wen Kuo and Toshihide Kitazawa</i> | |
| Interaction of RF-Hyperthermia Applicator with High Fidelity Human Body Model | 3054 |
| <i>S. Curto, T. S. P. See, Z. N. Chen, P. Mcevoy and M. J. Ammann</i> | |
| Antenna Array Design for Brain Monitoring..... | 3058 |
| <i>Hana Trefná and Mikael Persson</i> | |
| 3D Nonlinear Time-Domain Inversion Technique for Medical Imaging..... | 3062 |
| <i>Maha A. Ali and Mahta Moghaddam</i> | |
| An Experimental Verification of a Microwave Backscatter Tag for Recording Neural Signals | 3066 |
| <i>Muhammad F. Farooqui, Junseok Chae, Bruce Towe and Abbas Abbaspour-Tamijani</i> | |
| 7 Tesla Human MRI with Assistance of Computational Electromagnetics..... | 3070 |
| <i>Lin Tang, Yik-Kiong Hue and Tamer S. Ibrahim</i> | |
| Finite Difference Formulation to Calculate the Induced Current Density Profile Inside the Retina by a Microcoil Array | 3074 |
| <i>Sundar Srinivas, John S. George and Gianluca Lazzi</i> | |
| Numerical Analysis of the Electric Field Distribution Within Two Layered Spheroidal Structures..... | 3078 |
| <i>Chiara Pelletti, Anda Guraliuc, Agostino Monorchio and Raj Mittra</i> | |
| The Application of Time Reversal Mirror Based on Pseudo-Spectrum Time Domain for Microwave-Induced Thermo-Acoustic Tomography | 3082 |
| <i>Guoping Chen, Wanbao Yu, Zhiqin Zhao, Zaiping Nie and Qing-H Liu</i> | |
| Accuracy Assessment of Photogrammetry Surface Reconstruction for Improving Microwave Imaging | 3086 |
| <i>Aastha Trehan, Reza K. Amineh, Mihail S. Georgiev, and Natalia K. Nikolova</i> | |
| A New Receiver Antenna with Buffer Layer for Wireless Capsule Endoscopy in Human Body | 3090 |
| <i>Sangbok Park, Wonkyu Kim, Jangsoo Lee, Young-Seek Chung and Changyul Cheon</i> | |
| A New Equivalent Antenna Model for Human Body Exposed to 13.56MHz RFID System | 3094 |
| <i>Jong-Gun Lee, Jin-Kyu Byun, Hyung-Do Choi, Chang-Yul Cheon, Young-Seek Chung and Byungje Lee</i> | |
| Design Optimization of Coaxial Antennas for Hepatic Microwave Ablation Using Genetic Algorithms..... | 3098 |
| <i>Punit Prakash, Mark C. Converse, John G. Webster and David M. Mahvi</i> | |
| A Novel and Low-Cost Multisensor-Integrated RFID Tag for Biomedical Applications | 3102 |
| <i>Luca Catarinucci, Mauro Cappelli, Riccardo Colella, Angelo Di Bari and Luciano Tarricone</i> | |
| A Conical Spiral Antenna for Wideband Capsule Endoscope System..... | 3106 |
| <i>Sang Heun Lee, Kihun Chang, Ki Joon Kim and Young Joong Yoon</i> | |
| Reciprocity and Repeatability of Diversity Measurements for On-Body Communication Channels At 2.45 GHz | 3110 |
| <i>Imdad Khan, Peter S. Hall, A. R. Guraliuc and P. Nepa</i> | |
| Multipath Fading of On-Body Propagation Channels | 3114 |
| <i>Yuriy I. Nechayev and Peter S. Hall</i> | |
| The Performance of On-Body Wearable Antennas in a Repeatable Multipath Environment | 3118 |
| <i>Gareth A. Conway, William G. Scanlon and Simon L. Cotton</i> | |
| Reverse Effect of Ground Electrode on the Signal Loss of Human Body Communication..... | 3122 |
| <i>J. H. Hwang, H. J. Myoung, T. W. Kang, S. E. Kim, J. K. Kim, C. H. Hyoung, H. I. Park, I. G. Lim, J. B. Kim, K. S. Kim and W. Kang</i> | |
| Effects of Transmitter's Location on the Signal Loss of the Human Body Communication..... | 3126 |
| <i>J. H. Hwang, H. J. Myoung, T. W. Kang, S. E. Kim, J. K. Kim, C. H. Hyoung, H. I. Park, I. G. Lim, J. B. Kim, K. S. Kim and S. W. Kang</i> | |

| | |
|--|-------------|
| Radiation From a Monopole Antenna in an Aperture Backed by an Absorbing Body Using a Hybrid Mom/UTD Approach | 3130 |
| <i>Christoph Ullrich, Karl F. Warnick and Peter Russer</i> | |
| Wideband Analysis of Luneburg Lenses Using VIE-BOR Method Combined with AWE..... | 3134 |
| <i>Andrzej A. Kucharski</i> | |
| Full Wave Analysis of Leaky-Wave Antennas | 3138 |
| <i>M. Lucido, M. D. Migliore, G. Panariello and F. Schettino</i> | |
| Efficient Surface Integral Equation Analysis of Aperture Antennas with Radomes..... | 3142 |
| <i>V. Catina and F. Arndt</i> | |
| Radiation Pattern Calculation for Antennas installed in Electrically Large Dielectric Radomes..... | 3146 |
| <i>Cai-Cheng Lu, Zhiyong Zeng and Chong Luo</i> | |
| Practical Applications of Planar Soft Surfaces to Patch Antennas | 3150 |
| <i>Eva Rajo-Iglesias, Oscar Quevedo-Teruel, Blanca Cabanillas-Fernández and Luis Inclán-Sánchez</i> | |
| Active Control on EBG Structures for Multiband Antenna Applications..... | 3154 |
| <i>Mohamed A. Habib, Arezou Edalati and Tayeb A. Denidni</i> | |
| Experimental Results of an AMC Antenna Fabricated with a Magnetically- Loaded Elastomeric Substrate | 3158 |
| <i>William E Mckinzie III</i> | |
| Reduction of Active Elements in Agile EBG Antennas Using Their Second Band-Gap | 3162 |
| <i>Arezou Edalati, Tayeb A. Denidni and Halim Boutayeb</i> | |
| A Study on Mutual Coupling Reduction Between Two Inverted-F Antennas Using Mushroom-Type EBG Structures..... | 3166 |
| <i>Jun Itoh, Naobumi Michishita and Hisashi Morishita</i> | |
| Smaller UWB Conformal Antennas for VHF/UHF Applications with Ferroelectric Loadings..... | 3170 |
| <i>I. Tzanidis, C. -C. Chen and J. L. Volakis</i> | |
| UWB Beamforming Using Digital 2D IIR Frequency-Planar Filters | 3174 |
| <i>Arjuna Madanayake, Sean V. Hum and Len T. Bruton</i> | |
| UWB Low Profile Antennas Using Ferrite Loaded GP..... | 3178 |
| <i>Faruk Erkmén, Chi-Chih Chen and John L. Volakis</i> | |
| The Orthogonal Very Minimum Chirp Keying (OVMCK) Modulations with Very High Bandwidth Efficiency | 3182 |
| <i>Zheng Guoxin and Yang Weiyang</i> | |
| A Hybrid Finite Element Boundary Element Method for Periodic Structures on Non-Periodic Meshes Using Interior Penalty Method..... | 3186 |
| <i>Seung-Cheol Lee, Vineet Rawat and Jin-Fa Lee</i> | |
| Dispersion Analysis in Scalar Generalized Finite Element Method..... | 3190 |
| <i>O. Tuncer, N. Nair, B. Shanker and L. C. Kempel</i> | |
| Error in Projection of Planewaves Using Various Basis Functions..... | 3194 |
| <i>Fu-Gang Hu and Jiming Song</i> | |
| Error Prediction of a Mode Matching Technique for EM Scattering From Conducting Bodies..... | 3198 |
| <i>Shinichiro Ohnuki, Takahisa Mochizuki and Ryuichi Ohsawa</i> | |
| Coverage Prediction in Large Scenarios Based on the TLM Method..... | 3202 |
| <i>U. Siart, S. Hofmann, N. Fichtner and P. Russer</i> | |
| The Impact of the Technical Leadership, Outstanding Teaching, and Active Mentoring of Professor Donald G. Dudley Jr..... | 3206 |
| <i>Kathleen Melde and Stuart A. Long</i> | |
| Guided Mode Propagation in Tunnels with Non-Circular Cross Section | 3210 |
| <i>Samir F. Mahmoud</i> | |
| FDTD Absorbing Boundary Conditions: From Global Lookback Schemes to Metamaterial Pmls | 3214 |
| <i>Richard W. Ziolkowski</i> | |
| EIGERTM Development and Application to an IR Frequency-Selective Surface | 3218 |
| <i>William A. Johnson, Lorena I. Basilio, Donald R. Wilton, Nathan. J. Champagne, Joseph D. Kotulski, A. A. Cruz-Cabrera and David W. Peters</i> | |
| EFIE and MFIE, Why the Difference? | 3221 |
| <i>W. C. Chew, C. P. Davis, K. F. Warnick, Z. P. Nie, J. Hu, S. Yan and L. Gürel</i> | |
| High Conductivity Printing on Polymer-Ceramic Composites..... | 3223 |
| <i>Y. Zhou, E. Apaydin, S. Koulouridis, Y. Bayram, D. Hansford and J. L. Volakis</i> | |
| Investigation of Spatial and Frequency Diversity for Long Range UHF RFID | 3227 |
| <i>S. Riki Banerjee, Ron Jesme and Robert A. Sainati</i> | |
| Design and Development of the First Entirely Paper-Based Wireless Sensor Module..... | 3231 |
| <i>Rushi J. Vyas, Amin Rida, Li Yang and Manos M. Tentzeris</i> | |

| | |
|--|------|
| Inductance Improvement by Using Artificial Magnetic Conductor Surfaces | 3235 |
| <i>Darryl Kostka and Ramesh Abhari</i> | |
| Loop Antenna Located on Magnetic Plate for RFID Tag | 3239 |
| <i>Mitsuo Taguchi, Takashi Fukahori and Hideaki Shimoda</i> | |
| Various Wearable Embroidery Rfid Tag Antenna Using Electro-Thread | 3243 |
| <i>Jaehan Choi, Yeonho Kim, Kyoungwhan Lee and You Chung Chung</i> | |
| Novel RFID Tag Antenna with Stability to Material | 3247 |
| <i>J. Choo, J. Ryoo</i> | |
| Free-Space Sub-Diffraction Imaging Using a Transmission-Line Superlens | 3251 |
| <i>Ashwin K. Iyer and George V. Eleftheriades</i> | |
| Anisotropic Liquid Crystals for Tunable Optical Negative-Index Metamaterials | 3255 |
| <i>Xiande Wang, Do-Hoon Kwon, Douglas H. Werner and Iam-Choon Khoo</i> | |
| Electromagnetic Reshaping Via Anisotropic Metamaterials | 3259 |
| <i>Ozlem Ozgun and Mustafa Kuzuoglu</i> | |
| Waveguide Resonators for Verification of Enhancing Evanescent Field Detection Using Metamaterials | 3263 |
| <i>Muhammed S. Boybay and Omar M. Ramahi</i> | |
| Reconfigurable Transmissive/Reflective Metamaterial Slab in the Near IR | 3267 |
| <i>Do-Hoon Kwon, Xiande Wang, Zikri Bayraktar, Brian Weiner and Douglas H. Werner</i> | |
| Metamaterial in Planar Technology Exhibiting Negative Refractive Index for Arbitrary Incident Plane Wave Polarization | 3271 |
| <i>A. Vallecchi, F. Capolino and A. Schuchinsky</i> | |
| High Order Bandpass Filter Using the First Negative Resonant Mode of Composite Right/Left-Handed Transmission Line | 3275 |
| <i>Joo-Young Lee, Dong-Jin Kim, Byung-Chul Park and Jeong-Hae Lee</i> | |
| Novel Folded Srr-Loaded Waveguide Bandpass Filters | 3279 |
| <i>S. Niranchanan and D. Budimir</i> | |
| A Meander Line Resonator to Realize Negative Index Materials | 3283 |
| <i>Wen-Xuan Tang, Hui Zhao, Jessie Yao Chin and Tie Jun Cui</i> | |
| Magnification of Subwavelength Field Distributions Using a Tapered Array of Wires Operating in the Canalization Regime | 3287 |
| <i>Pavel A. Belov, Pekka Ikonen, Constantin R. Simovski, Yang Hao and Sergei A. Tretyakov</i> | |
| Analysis of a Microstrip Rotman Lens Using Domain Decomposition Method | 3291 |
| <i>Tse-Yu Lin, Seung-Cheol Lee, Ruth Rotman, Yehuda Green, Yaniv Israel and Jin-Fa Lee</i> | |
| Novel Phased Array Antenna with Elements of Conical Beam Patterns | 3295 |
| <i>Yasuhiro Kazama, Akira Sugawara, Tadashi Takano and Damri Radenamad</i> | |
| Miniature Phased Array Antennas for Direct Sensor-to-Satellite Links | 3299 |
| <i>Mohammad J. AL-Saleh and Amir I. Zaghloul</i> | |
| A Small Width Trapezoidal Antenna Fed with a Coupling Slot in the Patch | 3303 |
| <i>L. Bernard</i> | |
| A 60 GHz Quarter-Wave Patch Antenna Based on BCB Polymer | 3307 |
| <i>Seonho Seok, Nathalie Rolland and Paul-Alain Rolland</i> | |
| Dielectric Fortification for Wide-Beamwidth Patch Arrays | 3311 |
| <i>Senglee Foo and Bill Vassilakis</i> | |
| On Surface Currents in a Polycrystalline Solar Cell Acting As Ground Plane for Microstrip Patch Antennas | 3315 |
| <i>Maria J. Roo Ons, Shynu S. V., Max J. Ammann, Sarah J. McCormack and Brian Norton</i> | |
| Embedded Microstrip Patch Antenna for Structural Health Monitoring Applications | 3319 |
| <i>M. Fallah Rad and L. Shafai</i> | |
| A Microstrip Antenna with Flip-Chip Interconnect for Millimetre Wave Transceiver on CMOS | 3323 |
| <i>G. Felic and E. Skafidas</i> | |
| An Orthogonal Dual Polarized All-Metal Cavity-Backed Patch Antenna with Low Cross Polarization | 3327 |
| <i>K. Nishizawa, H. Ohashi and Y. Konishi</i> | |
| A Novel Variant 60-GHz CPW-Fed Patch Antenna for Broadband Short Range Wireless Communications | 3331 |
| <i>K. Hettak, G. Y. Delisle, G. A. Morin S. Toutain and M. Stubbs</i> | |
| Novel Polarization Agile Microstrip Antenna | 3335 |
| <i>F. Las Heras</i> | |
| Investigations Into Phasing Characteristics of Printed Single and Double Cross Elements for Use in a Single Layer Microstrip Reflectarray | 3339 |
| <i>M. E. Bialkowski, A. M. Abbosh and K. H. Sayidmarie</i> | |

| | |
|--|-------------|
| Loss Quantification for Microstrip Reflectarray: Issue of High Fields and Currents | 3343 |
| <i>Harish Rajagopalan and Yahya Rahmat-Samii</i> | |
| FSS-Backed Reflectarray with Broadband Square Loop Cell Elements for Dualband Application | 3347 |
| <i>M. R. Chaharmir, J. Shaker and H. Legay</i> | |
| Wideband Single-Layer Microstrip Reflectarray Based on Multiple-Resonance Behavior | 3351 |
| <i>Kiichi Mayumi, Hiroyuki Deguchi and Mikio Tsuji</i> | |
| An X-Band Circularly Polarized Reflectarray Using Split Square Ring Elements and the Modified Element Rotation Technique..... | 3355 |
| <i>Ang Yu, Fan Yang, Atef Z. Elsherbeni and John Huang</i> | |
| Wideband Aperture-Coupled Reflectarrays with Reduced Inter-Element Spacing..... | 3359 |
| <i>F. Venneri, S. Costanzo and G. Di Massa</i> | |
| Vee Antennas Built by Direct-Write Fabrication with and without Discrete Resistive Loading..... | 3363 |
| <i>Thomas P. Montoya</i> | |
| Design, Fabrication, and Characterization of Metal Micromachined Rectangular Waveguides At 3 THz | 3367 |
| <i>Christopher D. Nordquist Michael C. Wanke, Adam M. Rowen, Christian L. Arrington, Mark Lee and Albert D. Grine</i> | |
| Manufacturing Challenges for a W-Band Laminated Waveguide Phased Array | 3371 |
| <i>Paul Garland, Jerry Aguirre, Hsueh-Yuan Pao, Hung-Sheng Lin, David O'Neill and Kevin Horton</i> | |
| Sparse Factorization of the Three-Dimensional Integral Equations Using Overlapped Localizing LOGOS Modes | 3375 |
| <i>Yuan Xu, R. J. Adams and F. X. Canning</i> | |
| A Hierarchical Regularization of the Time Domain Electric Field Integral Equation..... | 3379 |
| <i>F. P. Andriulli, H. Ba. Gci, F. Vipiana, G. Vecchi and E. Michielssen</i> | |
| The "Dottrick TDEFIE": A DC Stable Integral Equation for Analyzing Transient Scattering From PEC Bodies | 3383 |
| <i>Francesco P. Andriulli, Kristof Cools, Femke Olyslager and Eric Michielssen</i> | |
| An Interpolation Algorithm to Reduce the Reduced Matrix Generation Time in CBFM1 | 3387 |
| <i>Gölge Ögücü, Raj Mittra and Kai Du</i> | |
| On the Well-Posedness of Integral Equations Associated with Cavity Green's Functions Around Resonant Frequencies | 3391 |
| <i>Mingyu Lu, Jonathan W. Bredow, Sungyong Jung and Saibun Tjuatja</i> | |
| Preconditioning Large Integral-Equation Problems Involving Complex Targets..... | 3395 |
| <i>Tahir Malas and Levent Gürel,</i> | |
| A Multiplicative Calderón Preconditioner for the Electric Field Integral Equation..... | 3399 |
| <i>Francesco P. Andriulli, Kristof Cools, Hakan Ba. Gci, Femke Olyslager, Annalisa Buffa, Snorre Christiansen and Eric Michielssen</i> | |
| A Multi-Step Iteration Scheme to Improve the Convergence of Loop-Tree Matrix..... | 3403 |
| <i>Y. A. Liu and W. C. Chew</i> | |
| Scalar Potentials and Vector Functions for the High-Order Modelling of Singular Wedge Current..... | 3407 |
| <i>Roberto D. Graglia</i> | |
| Using Matrix Sparsification and Impedance Prediction Technique with Phase Extracted Basis Functions to Improve the Method of Moments | 3411 |
| <i>Su Yan, Zaiping Nie, Shiquan He and Jun Hu</i> | |
| Multiscale CBD for Fast Direct Solution of Mom Linear System | 3415 |
| <i>A. Heldring, J. M. Tamayo, J. M. Rius, J. Parrón and E. Ubeda</i> | |
| Modeling of Infinite Passive Planar Structures Using Scale-Changing Technique | 3419 |
| <i>A. Rashid H. Aubert, N. Raveu and H. Legay</i> | |
| Fast Solvers for Electromagnetic Simulation of Mixed-Scale Structures | 3423 |
| <i>M. Vikram, B. Shanker and T. Van</i> | |
| Factorization of Finite Element Matrices Using Overlapped Localizing LOGOS Modes | 3427 |
| <i>J. -S. Choi, T. C. Kramer, R. J. Adams and F. X. Canning</i> | |
| The Approximate Modal Interface-Solution Space Projection Method for Efficient Broadband Full-Wave Analysis of Multilayer Interconnection Structures..... | 3431 |
| <i>Shih-Hao Lee and Jian-Ming Jin</i> | |
| A Domain Decomposition Preconditioner for Time-Harmonic Electromagnetics..... | 3435 |
| <i>Vineet Rawat and Jin-Fa Lee</i> | |
| PO Synthetic Function Based on Spectral Domain Sampling for the Treatment of EM Scattering From Large Flat Surfaces | 3439 |
| <i>M. Casaletti, S. Maci and G. Vecchi</i> | |

| | |
|--|-------------|
| An Efficient Procedure to Analyze Locally-Modified Scattering Problems by Using the Characteristic Basis Function Method..... | 3443 |
| <i>Eugenio Lucente, Raj Mittra and Agostino Monorchio</i> | |
| Two-Level Direct Compression of the Plane-Wave Response Matrix without Matrix Sampling | 3447 |
| <i>F. X. Canning</i> | |
| Calculation of the Dispersion Diagram for Planar Electromagnetic Bandgap Structures..... | 3451 |
| <i>Arya Fallahi, Christian Hafner and Rüdiger Vahldieck</i> | |
| Novel Approach to Wideband Jacobian Computation for Microwave Imaging..... | 3455 |
| <i>Yunpeng Song and Natalia K. Nikolova</i> | |
| Mom-Oriented Array Green's Function for the Analysis of Large Finite Arrays..... | 3459 |
| <i>A. Polemi, F. Vipiana, F. Mariottini, G. Vecchi and S. Maci</i> | |
| A Synthesis Technique for Reducing Mutual Coupling Between Closely Separated Patch Antennas..... | 3463 |
| <i>George Shaker, Gholamreza Rafi, Safieddin Safavi-Naeini and Nagula Sangary</i> | |
| Amplitude and Phase Correction of the Radiation Pattern in Compact Planar Antenna Array for Direction Finding Applications | 3467 |
| <i>R. Sarkis, F. Mani and C. Craeye</i> | |
| A Scheme to Mitigate Interference From Iridium Satellite's Downlink Signal Captured by Omnidirectional Antenna Array | 3471 |
| <i>Chowdhury M. R. Shahriar</i> | |
| Fixed-Beam L-Band Array for Space-Based Platforms | 3475 |
| <i>Lars Grimsrud Farzin Lalezari and Dejan Filipovic</i> | |
| 32-Element High Power Active Integrated Phased Array Antennas Operating At 5.8GHz..... | 3479 |
| <i>Shigeo Kawasaki, Harunobu Seita, Tamotsu Suda, Kaori Takei and Katsutoshi Nakajima</i> | |
| The Investigation of Ground-Plane Effect of Printed Monopole Antenna by Gfm Analysis..... | 3483 |
| <i>Chia-Mei Peng, I-Fong Chen and Ching-Chih Hung</i> | |
| Dualband Bidirectional Printed Arrays with V-Shaped Dipoles..... | 3487 |
| <i>Pengfei Wu, Zhenqi Kuai and Xiaowei Zhu</i> | |
| Sensitivity Analysis of the Two-Thickness and Two-Layer Methods for Material Parameter Extraction Using a Single Waveguide Probe..... | 3491 |
| <i>Gary D. Dester and Edward J. Rothwell</i> | |
| Permittivity Measurement of Annular Dielectric Samples Using a Quadratic Curve Fitting Technique | 3495 |
| <i>Malcolm Ng Mou Kehn, Lotfollah Shafai, Faezeh Safari and Sima Noghianian</i> | |
| De-Embedding of Lumped-Element Characteristics with the Aid of EM Analysis..... | 3499 |
| <i>T. Hirano, J. Hirokawa, M. Ando, H. Nakano and Y. Hirachi</i> | |
| Design and Implementation of a Low Cost Portable Material Analyzer | 3503 |
| <i>Farshid Aryanfar, Ahmet G. Cepni and Nicholas E. Buris</i> | |
| Permittivity Measurement of Layered Media Using a Microstrip Test Bed | 3507 |
| <i>Suhail F. Barot and Jennifer T. Bernhard</i> | |
| Application of a SAR Procedure for the Determination of Dielectric Constants in Free Space..... | 3511 |
| <i>Michael Anis, Andreas Jöstingmeier and Abbas S. Omar</i> | |
| Wideband Extinction Measurements for Thin and Planar Samples..... | 3515 |
| <i>C. Larsson, C. Sohl, M. Gustafsson and G. Kristensson</i> | |
| Experimental Retrieval of the Effective Parameters of Artificial Magnetic Materials Based on the Microstrip Line Method | 3519 |
| <i>Leila Yousefi and Omar M. Ramahi</i> | |
| Synthetic Aperture Gaussian Beam Measurement System for Wideband Characterization of RF Materials and Metamaterials | 3523 |
| <i>Jae-Young Chung, Kubilay Sertel and John L. Volakis</i> | |
| Experimental Characterization of the Forest As a Medium for HF Radio Propagation | 3527 |
| <i>Dillon P. Buhl and Robert L. Rogers</i> | |
| Numerical Analysis of H-Plane Waveguide Junctions by Using Densely Arrayed Electric Line Currents..... | 3531 |
| <i>Tetsuya Yamamoto</i> | |
| Cylindrically Periodic Dielectric Waveguide At Submillimeter Waves..... | 3535 |
| <i>N. Lombart and P. H. Siegel</i> | |
| A Generic Pick-Up Horn for High Power Thermal Vacuum Test of X, Ku, and Ka Band Satellite Payloads..... | 3539 |
| <i>Sudhakar Rao, Clency Lee-Yow and Philip Venezia</i> | |
| Feed Forward Neural Network Characterization of Circular SIW Resonators | 3543 |
| <i>G. Angiulli, E. Arneri D. De Carlo and G. Amendola</i> | |

| | |
|--|------|
| A Center-Feed Waveguide Transverse Slot Linear Array Using a Transverse-Slot Feed for Blocking Reduction | 3547 |
| <i>Jae-Ho Lee, Takuichi Hirono, Jiro Hirokawa and Makoto Ando</i> | |
| Parallel Plate Slot Array Fed by Post-Wall Center-Feed Waveguide Consisting of T-Junctions | 3551 |
| <i>Koh Hashimoto, Jiro Hirokawa and Makoto Ando</i> | |
| Experimental Evaluation of a Hybrid Substrate Integrated Waveguide | 3555 |
| <i>Asanee Suntives and Ramesh Abhari</i> | |
| Analysis and Uniform Design of a Single-Layer Slotted Waveguide Array Antenna with Baffles | 3559 |
| <i>Takehito Suzuki, Takuichi Hirono, Jiro Hirokawa and Makoto Ando</i> | |
| A Helical Planar Slow-Wave Structure | 3563 |
| <i>A. Khurrum Rashid, S. Aditya, R. K. Arora and D. Lim</i> | |
| A Novel Left-Handed NRD Guide Directional Coupler without LSE11 Mode Conversion Loss | 3567 |
| <i>Meng Huang and Shanjia Xu</i> | |
| GA-Optimization Approach to Remove the Noise Due to the Resonance Mode of the Slit Parallel-Plate Structure | 3571 |
| <i>Sungtek Kahng and Jaehoon Choi</i> | |
| A Circuit Model for Straight-to-Bent Microstrip Line Coupling | 3575 |
| <i>P. Bernardi, R. Cicchetti, G. Pelosi, A. Reatti, S. Selleri and M. Tatini</i> | |
| Miniaturised Microstrip Diplexers for Wimax Applications | 3579 |
| <i>D. Budimir and L. Athukorala</i> | |
| Multilayer Directional Filters with Transmission Zero Characteristics | 3583 |
| <i>Srinivasa Rao Zinka, Sangho Nam and Jeong Phill Kim</i> | |
| Bandwidth Enhancement of Broad-Band Cavity-Coupled Microstrip Vertical Transitions | 3587 |
| <i>Eric S. Li and Chih Che Lai</i> | |
| Microstrip Three-Port 4-Channel Multiplexers Using Dual-Band Bandpass Filters for Wireless Applications | 3591 |
| <i>D. Zayniyev and D. Budimir</i> | |
| Design of a New K-Band Push-Push Oscillator Improving Output Power | 3595 |
| <i>Hyun-Wook Lee, Sung-Won Seo, Ki-Cheol Yoon, Kyoung-Min Oh, Seung-Yeon Oh, Hee Nam and Jong-Chul Lee</i> | |
| Pattern Smoothness and Gain Enhancement of Finite Ground Slot Dipole Antenna Fed by Conductor-Backed Coplanar Waveguide | 3599 |
| <i>I-Ching Lan, Shih-Yuan Chen and Powen Hsu</i> | |
| Radiation Pattern Error Corrections Based on Matrix Pencil Method1 | 3603 |
| <i>Germán León, Susana Loredo, Sergio Zapatero and Fernando Las Heras</i> | |
| Large Scale Antenna Pattern Measurements | 3607 |
| <i>Jarrod Fortinberry, David Elkins and Tom Shumpert</i> | |
| Scattering Reduction in Spherical Near-Field Measurements | 3611 |
| <i>Allen C. Newell and Greg Hindman</i> | |
| Non-Ideal Probe Effect on the Polarization Extraction Using the Planar Near-Field Phaseless Antenna Measurements | 3615 |
| <i>S. Farhad Razavi and Yahya Rahmat-Samii</i> | |
| A Method of Pattern Measurement to Cancel Reflection Waves in Anechoic Chamber | 3619 |
| <i>Mio. Nagatoshi, Masanobu Hirose, Hiroki Tanaka Satoru Kurokawa and Hisashi Morishita</i> | |
| Wide Band Dual Polarized Probes for Near and Farfield Measurement Systems | 3623 |
| <i>L. J. Foged and A. Giacomini</i> | |
| Indoor Sensor Array Test-Bed(SATB) for Direction Finding Applications At Communication-Band | 3627 |
| <i>Jun-Ho Choi, Jong-Won Yang, Cheol-Sun Park and Sun-Phil Nah</i> | |
| Systematic Uncertainty of Efficiency by Reflection Method | 3631 |
| <i>Nozomu Ishii, Yasuo Katagiri and Michio Miyakawa</i> | |
| Doa Measurements on Indoor Channel Based on Music and Mdl Processing | 3635 |
| <i>Yasar Kurdi and Leandro De Haro</i> | |
| Multilevel Fast Near-Field Far-Field Transformation for Electrically Large Antennas | 3639 |
| <i>C. H. Schmidt and T. F. Eibert</i> | |
| Correction of Multipath Effects in Measured Patterns by Using FFT and Timegating1 | 3643 |
| <i>Susana Loredo, Germán León, Sergio Zapatero and Fernando Las-Heras</i> | |
| A Mobile Antenna Study of Radiation Efficiency in Human Head and Hand Environment | 3647 |
| <i>Dai Lu</i> | |
| User's Head and Hand Influence on the Diversity Performance of Neutralized Two-Antenna Systems for UMTS Handsets | 3651 |
| <i>A. Chebihi, D. Nyberg, A. Diallo, C. Luxey, P. Le Thuc and R. Staraj</i> | |

| | |
|---|-------------|
| Handset Antenna Design for Fm Reception | 3655 |
| <i>Jaume Anguera David Aguilar, Jordi Vergés, Miquel Ribó and Carles Puente</i> | |
| E Ects of Hand Phantom and Di Erent Use Patterns on Mobile Phone Antenna Radiation Performance | 3659 |
| <i>Chung-Huan Li, Erdem O I, Nicolas Chavannes, Emilio Cherubini, Hans Ulrich Gerber and Niels Kuster</i> | |
| Modal Solution for the Fields Due to a Magnetic Source Impressed in a Circular Cylinder | 3663 |
| <i>J. M. Villa-Giron, B. Shanker and L. C. Kempel</i> | |
| Compact Conformal Dipole Antenna on Organic Substrate for 2.4 GHz Applications | 3667 |
| <i>Negar Tavassolian, George E. Ponchak and John Papapolymerou</i> | |
| Pattern Synthesis of Double-Curved Conformal Paraboloidal Array | 3671 |
| <i>Wang Bu-Hong, Meng Ling-Qin and Guo Ying</i> | |
| Frequency-Invariant Pattern Synthesis for Conformal Array with Space-Time-Polarization Weighting Structure | 3675 |
| <i>Wang Bu-Hong and Guo Ying</i> | |
| Fast Power Pattern Synthesis of Conformal Reflectarrays | 3679 |
| <i>A. Capozzoli, C. Curcio, G. Délia and A. Liseno</i> | |
| New Crossed Staircase Dipole Antenna for 915 MHz RFID Application | 3683 |
| <i>R. H. Bhuiyan, R. Dougal and M. Ali</i> | |
| Conformal Antenna on LCP for Sensor Applications | 3687 |
| <i>Symeon Nikolaou and Dimitrios E. Anagnostou</i> | |
| Complementarity in the Optimisation of RFID Slot and Patch Tag Antennas | 3691 |
| <i>Chi'di Diugwu and John Batchelor</i> | |
| Complementarity in the Optimisation of RFID Dipole Tag Antennas | 3695 |
| <i>Chi'di Diugwu and John Batchelor</i> | |
| Design and RFID Signal Analysis of a Meander Line UHF RFID Tag Antenna | 3699 |
| <i>Toni Björninen, Matti Nikkari, Leena Ukkonen, Fan Yang, Atef Elsherbeni, Lauri Sydänheimo and Markku Kivikoski</i> | |
| Design and Comparison Between Two General Purpose Dipole Type UHF RFID Tag Antennas | 3703 |
| <i>Matti Nikkari, Toni Björninen, Leena Ukkonen, Fan Yang, Atef Elsherbeni, Lauri Sydänheimo and Markku Kivikoski</i> | |
| Electrically Small Loop Antenna for UHF Band RFID Tag | 3707 |
| <i>Young-Joon Ahn, Frances J. Harackiewicz, Sung-Joo Kim, Myun-Joo Park, Yong-Seek Chung and Byungje Lee</i> | |
| Crab Shaped Antenna for RFID Tag at UHF Band | 3711 |
| <i>Sung-Joon Hong, Byunggil Yu, Frances J. Harackiewicz, Myun-Joo Park, Yong-Seek Chung and Byungje Lee</i> | |
| A Small RFID Tag Antenna to Identify Metallic Objects | 3715 |
| <i>Wonkyu Choi, Jungsook Kim, Ji-Hoon Bae and Gilyoung Choi</i> | |
| Dual-Function RFID Tag Antenna | 3719 |
| <i>Y. C. Or, K. W. Leung and R. Mittra</i> | |
| Stacked Patch Antenna Miniaturization Using Metamaterials | 3723 |
| <i>Iftekhar O. Mirza, Shouyuan Shi, Chris Fazi and Dennis W. Prather</i> | |
| Dual Band Antennas Using Metamaterial Transmission Lines | 3727 |
| <i>Jae-Hyun Park, Young-Ho Ryu, Seung-Wook Lee, Jeong-Hae Lee, Eun-Seok Park and Young-Eil Kim</i> | |
| Multi-Band Antenna Using Dual Composite Right/Left Handed Transmission Line | 3731 |
| <i>Young-Ho Ryu, Jae-Hyun Park, Seung-Tae Ko, Jeong-Hae Lee and Heung-Sik Tae</i> | |
| ENZ-Based Shortened Horn Antenna - An Experimental Study | 3735 |
| <i>Silvio Hrabar, Davor Bonefacic and Damir Muha</i> | |
| Circuit Modeling and Optimization of a Microstrip Left Handed Transmission Line for Antenna Applications | 3739 |
| <i>Avihu Levi, Reuven Shavit and Laurent Habib</i> | |
| Tunable Negative Refractive Index Metamaterial in Microstrip Line for Antenna Applications | 3743 |
| <i>Peng He, Jinsheng Gao, P. V. Parimi, V. G. Harris and C. Vittoria</i> | |
| Double Negative Metamaterial Applications in Modified Log-Periodic Arrays for Wideband Pulse Radiation | 3746 |
| <i>Peng Jin and Richard W. Ziolkowski</i> | |
| A Novel Composite Right/Left-Handed Unit Cell and Potential Antenna Applications | 3750 |
| <i>Frédéric Bongard and Juan R. Mosig</i> | |
| Highly Directive Dielectric Resonator Antennas Operating At Higher Order Degenerate Band Edge Modes | 3754 |
| <i>S. Yarga, K. Sertel and J. L. Volakis</i> | |
| Design of Novel Printed Elliptical Monopole Antenna for UWB Applications | 3758 |
| <i>Hualiang Zhang, Hao Xin and R. W. Ziolkowski</i> | |
| Compact Dual-Linearly Polarized UWB Antenna for VHF/UHF Applications | 3762 |
| <i>Idahosa A. Osaretin and Chi-Chih Chen</i> | |
| Crossed Exponentially Tapered Slot Antenna for UWB Applications | 3766 |
| <i>Jorge R. Costa and Carlos A. Fernandes</i> | |

| | |
|---|------|
| UWB Antennas Miniaturization and its Influence on Antenna-Transceiver Performance | 3770 |
| <i>Soheil Radiom, Guy Vandenbosch and Georges Gielen</i> | |
| Analysis of On-Chip Antennas for High-Speed Signal Transmission in Silicon Integrated Circuits | 3774 |
| <i>K. Kimoto, N. Sasaki, S. Kubota, W. Moriyama and T. Kikkawa</i> | |
| A CPW-Fed Polarization Diversity Antenna for UWB Systems | 3778 |
| <i>Hyung Kuk Yoon, Jin A Park, Young Joong Yoon and Cheon-Hee Lee</i> | |
| Notch Bandwidth and Filter Order Trade-Offs in Band-Notched Monopole Antennas for UWB Applications | 3782 |
| <i>Adel Elsherbini, Cemin Zhang, Aly E. Fathy and Mohamed Mahfouz</i> | |
| Design of a UWB Antenna with Stabilized Radiation Pattern | 3786 |
| <i>F. Keshmiri, R. Chandra and C. Craeye</i> | |
| A Time-Based Approach for the Synthesis of Antennas for UWB Communication Systems | 3790 |
| <i>M. Benedetti, L. Lizzi, F. Viani, R. Azaro, P. Rocca and A. Massa</i> | |
| Wideband Microstrip Patch Antenna on a Thick Substrate | 3794 |
| <i>Majid Manteghi</i> | |
| Wideband Planar Antennas for Millimeter-Wave Wireless Communications | 3798 |
| <i>Keren Li, Tomoaki Sato and Naoki Kajitani</i> | |
| Broadband Single-Fed Single-Patch Circularly Polarized Antenna for UHF RFID Applications | 3802 |
| <i>Hao Wei Kwa, Xianming Qing and Zhi Ning Chen</i> | |
| Broadband Terahertz Antenna for Wide Band Gap Semiconductor Photoconductive Switches | 3806 |
| <i>Yu-Jiun Ren, Pengcheng Lv and Kai Chang</i> | |
| A Circular Patch Fed by a Switch Line Balun with Printed L-Probes for Broadband CP Performance | 3810 |
| <i>Ze-Hai Wu, Yu Lou, Jian Bao and Edward K. N. Yung</i> | |
| An Efficient Center-Fed Circular Patch Antenna Loaded with an Annular Ring | 3814 |
| <i>Asem Al-Zoubi, Fan Yang and Ahmed Kishk</i> | |
| Uniplanar CPW-Fed Slot/Microstrip Antenna for X-Band Applications | 3818 |
| <i>A. M. Abbosh and M. E. Bialkowski</i> | |
| Effects of Klopfenstein Tapered Feedlines on the Frequency- and Timedomain Performance of Planar Monopole UWB Antennas | 3822 |
| <i>G. Ruvio and M. J. Ammann</i> | |
| Millimeter Waves Patch Antenna Design and Realization on BCB Polymer Sub-Strates | 3826 |
| <i>I. Venneri, A. Borgia, L. Boccia, G. Amendola and G. Di Massa</i> | |
| Analysis of Electromagnetic Field Penetration Through Apertures Based on Electromagnetic Topology | 3830 |
| <i>Yoon-Mi Park, Younju Lee, Young-Seek Chung, Changyul Cheon and Hyun-Kyo Jung</i> | |
| Ewald Acceleration for the Dyadic Green's Functions for a Linear Array of Dipoles and a Dipole in a Parallel-Plate Waveguide | 3834 |
| <i>S. Steshenko, F. Capolino, D. R. Wilton and D. R. Jackson</i> | |
| RCS Convergence Versus the Number of Unknowns and Very Low Frequency Behavior of the Galerkin MFIE Discretizations of Sharp-Edged Objects with Monopolar RWG and NXRWG Basis Functions | 3838 |
| <i>Eduard Ubeda and Juan M. Rius</i> | |
| Full-Wave Reduced-Order Models for Local Computational Analysis | 3842 |
| <i>Xin Xu and Robert J. Adams</i> | |
| Benchmark Study on Computational Resources for Numerical Methods in Electromagnetics | 3846 |
| <i>Rensheng Sun and C. J. Reddy</i> | |
| Accurate and Efficient Computation of the Wire Kernel | 3850 |
| <i>Junsheng Zhao</i> | |
| A New Equivalent Circuit Extraction Method for Quasi-Static Regions | 3854 |
| <i>Benjamin D. Braaten, Robert M. Nelson and Yuxin Feng</i> | |
| An Improved Integral Equation Formulation for Analysis of Scattering From Composite Conducting and Dielectric Objects | 3858 |
| <i>Xiaofeng Que, Zaiping Nie and Ju Hu</i> | |
| Dual-Frequency Air-Spaced Patch Antennas | 3862 |
| <i>Robert Foster, Peter Hall and Edward Hoare</i> | |
| Dual Band Slot-Type Binocular Antenna for RFID Applications | 3866 |
| <i>Alessia Polemi and Alberto Toccafondi</i> | |
| 2.4/5-GHz Dual-Band Vertically/Horizontally Dual-Polarized Omnidirectional Antennas for WLAN Base Station | 3870 |
| <i>Atsuya Ando, Naoki Kita and Wataru Yamada</i> | |

| | |
|--|-------------|
| Dual-Band GPS Antennas with Single-Feed and Low-Profile Configurations | 3874 |
| <i>Zhang Peng, Yoshikatsu Miura and Takayasu Shiokawa</i> | |
| Dual Circularly-Polarized Stacked Patch Antenna for GPS/SDMB..... | 3878 |
| <i>Jun-Hwa Oh, Young-Pyo Hong and Jong-Gwan Yook</i> | |
| Dual-Band Circularly Polarized Microstrip Antenna for GPS Application | 3882 |
| <i>Takafumi Fujimoto, Daisuke Ayukawa, Kouhei Iwanaga and Mitsuo Taguchi</i> | |
| A Dual-Band Planar Monopole Antenna Using Grounded Parasitic Coupling | 3886 |
| <i>Yu-Chin Ou, Chih-Hao Lin and Yi-Cheng Lin</i> | |
| Two Nearby Dual-Band Antennas with High Port Isolation | 3890 |
| <i>Cai-Yi Lui, Yu-Shin Wang and Shyh-Jong Chung</i> | |
| Dual-Band Hybrid Dielectric Resonator Antenna for WLAN..... | 3894 |
| <i>Yuan Gao Ban-Leong Ooi and Mook-Seng Leong</i> | |
| Dual-Band Microstrip-Fed Monopole on RO4003 Substrate | 3898 |
| <i>Symeon Nikolaou, Photos Vryonides and Dimitrios E. Anagnostou</i> | |
| Effect of Mutual Coupling on the Performance of Adaptive Antennas | 3902 |
| <i>Khadir A. Griffith and Inder J. Gupta</i> | |
| A Fully-Adaptive Smart Antenna Prototype: Numerical Modeling and Experimental Validation | 3906 |
| <i>M. Benedetti, P. Rocca, R. Azaro and A. Massa</i> | |
| Microwave Beamforming Using Analog Signal Processing | 3910 |
| <i>Mircea Hossu, S. Hamidreza Jamali, Pedram Mousavi, Kiarash Narimani, Mohammad Fakharzadeh and Safieddin Safavi-Naeini</i> | |
| Modified Beamspace Adaptive Array Employing Eigenvector Beams..... | 3914 |
| <i>Noriaki Oodachi, Shuichi Obayashi, Hiroki Shoki, Shizuo Akiyama and Tasuku Morooka</i> | |
| Control of the Harmonic Radiation Patterns of Time Modulated Antenna Arrays..... | 3918 |
| <i>A Tennant and B Chambers</i> | |
| Adaptive Beamforming for Large Arrays in Satellite Communications | 3922 |
| <i>Julien Montesinos, Olivier Besson and Cécile Guiraud</i> | |
| Implementation and Experimental Verification of a Millimeter Wave Smart Antenna System..... | 3926 |
| <i>Nuri Celik and Magdy F. Iskander</i> | |
| 64 Element Adaptive Beam Former for Space Borne SAR Modes | 3930 |
| <i>U. V. Buch, N. M. Desai and S. B. Sharma</i> | |
| A 3D Compact Pent- Band Antenna for Wireless Mobile Communication..... | 3934 |
| <i>Dong Wang, Geyi Wen, Qinjiang Rao and Mark Pecan</i> | |
| A Study on Configurations of Magnetic Material Loaded Planar Inverted-F Antenna Using Topology Optimization..... | 3938 |
| <i>Shintaro Otsu, Shinya Endoh, Naobumi Michishita and Hisashi Morishita</i> | |
| Spherical Wave Characterization of Radiated Fields of Mobile Phones Next to a Head Phantom..... | 3942 |
| <i>T. A. Laitinen</i> | |
| A Miniature Chip Antenna without Empty Space on PCB for 2.4GHz ISM Band Applications1 | 3946 |
| <i>Hsien-Wen Liu, Ting-Ying Chen, Chang-Fa Yang, Shun-Tian Lin, Sheng-Shiue Tasi, Chen-Wei Chiu and Chuan-Ling Hu</i> | |
| Compact Metamaterial Quad-Band Antenna for Mobile Application | 3950 |
| <i>Ajay Gummalla, Cheng-Jung Lee and Maha Achour</i> | |
| Design of an Ultra-Wideband Internal Antenna Using Symmetrical Radiators for Mobile Application..... | 3954 |
| <i>Youngki Lee, Seokjin Hong, Jeongpyo Kim Gio Kim, Wonmo Seong and Jaehoon Choi</i> | |
| Performance Improvement Methodology of Isolation in a Dual-Standby Mobile Phone by Optimizing Antenna Topology and Position | 3958 |
| <i>Jungmin Park, Youngju Lee, Yongsup Kim and Austin S. Kim</i> | |
| A Chip Antenna with Magneto-Dielectric Material | 3962 |
| <i>Y. S. Shin and S. O. Park</i> | |
| A Technique of Suppressing Coupling for Handset Applications Using a Shorted Radiation Structure (SRS)..... | 3966 |
| <i>Kyungmoon Seol, Youngju Lee, Yongsup Kim and Austin S. Kim</i> | |
| E-Plane Flared Rectangular Corrugated Horn for Tapered Aperture..... | 3970 |
| <i>Amir I. Zaghloul and Theodore Anthony</i> | |
| Space-Use Radial Line Slot Antenna in 8GHz Band with Honeycomb Structure | 3974 |
| <i>Hideki Ueda, Jiro Hirokawa, Makoto Ando Osamu Amano and Yukio Kamata</i> | |
| Novel Multi-Layer SIW Broadband Coupler for Nolen Matrix Design in Ku Band..... | 3978 |
| <i>Ahmed Ali, Fabio Coccetti, Hervé Aubert, and Nelson J. G. Fonseca</i> | |

| | |
|---|------|
| Scattering Analysis of H-Plane T-Junction Between Fully Dielectric-Filled Rectangular Waveguide and Partially Dielectric-Filled Parallel-Plate | 3982 |
| <i>Miroslav Samardžija, Jiro Hirokawa and Makoto Ando</i> | |
| Waveguide Loaded with Metamaterial Surface for Dispersion Linearization: Numerical and Experimental Results | 3986 |
| <i>G. Goussetis, C. Mateo-Segura, J. -L. Gomez-Tornero and N. Uzunoglu</i> | |
| Study of Local Quasi-TEM Waves in Oversized Waveguides with One Hard Wall for Killing Higher Order Global Modes | 3990 |
| <i>Esperanza Alfonso, Per-Simon Kildal, Alejandro Valero and José I. Herranz</i> | |
| Simple and Accurate Transverse Equivalent Network to Model Radiation From Hybrid Leaky-Wave Antennas with Control of the Polarization | 3994 |
| <i>José Luis Gómez-Tornero, George Goussetis, David Cañete-Rebenaque, Fernando Quesada-Pereira and Alejandro Álvarez-Melcón</i> | |
| A W-Band Transition From Coplanar Waveguide to Rectangular Waveguide | 3998 |
| <i>R. Shireen, S. Shi, P. Yao, C. A. Schuetz, J. Macario and Dennis W. Prather</i> | |
| Waveguide Design Considerations in Annular Waveguide Slot Antennas (AWSA) | 4002 |
| <i>S. Ebadi and K. Forooghi</i> | |
| Parametric Uwb Radar Target Modeling Using Particle Swarm Optimization | 4006 |
| <i>Ismail Joumy</i> | |
| Analytical Calculations of a Lens for Better Focusing the Fields From a Prolate-Spheroidal Reflector | 4010 |
| <i>Serhat Altunc, Carl E. Baum, Christos G. Christodoulou and Edl Schamiloglu</i> | |
| An Empirical Approach to the Prediction of the Channel Capacity in Ultra Wideband Indoor Propagation Channels | 4014 |
| <i>Christian Sturm, Ullrich J. Mönich, Thomas Zwick, Werner Wiesbeck and Holger Boche</i> | |
| Experimental Channel Characterization of a MIMO-UWB Communication System | 4018 |
| <i>L. Lizzi, M. D. Migliore, D. Pinchera, F. Schettino, M. Benedetti, R. Azaro and A. Massa</i> | |
| A Miniature Lumped Element LTCC Quadrature Hybrid Coupler for GPS Applications | 4022 |
| <i>Greg Brzezina and Langis Roy</i> | |
| On-Chip Bond-Wire Antennas on CMOS-Grade Silicon Substrates | 4026 |
| <i>Niharika Varanasi, Byunghoo Jung and Dimitrios Peroulis</i> | |
| RF MEMS Switches with Sic Microbridges for Improved Reliability | 4030 |
| <i>Maximilian C. Scardelletti, Christian. A. Zorman and Daniel R. Oldham</i> | |
| Noise Considerations in the Design of Potentially Unstable Microwave Transistor Amplifiers in the CCITL System | 4034 |
| <i>R. Silapunt and D. Torrungrueng</i> | |
| A Miniature Dual-Mode Triangular Patch Bandpass Filter Using AL2O3 Substrate | 4038 |
| <i>Chien-Hung Chen, Yi-Fang Lin, Hua-Ming Chen, C. F. Yang and D. W. Chou</i> | |
| Low Sidelobe Level Radar Techniques Using Golay Based Coded Sequences | 4042 |
| <i>Ana Vazquez Alejos Muhammed Dawood, Habeeb Ur Rahman Mohammed, Manuel G. Sanchez, Russell P. Jedlicka and Iñigo Cuiñas</i> | |
| Direct Radar Positioning Using Strongly Coupled Ultra-Wideband Arrays | 4046 |
| <i>Christophe Craeye and Anatoliy Boryssenko</i> | |
| An Investigation of Antenna Element Spacing on the Quality of Millimetre Wave Imaging | 4050 |
| <i>L. Zhang, Y. Hao, C. G. Parini and John Dupuy</i> | |
| Human Activity Classification Based on Micro-Doppler Signatures Using an Artificial Neural Network | 4054 |
| <i>Youngwook Kim and Hao Ling</i> | |
| Microdoppler Signature Simulation of Computer Animated Human and Animal Motions | 4058 |
| <i>Shobha S Ram and Hao Ling</i> | |
| Comparison of Optical and Millimeter Wave Imaging on Speckle | 4062 |
| <i>Qi Feng, Dominique Schreurs, Vahid Tavakol and Bart Nauwelaers</i> | |
| Localization, From the Observed Far-Field, of Radiating Centers in a 3D-Scene | 4066 |
| <i>Nicolas Chevaux Gildas Kubické, Christophe Bourlier, Philippe Pouliguen and Joseph Saillard</i> | |
| Clutter Cancellation in a Weather Radar Using an Adaptive Array Antenna | 4070 |
| <i>Jonggil Lee</i> | |
| Image Feature-Based Space-Time Processing (IFSTP) for Bistatic Ground Moving Target Detection and Clutter Rejection | 4074 |
| <i>Shengli Jiang, Zhong Liu and Hai Deng</i> | |
| A Contrast Source Inversion Method for Reconstructing Objects in an Inhomogeneous Background Medium | 4078 |
| <i>A. Abubakar, W. Hu, P. M. Van Den Berg and T. M. Habashy</i> | |

| | |
|---|------|
| Sparsity-Regularized Born Iterations for Electromagnetic Inverse Scattering | 4082 |
| <i>H. Bagci, R. Raich, A. E. Hero and E. Michielssen</i> | |
| Hybrid Approach to the Inverse Scattering Problem by Using Ant Colony Optimization and No-Sampling Linear Sampling | 4086 |
| <i>M. Brignone, G. Bozza, A. Randazzo, R. Aramini, M. Piana and M. Pastorino</i> | |
| An Informational Theoretic Approach to the Microwave Tomography | 4090 |
| <i>Marco D. Migliore</i> | |
| A High-Resolution Imaging Algorithm for Complex-Shaped Target Shapes by Optimizing Quasi-Wavefronts | 4094 |
| <i>Takuya Sakamoto, Hiroshi Matsumoto and Toru Sato</i> | |
| Level Set Algorithm for Shape Reconstruction of Multiple Conducting Cylinders with Arbitrary Cross-Sections | 4098 |
| <i>Mohammad Reza Hajihashemi and Magda El-Shenawee</i> | |
| Use of Resonance Parameters of Air-Intakes for the Identification of Aircrafts | 4102 |
| <i>J. Chauveau, N. De Beaucoudrey and J. Saillard</i> | |
| A Resonance Region Method for Recognition of Multiple Targets Using the MUSIC Algorithm and a Time Correlation Technique | 4106 |
| <i>Mustafa Secmen, Evren Ekmekci and Gönül Turhan-Sayan</i> | |
| Experimental Assessment of Deterministic and Stochastic Approaches for Inverse Scattering Problems From Amplitude-Only Data | 4110 |
| <i>M. Benedetti, G. Franceschini, D. Franceschini, P. Rocca, M. Donelli and A. Massa</i> | |
| An Integration Between SVM Classifiers and Multi-Resolution Techniques for Early Breast Cancer Detection | 4114 |
| <i>P. Rocca, F. Viani, M. Donelli, M. Benedetti and A. Massa</i> | |
| Near Field Retrieval From Far Field Using PDFT | 4118 |
| <i>Daniel Sánchez, Mariano Baquero, Felipe Vico and Bernardo Bernardo</i> | |
| Simplified and Fast Iterative Physical Optics Algorithm for Human Body Analysis At W-Band | 4122 |
| <i>M. Vahidpour and K. Sarabandi</i> | |
| Solving Scattering From Conducting Multi-Object by Hybrid MLFMA with Generalized Forward-Backward Method | 4126 |
| <i>Xi Rui, Jun Hu and Zaiping Nie</i> | |
| Characteristic Basis Finite Element Method (CBFEM) - a Non-Iterative Domain Decomposition Finite Element Algorithm for Solving Electromagnetic Scattering Problems | 4130 |
| <i>Ozlem Ozgun, Raj Mittra and Mustafa Kuzuoglu</i> | |
| Depth-Limited Search Applied to Compute N-Order Reflections in the Analysis of the Rcs in Large and Complex Targets | 4134 |
| <i>Lorena Lozano, M^a Jesus Algar, Miguel Blanco, Ivan Gonzalez and Felipe Cátedra</i> | |
| Scattering Analysis of Dielectric-Coated Metallic Targets Based on Phase-Extracted Basis Functions | 4138 |
| <i>Shiquan He, Su Yan and Zaiping Nie</i> | |
| A Non-Iterative Domain Decomposition Method for Finite Element Analysis of 3D Electromagnetic Scattering Problems | 4142 |
| <i>Ozlem Ozgun and Mustafa Kuzuoglu</i> | |
| Computer Code for the Efficient Calculation of the Rcs of Complex Target Considering Multiple Bounces | 4146 |
| <i>Lorena Lozano, M^a Jesus Algar, Miguel Blanco, Ivan Gonzalez and Felipe Cátedra</i> | |
| Visibility Algorithms for Electromagnetic Problems | 4150 |
| <i>J. G. Meana, F. Las-Heras and José A. Martínez</i> | |
| Implementation of the Equivalent Currents Method in the IPO Method | 4154 |
| <i>R. Hemon P. Pouliguen, J. Saillard and J. F. Damiens</i> | |
| Interaction of Electromagnetic Wave with Elastic Wave in Elastic Media | 4158 |
| <i>M. S. Tong and W. C. Chew</i> | |
| Electromagnetic Scattering by Multi-Wall Carbon Nanotubes Using Effective-Boundary Condition Approach | 4162 |
| <i>Said M. Mikki and Ahmed A. Kishk</i> | |
| Near and Far Fields for a Doubly Periodic Array of Metal Strips | 4166 |
| <i>C. Mateo-Segura and G. Goussetis</i> | |
| Reverberation Chamber and Indoor Measurements for Time Reversal Application | 4170 |
| <i>Yumni Ziadé, Man-Fai Wong and Joe Wiart</i> | |
| Modeling of Electrically Tunable Transmission Line Phase Shifter Based on Liquid Crystal | 4174 |
| <i>Alexander Gaebler, Felix Goelden, Stefan Mueller and Rolf Jakoby</i> | |

| | |
|---|-------------|
| Effect of Capacitive Coupling Between Split-Ring Resonators | 4178 |
| <i>In Kwang Kim and Vasundara V. Varadan</i> | |
| Array Thinning with Periodic and Aperiodic Distributions in a Fabry-Perot Cavity for Gain Enhancement..... | 4182 |
| <i>F. Capolino, M. Albani and V. Galdi</i> | |
| Miniature Continuous Coverage Wideband GPS Antenna Array | 4186 |
| <i>Justin A. Kasemodel, Chi-Chih Chen, Inder J. Gupta and John L. Volakis</i> | |
| Spherical Cap Crpas for GPS..... | 4190 |
| <i>Jeremy R. Lambert, Constantine A. Balanis and Dennis Decarlo</i> | |
| Effects of Auxiliary Element Gain on the Performance of Power Minimization GPS Crpas..... | 4194 |
| <i>Jeremy R. Lambert, Constantine A. Balanis and Dennis Decarlo</i> | |
| Rotman Lens Development..... | 4198 |
| <i>Theodore K. Anthony</i> | |
| Analysis of GPS Antenna Performance in a Multipath Environment | 4202 |
| <i>Masood Ur Rehman, Yue Gao, Xiaodong Chen, Clive G. Parini and Zhinong Ying</i> | |
| Computing the Effective Complex Permittivity of Corrugated Slabs by Inverse Scattering Under Oblique Incidence | 4206 |
| <i>Jasmin E. Roy</i> | |
| Characterization of Low-Loss Magnetodielectric Composites for Antenna Size Reduction | 4210 |
| <i>I. Tzanidis, S. Koulouridis, K. Sertel, D. Hansford and J. L. Volakis</i> | |
| Accuracy Enhancement of the Whispering Gallery Mode Resonator Method Using Substrates with Identical Sizes to Measure the Conductivity and the Complex Permittivity..... | 4214 |
| <i>Tran Thi Huong, Jiro Hirokawa, Yoshinori Kogami and Makoto Ando</i> | |
| Microwave Dielectric Properties Inspection of Fiber-Reinforced Civil Structures | 4218 |
| <i>G. Roqueta, B. Monsalve, S. Blanch, J. Romeu and L. Jofre</i> | |
| Characterization of Dielectric Constants and Dissipation Factors of Liquid Crystal Polymer in 60-80 GHz Band | 4222 |
| <i>Y. L. Lu, Y. P. Huang, K. C. Teo, N. M. Sankara, W. L. Lee and B. H. Pan</i> | |
| A Miniaturized Rectangular Cavity by Three-Dimensional (3D) Anisotropic Metamaterials | 4226 |
| <i>Fan-Yi Meng, Jia-Hui Fu, Qun Wu and Le-Wei Li</i> | |
| Reflectarray Using an Offset Prolate Feed At 94 GHz..... | 4230 |
| <i>J. Lanteri, C. Migliaccio, J-Y. Dauvignac and Ch. Pichot</i> | |
| A New Dual-Band Reflectarray Configuration..... | 4234 |
| <i>Shih-Hsun Hsu and Kai Chang</i> | |
| Microstrip Reflectarray Design At MWIR and NIR..... | 4238 |
| <i>J. C. Ginn, D. J. Shelton, J. Alda, B. A. Lail and G. D. Boreman</i> | |
| A Low Loss Reflectarray Element Based on a Dielectric Resonator Antenna (DRA) with a Parasitic Strip..... | 4242 |
| <i>M. H. Jamaluddin, R. Gillard, R. Sauleau, P. Dumon and L. Le Coq</i> | |
| Physical Bounds on the Antenna Scattering Matrix..... | 4246 |
| <i>Mats Gustafsson, Christian Sohl and Sven Nordebo</i> | |
| Wave Diversity Limits for Wireless Communication (Invited Paper) | 4250 |
| <i>Massimo Franceschetti</i> | |
| Performance Analysis of Optimal and Practical Diversity Antenna Designs..... | 4254 |
| <i>Britton T. Quist and Michael A. Jensen</i> | |
| A New MIMO Channel Representation Including Spatial Diversity, Array Orientation and Depolarization Effects | 4258 |
| <i>Ramya Bhagavatula, Robert W. Heath Jr. and Claude Oestges</i> | |
| A Phaseless Parasitic MIMO-Channel Sounder | 4262 |
| <i>D. Pinchera and M. D. Migliore</i> | |
| Multistatic Ambiguity Function - a Tool for Waveform Selection in Distributed Radar Systems..... | 4266 |
| <i>I. Bradaric, G. T. Capraro and M. C. Wicks</i> | |
| MIMO Phased-Array for Airborne Radar..... | 4267 |
| <i>Jameson Bergin, Paul Techau, Marshall Greenspan and Joseph Guerci</i> | |
| What Is the Appropriate Physical Form of Channel Capacity to Use for Wireless Communication | 4271 |
| <i>Tapan K. Sarkar, Magdalena Salazar-Palma and Eric Mokole</i> | |
| Century Bandwidth Antennas for Use in Applications with Waveform Diversity | 4275 |
| <i>Michael C. Wicks and Tapan K. Sarkar</i> | |
| Unidirectional Transmission Characteristics of Printed Magnetic Photonic Crystals† | 4279 |
| <i>Erdinc Irci, Kubilay Sertel and John L. Volakis</i> | |

| | |
|--|------|
| Simulation of Refraction Focusing Using Negative-Refractive-Index Metamaterials | 4283 |
| <i>Amir I. Zaghloul and Youn Lee</i> | |
| Sub-Wavelength Resonances in Polygonal Metamaterial Cylinders | 4287 |
| <i>Samel Arslanagic and Olav Breinbjerg</i> | |
| Experimental Analysis of an Ultrawideband Hybrid EBG/Ferrite Ground Plane | 4291 |
| <i>Jodie M. Bell and Magdy F. Iskander</i> | |
| Experimental Verification That a Metamaterial Wedge Supports the Propagation of a Bandlimited Modulated Signal | 4295 |
| <i>D. L. Hanna, S. R. Best, B. W. Turchinets and J. S. Derov</i> | |
| Sommerfeld Integration Path for Double Negative Metamaterials | 4299 |
| <i>Weiwei Shu and Jiming Song</i> | |
| On the Effects of Angular and Polarization Dependence of the Artificial Ground Planes on the Far-Field Radiation Properties of Antennas | 4303 |
| <i>Alireza Foroozesh and Lotfollah Shafai</i> | |
| Optical Chiral Negative-Index Metamaterial Design | 4307 |
| <i>Do-Hoon Kwon, Douglas H. Werner, Alexander V. Kildishev, Vladimir P. Drachev and Vladimir M. Shalaev</i> | |
| Planar Bell-Shaped Antenna Fed by a CPW for UWB Applications | 4311 |
| <i>A. Mehdipour, A. Parsa, A. R. Sebak and C. W. Trueman</i> | |
| Design of Interleaved Ultra-Wideband Polyfractal Arrays | 4315 |
| <i>J. S. Petko and D. H. Werner</i> | |
| UWB Wave Polarization Measurements in an Indoor Channel Using Array Sensors | 4319 |
| <i>Sanghyun Chang and Robert A. Scholtz</i> | |
| Coplanar Printed-Circuit Antenna with Band-Rejection Elements for Ultra-Wideband Filtenna Applications | 4323 |
| <i>Yingying Lu, Hung-Jui Lam and Jens Bornemann</i> | |
| Rotman-Lens As a True-Time-Delay Beamformer at Low UHF Frequencies | 4327 |
| <i>A. Lambrecht, T. Zwick, Senior, W. Wiesbeck, Fellow, J. Schmitz and M. Jung</i> | |
| UWB Out-of-Phase Network Feeding a 2-Element Impulse Radiating Array | 4331 |
| <i>Elena Pancera, Grzegorz Adamiuk, Thomas Zwick and Werner Wiesbeck</i> | |
| A New Compact Dually Polarized Direction Finding Antenna on the UHF Band | 4335 |
| <i>A. Bellion, C. Le Meins, A. Julien-Vergonjanne and T. Monédière</i> | |
| A CPW-Fed Band-Notched Slot Antenna for UWB Applications | 4339 |
| <i>Chia-Shan Li and Chien-Wen Chiu</i> | |
| Printed UWB Antenna for Portable Devices | 4343 |
| <i>Emmi Kaivanto</i> | |
| Cavity Backed Hi-Lo Stacked Patch Antennas | 4347 |
| <i>A. S. Elmezughi, W. S. T. Rowe and R. B. Waterhouse</i> | |
| Microstrip Square-Ring Antenna with Capacitive Feeding for Multi-Frequency Operation | 4351 |
| <i>Saeed I. Latif and Lotfollah Shafai</i> | |
| Compact Expressions for Radiated Fields of Patch Antennas | 4355 |
| <i>Steven Weiss</i> | |
| Design of Irregularly Shaped Patch Antennas by Using the Multiport Network Model | 4359 |
| <i>Goker Sener, Lale Alatan and Mustafa Kuzuoglu</i> | |
| A Narrowband Patch Antenna with a Dielectric Patch | 4363 |
| <i>Sergey N. Makarov and Vishwanath Iyer</i> | |
| Equivalent Circuit Modelling of Aperture-Coupled Microstrip Patch Antennas | 4367 |
| <i>G. N. Milford and D. J. Cornforth</i> | |
| A Fragmented Aperture-Coupled Microstrip Antenna | 4371 |
| <i>Naftali Herscovici, James Ginn, Tony Donisi and Boris Tomasic</i> | |
| Stacked Circular Patch Antenna with Monopole Type Pattern for 60GHz WPAN Application | 4375 |
| <i>Woojin Byun, Bong-Su Kim, Kwang-Seon Kim, Min-Soo Kang and Myung-Sun Song</i> | |
| A Regularized Multi-Layered Green's Function | 4379 |
| <i>F. Vipiana, A. Polemi, S. Maci and G. Vecchi</i> | |
| A Combination Method for the Spectral Domain System Matrix Computation of Larger Microwave Structures with Thin Layer Environments | 4383 |
| <i>Thomas Vaupel</i> | |
| A Non-Galerkin Spatial-Domain Approach for Efficient Calculation of the Dispersion Characteristics of Microstrip Lines | 4387 |
| <i>Tamer G¸¸d¸¸ and Lale Alatan</i> | |

| | |
|---|------|
| Ewald-Transform Accelerated PML-Based Series Expansions for the 1-D Periodic 3-D Green's Functions of Multilayered Media | 4391 |
| <i>Hendrik Rogier</i> | |
| A Direct Method for Extracting Surface Waves of Green's Functions in a Multilayered Medium | 4395 |
| <i>Wang Daoxiang, Edward Yung Kai-Ning, Bao Jian and Chen Rushan</i> | |
| Efficient Interpolation of Mixed-Potential Periodic Green's Functions in Layered Media | 4399 |
| <i>Guido Valerio, Paolo Baccarelli, Simone Paulotto, Fabrizio Frezza and Alessandro Galli</i> | |
| Integral Equation Analysis of Scattering by a Grating Slab Waveguide | 4403 |
| <i>Nikolaos L. Tsitsas</i> | |
| Method of Auxiliary Sources for the Analysis of Insulated Wire Antennas | 4407 |
| <i>Yonghoon Kim, Kyung Heon Koo and Sangwook Nam</i> | |
| Thin-Stratified Medium Fast-Multipole Algorithm (TSMFMA) for Solving 2.5D Microstrip Structures | 4411 |
| <i>Jie L. Xiong and Weng Cho Chew</i> | |
| Fast Capacitance Extraction for Planar Structures in a Layer Medium Using the Novel Spectral Acceleration Algorithm | 4415 |
| <i>Chatrpol Lertsirimit and Danai Torrungrueng</i> | |
| Numerically Efficient Analysis of Printed Structures in Cylindrically Layered Media Using Closed-Form Green's Functions | 4419 |
| <i>R. Cüneyt Acar and Gülbin Dural</i> | |
| Monolithic Electromagnetic Modeling of Multi-Scale Structures Based on Scale-Changing Networks | 4423 |
| <i>Hervé Aubert</i> | |
| Modular Fast Direct Analysis Method Applied to Connected Platform and Design Structures | 4427 |
| <i>Xin Xu, Robert J. Adams, Yuan Xu and Francis X. Canning</i> | |
| Preconditioner for Modeling EM Scattering From Cavities Using FE-BI Equations with Domain Decomposition Method | 4431 |
| <i>Fu-Gang Hu and Chao-Fu Wang</i> | |
| Combined Frequency-Time Domain Analysis of FSS with Nonlinear Loads Using Volterra Integral Equations | 4435 |
| <i>Oleksandr Malyuskin and Vincent Fusco</i> | |
| Space Decomposition Method by Using Complex Source Expansion | 4439 |
| <i>Giacomo Carli, Enrica Martini and Stefano Maci</i> | |
| Electromagnetic Simulations Via Parallel Computing: an Application Using Scale Changing Technique for Modeling of Passive Planar Reflectarrays in Grid Environment | 4443 |
| <i>F. Khalil C. J. Barrios-Hernandez H. Aubert Y. Denneulin, F. Coccetti and R. Plana</i> | |
| Planar Dual Mode Antenna for 2.4GHz and UWB | 4447 |
| <i>C. T. P. Song, Sooliam Ooi and Boonping Koh</i> | |
| A Compact Monopole Antenna with a Defected Ground Plane for Multi-Band Applications | 4451 |
| <i>Marco A. Antoniadis and George V. Eleftheriades</i> | |
| A DRA Fed by PIFA for Laptop WLAN Application | 4455 |
| <i>Wei Huang and Ahmed A. Kishk</i> | |
| Antenna System for GPS Radiation Pattern Control on Portable Radios | 4459 |
| <i>Antonio Faraone, Giorgi Bit-Babik, Lorenzo Ponce De Leon and Sooliam Ooi</i> | |
| Experimental Investigation of 2x2 MIMO Array Antenna for the Mobile Wimax by Measuring 3D Radiation Patterns | 4463 |
| <i>Jung-Hwan Choi, Yong-Sun Shin, Won-Il Kwak, Ki-Bok Kong and Seong-Ook Park</i> | |
| Wireless Performance Improvement Using an Embedded Balanced Dipole Antenna in Laptop Computer Considering Platform Noise Impact | 4467 |
| <i>Seong-Youp Suh, Vijay K. Nair, Anand Konanur, Ulun Karacaoglu and Kwan-Ho Lee</i> | |
| A Note on the Mean Effective Radiated Power and the Mean Effective Receiver Sensitivity of Mobile Handheld Terminals | 4471 |
| <i>Andrés Alayón Glazunov, Fredrik Tufvesson and Andreas F. Molisch,</i> | |
| Modular High-Gain Antennas | 4475 |
| <i>Martin Johansson, Sven Petersson and Stefan Johansson</i> | |
| Four Band Feed System with Electrical Tracking Capability for Ku/Ka Band Bi-Directional Antenna | 4479 |
| <i>So-Hyeun Yun and In-Bok Yom</i> | |
| A Novel Technique for Enhancing the Directivity of Microstrip Patch Antennas Using an EBG Superstrate | 4483 |
| <i>Kyungho Yoo, Raj Mittra and Nader Farahat</i> | |
| Multi-Layer Miniaturized-Element Frequency Selective Surfaces | 4487 |
| <i>Farhad Bayatpur and Kamal Sarabandi</i> | |

| | |
|--|------|
| Parametric Studies of High Impedance AMC Surfaces Realized by Periodic Array of Arbitrarily Shaped Metallizations Printed Over Grounded Dielectric Substrates | 4491 |
| <i>Malcolm Ng Mou Kehn, Alireza Foroozesh and Lotfollah Shafai</i> | |
| Simple Bandwidth Estimates for Sievenpiper Mushroom Surfaces As Related to Relative Dimensions | 4495 |
| <i>Sergey N. Makarov</i> | |
| GA Optimized Reconfigurable Frequency Selective Surfaces for Passive Standoff Detection of Chemical Agents ... | 4499 |
| <i>Z. Bayraktar, M. G. Bray and D. H. Werner</i> | |
| Convergence Properties of the Method of Moments with Entire-Domain and Sub-Domain Basis Functions in the Modeling of Frequency Selective Surfaces | 4503 |
| <i>Maria Montagna, Maurizio Bozzi and Luca Perregrini</i> | |
| Dual-Band Metallic FSS-EBG Sectoral Antenna | 4507 |
| <i>M. Hajj, D. Serhal, E. Rodes and T. Monediere</i> | |
| Design of an Electromagnetic Bandgap Antenna | 4511 |
| <i>Felipe Cátedra, Abdelhamid Tayebi, Josefa Gómez, Iván Gonzalez and José Gómez.</i> | |
| Frequency Selective Characteristics of a New Dielectric Periodic Array Composed of Left-Handed Materials | 4515 |
| <i>Weihai Fang and Shanjia Xu</i> | |
| A Compact Directional Coupled Slot Antenna for Ultra-Wideband Applications | 4519 |
| <i>Adel Elsherbini and Kamal Sarabandi</i> | |
| A Novel Wideband Chebyshev Tapered Slot Antenna Using Broadband CPW to Slotline Transition | 4523 |
| <i>K. Hettak, G. Y. Delisle S. Tardif G. A. Morin and M. G. Stubbs</i> | |
| Study a Compact Printed Monopole Antenna with Two Notches and an Offset Circular Slot for UWB Communications | 4527 |
| <i>Osama Ahmed and Abdel-Razik Sebak</i> | |
| Broadband Quarter-Wavelength Slot Array Fed by a Microstrip Line | 4531 |
| <i>Bing-Hsiao Wang and Shih-Yuan Chen</i> | |
| Tapered Slot Antenna with Dielectric Rod and Metallic Reflector | 4535 |
| <i>Alexander Hees, Jürgen Hasch and Jürgen Detlefsen</i> | |
| A Novel Ultrawideband Slot-Antenna with Dual Band-Notched Characteristics | 4539 |
| <i>A. Mehdipour, A. R. Sebak and C. W. Trueman</i> | |
| Design of Two-Dimensional Waveguide Slot Arrays Using the Combination of a Full-Wave Moment Method Analysis and an Equivalent Circuit Model | 4543 |
| <i>Miao Zhang, Jiro Hirokawa, and Makoto Ando</i> | |
| Studies of Small Open-Slot Antennas for Wide-Band Applications | 4547 |
| <i>Wen-Shan Chen, Feng-Yu Lin and Kai-Cheng Yang</i> | |
| Design of Unsymmetrical Anti-Podal Taper Slot Element for Array Antenna | 4551 |
| <i>Wenhua Chen, Yuan Yao, Zhijun Zhang, Zhenghe Feng and Yaqin Chen</i> | |
| A Miniature Frequency-Agile Monopole Antenna | 4555 |
| <i>Zlatoljub D. Milosavljevic and M. N. Islam</i> | |
| Very Short Meander Monopole Antennas | 4559 |
| <i>Eduardo B. Perri and Sergio Forcellini</i> | |
| Monopole Antenna Fed by a Coaxial Cable in Slide Phone for GSM/DCS/PCS Operation | 4563 |
| <i>Hao-Chun Tung, Yu-Ching Hsu, Chun-Chin Wang, Tzung-Fang Huang and Hsueh-Wen Sun</i> | |
| Characteristics of a Dipole Antenna on a Housing without a Balun | 4567 |
| <i>Hideyuki Ohashi and Yoshihiko Konishi</i> | |
| Study on the Reduction of the Mutual Coupling Between Two L-Shaped Folded Monopole Antennas for Handset | 4571 |
| <i>Yongho Kim, Jun Ito and Hisashi Morishita</i> | |
| Electronically Tunable Monopole Antenna | 4575 |
| <i>Parameswaran Sivalingam and Sooliam Ooi</i> | |
| Wire Antenna for Mobile Phone Applications | 4579 |
| <i>Ning Guan, David Delaune, Hirotaka Furuya and Koichi Ito</i> | |
| Normal Mode Helical Monopole Antennas | 4583 |
| <i>Eduardo B. Perri</i> | |
| A Dual-Spiral Line Loaded Monopole Antenna for Quadband Applications | 4587 |
| <i>Truong Khang Nguyen, Hosung Choo and Ikmo Park</i> | |
| Study of Diversity Gain Obtained with Two PIFA Antennas on a Small Ground Plane for a UMTS Terminal | 4591 |
| <i>Bin Guo, Kristian Karlsson, and Omid Sotoudeh</i> | |

| | |
|--|-------------|
| Compact Dual-Band Planar Metamaterial Antenna Arrays for Wireless Lan..... | 4595 |
| <i>Ajay Gummalla, Maha Achour, Gregory Poilasne and Vaneet Pathak</i> | |
| Dual-Band Microstrip Antenna with Multiple Circular Polarization Combinations..... | 4599 |
| <i>G. Beddeleem, J-M. Ribero, R. Staraj, G. Kossiavas and E. Fond</i> | |
| A Dual-Band Folded Shorted Patch Antenna | 4603 |
| <i>K. L. Lau, K. C. Kong and K. M. Luk</i> | |
| A Dualband Annular Slot Antenna for WLAN Applications | 4607 |
| <i>Y. Ding, K. W. Leung and Y. C. Or</i> | |
| A Novel Reflection-Canceling Design for Substrate Integrated Waveguide Based | |
| 45-Degree Linearly Polarized Slot Antenna Array..... | 4611 |
| <i>Qingfeng Zhang and Yilong Lu</i> | |
| Metal Waveguides with Uniform Electric Field Distributions..... | 4615 |
| <i>Tao Zhou and William T. Joines</i> | |
| Compact Multilayer SRR-Loaded Integrated Waveguide Filters on Liquid Crystal Polymer Substrate..... | 4619 |
| <i>A. Glubokov and D. Budimir</i> | |