

2008 IEEE 20th International Conference on Indium Phosphide & Related Materials

(IPRM)

**Versailles, France
25 – 29 May 2008**



**IEEE Catalog Number: CFP08IIP-PRT
ISBN: 978-1-4244-2258-6**

TABLE OF CONTENTS

Inas Quantum Dot Structures on INP Grown by Mopve for Mid-infrared Emission	1
<i>X. Tang, Z. Yin, Z. Teng</i>	
Semi-insulating INP Detectors with Guard Ring Electrode	4
<i>R. Yatskiv, K. Zdansky, L. Pekarek, V. Gorodynskyy</i>	
Growth of Indium Phosphide Bulk Crystals for Radiation Detectors	8
<i>L. Pekarek, K. Zdansky, O. Prochazkova</i>	
A New Method to Grow III-V Crystals from Melt in Travelling Magnetic Fields	12
<i>P. Rudolph, C. Frank-Rotsch, B. Lux, D. Jockel, F.M. Kiessling, M. Czupalla</i>	
Crystal Growth of Compound Semiconductors with Low Dislocation Densities	15
<i>J. Friedrich, B. Kallinger, I. Knoke, P. Berwian, E. Meissner</i>	
Fabrication of In_{0.52}Al_{0.48}As/In_{0.53}/Ga_{0.47}/As P-HEMT Utilizing Ne-based Atomic Layer Etching	21
<i>T. Kim, S.H. Shin, S.D. Park, G.Y. Yeom, J. Jang, J. Song</i>	
Modifying the Improved Light-output Intensity of AlGaInP-based LEDS by Nanoporous Alimina	25
<i>C. Wang, C. Liu, K. Chong, C. Hung, Y. Wang, M. Houng</i>	
Twin Generation in Zinc-blende Type III-V Compound Semiconductors: New Insights from an InP Case Study	29
<i>M. Neubert, A. Kwasniewski, R. Fornari</i>	
Liquid Phase Oxidation on InAIAs and Application to Gate Insulator of InAIAs/InGaAs Hemt Lattice-matched to INP Substrate	31
<i>K. Lee, H. Lin, J. Hsieh, Y. Cheng, Y. Wang</i>	
Monolithic Integration of Inp Based Heterostructures on Silicon Using Crystalline Gd₂O₃ Buffers	35
<i>G. Saint-Girons, P. Regreny, J. Cheng, G. Hollinger, L. Largeau, G. Patriarche</i>	
Differential Absorption Spectroscopy for Vertically Coupled InGaAs Quantum Dots of P-type Modulation Doping	39
<i>K.Y. Chuang, D.J. Feng, C.Y. Chen, T.E. Tzeng, T.S. Lay</i>	
Single Growth Platform for Integration of Tuneable Laser and Semiconductor Optical Amplifier	42
<i>J.P. Engelstaedter, B. Roycroft, F.H. Peters, B. Corbett, W. Guo, D. Byrne, Q. Lu, J.F. Donegan</i>	
Ring Resonator Adopting Multimode Waveguide Turning Mirrors	46
<i>C.L. Chiu, T.S. Lay, T.Y. Chang</i>	
340nm Blue-shift in InGaAs/InAIAs Quantum Dots Processed by SiO₂ Sputtering and Rapid Thermal Annealing	49
<i>T.C. Hsu, T.E. Tzeng, E.Y. Lin, K.Y. Chuang, C.L. Chiu, T.S. Lay</i>	
Multiple Lasing Lines from Deep-etched Photonic Crystal of Asymmetric Multiple Quantum Wells	52
<i>J.C. Bai, C.L. Chiu, J.Y. Hsin, C.Y. Chen, T.S. Lay</i>	
InAs/InP(001) Quantum Dots Emitting at 1.55 μm Grown by Metalorganic Vapor Phase Epitaxy	55
<i>A. Michon, R. Hostein, G. Patriarche, G. Beaudoin, N. Gogneau, A. Beveratos, I. Robert-Philip, I. Sagnes, S. Laurent, S. Sauvage, P. Boucaud</i>	

III-V Metal-oxide-semiconductor Technology	59
<i>M. Passlack</i>	
Tuning InAs/InP(001) Quantum Dot Emission from 1.55 to 2 μm by Varying Cap-layer Growth Rate in Metalorganic Vapor Phase Epitaxy	60
<i>A. Michon, R. Hostein, G. Patriarche, G. Beaudoin, N. Gogneau, A. Beveratos, I. Robert-Philip, I. Sagnes, S. Laurent, S. Sauvage, P. Boucaud</i>	
35 nm Metamorphic HEMT MMIC Technology	64
<i>A. Leuther, A. Tessmann, H. Massler, R. Losch, M. Schlechtweg, M. Mikulla, O. Ambacher</i>	
Effects of Arsenic Mole Fraction X on the Gain Characteristics of Type-II InP/GaAs_xSb_{1-x} DHBTs	68
<i>Y.P. Zeng, O. Ostinelli, H.G. Liu, C.R. Bolognesi</i>	
Fabrication Technology and Device Performances of Ultra-short 30-nm-Gate Pseudomorphic In_{0.52}Al_{0.48}As/In_{0.75}Ga_{0.25}As HEMTs	71
<i>N. Wichmann, A. Shchepetov, I. Duszynski, Y. Roelens, X. Wallart, G. Dambrine, A. Cappy, S. Bollaert</i>	
Reliable 1550nm Si Bh Lasers Fabricated Using an Improved Ru Precursor	75
<i>I. Lealman, S. Dosanjh, L. Rivers, S. O'Brien, P. Cannard, S.J. Sweeney, L.P. Marko</i>	
Emitter Size Effects and Scalability of GaInP/GaAsSb/InP DHBTs	79
<i>H.G. Liu, O. Ostinelli, Y.P. Zeng, C.R. Bolognesi</i>	
The Development and Application of Novel Ru Precursors for Atmospheric Pressure Mowpe Growth of Ru Doped Current Blocking Layers	82
<i>S. Dosanjh, P. Cannard, R. Firth, I. Lealman, R. Moore, L. Rivers, M. Robertson, S. Rushworth, R. Odedra, P. Viswanathan, D.E. Sykes, A. Chew</i>	
InP DHBT Circuits for 100 Gb/s Ethernet Applications	85
<i>N.G. Weimann, V. Houtsma, Y. Baeyens, J. Weiner, A. Tate, J. Frackoviak, Y.K. Chen</i>	
The Upper Limits of Cut-off Frequency in Ultra-short Gate Length InP-based p-HEMTs	89
<i>R. Akis, N. Faralli, D.K. Ferry, S.M. Goodnick, M. Saraniti, J.S. Ayubi-Moak</i>	
Coupling Coefficient Calculation of Laterally Coupled Distributed Feedback Laser Structure with Metal Surface Gratings	93
<i>S. Jang, Y. Lee, J.S. Yu</i>	
Origin of the Annealing-induced Blue-shift in GaAsSbN	96
<i>Y. Lin, T. Ma, T. Chen, H. Lin</i>	
Fabrication of All-optical Switch Based on Intersubband Transition in InGaAs/AlAsSb Quantum Wells with DFB Structure	100
<i>M. Nagase, R. Akimoto, K. Akita, H. Kawashima, T. Mozume, T. Hasama, H. Ishikawa</i>	
Monostable-bistable Threshold Logic Elements in a Fully Complementary Optical Receiver Circuit for High Frequency Applications	103
<i>A. Matiss, A. Poloczek, W. Brockerhoff, W. Prost, F. Tegude</i>	
High Electron Mobility InAsSb Grown on InP Using Sb Surfactant	107
<i>C. Liao, B. Wu, K.Y. Cheng</i>	
40 Gbps Operation of Mobile and Its Application to Weighted-sum Threshold Logic Gate Using Only RTDs	110
<i>H. Kim, M. Park, W. Seo</i>	
Subpicosecond Pulse Generation Using a Single Quantum Well Mode-locked Laser	114
<i>K. Merghem, A. Akrou, A. Martinez, G. Moreau, F. Lelarge, G.H. Duan, G. Aubin, A. Ramdane</i>	

Complicated Effects of Nitrogen on the Structural and Optical Properties of In\As(N)/GaAs Quantum Dots	118
<i>B.S. Ma, J.F. Falth, W.J. Fan, S.F. Yoon</i>	
Room Temperature Photoreflectance Study of InGaAs/AlAs Quantum Wells	120
<i>T. Mozume, S. Gozu, T. Inada, A. Yoshimi, W. Susaki</i>	
Selective Growth of InP on Areas (1μm\times1μm) of Silicon (100) Substrate by Molecular Beam Epitaxy	124
<i>K. Araki, S. Hasegawa, H. Asahi</i>	
New Material and Selective Growth of Thin SiC Films for Environmental and Optoelectronics Devices	128
<i>K. Bourenane, A. Keffous, Y. Belkacem, H. Menari, M. Kechouane, T. Kerdja, G. Nezzal, A. Boukezzata</i>	
Impact of V/III Ratio, Cbr₄ and Ash₃ Concentrations on the Mowpe Growth of GaAsSb for Inp DHBT Applications	132
<i>O. Ostinelli, H.G. Liu, Y.P. Zeng, C.R. Bolognesi</i>	
X-ray CTR Scattering Analysis of As Accumulation on Gainas Surface and Growth Temperature Effects	136
<i>A. Mori, H. Tameoka, M. Tabuchi, Y. Takeda</i>	
Ultra Low Turn-on Voltage and High-current InP DHBT with a Pseudomorphic In_{0.37}Ga_{0.63}As_{0.89}Sb_{0.11} Base	140
<i>S. Chen, S. Wang, H. Chen, K. Teng, J. Chyi</i>	
Preliminary Investigations on the Te-doped AlInSb/GaInSb Heterostructures for High Electron Mobility Transistor (HEMT) Applications	144
<i>G. Delhaye, L. Desplanque, X. Wallart</i>	
A W-band InGaAs/InAlAs/InP HEMT Low-noise Amplifier Mmic with 2.5Db Noise Figure and 19.4 Db Gain at 94GHZ	147
<i>X.B. Mei, C.H. Lin, L.J. Lee, Y.M. Kim, P.H. Liu, M. Lange, A. Cavus, R. To, M. Nishimoto, R. Lai</i>	
Multilayer 1.4 μm InAs Quantum Dots with Thin Spacer Using GaNAs Strain Compensation Layer	150
<i>R. Suzuki, T. Miyamoto, T. Sengoku, F. Koyama</i>	
InAs/InGaAs Composite-channel Hemt on InP: Tailoring InGaAs Thickness for Performance	154
<i>M.D. Lange, X.B. Mei, T.P. Chuin, W.H. Yoshida, W.R. Deal, P.H. Liu, J. Lee, J.J. Uyeda, L. Dang, J. Wang, W. Liu, D.T. Li, M.E. Barsky, Y.M. Kim, V. Radisic, R. Lai</i>	
Radiation Hardness in Ingaasp Lasers	158
<i>S. Gonda</i>	
755-nm InGaAsP Laser Diodes	161
<i>E. Nomoto, T. Taniguchi, T. Ohtoshi, K. Saito, S. Sasaki, T. Funane</i>	
Ultra Wide Temperature Operation of DFB Lasers	165
<i>T.R. Chen, W. Hsin, S.B. Chen, P. Chen, H. Erlig</i>	
Epitaxial Growth of High Quality InAs/InGaAlAs Quantum Dash-in-well Structure on InP	167
<i>Y. Wang, H.S. Djie, V. Hongpinyo, C.L. Tan, B.S. Ooi, J.C.M. Hwang, X.M. Fang, Y. Wu, J.M. Fastenau, W.K. Liu, G.T. Dang, W.H. Chang</i>	
1.7-μm Laser Emission at Room Temperature Using Highly-stacked InAs Quantum Dots	171
<i>K. Akahane, N. Yamamoto, H. Sotobayashi, M. Tsuchiya</i>	
10-Gbit/s Optical Duobinary Transmission Using Lossless InP N-p-i-n Mach-zehnder Modulator with Semiconductor Optical Amplifier	174
<i>T. Yasui, Y. Shibata, N. Kikuchi, K. Tsuzuki, Y. Kawaguchi, M. Arai, H. Yasaka</i>	

Monolithically Integrated Filter-free Wavelength Converter with Widely Tunable Double-ring Resonator Coupled Laser	178
<i>T. Segawa, S. Matsuo, T. Kakitsuka, Y. Shibata, T. Sato, Y. Kondo, R. Takahashi</i>	
Polarization Insensitive Operation of Multimode Interference Bistable Laser All-optical Flip-flop	182
<i>K. Takeda, Y. Kanema, M. Takenaka, T. Tanemura, Y. Nakano</i>	
Experimental Demonstration of 1×4 InP/InGaAsP Optical Integrated Multimode Interference Waveguide Switch	186
<i>S. Niwa, S. Matsuo, T. Kakitsuka, K. Kitayama</i>	
Studies on TIInGaAsN Double Quantum Well Structures	190
<i>D. Krishnamurthy, M. Ishimaru, M. Ozasa, Y. Tanaka, S. Hasegawa, Y. Hirotsu, H. Asahi</i>	
Effect of Growth Temperature on the Thermal Stability of 1.3μm InAs/InGaAs/GaAs Quantum Dot Structures	194
<i>C.Y. Ngo, S.F. Yoon, C.S. Lim, S.J. Chua, V. Wong</i>	
High-performance Self-aligned InP/InGaAs DHBTs with a Passivation Ledge Utilizing a Thin Etching Stop Layer	197
<i>Y. Ohkubo, T. Matsumoto, T. Koji, Y. Amano, A. Takagi, Y. Matsuoka</i>	
DC and RF Characteristics of InAlAs/In_{0.7}Ga_{0.3}As HEMTs at 16 K	201
<i>A. Endoh, I. Watanabe, K. Shinohara, T. Mimura, T. Matsui</i>	
Investigation of Impact Ionization from In_xGa_{1-x}As to InAs Channel HEMTs for High Speed and Low Power Applications	205
<i>C. Kuo, H. Hsu, E.Y. Chang, Chia-Ta Chang, Chia-Yuan Chang, Y. Miyamoto</i>	
Hot Electron Transistors Controlled by Insulated Gate with 70 Nm-wide Emitter	209
<i>H. Saito, T. Hino, Y. Miyamoto, K. Furuya</i>	
W-band Low-noise Amplifier with 50 Nm In_{0.8}GaP/In_{0.4}AlAs/In_{0.35}GaAs Metamorphic HEMT	213
<i>S. Kim, Y. Koh, W. Choi, H. Kim, Y. Kwon, K. Seo</i>	
Bit-error-rate Measurement of GaInAsP/InP Distributed Reflector Laser with Wirelike Active Regions	216
<i>S. Lee, S.M. Ullah, T. Shindo, K.S. Davis, N. Nishiyama, S. Arai</i>	
Electron Effective Mass Determined from Experimental Electron Eigen-energies in InGaAs/InAlAs Multi-quantum Wells	220
<i>K. Tanaka, N. Kotera</i>	
A 1.31 μm Ridge Waveguide Laser for 10 Gbps Direct Modulation on an InGaAs Ternary Substrate	224
<i>M. Arai, T. Fujisawa, W. Kobayashi, Y. Kawaguchi, M. Yuda, T. Tadokoro, Y. Kondo, K. Kinoshita, T. Ueda, S. Yoda</i>	
Monolithic, Sb-based Electrically Pumped VCSELs Emitting at 2.3μm	228
<i>A. Ducanhez, L. Cerutti, A. Garnache, F. Genty</i>	
Exciton Fine Structure of Nitrogen Isoelectronic Centers in GaAs	231
<i>Y. Harada, T. Kita, O. Wada</i>	
Channel Noise in InGaAs/InP Composite Channel High Electron Mobility Transistors (HEMTs)	234
<i>H. Wang, Y. Liu</i>	
Strain Issues on III-V Compound Semiconductors – Imaging of Strain Distribution and Crystal Growth	237
<i>M. Fukuzawa, M. Yamada</i>	

High Performance InP/InGaAs Strained Quantum Well Interband Photodiodes for NIR Resonant Photodetection	243
<i>M. Garrigues, R. Gil-Sobraques, J.L. Leclercq, O. Parillaud, J. Decobert, M. Achouche</i>	
InP DHBT-based ICs for 100 Gbit/s Data Transmission	247
<i>R. Driad, R.E. Makon, V. Hurm, K. Schneider, F. Benkhelifa, R. Losch, J. Rosenzweig</i>	
2-port Vectorial THz Electro-optic Sampling System	251
<i>L. Meignien, J. Mangeney, P. Crozat, A. Lupu</i>	
Influence of Band Offsets on Carrier Overflow and Recombination Lifetime in Quantum Well Lasers Grown on GaAs and InP	253
<i>W. Susaki, S. Kakuda, M. Tanaka, H. Nishimura, A. Tomioka</i>	
RIE-plasma Induced Optical Property Degradation in GaInAsP/InP Quantum-well Structures	256
<i>M. Kurokawa, D. Plumwongrot, K. Ozawa, T. Maruyama, N. Nishiyama, S. Arai</i>	
Improvement in High Frequency and Noise Characteristics of InP-based HEMTs by Reducing Parasitic Capacitance	260
<i>T. Takahashi, K. Makiyama, N. Hara, M. Sato, T. Hirose</i>	
InGaAs-InP Uni-traveling-carrier Photodiodes for High Power Capability	264
<i>M. Chtioui, A. Enard, D. Carpentier, S. Bernard, B. Rousseau, F. Lelarge, F. Pommereau, M. Achouche</i>	
A Low DC-power Multiplexer IC Using an InP-based Cml-mobile RTD/HBT Technology	268
<i>S. Choi, J. Lee, Y. Jeong, K. Yang</i>	
240 nm Wide Wavelength Range of AlGaInAs MQWs Selectively Grown by MOVPE	271
<i>J. Decobert, N. Dupuis, P.Y. Lagree, N. Lagay</i>	
Evidence of Lateral Coupling on the Carrier Dynamics in InAs/InP(311)B Quantum Dots	275
<i>F. Dore, C. Labbe, H. Folliot, A. Nakkar, C. Paranthoen, N. Chevalier, K. Tavernier, J. Even, S. Loualiche, D. Lagarde, A. Balocchi, X. Marie</i>	
Characterization of 1x5 InP/InGaAsP Waveguide Switch Based on Optical Phased Array	279
<i>T. Tanemura, K. Takeda, Y. Nakano</i>	
Low Noise and High Gain-bandwidth Product ALINAS Avalanche Photodiodes	283
<i>A. Rouvie, D. Carpentier, J. Decobert, N. Lagay, F. Pommereau, M. Achouche</i>	
Selective Wet Chemical Etching of GaInSb and AlInSb for 6.25 Å HBT Fabrication	287
<i>E. Mairiaux, L. Desplanque, X. Wallart, G. Dambrine, M. Zaknoute</i>	
Improved Optical Confinement in 1.55 µm InAs/GaInAsP Quantum Dot Lasers Grown by Movpe	290
<i>D. Franke, P. Harde, J. Kreissel, M. Moehrle, W. Rehbein, H. Kuenzel, U.W. Pohl, D. Bimberg</i>	
Monte Carlo Comparison of the Noise Performance of InAlAs/InGaAs Double-gate and Standard HEMTs	294
<i>B.G. Vasallo, N. Wichmann, S. Bollaert, Y. Roelens, A. Cappy, T. Gonzalez, D. Pardo, J. Mateos</i>	
2-µm Wavelength Range InGa(Al)As/InP-AlGaAs/GaAs Wafer Fused Vcsels for Spectroscopic Applications	298
<i>A. Mereuta, V. Iakovlev, A. Caliman, A. Syrbu, A. Rudra, E. Kapon</i>	
Semiconductor Optical Bragg Isolator	301
<i>M. Vanwolleghe, L. Magdenko, P. Gogol, B. Dagens, P. Beauvillain, J.M. Lourtioz</i>	
Theoretical and Experimental Analysis of InAs/InP Quantum Dash Lasers	305
<i>S.C. Heck, S.B. Healy, S. Osborne, D.P. Williams, R. Fehse, E.P. O'Reilly, F. Lelarge, F. Poingt, A. Accard, F. Pommereau, O. Legouezigou, B. Dagens</i>	

Photocurrent Study of InAs/GaInAsP(q1.18) Quantum Dots	309
<i>S. Richard, J.P. Burin, C. Labbe, C. Cornet, H. Folliot, C. Paranthoen, A. Nakkar, T. Rohel, F. Thourmyre, K. Tavernier, S. Lualiche</i>	
Simultaneous Achievement of High-speed and Low-noise Performance of Pseudomorphic InGaAs/InAlAs HEMTs	312
<i>I. Watanabe, A. Endoh, T. Mimura, T. Matsui</i>	
AlSb/InAs Hemts on InP Substrate Using Wet and Dry Etching for Mesa Isolation	316
<i>A. Olivier, T. Gehin, L. Desplanque, X. Wallart, Y. Roelens, G. Dambrine, A. Cappy, S. Bollaert, E. Lefebvre, M. Malmkvist, J. Grahn</i>	
Optimization of InP APDs for High-speed Lightwave Systems	319
<i>D.S.G. Ong, J.S. Ng, J.P.R. David, M.M. Hayat, P. Sun</i>	
One Step Nano Slective Area Growth of Localized InAs/InP Quantum Dots for Single Photon Source Applications	323
<i>N. Gogneau, L. Le Gratiet, E. Cambri, G. Beaudoin, G. Patriarche, A. Beveratos, R. Hostein, I. Robert-Philip, I. Sagnes</i>	
Molecular Beam Epitaxy Growth of a 1.58 μm InGaAs Quantum Well Laser on Gaas	327
<i>I. Tangring, S.M. Wang, A. Larsson, H.Q. Ni, B.P. Wu, D.H. Wu, Y.H. Xiong, S.S. Huang, Z.C. Niu</i>	
Design Considerations for In_{0.52}Al_{0.48}As Based Avalanche Photodiodes	331
<i>S.C.L.T. Mun, C.H. Tan, A.R.J. Marshall, Y.L. Goh, L.J.J. Tan, J.P.R. David</i>	
High Quality In_xGa_{1-x}As (x: 0.1– 0.13) Platy Crystal Growth for Substrates of 1.3μm Laser Diodes	334
<i>K. Kinoshita, T. Ueda, S. Yoda, H. Aoki, T. Hosokawa, S. Yamamoto, M. Arai, K. Kawaguchi, Y. Kondo</i>	
Contacting Inp Based Micro Disk Lasers on 200 Mm Si Wafers	338
<i>F. Mandorlo, P.R. Romeo, X. Letartre, P. Regreny, P. Viktorovitch, F. Mandorlo, J.M. Fedeli, P. Grosse</i>	
Influence of Surface Reconstructions on the Shape of InAs Quantum Dots Grown on InP(001)	342
<i>E. Dupuy, G. Xu, P. Regreny, Y. Robach, M. Gendry, G. Patriarche, N. Chauvin, C. Bru-Chevallier, D. Morris, N. Pauc, V. Aimez, D. Drouin</i>	
Dark Current Mechanisms in Bulk GaInNaS Photodiodes	345
<i>W.M. Song, J.S. Ng, M.J. Steer, M. Hopkinson, J.P.R. David, J. Chamings, S.J. Sweeney, A.R. Adams, J. Allam</i>	
Photonic Integration Scheme for Integrating Low-loss Waveguides with High-speed Photodetectors	349
<i>L. Zhang, C.R. Doerr</i>	
Very-low-current Operation of InAlGaAs/InAlAs/InP Mach-zehnder Interferometer-type Multi-mode Interference Photonic Switch (MIPS-MZ)	351
<i>Y. Ueda, S. Nakamura, K. Utaka, T. Shiota, T. Kitatani</i>	
Temperature Dependence of GaSb Overgrowth of Tungsten on GaSb (001) Substrates Using Mowpe	354
<i>G. Astromskas, M. Jeppsson, P. Caroff, L. Wernersson</i>	
Influence of Yb and Yb₂O₃ on the Properties of InP Layers	357
<i>O. Prochazkova, J. Grym, J. Zavadil, J. Lorincik, K. Zdansky</i>	
Fabry-perot Laser Diodes and DFB Laser Diodes Emitting at 2.6μm for Absorption Spectroscopy	361
<i>D. Barat, A. Vicet, J. Angellier, Y. Rouillard, L. Le Gratiet, S. Guilet, A. Martinez, A. Ramdane</i>	

Selective Area Growth Engineering for 80nm Spectral Range AlGaN 10Gbit/s Remote Amplified Modulator	364
<i>N. Dupuis, J. Decobert, C. Jany, F. Alexandre, A. Garreau, R. Brenot, N. Lagay, F. Martin, D. Carpentier, J. Landreau, F. Pommereau, F. Poingt, C. Kazmierski</i>	
The Effect of Gate Metals on Manufacturability of 0.1 μm Metamorphic AlSb/InAs HEMTs for Ultralow-power Applications	367
<i>Y.C. Chou, L.J. Lee, J.M. Yang, M.D. Lange, P.S. Nam, C.H. Lin, H. Quach, A.L. Gutierrez, M.E. Barsky, M. Wojtowicz, A.K. Oki, T.R. Block, J.B. Boos, B.R. Bennett, N.A. Papanicolaou</i>	
Static and Dynamic Properties of P-doped Quantum Dash Lasers on InP	371
<i>S. Hein, V. Von Hinten, S. Hofling, A. Forchel</i>	
Comparative Collector Design in InGaAs and GaAsSb Based Inp DHBTs	374
<i>V. Nodjiadjim, M. Riet, A. Scavennec, P. Berdagner, J.L. Gentner, J. Godin, P. Bove, M. Lijadi</i>	
Benefits of Concurrent Spatial and Spectral Analysis of Photonic Components	378
<i>Y. Gottesman, A. Parini, B.E. Benkelfat, E.V.K. Rao</i>	
Conception and Fabrication of InAs-based Hot Electron Transistor	381
<i>T. Daoud, G. Boissier, J. Devenson, G. Sabatini, L. Varani, A. Baranov, R. Teissier</i>	
Transferred Substrate DHBT of $F_t = 410$ GHz and $F_{max} = 480$ GHz for Traveling Wave Amplifiers	385
<i>T. Kraemer, C. Meliani, F. Lenk, J. Wuerfl, G. Traenkle</i>	
A Compact Thermal-via Packaging Design of GaInP/GaAs Collector-up HBTs in Small High-power Amplifiers	388
<i>P.H. Lee, J.H. Chou, H.C. Tseng</i>	
Tunneling at Emitter Periphery in Silicon Nitride Passivated InP/InGaAs HBTs	391
<i>D. Sachelarie, G. Predusca, G.A. Stanciu, S.G. Stanciu</i>	
InP/GaAsSb/InP Multifinger DHBTs for Power Applications	395
<i>V. Nodjiadjim, M. Riet, A. Scavennec, P. Berdagner, O. Drisse, E. Derouin, J. Godin, P. Bove, M. Lijadi</i>	
High Frequency Characterisation of Single InAs Nanowire Field-effect Transistors	398
<i>K. Blekker, Q.T. Do, A. Matiss, W. Prost, F.J. Tegude</i>	
InAs/InP Quantum-dash Based Lasers: Impact of Differential Gain on Optical Feedback Tolerance	401
<i>S. Azouigui, B. Dagens, F. Lelarge, A. Accard, D. Make, O. Le Gouezigou, K. Merghem, A. Martinez, Q. Zou, A. Ramdane</i>	
10 GHz Modulation Bandwidth of 1550nm InAs/InP Quantum Dash Based Lasers	404
<i>F. Lelarge, R. Brenot, B. Rousseau, F. Martin, F. Poingt, L. Le Gouezigou, O. Le Gouezigou, E. Derouin, O. Drisse, F. Pommereau, A. Accard, M. Caligaro, D. Make, B. Dagens, J.G. Provost, M. Krakowski, F. Van-Dijk, G.H. Duan</i>	
1.52 μm Photoluminescence from InAs Quantum Dots Grown on Patterned GaAs Buffer	408
<i>P.S. Wong, B.L. Liang, N. Nuntawong, L. Xue, J. Tatebayashi, S.R.J. Brueck, D.L. Huffaker</i>	
MBE Growth of InP-HBT Structures on Ge-on-insulator/Si Substrates by MBE	411
<i>D. Lubyshv, J.M. Fastenau, Y. Wu, W.K. Liu, M. Urteaga, W. Ha, J. Bergman, B. Brar, M.T. Bulsara, E.A. Fitzgerald, W.E. Hoke, J.R. La Roche, K.J. Herrick, T.E. Kazior</i>	
Growth and Characterization of Bulk GaInSb Crystals from Non-stoichiometric Melts	414
<i>D. Bliss, P. Becla</i>	
Comparison of Polarization Effects of Excitation Light Source on Photoluminescence Spectrum for InGaAsP/InP Quantum Well Structures	418
<i>H. Imai, Y. Saito, A. Motomura</i>	

Coheret Power Combination in Multi-element SUB-THz RTD Oscillators Coupled with MIM STUB Structure	422
<i>S. Suzuki, K. Urayama, M. Asada</i>	
Refractive Index Study of N-type InGaAs Grown on InP Substrates	426
<i>S. Gozu, T. Mozume, H. Ishikawa</i>	
GaAsSbN/GaAs Long Wavelength Pin Detectors	430
<i>C. Chen, T. Ma, Y. Lin, H. Lin</i>	
Injection Type GaInAsP/InP/Si DFB Lasers Directly Bonded on SOI Substrate	434
<i>T. Okumura, T. Maruyama, H. Yonezawa, N. Nishiyama, S. Arai</i>	
Grating Coupled Photonic Crystal Demultiplexer with Integrated Detectors on InP-membrane	438
<i>F. Van Laere, D. Van Thourhout, R. Baets, T. Stomeo, T.F. Krauss, M. Ayre, C. Cambournac, H. Benisty, R. Brenot</i>	
Enhancement of the Emission of Single InAs Quantum Dashes in a 2.5d Photonic Crystal Structure at 1550nm	442
<i>N. Chauvin, A. Fiore, C. Seassal, B.B. Bakir, E. Dupuy, M. Gendry, P. Viktorovitch</i>	
A 6-20 GHz Compact Multi-bit Digital Attenuator Using InP/InGaAs PIN Diodes	446
<i>H. Eom, K. Yang</i>	
Low Temperature Mbe-grown In(Ga,Al)As/InP Structures for 1.55 μm THz Photoconductive Antenna Applications	449
<i>H. Kuenzel, J. Boettcher, K. Biermann, H.J. Hensel, H. Roehle, B. Sartorius</i>	
> 100 Mw RT-CW Output Power from Thermally Optimized 1.55μm VECSEL	453
<i>J.P. Turrenc, S. Bouchoule, J.C. Harmand, A. Miard, J.L. Oudar, J. Decobert, N. Lagay</i>	
Dual Wavelength Emission in Injectorless Quantum Cascade Lasers	457
<i>S. Katz, M. Maier, G. Boehm, M.C. Amann</i>	
Surface Fermi Level in GaAsSb Alloys Grown by MBE on InP Substrates	460
<i>H. Chouaib, W. Rudno-Rudzinski, Aj. Apostoluk, C. Bru-Chevallier, M. Lijadi, P. Bove</i>	
Mode Locking of Optically Pumped Long Wavelength InP-based Semiconductor Disk Lasers with Gain-saturable Absorber	464
<i>A. Khadour, S. Bouchoule, G. Aubin, J.P. Turrenc, A. Miard, J.C. Armand, J. Decobert, J.L. Oudar</i>	
Optical Control of Inp-based HEMT Millimeter-wave Oscillators	467
<i>H. Murata, N. Kobayashi, Y. Okamura, T. Kosugi, T. Enoki</i>	
Fabrication, Measurement and Tuning of a Photonic Crystal H1-cavity in Deeply Etched InP/InGaAsP/InP	469
<i>H.H.J.E. Kicken, I. Barbu, J. Gabriels, R.W. Van Der Heijden, R. Notzel, F. Karouta, H.W.M. Salemink, E. Van Der Drift, H.W.M. Salemink</i>	
Performance Comparison of Inp and Algan/gan Schottky Diode Hydrogen Sensors	473
<i>M. Akazawa, H. Hasegawa</i>	
Long Indium Phosphide Crystals : a Contribution to Boost Commercial Applications	477
<i>C. Jacquier, T. Kessler, G. Jacob</i>	
Mechanism of Anisotropy During Inductively Coupled Plasma (ICP) Etching of Inp-based Heterostructures for the Fabrication of Photonic Devices	481
<i>L. Gatilova, S. Bouchoule, G. Patriarche, S. Guilet, L. Le Gratiot, L. Largeau</i>	
Threshold Current Density and Emitting Wavelength Evolution with Stack Number in Inas Quantum Dash Lasers at 1.55 μm	484
<i>D. Zhou, R. Piron, F. Grillot, O. Dehaese, E. Homeyer, T. Batte, K. Tavernier, E. Mace, J. Even, A. Le Corre, S. Loulliche</i>	

InAs Quantum Wires on InP Substrate for VCSEL Applications	487
<i>J.M. Lamy, C. Paranthoen, C. Levallois, A. Nakkar, H. Folliot, O. Dehaese, A. Le Corre, S. Loualiche, O. Castany, L. Dupont</i>	
InP Nanowires Grown on Silicon and SrTiO₃ by VLS Assisted MBE	491
<i>K. Naji, H. Dumont, G. Saint-Girons, Y. Robach, P. Rojo-Romeo, C. Bru-Chevallier, M. Gendry, G. Patriarche</i>	
Single-mode Continuous Wave Operation of Electrically Pumped 2.25 μm GaSb-based VCSEL	495
<i>A. Bachmann, K. Kashani-Shirazi, T. Lim, O. Dier, C. Lauer, M.C. Amann</i>	
Electrically Driven Quantum Dot High Quality Factor Micropillar Cavities	498
<i>S. Hofling, S. Reitzenstein, C. Bockler, C. Kistner, R. Debusmann, A. Löffler, A. Forchel, J. Claudon, L. Grenouillet, J.M. Gerard</i>	
Graded-bandgap Quantum-dot Lasers and Arrays	501
<i>D.A. Yanson, J.H. Marsh, S.D. McDougall, O.P. Kowalski, A.C. Bryce, S. Kim</i>	
Improved Breakdown Voltages for Type I InP/InGaAs DHBTs	504
<i>E. Lind, Z. Griffith, M.J.W. Rodwell</i>	
Three Level Masking for Improved Aspect Ratio InP-based Photonic Crystals	508
<i>F. Karouta, B. Docter, E.J. Geluk, M.K. Smit, P. Kaspar</i>	
InP Double Heterojunction Bipolar Transistor Technology for 311 GHz Oscillator and 255 GHz Amplifier	512
<i>D.W. Scott, D. Sawdai, V. Radisic, C. Monier, L. Dang, D. Li, W.R. Deal, R. Lai, a. Gutierrez-Aitken</i>	
Defects and Mechanical Stress During the Dry Etching of Inp Photonic Structures: a Cathodo-luminescence Study	516
<i>M. Avella, J. Jimenez, F. Pommereau, J.P. Landesman, A. Rhallabi</i>	
Phototransistors Based on InP/GaAsSb/InGaAs Type-II Heterostructures	520
<i>H.S. Ahn, M.S. Park, J.H. Jang</i>	
Mm-wave Op-amps for Low Distortion Amplification with High OIP3/PDC Ratio > 100 at 2 GHz	522
<i>Z. Griffith, M. Urteaga, M.J.W. Rodwell</i>	
1550nm AlGaInAs DFB Laser with Over 20 GHz Electro-optical Bandwidth and Below – 150 DB/Hz Rin and Receptor for Ku Band Analog Microwave Links	526
<i>J.R. Burie, G. Glastre, C. Starck, G. Beuchet, L. Ragot, S. Fabre, M. Mimoun, M. Thebault, B. Ligat, P. Ratel, M. Minot, M. Loon, J.P. Fie, F. Laruelle, F. Van Dijk, J. Decobert, O. Parillaud, A. Enard, M. Achouche, J.L. Gentner</i>	
Luminescence of N-InGaAs/P-InP Light Emitting Diode with Superconducting NB Electrode	528
<i>Y. Hayashi, M. Jo, H. Kumano, I. Suemune, K. Tanaka</i>	
Current Gain Enhancement in GaAsSb/InP - DHBT Type Grown by MBE with a Graded Composition AlInP Emitter	532
<i>M. Zaknourne, H. Colder, D.A. Yarekha, G. Dambrine, F. Mollot</i>	
Can the Bridgman Dewetted Process Be Applied to InP Crystal Growth?	535
<i>T. Duffar</i>	
Growth and Applications of GaSb Crystals	539
<i>E. Dieguez</i>	
Evidence of RTS Noise in Emitter-base Periphery of InP/GaAsSb/InP HBT	542
<i>B. Grandchamp, C. Maneux, N. Labat, A. Touboul, A. Scavennec, M. Riet, J. Godin</i>	

Nano-aperture Plasmonic VCSELS	546
<i>P. Koyama</i>	
Reliable Large Format Arrays of Geiger-mode Avalanche Photodiodes	547
<i>G.M. Smith, J.P. Donnelly, K.A. McIntosh, E.K. Duerr, D.C. Shaver, S. Verghese, J.E. Funk, L.J. Mahoney, K.M. Molvar, D.C. Chapman, D.C. Oakley</i>	
Semiconductor Nanowires in InP and Related Material Systems: MBE Growth and Properties	550
<i>G.E. Cirlin, V.G. Dubrovskii, J.C. Harmand, G. Patriarche, F. Glas, M. Tchernycheva, C. Sartel</i>	
Placing Single Quantum Dots in Inp Photonic Crystal Microcavities – a Route to Single and Entangled Photon Pair Sources	555
<i>P.J. Poole, D. Dalacu, M.E. Reimer, S. Frederick, R.L. Williams, G.C. Aers, M. Korkusinski, P. Hawrylak, J. Lapointe</i>	
Advanced HBT Microelectronics at Northrop Grumman Space Technology	561
<i>A. Gutierrez-Aitken, C. Monier, P. Chang, D. Scott, K. Sato, E. Kaneshiro, B. Oyama, B. Chan, E. Kunkee, K. Loi, D. Sawdai, A. Cavus, A. Oki</i>	
Semiconductor Nanowires As an Approach Towards Electronic and Photonic Devices	566
<i>L. Samuelson</i>	
New Frontiers in InP Based Quantum Devices	567
<i>M. Razeghi</i>	
Waveguide Optical Isolators Fabricated by Direct Bonding	571
<i>T. Mizumoto, Y. Shoji, R. Takei</i>	
40 Gbit/s Directly Modulated Passive Feedback Laser	575
<i>U. Troppenz, J. Kreissl, W. Rehbein, C. Bornholdt, B. Sartorius, M. Schell</i>	
Heterogeneous Integration of III-V Optoelectronic Devices on Silicon	579
<i>D.V. Thourhout, G. Roelkens, J. Brouckaert, K. Komarowska, L. Liu, R. Baets, R. Notzel</i>	
InP Photonic Integrated Circuits for Optical Communications	581
<i>S.J.B. Yoo, S. Lourdudoss</i>	
Advances in Inp Mach-zehnder Modulators for Large Capacity Photonic Network Systems	587
<i>H. Yasaka, K. Tsuzuki, N. Kikuchi, N. Ishikawa, T. Yasui, Y. Shibata</i>	
Fabrication of InP HEMT Devices with Extremely High Fmax	592
<i>R. Lai, W.R. Deal, X.B. Mei, W. Yoshida, J. Lee, L. Dang, J. Wang, Y.M. Kim, P.H. Liu, V. Radisic, M. Lange, T. Gaier, L. Samoska, A. Fung</i>	
Advanced InP DHBT Process for High Speed LSI Circuits	595
<i>M. Urteaga, R. Pierson, P. Rowell, M. Choe, D. Mensa, B. Brar</i>	
Semiconductor Nanowires As an Approach Towards Electronic and Photonic Devices	600
<i>L. Samuelson</i>	
InP-HEMT MMICS for Passive Millimeter-wave Imaging Sensors	601
<i>M. Sato, T. Hirose, T. Ohki, T. Takahashi, K. Makiyama, N. Hara, H. Sato, K. Sawaya, K. Mizuno</i>	
InAs Quantum Dot Evolution Observed by In-situ Scanning Tunneling Microscopy During Molecular Beam Epitaxy Growth	605
<i>S. Tsukamoto</i>	
InAs/InGaAs MQW Lasers Emitting at 2.3 um Grown by MOVPE	609
<i>T. Sato, M. Mitsuhashi, Y. Kondo</i>	
High-Speed Directly and Indirectly Modulated VCSELS	614
<i>F. Hopfer, A. Mutig, A. Strittmatter, G. Fiol, P. Moser, D. Bimberg, V.A. Shchukin, N.N. Ledentsov, J.A. Lott, H. Quast, M. Kuntz, C. Bornholdt</i>	

Technology Development & Design for 22 Nm InGaAs/InP-channel MOSFETs	620
<i>M.J.W. Rodwell, M. Wistey, U. Singiseti, G. Burek, A. Gossard, S. Stemmer, R. Engel-Herbert, Y. Hwang, Y. Zheng, C. Van De Walle, C. Palmstrom, E. Arkun, P. Simmonds, P. Asbeck, Y. Taur, A. Kummel, B. Yu, D. Wang, Y. Yuan, P. McIntyre, J. Harris, M.V. Fischetti, C. Sachs</i>	
Non-silicon MOSFETs for Mainstream CMOS?	626
<i>M. Passlack</i>	
A Dc–40-GHz SP4T Switch IC Using High-breakdown-voltage InGaAs/InP Composite-channel Hemts with an InAlP Etch Stopper	627
<i>H. Kamitsuna, H. Sugiyama, T. Kosugi, H. Yokoyama, K. Murata, Y. Yamane, T. Enoki</i>	
Investigation on High Catalytic Activity Mechanism of Organopalladium Catalyst on S-terminated GaAs(001)-(2x6) Surface	629
<i>T. Konishi, T. Tojo, T. Ishikawa, S. Tsukamoto, G.R. Bell</i>	
Effects of Spin Relaxation Rate of InGaAs/InP of Quantum Wells on Elliptically Polarised Injection Locked VCSELs	631
<i>A. Homayounfar, M.J. Adams</i>	
Experimental Study on Static Dielectric Constant of GaInNAs	633
<i>M. Uchiyama, M. Kondow, S.D. Wu, H. Momose, M. Morifuji, T. Ikari, S. Fukushima, A. Fukuyama</i>	
Enhancement of the Recombination Rate of InAs Quantum Dots in a Photonic Crystal Light Emitting Diode	635
<i>N. Chauvin, D. Bitauld, A. Fiore, M. Francardi, A. Gerardino, L. Balet, L.H. Li, B. Alloing</i>	
A Hybrid Photonic-integrated Electroabsorption Modulator Device for 50-Gb/s DQPSK Generation	637
<i>C. Kazmierski, N. Dupuis, J. Decobert, F. Alexandre, C. Jany, A. Garreau, J. Landreau, I. Kang, S. Chandrasekhar, L. Buhl, P.G. Bernasconi, X. Liu, G. Raybon, C.R. Giles, M. Rasras, M. Cappuzzo, L.T. Gomez, Y.F. Chen, M.P. Earnshaw, J. Lee, A. Leven</i>	
Continuous Wave InGaAsP/InP Fabry-perot Lasers on Silicon	639
<i>T. Dupont, L. Grenouillet, P. Philippe, M. Perrin, P. Gilet, B.B. Bakir, J.M. Fedeli, P. Grosse, L. Di Cioccio, A. Chelnokov, F. Lelarge, F. Pommereau, G.H. Duan, J.L. Gentner</i>	
DHBT with Esaki Base Emitter Junction Having a 60 Nm Wide Emitter Contact	641
<i>D. Cohen Elias, A. Gavrilov, S. Cohen, S. Kraus, D. Ritter</i>	
Author Index	