

2008 IEEE Sensors

**Lecce, Italy
26 – 29 October 2008**

Pages 1-772



IEEE Catalog Number: CFP08SEN
ISBN: 978-1-4244-2580-8

TABLE OF CONTENTS

Advances in Magnetic Sensors	1
<i>P. Ripka, M. Janosek</i>	
Capacitive Micromachined Ultrasonic Transducer As a Chemical Sensor	5
<i>K. K. Park, H. J. Lee, M. Kupnik, Ö. Oralkan, B. T. Khuri-Yakub</i>	
Chemical Detection Using Electrically Open Circuits Having No Electrical Connections	9
<i>S. E. Woodard, D. M. Oglesby, B. D. Taylor, Q. A. Shams</i>	
Fabrication of Chemical Sensors Using Inkjet Printing and Application to Gas Detection	13
<i>K. Crowley, A. Morrin, M. R. Smyth, A. J. Killard, R. Shepherd, M. Panhuis, G. G. Wallace</i>	
Investigation of Field Electrode Geometries in Capacitive Flow Measurement	17
<i>D. Hrach, A. Fuchs</i>	
Interdigitated Sensorial System on Flexible Substrate	21
<i>A. Pecora, E. Zampetti, S. Pantalei, A. Valletta, A. Minotti, L. Maiolo, D. Simeone, M. Cuscunà, A. Bearzotti, A. Macagnano, L. Mariucci, G. Fortunato</i>	
Effects of Recess Dimensions on Performance of the Recessed Cathode Dissolved Oxygen Sensor	25
<i>T. S. Lim, J. H. Lee, I. Papautsky</i>	
Mechanical Vibrations Energy Harvesting and Power Management	29
<i>G. Despesse, T. Jager, C. Condemine, P. D. Berger</i>	
Wireless Energy Transmission System for Low-power Devices	33
<i>P. Spies, P. Babel</i>	
Towards a Monolithic Micro Direct Methanol Fuel Cell	37
<i>J. Santander, N. Sabaté, N. Torres, J. P. Esquivel, I. Gràcia, P. Ivanov, L. Fonseca, C. Cané</i>	
Remote Acoustic Powering and Data Transmission for Sensors Inside of Conductive Envelopes	41
<i>M. Kluge, T. Otterpohl, T. Becker, J. Schalk</i>	
Piezoelectric A1N Energy Harvesters for Wireless Autonomous Transducer Solutions	45
<i>R. van Schaijk, R. Elfrink, T. M. Kamel, M. Goedbloed</i>	
Non-invasive Capacitive Sensor for the Determination of Revolution Speed and Fill Level in Screw Conveyors	49
<i>M. J. Moser, A. Fuchs, H. Zangl</i>	
Analysis of the Angular Sensitivity of an Innovative Particle Velocity Sensor	53
<i>J. W. van Honschoten, D. R. Yntema, R. J. Wiegerink, M. Elwenspoek</i>	
Laminar to Turbulent Flow Transition Measurements Using an Array of SOI-CMOS MEMS Wall Shear Stress Sensors	57
<i>I. Haneef, J. D. Coull, S. Z. Ali, F. Udrea, H. P. Hodson</i>	
Flow Sensor Using Micromachined Pressure Sensor	62
<i>A. Shakir, C. Yun, B. Sulouff, K. Srihari, B. Murcko</i>	

Low-drift U-shaped Thermopile Flow Sensor	66
<i>M. Dijkstra, T. S. J. Lammerink, M. J. de Boer, J. W. Berenschot, R. J. Wiegerink, M. C. Elwenspoek</i>	
A Smart 2-D Wind Sensor with Self-test Function	70
<i>G. Shen, M. Qin, Q. A. Huang, Z. Dong, H. Zhang, J. Wu</i>	
Thermal Simulation and Characterization for the Design of Ultra-low Power Micro-hotplates on Flexible Substrate	74
<i>J. Courbat, M. D. Canonica, D. Teyssieux, L. Thiery, D. Briand, B. Cretin, N. F. de Rooij</i>	
SOI Diode Temperature Sensor Operated at Ultra High Temperatures - a Critical Analysis	78
<i>S. Santra, P. K. Guha, S. Z. Ali, I. Haneef, F. Udrea, J. W. Gardner</i>	
Stable Electrodes and Ultrathin Passivation Coatings for High Temperature Sensors in Harsh Environments	82
<i>D. J. Frankel, G. P. Bernhardt, B. T. Sturtevant, T. Moonlight, M. Pereira da Cunha, R. J. Lad</i>	
Environmental Effects on the Acoustic Behavior of Ascreen-protected MEMS Pressure Sensor	86
<i>C. Gradolph, G. Müller, J. Wilde, A. Friedberger</i>	
An Experimental Assessment of Casimir Force Effect in Micro-electromechanical Systems	90
<i>R. Ardito, A. Corigliano, B. De Masi, A. Frangi, S. Zerbini</i>	
A Polysilicon Test Structure for Fatigue and Fracture Testing in Micro Electro Mechanical Devices	94
<i>A. Longoni, F. Zaraga, G. Langfelder, A. Corigliano, A. Ghisi, A. Merassi</i>	
Ultra-low-power Hydrogen Sensing with Palladium Nanowires	98
<i>P. Offermans, M. Crego-Calama, S. H. Brongersma, H. D. Tong, C. J. H. van Rijn</i>	
Electrical Noise in Gold Nanoparticle Chemiresistors	102
<i>E. L. Covington, R. W. Turner, Ç. Kurdak, M. P. Rowe, C. Xu, E. T. Zellers</i>	
CMOS-compatible Field Effect Nanoscale Gas-sensor: Operation and Annealing Models	106
<i>J. J. Velasco-Velez, A. Chayiboun, C. Wilbertz, J. Woellenstein, M. Bauersfeld, T. Doll</i>	
The Role of Oxygen Vacancies in the Sensing Properties of SnO₂ Nanocrystals	110
<i>M. Epifani, J. D. Prades, E. Comini, E. Pellicer, M. Avella, P. Siciliano, G. Faglia, A. Cirera, R. Scotti, F. Morazzoni, J. R. Morante</i>	
Pd Surface Modification of SnO₂-based Nanorod Arrays for H₂ Gas Sensors	114
<i>H. Huang, Y. C. Lee, C. L. Chow, C. Y. Ong, M. S. Tse, O. K. Tan</i>	
InN Nanowire Based Sensors	118
<i>G. Koley, Z. Cai</i>	
On-chip Fluorescence Detection with Organic Thin Film Devices for Disposable Lab-on-a-chip Sensors	122
<i>Y. Shuai, A. Banerjee, D. Klotzkin, I. Papautsky</i>	
Liquid Identifier Based on Hilbert Spectroscopy: Concept and Proof of Principle	126
<i>Y. Divin, M. Lyatti, U. Poppe, K. Urban</i>	
MEMS-based Compact FT-spectrometers - a Platform for Spectroscopic Mid-infrared Sensors	130
<i>M. Kraft, T. Sandner, H. Schenk, A. Kenda</i>	

A Novel Microfluidic System for Fluorescent Sample Analysis Fabricated by Rapid Prototyping	134
<i>M. Rosenauer, M. J. Vellekoop</i>	
All Fiber Strain Sensor Based on the Laser-self-mixing Effect	138
<i>A. Intermite, B. Radisavljevic, M. Dabbicco, G. Scamarcio</i>	
Fiber Bragg Grating Interrogation System Based on a Novel Integrated Optical Filter	140
<i>R. Beccherelli, D. Donisi, A. d'Alessandro, L. De Sio, C. Umeton, M. A. Caponero</i>	
Wafer Level Characterization and Failure Analysis of Microsensors and Actuators	144
<i>I. De Wolf, J. De Coster, O. Valera Pedreira, L. Haspeslagh, A. Witvrouw</i>	
High-g Testing of MEMS Devices, and Why	148
<i>R. O'Reilly, H. Tang, W. Chen</i>	
Performance and Reliability of MEMS Coatings in Liquids	152
<i>S. M. Ali, S. C. Mantell, E. K. Longmire</i>	
Analysis of Safe and Failure Mode Regimes of Dielectric Elastomer Actuators	156
<i>M. Kaltenbrunner, C. Keplinger, N. Arnold, S. Bauer</i>	
Electromechanical Flow Imaging Using Ultrasound Andelectrical Capacitance Data	160
<i>C. Deinhammer, G. Steiner, M. Sommer, D. Watzenig</i>	
Cramer-Rao Bounds for Sound Field Measurements by Means of Laser Doppler Velocimetry	164
<i>A. Le Duff, G. Plantier, J. C. Valière, B. Gazengel</i>	
Study of Substrate Energy Dissipation Mechanism in In-phase and Anti-phase Micromachined Vibratory Gyroscopes	168
<i>A. A. Trusov, A. R. Schofield, A. M. Shkel</i>	
A Novel High-sensitivity Resonant Viscometer Realised Through the Exploitation of Nonlinear Dynamic Behaviour	172
<i>W. H. Waugh, B. J. Gallacher, J. S. Burdess</i>	
Effects of the Auricular Electrical Stimulation on Heart Rate Variability Assessed in Phase Space: Pilot Study	176
<i>L. Gbaoui, E. Kaniusas, C. Szeles, T. Materna, G. Varoneckas</i>	
Model-based Resolution Enhancement of a Miniaturized Ion Mobility Spectrometer	180
<i>S. Barth, W. Baether, S. Zimmermann</i>	
Graphene-like Nano-sheets/36° LiTaO₃ Surface Acoustic Wave Hydrogen Gas Sensor	184
<i>R. Arsat, M. Breedon, M. Shafiei, K. Kalantar-zadeh, S. Gilje, R. B. Kaner, F. J. Arregui, W. Wlodarski</i>	
A Self-monitoring and Self-diagnosis Strategy for Semiconductor Gas Sensor Systems	188
<i>P. Reimann, A. Dausend, A. Schütze</i>	
Nanoparticle-coated Chemiresistors with CMOS Baseline Tracking and Cancellation	192
<i>D. Rairigh, G. Warnell, C. Xu, M. P. Rowe, E. L. Covington, Ç. Kurdak, E. T. Zellers, A. J. Mason</i>	
Noise Spectroscopy Measurements in Metallic Oxide Gas Microsensors	196
<i>T. Contaret, S. Gomri, J. L. Seguin, K. Aguir</i>	

Surface Acoustic Wave 915 MHz Resonator Oscillator Gas Sensors Using SnO₂ Nanowires-based Nanocomposite Layer	200
<i>M. Penza, P. Aversa, D. Suriano, G. Cassano, E. Serra, E. Comini, G. Faglia, G. Sberveglieri</i>	
Nh₃ Sensitive Chemiresistor Sensors Using Plasma Functionalized Multiwall Carbon Nanotubes/Conducting Polymer Composites	204
<i>T. J. Kim, S. D. Kim, J. J. Pak, C. J. Lee, S. W. Kim, N. K. Min</i>	
Lab-on-a-chip Sensor for Assessment of Manganese Exposure	208
<i>P. Jothimuthu, E. Haynes, I. Papautsky</i>	
A Capacitive Biosensor Based on Ultrathin Si Membranes	212
<i>V. Tsouti, C. Boutopoulos, P. Andreakou, M. Ioannou, I. Zergioti, D. Goustouridis, S. Chatzandroulis, J. Hue, R. Rousier, D. Kafetzopoulos, D. Tsoukalas, P. Normand</i>	
A Silicon Microcantilever Biosensor Fabricated on SOI Wafers Using a Two-step Releasing Approach	216
<i>Y. Zhou, Q. Zhang, Z. Wang, L. Liu</i>	
SAW Immunosensors for HBsAb Detection	220
<i>H. J. Lee, S. S. Lee, K. Namkoong, C. Ko, J. C. Park</i>	
Arrayed Specific T-Cell Monitor Via Immuno-Capture under Weak-DEP Enhancement	224
<i>B. Y. Shew, S. C. Chu, L. J. Lai, S. J. Liu, C. H. Leng, Y. H. Hsieh</i>	
Electrochemical Biosensor Development for Detection of L-dopa Levels in Plasma During Parkinson Illness	228
<i>E. Jubete, E. Ochoteco, I. Loinaz, G. Linazasoro, J. A. Pomposo, H. Grande</i>	
Bead Capture and Release on a Magnetic Sensor in a Microfluidic System	231
<i>B.T. Dalslet, C. D. Damsgaard, S. C. Freitas, P. P. Freitas, M. F. Hansen</i>	
Real-time Analysis of Hepatocyte Growth Factor Induced Cell Motility with Quartz Crystal Resonators	235
<i>T. Jacobs, K. Bolaeva, T. Kähne, M. Naumann, P. Hauptmann</i>	
Piezoelectric Micro Cantilever Sensor for Non-labeling Detection of Biomarker	239
<i>Y. Lee, H. Seo, S. Jeon, W. Moon</i>	
Flexible Electrode Arrays for Neurodynamic Studies	243
<i>M. Tabib-Azar, J. Zarycki, M. Cullins, P. Samsukha, H. Chiel, S. Garverick</i>	
Multichannel Surface Electrode Based on PDMS and Silver Ball, and Its Application to Nerve Conduction Study	247
<i>E. J. Lee, D. H. Baek, J. Y. Baek, B. J. Kim, S. H. Lee</i>	
Plastic Extended Optical-path-length Absorbance Detection Microchip for On-chip Prostate Specific Antigen (PSA) Quantification	251
<i>D. S. Lee, H. W. Song, Y. H. Choi, K. H. Chung, M. Y. Jung, S. H. Park</i>	
Diode Laser Absorption Sensor for Detecting Oxygen in Head Space of Vials	255
<i>T. P. Jenkins</i>	
CVD-diamond Detectors for Real-time Beam Profile Measurements	259
<i>M. Girolami, P. Allegrini, G. Conte, S. Salvatori</i>	
A CMOS Imager for Embedded Systems with Integrated, Real-time, Motion-detection Capabilities and Digital Output	263
<i>G. N. Angotzi, M. Barbaro</i>	

Modeling of Performance of Mid-infrared Gas Sensors Based on Immersion Lens Diode Optopairs	267
<i>G. Y. Sotnikova, S. E. Aleksandrov, G. A. Gavrilov, A. A. Kapralov, B. M. Matveev, M. A. Remenny</i>	
30-km Spontaneous-brillouin Distributed Temperature Sensor Employing Simplex-coding and Low Optical Input Power	271
<i>M. A. Soto, G. Bolognini, F. Di Pasquale</i>	
Refractive Index Sensing Properties of Long-period Fibre Grating with Sol-gel Derived Coatings	275
<i>E. Davies, R. Viitala, M. Salomäki, L. Zhang, I. Bennion, S. Areva</i>	
Photodiode-free Doppler Velocimeter Based on Self-mixing Effect in Commercial VCSELS	279
<i>J. Perchoux, H. E. Dougan, F. Bony, A. D. Rakic</i>	
Wide Dynamic Range and High SNR Self-reset CMOS Image Sensor Using a Schmitt Trigger	283
<i>D. Park, J. Rhee, Y. Joo</i>	
Micromachined Mid-infrared Emitter for Fast Transient Temperature Operation for Optical Gas Sensing Systems	286
<i>J. Hildenbrand, A. Kürzinger, E. Moretton, C. Peter, F. Naumann, M. Ebert, J. Wöllenstein, J. Korvink</i>	
Sputtered Silicon Antimony Thin Film for the Infrared Detection Layer of Microbolometer	290
<i>H. Ryu, S. I. Kwon, S. H. Cheon, S. M. Cho, W. S. Yang, B. G. Yu, C. A. Choi, M. L. Lee</i>	
Alcohol Sensing Capability of Platinum Octaethylporphyrin Embedded Into a Fluorinated Polyimide	294
<i>S. Carturan, A. Quaranta, M. Tonezzer, A. Antonaci, G. Maggioni, R. Milan</i>	
No₂ Optical Sensing in ZnO Nanostructures	298
<i>A. Creti, A. Taurino, D. Valerini, C. Martucci, F. Quaranta, M. Lomascolo, P. Siciliano, R. Rella</i>	
Low-cost Fiber Optic H₂S Gas Sensor	302
<i>A. Neri, M. Parvis, G. Perrone, S. Grassini, E. Angelini, D. Mombello</i>	
A No-contact Laser Sensor Based on the Self-mixing effect for the Measurement of Rotations	306
<i>S. Ottonelli, F. De Lucia, M. di Vietro, M. Dabbicco, G. Scamarcio</i>	
Comparison of Sol-gel and Sputtering Method Properties of TiO₂ Thin Film Ultraviolet Sensor	310
<i>J. L. Lin, T. P. Sun, Y. L. Chin, S. H. Hsaio</i>	
Long Term In-situ Test of a Low-cost Fiber-based Crack Monitoring System	314
<i>G. Perrone, M. Olivero, A. Vallan, A. Carullo, A. Neri</i>	
Characterization of Response of a Dual Resonance of an Arc-induced Long-period Grating to Various Physical Parameters	318
<i>P. Caldas, G. Rego, O. V. Ivanov, J. L. Santos</i>	
Novel SOI Inertial Sensors with Optical Readout Based on Transparent Metals	322
<i>S. Baglio, M. Bloemer, M. Cappeddu, M. Larciprete, N. Savalli, M. Scalora, C. Trigona</i>	
Rotating Optical Geometry Sensor for Fresh Water Pipe Inspection	326
<i>C. W. Frey</i>	
A Micro Fabricated Photonic Magnetometer	330
<i>J. Preusser, V. Gerginov, S. Knappe, J. Kitching</i>	

An Optical Comparator for Particle Detection	333
<i>D. Sander, P. Abshire</i>	
Quantum Dots Coatings Inside Photonic Crystal Fibers for Temperature Sensing.....	337
<i>J. Arigita, B. Larrion, J. Bravo, M. Hernaez, I. R. Matias, F. J. Arregui</i>	
An Auto-switched Mode CMOS Image Sensor for High Dynamic Scientific Imaging Applications.....	341
<i>J. Guo, S. Sonkusale</i>	
Investigation of Binary Liquid Aqueous Methanol and Ethanol Mixtures Using Meander-shaped Fibre-optic Evanescent-wave Absorption Sensors	345
<i>M. Fabian, E. Lewis, T. Neue, S. I. Lochmann</i>	
Fiber Optic Broadband Ultrasonic Probe	349
<i>E. Biagi, S. Cerbai, P. Gambacciani, L. Masotti</i>	
Analytical and Finite-element Modeling of a Localized-mass Sensor.....	353
<i>H. Campanella, E. Martincic, P. Nouet, A. Uranga, N. Barniol, J. Esteve</i>	
Low-voltage Signal Conditioning Circuit for Fluid-based Inclination Switch.....	357
<i>Y. Matsumoto, A. M. Asruinizam, K. Nakamura</i>	
Pulse Excitation of Coil-less Fluxgate	361
<i>M. Butta, P. Ripka</i>	
A CMOS MEMS Thermal Sensor with High Frequency Output	365
<i>S. H. Tseng, C. L. Fang, P. C. Wu, Y. Z. Juang, M. S. C. Lu</i>	
A Micromachined Doubly-clamped Beam Rheometer for the Measurement of Viscosity and Concentration of Silicon-dioxide-in-water Suspensions.....	369
<i>C. Riesch, E. K. Reichel, F. Keplinger, B. Jakoby, A. Jachimowicz</i>	
A Novel Method to Eliminate the Co-channel Interference of Micro-machined Diffused Silicon Resonant Pressure Sensor	373
<i>J. Wang, J. Zhao, S. Li, D. Chen, S. Xia</i>	
Merge Three-terminal Magnetotransistor Based on the Carrier Recombination - Deflection Effect.....	377
<i>C. Leepattarapongpan, N. Penpondee, T. Phetchakul, W. Phengon, E. Chaowicharat, C. Hruanun, A. Poyai</i>	
High Performance Structurally Decoupled Micromachined Gyroscope	381
<i>D. Xiao, X. Wu, Z. Hou, S. Li</i>	
Image Quality Enhancement by Moving the Image Sensor	385
<i>D. K. Min, H. S. Oh</i>	
Handheld Metal Detector with Online Visualization and Classification for the Humanitarian Mine Clearance.....	389
<i>H. Krüger, H. Ewald</i>	
An Warning System for Chainsaw Personal Safety Based on Capacitive Sensing.....	393
<i>B. George, H. Zangl, T. Bretterklieber</i>	
Human Recorder System Development for Sensing the Autonomic Nervous System	397
<i>K. Itao, T. Umeda, G. Lopez, M. Kinjo</i>	
Performance Analysis of E-nose On-field Calibration for City Air Pollution Quantitative Monitoring.....	401
<i>S. De Vito, G. Di Francia, M. Piga, L. Martinotto</i>	

Humidity Sensing Characteristics of Plasma Functionalized Multiwall Carbon Nanotube-polyimide Composite Films	404
<i>M. J. Lee, V. R. Singh, K. P. Yoo, N. K. Min, C. J. Lee</i>	
A Locally Cured Polyimide-based Humidity Sensor with High Sensitivity and High Speed.....	408
<i>J. S. Kim, K. Y. Kwak, K. H. Kwon, M. S. Kang, N. K. Min</i>	
Synthetic Aperture Imaging Extended Towards Novel THz Sensors	412
<i>R. Heremans, M. Vandewal, M. Acheroy</i>	
Application of a Gas Sensors Array to the Detection of Fuel As Contamination Defect in Engine Oil	416
<i>S. Capone, M. Zuppa, G. Montagna, P. Siciliano, C. Distante, F. Caione, A.P. Carlucci</i>	
Arrangement Optimization for Narrow Directivity and High S/N Ratio Beam Forming Microphone Array	420
<i>T. Fujihara, Y. Sasaki, S. Kagami, H. Mizoguchi</i>	
Development of an Optical Fibre Sensor System for Online Monitoring of Microwave Plasma UV and Ozone Generation System.....	424
<i>S. O'Keeffe, M. Ortoneda, J.D. Cullen, A. Shaw, C. Fitzpatrick, E. Lewis, D. Phipps, and A.I. Al-Shamma'a</i>	
Listeria Monocytogenes Detection with Surface Plasmon Resonance and Protein Arrays	428
<i>O.F. D'Urso, M.D. De Blasi, M.G. Manera, M.F. Latronico, R. Rella, and P. Poltronieri</i>	
Measuring Quality Indicators of Liquids by Means of Optical Fiber Absorption Spectroscopy in a Wide Spectral Range	432
<i>A.G. Mignani, L. Ciaccheri, A.A. Mencaglia, N. Diaz-Herrera, B.P. Garcia-Allende, H. Thienpont, H. Ottevaere, C. Attilio, A. Cimato, S. Francalanci, A. Paccagnini, and F. Pavone</i>	
A New Approach to Fabricate Deep Cavities in Pyrex7740 Glass for Vacuum Packaging of Sensors.....	436
<i>J. Liu, Q.-A. Huang, J. Shang, J. Song, and J. Tang</i>	
Anisotropic Etching of Silicon in Alkaline Solutions: Microscopic Activation Energy Calculations for Silicon Atoms and Its Simulation Applications.....	440
<i>Z.-F. Zhou, Q.-A. Huang, and W.-H. Li</i>	
Tantalum Based Multilayers for High Temperature Sensor Applications.....	444
<i>M. Grosser, M. Soldera, M. Münch, and U. Schmid</i>	
On Readouts of Multiple Micro/nano Resonator Sensors with Mismatch	448
<i>B. Choubey, M. Ward, and S. Collins</i>	
Model-based Design and Optimization of a Multiplexed Microfluidic Biochip for Multi-analyte Detection.....	452
<i>Y.T. Atalay, P. Verboven, S. Vermeir, B.M. Nicolaï, and J. Lammertyn</i>	
Piezoelectric Microresonators Based on Aluminum Nitride for Mass Sensing Applications.....	456
<i>S. González-Castilla, J. Olivares, E. Iborra, M. Clement, J. Sangrador, J. Malo, and J. Izpura</i>	
Deposition, Processing and Characterization of P(VDF-TrFE) Thin Films for Sensing Applications.....	460
<i>R.S. Dahiya, M. Valle, L. Lorenzelli, G. Metta, and S. Pedrotti</i>	
A Porous Silicon JFET Gas Sensor: Experimental and Modeling	464
<i>G. Barillaro, G.M. Lazzerini, and L.M. Strambini</i>	

Performance of Miniaturized LPCVD-SiN-membrane-based 7-14 μm Infrared Thermal Detector: Analytical, Modeling, and Experimental Study	468
<i>D.H.B. Wicaksono, F. Jutzi, G. Pandraud, and P.J. French</i>	
Modeling of MEMS High-order Mode Inter-digital Waveform Synthesizer for Flexural Plate Array Sensors	472
<i>R. Norris, J. Hamel, and P. Nieva</i>	
Analytical Analysis of a Discrete MEMS Diatomic Mass-spring Phononic Band Gap Crystal for Vibration Stabilization Applications	476
<i>R. Norris, P. Nieva, and J. Hamel</i>	
From MEMS to NEMS: Closed-loop Actuation of Resonant Beams Beyond the Critical Duffing Amplitude	480
<i>J. Juillard, S. Hentz, N. Kacem, A. Bonnoit, E. Avignon, and E. Colinet</i>	
Finite Element Modeling of Hexagonal Surface Acoustic Wave Biosensor Based on LiTaO_3	484
<i>S.K.R.S. Sankaranarayanan, S. Cular, and V.R. Bhethanabotla</i>	
Thermal Property Determination of Laminar-flowing Fluids Utilizing the Frequency Response of a Calorimetric Flow Sensor	488
<i>R. Beigelbeck, F. Kohl, S. Cerimovic, A. Talic, F. Keplinger, and B. Jakoby</i>	
Learning, Self-scheduling TDMA (LeSS-TDMA) for Sensor Networks	492
<i>V. Cionca, T. Newe, and V. Dadârlat</i>	
Dairy Cattle Monitoring Using Wireless Acceleration-sensor Networks	496
<i>T. Watanabe, K. Kitazaki, and A. Sakurai</i>	
Evaluation of a Low Cost Wireless Chemical Sensor Network for Environmental Monitoring	500
<i>J. Hayes, S. Beirne, K.-T. Lau, and D. Diamond</i>	
Low Frequency and High Frequency Semi-active Wireless Sensors	504
<i>H. Zangl, T. Bretterklieber, M.J. Moser, and A. Fuchs</i>	
Passive Sensor Networks Based on Multi-element Ladder Filter Structures	508
<i>C.D. Corso, P.J. Edmonson, A. Dickherber, and W.D. Hunt</i>	
A Digital Output Piezoelectric Accelerometer for Ultra-low Power Wireless Sensor Node	512
<i>T. Itoh, T. Kobayashi, H. Okada, T. Masuda, and T. Suga</i>	
Label Free Detection of PCR Amplification	516
<i>Y.-S. Liu, P.P. Banada, A.K. Bhunia, and R. Bashir</i>	
Counting ssDNA on a Single Nanoparticle	520
<i>F. Delpont, J.-i. Hotta, A. Deres, J. Pollet, B. Sels, J. Hofkens, and J. Lammertyn</i>	
Label-free DNA Analysis System Based on Lab-on-glass Technology	524
<i>D. Caputo, M. Ceccarelli, G. de Cesare, R. Intriari, A. Nascetti, R. Scipinotti, P. Martufi, and M. Tucci</i>	
Nanofilm Coatings for Transport Control and Biocompatibility	528
<i>J. Park and M. McShane</i>	
Synthetic Nanopores for Molecular Spectroscopy	532
<i>M. Tabib-Azar, P. Moetakef, and R. Sharghi-Moshtaghin</i>	
Surface-micromachined Deep Back Chamber MEMS Acoustic Sensor Using Two Sacrificial Layers	535
<i>J. Lee, S.C. Ko, H.W. Song, K.-H. Park, and J. Kim</i>	

Piezoelectric Transducers Using Micromachined Bulk Piezo Substrates	539
<i>X. Jiang, A. Cheng, K.A. Snook, W.S. Hackenberger, and J. Xu</i>	
Effect of Resonance-mode Order on Mass-sensing Resolution of Microcantilever Sensors	543
<i>W. Xia, P. Zhou, and X. Li</i>	
Thin Film Monitoring with Silicon Bulk Acoustic Resonators	547
<i>J.E.-Y. Lee, B. Bahreyni, and A.A. Seshia</i>	
Issues in Path Toward Integrated Acoustic Sensor System on Chip	551
<i>Y.-C. Hsu, J.-Y. Chen, T. Mukherjee, C.-H. Wang, L.-P. Liao, W.-C. Chou, and C.-Y. Wu</i>	
A Free-standing, Thick-film Piezoelectric Energy Harvester	555
<i>S.L. Kok, N.M. White, and N.R. Harris</i>	
Digital Systems Architecture to Accommodate Wide Range Resistance Changes of Metal-oxide Sensors	559
<i>U. Frey, M. Graf, S. Taschini, K.-U. Kirstein, and A. Hierlemann</i>	
Integrated Read-out and Temperature Control Interface with Digital I/O for a Gas-sensing System Based on a SnO₂ Microhotplate Thin Film Gas Sensor	562
<i>A. Lombardi, L. Bruno, M. Grassi, S. Capone, L. Francioso, P. Siciliano, P. Malcovati, and A. Baschiroto</i>	
A Novel Low-voltage Low-power Second Generation Current Conveyor-based Front-end for High-valued DC-excited resistive Sensors	566
<i>G. Ferri, V. Stornelli, A. De Marcellis, A. Flammini, A. Depari, and D. Marioli</i>	
Antenna-coupled Uncooled THz Microbolometer Based on Micromachined Gaas and Lsmo Thin Film	570
<i>P. Lobotka, T. Lalinsky, M. Spankova, I. Vavra, S. Chromik, S. Hascik, V. Smatko, Z. Mozolova, E. Kovacova, J. Derer, S. Gazi, and P. Gierlowski</i>	
Optical-wireless Digital-sound Transmission System with Spherical Solar Cells	574
<i>T. Douseki, S. Sasaki, and Y. Matsuya</i>	
Cognitive Sensing for Body Sensor Networks	578
<i>G.-Z. Yang</i>	
Exploring Vs. Exploiting: Enhanced Distributed Cognitive Coexistence of 802.15.4 with 802.11	579
<i>M. Timmers, S. Pollin, A. Dejonghe, L. Van der Perre, and F. Catthoor</i>	
Sensing and Communication Protocols in Cognitive Sensor Relay Networks	583
<i>A. Pandharipande, Y. Han, and Y. Wang</i>	
Wireless Sensor Node Hardware: a Review	587
<i>M. Healy, T. Newe, and E. Lewis</i>	
An Integrated Fall and Mobility Sensor and Wireless Health Signs Monitoring System	591
<i>P. van de Ven, R. Feld, A. Bourke, J. Nelson, and G.Ó. Laighin</i>	
Synthesis and Functionalization of Nanocrystals and Nanocomposites for Biological Applications	595
<i>J.Y. Ying</i>	
Adaptive Line Enhancer Assisted Single Cell Identification in a Pseudorandom Noise-stimulated Microflow-cytometry	596
<i>T. Sun, N.G. Green, and H. Morgan</i>	

All-electronic Detection and Actuation of Single Biological Cells for Lab-on-a-chip Applications	600
<i>S.F. Romanuik, G.A. Ferrier, D.J. Thomson, G.E. Bridges, S. Olson, and M.R. Freeman</i>	
Electrical Quantification of Low Concentrations of Specific Protein in Complex Biological Solutions	604
<i>A. Girard, O. De Sagazan, F. Le Bihan, T. Mohammed-Brahim, F. Geneste, S. Dauphas, P. Brissot, and C. Guguen-Guillouzo</i>	
Membrane Protein Biosensor with Multi-channel CMOS Impedance Extractor and Digitizer	608
<i>C. Yang and A.J. Mason</i>	
Potentiometric Detection of Protein Interactions with Peptide Aptamers	612
<i>P.K. Estrela, D. Paul, P. Migliorato, P.K. Ferrigno, L. Wang, and E. Huq</i>	
Real-time High-sensitivity Impedance Measurement Interface for Tethered BLM Biosensor Arrays	616
<i>Y. Temiz, C. Guiducci, F.K. Gurkaynak, S. Terrettaz, L. Benini, G. De Micheli, Y. Leblebici, and H. Vogel</i>	
Micromachined Gyroscope Design Allowing for Both Robust Wide-bandwidth and Precision Mode-matched Operation	620
<i>A.R. Schofield, A.A. Trusov, and A.M. Shkel</i>	
Development of Low-voltage Fluid-based Inclination Sensor Integrated with CMOS Circuitry on Ceramic Substrate	624
<i>A.B.A. Manaf, K. Nakamura, and Y. Matsumoto</i>	
Capacitive Micro Inclinator with Scalping-free and Footing-free Vertical Electrodes Using Crystalline Etching of (110) Silicon	628
<i>S.-S. Yun, D.-H. Jeong, J.-Y. An, M. Jun, C.-H. Je, M.-L. Lee, G. Hwang, C.-A. Choi, and J.-H. Lee</i>	
A Multi Axis Fluidic Inertial Sensor	632
<i>V. Thanh Dau, O. Tomonori, T.X. Dinh, D.V. Dao, and S. Sugiyama</i>	
Development of a Complete Dual-axis Micromachined Convective Accelerometer with High Sensitivity	636
<i>U. Park, I.-K. Moon, C.-H. Kim, D. Kim, and J. Kim</i>	
A Highly Double-decoupled Self-oscillation Gyroscope Operating at Atmospheric Pressure	640
<i>H. Ding, J. Cui, X. Liu, X. Chi, Z. Yang, and G. Yan</i>	
Energy Harvesting from Human Body for Biomedical Autonomous Systems	644
<i>G. Vendramin, N. Ben Amor, A. Lay- Ekuakille, O. Kanoun, G. Specchia, and A. Trotta</i>	
Power Management for Thermal Energy Harvesting in Aircrafts	647
<i>Th. Becker, M. Kluge, J. Schalk, T. Otterpohl, and U. Hilleringmann</i>	
Power Supply for Wireless Sensor Systems	651
<i>S. Pobering and N. Schwesinger</i>	
Dynamic Switching Conversion for Piezoelectric Energy Harvesting Systems	655
<i>A. Romani, C. Tamburini, R.P. Paganelli, A. Golfarelli, R. Codeluppi, E. Sangiorgi, and M. Tartagni</i>	
A Wireless SiC UV Sensor with On-board Energy Harvesting Source and Energy Conversion Circuit	659
<i>M. Tabib-Azar, R. Dudukovich, and N. Reddy</i>	
Unpowered Resonant Wireless Sensor Nets for Structural Health Monitoring	663
<i>P. Pasupathy, M. Zhuzhou, D.P. Neikirk, and S.L. Wood</i>	

Tinynose: Developing a Wireless E-nose Platform for Distributed Air Quality Monitoring Applications	667
<i>S. De Vito, E. Massera, G. Burrasca, A. Di Girolamo, D. Della Sala, M. Miglietta, and G. Di Francia</i>	
A Structured Environment with Sensor Networks for Intelligent Robots	671
<i>K. Murakami, T. Hasegawa, R. Kurazume, and Y. Kimuro</i>	
Smart Sensors for Small Rodent Observation	675
<i>J. Thiele, O. Osechas, J. Bitsch, and K. Wehrle</i>	
Analysis of Fine-grained Urban Temperature Collected with a Sensor Network	678
<i>T. Ono, K. Kanai, H. Ishizuka, N. Thepvilojanapong, M. Iwai, and Y. Tobe</i>	
Pyroelectric Infrared Sensors Based Distance Estimation	682
<i>P. Zappi, E. Farella, and L. Benini</i>	
Air to Liquid Sample Collection Devices Using Microfluidic Gas/Liquid Interfaces	686
<i>J. Greenwood, D. Cheng, Y. Liu, and H. Jiang</i>	
MEMS-based Spectrometric Sensor for the Measurement of Dissolved CO₂	690
<i>A. Kenda, M. Kraft, C. Wagner, B. Lendl, and A. Wolter</i>	
MEMS-based Gas Chromatography Columns with Nano-structured Stationary Phases	694
<i>B. Alfeeli, S. Ali, V. Jain, R. Montazami, J. Heflin, and M. Agah</i>	
A Micro-plasma Generator Using a Water Electrode for Detection of Heavy Metals	698
<i>K.-W. Jo, S.-S. Yun, M.-G. Kim, S.-M. Shin, and J.-H. Lee</i>	
Micro Preconcentrator with Embedded 3D Pillars for Breath Analysis Applications	702
<i>B. Alfeeli and M. Agah</i>	
A Miniaturized Low-cost Ion Mobility Spectrometer for Fast Detection of Trace Gases in Air	706
<i>S. Zimmermann, S. Barth, and W. Baether</i>	
A CMOS Integrated Thermal Sensor Based on Single-walled Carbon Nanotubes	710
<i>V. Agarwal, C.-L. Chen, M.R. Dokmeci, and S. Sonkusale</i>	
High Temperature Sensing Technology for Applications Up to 1000 c	714
<i>M. Pereira da Cunha, T. Moonlight, R. Lad, D. Frankel, and G. Bernhardt</i>	
Voltage Calibration of Smart Temperature Sensors	718
<i>M.A.P Pertijs, A.L. Aita, K.A.A. Makinwa, and J.H. Huijsing</i>	
Fully-integrated Wireless Temperature Sensor with On-chip Antenna	722
<i>F. Aquilino, F.G. Della Corte, M. Merenda, and F. Zito</i>	
Thermal Diffusivity Sensors for Wide-range Temperature Sensing	726
<i>C. van Vroonhoven and K. Makinwa</i>	
Sensor Conditioning Unit Design for Public Lighting Control	730
<i>A. Lay-Ekuakille, G. Vendramin, and A. Trotta</i>	
An Analog Front-end of a Fire Detection SoC for a Fire Alarm System	734
<i>J. Cheon, I. Lee, J. Lee, Y. Chae, Y. Yoo, and G. Han</i>	
Pedestrian Detection Using 3D Optical Flow Sequence for a Mobile Robot	738
<i>T. Nakada, S. Kagami, and H. Mizoguchi</i>	
Automatic Yarn Characterization System	742
<i>V. Carvalho, M. Belsley, R.M. Vasconcelos, and F. Soares</i>	

Misfire Detection by Evaluating the Small Signal of a Glow Plug	746
<i>H. Dumele and M. Horn</i>	
Gait Monitoring with a Wearable Plastic Optical Sensor	749
<i>L. Bilro, J. Oliveira, R. Nogueira, and J.L. Pinto</i>	
Integrated Tactile System for Dynamic 3D Contact Force Mapping.....	753
<i>G. Vásárhelyi, A. Kis, M. Ádám, C. Dúcsó, and I. Bársony</i>	
Robust Compensation of a Force-balanced High-Q Gyroscope	757
<i>C.D. Ezekwe and B.E. Boser</i>	
Reproduction of Scent and Video at Remote Site Using Odor Sensing System and Olfactory Display Together with Camera.....	761
<i>T. Nakamoto, N. Nimsuk, B. Wyszynski, H. Takushima, M. Kinoshita, and N. Cho</i>	
Photodiode Position Sensors for Integrated Feedback Control of a Long-range Micropositioner	765
<i>M.I. Beyaz, M. McCarthy, N. Ghalichechian, and R. Ghodssi</i>	
Spectro-tomography - an Electrical Sensing Method for Integrated Estimation of Component Identification and Distribution Mapping in Industrial Processes	769
<i>B.S. Hoyle and M. Nahvi</i>	
Durability of SAW Transponders for Wireless Sensing in Harsh Environments	773
<i>R. Fachberger, G. Bruckner, and A. Binder</i>	
Long-term Stability of SnO₂ Gas Sensors: the Role of Impurities.....	777
<i>R.G. Pavelko, A.A. Vasiliev, X. Vilanova, and V.G. Sevastyanov</i>	
Unique Molecular Identification Using Two-dimensional Response.....	781
<i>G. Koley and M. Qazi</i>	
Air-cushion Force Sensitive Probe for Soft Tissue Investigation During Minimally Invasive Surgery	785
<i>K. Althoefer, D. Zbyszewski, H. Liu, P. Puangmali, L. Seneviratne, B. Challacombe, P. Dasgupta, and D. Murphy</i>	
Evaluation of a Chemocapacitive Sensor Array for the Detection of Vapor Analytes and Their Mixtures	789
<i>K. Manoli, E. Karonis, M. Chatzichristidi, D. Goustouridis, S. Chatzandroulis, I. Raptis, and M. Sanopoulou</i>	
Doped ZnO Nanowires: Towards Homojunctions	793
<i>E. Comini, M. Ferroni, N. Poli, G. Sberveglieri, S. Kaciulis, A. Mezzi, and L. Pandolfi</i>	
Temperature-independent TiO₂-ZrO₂ Oxygen Lambda Sensor.....	797
<i>A. Lari, A. Khodadadi, and Y. Mortazavi</i>	
Hydrogen Gas Sensing Application of Al₁/NiO Schottky Diode.....	801
<i>M. Stamataki, I. Fasaki, C. Sargentis, M. Kompitsas, and D. Tsamakis</i>	
Gas Sensitivity of Amino Acids Monolayers.....	805
<i>E. Martinelli, M. Mascini, M. Santonico, G. Pennazza, D. Monti, R. Paolesse, A. D'Amico, D. Compagnone, C. Di Natale</i>	
Behavior of MOX CO Sensors During Thermal Transients	809
<i>A. Fort, A. Depari, G. Faglia, A. Flammini, M. Mugnaini, A. Ponzoni, E. Sisinni, V. Vignoli, S. Rocchi</i>	
Development of a Self-calibrating Hydrogen Leak Sensor.....	813
<i>G. Neri, A. Bonavita, G. Micali, N. Donato</i>	

A Flexible Floating-gate Organic Thin-film Transistor for Detection of Chemical Species	817
<i>A. Caboni, W. Cambarau, E. Orgiu, M. Barbaro, A. Bonfiglio</i>	
Electrospun TiO₂ Gas Sensors	821
<i>O. Landau, A. Rothschild, E. Zussman</i>	
Quality Improvement of Leather Tanning Process Using a Novel Sensor	824
<i>V. Kasturi, S. C. Mukhopadhyay</i>	
Quantitative Endoscopy by FOLCI-based Distance Sensor	828
<i>A. Lucesoli, L. Criante, B. Farabollini, F. Bonifazi, F. Simoni, A. Di Donato, T. Rozzi</i>	
Oxygen Absorption Effect on the Sensitivity and Material Stability of ZnO Nanostructured Films	832
<i>V. Khranovskyy, J. Eriksson, A. Lloyd-Spetz, R. Yakimova</i>	
Live Cells Detection in Breast Cell-line by FTIR Micro-spectrometer	836
<i>E. J. Hwang, Y. H. Kwak, S. M. Hong, S. K. Lee, S. S. Park</i>	
Bio-thermochemical Sensor with Liposome Immobilized Intact for Protein Detection Using Their Interaction and Membrane Dynamics	840
<i>M. Noda, T. Asai, K. Yamashita, T. Shimanouchi, M. Okuyama, R. Kuboi</i>	
P-type Gas Sensing Behaviour in High Energy Ion Beam Irradiated Un-doped SnO₂ Thin Films	844
<i>S. Rani, S. C. Roy, M. C. Bhatnagar, D. Kanjilal</i>	
Programmable High Density CMOS Microelectrode Array	848
<i>A. M. Haas</i>	
A Front-side Dry-etched Thermopile Detector with 3-5 μm Infrared Absorber and Its Application to Novel NDIR CO₂ Gas Sensors	852
<i>K. P. Yoo, S. D. Kim, W. S. Choi, K. H. Kwon, N. K. Min</i>	
Evolution of the TiO₂ Membrane on ITO PET Substrate Applied to Lactate Biosensor Using Potentiometric Differential Readout Circuit	856
<i>K. Y. Lee, W. Y. Wu, J. L. Lin, Y. L. Chin, T. P. Sun, H. C. Lee</i>	
Suggestion of Electrochemical Sensors for Microanalysis of Content of Copper in Biological Samples	860
<i>J. Hubalek, F. Dusa, I. Fabrik, D. Huska, F. Jelen, L. Trnkova, R. Kizek</i>	
Radon Monitor Using Custom Alpha-detecting MOS IC	864
<i>R. H. Griffin, H. Le, D. T. Jack, A. Kochermin, N. G. Tarr</i>	
A Novel Micro Optical Probe for Early Diagnosis of Upper Gastrointestinal (GI) Cancers	868
<i>A. Garcia-Urbe, K. C. Balareddy, J. Zou, K. K. Wang, L. V. Wang</i>	
On Board Measurement of Carbon Dioxide Exhaust Car Emissions Using a Mid-infrared Optical Based Fibre	872
<i>J. Clifford, J. Mulrooney, G. Dooly, E. Merlone-Borla, G. Flavia, C. Fitzpatrick, E. Lewis</i>	
Microstructured Optic Fiber Cell Sensor for Low Concentration Gas Measurement	877
<i>J. Pawlat, T. Sugiyama, X. Li, Y. Zimin, T. Matsuo, T. Ueda</i>	
Experimental and Theoretical Investigations of the High Current Regime of an Interferometric Fiber-optic Current Sensor	881
<i>K. Bohnert, R. Wüest, A. Frank, P. Gabus, S. Wiesendanger, J. Nehring, H. Brändle</i>	
A Linear-logarithmic CMOS Pixel for High Dynamic Range Behavior with Fixed-pattern-noise Correction and Tunable Responsivity	885
<i>M. Vatteroni, D. Covi, A. Sartori</i>	

Broad-band Mach-zehnder Interferometry As a Detection Principle for Label-free Biochemical Sensing	889
<i>M. Kitsara, I. Raptis, K. Misiakos, E. Makarona</i>	
A Phase-tracking Fiber Interferometer for Seismologic Applications	893
<i>S. Pullteap, H. C. Seat, M. Cattoen, P. Bernard, J. C. Lépine, F. Boudin, J. Chéry, T. Bosch</i>	
Recent Developments in MEMS-based Tunable IR Detectors	897
<i>J. Antoszewski, J. Milne, J. M. Dell, L. Faraone</i>	
Plantar 3-axis Distributed Forces Sensor Based on Measurement of Silicone Rubber Deformation for Walking Analysis	900
<i>M. Ueda, K. Sekiguchi, H. Takemura, H. Mizoguchi</i>	
A CMOS Image Sensor Extracting Color Image Feature Values for Object Categorization System	904
<i>T. Kubo, S. Sugawa</i>	
Modeling and Analysis of Speckle Effects for Velocity Measurements with Self-mixing Laser Diode Sensors	908
<i>R. H. Hage, G. Plantier, T. Bosch, A. Sourice</i>	
Optical Refractometer Based on a Hi-Bi D-type Fiber Loop Mirror	912
<i>O. Frazão, P. Jorge, J. M. Baptista, J. L. Santos</i>	
A Compact Digital Pixel Sensor Architecture Using Predictive Coding Scheme	916
<i>M. Zhang, A. Bermak</i>	
Novel Sensitive Nanocoatings Based on SWCNT Composites for Advanced Fiber Optic Chemo-sensors	920
<i>A. Crescitelli, M. Consales, M. Penza, P. Aversa, M. Giordano, A. Cutolo, A. Cusano</i>	
Fiber Bragg Gratings with Engineered Band-gap for Sensing Applications	924
<i>D. Paladino, A. Iadicicco, S. Campopiano, A. Cutolo, A. Cusano</i>	
Real Time Exhaust Gas Sensor with High Resolution for Onboard Sensing of Harmful Components	928
<i>M. Degner, N. Damschke, H. Ewald, E. Lewis</i>	
Ultratrace Measurement Using Micro-droplet with Gas-flow Assistance in Laser-induced Breakdown Spectroscopy	932
<i>S. Ikezawa, M. Wakamatsu, Y. Zimin, J. Pawlat, T. Ueda</i>	
Current Assisted Photonic Mixing Devices Fabricated on High Resistivity Silicon	936
<i>L. Pancheri, D. Stoppa, N. Massari, M. Malfatti, C. Piemonte, G. F. Dalla Betta</i>	
Capacitance Controlled n-GaN SAW UV Sensor	939
<i>V. S. Chivukula, D. Ciplys, M. S. Shur, R. Rimeika</i>	
Implementation of Optimized Trigonometric Functions for a Self-mixing Laser Diode Displacement Sensor Under Moderate Feedback	943
<i>U. Zabit, F. Bony, T. Bosch</i>	
Determination of Object Stiffness Control Parameters in Robot Manipulation Using a Prototype Optical Three-axis Tactile Sensor	947
<i>H. Yussof, M. Ohka, M. A. Ayub, A. R. Omar</i>	
Wavelength Selectivity of a Thermal IR-absorber As Part of a Fully Integrated IR-absorption Sensor	951
<i>J. Kasberger, P. Rauter, B. Jakoby</i>	
A 1k-Pixel 3D CMOS Sensor	955
<i>W. Van Der Tempel, R. Grootjans, D. Van Nieuwenhove, M. Kuijk</i>	

Two nanoFabry-Perot Interferometers for Humidity Sensing	959
<i>L. Ruete, J. Goicoechea, M. Hernaez, I. R. Matias, F. J. Arregui</i>	
Performance Improvement of a Resonant Pressure Sensor by Means of Model Based Design Optimisation	963
<i>G. Radosavljevic, L. Živanov, W. Smetana, M. Unger, A. Maric, L. Nad</i>	
Super-resolution Detection of High-contrast Embedded Objects in Structures Using Differential X-Band Sensor Array	967
<i>M. Tabib-Azar, J. Zarycki</i>	
High Sensitive Magnetic Transducer Consisting of PZT, Terfenol-D and Ultrasonic Horn with High Q Value	971
<i>P. Li, Y. Wen, L. Bian, J. Yang, Y. Zhu</i>	
Sensitivity Tunable Capacitive Type Micro Accelerometer	975
<i>C. H. Je, S. Lee, M. L. Lee, S. Jung, A. Lee, G. Hwang, B. G. Yu, C. A. Choi</i>	
Pressure Sensor Based on Surface Acoustic Wave Resonators	979
<i>M. Benetti, D. Cannatà, F. Di Pietrantonio, C. Marchiori, P. Persichetti, E. Verona</i>	
A Novel Thermal Sensor to Monitor the Gas-liquid Phase Interface in Microfluidic Channels	983
<i>S. R. Choi, J. Hong, J. Kim, D. Kim</i>	
A Self-validating Pressure Sensor	987
<i>Q. Wang, Z. Feng, K. Shida</i>	
Sensors for Lightning Measurements on Aircraft	991
<i>V. Stelmashuk, A. P. J. Van Dursen</i>	
Ferrite-integrated on-chip RF Solenoid Inductor	995
<i>C. Yang, T. L. Ren, L. T. Liu, Y. Yuan, A. Wang, X. Wang, Z. Z. Wu, L. Gu, X. X. Li</i>	
Hybrid Hall Microsystem for High Dynamic Range/large Bandwidth Magnetometry Applications	999
<i>A. Kerlain, V. Mosser</i>	
Accuracy Improvement of Large Area Flexible Piezoresistive Digital Tactile Array Sensing System	1003
<i>A. Ababou, N. Ababou, S. Chadli, R. Dabou</i>	
Polymer Optical Fiber Moisture Sensor Based on Evanescent-wave Scattering to Measure Humidity in Oil-paper Insulation in Electrical Apparatus	1007
<i>J. H. Rodriguez-Rodriguez, F. Martinez-Pinon, J. A. Alvarez-Chavez, D. Jaramillo-Vigueras</i>	
Multisensor Joint Fusion and Detection of Mines Using SAR and Hyperspectral	1011
<i>N. M. Nasrabadi</i>	
New Data Detection Method for a HDD with Patterned Media	1015
<i>D. K. Min, H. S. Oh, I. K. Yoo</i>	
A MEMS-based Bioelectrode for ECG Measurement	1019
<i>L. M. Yu, F. E. H. Tay, D. G. Guo, L. Xu, M. N. Nyan, F. W. Chong, K. L. Yap, B. Xu</i>	
Microarray Detection of Labeled NASBA Products for the Specific Identification of Pathogenic Bacteria Using tmRNA As a Target	1023
<i>B. Glynn, O. Scheler, S. Parkel, A. Kurg, T. Barry, T. Smith, M. Maher</i>	
A High-density Ternary Barcode Detection System Employing an Envelope-differential Composite Method	1027
<i>H. Wakaumi</i>	

A Miniaturized Gas-chromatographic System for the Evaluation of Fish Freshness	1031
<i>I. Elmi, S. Zampolli, L. Masini, A. Barranco, L. Francioso, P. Siciliano, G. C. Cardinali, M. Severi</i>	
Advanced Ultrasound Object Detection in Air by Intensive Use of Side Lobes of Transducer Radiation Pattern	1035
<i>G. Kaniak, H. Schweinzer</i>	
Impedance Sensor for Assessing Cardiac Hemodynamics	1039
<i>O. Skerl, M. Lippert, S. Paule, G. Czygan</i>	
Silicon Dioxide Microneedles for Transdermal Drug Delivery	1043
<i>G. Barillaro, A. Diligenti, L. M. Strambini</i>	
Non-destructive Testing of Olive Oil Off-flavors by Means of a Micro-optic Smart Cap	1047
<i>A. G. Mignani, L. Ciaccheri, A. A. Mencaglia, R. Paolesse, M. Mastroianni, D. Monti, G. Buonocore, M. A. Del Nobile, A. Mentana, M. F. Grimaldi</i>	
Impedance Spectroscopy for Diagnostics of Magnetic Flowmeter	1051
<i>K. Hencken, D. Schrag, H. Grothey</i>	
In-situ Tem Tensile Test of 90NM-Thick <110> SCS Beam Using MEMS Chip	1055
<i>Q. H. Jin, T. Li, Y. L. Wang, X. X. Li, F. F. Xu, P. Zhou</i>	
Methods to Correct for Creep in Elastomer-based Sensors	1058
<i>K. L. Phan</i>	
A Large Dynamic Range CMOS Readout Circuit for MEMS Vibratory Gyroscope	1062
<i>C. Zhang, H. G. Yang, T. Yin, Q. S. Wu</i>	
A High Sensitivity Silicon Microcantilever Based Mass Sensor	1066
<i>M. Narducci, E. Figueras, M. J. Lopez, I. Gracia, L. Fonseca, J. Santander C. Cané</i>	
Fabrication of DETF Sensors in SOI Technology with Submicron Air Gaps Using a Maskless Line Narrowing Technique	1070
<i>M. Ferri, F. Mancarella, J. Ransley, A. Seshia, A. Roncaglia, J. Yan</i>	
H8 Loop Shaping Control for PLL-based Mechanical Resonance Tracking in NEMS Resonant Mass Sensors	1074
<i>C. Kharrat, E. Colinet, A. Voda</i>	
Low Cost Security Perimeter Based on a Michelson Interferometer	1078
<i>M. Kezmah, B. Lenardic, D. Donlagic</i>	
Very Thin SiC Membranes for Micromachined Vacuum Sensors	1082
<i>H. T. M. Pham, C. Fan, G. Pandraud, K. Kwakernaak, F. Creemer, N. M. Van der Pers, P. Visser, P. M. Sarro</i>	
Fluidic-coupled High-resolution Displacement Sensor for Low-power Wireless Applications	1086
<i>T. Jäger, K. Wulff, L. Reindl</i>	
Development of Patch Type Sensor Module for Real-time Monitoring of Heart Rate and Agility Index	1090
<i>Y. T. Kim, D. G. Park, J. Kang, K. S. Seo</i>	
Development of Optical Sensing System for Detection of Fe Ions Using Conductive Polymer Actuator Based Microfluidic Pump	1094
<i>J. H. Kim, K. T. Lau, C. Fay, D. Diamond</i>	

Silicon Micromachined Accelerometers for the Detection of Compliant Anti-personnel Landmines	1098
<i>A. Bulletti, S. Valentini, F. Ciora, G. Borgioli, M. Calzolari, L. Capineri, L. Masotti</i>	
Novel Flow Sensors Based on a Two-state Controller Scheme	1102
<i>S. Cerimovic, A. Talic, R. Beigelbeck, F. Kohl, J. Schalko, A. Jachimowicz</i>	
Low-cost Gas Chromatography with Gas Sensor Array for Rapid Tests in Food Industry Processes	1106
<i>M. L. Bauersfeld, C. Peter, M. Bücking, J. Bruckert, J. Steinhanses, J. Wöellenstein</i>	
Magnetic Displacement and Velocity Sensor for Robust Control of Active Magnetic Bearings	1110
<i>M. Schramm, W. Hofmann</i>	
Plug Dispersion Compensation for Moving Field Capillary Electrophoresis by Low Voltage Electroosmotic Pump	1114
<i>L. Zhang, A. Bossche, R. Lindken</i>	
Resonant Ferrofluidic Inclometers: New Sensing Strategies	1118
<i>B. Andò, A. Ascia, S. Baglio, N. Pitrone</i>	
Fluorescence Amplification Using Photonic Crystal Slabs	1122
<i>N. Ganesh, P. C. Mathias, W. Zhang, B. T. Cunningham</i>	
Aptamer-based Surface Plasmon Resonance Probe	1126
<i>J. Pollet, F. Delport, D. T. Thi, M. Wevers, J. Lammertyn</i>	
A Dual-color Total Internal Reflection (TIR)-based Chip for Simultaneous Detection of Two Fluorophores	1130
<i>N. C. H. Le, D. V. Dao, R. Yokokawa, J. Wells, S. Sugiyama</i>	
A Hybrid Optical Biosensor Based on Polymer Infiltrated Porous Silicon Device	1134
<i>L. Rotiroti, E. De Tommasi, I. Rendina, M. Canciello, G. Maglio, R. Palumbo, L. De Stefano</i>	
An Optical Platform Based on Fluorescence Anisotropy for C-Reactive Protein Assay	1137
<i>F. Baldini, A. Carloni, A. Giannetti, G. Porro, L. Tedeschi, C. Trono</i>	
Digital Microfluidics-based High-throughput Imaging for Systems Biology	1141
<i>Y. J. Shin, J. B. Lee</i>	
Patterned Electrodes for Thickness Shear Mode Quartz Resonators to Achieve Uniform Mass Sensitivity Distribution	1145
<i>A. Richardson, V. R. Bhethanabotla, A. L. Smith, F. Josse</i>	
An Embedded System to Assess the Automotive Shock Absorber Condition Under Vehicle Operation	1149
<i>C. D. H. Ferreira, P. J. C. Ventura, R. M. P. Morais, A. L. G. Valente, C. F. C. S. Neves, M. J. C. S. Reis</i>	
Use of Motion Sensors for Autonomous Monitoring of Hydraulic Environments	1153
<i>N. Kularatna, D. K. Abeywardana</i>	
Infant Drowning Prevention System with Wireless Accelerometer -evaluation of Optimum Floating Body Shape for Home-use -	1157
<i>K. Hiratsuka, Y. Nishida, H. Mizoguchi</i>	
Developing Wireless Measurement System for Building Deployed Capacitive Sensors with Optimized RF Front End Circuit	1161
<i>E. Jafer, B. O'Flynn, C. O'Mathuna, J. Buckley</i>	

Fully Implantable Blood Pressure Sensor for Hypertonic Patients	1165
<i>H. Fassbender, U. Urban, M. Görtz, T. Göttische, K. Trieu, W. Mokwa, P. Osypka, T. Schmitz-Rode</i>	
Inductive Distance Sensor for Biomedical Applications	1169
<i>P. Ripka, J. Humr</i>	
Inductively Coupled System for Delivery and Monitoring of Photodynamic Therapy in a Rat Model for Glioblastoma	1172
<i>E. Margallo-Balbás, J. Kaptein, H. Sterenborg, G. Pandraud, P. French, D. Robinson</i>	
First Results of a Study on a Completely Implanted Retinal Prosthesis in Blind Humans	1176
<i>C. Koch, M. Goertz, P. Walter, W. Mokwa</i>	
Adaptive RF Power Control for Wireless Implantable Bio-sensing Network to Monitor Untethered Laboratory Animal Real-time Biological Signals	1180
<i>N. Chaimanonart, M. D. Zimmerman, D. J. Young</i>	
Wireless Implantable EMG Sensing Microsystem	1184
<i>B. D. Farnsworth, R. J. Triolo, D. J. Young</i>	
A Micro Thermoelectric Energy Scavenger for a Hybrid Insect	1188
<i>N. Ghafouri, H. Kim, M. Z. Atashbar, K. Najafi</i>	
Temperature Distribution Measurement Using Acoustic CT and Cooling Effect Evaluation of Fine Water Mist	1192
<i>S. Ohyama, T. Oga, J. Takayama</i>	
Square Wine Glass Mode Resonator with Quality Factor of 4 Million	1196
<i>J. E. Y. Lee, A. A. Seshia</i>	
Dual-harmonic Oscillator with Frequency and Resistance Outputs for Quartz Resonator Sensors	1200
<i>M. Ferrari, V. Ferrari, K. K. Kanazawa</i>	
A 640x480 Active Chip for Cell Detection with 11b Digital Output	1204
<i>P. Delizia, A. Baschiroto, M. Scandiuazzo, M. Sergio, N. Manaresi, G. Medoro, S. D'Amico</i>	
Wearable Autonomous Wireless Electro-encephalography System Fully Powered by Human Body Heat	1208
<i>T. Torfs, V. Leonov, R. F. Yazicioglu, R. J. M. Vullers, P. Merken, B. Gyselinckx, C. Van Hoof</i>	
Embedded Micro/nano Sensors for Harsh Engineering Environments	1212
<i>X. Li, X. Zhang, D. Werschmoeller, H. Choi, X. Cheng</i>	
Methane Detection System Based on Wavelength Modulation Spectroscopy and Hollow-core Fibres	1216
<i>F. Magalhães, J. P. Carvalho, L. A. Ferreira, F. M. Araújo, J. L. Santos</i>	
Hydrogen Leak Optical Sensor Using Radiating Fiber Gratings	1220
<i>C. Caucheteur, M. Debliquy, D. Lahem, P. Mégret</i>	
Fabrication of Sensitive Fibre-optic Gas Sensors Based on Nano-assembled Thin Films	1224
<i>S. Korposh, S. Kodaira, S. W. James, S. W. Lee, W. J. Batty, R. P. Tatam</i>	
A Novel Low-loss Splice for Photonic Bandgap Fiber Gas Sensor	1228
<i>X. Li, J. Pawlat, J. Liang, T. Ueda</i>	
ZnO Nanocrystals by Chemical Route for Optical Gas Sensing	1232
<i>C. Baratto, S. Todros, M. Epifani, P. Siciliano, G. Faglia, G. Sberveglieri</i>	

Optical Sensor for Ozone Detection in Medium Voltage Switchboard	1236
<i>L. De Maria, G. Rizzi, P. Serragli, R. Marini, L. Fialdini</i>	
A GasFET Concept for High Temperature Operation	1240
<i>P. Iskra, C. Senft, D. Kulaga-Egger, T. Sulima, I. Eisele</i>	
Liquid-phase Chemical Sensors Using Inp-based Open-gate FETs	1244
<i>N. Yoshizawa, T. Sato, A. Mizohata</i>	
In Situ DRIFT Study of the CO Response Mechanism of MISFET Sensors Using a Pt/SiO₂ Model Sensor	1248
<i>E. Becker, M. Andersson, A. Lloyd Spetz, M. Skoglundh</i>	
Organic Thin Film Transistors As Plastic Chiral Sensors	1252
<i>L. Torsi, G. M. Farinola, F. Marinelli, D. Angione, O. Hassan Omar, L. Valli, G. Giancane, F. Babudri, F. Palmisano, P. G. Zambonin, F. Naso</i>	
Temperature Controlled Phase Transition As a Detection Principal for Gas FETs (TPT-FET)	1255
<i>C. Senft, H. P. Frerichs, C. Wilbertz, P. Iskra, I. Eisele</i>	
Detecting Non-hydrogen Containing Species with Field Effect Devices	1259
<i>M. Andersson, A. Lloyd Spetz</i>	
A Physiological Parameter Monitoring Device to Care for the Elderly	1263
<i>S. C. Mukhopadhyay, G. S. Gupta</i>	
A Hardware-software Framework for High-reliability People Fall Detection	1267
<i>M. Grassi, A. Leone, M. Malfatti, G. Rescio, G. Potamianos, P. Malcovati, A. Lombardi, C. Distante, G. Diraco, P. Siciliano, L. Gonzo, J. Huang, V. Libal</i>	
Implementation of Wireless Sensors Based Home Monitoring System	1271
<i>G. S. Gupta, A. Gaddam, S. C. Mukhopadhyay</i>	
Development of a Novel Algorithm for Human Fall Detection Using Wearable Sensors	1275
<i>G. Anania, A. Tognetti, N. Carbonaro, M. Tesconi, F. Cutolo, G. Zupone, D. De Rossi</i>	
Necessity of a Bed-sensor in a Smart Digital Home to Care for Elder-people	1279
<i>A. Gaddam, S. C. Mukhopadhyay, G. Sen Gupta</i>	
Linear Arrays of Microbolometers for Space Applications	1283
<i>L. N. Phong, T. D. Pope</i>	
Sunsensor Miniaturization Where is the End?	1287
<i>J. Leijtens</i>	
Micromachined Cryogenic Coolers for Cooling Low-temperature Detectors and Electronics	1291
<i>H. J. M. ter Brake, P. P. P. M. Lerou, J. F. Burger, H. J. Holland, J. H. Derking, H. Rogalla</i>	
A CMOS Image Sensor with Row and Column Profiling Means	1295
<i>N. Xie, A. J. P. Theuwissen, X. Wang, J. Leijtens, H. Hakkesteegt, H. Jansen</i>	
Development of a Perimeter Odor Monitoring System for Landfill Sites	1299
<i>K. C. Persaud, N. C. P. Woodyatt, R. W. Sneath</i>	
Thermoelectric MEMS Sensors for Natural Gas Analysis	1303
<i>S. Udina, A. Pardo, J. Santander, L. Fonseca, S. Marco</i>	
Sensor System for Fault Detection of High Voltage Transformers	1307
<i>E. Fontana, L. M. B. A. Urtiga, J. F. Martins-Filho</i>	
Electrochemical pH-responsive Valve for Automatic Sampling	1310
<i>S. Yamaguchi, K. Morimoto, J. Fukuda, H. Suzuki</i>	

Identification of Wound Infection by Limited Set of Volatile Products	1314
<i>K. C. Persaud, A. M. Pisanelli, A. Bailey, M. Falasconi, M. Pardo, G. Sverbeglieri, D. Senuliené, A. Šetkus, R. Rimdeika, K. Dunn, M. Gobbi, U. Schreiter</i>	
A Cr-doped WO₃ Sensor for Chromatographic Systems in Wine Quality Applications.....	1317
<i>A. Adami, L. Lorenzelli, D. Presicce, M. Malfatti, V. Guarnieri, L. Francioso, P. Siciliano, G. Agnusdei, M. Zen</i>	
Delta-sigma Loop Based on Charge Pumping in SOI Optical Sensor.....	1321
<i>L. Harik, J. M. Sallese, M. Kayal</i>	
An Advanced CMOS Imager Employing Modified AR and ACS Methods.....	1325
<i>M. Beiderman, T. Tam, A. Fish, G. A. Gullien, O. Yadid-Pecht</i>	
TOF Range Image Sensor Using a Range-shift Technique	1329
<i>T. Sawada, K. Ito, M. Nakayama, S. Kawahito</i>	
X-ray CMOS Detector Array with Scintillating Light Guides	1333
<i>J. G. Rocha, A. V. Fernandes, R. A. Dias, L. Goncalves, P. Goncalves, G. Minas, S. Lanceros-Mendez, A. J. Ferreira</i>	
Development of a Microwave Proximity Sensor for Industrial Applications.....	1337
<i>S. Fericean, A. Dorneich, R. Droxler, D. Kräter</i>	
Needle-type Sensor Array for Multi-analyte in Situ Measurements.....	1341
<i>J. H. Lee, P. Bishop, I. Papautsky</i>	
Statistical Signal Processing for the Diagnostics of Gas Bubbles	1345
<i>D. Schrag, K. Hencken, H. Grothey</i>	
Development of Electrochemical In-situ pH-pCO₂ Sensor for Deep-sea Oceanography Applications	1349
<i>K. Shitashima, Y. Koike, M. Kyo, A. Hemmi</i>	
Backside Illuminated Thinned CMOS Image Sensors for Space Imaging	1353
<i>K. Minoglou, K. De Munck, D. S. Tezcan, J. Bogaerts, I. F. Veltroni, C. Van Hoof, P. De Moor</i>	
USAF Cryogenic Technology and Future Direction	1357
<i>E. Pettyjohn, F. Roush</i>	
On-chip Cooling for Detectors in Space Applications.....	1360
<i>J. H. Derking, H. J. M. ter Brake, A. Sirbi, H. Rogalla, M. Linder</i>	
Direct Sensor-to-satellite Link for Relaying Sensor-detected Information.....	1364
<i>A. I. Zaghloul, M. J. Al-Saleh, E. Lau</i>	
Non-magnetic Platform for Scalar Calibration of Magnetometers.....	1368
<i>V. Petrucha, J. M. G. Merayo, P. Brauer, F. Primdahl, P. Kaspar</i>	
Novel Transducer Configurations for Bulk Acoustic Wave Sensors	1372
<i>D. F. McCann, M. S. Wark, L. A. French, J. F. Vetelino</i>	
Surface Acoustic Wave Based Biosensor in CMOS for Cancer Biomarker Detection.....	1376
<i>O. Tigli, L. Bivona, C. Chaterjee, M. E. Zaghloul, P. Berg</i>	
Predicting the Mechanism of Removal of Nonspecifically Bound Proteins in a Surface Acoustic Wave Biosensor: a Fluid-solid Interaction Study	1380
<i>S. K. R. S. Sankaranarayanan, S. Cular, V. Bhethanabotla</i>	
Micro Fluidic Biosensor Array for Parallelized Cell Adhesion Analysis During Pathogenic Infection.....	1384
<i>T. Jacobs, G. Cama, M. Hartmann, T. Kähne, S. Hirsch, M. Naumann, P. Hauptmann</i>	

Quantification of Flagellar Response of Single-cell E. Coli to Chemotactic Agents Using Microfabricated Silicon Nitride Cantilevers	1388
<i>C. Lui, M. Bergkvist, T. Sato, C. Batt</i>	
MEMS Composite Porous Silicon/polysilicon Cantilever Sensor for Enhanced Triglycerides Biosensing	1392
<i>R. E. Fernandez, S. Stolyarova, A. Chadha, E. Bhattacharya, Y. Nemirovsky</i>	
A Decision Method for the Placement of Mechanical Tactile Elements for Grasp Type Recognition	1396
<i>K. Matsuo, K. Murakami, T. Hasegawa, R. Kurazume</i>	
Strain Gauge Foil for the Measurement of Elastic Deformations in Orthopedic Milling Tools	1400
<i>U. Nolten, W. Mokwa</i>	
Instrumented Bearing for Force and Moment Measurements.....	1404
<i>D. Kwapisz, J. Stéphant, D. Meizel</i>	
Flexible Capacitive Sensors for High Resolution Pressure Measurement	1408
<i>E. Pritchard, M. Mahfouz, B. Evans, S. Eliza, M. Haider</i>	
Low-cost, Dual-axis Smart Inclinometer.....	1412
<i>S. Y. Yurish</i>	
Three-axis Thermal Accelerometer Based on Buckled Cantilever Microstructure.....	1416
<i>A. H. Ma, A. M. Leung</i>	
Rational Chemical Design of Metal Oxide Nanorod-based Materials and Devices for Gas Sensing Applications	1420
<i>L. Vayssieres</i>	
Novel Nano-hybrid Gas Sensor Based on n-TiO₂ Functionalized by Phthalocyanines Via Supersonic Beam Co-deposition: Performance and Application to Automotive Air Quality	1422
<i>S. Iannotta, T. Toccoli, C. Corradi, A. Forleo, M. Mazzola, N. Coppedé, A. Pallaoro, F. Siviero, P. Siciliano, M. Lattore, D. Marzorati, M. Tonezzer</i>	
Applications of Atomistic Calculations to Chemical Gas Sensing	1425
<i>J. D. Prades, A. Cirera, J. R. Morante</i>	
Shape-, Size- and Phase-controlled Indium Oxide for Gas Sensing	1429
<i>A. Gurlo, R. Riedel</i>	
Self-assembled Monolayers of Photo- Electroactive Organic Molecules: Photoinduced Electron Transfer As Sensing Mechanism	1433
<i>N. Tkachenko, A. Efimov, H. Lemmetyinen</i>	
Design of Low-cost Tactile Force Sensor for 3D Force Scan	1437
<i>T. Liu, Y. Inoue, K. Shibata</i>	
A Robust Tactile Shear Stress Sensor Derived from a Bio-inspired Artificial Haircell Sensor	1441
<i>H. Hu, N. Chen, C. Liu</i>	
Cellular Ferroelectrets for Flexible Touchpads, Keyboards and Tactile Sensors	1444
<i>G. Buchberger, R. Schwödäuer, N. Arnold, S. Bauer</i>	
A Packaging Technique for Silicon MEMS Strain Sensors on Steel	1448
<i>M. Ferri, Y. Kobayashi, K. Soga, A. Roncaglia, S. Cristiani</i>	
Design and Characterization of In-plane Silicon Stress Sensors with Isotropic Sensitivity	1452
<i>M. Herrmann, P. Gieschke, Z. Liu, J. Korvink, P. Ruther, O. Paul</i>	

Strain Gauge Factor and TCR of Sputter Deposited Pt Thin Films Up to 850 c	1456
<i>S. Fricke, A. Friedberger, G. Mueller, H. Seidel, U. Schmid</i>	
Miniaturized Resonant Gas Sensors for High-temperature Applications	1460
<i>J. Sauerwald, D. Richter, E. Ansorge, B. Schmidt, H. Fritze</i>	
Rapid Detection of Organophosphate Pesticides in Aqueous Environment Using a Polysiloxane Coated SH-SAW Device	1464
<i>A. Mensah-Brown, F. Josse, M. J. Wenzel, E. Yaz, S. Schneider</i>	
Performance of Micromachined Quartz Gravimetric Sensors Upon Electrochemical Adsorption of Monolayers	1468
<i>P. Kao, A. Patwardhan, J. Strutwolf, D. Arrigan, D. Allara, S. Tadigadapa</i>	
Pseudo-LFE Study in At-cut Quartz for Sensing Applications	1472
<i>W. Wang, C. Zhang, Z. Zhang, Y. Liu, G. Feng, G. Jing</i>	
Highly Sensitive QCM Odor-sensors Functionalized with Self-assembled Lipid-derivatives and GC Materials	1476
<i>B. Wyszynski, P. Somboon, T. Nakamoto</i>	
Identification of Taste Solutions and Their Binary Mixtures Using SH-SAW Resonator-based Taste Sensor	1480
<i>M. Cole, I. I. Leonte, P. Hesketh, J. W. Gardner</i>	
AeroMEMS Pressure Sensor with Integrated Wall Hot-wire	1484
<i>A. Berns, U. Buder, X. H. Wang, E. Obermeier, J. Domhardt, J. Leuckert, W. Nitsche</i>	
A Novel MEMS Pressure Sensor with MOSFET on Chip	1488
<i>Z. H. Zhang, Y. H. Zhang, L. T. Liu, T. L. Ren</i>	
Parylene-membrane Piezoresistive Pressure Sensors with XeF₂-etched Cavity	1492
<i>L. Giacchino, Y. C. Tai</i>	
Piezo Resistive Thin Film Sensor System	1496
<i>S. Biehl, O. Woitschach, S. Staufenbiel, C. Brill</i>	
Corner Rounding to Strengthen Silicon Pressure Sensors Using DRIE	1500
<i>H. D. Ngo, A. T. Tham, M. Simon, E. Obermeier</i>	
Piezoresistive Geometry for Maximizing Microcantilever Array Sensitivity	1504
<i>P. C. Fletcher, Y. Xu, P. Gopinath, J. Williams, B. W. Alphenaar, R. D. Bradshaw, R. S. Keynton</i>	
Metal Oxide Semiconductor UV Sensor	1508
<i>W.S. Ho, C.-H. Lin, P.-S. Kuo, T.-H. Cheng, W.W. Hsu, Y.-Y. Chen, and C.W. Liu</i>	
High Responsivity AlGaN-based UV Sensors for Operation in Harsh Conditions	1512
<i>M. Mello, A. Scarascia, S. De Guido, D. Altamura, V. Tasco, M. De Vittorio, A. Passaseo</i>	
Infrared Detector Based on Single-walled Carbon Nanotube Networks	1516
<i>F. Rao, T. Li, Y. Wang</i>	
Pixel Co-registered Simultaneous Dualband Infrared Sensing	1520
<i>S. D. Gunapala, S. V. Bandara, C. J. Hill, J. K. Liu, J. M. Mumolo, S. A. Keo</i>	
Development of Carbon Nanotube Based Spectrum Infrared Sensors	1524
<i>K. W. C. Lai, N. Xi, Y. Luo, C. K. M. Fung, J. Zhang, H. Chen</i>	
Capacitively Coupled Electrical Substitution for Bolometers	1528
<i>M. Denoual, S. Delaunay, D. Robbes</i>	
Wireless Passive Sensors: Basic Principles and Performances	1531
<i>L. M. Reindl</i>	

Resonantly Coupled Antennas for Passive Sensors	1535
<i>L. Rindorf, L. Lading, O. Breinbjerg</i>	
Chemical Event Tracking Using a Low-cost Wireless Chemical Sensing Network	1539
<i>S. Beirne, K. T. Lau, B. Corcoran, D. Diamond</i>	
Prototyping of Flexible Capacitive Encoder with Un-tethered Slider Using Electrostatic Induction	1543
<i>F. Kimura, M. Gondo, N. Yamashita, A. Yamamoto, T. Higuchi</i>	
Intrusion Detection System for Container Security	1547
<i>T. Becker, I. Sayhan, M. Kluge, F. Neubauer, B. Gerum, S. Enderle</i>	

Author Index