

# **2008 IEEE CSIC Symposium**

**Monterey, California, USA  
12-15 October 2008**



**IEEE Catalog Number: CFP08GAA-PRT  
ISBN: 978-1-4244-1939-5**

# TABLE OF CONTENTS

## FRONT MATTER

### SESSION A: PLENARY SESSION

<b>THz Bipolar Transistor Circuits: Technical Feasibility, Technology Development, Integrated Circuit Results</b> .....	1
<i>Mark Rodwell, E. Lobisser, M. Wistey, V. Jain, A. Baraskar, E. Lind, J. Koo, Z. Griffith, J. Hacker, M. Urteaga, D. Mensa, Richard Pierson and B. Brar</i>	
<b>The DARPA Compound Semiconductor Materials On Silicon (COSMOS) Program</b> .....	4
<i>Mark J. Rosker, Viktoria Greanya and Tsu-Hsi Chang</i>	
<b>GaN MMIC PAs for E-Band (71 GHz - 95 GHz) Radio</b> .....	8
<i>M. Micovic, A. Kurdoghlian, H. P. Moyer, P. Hashimoto, M. Hu, M. Antcliffe, P. J. Willadsen, W. S. Wong, R. Bowen, I. Milosavljevic, Y. Yoon, A. Schmitz, M. Wetzel, C. McGuire, B. Hughes and D. H. Chow</i>	
<b>Integrating III-V on Silicon for Future Nanoelectronics</b> .....	12
<i>Mantu K. Hudait and Robert Chau</i>	
<b>Mobile Broadband System Evolution and RF Technology Requirements for User Equipment</b> .....	14
<i>Kenneth Weller</i>	

### SESSION B: CIRCUIT DESIGN USING THz TECHNOLOGIES

<b>The DARPA FLARE Program: Recent Advances in Ultra High Linearity RF Amplifiers</b> .....	18
<i>Sanjay Raman, Tsu-Hsi Chang, Richard C. Eden and Steve Pappert</i>	
<b>mm-Wave Op-Amps Employing Simple-Miller Compensation, with OIP3/Pdc Ratios of 211 (10dB NF) and 144 (6.0dB NF) at 2 GHz</b> .....	22
<i>Zach Griffith, Miguel Urteaga and Mark J. W. Rodwell</i>	
<b>A Metamorphic 220-320 GHz HEMT Amplifier MMIC</b> .....	26
<i>A. Tessmann, A. Leuther, H. Massler, M. Kuri and R. Loesch</i>	
<b>RFIC Design Methodologies Using Perfectly Calibrated Internal Ports</b> .....	30
<i>James C. Rautio</i>	

### SESSION C: RELIABILITY AND QUALITY IN GaAs PROCESS TECHNOLOGY

<b>GaAs HBT Reliability</b> .....	35
<i>B. Yeats, T. S. Low, K. Alt, M. E. Adamski, M. Bonse, D. C. D'Avanzo, M. Dvorak, C. P. Hutchinson, M. Iwamoto, F. G. Kellert, D. K. Kuhn, R. L. Shimon and T. E. Shirley</i>	
<b>Study of Electrothermal Stress Effect on RF Performance of InGaP/GaAs Heterojunction Bipolar Transistor-Based Low-Noise Amplifier</b> .....	39
<i>Xiang Liu, Jiann-Shiun Yuan and Juin J. Liou</i>	
<b>Measuring IC Layout Effects on Quality and Reliability</b> .....	43
<i>William J. Roesch and Dorothy June M. Hamada</i>	

<b>Reliability of Metal-Insulator-Metal (MIM) after Electrostatic Discharge (ESD) Stress</b> .....	47
<i>Hajime Sasaki, Hiroshi Sugimoto and Noriyuki Tanino</i>	

## **SESSION D: BASE STATION DEVICES AND CIRCUITS**

<b>High Efficiency WCDMA Envelope Tracking Base-Station Amplifier Implemented with GaAs HVHBTs</b> .....	51
<i>Donald Kimball, Myoungbo Kwak, Paul Draxler, Jinseong Jeong, Chin Hsia, Craig Steinbeiser, Thomas Landon, Oleh Krutko, Larry Larson and Peter Asbeck</i>	

<b>Efficiency Enhancement of Harmonic-Tuned GaN Power Amplifier Using Doherty like Load Modulation</b> .....	55
<i>D. Xiao, D. Schreurs, I. Angelov, W. De Raedt, J. Derluyn, M. Germain, B. Nauwelaers and G. Borghs</i>	

<b>RF Power Amplifier IC with Low Memory Effect, Reduced Low Frequency Gain Peak and Isolated Temperature Tracking Circuitry</b> .....	60
<i>Reza Bagger and Håkan Olsson</i>	

<b>A Novel High Voltage, Vertical MOSFET for High Power RF Applications</b> .....	64
<i>Mike Golio, Robert Davies, Bishnu Gogoi, Dave Lutz, Brian Battaglia, Robert Neeley, Walt Wright, Dave Rice, Phuong Le, Mike Purchine, Alex Elliot and Son Tran</i>	

## **SESSION E: TR SWITCHES/PHASED ARRAYS**

<b>Using GaN FETs for High Power RF Switches</b> .....	68
<i>Jim M. Carroll</i>	

<b>X-Band Robust AlGaIn/GaN Receiver MMICs with over 41 dBm Power Handling</b> .....	72
<i>J. P. B. Janssen, M. van Heijningen, G. Provenzano, G. C. Visser, E. Morvan and F. E. van Vliet</i>	

<b>A Ka-Band BiCMOS T/R Module for Phased Array Applications</b> .....	76
<i>Byung-Wook Min and Gabriel M. Rebeiz</i>	

<b>77GHz Low-Cost Single-Chip Radar Sensor for Automotive Ground Speed Detection</b> .....	80
<i>Toshiyuki Nagasaki, Kenji Kogo, Hiroshi Shinoda, Hiroshi Kondoh, Yoshiyuki Muto, Akihiko Yamamoto and Tokuji Yoshikawa</i>	

<b>Q-Band GaN MMIC LNA Using a 0.15<math>\mu</math>m T-Gate Process</b> .....	84
<i>H. P. Moyer, A. Kurdoghlian, M. Micovic, T. Lee, R. O. Hiramoto, M. J. Be Zaire, S. Nguyen, P. Hashimoto, A. Schmitz, I. Milosavljevic, P. J. Willadsen, W.-S. Wong, M. Antcliffe, M. D. Wetzel and M. Hu</i>	

## **SESSION F: EADVANCES IN TOOLS AND TECHNOLOGIES**

<b>Improved Drain-Source Current Model for HEMT's with Accurate Gm Fitting in All Regions</b> .....	88
<i>Lin-Sheng Liu and Jian-Guo Ma</i>	

<b>Submicron InP DHBT Technology for High-Speed High-Swing Mixed-Signal ICs</b> .....	92
<i>J. Godin, V. Nodjiadjim, M. Riet, P. Berdaguer, O. Drisse, E. Derouin, A. Konczykowska, J. Moulu, J.-Y. Dupuy, F. Jorge, J.-L. Gentner, A. Scavennec, T. Johansen and V. Krozer</i>	

<b>Ku-Band Six-Bit RF MEMS Time Delay Network</b> .....	96
<i>Christopher D. Nordquist, Christopher W. Dyck, Garth M. Kraus, Charles T. Sullivan, Franklin Austin IV, Patrick S. Finnegan and Mark H. Ballance</i>	

<b>Charge Trapping and Wearout Characteristics of Self-Aligned Enhancement-Mode GaAs n-MOSFET with Si Interface Passivation Layer and HfO<sub>2</sub> Gate Oxide</b> .....	100
<i>Feng Zhu, H. Zhao, I. Ok, H. S. Kim, M. Zhang, S. Park, J. Yum, S. Koveshnikov, V. Tokranov, M. Yakimov, S. Oktyabrsky, W. Tsai and Jack C. Lee</i>	

## **SESSION G: CMOS mm- WAVE CIRCUITS**

<b>A V-Band Fully-Integrated CMOS Distributed Active Transformer Power Amplifier for 802.15.TG3c Wireless Personal Area Network Applications</b> .....	104
<i>Yung-Nien Jen, Jeng-Han Tsai, Tian-Wei Huang and Huei Wang</i>	
<b>Wideband PA and LAN for 60-GHz Radio in 90-nm LP CMOS Technology</b> .....	108
<i>Jau-Jr Lin, Kun-Hin To, Bill Brown, Donna Hammock, Michael Majerus, Marcel Tutt and W. Margaret Huang</i>	
<b>A 60-GHz Double-Balanced Mixer for Direct Up-Conversion Transmitter on 130-nm CMOS</b> .....	112
<i>F. Zhang, E. Skafidas, W. Shieh, B. Yang, B. N. Wicks and Z. Liu</i>	
<b>A 94GHz SPST Switch in 65nm Bulk CMOS</b> .....	116
<i>Alexander Tomkins, Patrice Garcia and Sorin P. Voinigesu</i>	

## **SESSION H: HIGH-SPEED DIGITAL COMMUNICATION ICs**

<b>Two-Channel InP HBT Differential Automatic-Gain-Controlled Transimpedance Amplifier IC for 43-Gbit/s DQPSK Photoreceiver</b> .....	120
<i>Hiroyuki Fukuyama, Toshihiro Itoh, Tomofumi Furuta, Kenji Kurishima, Masami Tokumitsu and Koichi Murata</i>	
<b>100 Gbit/s Fully Integrated InP DHBT-Based CDR/1:2 DEMUX IC</b> .....	124
<i>R. E. Makon, R. Driad, R. Lösch, J. Rosenzweig and M. Schlechtweg</i>	
<b>A 90-Gb/s 2:1 Multiplexer with 1-Tap FFE in SiGe Technology</b> .....	128
<i>Ekaterina Laskin and Alexander Rylyakov</i>	

## **SESSION I : X-BAND/BROADBAND GaN POWER AMPLIFIERS**

<b>A Wideband Power Amplifier MMIC Utilizing GaN on SiC HEMT Technology</b> .....	132
<i>Charles Campbell, Cathy Lee, Victoria Williams, Ming-Yih Kao, Hua-Quen Tserng and Paul Saunier</i>	
<b>State of the Art 58W, 38% PAE X-Band AlGaIn/GaN HEMTs Microstrip MMIC Amplifiers</b> .....	136
<i>S. Piotrowicz, E. Morvan, R. Aubry, S. Bansropun, T. Bouvet, E. Chartier, T. Dean, O. Drisse, C. Dua, D. Floriot, M. A. diForte-Poisson, Y. Gourdel, A. J. Hydes, J. C. Jacquet, O. Jardel, D. Lancereau, J. O. Mc Lean, G. Lecoustre, A. Martin, Z. Ouarch, T.</i>	
<b>X-Band Microstrip AlGaIn/GaN HEMT Power MMICs</b> .....	140
<i>Tangsheng Chen, Bin Zhang, Chunjiang Ren, Gang Jiao, Weibin Zheng, Chen Chen, Kai Shao and Naibin Yang</i>	
<b>A CW 7-12 GHz GaN Hybrid Power Amplifier IC with High PAE Using the Load-Impedance Change Compensation Technique</b> .....	144
<i>Y. Inoue, M. Kanamura, T. Ohki, K. Makiyama, N. Okamoto, K. Imanishi, T. Kikkawa, N. Hara, H. Shigematsu and K. Joshin</i>	

<b>RLC Matched GaN HEMT Power Amplifier with 2 GHz Bandwidth</b> .....	148
<i>K. Krishnamurthy, D. Wang, B. Landberg and J. Martin</i>	

## **SESSION J: HIGH-SPEED MIXED-MODE IC'S**

<b>Advances in Analog-to-Digital Converters and Associated IC Technologies</b> .....	152
<i>B. H. Walden</i>	
<b>Millimeter-Wave Delta-Sigma Modulators</b> .....	154
<i>Adam Hart, Theodoros Chalvatzis, Patrice Garcia and Sorin P. Voinigescu</i>	
<b>A 12.5-Gb/s Pulse Modulator with 6.5-ps FWHM Using 0.1-<math>\mu</math>m InP HEMTs for Ultra-Wideband Impulse Radio Communications</b> .....	158
<i>Yasuhiro Nakasha, Yoichi Kawano, Toshihide Suzuki, T. Ohki, Tsuyoshi Takahashi, K. Makiyama, Tatsuya Hirose and N. Hara</i>	

## **SESSION K: MILLIMETER-WAVE CIRCUITS & TECHNOLOGY**

<b>An 80 GHz SiGe Bipolar VCO with Wide Tuning Range Using Two Simultaneously Tuned Varactor Pairs</b> .....	162
<i>Nils Pohl, Hans-Martin Rein, Thomas Musch, Klaus Aufinger and Josef Hausner</i>	
<b>6.5 Watt, 35 GHz Balanced Power Amplifier MMIC using 6-Inch GaAs pHEMT Commercial Technology</b> .....	166
<i>Simon J. Mahon, Alan C. Young, Anthony P. Fattorini and James T. Harvey</i>	
<b>A V-Band High Power and High Gain Amplifier MMIC using GaAs PHEMT Technology</b> .....	170
<i>Shin Chaki, Hirotaka Amasuga, Seiki Goto, Ko Kanaya, Yoshitsugu Yamamoto, Tomoki Oku and Takahide Ishikawa</i>	

## **SESSION L: WIRELESS AND WIRED HIGH DATA RATE CMOS COMMUNICATION ICs**

<b>60-GHz-Band CMOS MMIC Technology for High-Speed Wireless Personal Area Networks</b> .....	174
<i>K. Maruhashi, M. Tanomura, Y. Hamada, M. Ito, N. Orihashi and S. Kishimoto</i>	
<b>A Low-Power mmWave CML Prescaler in 65nm SOI CMOS Technology</b> .....	178
<i>Daeik D. Kim, Choongyeun Cho, Jonghae Kim, Jean-Olivier Plouchart and Daihyun Lim</i>	
<b>An 81Gb/s, 1.2V TIALA-Retimer in Standard 65nm CMOS</b> .....	182
<i>Shahriar Shahramian, Anthony Chan Carusone, Peter Schvan and Sorin P. Voinigescu</i>	

## **SESSION N: LATE NEWS PAPERS**

<b>C-Band GaN-HEMT Power Amplifier with Over 300-W Output Power and Over 50-% Efficiency</b> .....	186
<i>H. Shigematsu, Y. Inoue, S. Masuda, M. Yamada, M. Kanamura, T. Ohki, K. Makiyama, N. Okamoto, K. Imanishi, T. Kikkawa, K. Joshin and N. Hara</i>	
<b>100GHz+ Gain-Bandwidth Differential Amplifiers in a Wafer Scale Heterogeneously Integrated Technology using 250nm InP DHBTs and 130nm CMOS</b> .....	190
<i>J. C. Li, K. R. Elliott, D. S. Matthews, D. A. Hitko, D. M. Zehnder, Y. Royter, P. R. Patterson, T. Hussain and J. F. Jensen</i>	

<b>A Cool, Sub-0.2 dB, Ultra-Low Noise Gallium Nitride Multi-Octave MMIC LNA-PA with 2-Watt Output Power</b> .....	194
<i>Kevin W. Kobayayashi, YaoChung Chen, Ioulia Smorchkova, Benjamin Heying, Wen-Ben Luo, William Sutton, Mike Wojtowicz and Aaron Oki</i>	

<b>Differential ECL/CML Synthesis for SiGe BiCMOS</b> .....	198
<i>Hans Gustat, Ulrich Jagdhold, Frank Winkler, Markus Appel and Gerald Kell</i>	

**SESSION O: ADVANCED TECHNOLOGIES FOR GaN TRANSISTORS**

<b>GaN Transistors for Power Switching and High Frequency Applications</b> .....	202
<i>Naohiro Tsurumi, Yasuhiro Uemoto, Hiroyuki Sakai, Tetsuzo Ueda, Tsuyoshi Tanaka and Daisuke Ueda</i>	

<b>AlGaIn/GaN-on-SiC HEMT Technology Status</b> .....	207
<i>R. Peter Smith, S. Sheppard, Y.-F. Wu, S. Heikman, S. Wood, W. Pribble and J. W. Milligan</i>	

<b>High <math>f_{max}</math> with High Breakdown Voltage in AlGaIn/GaN MIS-HFETs using In-Situ SiN as Gate Insulators</b> .....	211
<i>Masayuki Kuroda, Tomohiro Murata, Satoshi Nakazawa, Toshiyuki Takizawa, Masaaki Nishijima, Manabu Yanagihara, Tetsuzo Ueda and Tsuyoshi Tanaka</i>	

<b>AlGaIn/GaN MOS-HEMT with Stack Gate HfO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> Structure Grown by Atomic Layer Deposition</b> .....	215
<i>Yuan-Zheng Yue, Yue Hao and Jin-Cheng Zhang</i>	

**Author Index**