

2008 34th European Conference on Optical Communication

(ECOC 2008)

**Brussels, Belgium
21-25 September 2008**

Pages 1-578



**IEEE Catalog Number: CFP08425-PRT
ISBN: 978-1-4244-3629-3**

TABLE OF CONTENTS

Optical Communications - A View into the Future	1
<i>R.C.Alferness</i>	
Technologies for a Petabit Network	2
<i>H.-J.Grallert</i>	
Optical Communications As a Social Infrastructure and Its Enabling Technologies	3
<i>H.Kuwahara</i>	
New Materials and Devices in Raman Amplification	4
<i>E.M. Dianov</i>	
Noise-characterization of an Ultra-fast Raman Fiber Laser	7
<i>Jochen Schröder, Stéphane Coen, Dario Alasia, Thibaut Sylvestre</i>	
High Efficiency Supercontinuum Generation Using Ultra-long Raman Fibre Cavities	9
<i>A. E. El-Taher, V. Karalekas, P. Harper, J.D. Ania-Castañón</i>	
Optical Transient Suppression using Stimulated Raman Attenuation	11
<i>M. Holtmannspoetter, C. Stephan, G. Onishchukov, G. Leuchs, B. Schmauss</i>	
165 km Ultra-Long Raman Fibre Laser in the C-band	13
<i>V. Karalekas, S. Kablukov, P. Harper, J.D. Ania-Castañón, S. Babin, S.K. Turitsyn</i>	
Integrated 100-Gb/s PDM-QPSK Modulator Using a Hybrid Assembly Technique with Silica-based PLCs and LiNbO3 Phase Modulators	15
<i>Hiroshi Yamazaki, Takashi Yamada, Kenya Suzuki, Takashi Goh, Akimasa Kaneko, Akihide Sano, Eiichi Yamada, Yutaka Miyamoto</i>	
Compact DQPSK Demodulator with Interwoven Double Mach-Zehnder Interferometer using Planar Lightwave Circuit	19
<i>T. Hashimoto, Y.Nasu, Y.Sakamaki, K. Hattori</i>	
Pulse-carver-free 50-Gb/s RZ-DQPSK Generation Using Hybrid Photonic-integrated Electroabsorption Modulators	21
<i>I. Kang, S. Chandrasekhar, L. Buhl, P. G. Bernasconi, X. Liu, G. Raybon, C. R. Giles, C. Kazmierski, N. Dupuis, J. Decobert, F. Alexandre, C. Jany, A. Garreau, J. Landreau, M. Rasras, M. Cappuzzo, L. T. Gomez, Y. F. Chen, M. P. Earnshaw, J. Lee,</i>	
Full L-band 40-Gbit/s Operation of Compact InP-DQPSK Modulator Module with Low Constant Driving Voltage of 3.5 Vpp	23
<i>Nobuhiro Kikuchi, Ken Tsuzuki, Yasuo Shibata, Mituteru Ishikawa, Takako Yasui, Hiroyuki Ishii, Hiromi Oohashi, Tadao Ishibashi, Tomoyuki Akeyoshi, Hiroshi Yasaka, Fumiyoshi Kano</i>	
Wavelength Conversion for 112Gbit/s PolMux-RZ-QPSK Signals Based on Four-Wave Mixing in High-Nonlinear Fiber Using Digital Coherent Detection	25
<i>Jianjun Yu, Ming-Fang Huang</i>	
High Performance and Polarisation-Insensitive BER Assessment of a 42.66 Gbit/s All-Optical Clock Recovery	27
<i>M. N. Ngo, V. Roncin, Q. T. Le, S. Lobo, M. Gay, L. Bramerie, J.-C. Simon, A. Shen, G.-H. Duan</i>	
Compensation of Fibre Impairments in Digital Coherent Systems	29
<i>S. J. Savory</i>	

Digital Clock Recovery Algorithm for Optical Coherent Receivers Operating Independent of Laser Frequency Offset	33
<i>Takahito Tanimura, Takeshi Hoshida, Shoichiro Oda, Hisao Nakashima, Masahiro Yuki, Zhenning Tao, Ling Liu, Jens C. Rasmussen</i>	
Joint Equalization and Timing Recovery for Coherent Fiber Optic Receivers	35
<i>M. Kuschnerov, F.N. Hauske, K. Piyawanno, B. Spinnler, E.-D. Schmidt, B. Lankl</i>	
Novel Wide-range Frequency Offset Compensator Demonstrated with Real-time Digital Coherent Receiver	37
<i>Hisao Nakashima, Takahito Tanimura, Takeshi Hoshida, Shoichiro Oda, Jens C. Rasmussen, Lei Li, Zhenning Tao, Yuji Ishii, Kazunari Shiota, Kiichi Sugitani, Hiroshi Adachi</i>	
Polarization Demultiplexing Based on Independent Component Analysis in Optical Coherent Receivers	39
<i>H. Zhang, Z. Tao, L. Liu , S. Oda, T. Hoshida, J. C. Rasmussen</i>	
Controlled Adaptive Equalization for Dual-Polarization Coherent Receivers with Simple Clock Recovery	41
<i>L. Liu, Z. Tao, H. Zhang, T. Tanimura, T. Hoshida, J. C. Rasmussen</i>	
Experimental Demonstration of Optical Colorless Direct-Detection OFDM Signals with 16- and 64-QAM Formats beyond 15 Gb/s	43
<i>Chun-Ting Lin, Sheng-Peng Dai, Wen- Jr Jiang, Jason(Jyehong) Chen, Yu-Min Lin, Po Tsung Shih, Peng-Chun Peng, Sien Chi</i>	
Improved Nonlinear Tolerance of 112-Gb/s PDM-OFDM in Dispersion- Uncompensated Transmission with Efficient Channel Estimation	45
<i>Xiang Liu, Fred Buchali</i>	
Optical OFDM, a Hype Or is it for Real?	47
<i>Sander L. Jansen, Itsuro Morita, Kamyar Forozesh, Sebastian Randel, Dirk van den Borne, Hideaki Tanaka</i>	
11.5-Gb/s OFDM Transmission over 640km SSMF using Directly Modulated Laser	51
<i>Dayou Qian, Jianjun Yu, Junqiang Hu, Philip Nan Ji, Ting Wang</i>	
Measurement of Non Linear Thresholds in O-OFDM Systems with Respect to Data Pattern and Peak Power to Average Ratio	53
<i>Roman Dischler , Fred Buchali</i>	
Experimental Demonstration of 1600 km SSMF Transmission of a Generalized Direct Detection Optical Virtual SSB-OFDM System	55
<i>Wei-Ren Peng, Bo Zhang , XiaoXia Wu, Kai-Ming Feng, Alan E. Willner, Sien Chi</i>	
Experimental Generation of Extreme-value Optical Rogue-wave Structures in Fibre Raman Amplifiers	57
<i>Kamal Hammani, Christophe Finot, Stéphane Pitois, John M. Dudley, Guy Millot</i>	
True Soliton Transmission Through Ultra-long Laser Links	59
<i>P.Harper, A. E. El-Taher, H. Wang, M. Alcon-Camas, V. Karalekas, J-D Ania-Castanon</i>	
10 Gb/s Visible Source Based on Sum Frequency Generation	61
<i>É. Le Cren, J.D. Harvey</i>	
Optical Frequency Conversion, Pulse Compression and Signal Copying Using Triangular Pulses	63
<i>Anton I. Latkin, Sonia Boscolo, Ranjeet S. Bhamber, Sergei K. Turitsyn</i>	
Chaotic Vertical-Cavity Surface-Emitting Laser for 1.4 GHz Message Transmission	65
<i>Yanhua Hong, Min Won Lee, Jon Paul, Paul S. Spencer, K. Alan Shore</i>	
WDM Transmission of Chaotic Signals	67
<i>A. Bogris, A. Argyris, K.E. Chlouverakis, D. Syvridis</i>	

Broadband Chaos Generated by Photonic Monolithically Integrated Oscillators	69
<i>A. Argyris, M. Hamacher, K.E. Chlouverakis, A. Bogris, D. Syvridis</i>	
Trench-Assisted Profiles for Large-Effective-Area Single-Mode Fibers	71
<i>Marianne Bigot-Astruc, Frans Gooijer, Nelly Montaigne, Pierre Sillard</i>	
Bend-Induced Transformation of the Transmission window of a Large-Mode-Area Bragg Fibre	73
<i>C. Baskiotis, D. Molin, G. Bouwmans, F. Gooijer, P. Sillard, Y. Quiquempois, M. Douay</i>	
Accurate Measurement of Fourth Order Dispersion Coefficient in Short Highly Nonlinear Fibers	75
<i>J.M. Chavez Boggio, S. Moro, N. Alic, S. Radic</i>	
Solid Low-bend-loss Transmission Fibers Using Resonant Suppression of Higher-order Modes	77
<i>J. M. Fini, P. I. Borel, M. F. Yan, S. Ramachandran, A. D. Yablon, P. W. Wisk, D. Trevor, D. J. DiGiovanni, J. Bjerregaard, P. Kristensen, K. Carlson, P. A. Weimann, C. J. Martin, A. McCurdy</i>	
Characterizing Discrete and Distributed Scattering of Higher-Order- Modes in Large-Mode-Area Fibres	79
<i>J.W. Nicholson, M. Mermelstein, A.D. Yablon</i>	
Elliptical Core Polarization Maintaining Highly Nonlinear Fibres	81
<i>Lars Grüner Nielsen, Torben Veng, John Bjerregaard</i>	
Tunable Integrated Optical Delay Lines for Time-Interleaved Polarization Multiplexing	83
<i>F. Morichetti, C. Ferrari, M. Martinelli, A. Melloni</i>	
Compactly Arranged 25-stage PLC Mach-Zehnder-Type Wide-Band Tunable Dispersion Compensator	85
<i>Hiroshi Kawashima, Kazutaka Nara</i>	
Active Arrayed-Waveguide Grating with Amplitude and Phase Control for Arbitrary Filter Generation and High-Order Dispersion Compensation	87
<i>N. K. Fontaine, Jie Yang, Wei Jiang, D. J. Geisler, K. Okamoto, Ray Huang, S. J. B. Yoo</i>	
Ultra Small 100 GHz 40 ch Athermal AWG Module Using 2.5% Silica-Based Waveguides	89
<i>Mikitaka Itoh, Shin kamei, Motohaya Ishii, Tomohiro Shibata, Munehisa Tamura, Yasuyuki Inoue</i>	
Monolithically Integrated Waveband Selective Switch Using Cyclic AWGs	91
<i>Kiyo Ishii, Hiroshi Hasegawa, Ken-ichi Sato, Shin Kamei, Hiroshi Takahashi, Masayuki Okuno</i>	
Terahertz Systems - Novel Applications for Telecom Technology	93
<i>Bernd Sartorius</i>	
A Novel DSP Algorithm for Improving the Performance of Digital Coherent Receiver Using Single-ended Photo Detection	97
<i>Xiang Zhou, Jianjun Yu, Dayou Qian</i>	
Joint-Polarization Carrier Phase Estimation for XPM-Limited Coherent Polarization-Multiplexed QPSK transmission with OOK-neighbors	99
<i>M. Kushnerov, D. van den Borne, K. Piyawanno, F.N. Hauske, C.R.S. Fludger, T. Duthel</i>	
Experimental Demonstration of Compensating the I/Q Imbalance and Bias Deviation of the Mach-Zehnder Modulator for an RF-Tone Assisted Optical OFDM System	101
<i>Wei-Ren Peng, Bo Zhang, Xiaoxia Wu, Kai-Ming Feng, Alan E. Willner, Sien Chi</i>	
Improved Frequency Offset Correction in Coherent Optical OFDM Systems	103
<i>Fred Buchali, Roman Dischler, Markus Mayrock, Xiao Xiao, Yan Tang</i>	
Frequency Division Multiplexed 1 Gsymbol/s, 64 QAM Coherent Optical Transmission with a Spectral Efficiency of 8.6 bit/s/Hz	105
<i>Masato Yoshida, Hiroki Goto, Tatsunori Omiya, Keisuke Kasai, Masataka Nakazawa</i>	

Demodulation of 480-Gbit/s 8PSK OTDM Signal with Digital Coherent Receiver	109
<i>Chao ZHANG, Yojiro MORI, Koji IGARASHI, Kazuhiro KATO, Kazuro KIKUCHI</i>	
Review of 20 Years of Undersea Optical Fiber Transmission System Development and Deployment Since TAT-8.....	111
<i>Stuart Abbott</i>	
111-Gb/s POLMUX-RZ-DQPSK Transmission over 1140 km of SSMF with 10.7-Gb/s NRZ-OOK Neighbours.....	115
<i>M. S. Alfiad, D. van den Borne, T. Wuth, M. Kuschnerov, B. Lankl, C. Weiske, E. de Man, A. Napoli, H. de Waardt</i>	
Record 505 km Unrepeated 4x43Gb/s APol-RZ-DPSK Transmission	117
<i>P. Bousselet, H. Bissessur, P. Brindel, E. Dutisseuil, I. Brylski, D. Mongardien</i>	
Long Haul Transmission of Optical Minimum Shift Keying Format.....	119
<i>M. Rohde, R. Freund, C. Caspar, A. Hachmeister, M. Gruner</i>	
10,000 km 21.4Gb/s WDM APS-DPSK With High Spectral Efficiency for Ultra-Long-Haul Submarine Upgrades	121
<i>Richard Oberland, Steve Webb, Steve Desbruslais, Jörg Schwartz, Stuart Barnes</i>	
Single Spins in Self-assembled Quantum Dots	123
<i>Richard Warburton</i>	
Miniaturisation of Photonic Waveguides with a Left-Handed Material.....	124
<i>Philippe Tassin, Xavier Sahyoun, Irina Veretennicoff</i>	
Broadband Source of Polarization-Entangled Photon-Pairs Suitable for Multi-Channel Wavelength-Multiplexed Entanglement Distribution	126
<i>Han Chuen Lim, Akio Yoshizawa, Hidemi Tsuchida, Kazuro Kikuchi</i>	
Fiber Optics Implementation of Single Quantum Coin Tossing	130
<i>A.T. Nguyen, J. Frison, K. Phan Huy, S. Massar</i>	
Channelized Dispersion-Compensating Grating by Periodic Continuous Phase and Amplitude Modulation.....	132
<i>Sten Helmfrid, Bengt Sahlgren, Henrik Åhlfeldt, Leif Östlund</i>	
High-resolution Refractive Index Sensing using Solid-core Photonic Crystal Fibers with High Index Infiltrations	134
<i>X. Yu, P. Shum, G. B. Ren, Y. F. Zhang</i>	
Widely-tunable Photonic-crystal-fiber Optical Parametric Oscillator.....	136
<i>Y. Q. Xu, S. G. Murdoch, R. Leonhardt, J. D. Harvey</i>	
Pulse Broadening of Zero-gain Brillouin Slow Light in an Optical Fiber.....	138
<i>Guanshi Qin, Takenobu Suzuki, Yasutake Ohishi</i>	
Fundamental and High-Order Mode Bending Loss in Leakage Channel Fibers.....	140
<i>F. Poli, L. Vincetti, D. Passaro, A. Cucinotta, S. Selleri, L. Rosa, K. Saitoh, Y. Tsuchida, S.K. Varshney, M. Koshiba</i>	
Guided Mode Cutoff in Rare-earth Doped Rod-type PCFs	142
<i>F. Poli, A. Cucinotta, D. Passaro, S. Selleri, J. Lægsgaard, J. Broeng</i>	
Phase-Noise Generation in an Amplitude Limiter Using Saturation of a Fiber-Optic Parametric Amplifier	144
<i>Masayuki Matsumoto</i>	
Experimental Comparison Between Optimized Fiber Bragg Grating and Delay-line Interferometer for DPSK Signal Demodulation	146
<i>P. Boffi, L. Marazzi, P. Martelli, P. Parolari, R. Siano, M. Martinelli, D. Gatti, P. Laporta, S. Longhi</i>	

A Polarization Maintaining Filter based on a Liquid-Crystal-Photonic-Bandgap-Fiber	148
<i>L. Scolari, C. B. T. Olausson, D. Turchinovich, T. T. Alkeskjold, A. Bjarklev, L. Eskildsen</i>	
40-km Range, 1-m Resolution Measurement Based on Phase-noise-compensated Coherent Optical Frequency Domain Reflectometry	150
<i>Yusuke Koshikiya, Xinyu Fan, Fumihiko Ito</i>	
Evolution of Backscattered Polarization in High-PMD Fibres Measured by Phase-Noise Compensated Optical Frequency Domain Reflectometry	152
<i>Xinyu Fan, Yusuke Koshikiya, Kunihito Toge, Fumihiko Ito</i>	
Burst-mode Optical Amplifier for Signals with Various Burst Lengths from 500 ns to 50 μs	154
<i>H. Nagaeda, Y. Horiuchi, Y. Tanaka, N. Shiga, Y. Fukada, K. Suzuki, N. Yoshimoto, M. Tsubokawa</i>	
Fiber Fuse Phenomenon in Hole-Assisted Fibers	156
<i>Katsuhiko Takenaga, Shoji Tanigawa, Shoichiro Matsuo, Munehisa Fujimaki, Haruhiko Tsuchiya</i>	
Tunable single polarization Yb³⁺-doped fiber ring laser by using 45 tilted fiber Bragg grating filter	158
<i>X. P. Cheng, J. Q. Zhou, P. Shum, X. L. Tian, R. F. Wu</i>	
Principal Mode Coefficients for Multimode Fibers	160
<i>I. Gasulla, J. Capmany</i>	
Multi-core Holey Fibers for Ultra Large Capacity Wide-band Transmission	162
<i>K. Imamura, K. Mukasa, R. Sugizaki, Y. Mimura, T. Yagi</i>	
Polarization Maintaining Air-core Fiber for Terahertz Guiding	164
<i>Guobin Ren, Yandong Gong, Ping Shum, Xia Yu, JuanJuan Hu</i>	
Vector Perturbation Theory of Photon-pair Generation in Fibers	166
<i>E. Brainis</i>	
Continuous-Wave Bismuth-Oxide One-Pump Fiber Optical Parametric Amplifier	168
<i>A. Vedadi, M. Jamshidifar, M. E. Marhic</i>	
Synchronized Generation of Microwave DC-free Sinusoids from a Free-running Pulsed Laser for Electro-optic Signal Processing	170
<i>Yongwoo Park, Tae-Jung Ahn, Fangxin Li, José Azaña</i>	
A Non-Intrusive Characterization of Long Fiber Link Birefringence	172
<i>Cristian Antonelli, Antonio Mecozzi, Misha Brodsky</i>	
A Reflectometric Technique for an Almost Complete Characterization of Birefringence in Single-Mode Optical Fibers	174
<i>Andrea Galtarossa, Daniele Grosso, Luca Palmieri, Luca Schenato</i>	
Time Variation of Refractive Index in the Core of Active Fiber Under Pulsed Optical Pumping	176
<i>V. V. Gainov, O. A. Ryabushkin</i>	
Demonstration of Broadband Ultra-low Bending-loss Optical Fiber	178
<i>Pramod R. Watekar, Seongmin Ju, Young Sik Yoon, Yeong Seop Lee, Won-Taek Han</i>	
Analysis of Double Rayleigh Scattering Noise in Higher-order Pumped Distributed Raman Amplifiers	180
<i>G. Bolognini, A. Bononi</i>	
Optical Deposition of Carbon Nanotubes around Tapered Fibers	182
<i>Ken Kashiwagi, Shinji Yamashita</i>	
Extremely Low Power Consumption Thermo-optic Switch (0.6 mW) with Suspended Ridge and Silicon-silica Hybrid Waveguide Structures	184
<i>Ryoichi Kasahara, Kei Watanabe, Mikitaka Itoh, Yasuyuki Inoue, Akimasa Kaneko</i>	

All Optical Demultiplexing from 160 to 40-Gb/s Utilizing InGaAs/AlAsSb Quantum Well Intersubband Transition Switch	186
<i>R. Akimoto, G.W. Cong, M. Nagase, T. Mozume, H. Tsuchida, T. Hasama, H. Ishikawa</i>	
Hybrid Flip-Chip Integration of a 40 Gb/s DPSK Receiver Comprising a Balanced Photodetector on a DLI-SOI Board	188
<i>G. Unterborsch, M. Kroh, J. Honecker, A.G. Steffan, G. Tstianos, H.-G. Bach, J. Kreissl, R. Kunkel, G.G. Mekonnen, W. Rehbein, D. Schmidt, J. Bruns, T. Mitze, K. Voigt, L. Zimmermann</i>	
Performance Prospects of Compact Silicon Microring-Based Electro-Optic Modulator for Analog Optical Links	190
<i>Muping Song, Lin Zhang, Jeng-Yuan Yang, Scott Nuccio, Raymond G. Beausoleil, Alan E. Willner,</i>	
Subpicosecond 40 GHz Pulse Generation Using Simultaneous Two-Arm Modulation of a Mach-Zehnder Intensity Modulator	192
<i>Jie Li, Anders Berntson</i>	
An Extremely Compact Electro-Absorption Modulator Integrated DFB Laser Module for 100Gbps Ethernet over 75km SMF Reach	194
<i>H. Oomori, H. Ooe, M.Seki, Y. Fujimura, K. Matsumoto, Y. Murakami</i>	
Optical Pulse Shaping for Ultrahigh-Bit-Rate Telecom Applications based on III-V Integrated Waveguide Bragg Gratings	196
<i>L.M. Rivas, M. Strain, D. Duchesne, A. Carballar, M. Sorel, R. Morandotti, J. Azaña</i>	
Graded-Index Core Polymer Optical Waveguides for High-Density and High-Speed On-Board Interconnections	198
<i>Takaaki Ishigure, Tomoya Kosugi, Yusuke Takeyoshi</i>	
Optical Frequency Synthesizer Based on Selectively Injection-locked DFB Lasers from a Femtosecond Fiber Laser Comb	200
<i>Han Young Ryu, Sung Hun Lee, Won Kyu Lee, Ho Suhng Suh</i>	
Ultra-Low Power CW λ-Conversion in Silica Glass Micro-Ring Resonators	202
<i>D.J.Moss, M. Ferrara, L. Razzari, D. Duchesne, R. Morandotti, Z.Yang, M.Liscidini, J. Sipe, S.Chu, B. E. Little</i>	
Optically Tuneable Microwave-Photonic Phase Shifter Based on Silicon Microring Resonator	204
<i>Qiang Li, Qingjiang Chang, Fangfei Liu, Ziyang Zhang, Min Qiu, Yikai Su</i>	
Single-Package 2-channel Balanced Receiver Module for 43-Gbit/s DQPSK	206
<i>T. Furuta, T. Itoh, H. Fukuyama, K. Yoshino, E. Yoshida, H. Kawakami, Y. Muramoto, F. Nakajima, K. Murata, R. Takahashi</i>	
43-Gb/s Differential Receiver Module for RZ-DPSK	208
<i>Tadayuki Chikuma, Kazuhiro Shiba, Kikuo Makita, Yasuyuki Suzuki, Toshimasa Ohami, Naohito Baba</i>	
A Novel Active MMI Bi-Stable Laser Using Cross-Gain Saturation between Fundamental and First Order Modes	210
<i>H. A. Bastawrous, H. Saikaku, H. Jiang, Y. Tahara, S. Matsuo, K. Hamamoto</i>	
Wavelength-tunable Ultrashort Optical Pulse Generation Using Mach-zehnder-modulator-based Flat Comb Generator	212
<i>I. Morohashi, T. Sakamoto, H. Sotobayashi, T. Kawanishi, I. Hosako, M. Tsuchiya</i>	
Integrated Polarimeter Assisted Ring Scanning Spectrometer	214
<i>Wei Chen, Sai Chu, Pierre Mertz, Brent Little, John Hryniewicz, Roy Davidson, Dave Gill, Oliver King, Wenlu Chen, Fred Johnson, Kevin Donovan</i>	

Low Penalty 80Gb/s Non-Inverted Wavelength Conversion Using a Broad Rectangular Shaped Optical Filter	216
<i>O. Raz, N. Calabretta, J. Herrera, E. Tangdiongga, H.J.S Dorren</i>	
Tunable Optical Dispersion Compensator Using Integrated Lens-Shaped Phase Shifters in an Arrayed-Waveguide Grating	218
<i>Yuichiro Ikuma, Hiroyuki Tsuda</i>	
Spectrum filtering and pulse compression of Quantum-Dash mode-locked lasers emitting at 1.55 μm.....	220
<i>A. Akrouf, A. Shen, F. Lelarge, F. Pommereau, H. Gariah, F. Blache, G H Duan, A. Ramdane</i>	
Fibre-Array Optical Interconnection for Silicon Photonics	222
<i>T. Tekin, H. Schröder, L. Zimmermann, P. Dumon, W. Bogaerts</i>	
InGaAs/InAlAs FACQW Mach-Zehnder Modulator	224
<i>M. Fukuoka, T. Hariki, S. Tajitsu, T. Toya, T. Arakawa, K. Tada</i>	
250 Gb/s Multi-Wavelength Operation of Microring Resonator-Based Broadband Comb Switch for Silicon Photonic Networks-on-Chip	226
<i>Aleksandr Biberman, Benjamin G. Lee, Po Dong, Michal Lipson, Keren Bergman</i>	
Integrated Optical PPLN Transmitter and Receiver Modules for Wavelength Conversion of C-Band Signals to / from the Mid Infrared	228
<i>D. Büchter, H. Herrmann, C. Langrock, M. Fejer, W. Sohler</i>	
Tunable Optical Wavelength Conversion of a 10 Gb/s OFDM Data Signal using a Periodically-Poled Lithium Niobate Waveguide	230
<i>Xiaoxia Wu, Wei-Ren Peng, Vahid R. Arbab, Alan E. Willner</i>	
A Novel Node Architecture for Optical Packet-switched Networks	232
<i>Yuan Chi, Li Zhengbin, Xu Anshi</i>	
WDM Optical Colorless Millimeter-wave Up-Conversion Using Frequency Quadrupling	234
<i>Po-Tsung Shih, Chun-Ting Lin, Jason Chen, Peng-Chun Peng, Sien Chi</i>	
DPSK Signal Regeneration by the Use of a Fiber-Based Amplitude Regenerator	236
<i>Masayuki Matsumoto, Hironobu Sakaguchi</i>	
First Demonstration of 10-Gbit/s Operation of an All-Optical Error Detection Circuit	238
<i>Masahiro Suzuki, Hiroyuki Uenohara</i>	
Improved EDC Performance for Different Duobinary Modulation Formats with Optical Filtering.....	240
<i>Chunmin Xia, Werner Rosenkranz</i>	
Lightpath Labeling Technique for NRZ-DPSK Modulation Format.....	242
<i>Takuya Ohara, Mark D. Feuer</i>	
Utilisation of a Self-phase-modulation-based Compressor to Overcome Brillouin Backscattering and Intrachannel Four-wave Mixing in a 2R Regenerator at 42.6 Gbit/s	244
<i>T. N. Nguyen, T. Chartier, L. Bramerie, M. Gay, Q. T. Le, S. Lobo, M. Joindot, J.-C. Simon</i>	
Double-Pass PMF-based Optical Circuit Enhancing 40 Gbit/s Chromatic Dispersion Tolerance.....	246
<i>A. D'Errico, E. Ciaramella</i>	
2.5Gb/s GPON Single-chip Burst-mode Receiver	248
<i>Quan Le, Jong Deog Kim, Munseob Lee, Bin-Yeong Yoon, Dong-Soo Lee</i>	
Reconfigurable Time Domain Spectral Phase Encoding/Decoding Scheme Using Fibre Bragg Gratings for Two-dimensional Coherent OCDMA	250
<i>Xu Wang, Naoya Wada</i>	

Performance Improvement of 43 Gbit/s Apol-RZ-DPSK Transmission by Electronic Equalization	252
<i>Bernd Franz, Gabriel Charlet, Axel Klekamp</i>	
Fast Experimental BER Extraction of 40 Gb/s Optical Signal Impacted by Jitter, ISI and ASE Noise Using Waveform Sampler	254
<i>Sébastien Pellevrault, Zeno Toffano, Alain Destrez</i>	
10G bps Burst-mode Clock Recovery with Synchronization Time of 50ps	256
<i>Katsuya Ikezawa, Hiroshi Sugawara, Toshiyasu Izawa, Toshimichi Suzuki, Yasukazu Akasaka, Akira Toyama, Shigeo Uneme, Sadaharu Oka, Tsuyoshi Yakihara, Akira Miura</i>	
Experimental Demonstration of a High-Speed Optical Correlator For Phase-Modulated Packets	258
<i>Reza Salem, Scott Nuccio, Vahid R. Arbab, Xiaoxia Wu, Mark A. Foster, David F. Geraghty, Alan E. Willner, Alexander L. Gaeta</i>	
Investigation of Cascadability and Optimum Inter-regenerator Spacing in 43Gb/s Transmission with a μ-preserving SOA-based Opti	260
<i>Giancarlo Gavioli, Polina Bayvel</i>	
Practical Design Rules for Ultra High-speed Dense Dispersion Management Telecommunication Systems	262
<i>J. Fatome, C. Fortier, S. Pitois</i>	
Transfer of a 1486.3 MHz Frequency Standard Over Installed Fibre Links for Local Oscillator Distribution with a Stability of 1 Picosecond	264
<i>R. McCool, M. Bentley, M.K. Argo, R. Spencer, S. Garrington</i>	
160 Gbit/s OTDM Transmission over 26 km PCF with Demultiplexing Technique Employing Phase Modulation-Based Pump Pulse Generation	266
<i>Takashi YAMAMOTO, Kenji KUROKAWA, Katsusuke TAJIMA, Toshio KURASHIMA</i>	
LDPC Codes and Stochastic Decoding for Beyond 100 Gb/s Optical Transmission	268
<i>Ivan B. Djordjevic, Lei Xu, Ting Wang</i>	
Optical Intersatellite Communication System with Double Phase Conjugate Mirror	270
<i>Kohei Shimayabu, Atsushi Okamoto, Yoshihisa Takayama, Kunihiko Sato, Yusuke Nakayama</i>	
Experimental Investigation of Adaptive Electrical Dispersion Compensation Using Eye Monitoring LSI in 43 Gbit/s RZ-DPSK signal	272
<i>J. Abe, N. Yoshida, H. Noguchi, S. Kanemitsu, H. Uchida, M. Ozaki, S. Wada, Y. Amamiya</i>	
Electronic Dispersion Precompensation Using a Directly Modulated Laser	274
<i>Stefan Warm, Christian A. Bunge, Torsten Wuth, Klaus Petermann</i>	
Improving Nonlinear Precompensation in Direct-Detection Optical OFDM Communications Systems	276
<i>Liang Du, Arthur Lowery</i>	
Chromatic Dispersion Compensation by MLSE Equalizer with Diverse Reception	278
<i>Ming Li, Fan Zhang, Zhangyuan Chen, Anshi Xu</i>	
Impact of Fibre Nonlinearities in Electronic Dispersion Compensation Systems at 40 Gb/s	280
<i>Christian Weber, Klaus Petermann</i>	
Reduced Complexity Precoding Based Peak-to-Average Power Ratio Reduction Applied to Optical Direct-Detection OFDM	282
<i>Ömer Bulakci, Matthias Schuster, Christian-A. Bunge, Bernhard Spinnler</i>	
160 Gbit/s-200 km Field Transmission Experiment Using a Time-Domain Optical Fourier Transformation Technique with a Large PMD	284
<i>Masatada Okazaki, Pengyu Guan, Toshihiko Hirooka, Masataka Nakazawa, Tetsuya Miyazaki</i>	

Fiber Nonlinearity Mitigation by PAPR Reduction in Coherent Optical OFDM Systems via Active Constellation Extension	286
<i>Brian S. Krongold, Yan Tang, William Shieh</i>	
Transmission Experiment using Installed Submarine Cable for System Upgrade with RZ-DPSK.....	288
<i>I. Morita, N. Takeda, N. Yoshikane, H. Tanaka</i>	
Narrow Filtered DPSK: an Attractive Solution for Hybrid Systems	290
<i>Marco Bertolini, Paolo Serena, Nicola Rossi, Alberto Bononi</i>	
Numerical Monte Carlo Comparison between Coherent PDM-QPSK/OOK and Incoherent DQPSK/OOK Hybrid Systems	292
<i>Marco Bertolini, Paolo Serena, Nicola Rossi, Alberto Bononi</i>	
Global Optimization of Optical Communication Systems.....	294
<i>O. Gaete, L.D. Coelho, B. Spinnler, E.D. Schmidt, N. Hanik</i>	
Analysis of PMD Induced Crosstalk in 2x40 Gbit/s Polarization Multiplexed Signals.....	296
<i>A. Chiuchiarelli, E. Matarazzo, A. D'Errico, G. Contestabile, E. Ciaramella</i>	
Nonlinear Threshold of RZ-DBPSK and RZ-DQPSK.....	298
<i>Johannes K. Fischer, Klaus Petermann</i>	
Upgrades of Medium Haul Submarine Systems to 40 Gb/s.....	300
<i>Sumudu Edirisinghe, Wai Wong, Jörg Schwartz, Supriyo Dey, Steve Penticost</i>	
Reduction of Rayleigh Backscattering and Reflection Effects in WDM-PONs by Optical Frequency Dithering	302
<i>V. Polo, B. Schrenk, F. Bonada, J. Lazaro, J. Prat</i>	
Reduction of the Required Number of Electrical Regenerators by Physical Layer Impairment Aware Regenerator Placement and Routing.....	304
<i>Stephan Pachnicke, Peter M. Krummrich</i>	
Experiment of the In-band Message Communication Channel for GMPLS Controlled Ethernet.....	306
<i>Satoru Okamoto, Sho Shimizu, Yutaka Arakawa, Naoaki Yamanaka</i>	
Implementation and Experiments of Path Computation Element-based Inter-Domain Network Control and Management.....	308
<i>Tomonori Takeda, Ryuta Sugiyama, Eiji Oki, Ichiro Inoue, Kohei Shiimoto, Kensuke Shindome, Kazuhiro Fujihara, Shin-Ichi Kato</i>	
An Optical Implementation of Crosspoint Buffered Packet Switch	310
<i>Lin Cai, C.Y. Li, P.K.A. Wai, Yongqi He, Anshi Xu</i>	
Experimental Demonstration of On-demand Multi-user Lightpath Sharing through Multi-path Parallel Transmission in Lambda Grid Networks.....	312
<i>Zhenzhong Wang, Xingqin Jiao, Hui Li, Yuefeng Ji, Jie Zhang</i>	
Balancing Multifibre and Wavelength Converter Cost in Wavelength Routing Networks.....	314
<i>P. Pavon-Marino, R. Aparicio-Pardo, B. Garcia-Manrubia, J. Fernandez-Palacios, O. Gonzalez, F. Martin, J. Garcia-Haro</i>	
Priority Encoding Scheme for Contention Resolution in Optical Packet- Switched Networks	316
<i>Caroline P. Lai, Howard Wang, Assaf Shacham, Keren Bergman</i>	
Power Divergence Due to Wavelength Rerouting in Long Haul Circulating Loop Experiments.....	318
<i>D. C. Kilper, F. Smyth, L. P. Barry, S. Chandrasekhar</i>	

Demonstration of Bidirectional Add Drop Multiplexers and Mixed Signals in a DWDM Mesh Architecture	320
<i>R. Brian Jenkins, Robert J. Voigt</i>	
Introducing Path Computation Element (PCE) in Optical Grid Networking	322
<i>F.Cugini, S.Xu, H. Harai, F. Paolucci, L. Valcarenghi, P.Castoldi</i>	
Probe-based Schemes to Guarantee Lightpath Quality of Transmission (QoT) in Transparent Optical Networks	324
<i>N. Sambo, F. Cugini, I. Cerutti, L. Valcarenghi, P. Castoldi, J. Poirrier, E. Le Rouzic, C. Pinart</i>	
Novel Node Architectures for Wavelength-Routed WDM Networks with Wavelength Conversion Capability	326
<i>Jiajia Chen, Amornrat Jirattigalachote, Lena Wosinska, Lars Thylén</i>	
Wavelength Selective Switches Time Requirements for Shared Path Protection in ASON/GMPLS Rings	328
<i>Luis Velasco, Salvatore Spadaro, Jaume Comellas, Gabriel Junyent</i>	
Dimensioning of Multi-Granular Optical Networks	330
<i>M. De Leenheer, C. Develder, B. Dhoedt, P. Demeester</i>	
Traffic Growth and Network Engineering in Optical Mesh Networks	332
<i>Rajesh Roy, Davide Cuda, Biswanath Mukherjee</i>	
GMPLS-controlled Ethernet Segment Protection	334
<i>W. Tavernier, D. Colle, M. Pickavet, P. Demeester</i>	
Tunable OTDR (TOTDR) Based on Direct Modulation of Self-injection Locked RSOA for Line Monitoring of WDM-PON	336
<i>Madhan Thollabandi, Tae -Young Kim, Swook Hann, Chang -Soo Park</i>	
10-Gb/s WDM-PON Transmission Using Uncooled, Directly Modulated Free-Running 1.55-μm VCSELs	338
<i>Xiaofei Cheng, Yang Jing Wen, Zhaowen Xu, Xu Shao, Yixin Wang, Yong-kee Yeo</i>	
Demonstration of 10.3-Gbit/s Burst-mode CDR employing 0.13 μm SiGe BiCMOS Quadr-rate sampling IC and Data-phase decision-algorithm for 10Gbps-based PON Systems	340
<i>Naoki Suzuki, Kenichi Nakura, Mayumi Ishikawa, Satoshi Yoshima, Satoshi Shirai, Seiji Kozaki, Hitoyuki Tagami, Masamichi Nogami, Akira Takahashi, Junichi Nakagawa</i>	
Photonic Envelope Detector for Broadband Wireless Signals using a Single Mach-Zehnder Modulator and a Fibre Bragg Grating	342
<i>Rakesh Sambaraju, Jesus Palaci, Valentin Polo, Juan Luis Corral</i>	
A Bidirectional SOA-Raman Hybrid Amplifier Shared by 2.5 Gb/s, 60 km long-reach WDM-TDM PON	344
<i>H. H. Lee, P.P. Iannone, K.C. Richmann, B. W. Kim</i>	
Full-Duplex Demonstration of Asynchronous, 10Gbps x 4-user DPSKO- CDMA System using Hybrid Multi-port and SSFBG En/Decoder	346
<i>Nobuyuki Kataoka, Naoya Wada, Xu Wang, Gabriella Cincotti, Tetsuya Miyazaki, Ken-ichi Kitayama</i>	
A WDM-PON System Providing Quadruple Play Service with Converged Optical and Wireless Access	348
<i>Yue Tian, Yikai Su</i>	
10 Gbit/s PON Demonstration Using a REAM-SOA in a Bidirectional Fiber Configuration Up to 25 Km SMF	350
<i>G. Girault, L. Bramerie, O. Vaudel, S. Lobo, P. Besnard, M. Joindot, J-C. Simon, C. Kazmierski, N. Dupuis, A. Garreau, Z. Belfqih, P. Chanclou</i>	

80 Mbit/s Visible Light Communications Using Pre-Equalized White LED	352
<i>Hoa Le Minh, Dominic O'Brien, Grahame Faulkner, Lubin Zeng, Kyungwoo Lee, Daekwang Jung, YunJe Oh</i>	
Class B+ GPON Extended to 44dB While Maintaining 15dB Optical Budget Difference.....	354
<i>F.Saliou, P. Chanclou, F. Laurent, B. Landousies, N. Genay, Z. Belfqih</i>	
Data Rate Enhancement of RSOA-based WDM PON Systems using Feed-forward Equalizer and Forward Error Correction	356
<i>Akira Agata, Yukio Horiuchi</i>	
Bit-Rate Doubling in Multi-Gbps Wideband ASK-Modulated 60 GHz RoF Links using Linear Feed-Forward Equalisation and Direct Conversion Transceivers	358
<i>A. Ngoma, M. Sauer, J. George, D. Thelen</i>	
Multi-level Burst Power Transient Suppression using Semiconductor Optical Amplifiers in Gigabit Access Links	360
<i>T.B. Gibbon, I. Tafur Monroy</i>	
Experimental Demonstration of Phase-Matched OCDM Using PLC-LN Multi-Frequency Self-Homodyne Module	362
<i>Shin Kaneko, Hiro Suzuki, Noriki Miki, Hideaki Kimura, Makoto Tsubokawa, Koichi Takiguchi, Takashi Yamada, Makoto Abe</i>	
The SFP Transceiver for 10Gbps Asymmetric Next Generation-PON ONT	364
<i>Munseob Lee, Byung Tak Lee, Jong Deog Kim, Quan Le, Dongsoo Lee</i>	
16Gbit/s Radio OFDM Signals over Graded-Index Plastic Optical Fiber	366
<i>Jianjun Yu, Dayou Qian, Mingfang Huang, Zhensheng Jia, Gee Kung Chang, Ting Wang</i>	
Demonstration and Performance Study of Symmetric 10G-EPON System.....	368
<i>Keiji Tanaka, Masaharu Hattori, Yukio Horiuchi</i>	
Integrated Optical Receiver for Lens-less Free-space Communication	370
<i>Wolfgang Gaberl, Horst Zimmermann</i>	
Comparison of Hybrid WDM/TDM Passive Optical Networks (PONs) with Protection	372
<i>Jiajia Chen, Lena Wosinska, Miroslaw Kantor, Lars Thylén</i>	
Simultaneous Transmission of W-CDMA and WIMAX Signals Over 300 m 50 μm Multimode Fibres Using Low Cost 850 nm Devices.....	374
<i>Rubén Alemany, Valentín Polo, Javier Martí</i>	
Bidirectional 1.25Gbps WDM RoF Wired Wireless Optical Transmission using Multiple SSB Carriers in FP LD by Multiple Mode Injection Locking.....	376
<i>Thang T. Pham, Hyun-Seung Kim, Yong-Yuk Won, Sang-Kook Han</i>	
18 Gchips/s Error-Free OCDMA Transmission with Electronic Processing for PON Applications	378
<i>J. B. Rosas-Fernández, J. D. Ingham, R. V. Penty, I. H. White</i>	
Versatile Broadband Service Delivery on PON Employing a Hybrid Optical Code Division Multiple Access/Radio-over-Fiber System	380
<i>T. Spuesens, B. Huiszoon, E. Tangdionga, A.M.J. Koonen</i>	
Tunable Slow Light in Semiconductor Optical Amplifier without External Pump Laser	382
<i>Peng-Chun Peng, Wei-Che Kao, Jason (Jyehong) Chen, Fang-Ming Wu, Chun-Ting Lin, Po Tsung Shih, Sien Chi</i>	
Dynamics and Control of Optical Rogue Waves in Supercontinuum Generation	384
<i>G. Genty, B. Eggleton, J.M. Dudley</i>	

Single Frequency Free-running Low Noise Compact External-cavity VCSELs at High Power Level (50mW)	386
<i>A. Garnache, M. Myara, A. Bouchier, J.-P. Perez, P. Signoret, I. Sagnes, D. Romanini</i>	
Fiber-optic Parametric Amplifiers and Their Applications	388
<i>Peter Andrekson</i>	
Recent Developments in All-optical Nonlinear Data Processing	389
<i>Sonia Boscolo, Sergei K. Turitsyn</i>	
New Materials and Devices in Raman Amplification	390
<i>E.M.Dianov</i>	
Slow Light and Stored Light using SBS in an Optical Fiber	391
<i>Daniel J. Gauthier</i>	
A Bit-Rate-Transparent Monolithically Integrated Wavelength Converter	392
<i>Matthew M. Dummer, Jonathan Klamkin, Anna Tauke-Pedretti, Larry A. Coldren</i>	
Plasmonic and Metallic Nanolasers	393
<i>Martin T. Hill</i>	
Optical Isolator for Silicon-on-insulator Circuits	394
<i>Tetsuya Mizumoto, Yuya Shoji</i>	
Terahertz Systems – Novel Applications of Telecom Technology	395
<i>Bernd Sartorius</i>	
100-Gb/s Hybrid Opto-electronic Integration	396
<i>Jeffrey H. Sinsky</i>	
Demonstration of All-Optical Pattern Recognition at 42Gbit/s	397
<i>X. Yang , R.P. Webb , R.J. Manning , G.D. Maxwell , A.J. Poustie , S. Lardenois , D. Cotter</i>	
Integrated 100-Gb/s PDM-QPSK Modulator Using a Hybrid Assembly Technique with Silica-based PLCs and LiNbO3 Phase Modulators	398
<i>Hiroshi Yamazaki, Takashi Yamada, Kenya Suzuki, Takashi Goh, Akimasa Kaneko, Akihide Sano, Eiichi Yamada, Yutaka Miyamoto</i>	
Optical Performance Monitoring Techniques; Current Status and Future Challenges	399
<i>Y.C. Chung</i>	
From ROADM Technology to TOADM Technology: on the Path Towards Optical Restoration and Fully Flexible Networks	400
<i>Jean-Paul Faure</i>	
MLSE receivers: Application Scenarios, Fundamental Limits and Experimental Validations	401
<i>Pierluigi Poggiolini</i>	
Compensation of Fibre Impairments in Digital Coherent Systems	402
<i>Seb Savory</i>	
Frequency Division Multiplexed 1 Gsymbol/s, 64 QAM Coherent Optical Transmission with a Spectral Efficiency of 8.6 bit/s/Hz	403
<i>Masato Yoshida, Hiroki Goto, Tatsunori Omiya, Keisuke Kasai, Masataka Nakazawa</i>	
Review of 20 Years of Undersea Optical Fiber Transmission System Development and Deployment Since TAT-8	404
<i>Stuart Abbott</i>	
Exploring Capacity Limits of Fibre-optic Communication Systems	405
<i>Rene-Jean Essiambre</i>	

Optical OFDM, a hype or is it for real?	406
<i>Sander Jansen</i>	
Challenges to FDM-QAM Coherent Transmission with Ultrahigh Spectral Efficiency	407
<i>Masataka Nakazawa</i>	
Quantum Key Distribution Systems and Field Trials	408
<i>Akihiro Tanaka</i>	
Optical Packet Add/drop Multiplexers for Packet Ring Networks	409
<i>Dominique Chiaroni</i>	
ASON/GMPLS Control Plane Solutions for Transport Networks	410
<i>Hans-Martin Foisel</i>	
Evolving Optical Grid Network Technologies to Support Future Internet Services	411
<i>Dimitra Simeonidou, Reza Nejabati, Georgios Zervas</i>	
Impairment Aware Networking and relevant Resiliency issues in All-Optical Networks	412
<i>Ioannis Tomkos, Dimitris Klonidis, Siamak Azodolmolky</i>	
GMPLS-controlled All-optical Mesh Networking Demonstration using Path Computation-capable NMS	413
<i>Takehiro Tsuritani</i>	
Energy Consumption in IP Networks	414
<i>Rodney S. Tucker, Jayant Baliga, Robert Ayre, Kerry Hinton, Wayne V. Sorin</i>	
Multi-Rate (111-Gb/s, 2x43-Gb/s, and 8x10.7-Gb/s) Transmission at 50-Ghz Channel Spacing over 1040-km Field-Deployed Fiber	415
<i>Glenn Wellbrock</i>	
Novel Network Architectures for Survivable WDM Passive Optical Networks	416
<i>Calvin C.K. Chan, Lian-Kuan Chen, Chinlon Lin</i>	
Optical Access Evolutions and Their Impact on the Metropolitan and Home Networks	417
<i>P. Chanclou, Z. Belfqih, B. Charbonnier, T. Doung, F. Frank, N. Genay, M. Huchard, P. Guignard, L. Guillo, B. Landousies, A. Pizzinat, H. Ramanitra, F. Saliou</i>	
Power Efficiency of Optical Versus Electronic Access Networks	418
<i>Andreas Gladisch, Christoph Lange, Ralph Leppla</i>	
Low Cost Transparent Radio-over-Fibre System for UWB Based Home Network	419
<i>A. Pizzinat, I. Louriki, B. Charbonnier, F. Payoux, S. Meyer, M. Terré, C. Algani, A-L. Billabert, J-L. Polleux, C. Sillans, H. Jaquinot, S. Bories, Y. Le Guennec, G. Froc</i>	
Extended-Reach PON Employing 10Gb/s Integrated Reflective EAM-SOA	420
<i>E.K. MacHale, G. Talli, P.D. Townsend, A. Borghesani, I. Lealman, D.G. Moodie, D.W. Smith</i>	
Fiber to the Home: a Carrier Perspective	421
<i>Vishnu Shukla</i>	
High-speed Digital Signal Processing for Optical Communications	422
<i>John Sitch</i>	
2R Regeneration Architectures Based on Multi-Segmented Fibres	443
<i>Lionel Provost, Christophe Finot, Periklis Petropoulos, David J. Richardson</i>	
All-Optical TDM to WDM Signal Conversion and Partial Regeneration Using XPM with Triangular Pulses	445
<i>Ranjeet S. Bhamber, Anton I. Latkin, Sonia Boscolo, Sergei K. Turitsyn</i>	
Simultaneous Processing of 43 Gb/s WDM Channels by a Fiber-Based Dispersion-Managed 2R Regenerator	447
<i>P. Vorreau, Ch. Kouloumentas, L. Provost, I. Tomkos, W. Freude, J. Leuthold</i>	

First Demonstration on the Non-transparency of FWM and Its Application of 40 Gbit/s All-Optical CSRZ-to-RZ Format Conversion	449
<i>Jian Wang, Junqiang Sun, J.B. Rosas-Fernández, G. Huang, Xinliang Zhang, Dexiu Huang</i>	
Effective Negative nonlinearity of a Nonlinear Amplifying Loop Mirror for Compensation Non-linearity-Induced Signal Distortions	451
<i>Klaus Sponsel, Kristian Cvecek, Christian Stephan, Georgy Onishchukov, Bernhard Schmauss, Gerd Leuchs</i>	
All-optical Equalization of Power Transients on Four 40 Gbit/s WDM Channels Using a Fiber-based Device	453
<i>Rasmus Kjær, Leif K. Oxenløwe, Bera Pálsdóttir, Palle Jeppesen</i>	
80-Gbps tp 10-Gbps OTDM De-multiplexer based on Wavelength Exchange in Highly-Nonlinear Fibre	455
<i>C.H. Kwok, Bill P.P. Kuo, Kenneth K.Y. Wong</i>	
1.55-μm Polarization-Insensitive Quantum Dot Semiconductor Optical Amplifier	457
<i>N. Yasuoka, K. Kawaguchi, H. Ebe, T. Akiyama, M. Ekawa, K. Morito, M. Sugawara, Y. Arakawa</i>	
Single and Multiple Channel Operation Dynamics of Linear Quantum-Dot Semiconductor Optical Amplifier	459
<i>R. Bonk, C. Meuer, T. Vallaitis, S. Sygletos, P. Vorreau, S. Ben-Ezra, S. Tsadka, A.R. Kovsh, I.L. Krestnikov, M. Laemmlin, D. Bimberg, W. Freude, J. Leuthold</i>	
Broadband and Enhanced Picosecond Cross-phase Modulation in InGaAs /AlAsSb Quantum Well Waveguides	461
<i>G.W. Cong, R. Akimoto, M. Nagase, T. Mozume, T. Hasama, H. Ishikawa</i>	
Directional and Wavelength Multi-stability Realized by a Novel Retro-Reflector Micro-Cavity Based Semiconductor Ring Laser	463
<i>Zhouran Wang, Guohui Yuan, Guy Verschaffelt, Jan Danckaert, Siyuan Yu</i>	
Integrated Frequency-Domain Optical CDMA Modulator Using Hybrid Assembly Technique with Silica PLCs and LN Phase Modulators	465
<i>Koichi Takiguchi, Takashi Yamada, Makoto Abe, Shin Kaneko, Hiro Suzuki</i>	
High Capacity Demonstration of a Compact Regrowth-Free Integrated 4 x 4 Quantum Well Semiconductor Optical Amplifier Based Switch	467
<i>H. Wang, E.T. Aw, M.G. Thompson, A. Wonfor, R.V.enty, I.H. White</i>	
Linewidth Investigation of Monolithically Integrated 40 GHz Mode-Locked Laser Diodes for High-Speed RZ-DQPSK Transmission	469
<i>B. Huettl, H. Hu, R. Ludwig, R. Kaiser, C. Schmidt-Langhorst, A.G. Steffan, C. Schubert</i>	
ASON/GMPLS Control Plane Solutions for Transport Networks	471
<i>Hans-Martin Foisel</i>	
Demonstration of GMPLS-controlled Inter-domain Transparent Optical Networks	473
<i>Hongxiang Guo, Takehiro Tsuritani, Schuichi Okamoto, Tomohiro Otani</i>	
Routing and Wavelength Assignment in PCE-based Wavelength Switched Optical Networks	475
<i>A. Giorgetti, F. Paolucci, F. Cugini, L. Valcarengni, P. Castoldi, G. Bernstein</i>	
A Path Computation Element for Shared Path Protection in GMPLS-enabled Wavelength Switched Optical Networks	477
<i>Ramon Casellas, Raúl Muñoz, Ricardo Martínez</i>	
GMPLS Based Multi Layer Service Network Architecture for Advanced IP Over Optical Network Services in Japan	479
<i>Ichiro Inoue, Kaori Shimizu, Daisaku Shimazaki, Hisashi Kojima, Kohei Shiomoto, Shigeo Urushidani</i>	

Segment Restoration Scheme with QoT-guarantees in GMPLS-controlled Translucent Networks	481
<i>N. Sambo, I. Cerutti, F. Cugini, A. Giogetti, L. Valcarenghi, P. Castoldi</i>	
A Novel Coding Pair for Fully Passive Long Reach WDM-PONs	483
<i>M. Presi, R. Proietti, K. Prince, G. Contestabile, E. Ciaramella</i>	
A Self Wavelength Managed Turnable Laser for WDM-PONs	485
<i>Jung-Hyung Moon, Ki-Man Choi, Sil-Gu Mun, Chang-Hee Lee</i>	
A Novel Re-modulation Method in a WDM-PON with Enhanced Extinction Ratio	487
<i>Bo Huang, Xue Wang, Yaoxiong Liang, Hongxin Liu, Liang Wang, Dexiu Huang, Nan Chi</i>	
Cost-effective WDM-PON for Simultaneously Transmitting Unicast and Broadcast/multicast Data by superimposing IRZ signal onto NRZ signal	489
<i>Lei Cai, Shilin Xiao, Zhixin Liu, Rongyu Li, Min Zhu, Weisheng Hu</i>	
Lightwave Centralized WDM-OFDM-PON	491
<i>Ming-Fang Huang, Jianjun Yu, Dayou Qian, Gee-Kung Chang</i>	
Novel Network Architectures for Survivable WDM Passive Optical Networks	493
<i>Calvin C.K. Chan, Lian-Kuan Chen, Chintun Lin</i>	
Coherent Transmission Systems	497
<i>Kazuro Kikuchi</i>	
20x112Gbit/s, 50Ghz Spaced, PolMux-RZ-QPSK Straight-line Transmission Over 1540km of SSMF Employing Digital Coherent Detection and Pure EDFA Amplification	536
<i>Jianjun Yu, Xiang Zhou, Dayou Qian, Mingfang Huang, Philip N. Ji, Guodong Zhang</i>	
Experimental Analysis of 100Gb/s Coherent PDM-QPSK Long-haul Transmission Under Constraints of Typical Terrestrial Networks	538
<i>J. Renaudier, G. Charlet, O. Bertran Pardo, H. Mardoyan, P. Tran, M. Salsi, S. Bigo</i>	
Recent Developments in All-Optical Nonlinear Data Procession	540
<i>Sonia Boscolo, Sergei K. Turitsyn</i>	
Slow Light and Stored Light using SBS in an Optical Fiber	544
<i>Daniel J. Gauthier</i>	
Experimental investigation of Brillouin and Raman scattering in a Ge15Sb20S65 microstructured chalcogenide fiber	548
<i>C. Fortier, J. Fatome, S. Pitois, F. Smektala, G. Millot, J. Troles, F. Desevedavy, P. Houizot, L. Brilland, N. Traynot</i>	
Experimental Investigation of a Polarization Attractor at Telecommunication Wavelengths	550
<i>S. Pitois, J. Fatome, G. Millot</i>	
Improvement of the Transmission of Chalcogenide Photonic Crystal Fibres: Observation of Self Phase Modulation Spectral Broadening	552
<i>L. Brilland, P. Houizot, J. Troles, F. Désévéday, Q. Coulombier, T.N. Nguyen T. Chartier</i>	
A Bit-Rate-Transparent Monolithically Integrated Wavelength Converter	554
<i>Matthew M. Dummer, Jonathan Klamkin, Anna Tauke-Pedretti, Larry A. Coldren</i>	
Tunable Bandwidth Microring Resonator Filters	558
<i>Brent Little, Sai Chu, Wei Chen, John Hryniewicz, Dave Gill, Oliver King, Fred Johnson, Roy Davidon, Kevin Donovan, Wenlu Chen, Steve Grubb</i>	
A Novel Tunable ROADM Concept Based on Tilted Fiber Bragg Gratings and MEMS Technology	560
<i>Peter Jänes, Johan Pejnefors, Roger Vogt, Michael A. Grishin, Wei An, Sten Helmfrid, Bengt Johansson, Bengt Sahlgren</i>	

Ultra-Compact Photonic-Crystal-Based Tuneable Mach-Zehnder Interferometer for Low-Power Integrated Optical Switches	562
<i>Masatoshi Tokushima</i>	
Photonic Integrated Circuit Switch Matrix and Waveguide Delay Lines for Optical Packet Synchronization	564
<i>J.P. Mack, E.F. Burmeister, H. N. Poulsen, B. Stamenic, J.E. Bowers, D.J. Blumenthal</i>	
Multiple-QPM LiNbO₃ Waveguide Module for Variable Batch Wavelength Conversion with Low Crosstalk	566
<i>Masaki Asobe, Takeshi Umeki, Osamu Tadanaga, Kaoru Yoshino, Etsushi Yamazaki, Atsushu Takada</i>	
Slow Wave Nanophotonics for Faster Telecom	568
<i>L. (Kobus) Kuipers</i>	
Cancellation of Pulse Walk-off in Raman Amplifiers via Slow Light	569
<i>Gil Fanjoux, Thibaut Sylvestre</i>	
Asymmetric Twin-core Photonic Crystal Fiber for Dispersionless All-optical Delay Control	571
<i>A. Tonello, M. Szpulak, J. Olszewski, S. Wabnitz, A.B. Aceves, W. Urbanczyk</i>	
Compact Integrated Photonic Crystal Demultiplexer for Emitting and Receiving InP Photonic Integrated Circuits	573
<i>H. Benisty, C. Cambournac, O. Khayam, M. Ayre, F. Van Laere, D. Van Thourhout, R. Baets, T. Stomeo, T.F. Krauss, M. Kamp, H. Hofmann, A. Forchel, D.F.G. Gallagher</i>	
Optical Fuse Generated Chalcogenide Microspheres: Evanescent Probing and Prospects	575
<i>C. Grillet, S. Ning Bian, E.C. Magi, B.J. Eggleton</i>	
Highly Nonlinear Silicon Photonics Slot Waveguides without Free Carrier Absorption Related Speed-Limitations	577
<i>T. Vallaitis, C. Koos, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, P. Dumon, R. Baets, W. Freude, J. Leuthold</i>	
Optical Packet Add/drop Multiplexers for Packet Ring Networks	579
<i>Dominique Chiaroni</i>	
Multi-Rate (111-Gb/s, 2x43-Gb/s, and 8x10.7-Gb/s) Transmission at 50-GHz Channel Spacing over 1040-km Field-Deployed Fiber	583
<i>T.J. Xia, G. Wellbrock, D. Peterson, W. Lee, M. Pollock, B. Basch, D. Chen, M. Freiburger, M. Alfiad, H. de Waardt, M. Kuschnerov, B. Lankl, T. Wuth, E.D. Schmidt, B. Spinnler, C.J. Weiske, E. de Man, C. Xie, D. van den Borne, M. Finkenzeller, S. Spaelt</i>	
All-optical Label Swapping of 160 Gb/s Data Packets Employing Optical Processing of Scalable In-band Address Labels	587
<i>N. Calabretta, H.D. Jung, J. Herrera Llorente, E. Tangdiongga, H.J.S. Dorren</i>	
Hardware Based Scalable Path Computation Engine for Multilayer Traffic Engineering in GMPLS networks	589
<i>Sho Shimizu, Taku Kihara, Yutaka Arakawa, Naoaki Yamanaka, Kosuke Shiba</i>	
Extended-Reach PON Employing 10Gb/s Integrated Reflective EAM-SOA	591
<i>E.K. MacHale, G. Talli, P.D. Townsend, A. Borghesani, I. Lealman, D.G. Moodie, D.W. Smith</i>	
High-Capacity Upstream DWDM Extended Reach PON based on Colourless CWDM Transmitters with Single Nominal Wavelength	594
<i>Martin Bouda, Takai Naito</i>	
Field Experiment with a Hardened GPON Reach Extender with Dual-Parenting Protection	596
<i>Derek Nasset, Dan Grossman, Shamil Appathurai, John Fitzgerald, Paul Wright, Kristan Farrow, Steven Yang</i>	

Enhanced Optical Budget System Performance of an Burst Extended PON at 10.7Gbit/s over 60km of Fibre	598
<i>Z. Belfqih, P. Chanclou, F. Saliou, N. Genay, B. Landousies</i>	
Demonstration of High Spectral Efficient OFDM-QAM Long Reach Passive Optical Network	600
<i>C.W. Chow, C.H. Yeh, C.H. Wang, F.Y. Shih, Y.M. Lin, S. Chi</i>	
Single-Mode Optical Fibres with Record Core Diameters	602
<i>Hugh A McKay, Libin Fu, Liang Dong</i>	
Wavelength Demultiplexer Based on a Continuous-Wave Bismuth-Oxide Fiber Optical Parametric Amplifier	604
<i>A. Vedadi, M. Jamshidifar and M. E. Marhic</i>	
17 ns Tunable Delay for Picosecond Pulses through Simultaneous and Independent Control of Delay and Dispersion Using Cascaded Parametric Processes	606
<i>Shu Namiki, Takayuki Kurosu</i>	
OTDM Add-Drop Multiplexer using a Saw-Tooth Pulse Shaper	608
<i>F. Parmigiani, P. Petropoulos, M. Ibsen, T. T. Ng, D. J. Richardson</i>	
Variable Optical Attenuation Using Space-selectively Crystallized Fiber with Second-order Optical Nonlinearity	610
<i>Seiki Ohara , Hirokazu Masai , Yoshihiro Takahashi , Takumi Fujiwara , Yuki Kondo, and Naoki Sugimoto</i>	
Polarisation Insensitive Injection Locked Fabry-Perot Laser Diodes for 2.5Gb/s WDM Access Applications	612
<i>Alexandre Shen, Dalila Make, Francis Poingt, Lionel Legouezigou, Frédéric Pommereau, Odile Legouezigou, Jean Landreau, Benjamin Rousseau, François Lelarge, Guang-Hua Duan</i>	
EAM-based InP MZ modulator for 40-Gb/s PSBT using 20-Gb/s tributaries	614
<i>D.T. Neilson, C. R. Doerr, L. Zhang, and L. L. Buhl</i>	
80-Gb/s RZ-OOK Generation Using Hybrid Photonic-integrated Electroabsorption Modulators and 40G Electronics	616
<i>I. Kang, S. Chandrasekhar, L. Buhl, P. G. Bernasconi, X. Liu, G. Raybon, C. R. Giles, A. R. Chraplyvy</i>	
Error-free Transmission of 8 WDM Channels at 10 Gbit/s Using Comb Generation in a Quantum Dash Based Mode-locked Laser	618
<i>A. Akrouf, A. Shen, R. Brenot, F. Van Dijk, O. Legouezigou, F. Pommereau, F. Lelarge, A. Ramdane, G-H. Duan</i>	
High-Speed DQPSK Transmitter Using a Monolithically Integrated Quad Mach-Zehnder IQ Modulator Driven at Quarter Bit-Rate	620
<i>Guo-Wei Lu, Tetsuya Miyazaki, Junichiro Ichikawa, Kaoru Higuma, Tetsuya Kawanishi</i>	
Wavelength-Multiplexed Entanglement Distribution over 10 km of Fiber	622
<i>Han Chuen Lim, Akio Yoshizawa, Hidemi Tsuchida, Kazuro Kikuchi</i>	
Slow Light Enhanced Third-Harmonic Generation in Silicon Photonic Crystal Waveguides	624
<i>C. Monat, B. Corcorran, C. Grillet, D. J. Moss, B. J. Eggleton, T. P. White, L. O'Faolain, T. F. Krauss</i>	
13.4-Tb/s (134 x 111-Gb/s/ch) No-Guard-Interval Coherent OFDM Transmission over 3,600 km of SMF with 19-ps average PMD	626
<i>A. Sano, E. Yamada, H. Masuda, E. Yamazaki, T. Kobayashi, E. Yoshida, Y. Miyamoto, S. Matsuoka, R. Kudo, K. Ishihara, Y. Takatori, M. Mizoguchi, K. Okada, K. Hagimoto, H. Yamazaki, S. Kamei,</i>	

17 Tb/s (161×114 Gb/s) PolMux-RZ-8PSK Transmission Over 662 Km of Ultra-low Loss Fiber Using C-band EDFA Amplification and Digital Coherent Detection	628
<i>Jianjun Yu, Xiang Zhou, Ming-Fang Huang, Yin Shao, Dayou Qian, Ting Wang, Milorad Cvijetic, Peter Magill, Lynn Nelson, M. Birk, S. Ten, H. B. Matthew, S. K. Mishra</i>	
Transmission of 81 channels at 40Gbit/s over a Transpacific-Distance Erbium-only Link, using PDM-BPSK Modulation, Coherent Detection, and a new large effective area fibre	630
<i>G. Charlet, M. Salsi, H. Mardoyan, P. Tran, J. Renaudier, S. Bigo, M. Astruc, P. Sillard, L. Provost, F. C�rou</i>	
8x66.8-Gbit/s Coherent PDM-OFDM Transmission over 640 km of SSMF at 5.6-bit/s/Hz Spectral Efficiency	632
<i>Hidenori Takahashi, Abdullah Al Amin, Sander L. Jansen, Itsuro Morita, Hideaki Tanaka</i>	
112-Gb/s Polarization-Multiplexed 16-QAM on a 25-GHz WDM Grid	634
<i>Peter J. Winzer and Alan H. Gnauck</i>	
Latency-free All-optical Recognition of 32-bit Optical Bit Patterns at 40 Gb/s Using a Passive Optical Correlator	636
<i>I. Kang, M. Rasras, M. Dinu, L. Buhl, S. Cabot, M. Cappuzzo, L. T. Gomez, Y. F. Chen, S. S. Patel, C. R. Giles, N. Dutta, A. Piccirilli, J. Jaques</i>	
All-optical 160Gb/s Half-addition Half-subtraction and AND/OR Function Exploiting Pump Depletion and Nonlinearities in a PPLN Waveguide	638
<i>A. Bogoni, X. Wu, I. Fazal, A. Willner</i>	
Experimental Demonstration of 10 Gbit/s Upstream Transmission by Remote Modulation of 1 GHz RSOA Using Adaptively Modulated Optical OFDM for WDM-PON Single Fiber Architecture	640
<i>T. Duong, N. Genay, P. Chanclou, B. Charbonnier, A. Pizzinat, R. Brenot</i>	
320 Gbit/s (8x40 Gbit/s) Double-pass Terrestrial Free-space Optical Link Transparently Connected to Optical Fibre Lines	642
<i>Y. Arimoto, M. Presi, V. Guarino, A. D'Errico, G. Contestabile, M. Matsumoto, E. Ciaramella</i>	
160 Gb/s All-Optical Packet Switching with Label Rewriting	644
<i>N. Calabretta, H.D. Jung, E. Tangdionga, A.M.J. Koonen, H.J.S. Dorren</i>	
2R/3R Optical Grooming Switch with Time-Slot Interchange	646
<i>P. Vorreau, D. Hillerkuss, F. Parmigiani, S. Sygletos, R. Bonk, P. Petropoulos, D. Richardson, G. Zarris, D. Simeonidou, D. Klondis, I. Tomkos, R. Weerasuriya, S. Ibrahim, A. Ellis, R. Morais, P. Monteiro, S. Ben Ezra, S. Tsadka, W. Freude</i>	
Demonstration of GMPLS Lightpaths Diagnosis Using an All-optical Sampling-based Q-factor Monitor in a Network Testbed	648
<i>T. Tsuritani, N. Yoshikane, T. Mori, J. H. Lee, H. Guo, A. Otani, T. Otani</i>	
Demonstration of Novel Spectrum-Efficient Elastic Optical Path Network with Per-Channel Variable Capacity of 40 Gb/s to Over 400 Gb/s	650
<i>M. Jinno, H. Takara, B. Kozicki, Y. Tsukishima, T. Yoshimatsu, T. Kobayashi, Y. Miyamoto, K. Yonenaga, A. Takada, O. Ishida, S. Matsuoka</i>	
Silicon Photonics for Next Generation Computing Systems	652
<i>Yurii A. Vlasov</i>	
Multi-function Integrated InP-Based Photonic Circuits	654
<i>Larry A. Coldren</i>	
Yellow All-Fiber Bi Laser	681
<i>V.V. Dvovrin, A.V. Gladyshev, V.M. Mashinsky, E.M. Dianov, A. Canagasabay, C. Corbari, M. Ibsen, P.G. Kazansky</i>	

Mode-Locking Nano-Porous Alumina Membrane Embedded with Carbon Nanotube Saturable Absorber	683
<i>Y. Kurashima, Y. Yokota, I. Miyamoto, H. Kataura, Y. Sakakibara</i>	
Stable and Ultra-Wideband Wavelength-Tunable Actively Mode-Locked Fiber Ring Laser Using a Short Length Bismuth-Oxide-Based Highly Nonlinear Erbium-Doped Fiber	685
<i>Yutaka Fukuchi, Masahiro Matsukawa, Joji Maeda</i>	
Direct Amplification of Picosecond Pulses in Erbium Fibre to 127 kW Peak Power Without Pulse Break-up	687
<i>J. C. Jasapara, A. DeSantolo, J. W. Nicholson, A. D. Yablon</i>	
Broadening of the Erbium Emission in Dielectric Nanoparticles Doped Silica-Based Fibres	689
<i>W. Blanc, B. Dussardier, R. Peretti, A.M. Jurdyc, B. Jacquier, M. Foret, N. Dragomir, A. Roberts</i>	
Passive Filtering of Fiber Laser Intensity Noise by Active Frequency Locking to a Fiber Resonators	691
<i>Jong H. Chow, Ian C.M. Littler, David E. McClelland, Malcolm B. Gray</i>	
Al-free Core Composition Bismuth-doped Optical Fibre with Luminescence Band at 1300 nm	693
<i>A.A. Umnikov, A.N. Guryanov, A.N. Abramov, N.N. Vechkanov, S.V. Firstov, V.M. Mashinsky, V.V. Dvoyrin , L.I. Bulatov, E.M. Dianov</i>	
Evolving Optical Grid Network Technologies to Support Future Internet Service	695
<i>Dimitra Simeonidou, Reza Nejabati, Georgios Zervas</i>	
Multi-layer Lambda Grid Properly Using Lambdas and Sub-lambdas	697
<i>Yukio Tsukishima, Yasunori Sameshima, Akira Hirano, Masahiko Jinno, Tomohiro Kudoh, Fumihiro Okazaki</i>	
Demonstration of a Self-organized Consumer Grid Architecture	699
<i>Lei Liu, Hongxiang Guo, Yawei Yin, Xiaoqiang Hu, Takehiro Tsuritani, Jian Wu, Xiaobin Hong, Jintong Lin, Tomohiro Otani, Masatoshi Suzuki</i>	
Application-aware Ingress Interface for Dynamic OBS Networks	701
<i>Antonio Pantaleo , Yixuan Qin , Georgios Zervas, Reza Nejabati, Dimitra Simeonidou, Achille Pattavina</i>	
Field Trial of an Optical Burst Switching Node Prototype with Layer2 Characterization at 40Gbps	703
<i>A. Al Amin, T. Tanemura, Y. Nakano</i>	
Dynamic Protection and Restoration Supporting QoS in OBS/GMPLS Interworking Network	705
<i>Y.W.Yin, H.Guo, J.Wu, X.B.Hong, C.L.Tian, T.Tsuritani, N.Yoshikane, T.Otani, J.T.Lin</i>	
MLSE Receivers: Application Scenarios, Fundamental Limits and Experimental Validations	707
<i>Pierluigi Poggiolini</i>	
Performance Improvement Using a Novel MAP Detector in Coherent WDM Systems	711
<i>J. Zhao, A. D. Ellis</i>	
ISI Pre-equalization in a Vector Modulator for 5 Gsymbol/s 64-QAM	713
<i>Yuki Yoshi Kamio, Moriya Nakamura, and Tetsuya Miyazaki</i>	
DGD Estimation from FIR Filter Taps in Presence of Higher Order PMD	715
<i>F.N. Hauske , M. Kuschnerov, K. Piyawanno, B. Spinnler, E.-D. Schmidt, B. Lankl</i>	
Transmission Performance Improvement Studies for Low-Cost 2.5 Gb/s Rated DML Sources Operated at 10 Gb/s	717
<i>I. Papagiannakis, D. Klonidis, J. Kikidis, A. N. Birbas, I. Tomkos</i>	

40 Gbit/s Directly Modulated Passive Feedback DFB Laser for Transmission over 320 km Single Mode Fibre	719
<i>C. Bornholdt, U. Troppenz, J. Kreissl, W. Rehbein, B. Sartorius, M. Schell, I. Woods</i>	
Challenges to FDM-QAM Coherent Transmission with Ultrahigh Spectral Efficiency	721
<i>Masataka Nakazawa</i>	
Optical Dispersion-compensation Free Incoherent Multilevel Signal Transmission Over Single-mode Fiber with Digital Pre-distortion and Phase Pre-integration Techniques	725
<i>Nobuhiko Kikuchi and Shinya Sasaki</i>	
50-km SMF Transmission of 50-Gb/s 16 QAM Generated by Quad-parallel MZM	727
<i>Takahide Sakamoto, Akito Chiba, and Tetsuya Kawanishi</i>	
Transmission of 40-Gbit/s 16-QAM Signal over 100-km Standard Singlemode Fiber using Digital Coherent Optical Receiver	729
<i>Yojiro Mori , Chao Zhang , Koji Igarashi, Kazuhiro Katoh , Kazuro Kikuchi</i>	
Linewidth-Tolerant, ISI-suppressed 15-Gbit/s 64-QAM Transmission over 120-km SSMF	731
<i>Moriya Nakamura, Yukiyoshi Kamio, Tetsuya Miyazaki</i>	
Improved DSP Algorithms for Coherent 16-QAM Transmission	733
<i>Hadrien Louchet, Konstantin Kuzmin, Andre Richter</i>	
Fiber to the Home: a Carrier Perspective	735
<i>Vishnu Shukla</i>	
Cost Efficient Non-Service Interrupting Monitoring of Optical Fiber Links in FTTH / FTTB Networks	739
<i>Thomas Pfeiffer, Harald Schmuck, Michael Straub, Joerg Hehmann</i>	
A Two-Stage Metro-Access Integrated Network Enabling All-Optical Virtual Private Network	741
<i>Yue Tian, Qingjiang Chang, Yikai Su</i>	
Wavelength Resource Scalable Heterodyne Detection Based WDM Access Employing Time-Domain Modulation of Wavelength-Swept Light	743
<i>Tomohiro Taniguchi, Naoya Sakurai, Hideaki Kimura, and Makoto Tsubokawa</i>	
A Multi-wavelength Stabilization Technique Based on a Local Minimum Search Using a Shared Reflective Etalon Filter for Coexistence-type WDM-PON	745
<i>Tetsuya Suzuki, Hiro Suzuki, Masamichi Fujiwara, Naoto Yoshimoto, Hideaki Kimura, Makoto Tsubokawa</i>	
Improved Remote Node Configuration for Passive Ring-tree Architectures	747
<i>Albano Baptista, Natasa B. Pavlovic, Paulo André , David Forin, Giorgio Tosi Beleffi, Jose A. Lázaro, Josep Prat, António Teixeira</i>	
Energy Consumption in IP Networks	749
<i>Rodney S. Tucker, Jayant Baliga, Robert Ayre, Kerry Hinton, Wayne V. Sorin</i>	
Fiber-optic Parametric Amplifiers and their Applications	750
<i>Peter Andrekson</i>	
Self-Referenced Method to Measure Brillouin Gain Coefficient in Optical Fibers	754
<i>Vincent Lanticq, Shifeng Jiang, Renaud Gabet, Yves Jaouën, Sylvie Delépine-Lesoille, Jean-Marie Hénault</i>	
Quantum-limited Amplification in a Fiber Optical Parametric Amplifier	756
<i>Per Kylemark and Michel E. Marhic</i>	
Visible Luminescence and Upconversion Processes in Bi-doped Silicabased Fibers Pumped by IR Radiation	758
<i>I. A. Bufetov, S. V. Firstov, V. F. Khopin, A.N. Guryanov, E. M. Dianov</i>	

Double-pumped FOPA with 40 dB Flat Gain Over 81 nm Bandwidth	760
<i>J.M. Chavez Boggio, C. Lundström, J. Yang, H. Sunnerud, and P.A. Andrekson</i>	
Improvement of FWM Conversion Efficiency by SBS-suppressed Highly Nonlinear Dispersion-Decreasing Fiber with a Strain Distribution	762
<i>Masanori Takahashi, Jiro Hiroishi, Masateru Tadakuma and Takeshi Yagi</i>	
Demonstration of First WDM CMOS Photonics Transceiver with Monolithically Integrated Photo-Detectors	764
<i>P. De Dobbelaere, B. Analui, E. Balmater, D. Guckenberger, M. Harrison, R. Koumans, D. Kucharski, Y. Liang, G. Masini, A. Mekis, S. Mirsaidi, A. Narasimha, M. Peterson, T. Pinguet, D. Rines, V. Sadagopan, S. Sahni, T.J. Sleboda, Y. Wang, B. Welch,</i>	
Ge-on-Si Photodetectors with 33 GHz Bandwidth Implemented by RPCVD	766
<i>Dongwoo Suh, Sanghoon Kim, Gyungock Kim, In Gyoo Kim, Jiho Joo</i>	
High-Speed 2×2 Switch for Multi-Wavelength Message Routing in On-Chip Silicon Photonic Networks	768
<i>Benjamin G. Lee, Aleksandr Biberman, Nicolás Sherwood-Droz, Carl B. Poitras, Keren Bergman Michal Lipson,</i>	
Generating Spectral-Efficient Duobinary Data Format from Silicon Ring Resonator Modulators	770
<i>Lin Zhang, Muping Song, Jeng-Yuan Yang, Wei-Ren Peng, Scott Nuccio, Raymond G. Beausoleil, Alan E. Willner</i>	
Silicon-on-insulator 90 optical Hybrid Using 4x4 Waveguide Couplers with C-band Operation	772
<i>K. Voigt , L. Zimmermann, G. Winzer, K. Petermann, C.M. Weinert</i>	
Silicon-on-Insulator Nanophotonic Waveguide Circuit for Fiber-to-the-Home Transceivers	774
<i>D. Vermeulen, G. Roelkens, J. Brouckaert, D. Van Thourhout, R. Baets, R. Duijn, E. Pluk, G. Van den Hoven</i>	
Generation of 10-GHz 2-ps Optical Pulse Train Over the C Band Based on an Optical Comb Generator and Its Application to 160-Gbit/s OTDM Systems	776
<i>Koji IGARASHI, Kazuhiro KATO, Kazuro KIKUCHI, Kazuhiro IMAI, Motonobu KOUROGI</i>	
A Filtered Optical Frequency Comb Generator as a Stable and Tunable Short Pulse Source	778
<i>Trina T. Ng, Sheng Liu, Periklis Petropoulos, David J. Richardson</i>	
53.5 GHz Monolithically Integrated Pulse Source for 107 Gb/s RZ-DQPSK Transmission	780
<i>C. Schubert, R. Ludwig , B. Huettl, R. Kaiser, H. Hu , A. Steffan, C. Schmidt-Langhorst</i>	
Programmable All-fibre Optical Pulse Shaper Based on Time-domain Binary Phase-only Linear Filtering	782
<i>Saju Thomas, Antonio Malacarne, Luca Poti, Antonella Bogoni, José Azaña</i>	
640 Gbit/s Optical Wavelength Conversion using FWM in a Polarisation Maintaining HNLF	784
<i>M. Galili, H.C.H. Mulvad, L. Grüner-Nielsen, J. Xu, L.K. Oxenløwe, A. T. Clausen, P. Jeppesen</i>	
640 Gbit/s Time-Division Add-Drop Multiplexing using a Non-Linear Polarisation-Rotating Fibre Loop	786
<i>H.C.H. Mulvad, M. Galili , L. Grüner-Nielsen, L.K. Oxenløwe, A.T. Clausen, P. Jeppesen</i>	
640 Gbit/s/port Optical Packet Switch Prototype with Optical Buffer using 1 x 8 PLZT Optical Switch and Parallel Pipeline Buffer Manager	788
<i>Hideaki Furukawa, Naoya Wada, Hiroaki Harai, Naganori Takezawa, Keiichi Nashimoto, Tetsuya Miyazaki</i>	

Coherent Detection of Wavelength Division Multiplexed Phase- Modulated Radio-over-Fibre Signals	790
<i>D. Zibar, X. Yu, C. Peucheret, P. Jeppesen, I. Tafur Monroy</i>	
Performance Comparison of Radio-over-fibre UWB Distribution in SSMF and MMF Optical Media	792
<i>Roberto Llorente, Manoj P. Thakur, Maria Morant, Stuart D. Walker , Javier Marti</i>	
Fully-interleaved WDM Reconfigurable Baseband (2.5-Gbit/s) and 60- GHz (155-Mbit/s) Millimeter-Wave-Band Radio-over-Fiber Access Network.....	794
<i>J.J. Vegas Olmos, Toshiaki Kuri, Takahiro Sono, Kazunori Tamura, Hiroyuki Toda, Ken-ichi Kitayama</i>	
10 Gb/s RSOA Transmission by Direct Duobinary Modulation	796
<i>M. Omella, V. Polo, J. Lazaro, B. Schrenk, J. Prat</i>	
1 Tb/s km WDM Transmission over Multimode Fibre Link	798
<i>I. Gasulla, J. Capmany</i>	
Transmission of Five M-QAM Signals over a 4.4 km Silica Graded-index Multimode Fibre Link Using Subcarrier Multiplexing	800
<i>J. Zeng, H.P.A. van den Boom, A.M.J. Koonen</i>	
QPSK Transmission over Free-Space Link at 3.8 ??m using Coherent Detection with Wavelength Conversion.....	802
<i>Ezra Ip, Daniel Buchter, Carsten Langrock , Joseph M. Kahn, Harold Herrmann, Wolfgang Sohler, Martin M. Fejer</i>	
Low Cost Transparent Radio-over-Fibre System for UWB Based Home Network.....	804
<i>A. Pizzinat, I. Louriki, B. Charbonnier, F. Payoux, S. Meyer, M. Terré, C. Algani, A-L. Billabert, J-L. Polleux, C. Sillans, H. Jaquinot, S. Bories, Y. Le Guennec, G. Froc</i>	
1 Gbit/s Radio Over Fiber Downlink at a 32 GHz Carrier.....	807
<i>Markus Junker, Thomas Schneider, Kai-Uwe Lauterbach , Ronny Henker, Max J. Ammann, Andreas T. Schwarzbacher</i>	
Long-Reach, 60-GHz Mm-Wave Optical-Wireless Access Network Using Remote Signal Regeneration and Upconversion	809
<i>Hung-Chang Chien, Arshad Chowdhury, Zhensheng Jia, Yu-Ting Hsueh, and Gee-Kung Chang</i>	
21GHz Satellite RF Signal Transmission Multiplexing on 10G-EPON Signal	811
<i>Toshihito Fujiwara, Koji Kikushima</i>	
Demonstration of a Symmetric Bidirectional 60-GHz Radio-over-Fiber Transport System at 2.5-Gb/s over a Single 25-km SMF-28.....	813
<i>Zhensheng Jia, Jianjun Yu, Yu-Ting Hsueh, Hung-Chang Chien, Gee-Kung Chang</i>	
60GHz Radio-over-Fibre Wireless System for Bridging 10Gb/s Ethernet.....	815
<i>M. Weiß, A. Stöhr, M. Huchard, S. Fedderwitz, B. Charbonnier, V. Rymanov, S. Babel, D. Jäger</i>	
Power Efficiency of Optical Versus Electronic Access Networks	817
<i>Andreas Gladisch, Christoph Lange, Ralph Leppla</i>	
Energy Consumption Targets for Network Systems.....	821
<i>Tohru Asami, Shu Namiki</i>	
Wavelength Transparent DPSK Demodulation Using Delay-Asymmetric Nonlinear Loop Mirror	825
<i>Mable P. Fok, Chester Shu</i>	
All-optical RZ-DPSK OTDM De-Multiplexing using Optical Parametric Amplifier with a Clock-Modulated Pump.....	827
<i>Guo-Wei Lu, Kazi Sarwar Abedin, Tetsuya Miyazaki</i>	

Wideband Tunable Dispersion Compensation of 126 km zero-DSF Using Parametric Processes	829
<i>Shu Namiki</i>	
Experimental Study of Crosstalk in Pump-Modulated Parametric Multicasting Device	831
<i>Camille-Sophie Brès, Nikola Alic, Stojan Radic</i>	
Timing Jitter Tolerant OTDM Demultiplexing using a Saw-Tooth Pulse Shaper	833
<i>F. Parmigiani, T. T. Ng, M. Ibsen, P. Petropoulos, D.J. Richardson</i>	
Direct Measurement of Amplitude and Phase Temporal Responses of Ultrahigh-speed Optical Modulators	835
<i>Yongwoo Park, Tae-Jung Ahn, José Azaña</i>	
Optical Isolator for Silicon-on-Insulator Circuits	837
<i>T. Mizumoto, Y. Shoji</i>	
Enhanced Nonlinearity in SOI Microcavities by III-V/SOI Heterogeneous Integration	841
<i>G. Roelkens, L. Liu, D. Van Thourhout, R. Baets, R. Nötzel, F. Raineri, I. Sagnes, G. Beaudoin, R. Raj</i>	
All-Optical Wavelength Converter with InP Micro-disk Laser Integrated on SOI	843
<i>Liu Liu, Joris Van Campenhout, Günther Roelkens, Dries Van Thourhout, Pedro Rojo Romeo, Philippe Regreny, Christian Seassal, Jean-Marc Féféli, Roel Baets</i>	
A Hybrid Silicon Sampled Grating DBR Laser integrated with an Electroabsorption Modulator using Quantum Well Intermixing	845
<i>Matthew N. Sysak, Joel O. Anthes, Omri Raday, John E. Bowers, Richard Jones</i>	
Compact Silicon-on-Insulator Wavelength Demultiplexer with Heterogeneously Integrated InAlAs/InGaAs Photodetectors	847
<i>Joost Brouckaert, Gunther Roelkens, Shankar Selvaraja, Wim Bogaerts, Pieter Dumon, Steven Verstuyft, Dries Van Thourhout, Roel Baets</i>	
Ultra-small One-chip Color-less Multiplexer/demultiplexer Using Silicon Photonic Circuit	849
<i>Shigeru Nakamura, Tao Chu, Masashige Ishizaka, Masatoshi Tokushima, Yutaka Urino, Masahiro Sakauchi, Itaru Nishioka, Kiyoshi Fukuchi</i>	
System Performance of 40 Gb/s DPSK All-Optical Clock Recovery Based on a Self-pulsating DBR Laser	851
<i>Xuefeng Tang, Sung Han Chung, John C. Cartledge, Alexandre Shen, Frederic V. Dijk, Guang-Hua Duan</i>	
Regeneration and Cascadability Assessment of a New Passive 2R Regenerator Based on a Dual-Stage Saturable Absorber gate	853
<i>M. Gay, L. Bramerie, H. T. Nguyen, S. Lobo, G. Aubin, Q. T. Le, M. Joindot, J. L. Oudar, J.C. Simon</i>	
Novel 42.65 Gbit/s Dual Gate Asynchronous Digital Optical Regenerator Using a Single MZM	855
<i>S. K. Ibrahim, D. Hillerkuss, R. Weerasuriya, G. Zarris, D. Simeonidou, J. Leuthold, A.D.Ellis</i>	
Dynamic Range Enhancement and Amplitude Regeneration in Single Pump Fibre Optic Parametric Amplifiers using DPSK Modulation	857
<i>Christophe Peucheret, Michael Lorenzen, Jorge Seoane, Danny Noordegraaf, Carsten Vandel Nielsen, Lars Grüner-Nielsen, Karsten Rottwitt</i>	
Polarization Insensitive All-Optical Retiming Based on Cross-Phase Modulation and Offset Filtering with Distributed Raman Amplification	859
<i>Sung Han Chung, Xuefeng Tang, John C. Cartledge</i>	
Quantum Key Distribution Systems and Field Trials	861
<i>Akihiro Tanaka, Mikio Fujiwara, Sae Woo Nam, Yoshihiro Nambu, Seigo Takahashi, Wakako Maeda, Ken-ichiro Yoshino, Shigehito Miki, Burm Baek, Zhen Wang, Akio Tajima, Masahide Sasaki, Akihisa Tomita</i>	

Quantum-noise Encryption Using a Spectral Encoding Protocol	865
<i>Gabriella Cincotti, Leo Spiekman</i>	
Scalable QKD Network Using Simple Key-Management Technique with On-Demand Crypto-Key Supply	867
<i>W. Maeda, A. Tanaka, S. Takahashi, A. Tajima, A. Tomita</i>	
Millimeter-Wave Photonic Up-Conversion Based on a 55GHz Quantum Dashed Mode-Locked Laser	869
<i>Mathieu Huchard, Benoit Charbonnier, Philippe Chanclou, Frederic Van Dijk, François Lelarge, Guang-Hua Duan, Carmen Gonzalez, Monique Thual</i>	
All-optical Routing Architecture of Radio Signals using Label Processing Technique for In-building Optical Networks	871
<i>H. -D. Jung, N. Calabretta, E. Tangdionga, H.J.S. Dorren, A.M.J. Koonen</i>	
Combined Transmission of Baseband NRZ-DQPSK and Phase Modulated Radio-over-Fibre	873
<i>Jesper Bevensee Jensen, Xianbin Yu, Idelfonso Tafur Monroy, Christophe Peucheret, Palle Jeppesen</i>	
Bi-directional, 480Mbps, Ultra-Wideband, Radio-over-Fibre Transmission Using a 1310/1564nm Reflective Electro-absorption Transducer and Commercially-Available Components	875
<i>Manoj P. Thakur, Terence Quinlan, Sandra Dudley, Mehmet Toycan, Carlos Bock, Stuart D. Walker</i>	
Highly Linear Radio-over-Fiber Transmitter for Subcarrier Multiplexed Systems	877
<i>A. Ferreira, T. Silveira, D. Fonseca, P. Monteiro, R. Ribeiro</i>	
OFDM Radio-over-Fibre Systems Employing Routing in Multi-Mode Fibre In-building Networks	879
<i>H. Yang, H.-D. Jung, Y. Zheng, B. Huiszoon, J. H. C. van Zantvoort, E. Tangdionga, A.M.J. Koonen</i>	
Hybrid Access Networks Integrated with Wireline and Wireless Services without Optical Filtering at Remote Nodes	881
<i>Po-Tsung Shih, Chun-Ting Lin, Jason(Jyehong) Chen, Peng-Chun Peng, Sien Chi</i>	
Photonic Bandgap Fibres	883
<i>T. A. Birks</i>	
Ultra Broadband Coupler Based on Dual-Concentric-Core Photonic Crystal Fibre	912
<i>F. G�r�me, N. Ducros, F. Levesque, J.-L Auguste, J.-M Blondy</i>	
Low Splice Loss Solid Photonic Bandgap Fibre and Its Temperature Dependence of Filtering Wavelength	914
<i>Shoji Tanigawa, Katsuhiro Takenaga, Ryuichiro Goto, Shoichiro Matsuo, Munehisa Fujimaki</i>	
Spatial Power Spectrum of Fluctuations along a Highly Birefringment Holey Fiber	916
<i>Nori Shibata, Masaharu Ohashi, Tomohiro Wakabayashi, Kazuhara Tsuchiya, Shin-ichi Furukawa, Hideaki Mizuguchi, Yutaka Katsuyama</i>	
GMPLS-controlled All-optical Mesh Networking Demonstration using Path Computation-capable NMS	918
<i>Takehiro Tsuritani, Hongxiang Guo, Jun Haeng Lee, Shuichi Okamoto, Noboru Yoshikane, Tomohiro Otani</i>	
Reconfigurable Optical Networks: a Cross Layer Approach	922
<i>Reza Roshani, Paolo Monti, Marco Tacca, Andrea Fumagalli</i>	
The Effect of Bridge-and-Roll on Minimizing Wavelength Conversion for Dynamic Traffic	924
<i>Steven Fortune, Lisa Zhang</i>	
Impact of Wavelength Route Correlation on the Optimal Placement of Optical Monitors in Transparent Mesh Networks	926
<i>Alex Ferguson, Barry O’Sullivan, Dan Kilper</i>	

'10Gb/s-40Gb/s Synergy' Routing to Better Exploit Network Capacity	928
<i>A. Morea, T. Zami, F. Leplingard, D. Bayart</i>	
Demonstration of Master-Slave Type Deskew Function for Optical Virtual Concatenation using OTU3 Multiframe Identification	930
<i>Takashi Ono, Yongmei Sun, Atsushi Takada</i>	
100-Gb/s Hybrid Opto-electronic Integration	932
<i>Jeffrey H. Sinsky</i>	
Compact 10 Gb/s full C-band tunable transmitter module with monolithically integrated Mach-Zehnder modulator	936
<i>H. Sakuma, K. Tsuruoka, K. Mizutani, T. Okamoto, T. Kato, S. Sudo, K. Sato, K. Kudo</i>	
43 Gbit/s EAM-LD Module with Built-in Driver IC Employing Novel Cathode-Floating Bias Circuit	938
<i>Norio Okada, Toshiharu Miyahara, Takuro Shinada, Takeshi Saito, Atsushi Sugitatsu, Tatsuhiro Hatta</i>	
10.709-Gb/s-300 km Transmission of PLC-based Chirp-Managed Laser Packaged in Pluggable Transceiver Without Any Optical or Electrical Dispersion Compensation	940
<i>Y. Yokoyama, T. Hatanaka, N. Oku, H. Tanaka, I. Kobayashi, H. Yamazaki, A. Suzuki</i>	
InP Waveguide-integrated pin-Photodiode Hybrid Packaged with an HBT-DEMUX-Chip for Receiver Modules of 80-100 Gb/s Data Rates	942
<i>G.G. Mekonnen, B. Hüttel, H.-G. Bach, D. Pech, T. Rosin, C. Schubert, A. Konczykowska, F. Jorge, M. Riet</i>	
25-Gbps Receiver for 100-Gbps Ethernet employing Cost-effective Small Coaxial Package.....	944
<i>Takuma Ban, Yong Lee, Shigeki Makino, Hiroaki Hayashi, Hidehiro Toyoda, Masato Shishikura, Toshiaki Sugawara, Shigehisa Tanaka, Shinji Tsuji, Masahiro Aoki, Michihide Sasada, Hisashi Takamatsu, Hiroshi Yamamoto, Masanobu Okayasu</i>	
Optical Performance Monitoring Techniques; Current Status and Future Challenges.....	946
<i>Y. C. Chung</i>	
Bit Rate Identification Using Asynchronous Delay-tap Sampling.....	949
<i>Y. Zhou, T. B. Anderson, K. Clarke, A. Nirmalathas, K.L. Lee</i>	
High-speed and Simple Estimation Algorithm of Waveform Distortions using a 43-Gb/s SiGe-based Eye-Monitoring LSI.....	951
<i>N. Yoshida, H. Noguchi, J. Abe, H. Uchida, M. Ozaki, S. Kanemitsu, S. Wada, Y. Amamiya</i>	
Simultaneous WDM Signal Detection Realized by Ultrafast Field Sampling.....	953
<i>Keiji Okamoto, Fumihiko Ito</i>	
All-Optical Sampling Using Cross-Absorption Modulation in Electroabsorption Modulator for Optical Performance Monitor	955
<i>Takashi Mori, Akihito Otani, Tomohiro Otani</i>	
Sensitivity of Interferometric OSNR Measurements Techniques to the Variation in Signal Extinction Ratio.....	957
<i>M. Brodsky, J. M. Oh, L. E. Nelson, and M. D. Feuer</i>	
Exploring Capacity Limits of Fibre-Optic Communication Systems	959
<i>René-Jean Essiambre, Gerard J. Foschini, Peter J. Winzer, Gerhard Kramer</i>	
A Stratified Sampling Monte Carlo Algorithm for Efficient BER measurement and its Application to DQPSK Terrestrial Systems.....	961
<i>Paolo Serena, Nicola Rossi, Marco Bertolini and Alberto Bononi</i>	
Revisiting Binary Sequence Length Requirements for the Accurate Emulation of Highly Dispersive Transmission Systems	963
<i>Jean-Christophe Antona, Edouard Grellier, Alberto Bononi, Sébastien Petitrenaud, Sébastien Bigo</i>	

Symbol Rate Dependency of XPM-induced Phase Noise Penalty on QPSK-based Modulation Formats	965
<i>O. Vassilieva, T. Hoshida, J. C. Rasmussen, T. Naito</i>	
Experimental Investigation of Partial Demodulation of 85.3 Gb/s DQPSK Signals	967
<i>Vitaly Mikhailov, Robert I. Killey, Polina Bayvel</i>	
Precise Analysis of Transmission Impairments of Pol-Mux 110Gb/s RZ-DQPSK with Automatic Pol-Dmux using Straight 2,000-km SMF Line	969
<i>Toshiharu Ito, Sadao Fujita, E.L.T de Gabory, Satomi Shioiri, Kiyoshi Fukuchi</i>	
Experimental Demonstration of Multicarrier-CDMA for Passive Optical Networks	971
<i>Vahid R. Arbab, Wei-Ren Peng, Xiaoxia Wu, Alan E. Willner</i>	
Experimental Demonstration of Secure 16-ary, 2.5Gbit/s OCDMA Using Single Multi-port en/Decoder	973
<i>Naoki Nakagawa, Nobuyuki Kataoka, Xu Wang, Naoya Wada, Gabriella Cincotti, Tetsuya Miyazaki, Ken-ichi Kitayama</i>	
Experimental Demonstration of Optical 5-Gb/s 16-QAM OFDM Signal Generation and Wavelength Reuse for 1.25-Gbit/s Uplink Signal	975
<i>Chun-Ting Lin, Wen- Jr Jiang, Jason(Jyehong) Chen, Er-Zih Wong, Sheng-Peng Dai, Yu-Min Lin, Po Tsung Shih, Peng-Chun Peng, Sien Chi</i>	
10Gbit/s Transmission Over 2.5Ghz Bandwidth by Direct Modulation of Commercial VCSEL and Multi-mode FP Lasers Using Adaptively Modulated Optical OFDM Modulation for Passive Optical Network	977
<i>T. Duong, N. Genay, P. Chanclou, B. Charbonnier</i>	
Signal Remodulation PON without Power Sacrifice using PolSK	979
<i>C. W. Chow, Y. Liu, C. H. Yeh, S. Chi</i>	
Demonstration of a full duplex PON featuring 2.5 Gbps Sub Carrier Multiplexing downstream and 1.25 Gbps upstream with colourless ONU and simple optics	981
<i>Josep M. Fàbrega, Eduardo T. López, José A. Lázaro, Muneer Zuhdi , Josep Prat</i>	
Scalable GE-PON Over OCDMA Without Sacrifice of Upstream Bandwidth: Principle and Its Experimental Demonstration of 2xGE-PON Systems Over 2x63-chip Code	983
<i>Naoki Nakagawa, Satoshi Yoshima, Naoki Suzuki, Masaki Noda, Masamichi Nogami, Hiroshi Ichibangase, Junichi Nakagawa, Ken-ichi Kitayama</i>	
Trends in Optical Access and In-building Networks	985
<i>T. Koonen</i>	
PAM-4 Signalling for Gigabit Transmission over Standard Step-Index Plastic Optical Fibre using Light Emitting Diodes	1016
<i>Florian Breyer, S.C. Jeffrey Lee, Sebastian Randel, Norbert Hanik</i>	
Transmission of 40 Gb/s DPSK and OOK at 1.55 μm Through 100 m of Plastic Optical Fiber	1018
<i>S. R. Nuccio, L. Christen, X. Wu, S. Khaleghi , O. Yilmaz, A. E. Willner, Y. Koike</i>	
The NOBEL2 Approach to Resilience in Future Transport Networks	1020
<i>J. Perelló, S. Spadaro, I.E. Svinnsset, E. Zouganeli, P. Cholda, A. Jajszczyk, K. Wajda, D. Verchere , R. Gruenzinger, J. Fernández-Palacios, O. González de Dios, V. Chandrakumar</i>	
Multi-layer IP Backbone Design with Neighbour Count Limitation to Reduce Control Load	1022
<i>Jan Späth, Stefan Bodamer</i>	
Path Protection in WSXC Switched Networks	1024
<i>D. Staessens, D. Colle, M. Pickavet, P. Demeester</i>	

Proactive Protection Based on Pre-FEC Statistics in Pure IP Networks	1026
<i>O.Gerstel, I.Leung, G. Nicholl, H. Sohel, W. Wakim, K. Wollenweber, C. Filsfils, E. Silva, Y. Sun</i>	
A Near-Optimal Heuristic Algorithm for Advance Lightpath Reservation in WDM Networks	1028
<i>Alice Chen, Steven S. W. Lee</i>	
Network Segmentation and Design Algorithm for Large-Scale Optical Path Networks based on Traffic Distribution Information	1030
<i>Takuya Yamamoto, Hiroshi Hasegawa, Ken-ichi Sato</i>	
Demonstration of All-Optical Pattern Recognition at 42Gbit/s	1032
<i>X. Yang, R.P. Webb, R.J. Manning, G.D. Maxwell, A.J. Poustie, S. Lardenois, D. Cotter</i>	
Dynamic Operation of Polarization Insensitive All-Optical Flip-Flop Based on Multimode-Interference Bistable Laser Diode	1036
<i>Koji Takeda, Yasuki Kanema, Mitsuru Takenaka, Takuo Tanemura, Yoshiaki Nakano</i>	
Dynamic Operation of All-Optical Flip-Flop based on a Monolithic Semiconductor Ring Laser	1038
<i>Andrea Trita, Gabor Mezosi, Francesca Bragheri, Jin Yu, Sandor Furst, Wolfgang Elsässer, Ilaria Cristiani, Marc Sorel, Guido Giuliani</i>	
Fast Operation of a Broadband All-Optical Flip-Flop Based on a Single DFB-laser Diode	1040
<i>K. Huybrechts, G. Morthier, R. Baets</i>	
All-Optical Static RAM Cell with Read/Write functionality at 5 Gb/s	1042
<i>N. Pleros, D. Apostolopoulos, D. Petrantonakis, C. Stamatidis, H. Avramopoulos</i>	
All-optical Vestigial-Sideband Signal Generation and Pattern Effect Mitigation with an SOA Based Red-Shift Optical Filter Wavelength Converter	1044
<i>J. Wang, A. Marculescu, J. Li, Z. Zhang, W. Freude, J. Leuthold</i>	
From ROADM Technology to TOADM Technology, on the Path Towards Optical Restoration	1046
<i>Jean-Paul Faure</i>	
Successful Interconnection of SOA-MZI Arrays and Flip-Flops to Realize Intelligent, All-optical Routing	1047
<i>P. Zakyntinos, D. Apostolopoulos, L. Stampoulidis, E. Kehayas, A. Poustie, G. Maxwell, R. Van Caenegem, D. Colle, M. Pickavet, E. Tangdionga, H.J.S. Dorren, H. Avramopoulos</i>	
Demonstration of Contention Resolution Between Two 40 Gb/s Packet Streams Using Multiple Photonic Chip Optical Buffers	1049
<i>Emily F. Burmeister, John P. Mack, Henrik N. Poulsen, Biljana Stamenic, Milan Mašanovic, Daniel J. Blumenthal, John E. Bowers</i>	
A Compact and Lossless 8 × 8 SOA Gate Switch Subsystem for WDM Optical Packet Interconnections	1051
<i>Yutaka Kai, Kyosuke Sone, Setsuo Yoshida, Yasuhiko Aoki, Goji Nakagawa, Susumu Kinoshita</i>	
Serial 107 Gbit/s (2x53.5 Gbit/s NRZ-VSB-Polmux) Transmission Over 15 Km SSMF with Electronic Dispersion Compensation	1053
<i>K. Schuh, B. Franz, B. Junginger, P. Klose, E. Lach</i>	
Coherent Optical Transmission with Frequency-domain Equalization	1055
<i>Koichi Ishihara, Takayuki Kobayashi, Riichi Kudo, Yasushi Takatori, Akihide Sano, Eiichi Yamada, Hiroji Masuda, Yutaka Miyamoto</i>	
Adaptive Equalizer Complexity in Coherent Optical Receivers	1057
<i>B. Spinnler, F.N. Hauske, M. Kuschnerov</i>	

A Novel Field-Detection Maximum-Likelihood Sequence Estimation for Chromatic-Dispersion Compensation	1059
<i>M.E.McCarthy, J.Zhao, P.Gunning, A.D.Ellis</i>	
320 Gbit/s Single-Polarization DPSK Transmission over 525 km Using Time-domain Optical Fourier Transformation	1061
<i>Toshihiko Hirooka, Masatada Okazaki, Pengyu Guan, and Masataka Nakazawa</i>	
Characterisation and Comparison of Bitwise Phase-control OTDM Signals in 80 Gbit/s Transmission.....	1063
<i>Sergejs Makovejs, Giancarlo Gavioli, and Polina Bayvel</i>	
A 1.25/10.3-Gbit/s AC-coupled Dual-rate Burst-mode Receiver without Reset Signals	1065
<i>Kazutaka Hara, Shunji Kimura, Hirotaka Nakamura, Naoto Yoshimoto, Makoto Tsubokawa, Kazuyoshi Nishimura, Makoto Nakamura, Susumu Nishihara</i>	
Design of a 10Gbps Optical Burst Mode DPSK Receiver for Data and Clock Recovery	1067
<i>T. Ajmal, T. Quinlan, R. Razavi, E. Hugues Salas and S.D. Walker</i>	
High-sensitivity, Multi-rate, Multi-band OLT Receiver for Hybrid 1G / 10G Passive Optical Networks.....	1069
<i>David Piehler and Ruomei Mu</i>	
First Demonstration of Fast Automatic-Gain-Control (AGC) PDFA for Amplifying Burst-Mode PON Upstream Signal	1071
<i>Youichi FUKADA, Ken-Ichi SUZUKI, Hirotaka NAKAMURA, Naoto YOSHIMOTO, Makoto TSUBOKAWA</i>	
A WDM-PON with a 40 Gb/s Capacity Based on Wavelength-Locked Fabry-Perot Laser Diodes	1073
<i>Sil-Gu Mun, Jung-Hyung Moon, Hoon-Keun Lee, Jun-Young Kim, and Chang-Hee Lee</i>	
Simultaneous Bidirectional Gigabit Hybrid Transmission System Using Optical Carrier Suppression in Dual-parallel Injection-locked FP-LDs	1075
<i>Moon-Ki Hong, Yong-Yuk Won, and Sang-Kook Han</i>	
Precise Time Distribution using Ethernet Passive Optical Network	1077
<i>Yukio Horiuchi and Keiji Tanaka</i>	
The Future of Optical Networks	1079
<i>Ken-ichi Sato</i>	
Optical Multicast Tree Construction Algorithm Considering SNR Constraint and 3R Regeneration.....	1095
<i>Yasuaki Morita, Hiroshi Hasegawa, Ken-ichi Sato, Yoshiaki Sone, Kazuhisa Yamada, Masahiko Jinno</i>	
Experimental Demonstration of the Reduction of PDL and DGD in Fibre Bragg Gratings by Using a Twisted-Fibre for the Inscription.....	1097
<i>S. Bette, C. Caucheteur, V. García-Muñoz, R. Garcia-Olcina, M. Wuilpart, S. Sales, J. Capmany, M. A. Muriel, P. Mégret</i>	
High Temperature Stable Type I IR Ultrafast Induced FBGs.....	1099
<i>Christopher W. Smelser, Dan Grobnic, Ping Lu, Stephen J. Mihailov</i>	
Fiber-Optic Brillouin Distributed Discrimination of Strain and Temperature with 11-cm Spatial Resolution Using Correlation-Based Continuous-Wave Technique	1101
<i>Weiwen Zou, Zuyuan He, and Kazuo Hotate</i>	
Optical Pulse Coding Applied to Distributed Temperature Sensor Using Coherent Detection of Spontaneous Brillouin Frequency Shift	1103
<i>M. A. Soto, G. Bolognini, F. Di Pasquale</i>	

Microchannelled Chirped Fibre Bragg Grating Based Refractive Index Sensor Formed by Femto-Second Laser Processing and HF-etching	1105
<i>Hongyan Fu, Kaiming Zhou, Pouneh Saffari, Chengbo Mou, Lin Zhang, Sailing He, Ian Bennion</i>	
Novel Sensor Concept Based on Microstructured Optical Fiber with Metal Inclusions	1107
<i>M. Hautakorpi, M. Mattinen, H. Ludvigsen</i>	
Enlargement of Measurement Range of Brillouin Optical Correlation-Domain Reflectometry Based on Temporal Gating Scheme	1109
<i>Yosuke Mizuno, Zuyuan He, Kazuo Hotate</i>	
Metallic Nano-Lasers	1111
<i>Martin T. Hill</i>	
High Speed AlGaInAs Electroabsorption Modulated Laser and its Optically Equalized Operation at 86 Gb/s	1113
<i>C. Kazmierski, C.Jany, J. Decobert, F. Alexandre, F.Blache, A.Scavennec</i>	
A First Uncooled (25 to 85°C) 43-Gbps Lightsource Based on InGaAlAs EA/DFB Laser Technology	1115
<i>H. Hayashi, S. Makino, T. Kitatani, T. Shiota, K. Shinoda, S. Tanaka, M. Aoki, N. Sasada, K. Naoe</i>	
AlGaInAs-InP C-Band Tunable DS-DBR Laser for Semi-Cooled Operation at 55 C	1117
<i>Neil D. Whitbread, Andrew J. Ward, Brian de Largy, Mark Q. Kearley, Brian Asplin, Peter J. Williams, Michael J. Wale</i>	
Wafer-Fused 1550-nm Band VCSELs with Fundamental Mode Output Exceeding 6 mW	1119
<i>Andrei Caliman, Alexandru Mereuta, Alexei Sirbu, Vladimir Iakovlev, Eli Kapon</i>	
100 C, 10 Gbps Operation of Buried Tunnel Junction GaInNAs VCSELs	1121
<i>Yutaka Onishi, Nobuhiro Saga, Kenji Koyama, Hideyuki Doi, Takashi Ishizuka, Takashi Yamada, Kosuke Fujii, Hiroki Mori, Junichi Hashimoto, Mitsuru Shimazu, Tsukuru Katsuyama</i>	
Impairment Aware Networking and Relevant Resiliency Issues in All-Optical Networks	1123
<i>Ioannis Tomkos, Siamak Azodolmolky, Mariana Angelou, Dimitris Klonidis, Yabin Ye, Chava Vijaya Saradhi, Elio Salvadori, Andrea Zanardi, Radoslaw Piesiewicz</i>	
The Relevant Impact of the Physical Parameters Uncertainties When Dimensioning an Optical Core Transparent Network	1127
<i>T. Zami, A. Morea, F. Leplingard, N. Brogard</i>	
Towards Deployment of Signalling based Approaches for Impairment Aware Lightpath Setup in Transparent WDM Optical Networks	1129
<i>Elio Salvadori, Chava Vijaya Saradhi, Yabin Ye, Andrea Zanardi, Matteo Carcagni, Gabriele Galimberti, Giovanni Martinelli, Alberto Tanzi, Domenico La Fauci</i>	
Novel Traffic Engineering in All-Optical Networks Considering Impairment	1131
<i>Rie Hayashi, Kaori Shimizu, Ichiro Inoue, Kohei Shiimoto</i>	
Mesh Network Transport Experiments Using a Distributed-Distance Circulating Loop	1133
<i>D. C. Kilper, D. Bayart, S. Chandrasekhar, A. Morea, S. K. Korotky, F. Leplingard</i>	
Off-Line Monitoring of OSNR/CD/PMD Degradation Effects Using Neural-Network-Based Training Sequences	1135
<i>Xiaoxia Wu, Jeffrey Jargon, Alan E. Willner</i>	
Impact of nonlinear impairments on the tolerance to PMD of 100Gb/s PDM-QPSK data processed in a coherent receiver	1137
<i>O. Bertran Pardo, J. Renaudier, G. Charlet, P. Tran, H. Mardoyan, M. Salsi, S. Bigo</i>	
PMD and PDL Tolerance of Polarization Division Multiplexed Signals with Direct Detection	1139
<i>Zinan Wang, Chongjin Xie</i>	

Cross-Polarization Modulation in DWDM Systems	1141
<i>Marcus Winter, Christian-A. Bunge, Dario Setti, Klaus Petermann</i>	
Realtime 40 krad/s Polarization Tracking with 6 dB PDL in Digital Synchronous Polarization-Multiplexed QPSK Receiver	1143
<i>M. El-Darawy, T. Pfau, C. Wördehoff, B. Koch, S. Hoffmann, R. Peveling, M. Pörrmann, R. Noé</i>	
Automatic Optical PMD Compensator for 40-Gb/s DBPSK and DQPSK with Fast Changing SOP and PSP	1145
<i>Chongjin Xie, Sethumadhavan Chandrasekhar, Xiang Liu, Dieter Werner, Herbert Haunstein</i>	
Highly Stable 160-Gb/s Field Transmission Employing Adaptive PMD Compensator with Ultra High Time-Resolution Variable DGD Generator	1147
<i>Yoshihiro Kanda, Hitoshi Murai, Masatoshi Kagawa, Kozo Fujii</i>	
PMD Monitoring in Traffic-carrying Optical Systems	1149
<i>Junfeng Jiang, S. Sundhararajan, Doug Richards, Steve Oliva, Maurice O'Sullivan, Rongqing Hui</i>	
Optical Access Evolutions and Their Impact on the Metropolitan and Home Networks	1151
<i>P. Chanclou, Z. Belfqih, B. Charbonnier, T. Duong, F. Frank, N. Genay, M. Huchard, P. Guignard, L. Guillo, B Landousies, A. Pizzinat, H. Ramanitra, F. Saliou, S. Durel, A. Othmani, P. Urvoas, M. Ouzzif, J. Le Masson</i>	
10 Gbps / 2.5Gbps GPON Coexistence by Downstream Bit-Stacking	1155
<i>Heinz G. Krimmel, Wolfgang Poehlmann, Bernhard Deppisch, Lothar Jentsch, Thomas Pfeiffer</i>	
Upstream Transmission in WDM PONs at 10Gbps Using Low Bandwidth RSOAs Assisted with Optical Filtering and Electronic Equalization	1157
<i>I. Papagiannakis, M. Omella, D. Klonidis, J. Kikidis, A. N. Birbas, I. Tomkos, J. Prat</i>	
Centralized, Colorless, Wavelength Reusable 25GHz Spaced DWDM PON with 10 Gb/s DPSK Downstream and Re-Modulated 10Gb/s Duobinary Upstream for Next-Generation Local Access System	1159
<i>Arshad Chowdhury, Hung-Chang Chien, Gee-Kung Chang</i>	
Capacity Optimisation for Optical Links Using DMT Modulation, an Application to POF	1161
<i>B. Charbonnier, P. Urvoas, M. Ouzzif, J. Le Masson</i>	
A 2 and 3 Channel Mode Group Diversity Multiplexing Transmission Over Graded and Step Index Multimode Fibers	1163
<i>Jerzy Siuzdak, Lukasz Maksymiuk and Grzegorz Stepniak</i>	
Author Index	