

American Concrete Institute

FRP Stay-in-Place Forms for Concrete Structures

Sessions at the ACI Spring Convention 2008

ACI Special Publications Series SP-257

March 31, 2008
Los Angeles, California, USA

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-60560-725-2

Some format issues inherent in the e-media version may also appear in this print version.

First printing, October 2008

DISCUSSION of individual papers in this symposium may be submitted in accordance with general requirements of the ACI Publication Policy to ACI headquarters at the address given below. Closing date for submission of discussion is March 2009. All discussion approved by the Technical Activities Committee along with closing remarks by the authors will be published in the July-August 2009 issue of either the *ACI Structural Journal* or *ACI Materials Journal* depending on the subject emphasis of the individual paper.

The Institute is not responsible for the statements or opinions expressed in its publications. Institute publications are not able to, nor intended to, supplant individual training, responsibility, or judgment of the user, or the supplier, of the information presented.

The papers in this volume have been reviewed under Institute publication procedures by individuals expert in the subject areas of the papers.

Copyright © 2008
American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48333 USA

All rights reserved, including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by any electronic or mechanical device, printed or written or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

Printed in the United States of America

Editorial production: Lindsay K. Kennedy

TABLE OF CONTENTS

SP-257—1	
Efficient Use of CFRP Stay-in-Place Form for Durable Concrete Bridge Decks	1
L. Cheng and V.M. Karbhari	
SP-257—2	
Flexural Behavior of Hybrid Composite Girders for Bridge Construction	15
A. Elmahdy, R. El-Hacha, and N. Shrive	
SP-257—3	
Wheel Load Distribution in Concrete Bridge Decks with FRP Stay-in-Place Forms.....	33
C.M. Foley, B. Wan, and J. Liu	
SP-257—4	
Investigation of a Structural FRP Stay-In-Place Form for a Prototype Military Bridge System.....	53
J.P. Hanus, L.C. Bank, and M.G. Oliva	
SP-257—5	
Analytical Modeling of Concrete-Filled FRP Circular Tubes under Reversed Cyclic Bending.....	70
K. Helmi, A. Fam, and A. Mufti	
SP-257—6	
Compressive Behavior of Reinforced Concrete Filled FRP Tubes	89
H. Mohamed and R. Masmoudi	
SP-257—7	
FRP Stay-in-Place Formwork for Floor and Deck Construction.....	106
M. Oliva, H. Bae, L. Bank, and J. Russell	
SP-257—8	
Flexural Behavior of Octaform™ Forming System.....	130
A. Rteil, K. Soudki, and D. Richardson	
SP-257—9	
Seismic Behavior and Design of Reinforced Concrete Columns Confined with FRP Stay-in-Place Formwork	145
M. Saatcioglu, T. Ozbakkaloglu, and G. Elnabelsy	
SP-257—10	
Wet-Bond of Concrete to FRP Formwork using Epoxy Adhesive	166
Z. Wu and Y. Shao	
SP-257—11	
Hybrid FRP Concrete Steel Double-Skin Tubular Columns: An Overview of Existing Research	177
T. Yu, J.G. Teng, Y.L. Wong, and S.L. Dong	