

2008 China-Japan Joint Microwave Conference

(CJMW 2008)

**Shanghai, China
10-12 September 2008**

Pages 1-383



**IEEE Catalog Number: CFP0866E-PRT
ISBN: 978-1-4244-3821-1**

TABLE OF CONTENTS

EM FIELD THEORY AND COMPUTATIONAL ELECTROMAGNETICS I

| | |
|--|----|
| Numerical Modeling of Two-Dimensional Photonic Crystal Circuits Using Fourier Modal Method Based on Floquet Modes | 1 |
| <i>Kiyotoshi Yasumoto, Koki Watanabe</i> | |
| Time Domain FD-BPM for Calculating Pulse Propagation Properties of MMI Device with Photonic Crystal Structure | 7 |
| <i>Hiroshige Nihei, Chun-Ping Chen, Tetsuo Anada, Zhe Wang Ma</i> | |
| Research in the Spaceborne Meteorological Radar Equation | 11 |
| <i>Yanan Xie, Jianping Huan</i> | |
| Application of Micro-Genetic Algorithm for Artificial Anisotropy ADI-FDTD Method | 15 |
| <i>Yan Zhang, Shan-wei Lü, Jun Zhang</i> | |
| FDTD Analysis of H-Plane Forked T-Junction with Full-Height Ferrite of Arbitrary Shape | 20 |
| <i>S. X. Hu, S. Z. Zhu</i> | |
| Optimization of Radome Boresight Error Using Genetic Algorithm | 25 |
| <i>Hongfu Meng, Wenbin Dou, Kai Yin</i> | |

EM FIELD THEORY AND COMPUTATIONAL ELECTROMAGNETICS II

| | |
|--|----|
| Construction of Common Platform and Network Theory-Based Solver for Microwave Circuit Analysis –Practical Construction of 1-D Transmission Line Circuit – | 29 |
| <i>J. P. Hsu, T. Hiraoka, Y. Akimoto, T. Ogawa</i> | |
| An FETD Method for Wave guide Problems | 36 |
| <i>Kengo Taira, Seiji Fujino</i> | |
| Analysis of Coupling Efficiency for the Double Layer Shielding Cavity with Aperture | 40 |
| <i>Song Hang, Zhou Dong-fang, LIN Jing-yu, HU Tao, Niu Zhong-xia</i> | |
| Analysis of Effect of Sunrise on Shortwave Communication Using HF-Doppler Detection | 44 |
| <i>Yinghui Zhang, Yizhuo Wang, Jixiang Chen</i> | |
| The Measurements and Simulations of Millimeter Wave Propagation at 38ghz in Circular Subway Tunnels | 47 |
| <i>Hui Wei, Guoxin Zheng, Minghua Jia</i> | |
| Numerical Analysis of Bandwidth-Limited Slow Light in Fiber Gratings | 51 |
| <i>Yang Dan, Meng Yichao, Zhang Yufei, Song Dongjie, Huang Zhaoming</i> | |

PASSIVE DEVICES AND CIRCUITS I

| | |
|--|----|
| Separation of Coupling Coefficient Between Resonators into Magnetic and Electric Components Toward Its Application to BPF Development | 55 |
| <i>Ikuo Awai, Yangjun Zhang</i> | |
| A Balanced Multi-Layered CRLH TL with Defected Parallel Plates | 60 |
| <i>Koki Ishikawa, Yasushi Horii, Toshiaki Kitamura</i> | |

| | |
|---|-----------|
| Research on Rotatable Waveguide Junction at W Band | 64 |
| <i>L.Z You, W. B Dou, M.M He</i> | |
| A Novel Compact Stepped-Impedance Resonator Lowpass Filter | 66 |
| <i>Hua-Hong Wang, Yan-Yan Gao, Xue-Xia Yang, Xiao-Meng Sun</i> | |
| A Novel Spurline Bandstop Filter Using Defected Ground and Defected Microstrip Structures..... | 69 |
| <i>Chen Chao, WU Qun</i> | |
| Improvement of the Design of Switched-Line Phase Shifter | 72 |
| <i>Zheng Mao, Fan Yong</i> | |

PASSIVE DEVICES AND CIRCUITS II

| | |
|---|-----------|
| Recent Progress in Synthesis Techniques of Microwave Ultra-Wideband (UWB) Filters | 75 |
| <i>Chun-Ping Chen, Zhewang Ma, Tetsuo Anada, Peng Cai, Naoki Nagaoka</i> | |
| Tunable Notch Filters for DAA Implementation and Its Influence on UWB System Performance | 82 |
| <i>Yasuhisa Yamamoto, Keren Li, Kenichi Takizawa, Osamu Hashimoto</i> | |
| Analysis of Sub-Millimeter Wave Four-Port Quasi-Optical Circulator | 86 |
| <i>Junhua Zhang, Wenbin Dou</i> | |
| Fast Design and Optimization of Bandpass Tapped-Line Interdigital Filters Using GENESYS | 90 |
| <i>Chen Chao, WU Qun</i> | |
| Investigation and Design of K-band Broadband Frequency Doubler | 94 |
| <i>Yang Li, Fan Yong, Zhong Rui He</i> | |

ANTENNAS I

| | |
|--|------------|
| Dual Frequency Bands Series Feeding Antenna Array | 97 |
| <i>Botao Jiang, Junfa Mao</i> | |
| Wideband Millimeter-Wave Planar Antennas | 101 |
| <i>Keren Li</i> | |
| Design of a Millimeter-Wave Conformal Low Sidelobe Microstrip Antenna Array on A Cone Surface..... | 105 |
| <i>Min Liu, Zi-Rui Feng, Qun Wu</i> | |
| The Studies on Coupling Characteristics of Novel Defected Ground Structures | 109 |
| <i>Sheng Zhang, Fa-Lin Liu</i> | |
| Analysis and Design of Multi-Beam Antenna with Dielectric Spherical Lens at Millimeter-Wave Band..... | 113 |
| <i>Sen Chen, Wenbin Dou</i> | |
| Dual-Band Monopole Antenna for 2.45/5.8 GHz RFID Applications | 117 |
| <i>Gu Jianhui, Zhong Shunshi, Xue Linglong, Sun Zhu</i> | |

ANTENNAS II

| | |
|--|------------|
| SWB Planar Antenna Technology | 120 |
| <i>Zhong Shun-shi, Liu Jian-jun, Du Cheng-zhu, Xue Ling-long</i> | |

| | |
|---|-----|
| Bilaterally-Etched Cross Meander-line As an Electrically-Small Antenna at VHF Band | 125 |
| <i>Shinya Kashihara, Futosi Kuroki</i> | |
| A Novel Type of Rectangular-To-Radial Waveguide Transformer for RWSA at Ka-Band | 128 |
| <i>Xiaojing Liu, Wenbin Dou</i> | |
| A Millimeter-Wave Cylindrical Conformal Phased Microstrip Antenna Array | 131 |
| <i>Min Liu, Zi-Rui Feng, Qun Wu</i> | |
| Novel Differential Dual Frequency Antenna for Wireless Communication | 135 |
| <i>Liping Han, Wenmei Zhang, Jianhong Zuo, Jing Li</i> | |
| New Leaky Wave Antenna Based on Stub-Loaded Rectangular Waveguide Partially Filled With Left-Handed Material | 138 |
| <i>Pan Yongmei, Xu Shanjia</i> | |

WIRELESS AND MOBILE COMMUNICATION I

| | |
|---|-----|
| A Modified Backoff Algorithm for Ad Hoc Network | 142 |
| <i>Zhang Jiaqi, Chen Huimin</i> | |
| A RSSI-Based Location System in Coal Mine | 146 |
| <i>Tian Jinpeng, Shi Huichang, Guo Wenliang, Zhou Yifei</i> | |
| Application Research on 3G Complex Scrambling Code | 151 |
| <i>Fu Haiyang, Chen Yu</i> | |
| Orthogonal Frequency Division Multiplexing (OFDM) | 157 |
| <i>Waziha Kabir</i> | |
| Ultra-Narrowband Wireless Communication Technology Based on QVMCK Modulation | 164 |
| <i>Ji Wenli, Zheng Guoxin, Bao Minqi, Jiang Junchao</i> | |
| A New Detection Scheme for Layer Space-time Signals | 167 |
| <i>Wang Zhongpeng</i> | |

WIRELESS AND MOBILE COMMUNICATION II

| | |
|--|-----|
| BER Performance Analysis of Ultra-Narrowband Wireless Communication Technology Based on VMCK Modulation | 170 |
| <i>Bao Minqi, Zheng Guoxin, Ji Wenli, Jiang Junchao</i> | |
| A Modified Greedy Distance Routing Algorithm for Wireless Sensor Networks | 174 |
| <i>Q. Q. Shi, H. Huo, T. Fang, D. R. Li</i> | |
| A Comparative Study on Performance of Combining Methods for Half-Duplex Three-Node Cooperative Diversity Wireless Network | 178 |
| <i>Rao Wenyan</i> | |
| Approach on Calibration of Bluetooth Analyzer | 182 |
| <i>Zhan Zhiqiang, Lu Fumin</i> | |
| The Error of TD-SCDMA and It's Correction Schema | 186 |
| <i>Fu Haiyang, Xu Sheng</i> | |
| Coverage-Oriented Reliability and Lifetime of Wireless Sensor Network | 192 |
| <i>Hao-jie Lin, Yan-liang Jin, Zhu-ming Zhang, Xu-yuan Zhang, Zhen Zhang</i> | |

POSTER SESSION TPE1 (EM THEORY, ANTENNA AND COMPUTATION)

| | |
|--|------------|
| A Novel Dual Folded Microstrip Dipole Antenna | 197 |
| <i>Bi-Yong Dong, Ming Ye, Rui-Jin Lin</i> | |
| Analysis of Thin Wire Antenna using Time Domain Integral Formulation | 200 |
| <i>Yang Yang, Jingjing Huang, Ling Dong, Meng Ren, Jianguo He</i> | |
| Experimental Investigation of Wire Ring Self-Structuring Antenna | 203 |
| <i>Hongtao Zhang, Yingzeng Yin, Wenbo Wei</i> | |
| Evaluating RCS of 3D Objects Using FV-FD Hybrid Algorithm and the Parallel Implementation | 206 |
| <i>Deng Cong, YIN Wen-lu, CHAI Shun-lian, MAO Jun-jie, WANG De-ning</i> | |
| Fading Characteristics of Radio Propagation in One-Way Semicircular Subway Tunnel at 38GHz..... | 211 |
| <i>Jia Minghua, Zheng Guoxin, Wei Hui</i> | |
| Monopole Antenna Design Using a Genetic Algorithm with Dual-Band and Wideband Operations..... | 215 |
| <i>Guohua Zhao, Wenhui Shen, Mingliang Wu</i> | |
| On the Analysis of the Load Response of Lossy Transmission Line Excited by Plane Wave..... | 219 |
| <i>Qin Yujian, He Jianguo, Li Ying</i> | |
| Study of a Planar Spiral Antenna Used in Ground Penetrating Radar System | 224 |
| <i>Zhiwen Xiao, Jianguo He, Peiguang Liu</i> | |
| An Auto-Focus Algorithm for Missile-Borne SAR..... | 227 |
| <i>Qinyan Tan, Yaoliang Song</i> | |
| Optimal Design of Diffractive Antennas on Cylindrical Surface..... | 232 |
| <i>Igor V. Minin, Oleg V. Minin</i> | |
| RWG Method Based Design of Minkowski Fractal Loop Yagi Antenna..... | 236 |
| <i>Tu Zhen, Zhang Guangqiu, Xing Feng, Zhou Dongfang</i> | |
| Reflectance Retrieval from Lunar Surface Remote Sensing Image..... | 239 |
| <i>Li Xianhua, Zeng Qihong, Luo Qingzhou, Huang Rui, Shi Xiangyong</i> | |
| A New Model for Predicting the Characteristic of RF Propagation in Rectangular Tunnel | 242 |
| <i>Jia Minghua, Zheng Guoxin, Ji Wenli</i> | |
| The Current Distribution on Microstrip Lines Analyzed with Spectral Domain Approach..... | 245 |
| <i>Wang Wei, Chen Dan, Li Wencheng, Jiang Ze, Lan Zhongwen, Ji Hong</i> | |
| To Monitor the Snow Distribution and Influencing Factors in Northern Tibet of China Using SSM/I and NOAA/AVHRR Data | 249 |
| <i>Zhang Jiahua, Yao Fengmei, Wu Yang</i> | |
| Detection of Deep Convective Clouds Using AMSU-B and GOES-9 Data..... | 252 |
| <i>Zhu Yaping, Liu Jianwen, Cheng Zhoujie</i> | |
| Design of a Miniaturized Dual Band Koch Fractal Boundary Microstrip Antenna | 256 |
| <i>X. D Song., J.M Fu., W. Wang</i> | |
| Equivalent Model Parameters of Birefringent Fibre in Longitudinal Magnetic Field | 259 |
| <i>Shu Liu, ZhiDong Shi, Ye Bai, MingJia Li, Hua Chen</i> | |
| Feature Detection Based on Multiple Cyclic Frequencies in Cognitive Radios | 264 |
| <i>Liu Xiangzhen, Zhai Xuping</i> | |

| | |
|---|------------|
| Surface Modes in a Hollow Optical Fiber Including Negative Refraction Index | 268 |
| <i>LuFa Shen , ZiHua Wang</i> | |
| Scattering of Electromagnetic Plane Waves by Moving Objects in High Frequency | 272 |
| <i>Chonghua Fang, Xiaonan Zhao, NengHong Xia, Xing Fang</i> | |
| Modeling and Calculation of High Power Electromagnetic Pulse Interference on Radar | 275 |
| <i>Xiao Jinshi, Liu Wenhua, Zhang Shiyong, Zhang Jinhua, Xing Changfeng</i> | |

EM FIELD THEORY AND COMPUTATIONAL ELECTROMAGNETICS III

| | |
|--|------------|
| Non-Diffracting Bessel Beams at Millimeter and Sub-Millimeter Waves..... | 279 |
| <i>W. B. Dou , Y. Z. Yu</i> | |
| Application of the Least Square Method in the Plane Wave Synthesis Technique..... | 282 |
| <i>Yu Ding, Yang Lin, Fu Demin, Liu Qizhong</i> | |
| Different Shapes of Invisibility Cloaks..... | 286 |
| <i>Ding Jun, Liu Yang, Guo Chenjiang</i> | |
| Field Analysis of 3-D Optical Waveguide Step Discontinuity by Equivalent Network of Multi-Transmission Line and Multi-Port Ideal Transformer..... | 290 |
| <i>Yasuhiro Hasegawa, Takaharu Hiraoka, Hsu Jui-Pang</i> | |
| Optimizing Estimation of Target's Direction of Arrival after Disturbance Suppression by Exploiting Far Distance Cell's Data | 295 |
| <i>Gui Renzhou, Robert Weigel</i> | |
| Comprehensive analysis of Linear Wire Antennas with Maxwellian Circuits..... | 299 |
| <i>Mingliang Wu, Wenhui Shen, Guohua Zhao, K. K. Mei</i> | |

EM FIELD THEORY AND COMPUTATIONAL ELECTROMAGNETICS IV

| | |
|---|------------|
| SAR Imaging Simulation for an Inhomogeneous Undulated Lunar Surface Based on Triangulated Irregular Network..... | 302 |
| <i>Ya-Qiu Jin, Wenzhe Fa, Feng Xu</i> | |
| A New Algorithm for Millimeter-Wave Imaging Processing | 306 |
| <i>Z. Y Xu, W. B Dou , Z. X Cao</i> | |
| The Derivation and Correction of the Equivalent Radar Reflectivity Factor | 309 |
| <i>Jianping Huan, Yanan Xie</i> | |
| Distributed Electromagnetic Computation Based on .NET Remoting..... | 312 |
| <i>Wang Wen-ju, Ren Meng, Zhou Dong-ming, He Jian-guo</i> | |
| Load Balancing and Data Locality of the Near-Field Interaction in the Parallelization of MLFMA | 316 |
| <i>Wang XinGang, Tang HuaNing, Zhi XiaoLi, Ni WeiLi, Tong WeiQin</i> | |
| Implementation of Parallel Computing for Electromagnetic Scattering by Large Cavities..... | 319 |
| <i>Xue Xiaoyan, Zhi Xiaoli, Guo Hailing, Wang Xingang, Ni Weili</i> | |

PASSIVE DEVICES AND CIRCUITS III

| | |
|--|------------|
| Research Advances in SIW, HMSIW and FHMSIW..... | 323 |
| <i>Wei Hong</i> | |

| | |
|---|-----|
| Coplanar-Waveguide Quarter-Wavelength Resonator with Open Stubs for Miniaturizing High-Temperature Superconducting Bandpass Filter | 325 |
| <i>Kei Satoh, Shoichi Narahashi</i> | |
| Synthesis of Ultra-Wideband (UWB) Bandpass Filter with High-Performance | 329 |
| <i>Chun-Ping Chen, Naoki Nagaoka, Zhewang Ma , Tetsuo Anada</i> | |
| Doublet Modular for Design of Microwave Filters | 333 |
| <i>Wenqing He, Zhewang Ma, Chun-Ping Chen, Tetsuo Anada</i> | |
| C-Band Spatially Power Combiner Using Klopfenstein Tapered Slot Antenna Arrays in Waveguide | 337 |
| <i>Wu Jin, OuYang SiHua, Li YanKui, Yan YuePeng , Liu XinYu</i> | |
| Miniaturized Microstrip Lowpass Filter using Asymmetric Stepped-Impedance Hairpin Resonator and Slotted Ground Plane | 342 |
| <i>Lingyu Li, Haiwen Liu</i> | |

PASSIVE DEVICES AND CIRCUITS IV

| | |
|---|-----|
| Antennas and Microwave Passive Device Miniaturization Design and Realization by Left-Handed Metamaterials | 345 |
| <i>Qun Wu, Fan-Yi Meng, Fu Jiahui, Yang Guohui, Zhang kuang</i> | |
| Rat-Race Circuits with Loose Coupling Using Parallel Ring-Lines | 349 |
| <i>T. Kawai, H. Mizuno, T. Yamaguchi, I. Ohta</i> | |
| Compact Design Of a Sharp-Rejection Low-Pass Filter Using a Novel Defected Ground Structure | 352 |
| <i>Wang Huina, Li Guohui, Yan Jun</i> | |
| Design of a Microstrip UWB Bandpass Filter Having Sharp Attenuations and Wide Stopbands | 355 |
| <i>Koji Watanabe, Zhewang Ma, Chun-Ping Chen, Tetsuo Anada, Kato Masayuki, Yoshio Kobayashi</i> | |
| Miniaturized Planar 90° Hybrid Coupler with Unchanged Bandwidth Using Single Characteristic Impedance Line | 360 |
| <i>Vamsi Krishna Velidim, Amitabha Bhattacharya</i> | |
| Narrow-Band Band-Pass Filter for Application in High Selectivity Receiver of Nonlinear Junction Detector | 364 |
| <i>Slawomir Gruszczynski, Krzysztof Wincza, Jan Borgosz</i> | |

ANTENNAS III

| | |
|--|-----|
| RF MEMS and its Applications in Microwaves and Millimeter Waves | 368 |
| <i>Shouzheng Zhu</i> | |
| A Miniature Circular Disc Monopole UWB Antenna with a Tapered Feed Line and a Circular Ground | 372 |
| <i>Yangjun Zhang, Tomonori Nakata, Toyokatsu Miyashita</i> | |
| Flat Lens Antenna with Antireflection Layers Based on Artificial Dielectrics | 376 |
| <i>Seiji Kida, Ikuo Awai</i> | |
| Compact Monopulse Antenna with Low Sidelobe at Ka-band | 380 |
| <i>Fanrui Meng, Wenbin Dou</i> | |
| Modeling and Design of a Novel Backward-Wave CPW-Antenna Based on Negative Refractive Index | 384 |
| <i>Abdelaziz Hamdi, Abdelaziz Samet</i> | |

| | |
|--|------------|
| The Application Research about the Smart Antenna in the TD-SCDMA Standard | 388 |
| <i>Fu Haiyang, Han Youcai</i> | |

SPACE SOLAR POWER STATION AND RECTANNAS

| | |
|--|------------|
| A 5.8GHz-Band Active Integrated Phased Array Antenna with Wireless Communication and Power Transmission Functions for Space and Satellite Use | 393 |
| <i>Shigeo Kawasaki, Shigeaki Kawai, Takeshi Yamamoto, Kaori Takei, Harunobu Seita</i> | |
| Design and Analysis of an Overmoded Slow Wave Structure for High Power Terahertz BWO..... | 397 |
| <i>Hai Zhang, Jianguo Wang, Changjiang Tong</i> | |
| A Simple T-shaped Wide-band Slot Antenna for Rectenna System | 402 |
| <i>Fang Zhang, Qun Wu, Jong-Chul Lee</i> | |
| An LTCC Phase Shifter with an SPDT Switch for a 5.8GHz-Band Active Integrated Phased Array Antenna | 405 |
| <i>Kiyotaka Yamashita, Takeshi Yamamoto, Harunobu Seita, Eri Shimane, Kimiya Komurasaki, Shigeo Kawasaki</i> | |
| A High Gain Printed Dual-Loop Antenna Fed by CPS with Broad Beam | 408 |
| <i>Xiao-Meng Sun, Yan-Yan Gao, Xue-Xia Yang, Hua-Hong Wang</i> | |
| Study of Damage Mechanism of High Power Microwave on Electronic Equipments | 412 |
| <i>Xiao Jinshi, Liu Wenhua, Zhang Shiyong, Zhang Jinhua, Xing Changfeng</i> | |

POSTER SESSION FPE1 (MICROWAVE DEVICES AND CIRCUITS)

| | |
|---|------------|
| 10GHz Low-Noise CMOS VCO for Radar Receiver | 416 |
| <i>MengLing Qin</i> | |
| Preparation of Papers in Two-Column Format for the Proceedings of the 2004 Sarnoff Symposium..... | 419 |
| <i>Laura Hyslop</i> | |
| Characterization of Crosstalk Effects in Double-Walled Carbon Nanotube (DWCNT) Bundle Bus Architecture | 422 |
| <i>ShaoNing Pu, JunFa Mao</i> | |
| New Microstrip Low Pass Filter with Transmission Zero and Wide Stopband | 426 |
| <i>Jian-Kang Xiao, Qing-Xin Chu, Hui-Fen Huang</i> | |
| Ultra Low Noise Dielectric Resonators Oscillators with Tuning at Ku Band..... | 429 |
| <i>Liang Zhou, Zhuo Wu, Rui Chu, Jun-Fa Mao</i> | |
| A Ku-Band Hairpin Filter Based on LTCC Technology | 433 |
| <i>Yinqiao Li, Le Hu, Jiechen Chen, Yuanchun Fei</i> | |
| A Monolithic 10 Gb/s Clock and Data Recovery Circuit..... | 436 |
| <i>Hou Fenfei, Cao Xiaowei</i> | |
| New Anisotropic Metamaterial Structure with a Broader Negative Refractive Bandwidth | 440 |
| <i>ZhengPing Wang, ZhenHui Zhang, Ma Jie, Zhen Ming Wang, Yue Kun Wang</i> | |
| Fundamentals of Left-Handed Material Single Layer Wave-Absorbers Design..... | 446 |
| <i>ZhengMing Wan, ZhenHui Zhang, ShiMing Qin, ZhenMing Wang, YueKun Wang</i> | |
| Study of the Narrowband Low-Loss Miniaturization HTS Diplex..... | 450 |
| <i>Lai Jinming, Yang kai, Ning Junsong, Sun Huijun, Fan Shaodong</i> | |

| | |
|---|-----|
| Dynamic Self-Shielding Bus Encoding for Signal Integrity Enhancement and Low Power in NOCs | 453 |
| <i>Liu Cai-Xia, Shi Feng, Zhang Hong-Li</i> | |
| A New Dynamic Frame Slotted ALOHA-Algorithm for Anti-Collision in RFID Systems | 457 |
| <i>Zhang Yuping, Zhao Dongdong</i> | |
| Analysis of Shielding Effectiveness of Monolayer and Double Layer Cement Shield Rooms to HEMP | 460 |
| <i>Guo Fei, Zhou Bihua</i> | |
| Concept of Near-Field Millimeter-Wave Imaging System with a Spatial Resolution beyond the Abbe Barrier | 464 |
| <i>I. V. Minin, O. V. Minin</i> | |
| Dual-Band BPF Composed of Doubly-Coupled $\lambda/2$ and $\lambda/4$ SIRs for WLAN Applications | 468 |
| <i>Haohung Ho, Minhua Ho, Wanchu Hong</i> | |
| Dual-frequency Scattering Measurement System for Radar Cross- Section Imaging | 471 |
| <i>Hu Weidong, Sun Houjun, Fu Pengcheng, Lv Xin</i> | |
| Measurement of Complex Electromagnetic Properties of Ferrite Powders and Fluids | 476 |
| <i>László Jakab, Gergely Károlyi, Ferenc Lénárt</i> | |
| The Design of Coaxial Microwave Amplitude Equalizer | 481 |
| <i>Gu Jihui, Zhu Yinxia, Zhou Hong, Zhou Xiaomin, Yang Yifei</i> | |
| Triangular Patch Resonator Bandpass Filter with Higher Order Mode Operation | 485 |
| <i>Xiao JianKang, Chu QingXin, Huang HuiFen</i> | |
| Precise Measurement of Low Loss Dielectric Materials Using Quasi-optical Cavity Technique | 489 |
| <i>Juan Zhang, Guohui Li, Deming Xu</i> | |
| Ultra-Wideband Measurement of the Dielectric Constant and Loss Tangent of Concrete Slabs | 492 |
| <i>Yizhu Shen, Choi Look Law, Wenbin Dou</i> | |
| Design of Lowpass Filter Using Complementary Open-Loop Resonators | 496 |
| <i>Li Xiaowei, Li Guohui, Wang Huina, Jiang Xinhua</i> | |
| A Highly Efficient Feed-Forward Doherty Amplifier with Improved Group-delay performance | 499 |
| <i>Zheng Qing, Yan bo</i> | |
| Multilayer Surface-mount 3dB Directional Coupler for Application in Balanced Modulators | 502 |
| <i>Slawomir Gruszczynski, Krzysztof Wincza, Jan Borgosz</i> | |
| A Novel Compact Ultra-Wideband Bandpass Filter Using Microstrip Stub-Loaded Tri-Mode Resonator | 506 |
| <i>Hong-Hong Hu, Zhong-Yin Xiao, Shan Gao</i> | |
| Determining Minimum Embedding Dimension in Short Time Series using Precisely Averaged False-nearest-neighbors Approach | 509 |
| <i>Li Zhao, Nian Fang, Lutang Wang, Ying Wang, Zhaoming Huang</i> | |
| An Improved Memory Management Method of uC/OS-II | 513 |
| <i>Zhang Jiawen, Hong Liang, Lu Xiaofeng</i> | |

NOVEL OPTOELECTRONICS AND PHOTONIC DEVICES I

| | |
|---|-----|
| A Micro-displacement Sensor Based on Cladding Mode Resonance of Optical Special Fiber | 516 |
| <i>Wenbin Liang, Fufei Pang, Na Chen, Zhenyi Chen, Tingyun Wang</i> | |
| Coupled-Mode Analysis of a Metal-Coated Planar Waveguide with a Corrugated Long-Period Grating | 519 |
| <i>Florence Y. M. Chan, Kiyotoshi Yasumoto</i> | |
| Cladding Mode Resonance Based Fiber for Temperature Measurement | 524 |
| <i>Wenchao Xiang, Fufei Pang, Hairun Guo, Na Chen, Zhenyi Chen, Tingyun Wang</i> | |
| A Highly Birefringent Photonic Bandgap Fiber with Squeezed Modified Honeycomb Cladding | 527 |
| <i>Y. Y. Xiao</i> | |
| Polarization Evolution of Polarization Modulation Effects in Semiconductor Optical Amplifiers | 531 |
| <i>Wang Chunhua, Gao Changliang, Zhang Yufei, Jiang Zhili, Huang Zhaoming</i> | |
| Theoretical Analysis of Fiber-Optic Evanescent Wave Sensors | 536 |
| <i>Jianqing Lu, Zhenyi Chen, Fufei Pang, Tingyun Wang</i> | |

NOVEL OPTOELECTRONICS AND PHOTONIC DEVICES II

| | |
|--|-----|
| A Scheme of Yielding Tunable Millimeter-Wave Based on Stimulated Brillouin Scattering | 541 |
| <i>Haoshuo Chen, Rujian Lin, Jiajun Ye</i> | |
| Optimum Design of Asymmetric Birefringent Interleaver Based on FIR Digital Filter Design Technique | 545 |
| <i>Xiaowei Yang, Juan Zhang</i> | |
| Research on the FWM of optical CDMA Transmission System | 549 |
| <i>Hou Fenfei, Sun Xiaohan</i> | |
| Study on the Existence of Band Gaps for the Transverse Mode in 2D Piezoelectric Phononic Crystals from a Point View of Connectivity | 553 |
| <i>Zheng-Hua Qian, Feng Jin, Kikuo Kishimoto, Zikun Wang</i> | |
| Distributed Fiber Optic In-Line Intrusion Sensor System | 558 |
| <i>Dongjian Jia, Nian Fang, Lutang Wang, Zhaoming Huang</i> | |
| Low-Loss Fiber-Optic Intrinsic Fabry-Perot Micro-Cavity Interferometric Sensor | 562 |
| <i>Na Chen, Ping Xu, Fufei Pang, Tingyun Wang, Xianglong Zeng, Zhenyi Chen</i> | |

NOVEL DEVICES AND CIRCUITS

| | |
|---|-----|
| Cryogenic Receiver Front-End for Mobile Base Stations | 566 |
| <i>Shoichi Narahashi, Kei Satoh, Kunihiro Kawai, Daisuke Koizumi</i> | |
| Design of Highly Linear, 1GHz 8-bit Digitally Controlled Ring Oscillator with Wide Tuning Range in 0.18um CMOS Process | 570 |
| <i>R. K. Pokharel, A. Tomar, H. Kanaya, K. Yoshida</i> | |
| Time-Domain Analog Front-End for UWB WLAN Transform-Domain Receiver | 574 |
| <i>Mohamed Zebdi, Daniel Massicotte</i> | |
| High Linearity 5.2 GHz Power Amplifier MMIC Using the Linearizer Circuit | 580 |
| <i>Chia Song Wu, Chien Huang Chang, Hsing Chung Liu, TingYu Ko, Hsien Chin Chiu</i> | |

| | |
|---|-----|
| A Compact 20-35 GHz Quadrature Coupler using 0.15μm pHEMT Coplanar Waveguide Technology | 583 |
| <i>CheYu Kuo, ChiaShih Cheng, CheYen Huang, PoYu Ke, HsienChin Chiu, Jeffrey S. Fu</i> | |
| A Wafer-Scale Packaging for RF DMTL Phase Shifter | 587 |
| <i>Wu Qun, Jin Luikui, Tang Kai, He Xunjun, Yang Guohui, Fu Jiahui</i> | |

RADAR AND MICROWAVE REMOTE SENSING

| | |
|---|-----|
| The Time-Domain Scattering Characteristics Analysis of the Typical Satellites in Different Space Attitudes | 591 |
| <i>Zeng Rui, Li Mingzhi, Zhou Lezhu</i> | |
| NRD Guide Pulse Radar Front-End for Range Estimation at 60 GHz | 596 |
| <i>Kazuya Takayama, Futoshi Kuroki, Tsukasa Yoneyama</i> | |
| Compact Microwave Transmitter on board a Pico-satellite for Atmospheric Water Vapor Observations | 601 |
| <i>Masanori Nishio, Tsutomu Tokifuji, Hideki Ujihara</i> | |
| The Re-Radiation Characteristics Of Nonlinear Target in Harmonic Radar Detection | 605 |
| <i>LU Rong, WANG Hai-yong</i> | |
| Simulation on Retrieving of Atmospheric Wet Path Delay by Microwave Radiometer on HY-2 Satellite | 609 |
| <i>Zhenzhan Wang, Dehai Zhang</i> | |
| Synthetic Digital Correlation for Combined Polarimetric Microwave Remote Sensing | 613 |
| <i>Zhao Heng-kai, Chen Hui-min, Wu You-yong, Chen Yi-feng</i> | |

MICROWAVE CIRCUITS AND APPLICATIONS

| | |
|---|-----|
| Bilaterally Metal-Loaded Tri-Plate Transmission Line (BIT Line) As a Low-Loss Printed Transmission Line at Millimeter-Wave Frequencies | 617 |
| <i>Futoshi Kuroki, Ryo-ji Tamaru, Ryo-ta Masumoto, Yu-suke Omote</i> | |
| Transverse Surface Waves in a Functionally Graded Piezoelectric Half-Space with a Hard Dielectric Layer | 621 |
| <i>Zheng-Hua Qian, Feng Jin, Kikuo Kishimoto</i> | |
| UHF RFID Tag Antenna Mounted on Metallic Objects | 626 |
| <i>Wang Hongwei, Tan Jie, Yu Wensheng</i> | |
| A Noninvasive Heart Beat Stimulation and Regularization System using Pulsed Microwaves | 629 |
| <i>Lekshesh V. Prabhu, S. Shabu, A. Sukesh Kumar</i> | |
| Analysis of Microwave Electromagnetic Compatibility in Shielding Electronic System | 633 |
| <i>Song Hang, Rao Yu-ping, Shao Ying, Zhou Dong-fang, Hu Tao, Niu Zhong-xia</i> | |
| The Study on the Configuration of Sensor Probe to Measure the Stem Water Content | 638 |
| <i>Hailan Wang, Chenxiang Bai, Yandong Zhao</i> | |

MEASUREMENT TECHNIQUES

| | |
|---|-----|
| Evaluation of the Millimeter-Wave Characteristics of Dielectric Substrates by using Whispering Gallery Mode Resonators | 642 |
| <i>Yoshinori Kogami, Takashi Shimizu, Satoru Osawa, Naoaki Abe</i> | |

| | |
|--|-----|
| Measurement of Complex Permittivity of Dielectrics at High Temperatures by Using Cylindrical Cavity | 646 |
| <i>En Li, Zhongping Li, Zaiping Nie, Qishao Zhang, Fengmei He, Gaofeng Guo</i> | |
| Calculation of Transmission Characteristics in Microstrip and Coplanar Lines Using Copper-Clad Glass Cloth Dielectric Laminate Substrates | 649 |
| <i>Ryouhei Yoshitomi, Yoshio Kobayashi, Zhewang Ma, Masayuki Kato</i> | |
| Research on Improving Resolution for Near-Field Millimeter Wave Imaging with Artificial Noise | 653 |
| <i>Lu Kai, Qiu Jinghui, Zhuang Zhong, Wang Nannan</i> | |
| Resonator Technique Applied to Dielectric Measurement of Non-Planar Dielectric Objects at Millimeter Wavelengths | 657 |
| <i>Y. F Gui , W. B. Dou , K. Yin</i> | |
| Numerical Simulation of Ellipsometry Measurement in Millimeter-Wave Band | 662 |
| <i>Yang Xianwang, Ji Minning, Li Mingxiang</i> | |

POSTER SESSION FPE2 (COMMUNICATION AND OPOTELECTRONICS)

| | |
|---|-----|
| An Architecture of Wavelength-Utilizing Rate Doubled WDM-PON | 666 |
| <i>Yang Zhou, Chaoqin Gan</i> | |
| A Hybrid Lamb Wave Tomography Method Combining Traveltime and Waveform Data | 670 |
| <i>Zhang Haiyan, Sun Xiuli, Qi Xuerui, Liu Xiao, Lu Donghui</i> | |
| Application of Genetic Algorithm in Energy-Efficient Routing | 674 |
| <i>Guo Wenliang, Shi Huichang, Yan Jun, Zhou Yifei</i> | |
| Lamb Wave Tomography Combining Simulated Annealing and Simultaneous Iterative Reconstruction Technique | 678 |
| <i>Zhang Haiyan, Sun Xiuli, Qi Xuerui, Fan Shixuan, Liu Xiao, Lu Donghui</i> | |
| Design of the Host Port Interface for Communication Based on DSP TMS320VC5402 | 682 |
| <i>Guo Gai zhi, Zhang Pengju, Zhao Xinran</i> | |
| Blind Equalization for Single Carrier Frequency Domain Equalization with Low Complexity | 685 |
| <i>Xin Wang</i> | |
| Statistical Depolarization of Cascaded Fiber Rings | 689 |
| <i>Zhang yufei, Wang chunhua, Yang dan</i> | |
| Subwavelength Diffractive Photonic Crystal Lens | 693 |
| <i>Igor Minin, Oleg Minin, Viktor Kotlyar, Ya.Triandafilov</i> | |
| An Adaptive Detection Scheme for Iteratively Decoded Bit-Interleaved Coded Modulation | 695 |
| <i>Xuelan Zou, Weiyang Liu, Xiaohua He, Xin Wang</i> | |
| Performance Analysis of MPLS Protocols over Conventional Network | 700 |
| <i>Arifur Rahman, A.H.Kabir, K. A. M. Lutfullah, Z.Hassan, M. R. Amin</i> | |
| Stable Quarter Wave Plate Made by Holey Birefringent Fiber | 704 |
| <i>MingJia Li, ZhiDong Shi, Shu Liu, Ye Bai, Hua Chen</i> | |
| Design of Dual-Frequency Wilkinson Power Divider with Genetic Algorithm | 709 |
| <i>Wang Wei, Li Wencheng, Chen Dan, Zhang Kai</i> | |
| Research for the Embedded WEB Server | 713 |
| <i>WU Min-hua</i> | |

| | |
|--|-----|
| Research for Intelligent Teaching Aid Base on ARM7 | 717 |
| <i>WU Min-hua</i> | |
| Modeling of a Dual-Channel Polarization Optical Transmission System with SOA-Based All-Optical Polarization Modulations | 721 |
| <i>Ying Wang, Lutang Wang, Nian Fang, Zhaoming Huang</i> | |
| Special Environment Embedded Surveillance Platform | 725 |
| <i>Yong Guan, Jie Zhang, Yuanyuan Shang, Minhua Wu, Yu Liu</i> | |
| Study on Dynamic Wavelength Assignment in Condition of Finite ONUs Based on Priority Rotation in WDM-PON | 730 |
| <i>Lei Shi, Chaoqin Gan</i> | |
| Theoretical Analysis of Optical Fiber EFPI Sensor Performance for Detecting Lamb Waves | 734 |
| <i>Zhang Haiyan, Sun Xiuli, Qi Xuerui, Liu Xiao, Lu Donghui</i> | |
| The Localization Algorithm Based on On-Line Training RSSI in WSNs | 738 |
| <i>Zhou Yifei, Yan Jun, Shi Huichang, Guo Wenliang</i> | |
| Ultrasonic Lamb Wave Inspection Using Fiber Bragg Gratings | 742 |
| <i>Zhang Haiyan, Sun Xiuli, Qi Xuerui, Liu Xiao, Lu Donghui</i> | |
| Wireless Intelligent Monitoring System Based on Police Dog | 746 |
| <i>Bo You, Ning Tang, Jun Xu</i> | |
| Wormhole Router Design Based on IEEE-1355 Standard in Rugged Environment | 750 |
| <i>Jie Zhang, Jian Zhang, Yong Guan, Yuan-Yuan Shang, Xu-min Liu</i> | |
| A Novel Laser with Tunable and Stable Degree of Polarization | 754 |
| <i>Nian Fang, Lutang Wang, Zhaoming Huang</i> | |
| On Performance of Sphere Decoder Joint Detection Algorithm for MIMO LAS-CDMA System | 757 |
| <i>Rao Wenyan</i> | |
| MF-TDMA Optimal Timeslot Allocation Algorithm | 761 |
| <i>Tao Zhang, Qijia Dong, Jun Zhang</i> | |
| Feasibility and Improvement Scheme Research on WCDMA HSDPA | 766 |
| <i>Fu Haiyang, Gao Manyi</i> | |
| Author Index | |