

2008 International Conference on

# **Numerical Simulation of Optoelectronic Devices**

## **NUSOD '08**



The University of  
**Nottingham**

Technical Co-Sponsor: The IEEE Lasers and Electro-Optics Society  
IEEE Catalog Number: CFP08817-PRT ISBN: 978-1-4244-2307-1

# Table of Contents

**Monday, 1 September 2008**

## **MA Wurtzite Materials and Devices**

- MA1 (Al,In)GaN laser diodes in spectral, spatial, and time domain: near-field measurements and basic simulations  
*Ulrich T. Schwarz, Regensburg University, Germany* p. 1
- MA2 Optical properties of strain-compensated hybrid InGaN/InGaN/ZnO quantum well light-emitting diodes  
*S.-H. Park (1), S.-W. Ryu (1), J.-J. Kim (1), W.-P. Hong (1), H.-M Kim (1), J. Park (2), and Y.-T. Lee (3); (1) Catholic University of Daegu, Korea; (2) Korea Institute of Industrial Technology, Korea; (3) Gwangju Institute of Science and Technology, Korea* p. 3
- MA3 Interplay of screening and band gap renormalization effects in near UV InGaN light emitting diodes  
*H. Wenzel (1), A. Knauer (1), T. Kolbe (2) and M. Kneissl (2); (1) Ferdinand-Braun-Institute Berlin, Germany; (2) Technical University Berlin, Germany* p. 5
- MA4 AlGaN/GaN based electroabsorption modulator operating at fiber-optics telecommunication wavelengths  
*Asghar Asgari (1,2) , N. Tahmasebiazad (1); (1) University of Tabriz, Iran; (2) University of Western Australia, Australia* p. 7
- MA5 Ab initio and full-zone k\*p computations of the electronic structure of wurtzite BeO  
*Alberto Marnetto (1), Michele Penna (1), Francesco Bertazzi (1,2), Enrico Bellotti (2) and Michele Goano (1); (1) Politecnico di Torino, Italy; (2) Boston University, USA* p. 9

## **MB Distributed Feedback Lasers**

- MB1 Perspective on Device Modelling and Simulation in an Optoelectronics Fab (**invited**)  
*Stephen K Jones, Andrew J Ward, David J Bazley, and Ian G Knight; Bookham, UK* p. 11

- MB2 Properties of Laterally-Coupled Distributed Feedback Lasers with Higher Order Gratings  
*Ronald Millett, Henry Schriemer, Trevor Hall, and Karin Hinzer; University of Ottawa, Canada* p. 13
- MB3 A new Technique for Simulating Semiconductor Laser Resonators  
*Britta Heubeck and Christoph Pflaum; University of Erlangen-Nuremberg, Germany* p. 15
- MB4 Laterally-corrugated ridge-waveguide distributed feedback lasers for 980nm  
*Antti Laakso, Jukka Viheriälä, Mihail Dumitrescu, Juha Tommila, Kimmo Haring, Tomi Leinonen, Sanna Ranta and Markus Pessa; Tampere University of Technology, Finland* p. 17
- MB5 Dynamic Internal Optical Field Patterns for Self-Pulsating Two-Section DFB Lasers  
*Jer-Shien Chen (1), Hong-Chang Kung (2), San-Liang Lee (3), and Hen-Wai Tsao (1); (1) National Taiwan University, Taiwan; (2) Tung Nan Institute of Technology, Taiwan; (3) National Taiwan University of Science and Technology, Taiwan* p. 19

## **MP Posters**

- MP2 Near-field Coupling Between Disk- or Ring-shaped Nano Recording Marks in Phase-change Material  
*K. P. Chiu (1), K. F. Lai (1), Y. S. Chen (1), D. P. Tsai (1,2,3); (1) National Taiwan University, Taiwan; (2) Academia Sinica, Taiwan; (3) National Taiwan Normal University, Taiwan* p. 21
- MP3 Performance Analysis of Layered and Blended Organic Light-Emitting Diodes  
*Jongwoon Park (1), Seounghwan Park (2), Dongchan Shin (3), and Deahee Park (4); (1) Korea Institute of Industrial Technology, Korea; (2) Catholic University of Daegu, Korea; (3) Chosun University, Korea; (4) Wonkwang University, Korea* p. 23
- MP4 Current Self-Distribution Effects in Oxide-Confining VCSELs  
*J. Mulet (1), S. Balle (1), J. Arias (2), V. Martin-Heriz, I. Esquivias (3); (1) IMEDA, Spain; (2) Univ. Miguel Hernandez, Spain; (3) Politechn. Univ. Madrid, Spain* p. 25
- MP5 The Design of Continuous Curvature Waveguides  
*R. N. Sheehan (1,2) and F. H. Peters (1,2); (1) University College Cork, Ireland; (2) Tyndall National Institute, Ireland* p. 27

- MP6 Numerical Analysis of Gain-Switched Quantum Dot Lasers  
*G. A. P. Thé; Politecnico di Torino, Italy* p. 29
- MP7 Dark current simulation of InP/InGaAs/InP p-i-n photodiode  
*X. D. Wang, W. D. Hu, X. S. Chen, W. Lu, H. J. Tang, T. Li, and H. M. Gong; Shanghai Institute of Technical Physics, China* p. 31
- MP8 All-Optical Five-Functional Logic Generator by Using Semiconductor Optical Amplifiers  
*Kyoung Sun Choi (1,2), Young Min Jhon (1), Seok Lee (1) and Jinwoo Park (2); (1) Korea Institute of Science and Technology, Korea; (2) Korea University, Korea* p. 33
- MP11 Diffraction Limited Beam From an Anti-Phase Mode of a Coherent Array Using a Long Period Grating Coupler  
*Iulian Petrescu-Prahova, Intense HPD, USA* p. 35
- MP13 Based Simulation of High Gain and Low breakdown voltage InGaAs/InP Avalanche photodiode  
*W. Lei (1), F. M. Guo (1), W. Lu (2), D. Y. Xiong (1), Z. Q. Zhang (1), J. H. Chu (1);(1) East China Normal University, China; (2) National Laboratory for Infrared Physics, China* p. 37
- MP14 Simulation and design consideration of photoresponse for HgCdTe infrared photodiodes  
*W. D. Hu, X. S. Chen, Z. J. Quan, Z. F. Li, Q. J. Liao, Z. H. Ye, X. N. Hu, and W. Lu; Shanghai Institute of Technical Physics, China* p. 39
- MP16 Influence of lateral growth on the optical properties of GaN epitaxial layers  
*Zhiyuan Gao, Yue Hao, Jinfeng Zhang, Peixian Li, and Jincheng Zhang; Xidian University, China* p. 41

## Tuesday, 2 September 2008

### TuA Novel Devices

- TuA1 TiberCAD: Towards multiscale simulation of optoelectronic devices  
**(invited)**

*Matthias Auf der Maur, M. Povolotskyi, F. Sacconi, A. Pecchia,  
G. Romano, G. Penazzi and A. Di Carlo; University of Rome, Italy* p. 43

- TuA2 Computations for the Design of an Integrated Surface Acoustic Wave  
Controlled Semiconductor Optical Source

*Q. Meng, F. Causa and J. Sarma; Univ. of Bath, UK* p. 45

- TuA3 Two Models for Electro-Magnetic Wave Amplifier by Utilizing Traveling  
Electron Beam

*Hesham Fares (1), Minoru Yamada (1), Yuji Kuwamura (1) Masahiro  
Asada (2); (1) Kanazawa University, Japan; (2) Tokyo Inst. of Tech.,  
Japan* p. 47

- TuA4 Numerical Investigation of Power Tunability in Two-Section QD  
Superluminescent Diodes

*Mattia Rossetti, Paolo Bardella, Ivo Montrosset;  
Politecnico di Torino, Italy* p. 49

- TuA5 Simulation of EM wave propagating in a nanowire-base localized surface  
plasma resonance sensor

*Bing-Hung Chen, Po-Han Chen; National Dong Hwa University,  
Taiwan* p. 51

### TuB Photonics & Fiber Optics

- TuB1 Nonreciprocal Polarization Converter Consisting of Asymmetric  
Waveguide with Ferrimagnetic Ce:YIG

*Tomohiro Amemiya, Takuo Tanemura and Yoshiaki Nakano; Univ. of  
Tokyo, Japan* p. 53

- TuB2 A Novel Finite-Element Formulation Applied to Wave Propagation in  
Optically Large Structures

*Martin Loeser and Bernd Witzigmann, ETH Zurich, Switzerland* p. 55

- TuB3 Convergence Analysis of Pad'e Interpolation for Extracting Large Quality  
Factors in Photonic Crystal Double Heterostructure Resonant Cavities  
*Adam Mock and John O'Brien,  
University of Southern California, USA*

p. 57

- TuB4 On the compression of ultrashort optical pulses beyond the slowly varying envelope approximation  
*Monika Pietrzyk, I. Kanattsikov and Ayhan Demircan; Weierstrass Institute Berlin, Germany* p. 59
- TuB5 On the Fractional Order Model of EDFAs with ASE  
*Zoran D. Jeličić (1) and Nebojša Petrovački (2); (1) University of Novi Sad, Serbia; (2) McCrometer-Danaher Corporation, USA* p. 61
- TuB6 Mueller Matrix based Modeling of Nonlinear Polarization Rotation in a Tensile-Strained Bulk SOA  
*Michael J. Connelly and Li-Qiang Guo; University of Limerick, Ireland* p. 63

## **TuC High-Brightness Lasers**

- TuC1 Dynamic simulation of high brightness semiconductor lasers (**invited**)  
*Mark Lichtner (1), M. Radziunas (1), U. Bandelow (1), M. Spreemann (2), and H. Wenzel (2); (1) Weierstrass Institute, Germany; (2) Ferdinand Braun Institute, Germany* p. 65
- TuC2 Design of 1060 nm Tapered Lasers with Separate Contacts  
*H. Odriozola (1), J. M.G. Tijero (1), I. Esquivias (1), L. Borruel (1), A. Martín-Mínguez (1), N. Michel (2), M. Calligaro (2), M. Lecomte (2), O. Parillaud (2), and M. Krakowski (2); (1) Universidad Politécnica de Madrid, Spain; (2) Alcatel-Thales III-V Lab, France* p. 67
- TuC3 Analysis of thermal performance of InGaP/InGaAlP quantum wells for high-power red laser diodes  
*Bocang Qiu, Stewart McDougall, Dan Yanson; Intense Ltd., UK* p. 69
- TuC4 A Generalised Rate Equation Model for Moderately Broad Area Laser Diodes and its Application to High-Power Lasers with Selective Quantum-Well Intermixing For Improved Beam Quality  
*E.A. Avrutin (1), B.M. Russell (1), D. Yanson (2); (1) University of York, UK; (2) Intense Ltd., UK* p. 71
- TuC5 Self-Consistent Modeling of Edge-Emitting GaInP/AlGaInP Red Lasers  
*J. M.G. Tijero (1), H. Odriozola (1), I. Esquivias (1), A. Martín-Mínguez (1), P. Brick (2), M. Reufer (2), M. Bou Sanayeh (2), A. Gomez-Iglesias (2), and N. Linder (2); (1) Universidad Politécnica de Madrid, Spain; (2) Osram Opto Semiconductor, Germany* p. 73

## **Wednesday, 3 September 2008**

### **WA Photodetectors & Solar Cells**

- WA1 Accurate modelling of Quantum Well Infrared Photodetectors by FDTD  
**(invited)**  
*G. Bellanca (1), S. Trillo (1), L. Stabellini (2), W. Lu (2), A. De Rossi (2),  
T. Antoni (3), M. Carras (3);  
(1) University of Ferrara, Italy; (2) Thales Research and Technology,  
France; (3) Alcatel-Thales III-V Lab, France* p. 75
- WA2 Optical absorption and quantum efficiency in the resonant-cavity detector  
with anomalous dispersion layer  
*S. V. Gryshchenko (1), A. A. Dyomin (1), V. V. Lysak (2),  
I. A. Sukhoivanov (3); (1) Kharkov National University of Radio  
Electronics, Ukraine; (2) Gwangju Institute of Science and Technology,  
Korea; (3) University Guanohuato, Mexico* p. 77
- WA3 Effects of Carrier Escape and Capture Processes on Quantum Well Solar  
Cells  
*Chin-Yi Tsai (1) and Chin-Yao Tsai (2); (1) National University of  
Kaohsiung, Taiwan; (2) E-Ton Solar Technology, Taiwan* p. 79
- WA4 2D Simulation of Planar InP/InGaAs Avalanche Photodiode with No Guard  
Rings  
*S. A. Malyshev, A. L. Chizh, and Y. G. Vasileuski; Stepanov Institute of  
Physics, Belarus* p. 81
- WA5 Theoretical Study of Separate Absorption, Grading, Charge, and  
Multiplication InGaAs/InP Single Photon Avalanche Diode  
*L. Lin, W. J. Wang, N. Li and W. Lu; Shanghai Institute of Technical  
Physics, China* p. 83

### **WB Vertical-Cavity Lasers**

- WB1 Effect of vertical cavity mode order on surface normal coupling efficiency  
*S. Mahnkopf, D.A. Louderback, D. Kumar, and P.S. Guilfoyle; Opticomp  
Corporation, USA* p. 85
- WB2 Transverse Optical Mode Analysis of Long-wavelength VCSELs for High  
Single-Mode Power Operation  
*Alexandra Baecker (1), Stefan Odermatt (2), Rafael Santschi (2),  
Friedhard Roemer (1), Bernd Witzigmann (1), Paul Royo (3), Vladimir  
Iakovlev (3), Andrei Caliman (3), Alexandru Mereuta (3), Alexei Syrbu (3),*

*and Eli Kapon (3,4); (1) ETH Zurich, Switzerland; (2) Synopsys Switzerland LLC, Switzerland; (3) BeamExpress SA, Switzerland; (4) EPFL Lausanne, Switzerland* p. 87

- WB3 High Speed VCSELs With Separated Quantum Wells  
*V. V. Lysak (1,2), I. M. Safonov (2), Y.M. Song (1), I. A. Sukhoivanov (2,3), and Yong Tak Lee (1); (1) Gwangju Institute of Science and Technology, Korea; (2) Kharkov National University of Radio Electronics, Ukraine; (3) Universidad de Guanajuato, Mexico* p. 89
- WB4 Numerical Model of a Vertical-External-Cavity Surface-Emitting Semiconductor Lasers Mode-locked by the Optical Stark effect  
*Z. Mihoubi, G. J. Daniell, K.G. Wilcox and A. C. Tropper; University of Southampton, UK* p. 91
- WB5 Numerical Optimization of Single-Mode Photonic Crystal VCSELs  
*Peter Nyakas (1), Tomofumi Kise (2), Tamas Karpati (1), and Noriyuki Yokouchi (2); (1) Furukawa Electric Institute of Technology, Hungary; (2) Furukawa Electric Corporation, Japan* p. 93
- WB6 Static and Dynamic Properties of Vertical-Cavity Surface-Emitting Lasers with Internal Photonic Crystal Waveguides  
*P. Ivanov, N. Vogiatzis, and J. Rorison; University of Bristol, UK* p. 95

## WC Novel Materials and Devices

- WC1 Slow and Stopped Light in Metamaterials (**invited**)  
*Ortwin Hess and Kosmas Tsakmakidis, University of Surrey, UK* p. 97
- WC2 On the Non-locality of the Electron-Photon Self-Energy: Application to Carbon Nanotube Photo-Detectors  
*M. Pourfath, O. Baumgartner, and H. Kosina; Technical University Vienna, Austria* p. 99
- WC3 Multi-Population Rate Equation Simulation of Quantum Dot Semiconductor Lasers with Feedback  
*Mariangela Gioannini, George A. P. The, Ivo Montrosset; Politecnico di Torino, Italy* p. 101
- WC4 Quasi-Supercontinuum Interband Lasing Characteristics of Quantum Dot Nanostructures  
*C. L. Tan, Y. Wang, H. S. Djie,\* B. S. Ooi; Lehigh University, USA;  
\*presently with JDS Uniphase Corporation, USA* p. 103

## Thursday, 4 September 2008

### ThA Nanostructures

- ThA1 Light transformations in metallo-dielectric nanolayers (**invited**)  
*Rafal Kotynski, University of Warsaw, Poland* p. 105
- ThA2 Ellipticity and Spurious Solutions in k·p Calculations of III-Nitride Nanostructures  
*Ratko G. Veprek, Sebastian Steiger and Bernd Witzigmann; ETH Zurich, Switzerland* p. 107
- ThA3 Strain dependence of piezoelectric coefficients for pseudomorphically grown semiconductors  
*R. Garg (1), M.A. Migliorato (1), V.Haxha (1), A.Hue (2), G.P Srivastava (2) and T. Hammerschmidt (3); (1) University of Manchester, UK; (2) University of Exeter, UK; (3) University of Oxford, UK* p. 109
- ThA4 The use of Abel-Tersoff potentials in atomistic simulations of InGaAsSb/GaAs  
*V. Haxha (1), R. Garg (1), M.A. Migliorato (1), I.W. Drouzas (2), J. M. Ulloa (3), P. M. Koenraad (3), M. J. Steer (2), H. Y. Liu (2), M. Hopkinson (2), D. J. Mowbray (2); (1) University of Manchester, UK; (2) University of Sheffield, UK; (3) Technical University Eindhoven, Netherlands* p. 111
- ThA5 Successful Application of the 8-band k·p Framework to Optical Properties of Highly Strained In(Ga)As/InGaAs Quantum Wells with Strong Conduction-Valence Band Coupling  
*T. Fujisawa, T. Sato, M. Mitsuhasha, T. Kakitsuka, T. Yamanaka, Y. Kondo, and F. Kano; NTT Photonics Laboratories, Japan* p. 113

### ThB Quantum-Cascade Lasers and Laser Dynamics

- ThB1 Nonequilibrium Green's Function Simulation of Quantum Cascade Lasers (**invited**)  
*Tim Schmielau, Sheffield Hallam University, UK* p. 115
- ThB2 The alpha factor of a quantum cascade laser  
*M.F. Pereira (1), R. Nelander (2) and A. Wacker (2); (1) Sheffield Hallam University, UK; (2) Lund University, Sweden* p. 117

- ThB3 Intersubband Lasing without Inversion  
*M.F. Pereira, Sheffield Hallam University, UK* p. 119
- ThB4 Static and dynamic performance optimisation of a 1.3 um GaInNAs ridge waveguide laser  
*J.J. Lim (1), R. MacKenzie (1), S. Sujecki (1), M. Dumitrescu (2), S.M. Wang (3), M. Sadeghi (3), G. Adolfsson (3), J. Gustavsson (3), A. Larsson (3) and E.C. Larkins (1); (1) University of Nottingham, U.K.; (2) Tampere University of Technology, Finland; (3) Chalmers University of Technology, Sweden* p. 121
- ThB5 Travelling-wave Modelling of Optical Feedback Effect on Mode-Locked Laser Diodes and its Reduction by Amplifier-Absorber Modules  
*E. A. Avrutin, X. Song, and B. M. Russell; University of York, UK* p. 123
- Author Index p. 125

*Postdeadline paper summaries are distributed separately at the conference.*