

2009 IEEE 22nd International Conference on Micro Electro Mechanical Systems

(MEMS)

**Sorrento, Italy
25-29 January 2009**

Pages 1-562



**IEEE Catalog Number: CFP09MEM-PRT
ISBN: 978-1-4244-2977-6**

TABLE OF CONTENTS

INVITED SPEAKER I

MEMS EPIPHANY	1
<i>Benedetto Vigna</i>	

SESSION I – MEMS ACTUATORS

DEVELOPMENT OF CALIBRATION STANDARDS FOR THE OPTICAL MEASUREMENT OF IN-PLANE DISPLACEMENTS OF MICROMECHANICAL COMPONENTS	7
<i>J. Gaspar, J. Held, G. Pedrini, W. Osten, and O. Paul</i>	

3D MAGNETIC MICROACTUATOR MADE OF NEWLY DEVELOPED MAGNETICALLY MODIFIED PHOTOCURABLE POLYMER AND APPLICATION TO SWIMMING MICROMACHINE AND MICROSCREW PUMP	11
<i>K. Kobayashi and K. Ikuta</i>	

SESSION II – RF MEMS

NOVEL CONCEPT OF MICROWAVE MEMS RECONFIGURABLE 7X45° MULTI-STAGE DIELECTRIC-BLOCK PHASE SHIFTER	15
<i>N. Somjit, G. Stemme, and J. Oberhammer</i>	

MICROMECHANICAL RESONANT DISPLACEMENT GAIN STAGES	19
<i>B. Kim, Y. Lin, W.-L. Huang, M. Akgul, W.-C. Li, Z. Ren, and C.T.-C. Nguyen</i>	

EPITAXIAL SILICON MICROSHELL VACUUM-ENCAPSULATED CMOS-COMPATIBLE 200 MHz BULK-MODE RESONATOR	23
<i>K.-L. Chen, H. Chandralalim, A.B. Graham, S.A. Bhawe, R.T. Howe, and T.W. Kenny</i>	

A NOVEL STRESS-GRADIENT-ROBUST METAL-CONTACT SWITCH	27
<i>H. Sedaghat-Pisheh, J.-M. Kim, and G.M. Rebeiz</i>	

SESSION III – FUEL CELL POWER MEMS

MICROBIAL FUEL CELL BASED ON ELECTRODE-EXO-ELECTROGENIC BACTERIA INTERFACE	31
<i>E. Parra and L. Lin</i>	

A MICRO HYDROGEN GENERATOR WITH A MICROFLUIDIC SELF-REGULATING VALVE FOR SENSORS AND FUEL CELLS	35
<i>V.V. Swaminathan, L. Zhu, B. Gurau, R.I. Masel, and M.A. Shannon</i>	

SESSION IV- MEMS IN MICROFLUIDICS

MICROCHANNELS WITH SUBSTANTIAL FRICTION REDUCTION AT LARGE PRESSURE AND LARGE FLOW	39
<i>C.F. Carlborg, G. Stemme, and W. van der Wijngaart</i>	

STARJET: PNEUMATIC DISPENSING OF NANO- TO PICOLITER DROPLETS OF LIQUID METAL	43
<i>T. Metz, G. Birkle, R. Zengerle, and P. Koltay</i>	
CONTINUOUS MICRO-PARTICLE SEPARATION USING OPTICALLY-INDUCED DIELECTROPHORETIC FORCES	47
<i>W.-Y. Lin, Y.-H. Lin, and G.-B. Lee</i>	
POWERFUL ACTUATION OF MAGNETIZED MICROTOOL BY FOCUSED MAGNETIC FIELD ON A DISPOSABLE MICROFLUIDIC CHIP	51
<i>F. Arai, S. Sakuma, Y. Yamanishi, and K. Onda</i>	
 <u>INVITED SPEAKER II</u>	
NANOBIOPHOTONICS AND BIOASICS FOR BIOMEDICAL INNOVATIONS	55
<i>Luke P. Lee</i>	
 <u>SESSION V- CELLS AND PARTICLES</u>	
RECONSTRUCTION OF 3D HIERARCHIC MICRO-TISSUES USING MONODISPERSE COLLAGEN MICROBEADS	56
<i>Y. Morimoto, Y. Tsuda, and S. Takeuchi</i>	
LABEL-FREE CONTINUOUS MICRO CELL SORTER WITH ANTIBODY-IMMOBILIZED OBLIQUE GROOVES	60
<i>S. Hashimoto, T. Nishimura, J. Miwa, Y. Suzuki, and N. Kasagi</i>	
FLOW-LYSOMETRY AND ITS BIOMEDICAL APPLICATION: CYTOSOLIC ANALYSIS OF SINGLE CELLS IN LARGE POPULATIONS	64
<i>W.C. Lee, F.A. Kuypers, Y.-H. Cho, and A.P. Pisano</i>	
STRETCHABLE SUBSTRATES FOR THE MEASUREMENT OF INTRACELLULAR CALCIUM ION CONCENTRATION RESPONDING TO MECHANICAL STRESS	68
<i>Y.J. Heo, E. Iwase, K. Matsumoto, and I. Shimoyama</i>	
 <u>SESSION VI – MICRO PROCESSING AND CHARACTERIZATION</u>	
MICRO CHEMICAL VAPOR DEPOSITION SYSTEM: DESIGN AND VERIFICATION	72
<i>Q. Zhou and L. Lin</i>	
MEMS NANOREACTOR FOR ATOMIC-RESOLUTION MICROSCOPY OF NANOMATERIALS IN THEIR WORKING STATE	76
<i>J.F. Creemer, S. Helveg, G.H. Hovelng, S. Ullmann, P.J. Kooyman, A.M. Molenbroek, H.W. Zandbergen, and P.M. Sarro</i>	
NOVEL MEMS APPARATUS FOR IN SITU THERMO-MECHANICAL TENSILE TESTING OF MATERIALS AT THE MICRO- AND NANO-SCALE	80
<i>J. Han, M. Uchic, and T. Saif</i>	
A NEW MICRO-FOUR-POINT PROBE DESIGN FOR VARIOUS APPLICATIONS	84
<i>J.-K. Kim, Y. Zhang, and D.-W. Lee</i>	
STICTION IN LOW HUMIDITY ENVIRONMENT	88
<i>F. Sammoura, A. Sparks, W. Sawyer, M. Bhagavat, M. Judy, and K. Yang</i>	

SESSION VII – PHYSICAL MEMS

A NOVEL HIGHLY-TWISTABLE TACTILE SENSING ARRAY USING EXTENDABLE SPIRAL ELECTRODES.....	92
<i>M.-Y. Cheng, C.-M. Tsao, Y.-T. Lai, and Y.-J. Yang</i>	
A DIRECTIONAL CAPACITIVE MEMS MICROPHONE USING NANO-ELECTRODEPOSITS	96
<i>S.-S. Je, J. Kim, M.N. Kozicki, and J. Chae</i>	
NANOTEXTURE ELECTRODE ON NANOPOROUS AAO DIELECTRIC FOR MICRO TACTILE SENSING DEVICES.....	100
<i>C.-T. Hong, L.-A. Chu, A.-S. Chiang, and W. Fang</i>	
AN ELECTRICALLY DECOUPLED LATERAL-AXIS TUNING FORK GYROSCOPE OPERATING AT ATMOSPHERIC PRESSURE	104
<i>Z.Y. Guo, L.T. Lin, Q.C. Zhao, J. Cui, X.Z. Chi, Z.C. Yang, and G.Z. Yan</i>	
TERAHERTZ METAMATERIALS WITH SIMULTANEOUSLY NEGATIVE ELECTRIC AND MAGNETIC RESONANCE RESPONSES BASED ON BIMATERIAL POP UP STRUCTURES.....	108
<i>H. Tao, A. Strikwerda, K. Fan, W.J. Padilla, R.D. Averitt, and X. Zhang</i>	

INVITED SPEAKER III

DAMAGE-FREE PLASMA ETCHING PROCESSES FOR FUTURE NANOSCALE DEVICES	112
<i>Seiji Samukawa</i>	

SESSION VIII – NANOPROCESSING AND NEMS

ATOMIC LAYER DEPOSITION (ALD) TUNGSTEN NEMS DEVICES VIA A NOVEL TOP-DOWN APPROACH.....	120
<i>B.D. Davidson, Y.J. Chang, D. Seghete, S.M. George, and V.M. Bright</i>	
NANOFIBROUS SURFACE PATTERNING USING NANO-MESHED MICROCAPSULES INDUCED BY PHASE SEPARATION ASSISTED ELECTROSPRAY	124
<i>M. Ikeuchi, R. Tane, M. Fukuoka, and K. Ikuta</i>	
TUNABLE OPTICAL ENHANCEMENT FROM A MEMS-INTEGRATED TiO₂ NANOSWORD PLASMONIC ANTENNA	128
<i>B.D. Sosnowchik, P.J. Schuck, J. Chang, and L. Lin</i>	
MICROELECTROMECHANICAL METAL-AIR-INSULATOR-SEMICONDUCTOR (MEM-MAIS) DIODE: A NOVEL HYBRID DEVICE FOR ESD PROTECTION.....	132
<i>D. Acquaviva, D. Tsamados, Ph. Coronel, T. Skotnicki, and A.M. Ionescu</i>	

SESSION IX- FABRICATION AND PACKAGING

PACKAGING OF 11 MPIXEL CMOS-INTEGRATED SIGE MICRO-MIRROR ARRAYS	136
<i>A. Witvrouw, H.A.C. Tilmans, L. Bogaerts, P. De Moor, T. Bearda, S. Halder, L. Haspeslagh, B. Schlatmann, M. van Bommel, C. de Nooijer, J. Lauria, R. Vanneer, and B. van Driehuisen</i>	
ROBUST WAFER-LEVEL THIN-FILM ENCAPSULATION OF MICROSTRUCTURES USING LOW STRESS PECVD SILICON CARBIDE.....	140
<i>V. Rajaraman, L.S. Pakula, H.T.M. Pham, P.M. Sarro, and P.J. French</i>	

DIRECT ETCHING OF HIGH ASPECT RATIO STRUCTURES THROUGH A STENCIL	144
<i>G. Villanueva, O. Vazquez-Mena, C. Hibert, and J. Brugger</i>	
INDIUM TIN OXIDE (ITO) TRANSPARENT MEMS SWITCHES	148
<i>B.-K. Lee, Y.-H. Song, and J.-B. Yoon</i>	
ADVANCEMENTS IN TECHNOLOGY AND DESIGN OF BIOMIMETIC FLOW-SENSOR ARRAYS	152
<i>C.M. Bruinink, R.K. Jaganatharaja, M.J. de Boer, E. Berenschot, M.L. Kolster, T.S.J. Lammerink, R.J. Wiegink, and G.J.M. Krijnen</i>	

SESSION X- OPTICAL MEMS

A WAFER-LEVEL MICRO MECHANICAL GLOBAL SHUTTER FOR A MICRO CAMERA	156
<i>C.-H. Kim, K.-D. Jung, and W. Kim</i>	
MICROFABRICATED FLIPPING GLASS DISC FOR STEREO IMAGING IN ENDOSCOPIC VISUAL INSPECTION	160
<i>W. Choi, M. Akbarian, V. Rubtsov, and C.-J. Kim</i>	
RESONANT FREQUENCY TUNING OF TORSIONAL MICROSCANNER BY MECHANICAL RESTRICTION USING MEMS ACTUATOR	164
<i>J.-I. Lee, S. Park, Y. Eun, B. Jeong, and J. Kim</i>	
REFLECTIVE DISPLAY USING IONIC LIQUID	168
<i>N. Binh-Khiem, K. Matsumoto, and I. Shimoyama</i>	
FORMATION AND INTEGRATION OF A BALL LENS UTILIZING TWO PHASES LIQUID TECHNOLOGY	172
<i>C.-C. Lee, S.-Y. Hsiao, and W. Fang</i>	
TEMPERATURE-CONTROLLED TRANSFER AND SELF-WIRING FOR MULTI-COLOR LED DISPLAY ON A FLEXIBLE SUBSTRATE	176
<i>E. Iwase, H. Onoe, A. Nakai, K. Matsumoto, and I. Shimoyama</i>	

SESSION XI – BIOMEMS

MICROFLUIDIC ODORANT SENSOR WITH FROG EGGS EXPRESSING OLFACTORY RECEPTORS	180
<i>N. Misawa, H. Mitsuno, R. Kanzaki, and S. Takeuchi</i>	
SEQUENTIAL AND SELECTIVE SELF-ASSEMBLY OF MICRO COMPONENTS BY DNA GRAFTED POLYMER	184
<i>T. Tanemura, G. Lopez, R. Sato, K. Sugano, T. Tsuchiya, O. Tabata, M. Fujita, and M. Maeda</i>	
PIEZORESISTIVE CANTILEVER-BASED FORCE-CLAMP SYSTEM FOR THE STUDY OF MECHANOTRANSDUCTION IN C. ELEGANS	188
<i>S.-J. Park, B. Petzold, M.B. Goodman, and B.L. Pruitt</i>	
SUB-5μM DIAMETER SILICON MICROPROBE AND SILICON DIOXIDE MICROTUBE ARRAYS FOR LOW-INVASIVE ANIMAL EXPERIMENTS	192
<i>K. Takei, T. Kawano, T. Kawashima, K. Sawada, H. Kaneko, and M. Ishida</i>	
MINIMALLY INVASIVE PARYLENE DUAL-VALVED FLOW DRAINAGE SHUNT FOR GLAUCOMA IMPLANT	196
<i>J.C.-H. Lin, P.-J. Chen, B. Yu, M. Humayun, and Y.-C. Tai</i>	

GLASS MICROPROBE WITH EMBEDDED SILICON VIAS FOR 3D INTEGRATION	200
<i>C.-W. Lin, C.-W. Chang, Y.-T. Lee, R. Chen, Y.-C. Chang, and W. Fang</i>	

POSTER/ORAL PRESENTATIONS

BIOMEDICAL APPLICATIONS

FABRICATION PROCESSES OF INTEGRATED MULTI-ANALYTE BIOCHIP SYSTEM FOR IMPLANTABLE APPLICATIONS	204
<i>Y.-C. Tsai, N.-F. Chiu, P.-C. Liu, Y.-C. Ou, H.-H. Liao, Y.-J. Yang, L.-J. Yang, U. Lei, F.-S. Chao, S.-S. Lu, C.-W. Lin, P.-Z. Chang, and W.-P. Shih</i>	
MICROSYSTEM-BASED STUDY OF POLLEN-TUBE ATTRACTANTS SECRETED BY OVULES.....	208
<i>J.R. Cooper, Y. Qin, L. Jiang, R. Palanivelu, and Y. Zohar</i>	
A BATCH-PATTERNED SELF-EXPANDING BILIARY STENT WITH CONFORMAL MAGNETIC PDMS LAYER AND TOPOLOGICALLY-MATCHED WIRELESS MAGNETOELASTIC SENSOR	212
<i>S.R. Green and Y.B. Gianchandani</i>	
RADIO-CONTROLLED CYBORG BEETLES: A RADIO-FREQUENCY SYSTEM FOR INSECT NEURAL FLIGHT CONTROL.....	216
<i>H. Sato, Y. Peeri, E. Baghoomian, C.W. Berry, and M.M. Maharbiz</i>	
HOLLOW MICRONEEDLE ELECTRODE ARRAYS FOR INTRACELLULAR RECORDING APPLICATIONS.....	220
<i>J. Held, J. Gaspar, P.J. Koester, C. Tautorat, M. Hagner, A. Cismak, A. Heilmann, W. Baumann, P. Ruther, and O. Paul</i>	
BATCH FABRICATION OF OUT-OF-PLANE, IC-COMPATIBLE, NANOSCALE-TIP SILICON NEUROPROBE ARRAYS	224
<i>A. Goryu, A. Ikedo, K. Takei, K. Sawada, T. Kawano, and M. Ishida</i>	
ULTRA-COMPACT INTEGRATION FOR FULLY-IMPLANTABLE NEURAL MICROSYSTEMS.....	228
<i>G.E. Perlin and K.D. Wise</i>	
CMOS-BASED HIGH-DENSITY SILICON MICROPROBE ARRAY FOR ELECTRONIC DEPTH CONTROL IN NEURAL RECORDING	232
<i>K. Seidl, S. Herwik, Y. Nurcahyo, T. Torfs, M. Keller, M. Schüttler, H. Neves, T. Stieglitz, O. Paul, and P. Ruther</i>	
IN-PLANE BANDPASS REGULATION CHECK VALVE IN HEAT-SHRINK PACKAGING FOR DRUG DELIVERY	236
<i>R. Lo and E. Meng</i>	
ON-CHIP BLOOD VISCOMETER TOWARDS POINT-OF-CARE HEMATOLOGICAL DIAGNOSIS	240
<i>H. Zeng and Y. Zhao</i>	
IMPLANTABLE FLEXIBLE-COILED WIRELESS INTRAOCULAR PRESSURE SENSOR.....	244
<i>P.-J. Chen, S. Saati, R. Varma, M.S. Humayun, and Y.-C. Tai</i>	
INTEGRATED WIRELESS NEUROSTIMULATOR.....	248
<i>W. Li, D.C. Rodger, and Y.C. Tai</i>	

TRANSDERMAL POWER TRANSFER FOR IMPLANTED DRUG DELIVERY DEVICES USING A SMART NEEDLE AND REFILL PORT	252
<i>A.T. Evans, S. Chiravuri, and Y.B. Gianchandani</i>	
A FLEXIBLE REGENERATION MICROELECTRODE WITH CELL-GROWTH GUIDANCES.....	256
<i>R. Gojo, N. Kotake, T. Suzuki, K. Mabuchi, and S. Takeuchi</i>	
ADAPTIVE BLOOD CELL SEPARATION USING COOPERATION OF SERIALY CONNECTED MEMBRANE FILTERS	260
<i>T. Kobayashi, D. Kato, H. Koga, K. Morimoto, M. Fukuda, Y. Kinoshita, H. Yoshida, and S. Konishi</i>	
<u>BIOCHEMICAL SENSORS</u>	
HIGH SENSITIVITY MICRO-THERMAL CONDUCTIVITY DETECTOR FOR GAS CHROMATOGRAPHY	264
<i>B.C. Kaanta, H. Chen, G. Lambertus, W.H. Steinecker, O. Zhdaneev, and X. Zhang</i>	
CMOS-MEMS CAPACITIVE HUMIDITY SENSOR.....	268
<i>N. Lazarus, S. Bedair, C. Lo, and G.K. Fedder</i>	
A THERMOELECTRIC GAS SENSOR BASED ON AN EMBEDDED TIN OXIDE CATALYST FOR DETECTING HYDROGEN AND NOX GASES.....	272
<i>S.-I. Yoon, C.-i. Lee, and Y.-J. Kim</i>	
A NOVEL MICROFLUIDIC PLATFORM FOR CONTINUOUS DNA EXTRACTION AND PURIFICATION USING LAMINAR FLOW MAGNETOPHORESIS	276
<i>M. Karle, J. Miwa, G. Roth, R. Zengerle, and F. von Stetten</i>	
AN EWOD DROPLET MICROFLUIDIC CHIP WITH INTEGRATED LOCALTEMPERATURE CONTROL FOR MULTIPLEX PROTEOMICS.....	280
<i>W. Nelson, I. Peng, J.A. Loo, R.L. Garrell, and C.-J. Kim</i>	
FREQUENCY DRIFT COMPENSATION IN MASS-SENSITIVE CHEMICALSENSORS BASED ON PERIODIC STIFFNESS MODULATION	284
<i>K.S. Demirci, J.H. Seo, S. Truax, L.A. Beardslee, Y. Luzinova, B. Mizaikoff, and O. Brand</i>	
μGC MULTICAPILLARY COLUMNS WITH MONO-LAYER PROTECTED GOLD AS A STATIONARY PHASE.....	288
<i>M.A. Zareian-Jahromi, and M. Agah</i>	
A SELF-CONTAINED MINIATURIZED PCR SYSTEM USING ELECTROMAGNETIC ACTUATORS.....	292
<i>B.T. Chia, S.-A. Yang, M.-Y. Cheng, C.-L. Lin, C.-W. Lin, and Y.-J. Yang</i>	
NANOSTRUCTURE-ENHANCED FIBER-OPTIC INTERFEROMETRY FOR LABEL-FREE IMMUNE SENSING	296
<i>Y.-T. Tseng, C.-T. Chang, M.-H. Chen, and F.-G. Tseng</i>	
BIOSENSORS BASED ON ALL-POLYMER RESONANT MICROBEAMS.....	300
<i>S. Schmid, P. Wägli, and C.H. Hierold</i>	
BEAD-IMMOBILIZED MOLECULAR BEACONS FOR HIGH THROUGHPUT SNP GENOTYPING VIA A MICROFLUIDIC SYSTEM	304
<i>R.D. Sochol, A. Mahajerin, B.P. Casavant, P. Singh, M. Dueck, L.P. Lee, and L. Lin</i>	
A FULLY AUTOMATED MICRO-SOLID PHASE EXTRACTION CHIP FOR GENETIC SAMPLE PREPARATION SYSTEM	308
<i>S.-I. Han, H. Lee, and K.-H. Han</i>	

SELF-POLARIZED PIEZOELECTRIC BIOSENSOR ARRAY FOR MULTIPLE IMMUNOASSAYS APPLICATIONS	312
<i>T. Xu, J. Miao, Z. Wang, L. Yu, and C.-M. Li</i>	
SELECTIVITY AND LONG-TERM RELIABILITY OF RESONANT EXPLOSIVE-VAPOR-TRACE DETECTION BASED ON ANTIGEN-ANTIBODY BINDING	316
<i>A. Lin and E.S. Kim</i>	
DNA-DECORATED CARBON NANOTUBES AS SENSITIVE LAYER FOR AIN CONTOUR-MODE RESONANT-MEMS GRAVIMETRIC SENSOR	320
<i>C. Zuniga, M. Rinaldi, S.M. Khamis, T.S. Jones, A.T. Johnson, and G. Piazza</i>	
MICROFLUIDICS WITHIN A SWAGELOK®: A MEMS-ON-TUBE ASSEMBLY	324
<i>S. Unnikrishnan, H.V. Jansen, J.W. Berenschot, B. Mogulkoc, and M.C. Elwenspoek</i>	
NANO-THICKNESS INTEGRATED RESONANT CANTILEVERS WITH SURFACE-STIFFENING SCHEME FOR ULTRA-SENSITIVE DETECTION OF TRACE CHEMICALS	328
<i>X. Xia, Y. Yang, and X. Li</i>	
SURFACE ACOUSTIC WAVE-DRIVEN ACTIVE PLASMONICS BASED ON DYNAMIC PATTERNING OF NANOPARTICLES IN MICROFLUIDIC CHANNELS	332
<i>J. Shi, Y.B. Zheng, and T.J. Huang</i>	
PUPAL-STAGE INSERTED SILICON MICROPROBE NEURAL INTERFACE IN INSECTS FOR GAS SENSING	336
<i>C.J. Shen, R. Gilmour, and A. Lal</i>	
BEAD-BASED MICROFLUIDIC PLATFORM INTEGRATED WITH OPTICAL DETECTION DEVICES FOR RAPID DETECTION OF GENETIC DELETION FROM SALIVA	340
<i>K.-Y. Lien, C.-J. Liu, P.-L. Kuo, and G.-B. Lee</i>	
A MICROFLUIDIC AFFINITY COCAINE SENSOR	344
<i>J.P. Hilton, T. Nguyen, R. Pei, M. Stojanovic, and Q. Lin</i>	
DEVELOPMENT OF NEW BIOCHEMICAL IC CHIP-SET FOR REAL-TIME PCR	348
<i>K. Ikuta, T. Sasao, Y. Okuda, K. Watamura, and M. Ikeuchi</i>	
A MEMS SENSOR FOR CONTINUOUS MONITORING OF GLUCOSE IN SUBCUTANEOUS TISSUE	352
<i>X. Huang, S. Li, J. Schultz, Q. Wang, and Q. Lin</i>	
MONOLITHIC CENTRIFUGAL MICROFLUIDIC PLATFORM FOR BACTERIA CAPTURE AND CONCENTRATION, LYSIS, NUCLEIC-ACID AMPLIFICATION, AND REAL-TIME DETECTION	356
<i>J.L. Garcia-Cordero, I.K. Dimov, J. O'Grady, J. Ducree, T. Barry, and A.J. Ricco</i>	
 <u>CELLS AND PARTICLES</u>	
IN VITRO DETECTION OF NEURAL ACTIVITY WITH VERTICALLY GROWN SINGLE PLATINUM NANOWIRE	360
<i>D. Choi, A. Fung, H. Moon, G. Villareal, Y. Chen, D. Ho, N. Presser, G. Stupian, and M. Leung</i>	
GENERATION AND SELECTIVE RETRIEVAL OF MICRO DROPLETS IN AN ARRAY FOR MICRO-PCR USING A GLASS-SILICON-GLASS CHIP	363
<i>K.H. Park, H.G. Park, and S. Takeuchi</i>	
ARRAYING SINGLE ADHERENT CELLS BY MICROPLATE SELF-ASSEMBLY	367
<i>H. Ishihara, K. Kuribayashi, and S. Takeuchi</i>	

A DYNAMIC MICROARRAY WITH PNEUMATIC VALVES FOR SELECTIVE TRAPPING AND RELEASING OF MICROBEADS	371
<i>K. Iwai and S. Takeuchi</i>	
SIZE-DEPENDENT PARTICLE FILTERATION USING MAGNETICALLY DRIVEN MICROTOOL AND CENTRIFUGAL FORCE IN MICROCHIP	375
<i>H. Maruyama, S. Sakuma, Y. Yamanishi, and F. Arai</i>	
CLUSTER DYNAMICS IN FLOW OF SUSPENDED PARTICLES IN MICROCHANNELS	379
<i>T. Gudipaty, M.T. Stamm, L.S.L. Cheung, L. Jiang, and Y. Zohar</i>	
A MULTIFUNCTIONAL VERTICAL MICROSIEVE FOR MICRO AND NANO PARTICLES SEPARATION	383
<i>C. Shen, H.T.M. Pham, and P.M. Sarro</i>	
CLASSIFICATION AND CONDENSATION OF NANO-SIZED AIRBORNE PARTICLES BY ELECTRICALLY TUNNING COLLECTION SIZE	387
<i>Y.-H. Kim, S. Kwon, D. Park, J. Hwang, and Y.-J. Kim</i>	
DEVELOPMENT OF A CYTOMIC FORCE TRANSDUCER FOR EXPERIMENTAL MECHANOBIOLOGY	391
<i>E. Dy and C.M. Ho</i>	
A PDMS PLANAR PATCH-CLAMP ARRAY CHIP WITH POLY (ETHYLENE GLYCOL)/SU-8 BASED CELL-PATCH INTERFACE	395
<i>B.J. Xu, Z.B. Liu, J.J. Yu, Y.K. Lee, and M. Yang</i>	
WHOLE CELL IMPEDANCE ANALYSIS OF METASTATIC AND NON-METASTATIC CANCER CELLS	399
<i>H.S. Kim, Y.H. Cho, A.B. Frazier, Z.G. Chen, D.-M. Shin, and A. Han</i>	
INTEGRATION OF SKELETAL MUSCLE CELL ONTO SI-MEMS AND ITS GENERATIVE FORCE MEASUREMENT	403
<i>K. Shimizu, H. Sasaki, H. Hida, H. Fujita, K. Obinata, M. Shikida, and E. Nagamori</i>	
A STRETCHABLE CELL CULTURE PLATFORM WITH EMBEDDED ELECTRODE ARRAY	407
<i>P. Wei, R. Taylor, Z. Ding, G. Higgs, J.J. Norman, B.L. Pruitt, and B. Ziaie</i>	
ASSESSMENT OF SINGLE CELL VIABILITY FOLLOWING LIGHT-INDUCED ELECTROPORATION THROUGH USE OF ON-CHIP MICROFLUIDICS	411
<i>J.K. Valley, H.-Y. Hsu, S. Neale, A.T. Ohta, A. Jamshidi, and M.C. Wu</i>	
MANIPULATION OF BIOSAMPLES AND MICROPARTICLES USING OPTICAL IMAGES ON POLYMER DEVICES	415
<i>W. Wang, Y.-H. Lin, T.-F. Guo, and G.-B. Lee</i>	
FABRICATION OF LIVING CELL STRUCTURE UTILIZING ELECTROSTATIC INKJET PHENOMENA	419
<i>S. Umezue, T. Kitajima, H. Murase, H. Ohmori, K. Katahira, and Y. Ito</i>	
SIZE-CONTROLLED ISLET-CELL SPHEROIDS FOR GEOMETRIC ANALYSIS OF INSULIN SECRETION	423
<i>Y. Tsuda, M. Kato-Negishi, T. Okitsu, and S. Takeuchi</i>	
A 3-D MICROFLUIDIC COMBINATORIAL CELL CULTURE ARRAY	427
<i>M.C. Liu and Y.C. Tai</i>	

FLOW ACCELERATION EFFECT ON CANCER CELL DEFORMATION AND DETACHMENT	431
<i>L.S.L. Cheung, X.J. Zheng, A. Stopa, J. Schroeder, R.L. Heimark, J.C. Baygents, R. Guzman, and Y. Zohar</i>	

MICROFLUIDICS AND FLOW SENSORS

LINEAR EXPANSION AND CONTRACTION OF PAIRED PNEUMATIC BALOON BENDING ACTUATORS TOWARD TELESCOPIC MOTION	435
<i>N. Fujiwara, S. Sawano, and S. Konishi</i>	

LOW-COST MICROFLUIDIC SINGLE-USE VALVES AND ON-BOARD REAGENT STORAGE USING LASER-PRINTER TECHNOLOGY	439
<i>J.L. Garcia-Cordero, F. Benito-Lopez, D. Diamond, J. Ducree, and A.J. Ricco</i>	

DROPLET MIXER BASED ON SIPHON-INDUCED FLOW DISCRETIZATION AND PHASE SHIFTING	443
<i>R. Burger, N. Reis, J.G. Fonseca, and J. Ducreé</i>	

AN ALL-POLYMER AIR-FLOW SENSOR ARRAY USING A PIEZORESISTIVE COMPOSITE ELASTOMER	447
<i>A.R. Aiyar, C. Song, S.H. Kim, and M.G. Allen</i>	

DESIGN AND CHARACTERISATION OF A HYDRAULIC MICROACTUATOR FABRICATED BY LITHOGRAPHY	451
<i>M. De Volder, F. Ceyssens, D. Reynaerts, and R. Puers</i>	

BIOMIMIC LOW HYSTERESIS SURFACE PREPARED BY HIERARCHICAL MICRO/NANO TEXTURES	455
<i>M.-H. Chen¹, T.-H. Hsu¹, and F.-G. Tseng^{1,2}</i>	

WETTABILITY SWITCHING TECHNIQUE OF A BIOCOMPATIBLE POLYMER	459
<i>Y. Takahashi, K.S. Teh, and Y.W. Lu</i>	

MICRO CORIOLIS MASS FLOW SENSOR WITH INTEGRATED CAPACITIVE READOUT	463
<i>J. Haneveld, T.S.J. Lammerink, M.J. de Boer, and R.J. Wiegerink</i>	

MEMS TACTILE DISPLAY WITH HYDRAULIC DISPLACEMENT AMPLIFICATION MECHANISM	467
<i>T. Ninomiya, K. Osawa, Y. Okayama, Y. Matsumoto, and N. Miki</i>	

HIGH PURITY SEPARATION OF RARE SPECIES IN DROPLET MICROFLUIDICS USING DROPLET-CONDUIT STRUCTURES	471
<i>G.J. Shah and C.-J. Kim</i>	

A HIGHLY FLEXIBLE SUPERHYDROPHOBIC MICROLENS ARRAY WITH SMALL CONTACT ANGLE HYSTERESIS FOR DROPLET-BASED MICROFLUIDICS	475
<i>M. Im, D.-H. Kim, X.-J. Huang, J.-H. Lee, J.-B. Yoon, and Y.-K. Choi</i>	

AMBIENT TEMPERATURE-GRADIENT COMPENSATED LOW-DRIFT THERMOPILE FLOW SENSOR	479
<i>M. Dijkstra, T.S.J. Lammerink, M.J. de Boer, R.J. Wiegerink, and M.C. Elwenspoek</i>	

AN ELECTRICALLY-DRIVEN, LARGE-DEFLECTION, HIGH-FORCE, MICRO PISTON HYDRAULIC ACTUATOR ARRAY FOR LARGE-SCALE MICROFLUIDIC SYSTEMS	483
<i>H. Kim and K. Najafi</i>	

ELECTROHYDRODYNAMIC JET PRINTING CAPABLE OF REMOVING SUBSTRATE EFFECTS AND MODULATING PRINTING CHARACTERISTICS	487
<i>J.-S. Lee, Y.-J. Kim, B.-G. Kang, S.-Y. Kim, J. Park, J. Hwang, and Y.-J. Kim</i>	
HYBRID ON DEMAND JETTING SYSTEM FOR ULTRA FINE DROPLET BASED ON ELECTROHYDRODYNAMIC AND PIEZOELECTRIC ACTUATION	491
<i>Y.-J. Kim^{1,2}, J.-S. Lee¹, S.-Y. Kim¹, S.E. Park¹, J. Hwang¹, and Y.-J. Kim¹</i>	
MICRO-MACHINED STENT-TYPE FLOW SENSOR FOR EVALUATION OF NASAL RESPIRATION	495
<i>T. Yokota, J. Naito, M. Shikida, and K. Sato</i>	
EHD MICRO PUMP USING PYROLYZED POLYMER 3-D CARBON MESH ELECTRODES	499
<i>D. Wakui, N. Imai, Y. Nagaura, H. Sato, T. Sekiguchi, S. Konishi, S. Shoji, and T. Homma</i>	
NON-LINEAR FLUIDIC INTEGRATED CIRCUITS REALIZED BY PNEUMATIC- FIELD EFFECT TRANSISTORS WITH CONTROLLABLE OUTPUT RESISTANCE	503
<i>H. Takao, N. Tanaka, M. Sugiura, K. Sawada, and M. Ishida</i>	
HIGH-RESOLUTION PIEZO INKJET PRINTHEAD FABRICATED BY THREE DIMENSIONAL ELECTRICAL CONNECTION METHOD USING THROUGH GLASS VIA	507
<i>M. Murata, T. Kondoh, T. Yagi, N. Funatsu, K. Tanaka, H. Tsukuni, K. Ohno, H. Usami, R. Nayve, N. Inoue, S. Seto, and N. Morita</i>	
SELF-RESONANT FLOW SENSOR USING RESONANCE FREQUENCY SHIFT BY FLOW-INDUCED VIBRATION	511
<i>K.H. Kim and Y.H. Seo</i>	
MICROFLUIDIC-BASED DISPENSERS FOR SUB-MICROLITER PIPETTING	515
<i>S.-B. Huang and G.-B. Lee</i>	
PRECISE TITRATION MICROFLUIDIC SYSTEM USING SUB-PICOLITER DROPLET INJECTION	519
<i>K. Kawai, M. Fujii, and S. Shoji</i>	
DROPLETS GENERATION METHOD FOR WATER-IN-OIL STATE IN THE POLYDIMETHYLSILOXANE MICROCHANNEL WITH GROOVES	523
<i>J. Kim, D. Byun, J. Hong, and A.J. deMello</i>	
A LOW-COST FLEXIBLE HOT-FILM SENSOR SYSTEM FOR FLOW SENSING AND ITS APPLICATION TO AIRCRAFT	527
<i>R. Zhu, P. Liu, X.D. Liu, F.X. Zhang, and Z.Y. Zhou</i>	
INTEGRATING EWOD WITH SURFACE RATCHETS FOR ACTIVE DROPLET TRANSPORT AND SORTING	531
<i>T.A. Duncombe, M. Kumemura, H. Fujita, and K.F. Böhringer</i>	
THERMAL CHARACTERIZATION OF MICROLITER AMOUNTS OF LIQUIDS BY A MICROMACHINED CALORIMETRIC TRANSDUCER	535
<i>G. Pärri, E. Santagata-Iervolino, A.W. van Herwaarden, W. Wien, and M.J. Vellekoop</i>	
TIR-BASED DYNAMIC LIQUID-LEVEL AND FLOW-RATE SENSING AND ITS APPLICATION ON CENTRIFUGAL MICROFLUIDIC PLATFORMS	539
<i>J. Hoffmann, L. Riegger, D. Mark, F. von Stetten, R. Zengerle, and J. Ducreé</i>	

NANO DEVICES AND CARBON NANOTUBES

100 NANOMETER SCALE RESISTIVE HEATER-THERMOMETER ON A SILICON CANTILEVER	543
<i>Z. Dai, K. Park, and W.P. King</i>	
MEMS DIFFRACTIVE OPTICAL NANORULER TECHNOLOGY FOR TIP-BASED NANOFABRICATION AND METROLOGY	547
<i>N. Yoshimizu, A. Lal, and C.R. Pollock</i>	
INTEGRATION OF BRIDGING-STRUCTURAL SWNTS ON FLEXIBLE PDMS SHEET BY STAMPING TRANSFER	551
<i>Y. Takei, T. Kan, E. Iwase, K. Matsumoto, and I. Shimoyama</i>	
GIANT PIEZORESISTANCE OF NANO-THICK SILICON INDUCED BY INTERFACE ELECTRON TRAPPING EFFECT	555
<i>Y. Yang and X. Li</i>	
ELECTRICAL DISCHARGE BASED MICROFABRICATION ON ELECTROSPUN NANOFIBERS	559
<i>H. Zeng and Y. Zhao</i>	
INTEGRATION OF CARBON NANOTUBES INTO MEMS DEVICES VIA DETERMINISTIC TRANSPLANTING ASSEMBLY	563
<i>S. Kim, H.W. Lee, and S.G. Kim</i>	
SURFACE-TEMPERATURE CONTROL OF SILICON NANOWIRES IN DRY AND LIQUID CONDITIONS	567
<i>S. Akiyama, Y.T. Cheng, J. Fattaccioli, N. Takama, P. Löw, C. Bergaud, and B.J. Kim</i>	
ELECTRON BEAM STIMULATED OXIDATION OF CARBON (EBSOC)	571
<i>P.S. Spinney, S.D. Collins, and R.L. Smith</i>	
ULTRA SMALL SINGLE WALLED CARBON NANOTUBE PRESSURE SENSORS	575
<i>T. Helbling, S. Drittenbass, L. Durrer, C. Roman, and C.H. Hierold</i>	
METALLIC NANOPARTICLE MANIPULATION USING OPTOELECTRONIC TWEEZERS	579
<i>A. Jamshidi, H.Y. Hsu, J.K. Valley, A.T. Ohta, S. Neale, and M.C. Wu</i>	
THIN FILM TRANSISTOR (TFT) SENSING ELEMENTS FABRICATED IN SURFACE MICROMACHINED POLYMERMEMS FOR A DIFFERENTIAL CALORIMETRIC FLOW SENSOR	583
<i>S.-H. Tsang, K. Simard, I.G. Foulds, H. Izadi, K.S. Karim, and M. Parameswaran</i>	
PLANAR MEMS SUPERCAPACITOR USING CARBON NANOTUBE FORESTS	587
<i>Y.Q. Jiang, Q. Zhou, and L. Lin</i>	
PIEZOELECTRIC NANOSWITCH	591
<i>D.C. Judy, J.S. Pulskamp, R.G. Polcawich, and L. Currano</i>	
A MOLECULAR MUSCLE BASED NANO-ELECTRO-MECHANICAL-SYSTEMS (NEMS)	595
<i>B.K. Juluri, A.S. Kumar, Y. Liu, T. Ye, Y.W. Yang, A.H. Flood, L. Fang, J.F. Stoddart, P.S. Weiss, and T.J. Huang</i>	

MATERIALS AND DEVICE-CHARACTERIZATION

HIGHLY EFFICIENT EXTRACTION OF MECHANICAL AND LINEAR AND QUADRATIC PIEZORESISTIVE PROPERTIES OF POLY-SI FILMS USING WAFER-SCALE MICROTENSILE TESTING	599
<i>M.E. Schmidt, J. Gaspar, J. Held, S. Kamiya, and O. Paul</i>	
DESIGN OF POWER-OPTIMIZED THERMAL CANTILEVERS FOR SCANNING PROBE TOPOGRAPHY SENSING	603
<i>H. Rothuizen, M. Despont, U. Drechsler, C. Hagleitner, A. Sebastian, and D. Wiesmann</i>	
MECHANICAL CHARACTERIZATION OF BIOMOLECULES IN LIQUID USING SILICON TWEEZERS WITH SUBNANONEWTON RESOLUTION	607
<i>C. Yamahata, E. Sarajlic, L. Jalabert, M. Kumemura, D. Collard, and H. Fujita</i>	
EFFECT OF ELECTRODE GEOMETRY AND SURFACE PASSIVATION ON CORROSION OF POLYCRYSTALLINE SILICON UNDER HIGH RELATIVE HUMIDITY AND BIAS	611
<i>F. Liu, C. Roper, C. Carraro, and R. Maboudian</i>	
MECHANICAL RESPONSE EVALUATION OF HIGH-THERMALLY-STABLE-GRADE PARYLENE SPRING	615
<i>C. Kamezawa, Y. Suzuki, and N. Kasagi</i>	
PIEZOELECTRIC PZT VERY THIN FILMS IN THE 100NM RANGE: A SOLUTION FOR ACTUATORS EMBEDDED IN LOW VOLTAGE DEVICES.....	619
<i>E. Defay, G. Le Rhun, F. Perruchot, P. Rey, A. Suhm, M. Aid, L.J. Liu, S. Pacheco, and M. Miller</i>	
CMOS-COMPATIBLE SURFACE-MICROMACHINED TEST STRUCTURE FOR DETERMINATION OF THERMAL CONDUCTIVITY OF THIN FILM MATERIALS BASED ON SEEBECK EFFECT	623
<i>Z. Wang, P. Fiorini, and C. van Hoof</i>	
A BIOCOMPATIBLE AND FLEXIBLE RF CMOS TECHNOLOGY AND THE CHARACTERIZATION OF THE FLEXIBLE MOS TRANSISTORS UNDER BENDING STRESSES	627
<i>C.-Y. Hsieh, J.-S. Chen, W.-A. Tsou, Y.-T. Yeh, K.-A. Wen, and L.-S. Fan</i>	
RADIATION SENSITIVITY OF OHMIC RF-MEMS SWITCHES FOR SPATIAL APPLICATIONS.....	630
<i>A. Tazzoli, G. Cellere, E. Autizi, V. Peretti, A. Paccagnella, and G. Meneghesso</i>	
RELIABILITY OF RF MEMS CAPACITIVE SWITCHES AND DISTRIBUTED MEMS PHASE SHIFTERS USING ALN DIELECTRIC.....	634
<i>M. Fernández-Bolaños, D. Tsamados, P. Dainesi, and A.M. Ionescu</i>	
TENSILE MEASUREMENT OF A SINGLE CRYSTAL GALLIUM NITRIDE NANOWIRE.....	638
<i>J.J. Brown, A.I. Baca, and V.M. Bright</i>	
CELLULOSE-BASED COMPOSITE AS A RAW MATERIAL FOR FLEXIBLE AND ULTRA-LIGHTWEIGHT MECHANICAL SWITCH DEVICE.....	642
<i>S. Couderc, B.J. Kim, and T. Someya</i>	
DETERMINATION OF DENSITY AND YOUNG'S MODULUS OF ATOMIC LAYER DEPOSITED THIN FILMS BY RESONANT FREQUENCY MEASUREMENTS OF OPTICALLY EXCITED NANOCANTILEVERS	646
<i>B. Ilic, S. Krylov, and H. Craighead</i>	

THE EFFECTS OF THERMAL OXIDATION OF MEMS RESONATOR ON TEMPERATURE DRIFT AND ABSOLUTE FREQUENCY	650
<i>C. van der Avoort, J. van Wingerden, and J.T.M. van Beek</i>	
NON-DESTRUCTIVE QUANTITATIVE MEASUREMENT METHOD FOR NORMAL AND SHEAR STRESSES ON SINGLE-CRYSTALLINE SILICON STRUCTURES FOR RELIABILITY OF SILICON-MEMS	653
<i>M. Komatsubara, T. Namazu, N. Naka, S. Kashiwagi, K. Ohtsuki, and S. Inoue</i>	
PHASE LOCK LOOP BASED TEMPERATURE COMPENSATION FOR MEMS OSCILLATORS	657
<i>J. Salvia, R. Melamud, S. Chandorkar, H.K. Lee, Y.Q. Qu, S.F. Lord, B. Murmann, and T.W. Kenny</i>	
DEGRADATION OF MECHANICAL STRENGTH AT SI/SIO₂ INTERFACE ON SOI WAFERS UNDER CYCLIC LOADING	661
<i>T. Ando, T. Takumi, and K. Sato</i>	
 <u>FABRICATION PACKAGING ENCAPSULATION</u>	
PART-TO-PART AND PART-TO-SUBSTRATE MAGNETIC SELF-ASSEMBLY OF MILLIMETER SCALE COMPONENTS WITH ANGULAR ORIENTATION	665
<i>S.B. Shetye, I. Eskinazi, and D.P. Arnold</i>	
LOW TEMPERATURE FABRICATION PROCESS FOR HIGH-ASPECT-RATIO AND MULTI-COMPLIANT MEMS	669
<i>S. Kühne, R. Blattmann, and C.H. Hierold</i>	
FABRICATION OF NANOPILLARS BASED ON SILICON OXIDE NANOPATTERNS SYNTHESIZED IN OXYGEN PLASMA REMOVAL OF PHOTORESIST	673
<i>H.Y. Mao, D. Wu, W.G. Wu, J. Xu, H.X. Zhang, and Y.L. Hao</i>	
VISUAL OBSERVATION OF PDMS TIP IN LIQUID MICROCONTACT PRINTING	677
<i>J. Fattaccioli, A. Ikeda, J.G. Kim, N. Takama, and B.J. Kim</i>	
SUPERCritical FLUID DEPOSITION (SCFD) TECHNIQUE AS A NOVEL TOOL FOR MEMS FABRICATION	681
<i>T. Momose, T. Ohkubo, T. Uejima, T. Saito, M. Sugiyama, and Y. Shimogaki</i>	
ELECTRODEPOSITION OF PERMALLOY IN DEEP SILICON TRENCHES WITHOUT EDGE-OVERGROWTH UTILIZING DRY FILM PHOTORESIST	685
<i>S.-W. Park, D.G. Senesky, and A.P. Pisano</i>	
FABRICATION OF BIODEGRADABLE MAGNETIC MICROCAPSULES UTILIZING 3D, SURFACE MODIFIED PDMS MICROFLUIDIC DEVICES	689
<i>C.Y. Liao and Y.C. Su</i>	
NOVEL TECHNOLOGY FOR CAPACITIVE PRESSURE SENSORS WITH MONOCRYSTALLINE SILICON MEMBRANES	693
<i>K. Knese, S. Armbruster, H. Weber, M. Fischer, H. Benzel, M. Metz, and H. Seidel</i>	
DEVELOPMENT OF MULTI-USER MULTI-CHIP SOI CMOS-MEMS PROCESSES	697
<i>K. Takahashi, M. Mita, M. Nakada, D. Yamane, A. Higo, H. Fujita, and H. Toshiyoshi</i>	
MEMS-BASED BATCH-MODE MICRO-ELECTRO-DISCHARGE MACHINING USING MICROELECTRODE ARRAYS ACTUATED BY HYDRODYNAMIC FORCE	701
<i>C.R. Alla Chaitanya, and K. Takahata</i>	
SILICON CARBIDE SURFACE MICROMACHINING TECHNOLOGY BY TETRAMETHYLSILANE-BASED ATMOSPHERIC VAPOR DEPOSITION	705
<i>Y. Hatakeyama, M. Esashi, and S. Tanaka</i>	

DEVELOPMENT OF A MONOLITHIC PMMA COMB-DRIVE MICRO ACTUATOR UTILIZING HOT EMBOSsing AND ULTRA-PRECISION MACHINING	709
<i>S. Amaya, D.V. Dao, and S. Sugiyama</i>	
OPTICALLY PROGRAMMABLE SELF-ASSEMBLY OF HETEROGENEOUS MICRO-COMPONENTS ON UNCONVENTIONAL SUBSTRATES	713
<i>E. Saeedi, J.R. Etzkorn, L. Draghi, and B.A. Parviz</i>	
FABRICATION OF NEAR NET SHAPE ALUMINA NICKEL COMPOSITE MICRO PARTS USING AQUEOUS SUSPENSION	717
<i>H.S. Hassanin and K. Jiang</i>	
VERTICALLY ALIGNED VARIOUS LENGTHS DOPED-SILICON MICROWIRE ARRAYS BY REPEATED SELECTIVE VAPOR-LIQUID-SOLID GROWTH.....	721
<i>T. Kawano, A. Ikedo, T. Kawashima, K. Sawada, and M. Ishida</i>	
FABRICATION OF ELECTROSTATICALLY-ACTUATED, IN-PLANE FUSED QUARTZ RESONATORS USING SILICON-ON-QUARTZ (SOQ) BONDING AND QUARTZ DRIE.....	725
<i>Y.-S. Hwang, H.-K. Jung, E.-S. Song, I.-J. Hyeon, Y.-K. Kim, and C.-W. Baek</i>	
ADJUSTABLE REFRACTIVE INDEX METHOD FOR COMPLEX MICROSTRUCTURE BY AUTOMATED DYNAMIC MODE MULTIDIRECTIONAL UV LITHOGRAPHY	729
<i>J.K. Kim, T.-S. Yun, H. Jee, and Y.K. Yoon</i>	
A NEW HIGH-SENSITIVITY PACKAGE-LEAK TESTING METHOD FOR MEMS SENSORS	733
<i>M. Fujiyoshi, Y. Nonomura, and H. Senda</i>	
SPATIALLY ARRANGED MICROELECTRODES USING WIRE BONDING TECHNOLOGY FOR SPATIALLY DISTRIBUTED CHEMICAL INFORMATION ACQUISITION.....	737
<i>W. Tonomura, K. Shimizu, and S. Konishi</i>	
WAFER SCALE ENCAPSULATION OF LARGE LATERAL DEFLECTION MEMS STRUCTURES.....	741
<i>A.B. Graham, M. Messana, P. Hartwel, J. Provine, S. Yoneoka, B. Kim, R. Melamud, R.T. Howe, and T.W. Kenny</i>	
PARYLENE-POCKET CHIP INTEGRATION	745
<i>R. Huang and Y.C. Tai</i>	
A LOW-POWER OVEN-CONTROLLED VACUUM PACKAGE TECHNOLOGY FOR HIGH-PERFORMANCE MEMS.....	749
<i>S.-H. Lee, J. Cho, S.-W. Lee, M.F. Zaman, F. Ayazi, and K. Najafi</i>	
DIRECT WIRE-BONDING OF SILICON DEVICES WITHOUT METAL PADS	753
<i>A. Hirshberg and D. Elata</i>	
<u>PHYSICAL SENSORS</u>	
A LOW-NOISE OSCILLATOR BASED ON A MULTI-MEMBRANE CMUT FOR HIGH SENSITIVITY RESONANT CHEMICAL SENSOR.....	757
<i>H.J. Lee, K.K. Park, P. Cristman, Ö. Oralkan, M. Kupnik, and B.T. Khuri-Yakub</i>	
PERFORMANCE OF PACKAGED PIEZOELECTRIC MICROSPEAKERS DEPENDING ON THE MATERIAL PROPERTIES	761
<i>S.H. Yi, S.C. Ur, and E.S. Kim</i>	

CMOS INTEGRATED STRESS MAPPING CHIPS WITH 32 N-TYPE OR P-TYPE PIEZORESISTIVE FIELD EFFECT TRANSISTORS	765
<i>P. Gieschke, Y. Nurcahyo, M. Herrmann, M. Kuhl, P. Ruther, and O. Paul</i>	
DEVELOPMENT OF FABRIC-TYPE OF TENSIONAL FORCE SENSOR	769
<i>Y. Suzuki, D. Ogura, M. Shikida, Y. Hasegawa, and K. Sato</i>	
MEASUREMENT RESULTS OF THE FIRST TWO CHIP SILICON MICROPHONE WITH LOW STRESS NICKEL MEMBRANE COVERING FULL AUDIO RANGE	773
<i>S. Junge, F. Jakobs, and W. Lang</i>	
TOWARDS PIEZORESISTIVE CMOS SENSORS FOR OUT-OF-PLANE STRESS	777
<i>B. Lemke, K. Kratt, R. Baskaran, and O. Paul</i>	
FLEXIBLE TACTILE SENSOR SHEET WITH LIQUID FILTER FOR SHEAR FORCE DETECTION	781
<i>K. Noda, K. Matsumoto, and I. Shimoyama</i>	
BIOMIMETIC DESIGN AND FABRICATION OF COMPONENTS FOR ARTIFICIAL HAIR CELL SENSOR	785
<i>H.S. Lee, B.-K. Lee, and T.H. Kwon</i>	
A NOVEL CONFIGURABLE MEMS INERTIAL SWITCH USING MICROSCALE LIQUID-METAL DROPLET	789
<i>K. Yoo and J. Kim</i>	
NOVEL MICRO CAPACITIVE INCLINOMETER WITH OBLIQUE COMB ELECTRODE AND SUSPENSION SPRING ALIGNED PARALLEL TO {111} VERTICAL PLANES OF (110) SILICON	793
<i>D.-H. Jeong, S.-S. Yun, M.-L. Lee, G. Hwang, C.-A. Choi, and J.-H. Lee</i>	
A DIGITAL OUTPUT PIEZOELECTRIC ACCELEROMETER USING PATTERNED PB(ZR,TD)O₃ THIN FILMS ELECTRICALLY CONNECTED IN SERIES	797
<i>T. Kobayashi, H. Okada, T. Masuda, and T. Itoh</i>	
ACCELERATION COMPENSATION OF MEMS RESONATORS USING ELECTROSTATIC TUNING	801
<i>S. Yoneoka, G. Bahl, J. Salvia, K.L. Chen, A.B. Graham, H.K. Lee, G. Yama, R.N. Candler, and T.W. Kenny</i>	
DESIGN AND IMPLEMENTATION OF A NOVEL CMOS-MEMS SINGLE PROOF-MASS TRI-AXIS ACCELEROMETER	805
<i>C.-M. Sun, M.-H. Tsai, and W. Fang</i>	
A LATCHING ACCELERATION SWITCH WITH MULTI-CONTACTS INDEPENDENT TO THE PROOF-MASS	809
<i>Z.Y. Guo, Z.C. Yang, L.T. Lin, Q.C. Zhao, H.T. Ding, X.S. Liu, X.Z. Chi, J. Cui, and G.Z. Yan</i>	
AN ANALYSIS TO IMPROVE STABILITY OF DRIVE-MODE OSCILLATIONS IN CAPACITIVE VIBRATORY MEMS GYROSCOPES	813
<i>S.E. Alper, K. Sahin, and T. Akin</i>	
MODELING OF A CAPACITIVE Σ-Δ ACCELEROMETER SYSTEM INCLUDING THE NOISE COMPONENTS AND VERIFICATION WITH TEST RESULTS 817	
<i>B. Boga, I.E. Ocak, H. Külah, and T. Akin</i>	
AIR PRESSURE SENSOR ON AN INSECT WING	821
<i>H. Takahashi, K. Matsumoto, and I. Shimoyama</i>	
A FULLY CMOS-COMPATIBLE MICRO-PIRANI GAUGE BASED ON A CONSTANT CURRENT CIRCUIT	825
<i>J. Wang and Z. Tang</i>	

GLASS AND QUARTZ MICROSCINTILLATORS FOR CMOS COMPATIBLE MULTI-SPECIES RADIATION DETECTION	829
<i>R.P. Waguespack, H. Berry, S. Pellegrin, and C.G. Wilson</i>	
SEMICONDUCTING Y-BA-CU-O INFRARED MICROBOLOMETER ARRAY FABRICATED AND CHARACTERIZED WITH CCBDI ROIC	833
<i>S. Kumar¹ and D.P. Butler²</i>	
A MICROMACHINED QUARTZ AND STEEL PRESSURE SENSOR OPERATING UP TO 1000°C AND 2000 TORR.....	837
<i>S.A. Wright and Y.B. Gianchandani</i>	
HIGH SPEED (GHZ), ULTRA-HIGH PRESSURE (GPA) SENSOR ARRAY FABRICATED IN INTEGRATED CMOS+MEMS PROCESS	841
<i>M. Okandan, R. Olsson, M. Baker, P. Resnick, T.A. Hill, C. Lackey, S. Pearson, J. Castaneda, W. Trott, and D. Jones</i>	
SINGLE WAFER SURFACE MICROMACHINED FIELD EMISSION ELECTRON SOURCE.....	844
<i>F. Santagata, C.K. Yang, J.F. Creemer, P.J. French, and P.M. Sarro</i>	
SUSPENDED MEMBRANE SINGLE CRYSTAL SILICON MICRO HOTPLATE FOR DIFFERENTIAL SCANNING CALORIMETRY.....	848
<i>J. Lee¹, C.M. Spadaccini², E.V. Mukerjee², and W.P. King¹</i>	
<u>RF MEMS AND RESONATORS</u>	
SIMPLE AND ROBUST AIR GAP-BASED MEMS SWITCH TECHNOLOGY FOR RF-APPLICATIONS.....	852
<i>P. Ekkels, X. Rottenberg, P. Czarnecki, R. Puers, and H.A.C. Tilmans</i>	
RUTHENIUM/GOLD HARD-SURFACE/LOW-RESISTIVITY CONTACT METALLIZATION FOR POLYMER-ENCAPSULATED MICROSWITCH WITH STRESS-REDUCED CORRUGATED SIN/SIO₂ DIAPHRAGM	856
<i>F. Ke, J. Miao, and J. Oberhammer</i>	
A MEMS RECONFIGURABLE QUAD-BAND CLASS-E POWER AMPLIFIER FOR GSM STANDARD	860
<i>L. Larcher, R. Brama, M. Ganzerli, J. Iannacci, B. Margesin, M. Bedani, and A. Gnudi</i>	
A RF-MEMS BASED MONOLITHICALLY INTEGRATED WIDE RANGE TUNABLE LOW PASS FILTER FOR RF FRONT END APPLICATION.....	864
<i>T. Fujii, T. Irieda, K. Nakamura, K. Ota, K. Ihara, D.T. McCormick, and L. Lin</i>	
LOW ACTUATION VOLTAGE SPDT RF MEMS K BAND SWITCH USING A SINGLE GOLD MEMBRANE.....	868
<i>R. Robin, O. Millet, K. Segueni, and L. Buchaillet</i>	
PERFORMANCE ENHANCEMENT BY SUBSTRATE PERFORATION FOR A WAFER-LEVEL ENCAPSULATED RF MEMS DC SHUNT SWITCH.....	872
<i>F. Ke, J. Miao, and C.W. Tan</i>	
A STRESS TOLERANT TEMPERATURE-STABLE RF MEMS SWITCHED CAPACITOR	876
<i>I. Reines¹, B. Pillans², and G.M. Rebeiz¹</i>	
TEMPERATURE COMPENSATION IN SILICON-BASED MICRO-ELECTROMECHANICAL RESONATORS.....	880
<i>F. Schoen, M. Nawaz, T. Bever, R. Gruenberger, W. Raberg, W. Weber, B. Winkler, and R. Weigel</i>	

A 12-GHZ DPDT RF-MEMS SWITCH WITH LAYER-WISE WAVEGUIDE/ACTUATOR DESIGN TECHNIQUE	884
<i>D. Yamane, H. Seita, W. Sun, S. Kawasaki, H. Fujita, and H. Toshiyoshi</i>	
POST-FABRICATION ELECTRICAL TRIMMING OF SILICON BULK ACOUSTIC RESONATORS USING JOULE HEATING	888
<i>A.K. Samarao and F. Ayazi</i>	
RF MEMS HIGH-IMPEDANCE TUNEABLE METAMATERIALS FOR MILLIMETER-WAVE BEAM STEERING	892
<i>M. Sterner, D. Chicherin, A.V. Räisänen, G. Stemme, and J. Oberhammer</i>	
MONOLITHICALLY INTEGRATED PIEZOMEMS SP2T SWITCH AND CONTOUR-MODE FILTERS	896
<i>J.S. Pulskamp, D.C. Judy, R.G. Polcawich, R. Kaul, H. Chandralalim, and S.A. Bhave</i>	
A LIQUID-METAL RF MEMS SWITCH WITH DC-TO-40 GHZ PERFORMANCE	900
<i>P. Sen and C.-J. Kim</i>	
DESIGN AND FABRICATION OF A GAUSSIAN-SHAPED AT-CUT QUARTZ CRYSTAL RESONATOR	904
<i>T. Abe and H. Kishi</i>	
GAS-LIQUID SEPARATED RESONATOR FOR BIO-CHEMICAL APPLICATION	908
<i>H. Hida, M. Shikida, M. Okochi, H. Honda, and K. Sato</i>	
5 - 10 GHZ ALN CONTOUR-MODE NANO-ELECTROMECHANICAL RESONATORS	912
<i>M. Rinaldi, C. Zuniga, and G. Piazza</i>	
CHAOS IN ELECTROSTATICALLY ACTUATED RF-MEMS MEASURED AND MODELED	916
<i>J. Stulemeijer, R.W. Herfst, and J.A. Bielen</i>	
THERMOELASTIC FEM-BEM MODEL FOR MEMS RESONATOR LOSS SIMULATION	919
<i>D. Ekeom and L. Buchailot</i>	
RESONANT PIEZOELECTRIC ALGAN/GAN MEMS SENSORS IN LONGITUDINAL MODE OPERATION	923
<i>K. Brueckner, F. Niebelschuetz, K. Tonisch, R. Stephan, V. Cimalla, O. Ambacher, and M.A. Hein</i>	
FULLY DIFFERENTIAL INTERNAL ELECTROSTATIC TRANSDUCTION OF A LAMÉ-MODE RESONATOR	927
<i>M. Ziaei-Moayyed, D. Elata, J. Hsieh, J.-W.P. Chen, E.P. Quévy, and R.T. Howe</i>	
ANALYTICAL MODELING AND NUMERICAL SIMULATION OF CAPACITIVE SILICON BULK ACOUSTIC RESONATORS	931
<i>G. Casinovi, X. Gao, and F. Ayazi</i>	
THERMAL ANALYSIS AND CHARACTERIZATION OF HIGH Q FILM BULK ACOUSTIC RESONATOR (FBAR) AS BIOSENSORS IN LIQUIDS	935
<i>X. Zhang, W. Xu, A. Abbaspour-Tamijani, and J. Chae</i>	
 <u>OPTICAL MEMS</u>	
EL DISPLAY PRINTED ON CURVED SURFACE	939
<i>T.-M. Lee, H.-C. Choi, J.-H. Noh, and D.-S. Kim</i>	
SOLUTION ELECTROCHEMILUMINESCENT MICROFLUIDIC CELL FOR FLEXIBLE AND STRETCHABLE DISPLAY	943
<i>R. Okumura, S. Takamatsu, E. Iwase, K. Matsumoto, and I. Shimoyama</i>	

MEMS BASED LASER IMAGER WITH DIAGONAL PROGRESSIVE SCANNING	947
<i>T. Sandner, T. Grasshoff, T. Klose, H. Schenk, and J.L. Massieu</i>	
POLYMERIC (SU-8) OPTICAL MICROSCANNER DRIVEN BY ELECTROSTATIC ACTUATION	951
<i>S.K. Lee, M.G. Kim, J.Y. An, M.H. Jun, S. Yang, and J.H. Lee</i>	
VACUUM WAFER LEVEL PACKAGED TWO-DIMENSIONAL OPTICAL SCANNER BY ANODIC BONDING	955
<i>H. Tachibana, K. Kawano, H. Ueda, and H. Noge</i>	
ACCURACY ENHANCEMENT IN THE IN-PLANE DYNAMIC MEASUREMENT OF MEMS ACTUATORS USING A LASER DOPPLER VIBROMETER WITH A 45°- ANGLED OPTICAL FIBER	959
<i>M.G. Kim¹, K.W. Jo¹, Y.S. Park², W.G. Jang, and J.H. Lee¹</i>	
MICRO LIQUID PRISM	963
<i>Y. Yoshihata, A. Takei, N. Binh-Khiem, T. Kan, E. Iwase, K. Matsumoto, and I. Shimoyama</i>	
MEMS OPTICAL LOGIC NOR GATE USING INTEGRATED TUNABLE LASERS	967
<i>B. Liu, H. Cai, X.M. Zhang, J. Tamil, Q.X. Zhang, and A.Q. Liu</i>	
TILTED PARABOLOIDAL REFLECTIVE LENS FOR FAR INFRARED FABRICATED BY MASK WITH RECTANGULAR OPENINGS	971
<i>T. Takahata, K. Matsumoto, and I. Shimoyama</i>	
MEMS LASER WITH TUNABLE WAVELENGTH AND POLARIZATION USING OPTICAL TUNNELING EFFECT	975
<i>W.M. Zhu, X.M. Zhang, H. Cai, J. Tamil, W. Zhang, B. Liu, T. Bourouina, and A.Q. Liu</i>	
A NOVEL TELESCOPE WITH MICROMIRROR FOR OBSERVATION OF TRANSIENT LUMINOUS EVENTS FROM SPACE.....	979
<i>J.H. Park, S. Nam, G. Garipov, J.A. Jeon, J.Y. Jin, B. Khrenov, J.E. Kim, M. Kim, Y.K. Kim, J. Lee, G.W. Na, I.H. Park, Y.-S. Park, and B.W. Yoo</i>	
NON-SPHERICAL SU-8 MICROLENS ARRAY FABRICATED UTILIZING A NOVEL STAMPING PROCESS AND AN ELECTRO-STATIC PULLING METHOD	983
<i>S.-M. Kuo and C.-H. Lin</i>	
MULTICHAMBER TUNABLE LIQUID MICROLENSES WITH ACTIVE ABERRATION CORRECTION	987
<i>D. Mader, P. Waibel, A. Seifert, and H. Zappe</i>	
OPTICAL MICROMIRROR ACTUATION USING THERMOCAPILLARY EFFECT IN MICRODROPLETS	991
<i>R.K. Dhull, I. Puchades, L. Fuller, and Y.W. Lu</i>	
DUAL-AXES CONFOCAL MICROLENS FOR RAMAN SPECTROSCOPY	995
<i>C.P.B. Siu, H. Wang, H. Zeng, and M. Chiao</i>	
TUNABLE SCANNING FIBER OPTIC MEMS-PROBE FOR ENDOSCOPIC OPTICAL COHERENCE TOMOGRAPHY	999
<i>K. Aljaseem, A. Seifert, and H. Zappe</i>	
CMOS-INTEGRABLE PISTON-TYPE MICRO-MIRROR ARRAY FOR ADAPTIVE OPTICS MADE OF MONO-CRYSTALLINE SILICON USING 3-D INTEGRATION	1003
<i>M. Lapisa, F. Zimmer, F. Niklaus, A. Gehner, and G. Stemme</i>	
MONOLITHIC MULTICOLOR TOTAL INTERNAL REFLECTION (TIR)-BASED CHIP FOR HIGHLY-SENSITIVE MULTIFLUORESCENCE DETECTION AND IMAGING.....	1007
<i>N.C.H. Le, D.V. Dao, R. Yokokawa, J. Wells, and S. Sugiyama</i>	

CMOS-COMPATIBLE 2-AXIS SELF-ALIGNED VERTICAL COMB-DRIVEN MICROMIRROR FOR LARGE FIELD-OF-VIEW MICROENDOSCOPES	1011
<i>K. Kumar and X.J. Zhang</i>	
TOPOLOGY OPTIMIZATION FOR MICRO ROTATIONAL MIRROR DESIGN AND SAFE MANUFACTURING	1015
<i>T. Chen, Z. Liu, J.G. Korvink, S. Krausse, and U. Wallrabe</i>	
STRETCHABLE YARN OF DISPLAY ELEMENTS	1019
<i>S. Takamatsu, K. Matsumoto, and I. Shimoyama</i>	
A MICROMACHINED THERMO-OPTIC TUNABLE LASER	1023
<i>H. Cai, B. Liu, X.M. Zhang, W.M. Zhu, J. Tamil, W. Zhang, Q.X. Zhang, and A.Q. Liu</i>	
 <u>MEMS ACTUATORS & POWER MEMS</u>	
MASS-ANALYSIS SCANNING FORCE MICROSCOPY WITH ELECTROSTATIC SWITCHING MECHANISM	1027
<i>C.Y. Shao, Y. Kawai, T. Ono, and M. Esashi</i>	
A MULTIPLE DEGREES OF FREEDOM ELECTROTHERMAL ACTUATOR FOR A VERSATILE MEMS GRIPPER	1031
<i>D.-S. Chen, C.-Y. Yin, R.-J. Lai, and J.-C. Tsai</i>	
BIDIRECTIONAL ELECTROTHERMAL ELECTROMAGNETICTORSIONAL MICROACTUATORS	1035
<i>Y. Eun, H. Na, and J. Kim</i>	
A 2D ELECTRET-BASED RESONANT MICRO ENERGY HARVESTER	1039
<i>U. Bartsch, J. Gaspar, and O. Paul</i>	
PZT MEMS ACTUATED FLAPPING WINGS FOR INSECT-INSPIRED ROBOTICS	1043
<i>J.R. Bronson, J.S. Pulskamp, R.G. Polcawich, C.M. Kroninger, and E.D. Wetzel</i>	
A NOVEL UNDERWATER ACTUATOR DRIVEN BY MAGNETIZATION REPULSION/ATTRACTION	1047
<i>H.-T. Su, T.-L. Tang, and W. Fang</i>	
DEVELOPMENT OF THE FORWARD-LOOKING ACTIVE MICRO-CATHETER ACTUATED BY TI-NI SHAPE MEMORY ALLOY SPRINGS	1051
<i>M. Komatsubara, T. Namazu, H. Nagasawa, T. Miki, T. Tsurui, and S. Inoue</i>	
LOW-RESONANT-FREQUENCY MICRO ELECTRET GENERATOR FOR ENERGY HARVESTING APPLICATION	1055
<i>M. Edamoto, Y. Suzuki, N. Kasagi, K. Kashiwagi, Y. Morizawa, T. Yokoyama, T. Seki, and M. Oba</i>	
DEVELOPMENT OF THE NOVEL ELONGATION-MEASUREMENT DEVICE WITH IN-PLANE BIMORPH ACTUATOR FOR THE TENSILE TEST	1059
<i>H. Fujii, T. Namazu, and S. Inoue</i>	
MICROACTUATION UTILIZING WAFER-LEVEL INTEGRATED SMA WIRES	1063
<i>D. Clausi, H. Gradin, S. Braun, J. Peirs, G. Stemme, D. Reynaerts, and W. van der Wijngaart</i>	
AN INTEGRATED SOLUTION FOR WAFER-LEVEL PACKAGING AND ELECTROSTATIC ACTUATION OF OUT-OF-PLANE DEVICES	1067
<i>K.L. Chen, R. Melamud, S. Wang, and T.W. Kenny</i>	
AN ELECTROMAGNETIC MICRO POWER GENERATOR FOR LOW FREQUENCY ENVIRONMENTAL VIBRATIONS BASED ON THE FREQUENCY UP-CONVERSION TECHNIQUE	1071
<i>I. Sari, T. Balkan, and H. Külah</i>	

ELECTROSTATIC ROTARY STEPPER MICROMOTOR FOR SKEW ANGLE COMPENSATION IN HARD DISK DRIVES	1075
<i>E. Sarajlic, C. Yamahata, M. Cordero, and H. Fujita</i>	
A SURFACE-TENSION-DRIVEN PROPULSION AND ROTATION PRINCIPLE FOR WATER-FLOATING MINI/MICRO ROBOTS	1079
<i>S.K. Chung, K. Ryu, and S.K. Cho</i>	
DEVELOPMENT OF SKEWED DRIE PROCESS AND ITS APPLICATION TO ELECTROSTATIC TILT MIRROR	1083
<i>M. Nakada, K. Takahashi, T. Takahashi, A. Higo, H. Fujita, and H. Toshiyoshi</i>	
DESIGN OF A PASSIVE AND PORTABLE DMFC OPERATING IN ALL ORIENTATIONS	1087
<i>N. Paust, S. Krumbholz, S. Munt, C. Müller, R. Zengerle, C. Ziegler, and P. Koltay</i>	
A ROTARY MICROACTUATOR SUPPORTED ON ENCAPSULATED MICROBALL BEARINGS USING AN ELECTRO-PNEUMATIC THRUST BALANCE	1091
<i>M. McCarthy, C.M. Waits, M.I. Beyaz, and R. Ghodssi</i>	
PASSIVATED ELECTRODE ACTUATOR WITH STABLE RESONANCE AMPLITUDE	1095
<i>G. Bahl, R.G. Walmsley, B.E. DeMartini, K.L. Turner, and P.G. Hartwell</i>	
FAST POSITIONING AND IMPACT MINIMIZING OF MEMS DEVICES BY SUPPRESSION MOTION-INDUCED VIBRATION BY COMMAND SHAPING METHOD	1099
<i>K.-S. Chen and K.-S. Ou</i>	
A MICRO DIRECT METHANOL FUEL CELL INTEGRATED WITH A TEMPERATURE CONTROL SYSTEM FOR EXTREME ENVIRONMENTS	1103
<i>Q. Zhang, X. Wang, Y. Zhu, Y. Zhou, X. Qiu, and L. Liu</i>	
LEVER-BASED CMOS-MEMS PROBES FOR RECONFIGURABLE RF IC'S	1107
<i>J. Liu, M. Noman, J.A. Bain, T.E. Schlesinger, and G.K. Fedder</i>	
A NEW EFFICIENT METHOD FOR SIMULATING THE DYNAMIC RESPONSE OF ELECTROSTATIC SWITCHES	1111
<i>V. Leus and D. Elata</i>	

Author Index