

2009 IEEE Radio Frequency Integrated Circuits Symposium

(RFIC)

Boston, Massachusetts, USA
7 – 9 June 2009



IEEE Catalog Number: CFP09MMW-PRT
ISBN: 978-1-4244-3377-3

TABLE OF CONTENTS

RSU5A: RFIC PLENARY

Cost-Effective Semiconductor Technologies for RF and Microwave Applications.....	1
<i>Christopher M. Snowden</i>	
Real-World RFID Deployments: What Makes Them Work.....	2
<i>George W. Everhart</i>	

RMO1A: CELLULAR IC I

RF Receiver Front-End with +3dBm Out-of-Band IIP3 and 3.4dB NF in 45nm CMOS for 3G and Beyond.....	3
<i>Naveen K. Yanduru, Danielle Griffith, Kah-Mun Low, Poras T. Balsara</i>	
A SAW-Less CDMA Receiver Front-End with Single-Ended LNA and Single-Balanced Mixer with 25% Duty-Cycle LO in 65nm CMOS.....	7
<i>Himanshu Khatri, Li Liu, Tony Chang, Prasad S. Gudem, Lawrence E. Larson</i>	
A 0.13μm CMOS Multi-Band WCDMA/HSDPA Receiver Adopting Silicon Area Reducing Techniques.....	11
<i>Hyunwon Moon, Juyoung Han, Seung-Il Choi, Dongjin Keum, Byeong-Ha Park</i>	
A Tunable 300--800MHz RF-Sampling Receiver Achieving 60dB Harmonic Rejection and 0.8dB Minimum NF in 65nm CMOS.....	15
<i>Z. Ru, E. Klumperink, C. Saavedra, B. Nauta</i>	
The First Experimental Demonstration of a SASP-Based Full Software Radio Receiver.....	19
<i>Francois Rivet, Yann Deval, Jean-Baptiste Begueret, Dominique Dallet, Philippe Cathelin, Didier Belot</i>	

RMO1B: ADVANCED MILLIMETER-WAVE CIRCUITS

Current Combining 60GHz CMOS Power Amplifiers.....	23
<i>Mounir Bohsali, Ali M. Niknejad</i>	
60GHz 45nm PA for Linear OFDM Signal with Predistortion Correction Achieving 6.1% PAE and -28dB EVM.....	27
<i>Emanuel Cohen, Shmuel Ravid, Dan Ritter</i>	
60GHz and 80GHz Wide Band Power Amplifier MMICs in 90nm CMOS Technology.....	31
<i>Naoyuki Kurita, Hiroshi Kondoh</i>	
Low-Loss 0.13μm CMOS 50--70GHz SPDT and SP4T Switches.....	35
<i>Yusuf A. Atesal, Berke Cetinoneri, Gabriel M. Rebeiz</i>	
A Tunable Flipflop-Based Frequency Divider up to 113GHz and a Fully Differential 77GHz Push-Push VCO in SiGe BiCMOS Technology.....	39
<i>S. Trotta, H. Li, V.P. Trivedi, J. John</i>	

RMO1C: BROADBAND IC I

A DC--102GHz Broadband Amplifier in 0.12μm SiGe BiCMOS.....	43
<i>Joohwa Kim, James F. Buckwalter</i>	

A 1.8mW Wideband 57dB_C Transimpedance Amplifier in 0.13μm CMOS	47
<i>Firooz Aflatouni, Hossein Hashemi</i>	
1--10GHz Inductorless Receiver in 0.13μm CMOS	51
<i>Liuchun Cai, Ramesh Harjani</i>	
A 2Gbps RF-Correlation-Based Impulse-Radio UWB Transceiver Front-End in 130nm CMOS	55
<i>Lei Zhou, Zhiming Chen, Chun-Cheng Wang, Fred Tzeng, Vipul Jain, Payam Heydari</i>	
A Multi-Modulation Low-Power FCC/EC-Compliant IR-UWB RF Transmitter in 0.18μm CMOS	59
<i>David Barras, George von Bueren, Walter Hirt, Heinz Jaeckel</i>	

RMO1D: TRANSFORMER BASED VCOs

A 24GHz Low Power VCO with Transformer Feedback	63
<i>Chieh-An Lin, Jing-Lin Kuo, Kun-You Lin, Hwei Wang</i>	
A 1.7mW, 16.8% Frequency Tuning, 24GHz Transformer-Based LC-VCO Using 0.18μm CMOS Technology	67
<i>Yen-Hung Kuo, Jeng-Han Tsai, Tian-Wei Huang</i>	
A 92.6% Tuning Range VCO Utilizing Simultaneously Controlling of Transformers and MOS Varactors in 0.13μm CMOS Technology	71
<i>Yusuke Takigawa, Hiroshi Ohta, Qing Liu, Satoshi Kurachi, Nobuyuki Itoh, Toshihiko Yoshimasu</i>	
1.1 to 1.9GHz CMOS VCO for Tuner Application with Resistively Tuned Variable Inductor	75
<i>S.J. Cheng, Y. Zheng, C.H. Heng</i>	
An Ultra-Low-Power CMOS Complementary VCO Using Three-Coil Transformer Feedback	79
<i>Chi-Kai Hsieh, Kun-Yao Kao, Kun-You Lin</i>	

RMO2A: RFID AND LOW-POWER WIRELESS APPLICATIONS

Software Configurable 5.8GHz Radar Sensor Receiver Chip in 0.13μm CMOS for Non-Contact Vital Sign Detection	83
<i>Changzhi Li, Xiaogang Yu, Dong Li, Lixin Ran, Jenshan Lin</i>	
An Asymmetric RF Tagging IC for Ingestible Medication Compliance Capsules	87
<i>Hong Yu, Chun-Ming Tang, Rizwan Bashirullah</i>	
A Novel CMOS Transmitter Front-End for Mobile RFID Reader	91
<i>Tongqiang Gao, Jingchao Wang, Chun Zhang, Baoyong Chi, Zhihua Wang</i>	
An RF Transceiver with Auto Signal Detection and Combined PGA/RSSI in 0.18μm CMOS for V2.1 Bluetooth Applications	95
<i>Wei-Yi Hu, Jia-Wei Lin, Kuo-Chi Tien, Yong-Hsiang Hsieh, Chao-Liang Chen, Hung-Ta Tso, Yi-Shun Shih, Shao-Chueh Hu, Sao-Jie Chen</i>	
An Ultra-Low-Power 868/915MHz RF Transceiver for Wireless Sensor Network Applications	99
<i>R. van Langevelde, M. van Elzakker, D. van Goor, H. Termeer, J. Moss, A.J. Davie</i>	

RMO2B: HIGH-FREQUENCY CMOS RF RECEIVERS

Low-Voltage, Inductorless Folded Down-Conversion Mixer in 65nm CMOS for UWB Applications	103
<i>S.K. Hampel, O. Schmitz, M. Tiebout, I. Rolfes</i>	
A 14GHz CMOS Receiver with Local Oscillator and IF Bandpass Filter for Satellite Applications	107
<i>Wenjian Chen, Tino Copani, Hugh J. Barnaby, Sayfe Kiaei</i>	
A Two-Channel Ku-Band BiCMOS Digital Beam-Forming Receiver for Polarization-Agile Phased-Array Applications	111
<i>Berke Cetinoneri, Yusuf A. Atesal, Gabriel M. Rebeiz</i>	
High Performance CMOS Receiver for Local Positioning Systems	115
<i>Marko Krmar, Viswanathan Subramanian, Georg Boeck</i>	
A CMOS Ku-Band Single-Conversion Low-Noise Block Front-End for Satellite Receivers	119
<i>Zhiming Deng, Jiashu Chen, Jason Tsai, Ali M. Niknejad</i>	

RMO2C: PA MODULATOR COMPONENTS

A Hybrid Envelope Modulator Using Feedforward Control for OFDM WLAN Polar Transmitter	123
<i>Chih-Chang Lee, Chun-Jen Chen, Szu-Hsien Wu</i>	
A Spurious Emission Reduction Technique for Power Amplifiers Using Frequency Hopping DC-DC Converters	127
<i>Jau-Horng Chen, Pang-Jung Liu, Yi-Jan Emery Chen</i>	
A Highly-Linear Radio-Frequency Envelope Detector for Multi-Standard Operation	131
<i>Jeongwon Cha, Wangmyung Woo, Changhyuk Cho, Yunseo Park, Chang-Ho Lee, Haksun Kim, Joy Laskar</i>	
A 1.55GHz to 2.45GHz Center Frequency Continuous-Time Bandpass Delta-Sigma Modulator for Frequency Agile Transmitters	135
<i>Martin Schmidt, Markus Grozing, Stefan Heck, Ingo Dettmann, Manfred Berroth, Dirk Wiegner, Wolfgang Templ, Andreas Pascht</i>	
A 25dBm High-Efficiency Digitally-Modulated SOI CMOS Power Amplifier for Multi-Standard RF Polar Transmitters	139
<i>Sataporn Pornpromlikit, Jinho Jeong, Calogero D. Presti, Antonino Scuderi, Peter M. Asbeck</i>	

RMO2D: RF MODELING AND DESIGN AUTOMATION

Effect of Substrate Contact Shape and Placement on RF Characteristics of 45nm Low Power CMOS Devices	143
<i>Usha Gogineni, Hongmei Li, Susan Sweeney, Jing Wang, Basanth Jagannathan, Jesus del Alamo</i>	
Design and Modeling of Planar Transformer-Based Silicon Integrated Passive Devices for Wireless Applications	147
<i>Chien-Hsiang Huang, Tzu-Chiang Wei, Tzzy-Sheng Horng, Jian-Yu Li, Cheng-Chung Chen, Chen-Chao Wang, Chi-Tsung Chiu, Chih-Pin Hung</i>	
Characterisation and Macro-Modeling of Patterned Micronic and Nano-Scale Dummy Metal-Fills in Integrated Circuits	151
<i>Sidina Wane, Damienne Bajon</i>	

Mosaic Placement of Very High Density 3D Capacitors for Efficient Decoupling Functionality in the RF Domain	155
<i>O. Tesson, F. Le Cornec, S. Jacqueline</i>	

On Modeling Parasitic Control Loops in RF SoCs: RF Cross-Coupling and Spurious Analysis.....	159
<i>K. Muhammad, Chih-Ming Hung, Hunsoo Choo, Erkin Cubukcu</i>	

RMO3A: CELLULAR IC II

Asynchronous Modulator for Linearization and Switch-Mode RF Power Amplifier Applications.....	163
<i>T. Johnson, K. Mekechuk, D. Kelly, J. Lu</i>	

A Low Power 100MHz -- 2.5GHz Digital-to-Time Conversion Based Transmitter for Constant-Envelope Direct Digital Modulation	167
<i>Bob Stengel, Sumit Talwalkar, Tom Gradishar, Gio Cafaro</i>	

A 65nm CMOS Low-Noise Direct-Conversion Transmitter with Carrier Leakage Calibration for Low-Band EDGE Application.....	171
<i>Shin-Fu Chen, Yi-Bin Lee, Chih-Hao Sun, Bing-Jye Kuo, Guang-Kaai Dehng</i>	

A Low-Cost Quad-Band Single-Chip GSM/GPRS Radio in 90nm Digital CMOS	175
<i>K. Muhammad, Chih-Ming Hung, D. Leipold, T. Mayhugh, Imtihan Elahi, I. Deng, C. Fernando, M.-C. Lee, T. Murphy, J.L. Wallberg, R. Bogdan Staszewski, S. Larson, T. Jung, P. Cruise, V. Rousset, S.K. Vemulapalli, R. Staszewski, Oren E. Eliezer, G. Feygin, K. Kunz, K. Maggio</i>	

A Multi-Band High Performance Single-Chip Transceiver for WCDMA/HSDPA	179
<i>C.S. Chiu, B.S. Heng, E.S. Khoo, S.R. Karri, Bing-Jye Kuo, C.H. Shen, T.Y. Sin, C.Y. Wang, W. Yang, H.L. Zhang, Walid Y. Ali-Ahmad, C.L. Heng, Guang-Kaai Dehng</i>	

RMO3B: PHASED ARRAYS

A Bidirectional TX/RX Four Element Phased-Array at 60GHz with RF-IF Conversion Block in 90nm CMOS Process	183
<i>Emanuel Cohen, Claudio Jakobson, Shmuel Ravid, Dan Ritter</i>	

A 60GHz Digitally Controlled RF-Beamforming Receiver Front-End in 65nm CMOS	187
<i>Yikun Yu, Peter Baltus, Arthur van Roermund, Anton de Graauw, Edwin van der Heijden, Manel Collados, Cicero Vaucher</i>	

A 60GHz Band CMOS Phased Array Transmitter Utilizing Compact Baseband Phase Shifters	191
<i>Shuya Kishimoto, Naoyuki Orihashi, Yasuhiro Hamada, Masaharu Ito, Kenichi Maruhashi</i>	

Embedded DiCAD Linear Phase Shifter for 57--65GHz Reconfigurable Direct Frequency Modulation in 90nm CMOS.....	195
<i>Tim LaRocca, Jenny Liu, Frank Wang, Frank Chang</i>	

60GHz Passive and Active RF-Path Phase Shifters in Silicon	199
<i>Ming-Da Tsai, Arun Natarajan</i>	

RMO3C: HANDSET PA's & CONCEPTS

A Highly Efficient GSM/GPRS Quad-Band CMOS PA Module.....	203
<i>Chang-Ho Lee, Jae Joon Chang, Ki Seok Yang, Kyu Hwan An, Izuka Lee, Kijoong Kim, Joongjin Nam, Yunseok Kim, Haksun Kim</i>	

Scalable CMOS Power Devices with 70% PAE and 1, 2 and 3.4 Watt Output Power at 2GHz	207
<i>Mustafa Acar, Mark P. van der Heijden, Iouri Volokhine, Melina Apostolidou, Jan Sonsky, Jan S. Vromans</i>	

Asymmetric Multilevel Outphasing Architecture for Multi-Standard Transmitters	211
<i>SungWon Chung, Philip A. Godoy, Taylor W. Barton, Everest W. Huang, David J. Perreault, Joel L. Dawson</i>	

Distributed Power Amplifier with Electronic Harmonic Filtering	215
<i>Bruce Thompson, Bob Stengel, Scott Olson, Nicholas Cafaro, David Scagnelli, Alvin Joseph, Jim Dunn</i>	

Dual Mode Efficiency Enhanced Linear Power Amplifiers Using a New Balanced Structure	219
<i>Gary Zhang, Shiaw Chang, Sunny Chen, Jing Sun</i>	

RMO3D: AVANCED VCO TOPOLOGIES

A Low-Power Dual-Band Oscillator Based on Band-Limited Negative Resistance	223
<i>Burak Catli, Mona M. Hella</i>	

Low Phase Noise Gm-Boosted Differential Colpitts VCO with Suppressed AM-to-FM Conversion	227
<i>Jong-Phil Hong, Sang-Gug Lee</i>	

An SoC with Automatic Bias Optimization of an RF Oscillator	231
<i>Imran Bashir, R. Bogdan Staszewski, Oren E. Eliezer, Khurram Waheed, Poras T. Balsara</i>	

A Low-Power, Small Area Quadrature LC-VCO Using Miniature 3D Solenoid Shaped Inductor	235
<i>Akira Tanabe, Ken'ichiro Hijioka, Hirokazu Nagase, Yoshihiro Hayashi</i>	

A Gate-Modulated CMOS LC Quadrature VCO	239
<i>Kuang-Wei Cheng, David J. Allstot</i>	

RMO4A: WLAN AND WIMAX

Fully Integrated 23dBm Transmit Chain with On-Chip Power Amplifier and Balun for 802.11a Application in Standard 45nm CMOS Process	243
<i>Adil A. Kidwai, Anna Nazimov, Yishai Eilat, Ofir Degani</i>	

A Tri-Band MIMO Transceiver for Mobile WiMAX with an Image Rejection Ratio Tunable SSB Mixer	247
<i>K. Oishi, D. Yamazaki, N. Hasegawa, N. Kobayashi, M. Kudo, T. Sasaki, S. Sakamoto, S. Yamaura</i>	

Innovative Architecture for Dual-Band WLAN and MIMO Front-End Module Based on a Single Pole, Three Throw Switch-Plexer	251
<i>Chun-Wen Paul Huang, William Vaillancourt, Philip Antognetti, Tony Quaglietta, Mike McPartlin, Mark Doherty, Christophe Masse</i>	

A Compact Low Power SDR Receiver with 0.5--20MHz Baseband Sampled Filter	255
<i>Arnd Geis, Julien Ryckaert, Jonathan Borremans, Gerd Vandersteen, Yves Rolain, Jan Craninckx</i>	

Wi-Fi/WiMAX Dual Mode RF MMIC Front-End Module	259
<i>Ping-Hsun Wu, Shih-Ming Wang, Ming-Wei Lee</i>	

RMO4B: RF FRONT END BUILDING BLOCKS

A DC-to-22GHz 8.4mW Compact Dual-Feedback Wideband LNA in 90nm Digital CMOS	263
<i>M. Okushima, Jonathan Borremans, D. Linten, G. Groeseneken</i>	
A 24GHz Transformer-Based Single-In Differential-Out CMOS Low-Noise Amplifier	267
<i>Jin-Fu Yeh, Chu-Yun Yang, Hsin-Chih Kuo, Huey-Ru Chuang</i>	
A 3-to-5GHz UWB LNA with a Low-Power Balanced Active Balun	271
<i>Sanghoon Joo, Tae-Young Choi, Jae-Young Kim, Byunghoo Jung</i>	
A 50dB Image-Rejection SiGe-HBT Based Low Noise Amplifier in 24GHz Band	275
<i>Toru Masuda, Nobuhiro Shiramizu, Takahiro Nakamura, Katsuyoshi Washio</i>	
A 1.3V, 65nm CMOS, Coilless Combined Feedback LNA with Integrated Single Coil Notch Filter	279
<i>Dirk Bormann, Tobias D. Werth, Christoph Schmits, Stefan Heinen</i>	

RMO4C: FREQUENCY GENERATION CIRCUITS: PLLs AND SYNTHESIZERS

A 750μW 1.575GHz Temperature-Stable FBAR-Based PLL	283
<i>Julie R. Hu, Wei Pang, Richard C. Ruby, Brian P. Otis</i>	
A 0.1--5GHz Dual-VCO Software-Defined (Sigma)(Delta) Frequency Synthesizer in 45nm Digital CMOS	287
<i>Pierluigi Nuzzo, Kameswaran Vengattaramane, Mark Ingels, Vito Giannini, Michiel Steyaert, Jan Craninckx</i>	
A 3GHz Wideband (Sigma)(Delta) Fractional-N Synthesizer with Voltage-Mode Exponential CP-PFD	291
<i>Hiva Hedayati, Bertan Bakkaloglu</i>	
An Integrated 18GHz Fractional-N PLL in SiGe BiCMOS Technology for Satellite Communications	295
<i>Frank Herzel, Sabbir A. Osmany, Klaus Schmalz, Wolfgang Winkler, J. Christoph Scheytt, Thomas Podrebersek, Rudiger Follmann, Heinz-Volker Heyer</i>	
A 1.2mW CMOS Frequency Synthesizer with Fully-Integrated LC VCO for 400MHz Medical Implantable Transceivers	299
<i>Alessandro Italia, Giuseppe Palmisano</i>	

RMO4D: SUBMICRON RFIC MOS AND NOVEL DEVICES

Temperature Compensated BAW Resonator and its Integrated Thermistor for a 2.5GHz Electrical Thermally Compensated Oscillator	303
<i>D. Petit, E. Cesar, P. Bar, S. Joblot, G. Parat, O. Berchaud, J. Verdier, J.-F. Carpentier</i>	
RF Reliability of Short Channel NMOS Devices	307
<i>D. Stephens, T. Vanhoucke, J.J.T.M. Donkers</i>	
Flicker Noise in Nanoscale pMOSFETs with Mobility Enhancement Engineering and Dynamic Body Biases	311
<i>Kuo-Liang Yeh, Chih-You Ku, Wei-Lun Hong, Jyh-Chyurn Guo</i>	
High Frequency Noise in Deep-Submicron NMOSFETs Under Different Hot Carrier Stresses	315
<i>Hao Su, Hong Wang, Zhiyong Sun, Tao Xu</i>	

K-Band Diamond MESFETs for RFIC Technology	319
<i>P. Calvani, F. Sinisi, M.C. Rossi, G. Conte, E. Giovine, W. Ciccognani, E. Limiti</i>	

RTU1A: BROADBAND PA's AND MIMO

A 4-Antenna Transmitter in 0.18μm CMOS Using Space-Time Block Codes	323
<i>Nathan M. Neihart, Kuang-Wei Cheng, Jeffrey S. Walling, Sangmin Yoo, David J. Allstot</i>	
Fully Integrated Dual-Band Power Amplifiers with On-Chip Baluns in 65nm CMOS for an 802.11n MIMO WLAN SoC	327
<i>Ali Afsahi, Arya Behzad, Vikram Magoon, Lawrence E. Larson</i>	
Multi-Decade GaN HEMT Cascode-Distributed Power Amplifier with Baseband Performance	331
<i>Kevin W. Kobayashi, YaoChung Chen, Ioulia Smorchkova, Benjamin Heying, Wen-Ben Luo, William Sutton, Mike Wojtowicz, Aaron Oki</i>	
A 90nm CMOS Power Amplifier for 802.16e (WiMAX) Applications	335
<i>Ofir Degani, Fabian Cossoy, Shay Shahaf, Debopriyo Chowdhury, Christopher D. Hull, Cohen Emanuel, Ravid Shmuel</i>	

RTU1B: NEW IDEAS IN CMOS RF FRONT-END CIRCUITS

Active Feedback Interference Cancellation in RF Receiver Front-Ends	339
<i>Tobias D. Werth, Christoph Schmits, Stefan Heinen</i>	
A 1.3V 26mW 3.2GS/s Undersampled LC Bandpass (Sigma)(Delta) ADC for a SDR ISM-Band Receiver in 130nm CMOS	343
<i>Nicolas Beilleau, Hassan Aboushady, Franck Montaudon, Andreia Cathelin</i>	
An Inductorless High Dynamic Range 0.3-to-2.6GHz Receiver CMOS Front-End	347
<i>Nuntachai Poobuapheun, Wei-Hung Chen, Zdravko Boos, Ali M. Niknejad</i>	
A 90nm CMOS Highly Linear Clock Bootstrapped RF Sampler Operating at Wide Frequency Range of 0.5GHz to 5GHz	351
<i>M. Sato, H. Abe, M. Hamada, H. Majima, T. Kuroda, H. Ishikuro</i>	

RTU1C: ADVANCED DEVICE CHARACTERIZATION AND NON-LINEAR CIRCUIT ANALYSIS

MMW Lab In-Situ to Extract Noise Parameters of 65nm CMOS Aiming 70~90GHz Applications	355
<i>Y. Tagro, D. Gloria, S. Boret, G. Dambrine</i>	
40ns Pulsed I/V Set-Up and Measurement Method Applied to InP HBT Characterization and Electro-Thermal Modeling	359
<i>A. Saleh, M. Abou Chahine, T. Reveyrand, G. Neveux, D. Barataud, J. Michel Nebus, R. Quere, Y. Bouvier, J. Godin, M. Riet</i>	
Background Estimation of Power Amplifier Nonlinearities for OFDM Signals	363
<i>P.V. Kolinko, Lawrence E. Larson</i>	
A Rigorous Analysis of Local Oscillator Pulling in Frequency and Discrete-Time Domain	367
<i>Chien-Jung Li, Chieh-Hsun Hsiao, Fu-Kang Wang, Tzzy-Sheng Horng, Kang-Chun Peng</i>	

RTU2A: WIDEBAND AND DIRECT DIGITAL FREQUENCY SYNTHESIZERS

A 366mW Direct Digital Synthesizer at 15GHz Clock Frequency in SiGe Bipolar Technology	371
<i>Benjamin Laemmle, Christoph Wagner, Herbert Knapp, Linus Maurer, Robert Weigel</i>	
A 5GHz Direct Digital Synthesizer MMIC with Direct Modulation and Spur Randomization	375
<i>Xueyang Geng, Fa Foster Dai, J. David Irwin, Richard C. Jaeger</i>	
A Digital Frequency Synthesizer for Cognitive Radio Spectrum Sensing Applications	379
<i>Tapio Rapinoja, Kari Stadius, Liangge Xu, Saska Lindfors, Risto Kaunisto, Aarno Parssinen, Jussi Ryyanen</i>	
A Single-Chip 0.125--26GHz Signal Source in 0.18μm SiGe BiCMOS	383
<i>Shih-An Yu, Yves Baeyens, Joe Weiner, Ut-Va Koc, Marta Rambaud, Fang-Ren Liao, Young-Kai Chen, Peter Kinget</i>	

RTU2B: MILLIMETER-WAVE IMAGING AND COMMUNICATION SYSTEMS

A CMOS Focal-Plane Array for Heterodyne Terahertz Imaging	387
<i>Ullrich R. Pfeiffer, Erik Ojefors, Alvydas Lisaukas, Diana Glaab, Hartmut G. Roskos</i>	
High-Performance W-Band SiGe RFICs for Passive Millimeter-Wave Imaging	391
<i>Jason W. May, Gabriel M. Rebeiz</i>	
W-Band 65nm CMOS and SiGe BiCMOS Transmitter and Receiver with Lumped I-Q Phase Shifters	395
<i>I. Sarkas, M. Khanpour, A. Tomkins, P. Chevalier, P. Garcia, S.P. Voinigescu</i>	
A 60GHz CMOS Receiver with an On-Chip ADC	399
<i>Mikko Varonen, Mikko Kaltiokallio, Ville Saari, Olli Viitala, Mikko Karkkainen, Saska Lindfors, Jussi Ryyanen, Kari A.I. Halonen</i>	

RTU2C: BROADBAND IC II

A 5Gbps Optical Receiver with Monolithically Integrated Photodetector in 0.18μm CMOS	403
<i>Tony Shuo-Chun Kao, Anthony Chan Carusone</i>	
A 4-Channel 24--27GHz CMOS Differential Phased-Array Receiver	407
<i>Tiku Yu, Gabriel M. Rebeiz</i>	
A Single-Chip 24GHz SiGe BiCMOS Transceiver for FMCW Automotive Radars	411
<i>Dave Saunders, Steve Bingham, Gaurav Menon, Don Crockett, Josh Tor, Ralph Mende, Marc Behrens, Nitin Jain, Angelos Alexanian, Rajanish</i>	
An 8--18GHz 0.18W Wideband Recursive Receiver MMIC with Gain-Reuse	415
<i>Desheng Ma, Fa Foster Dai, Richard C. Jaeger, J. David Irwin</i>	

RTU3A: MILLIMETER-WAVE VCOs

A Low Power mm-Wave Oscillator Using Power Matching Techniques	419
<i>Lianming Li, Patrick Reynaert, Michiel Steyaert</i>	
A 24GHz VCO with 20% Tuning Range in 130nm CMOS Using SOP Technology	423
<i>Markus Tormanen, Henrik Sjoland</i>	

A Dual Band mm-Wave CMOS Oscillator with Left-Handed Resonator	427
<i>Sai-Wang Tam, Hsing-Ting Yu, Yanghyo Kim, Eran Socher, M.C. Frank Chang, Tatsuo Itoh</i>	
A 56GHz LC-Tank VCO with 17% Tuning Range in 65nm Bulk CMOS for Wireless HDMI Applications	431
<i>Jose Luis Gonzalez Jimenez, Franck Badets, Baudouin Martineau, Didier Belot</i>	

RTU3B: INTEGRATED FILTERS FOR RF APPLICATIONS

Non-Decimation FIR Filter for Digital RF Sampling Receiver with Wideband Operation Capability	435
<i>Changjoon Park, Jehyung Yoon, Bumman Kim</i>	
A 250MHz Cutoff Charge-Domain Baseband Filter with Improved Stopband Attenuations	439
<i>Atsushi Yoshizawa, Sachio Iida</i>	
A 6th Order 1.6 to 3.2GHz Tunable Low-Pass Linear Phase g_m-C Filter for Fiber Optic Adaptive EDC Receivers	443
<i>Dalius Baranauskas, Denis Zelenin, Matthias Bussmann, Salam Elahmadi, Jomo Edwards, Christopher Gill, Kelvin Tran, Lloyd F. Linder, Harry Tan</i>	
Compact Circulator Based Phase Shifter at C-Band in BiCMOS	447
<i>Uwe Mayer, Frank Ellinger, Ralf Eickhoff</i>	

RTU3C: ON-WAFER WIRELESS TESTING AND PASSIVE RFIC COMPONENTS

On-Wafer Wireless Testing and Mismatch Monitoring Using RF Transmitters with Integrated Antennas	451
<i>Piljae Park, Luis Chen, Le Wang, Stephen Long, Hyun Kyu Yu, C. Patrick Yue</i>	
CMOS-MEMS Variable Capacitors with Low Parasitic Capacitance for Frequency-Reconfigurable RF Circuits	455
<i>John Reinke, Abhishek Jajoo, Leon Wang, Gary Fedder, Tamal Mukherjee</i>	
A High Magnetic Coupling, Low Loss, Stacked Balun in Digital 65nm CMOS	459
<i>Siraj Akhtar, Richard Taylor, Petteri Litmanen</i>	
High Current 3D Symmetrical Inductor Integrated in an Advanced HR SOI CMOS Technology Targeting RF Power Applications	463
<i>F. Giancesello, D. Gloria, O. Bon, B. Rauber, C. Raynaud</i>	

RTUIF: INTERACTIVE FORUM

A Dual-Band CMOS CDMA Transmitter Without SAW and Driver Amplifier	467
<i>Mohammad Farazian, Bhushan Asuri, Yu Zhao, Lawrence E. Larson</i>	
A 50dB Dynamic Range, 11.3GSPS, Programmable Finite Impulse Response (FIR) Equalizer in 0.18μm SiGe BiCMOS Technology for High Speed Electronic Dispersion Compensation (EDC) Applications	471
<i>Kelvin Tran, Jomo Edwards, Lloyd F. Linder, Christopher Gill, Matthias Bussmann, Salam Elahmadi, Harry Tan</i>	
A 1.2V Single-Sideband Upconverter System with High Spurious Suppression for UWB Frequency Synthesizers	475
<i>Siu-Kei Tang, Kong-Pang Pun, Cheong-Fat Chan</i>	

A 12.5Gbps Analog Timing Recovery System for PRML Optical Receivers	479
<i>Jomo Edwards, Christopher Gill, Kelvin Tran, Lloyd F. Linder, Denis Zelenin, Dalius Baranauskas, Matthias Bussmann, Salam Elahmadi, Harry Tan</i>	
CMOS UWB Pulse Generator Co-Designed with Package Transition	483
<i>S. Bourdel, J. Gaubert, O. Fourquin, R. Vauche, N. Dehaese</i>	
A 0.17nJ/Pulse IR-UWB Receiver Based on Distributed Pulse Correlator in 0.18μm Digital CMOS	487
<i>Jianyun Hu, Yunliang Zhu, Shang Wang, Hui Wu</i>	
A Quadrature Charge-Domain Filter with Frequency Down-Conversion and Filtering for RF Receivers	491
<i>Ming-Feng Huang, Lai-Fu Chen, Tzu-Lun Chiu</i>	
A UHF Variable Gain Amplifier for Direct-Conversion DVB-H Receivers	495
<i>Masoud Meghdadi, Mehrdad Sharif-Bakhtiar, Ali Medi</i>	
A CMOS Resistive Feedback Single to Differential Low Noise Amplifier with Multiple-Tuner-Outputs for a Digital TV Tuner	499
<i>Donggu Im, Ilku Nam, Seong-Sik Song, Hong-Teuk Kim, Kwyro Lee</i>	
Two 24GHz Receiver Front-Ends in 130nm CMOS Using SOP Technology	503
<i>Markus Tormanen, Henrik Sjolund</i>	
A 0.13μm CMOS 2.5Gb/s FSK Demodulator Using Injection-Locked Technique	507
<i>Chao-Shiun Wang, Kun-Da Chu, Chorng-Kuang Wang</i>	
A 5GHz LC VCO with Extended Linear-Range Varactor in Purely Digital 0.15μm CMOS Process	511
<i>Aleksander Dec, Hiroshi Akima, Ken Suyama</i>	
A 5GHz Band Low Noise and Wide Tuning Range Si-CMOS VCO	515
<i>Tuan Thanh Ta, Suguru Kameda, Tadashi Takagi, Kazuo Tsubouchi</i>	
Injection Locked Oscillator Arrays for Spectrum Analysis	519
<i>Timothy D. Gathman, James F. Buckwalter</i>	
Design of a CMOS 12GHz Rotary Travelling Wave Oscillator with Switched Capacitor Tuning	523
<i>F. Ben Abdeljelil, W. Tatinian, L. Carpineto, G. Jacquemod</i>	
A Fast Automatic Frequency Calibration (AFC) Scheme for Phase-Locked Loop (PLL) Frequency Synthesizer	527
<i>Chan-Young Jeong, Dong-Ho Choi, Changsik Yoo</i>	
Multiple Supply (Class-G) Linear Modulator and PA for Non-CE Modulation	531
<i>Jeffrey S. Walling, Stewart S. Taylor, David J. Allstot</i>	
A Non-Uniform GaN Power TWA for 2 to 10GHz Suitable for Square-Wave Operation	535
<i>C. Meliani, E. Ersoy, N. Chaturvedi, S. Freyer, J. Wurfl, W. Heinrich, G. Trankle</i>	
A GSM-EDGE Power Amplifier with a BiFET Current Limiting Bias Circuit	539
<i>G. De la Rosa, D. Osika, N. Scheinberg</i>	
A Low-Complexity GSM Baseband Detector for RF BIST	543
<i>Intinan Elahi, K. Muhammad</i>	
Including Pattern-Dependent Effects in Electromagnetic Simulations of On-Chip Passive Components	547
<i>Sharad Kapur, David Long, Tsun-Lai Hsu, Sean Chen, Chewn-Pu Jou, Sally Liu, Gwan-Sin Chang, Cheng-Hung Yeh, Hui-Ting Yang</i>	

Scalable Electromagnetic Segmentation Methodology for Accurate Investigation of Inductive Couplings	551
<i>Hugues Kampe, Sidina Wane, O. Tesson, Hugues Murray, Philippe Descamps, Patrick Martin</i>	

Accurate Closed-Form Capacitance Extraction Formulas for Metal Fill in RFICs	555
<i>Steven G. Gaskill, Vikas S. Shilimkar, Andreas Weisshaar</i>	

Author Index