The Electrochemical Society

Electronics Packaging 3

at the 214th ECS Meeting

ECS Transactions Volume 16 No.22

October 12-17, 2008 Honolulu, Hawaii, USA

Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 www.proceedings.com

ISBN: 978-1-61567-296-7

Some format issues inherent in the e-media version may also appear in this print version.

Copyright 2009 by The Electrochemical Society. All rights reserved.

This book has been registered with Copyright Clearance Center. For further information, please contact the Copyright Clearance Center, Salem, Massachusetts.

Published by:

The Electrochemical Society 65 South Main Street Pennington, New Jersey 08534-2839, USA

> Telephone 609.737.1902 Fax 609.737.2743 e-mail: ecs@electrochem.org Web: www.electrochem.org

ISSN 1938-6737 (online) ISSN 1938-5862 (print)

Printed in the United States of America.

ECS Transactions, Volume 16, Issue 22 Electronics Packaging 3

Table of Contents

-		^	
P	re	ta	CE

Novel High Molecular Weight Levelers Extending Gap Fill to Smaller Features J. Adolf, R. Akolkar and U. Landau	1
Copper ECD Process of ULSI Circuits Controlled by Electroanalysis Combined with Multi-way Chemometrics. Transfer of the PARAFAC/ILS Calibration A. R. Jaworski, H. Wikiel and K. Wikiel	11
Cu Filling Characteristics in Through-Si Via Holes by Electroless Plating with Addition of Inhibitors F. Inoue, M. Koyanagi, T. Fukushima, K. Yamamoto, S. Tanaka, Z. Wang and S. Shingubara	27
Through-Silicon Via Fill for 3D Interconnect Applications V. Mathew, R. Chatterjee, R. Jones, S. Garcia, E. Acosta and Z. Huang	33
Electrodeposition of Tin-Rich, Tin-Gold Eutectic Solders for Optoelectronic and MEMS Applications C. S. Watt, Q. Liu and D. Ivey	41
Formation Factor of Nodule by Copper Electrodeposition N. Okamoto, S. Takahashi, T. Saito and K. Kondo	49
Shape Evolution of Electrodeposited Bumps with Shallow and Deep Cavity K. Kondo, Y. Suzuki, T. Saito and N. Okamoto	59
Application of Pourbaix Diagrams to the Selective Etching of Thin Metal Layers J. Leibovitz	69
Maskless Fabrication for Micropad Interconnection using Electroless NiB Deposition and Application to "Chemical" Flip-Chip Bonding T. Yokoshima, Y. Yamaji, N. Igawa, K. Kikuchi, H. Nakagawa and M. Aoyagi	77
Change in the Film Properties According to the Various Electroplating Conditions <i>M. Kim, S. Cho and J. Kim</i>	87

Optimization of Pd Activation on Ta Substrate for Cu Electroless Deposition Using Electrochemical Method <i>T. Lim, H. Koo and J. Kim</i>	93	
Nanoscopic Evaluation of Metals Diffused into the Surface Layer S. Yamamoto and H. Yamada	103	
Author Index	111	