

2009 International Symposium on Electromagnetic Compatibility

(EMC Europe 2009)

**Athens, Greece
11 – 12 June 2009**



IEEE Catalog Number: CFP0906F-PRT
ISBN: 978-1-4244-4107-5

TABLE OF CONTENTS

SESSION 1: NANO-MATERIALS IN EMC

| | |
|--|----|
| Electromagnetic Properties of Carbon NanoTube/Epoxy Nanocomposites | 1 |
| <i>V. Tucci, B. De Vivo, P. Lamberti, M. S. Sarto, A. Tamburrano, L. Guadagno, L. Vertuccio, R. Raimo</i> | |
| Transmission and Scattering Properties of Carbon Nanotube Arrays | 5 |
| <i>G. Nasis, I-G Plegas, D. S. Sofronis, H. T. Anastassiu</i> | |
| High-Frequency and Crosstalk Analysis of VLSI Carbon Nanotube Nanointerconnects | 9 |
| <i>A. Maffucci, A. G. Chiariello, G. Miano, F. Villone</i> | |
| Improving Electromagnetic Shielding of Composite Structures with Metallic Nanoparticles Synthesized by Electrochemical Discharges | 13 |
| <i>M. Jalali, R. Wuthrich</i> | |

SESSION 2: SHIELDING MATERIALS

| | |
|--|----|
| Assessment of Electrically Conductive Textiles for Use in EMC Applications | 17 |
| <i>L. Sandrolini, U. Reggiani</i> | |
| Metallic and Oxide Zn and Ti Layers on Unwoven Fabric as Shields for Electromagnetic Fields | 21 |
| <i>M. Ozimek, J. Ziaja, J. Koprowska</i> | |
| A 3D Model of Wide Frequency Metal Foam Shielding | 25 |
| <i>O. Losito, D. Barietta, V. Dimiccoli</i> | |

SESSION 3: COMPOSITES I

| | |
|--|----|
| A Technique for the Rapid Measurement of the Shielding Effectiveness of Planar CFC Samples at Microwave Frequencies | 29 |
| <i>A. C. Marvin, I. D. Flintoft, L. Dawson, J. F. Dawson</i> | |
| Estimation of Properties of Homogeneous Dielectric Equivalent of Composite Shielding Materials | 33 |
| <i>J. Jilková, T. Zvolenský, Z. Raida, Z. Řezníček</i> | |
| Numerical Modeling Support for the Understanding of Current Distribution in Carbon Fibers Composites | 37 |
| <i>A. Piche, I. Revel, G. Peres, F. Pons, B. Lazorthes, B. Gauthier, P-H Cadaux</i> | |
| The Time-Domain Simulation of the Dielectric Properties of an Epoxy Laminate Substrate | 41 |
| <i>J. Paul, C. Christopoulos, D. W. P. Thomas</i> | |

SESSION 4: MATERIALS AND MEASUREMENTS

| | |
|---|----|
| A Comparative Study of Particle Swarm Optimization and Differential Evolution on Radar Absorbing Materials Design for EMC Applications | 45 |
| <i>S. K. Goudos, Z. D. Zaharis, K. B. Baltzis, C. S. Hilas, J. N. Sahalos</i> | |

| | |
|---|----|
| Transparent and Double-Sided Wave Absorber with Specified Reflection and Transmission Coefficients | 49 |
| <i>T. Sekine, Y. Takahashi, T. Nakamura</i> | |
| Sub-Wavelength Microwave Absorber with Wide Angular Bandwidth | 52 |
| <i>A. Toscano, L. Vegni</i> | |
| New Materials for Inductors | 56 |
| <i>A. Roc'h, R. Iannarelli, F. Leferink</i> | |

SESSION 5: META-MATERIALS

| | |
|--|----|
| Fundamental Mechanisms of Coupling Between Planar Electromagnetic Bandgap Structures and Interconnects in High-Speed Digital Circuits | 60 |
| <i>A. Orlandi, F. De Paulis, L. Raimondo, G. Antonini</i> | |
| Front-Door protection using Frequency Selective Surfaces | 64 |
| <i>J-C Joly, S. Bolioli</i> | |
| A Metamaterial-Typed Differential Transmission Line with Broadband Common-Mode Suppression | 68 |
| <i>T-L Wu, C-H Tsai</i> | |
| Development of Metamaterials to Optimize the Focusing Properties of a Brain Hybrid Monitoring and Treatment System | 72 |
| <i>M. Kampitakis, I. S. Karanasiou, N. Uzunoglu</i> | |
| Computer Simulation of 3D Complex Material-Based Devices | 76 |
| <i>M. Prishvin, V. Tabatadze, I. Petoev, D. Kakulia, R. Zaridze</i> | |

SESSION 6: COMPOSITES II

| | |
|--|----|
| Electromagnetic Modeling of Multilayer Carbon Fibers Composites | 79 |
| <i>A. Piche, R. Perraud, T. Abboud, A. Bennani, F. Béreux, G. Peres, V. Srithammavanh</i> | |
| DSP Cement Composites for Electromagnetic Shielding: Practice and Experimental Analysis | 83 |
| <i>R. De Leo, G. Gradoni, V. Mariani Primiani, A. Mazzoli, F. Moglie, G. Moriconi</i> | |
| Design and Characterization of Composite Materials for EMC Applications | 87 |
| <i>J. Chen, H. Yang, J. Shen, C. Fuller</i> | |
| Electromagnetic Absorbers Based on Chiral Honeycomb Slab | 91 |
| <i>V. David, I. Nica, A. Salceanu</i> | |
| Shielding Effectiveness of 1-D Periodic Composite Screens in the Presence of Electric Line Sources: Full-Wave Analysis and Limits of Homogenization | 95 |
| <i>G. Lovat</i> | |

SESSION 7: MATERIALS AND MEASUREMENTS II

| | |
|--|----|
| EM Characterization of Materials in Mode Stirred Reverberating Chamber with Paddle Optimization | 99 |
| <i>W. Quenum, F. Issac</i> | |

| | |
|--|-----|
| A Model for Recovering the Conducibility of a Conductive Material from Measurement Inside Reverberation Chamber | 103 |
| <i>P. Russo, G. Cerri, V. Mariani Primiani</i> | |
| EMC Modeling of the Equipment: From Behavioral to Statistical Approach | 107 |
| <i>J-L Braut, A. Guena, N. Gouédard, P. Riaublanc</i> | |
| Behavior of 2.4 GHz ISM Bandpass Filters of Different Materials by Applying UWB Pulses | 111 |
| <i>C. Klüender, F. Brauer, J. Luiken ter Haseborg</i> | |
| A Three Dimensional Finite Element Eigenanalysis of Reverberation Chambers | 115 |
| <i>C. L. Zekios, P. C. Allilomes, C. S. Lavranos, G. A. Kyriacou</i> | |

SESSION 8: SHIELDING AND PENETRATION

| | |
|--|-----|
| Circuit-Based Modeling for the Shielding Effectiveness of Apertures Coated with Conductive Thin Films | 119 |
| <i>V. De Santis, M. Feliziani, M. D'Amore</i> | |
| The Influence of Different PCB Materials on the Coupling Behavior of High Power Electromagnetics | 123 |
| <i>F. Brauer, C. Klüender, J. Luiken ter Haseborg</i> | |
| Car Windshield Behavior Transient Analysis by FDTD | 127 |
| <i>R. Jauregui, M. Pous, Y. Vives, P. J. Riu, F. Silva</i> | |
| A New Structure of Transparent Films for Heat Control and Electromagnetic Shielding of Windows | 131 |
| <i>M. D'Amore, S. Greco, D. A. Lampasi, M. S. Sarto, A. Tamburrano</i> | |
| Determination of the Transfer Function of Inhomogeneous Shielding Materials and Implementation in an Analytical Model | 135 |
| <i>T. Frenzel, M. Koch, H. Garbe</i> | |

SESSION 9: MATERIALS AND MEASUREMENTS III

| | |
|---|-----|
| Method for Sheet Resistance Estimation Up to 33 GHz Using DFFC | 139 |
| <i>T. Tosaka, A. Nishikata, K. Fukunaga, Y. Yamanaka</i> | |
| Electromagnetic Near Field Distribution Measurements using Optically Scanning System | 143 |
| <i>M. Takahashi, K. Kawasaki, H. Ohba, T. Ikenaga, T. Orikasa, K. Ishiyama, No. Adachi, H. Ota, K. Ichi Arai</i> | |
| Whole-Body Averaged SAR Measurement Method Using Cylindrical Scanning of External Electromagnetic Fields | 147 |
| <i>T. Hikage, Y. Kawamura, T. Nojima</i> | |
| Evaluation of Countermeasures against Electromagnetic Analysis | 151 |
| <i>T. Ordas, P. Maurine, M. Lisart, L. Torres, A. Alaeldine, R. Perdriau, M. Ramdani</i> | |
| New High-Frequency Hexagonal Ferrite Materials | 155 |
| <i>V. Zaspalis, E. Eleftheriou, V. Tsakaloudi, G. Kogias, P. van der Valk</i> | |

SESSION 10: EMC APPLICATIONS

| | |
|---|------------|
| WLAN Propagation on the Bridge of Vessels Under Consideration of Material Properties | 159 |
| <i>T. Pilsak, J. Luiken ter Haseborg, H. Hanneken</i> | |
| Analyzing Small Aircraft Model with Homogeneous Composite Material Substitutes on HIRF..... | 163 |
| <i>Z. Řezníček, Z. Raida, J. Jilková</i> | |
| A Unified Approach for Lightning and Low Frequencies HIRF Transfer Functions Measurements on A380..... | 167 |
| <i>D. Lemaire, F. Garrido, G. Peres, F. Flourens</i> | |
| Design and Characterization of Optical Filters for EM Shielding..... | 171 |
| <i>M. S. Sarto, D. A. Lampasi, F. Mortoni, F. Sarto, A. Tamburrano</i> | |
| Assessment Simulation of the Near Field of a Mobile Base Station Antenna Above Lossy Ground..... | 175 |
| <i>A. A. Nanos, K. Siakavara, T. Samaras, J. N. Sahalos</i> | |

SESSION 11: POSTERS

| | |
|--|------------|
| Electroconductive Polymer Matrix Nanocomposites Exhibiting Shielding Properties..... | 179 |
| <i>J. Koprowska, M. Leonowicz</i> | |
| The Use of Left Handed Materials for the Optimization of the Focusing Attributes of a Biomedical Hybrid System | 182 |
| <i>K. T. Karathanasis, I. A. Gouzouasis, I. S. Karanasiou, N. Uzunoglu</i> | |
| Hybrid Architectures for EMC Mitigation of Switching Audio Amplifier | 186 |
| <i>A. Tacchini, G. Franceschini, A. Bellini, I. Montanari, E. Lorenzani, V. Boccedi</i> | |
| A Spectral Method for Transient Analysis of Lossy and Dispersive Anisotropic Planar Layers..... | 190 |
| <i>G. Antonini, A. Orlandi</i> | |
| Characterization of EMI Filters Based on Metamaterials | 194 |
| <i>R. Fernández, I. Gil, Y. Vives, R. Jauregui, F. Silva</i> | |
| Angular Localization of Interfering Sources Using a Butler Matrix Driven Circular Array | 197 |
| <i>C. I. Kolitsidas, F. E. Fakoukakis, D. G. Drogoudis, M. Chrysomallis, G. A. Kyriacou</i> | |
| Design and Analysis of Planar Photonic Band Gap Devices..... | 201 |
| <i>V. Tabatadze, M. Prishvin, I. Petoev, D. Kakulia, G. Saparishvili, R. Zaridze</i> | |
| Research on Shielding Effectiveness Measurement Techniques Using Nested Reverberation Chambers | 205 |
| <i>S. Fernández Romero, A. López Morales, M. Añon Cancela</i> | |
| Critical Study of the Vertical-Cavity Surface Emitting Lasers (VCSEL) Electrical Access for Integrated Optical Sub-Assembly | 209 |
| <i>A. Rissons, J-C Mollier</i> | |
| Study of NiZn Ferrite Absorption: Effect of Relative Density and Microstructure..... | 213 |
| <i>L. Nuño, A. Barba, J. V. Balbastre, C. Clausell, A. Viñes</i> | |
| Evaluating the Potential Shielding Properties of Periodic Metamaterial Slabs | 217 |
| <i>D. Seetharamdoo, M. Berbineau, A-C Tarot, K. Mahdjoubi</i> | |
| SHIELD&REFLEX: A New Technology for Weaving Shielding Fabrics | 221 |
| <i>S.R. Esparza, J.V. Portalés, J.V. Balbastre, D. Sebastian, L. Nuño</i> | |

Author Index