

2009 European Microwave Integrated Circuits Conference

(EuMIC 2009)

Rome, Italy
28 – 29 September 2009



IEEE Catalog Number: CFP09GAS-PRT
ISBN: 978-1-4244-4749-7

TABLE OF CONTENTS

EuMIC01: GALLIUM ARSENIDE CIRCUITS AND APPLICATIONS

Design and Measurements of Cryogenic MHEMT IF Low Noise Amplifier for Radio Astronomical Receivers.....	1
<i>Chau-Ching Chiong, Wei-Je Tzeng, Yuh-Jing Hwang, Wei-Ting Wong, Huei Wang, Ming-Tang Chen</i>	
A 24–48GHz Cascode HEMT Mixer with DC to 15GHz IF Bandwidth for Astronomy Radio Telescope	5
<i>Zuo-Min Tsai, Jui-Chin Kao, Kun-You Lin, Huei Wang</i>	
Multithrow Heterojunction PIN Diode Switches	9
<i>James J. Brogle, Daniel G. Curcio, David R. Hoag, Timothy Boles</i>	
Nanosecond pHEMT Switches.....	13
<i>Andrew Freeston, Costas Varmazis, Timothy Boles</i>	

EuMIC02: HIGH EFFICIENCY, HIGH POWER AMPLIFIERS

Efficiency Improvement in Doherty Power Amplifier by Using Class F Approach.....	17
<i>Paolo Colantonio, Franco Giannini, Rocco Giofrè, Luca Piazzon</i>	
A 17W C-Band High Efficiency High Power pHEMT Amplifier for Space Applications.....	21
<i>J. Lhortolary, Z. Ouarch, C. Chang, M. Camiade</i>	
A Design Approach to Increase Gain Feature of a Doherty Power Amplifier.....	25
<i>Paolo Colantonio, Franco Giannini, Rocco Giofrè, Marco Piacentini, Luca Piazzon</i>	
Broadband S-Band Class E HPA	29
<i>Maurice van Wanum, Raymond van Dijk, Peter de Hek, Frank E. van Vliet</i>	
Design of X-Band GaN MMICs Using Field Plates	33
<i>J. Kühn, F. van Raay, R. Quay, R. Kiefer, D. Peschel, M. Mikulla, Matthias Seelmann-Eggebert, W. Bronner, M. Schlechtweg, O. Ambacher, M. Thumm</i>	

EuMIC03: TRANSCEIVER TECHNOLOGIES

A 0.13μm CMOS UWB Receiver for Impulse Radio and MB-OFDM Based WPAN Applications	37
<i>Y.J. Lee, J.W. Park, M.Y. Park, C.S. Kim, H.K. Yu</i>	
60-GHz Direct-Conversion Transceiver on 130-nm CMOS with Integrated Digital Control Interface.....	41
<i>B.N. Wicks, C.M. Ta, F. Zhang, P. Nadagouda, B. Yang, Z. Liu, Y. Mo, K. Wang, T. Walsh, Gordana Felic, R.J. Evans, I. Mareels, Efstratios Skafidas</i>	
A 200GHz Active Heterodyne Receiver MMIC with Low Sub-Harmonic LO Power Requirements for Imaging Frontends	45
<i>I. Kallfass, A. Tessmann, H. Massler, A. Leuther, M. Schlechtweg, O. Ambacher</i>	
Cost Effective Wafer-Level Chip Size Package Technology and Application for High Speed Wireless Communications	49
<i>Masaki Imagawa, Seiji Fujita, Tomio Satoh, Tsuneo Tokumitsu, Yuichi Hasegawa</i>	

EuMIC04: SILICON DEVICES FOR RF

S-Band Radar LDMOS Transistors	53
<i>S.J.C.H. Theeuwes, H. Mollee</i>	
All Gold Metallization System Enables High Power RF Pulsed Transistors with High Reliability.....	57
<i>Brian Battaglia, Dave Rice, Bishnu Gogoi</i>	
Analysis of Fin Width and Temperature Dependence of Flicker Noise for Bulk-FinFET	61
<i>T. Ohguro, K. Okano, T. Izumida, S. Inaba, N. Momo, K. Kokubun, H.S. Momose, Y. Toyoshima</i>	
90nm Node RF CMOS Technology with Latch-Up Immunity on High-Resistivity Substrate	65
<i>N. Momo, Y. Higashi, M. Oda, K. Matsuzawa, K. Kokubun, T. Ohguro, H.S. Momose, Y. Toyoshima</i>	
Temperature Dependences of RF Small-Signal Characteristics for the SOI Dynamic Threshold Voltage MOSFET	69
<i>Sheng-Chun Wang, Pin Su, Kun-Ming Chen, Sheng-Yi Huang, Cheng-Chou Hung, Guo-Wei Huang</i>	

EuMIC05: MODELING OF ADVANCED MICROWAVE TRANSISTORS

A New Nonlinear HEMT Model for AlGaIn/GaN Switch Applications	73
<i>O. Jardel, G. Callet, C. Charbonniaud, J.C. Jacquet, N. Sarazin, E. Morvan, R. Aubry, Marie-Antoinette di Forte-Poisson, J.-P. Teyssier, S. Piotrowicz, R. Quéré</i>	
A Simplified Switch-Based GaN HEMT Model for RF Switch-Mode Amplifiers.....	77
<i>A. Wentzel, F. Schnieder, C. Meliani, W. Heinrich</i>	
Nonlinear Dispersive Effects Modelling for the Accurate Drain Current Prediction in GaN-Based Microwave Power Amplifiers	81
<i>Alberto Santarelli, Valeria Di Giacomo, Sara D'Angelo, Fabio Filicori</i>	
Wide-Band Multi-Bias Equivalent Circuit Extraction for FinFET Transistors Accommodating High-Frequency Kink-Behaviours	85
<i>S.M. Homayouni, D. Schreurs, B. Nauwelaers</i>	
Nonlinear HBT Models for HVHBT 15W Power Amplifiers	89
<i>Xiangkun Zhang, Frank Chau, Barry Lin, Xiaopeng Sun, Wenlong Ma, Peter Hu, Jingshi Yao, Chien-Ping Lee</i>	

EuMIC06: GALLIUM NITRIDE CIRCUITS AND APPLICATIONS

Wideband Distributed Amplifiers in a Hybrid Microstrip-Environment Using 0.1 μm (Al,Ga)N/GaN HEMTs Grown on Silicon	93
<i>Diego Marti, Andreas R. Alt, Haifeng Sun, Hannes Grubinger, Hansruedi Benedickter, C.R. Bolognesi</i>	
200W Discrete GaN HEMT Power Device in a 7x7mm CMC Package	97
<i>Aram Mkhitarian, Vincent Ngo, Florian Baltac, Huoping Xin</i>	
Robust X-Band LNAs in AlGaIn/GaN Technology	101
<i>J.P.B. Janssen, M. van Heijningen, Guido C. Visser, M. Rodenburg, H.K. Johnson, M.J. Uren, E. Morvan, Frank E. van Vliet</i>	
Characterization of g_m-Dispersion and Its Impact on Linearity of AlGaIn/GaN HEMTs for Microwave Applications.....	105
<i>Michael Hosch, Peter Lohmiller, Andreas Trasser, Hermann Schumacher</i>	
Device Inherent IMD Reproducibility Issues in GaN HEMTs.....	108
<i>Embar R. Srinidhi, Rui Ma, Gunter Kompa, Axel Bangert</i>	

EuMIC07: VOLTAGE-CONTROLLED OSCILLATORS

A Low Phase Noise Low DC Power Quadrature Voltage-Controlled Oscillator Using a 0.18-μm CMOS Process	112
<i>Chi-Hsien Lin, Hong-Yeh Chang</i>	
Fully Integrated Millimeter-Wave VCO Using Slow-Wave Thin-Film Microstrip Lines for Chip Size Reduction.....	116
<i>Gang Liu, Bernd Schleicher, Tatyana Purtova, Hermann Schumacher</i>	
A 57-63GHz Quadrature VCO in CMOS 65nm	120
<i>Pooyan Sakian, Edwin v.d. Heijden, Hammad M. Cheema, Reza Mahmoudi, Arthur H.M. van Roermund</i>	
A Novel Tuning Concept for Wideband VCOs Based on a Shunt-FET	124
<i>Rainer Weber, I. Kalfass, Matthias Seelmann-Eggebert, Arnulf Leuther</i>	
115GHz CMOS VCO with 4.4% Tuning Range	128
<i>Wasanthamala Badalawa, Seongwoong Lim, Minoru Fujishima</i>	

EuMIC08: WIDE BAND-GAP TECHNOLOGY AND DEVICES

RF Degradation of GaN HEMTs and Its Correlation with DC Stress and I-DLTS Measurements	132
<i>Alessandro Chini, Valerio Di Lecce, Michele Esposto, Gaudenzio Meneghesso, Enrico Zanoni</i>	
Study of Ohmic Contact Formation on AlGaIn/GaN HEMT with AlN Spacer on Silicon Substrate	136
<i>J.-C. Gerbedoen, A. Soltani, M. Mattalah, A. Telia, D. Troadec, B. Abdallah, E. Gautron, Jean-Claude De Jaeger</i>	
Gate Technology and Substrate Property Influence on GaN HEMT Switch Device Performance	140
<i>Alessio Pantellini, Marco Peroni, Antonio Nanni, Antonio Cetronio, A. Bettidi, Ennio Giovine</i>	
Microwave Power Performance on AlGaIn/GaN HEMTs on Composite Substrate	144
<i>Jean-Claude De Jaeger, Virginie Hoel, Nicolas Defrance, Yannick Douvry, Christophe Gaquiere, Marie-Antoinette di Forte-Poisson, James Thorpe, Hacene Lahreche, Robert Langer</i>	
Diamond MESFET Technology Development for Microwave Integrated Circuits	148
<i>P. Calvani, A. Corsaro, F. Sinisi, M.C. Rossi, G. Conte, Ennio Giovine, Walter Ciccognani, Ernesto Limiti</i>	

EuMIC09: PHYSICS-BASED AND EM MODELING

An Accurate Package Model for 60W GaN Power Transistors	152
<i>Jens Flucke, Franz-Josef Schmückle, Wolfgang Heinrich, Matthias Rudolph</i>	
Anisotropic Effects in Circular Photonic Crystals	156
<i>Alessandro Massaro, Roberto Cingolani, Massimo De Vittorio, Adriana Passaseo</i>	
Development of a High Q-Factor GaAs Flip Chip Varactor for Ka-Band Application.....	160
<i>David R. Hoag, Andrzej Rozbicki, James J. Brogle, Ralston S. Robertson, Robert T. Lewis</i>	
Physics-Based Simulation of Field-Plate Effects on Substrate- and Surface-Related Current Slump in GaAs FETs	164
<i>T. Tanaka, K. Itagaki, A. Nakajima, K. Horio</i>	
Physical-Thermal Modelling of GaN Gunn Oscillations	168
<i>Xiao Tang, Michel Rousseau, Jean-Claude De Jaeger</i>	

EuMIC10: SILICON-BASED FREQUENCY GENERATION AND CONVERSION CIRCUITS

Wide Tuning Range CMOS Quadrature Ring Oscillator of Best Figure of Merit	172
<i>Ramesh K. Pokharel, Oleg Nizhnik, A. Tomar, S. Lingala, Haruichi Kanaya, Keiji Yoshida</i>	
A High Frequency Low Phase-Noise Signal Source Generated Using a Self-Oscillating Mixer	176
<i>Mingquan Bao, Yinggang Li</i>	
24GHz 1.89mW 12x CMOS Frequency Multiplier Using Pulse-Injected Oscillator	180
<i>Seongwoong Lim, Minoru Fujishima</i>	
Comparison of 24GHz Low-Noise Mixers in CMOS and SiGe:C Technologies	184
<i>Vadim Issakov, Herbert Knapp, Marc Tiebout, Andreas Thiede, Werner Simbürger, Linus Maurer</i>	
Frequency Quadruplers for a 77GHz Subharmonically Pumped Automotive Radar Transceiver in SiGe.....	188
<i>Hans Peter Forstner, Florian Starzer, Gunter Haider, Christoph Wagner, Martin Jahn</i>	

EuMIC11: MM-WAVE CIRCUITS

A Multi-Channel Rx for 76.5GHz Automotive Radar Applications with 55dB IF Channel-to-Channel Isolation	192
<i>S. Trotta, B. Dehlink, R. Reuter, Y. Yin, J. John, J. Kirchgessner, D. Morgan, P. Welch, J.-J. Lin, B. Knappenberger, I. To, M. Huang</i>	
Sub-Harmonic Self-Oscillating Mixer Design Using Dual-Mode Substrate Integrated Waveguide Cavity.....	196
<i>Zhen-Yu Zhang, Ke Wu</i>	
A 300GHz Active Frequency-Doubler and Integrated Resistive Mixer MMIC	200
<i>I. Kallfass, A. Tessmann, H. Massler, D. Lopez-Diaz, Arnulf Leuther, M. Schlechtweg, O. Ambacher</i>	
SIW (Substrate Integrated Waveguide) Quasi-Elliptic Filter Based on LTCC for 60-GHz Application.....	204
<i>Gwang-Hoon Lee, Chan-Sei Yoo, Jong-Gwan Yook, Jun Chul Kim</i>	
A Photonic-Tunable Cryogenically Cooled W-Band Subharmonically-Pumped GaAs HEMT Diode Mixer Module.....	208
<i>Yuh-Jing Hwang, Chih-Chiang Han, Yau-De Huang</i>	

EuMIC CLOSING SESSION

Long-Term Stability of Gallium Nitride High Electron Mobility Transistors: A Reliability Physics Approach	212
<i>Enrico Zanoni, Gaudenzio Meneghesso, Matteo Meneghini, Augusto Tazzoli, Nicolo Ronchi, Antonio Stocco, Franco Zanon, Alessandro Chini, Giovanni Verzellesi, Antonio Cetrionio, Claudio Lanzieri, Marco Peroni</i>	

EuMIC POSTER

Critical Analysis of Results for a European GaN Power Amplifier After First Iteration	218
<i>Maria-Angeles González-Garrido, Jesus Grajal, Antonio Cetrionio, Luisa Marescialli</i>	
Comparison of Enhancement- and Depletion-Mode Triple Stacked Power Amplifiers in 0.5μm AlGaAs/GaAs PHEMT Technology	222
<i>Chih-Chun Shen, Hong-Yeh Chang, George D. Vendelin</i>	

Pulsed Operation and Performance of Commercial GaN HEMTs	226
<i>F. Fornetti, K.A. Morris, M.A. Beach</i>	
Influence of Gate Insulator Engineering on the Electronic Transport of AlGaIn/GaN MISHFETs: A Simulation Study for Performance Optimization and Non Linear Device Modeling	230
<i>Ruchika Aggarwal, Anju Agrawal, Mridula Gupta, R.S. Gupta</i>	
LNA Performance Optimisation Using Post-Production Noise Characterisation	234
<i>Walter Ciccognani, Andrea Cremonini, Ernesto Limiti, Patrick Ettore Longhi, Alessandro Orfei, Lucio Scucchia</i>	
Low 1/f Noise PMOS Resistive Mixer	238
<i>Ivy Lo, Yunpyo Hong, Olga Boric-Lubecke</i>	
24 GHz InGaP-GaAs HBT Push-Push VCO with Broadband Tuning Range	242
<i>Rumen Kozhuharov, Dan Kuylestierna, Herbert Zirath</i>	
A 90nm DT-MOS Transistor for High Speed Operation	246
<i>Heng-Ming Hsu, Tai-Hsing Lee, Guan-Lin Fu</i>	
A High-Isolation High-Linearity 24-GHz CMOS T/R Switch in the 0.18-μm CMOS Process	250
<i>C.-Y. Ou, C.-Y. Hsu, H.-R. Lin, Huey-Ru Chuang</i>	
A 5GS/s Voltage-to-Time Converter in 90nm CMOS	254
<i>Andrew R. Macpherson, Kenneth A. Townsend, James W. Haslett</i>	
A 60-GHz Double-Balanced Homodyne Down-Converter in 65-nm CMOS Process	258
<i>Pooyan Sakian, Reza Mahmoudi, Paul van Zeijl, Maarten Lont, Arthur H.M. van Roermund</i>	
An Ultra Low Power CMOS Transceiver Having a Short Range Wake-Up for LR-WPAN Applications	262
<i>Yong-Il Kwon, Jindo Byun, Han-Jin Jo, Hai-Young Lee</i>	
Impulse Generator InGaP/GaAs HBT MMIC with Differential Output Port for Impulse UWB System	266
<i>Ryo Ishikawa, Kazuhiko Honjo</i>	
A Novel Integrated DPDT and 3-Way Active Splitter with a Unique Unpowered Loop Through State for Broadband Applications	270
<i>Alan Noll, Ian Bisby, John Newton</i>	
An L-Band 5-Bit Differential Active Phase Shifter Utilizing a Phase Shifting Performance of RC Filter Circuits	274
<i>Yasushi Itoh, Kenji Nakamura</i>	
Integrated Active Near-Field Sensor in GaAs Technology	278
<i>Nasir Uddin, Matthias Spang, Thomas Mager, Andreas Thiede</i>	
InP, W-Band, Oscillator Stabilized with a Resonant Cavity Created by Wafer Level Packaging	282
<i>Philip W.C. Hon, David Farkas, Tatsuo Itoh, Patty P. Chang-Chien, Richard Lai</i>	
A 10Gb/s Coherent Detection System with Feed-Forward Equalizers for Optical Duobinary Transmission	286
<i>Kil-Hoon Lee, Debesh Bhatta, Hyoungsoo Kim, Edward Gebara, Joy Laskar</i>	
Equivalent Circuit Design of Compacted K-Band Bandpass Filters by Standard 0.18-μm CMOS Technology	290
<i>Shuiyang Lin, Xiaowei Sun, Lingyun Li, Wei Wang, Liwu Yang</i>	
Suitability of Integrated Protection Diodes from Diverse Semiconductor Technologies	294
<i>Maurice van Wanum, Tom Lebouille, Guido C. Visser, Frank E. van Vliet</i>	
Observation of Multiple Domains in a Planar Gunn Diode	298
<i>A. Khalid, Chong Li, G. Dunn, N. Pilgrim, D.S.R. Cumming</i>	
Novel Wide-Band Transition Between Finite Ground Coplanar Waveguide (FGCPW) and Balanced Stripline	301
<i>S. Bulja, D. Mirshekar-Syahkal, M. Yazdanpanahi</i>	
A Novel Size Reduction of a MMIC I/Q Direct Down Converter in Uniplanar Technology at 20GHz Using CPW and ACPS Stubs Loading for an EHF Satcom Terminal Phased Array Size	304
<i>K. Hettak, C.J. Verver, G.A. Morin, M.G. Stubbs</i>	

EuMC/EuMIC01: APPLICATION ORIENTED MMICS

Wide Band High Linearity and High Isolation Mixer MMIC Developed on GaAs 0.25μm Power pHEMT Technology	308
<i>M. Dinari, V. Serru, M. Camiade, C. Teyssandier, D. Baglieri, E. Durand, B. Mallet-Guy, J.P. Plaze</i>	
X-Band Phase-Shifting Dual-Output Balanced Amplifier MMIC	312
<i>G. van der Bent, T.S. de Boer, Raymond van Dijk, M.W. van der Graaf, A.P. de Hek, Frank E. van Vliet</i>	
A Complete 38GHz Transmit and Receive Chip Set in Low Cost Surface Mount Package	316
<i>Henrik Morkner, Kohei Fujii, Khantran Phan, Sushil Kumar</i>	
A High Performance DC-20GHz SPDT Switch in a Low Cost Plastic QFN Package	320
<i>Qun Xiao, George Samiotes, Thomas Galluccio, Brian Rizzi</i>	

A Compact, Low-Power 40 Gbit/s Differential Laser Driver in SiGe BiCMOS Technology	324
<i>Christian Knochenhauer, Stefan Hauptmann, Christoph Scheytt, Frank Ellinger</i>	

EuMC/EuMIC02: LINEAR AND NONLINEAR CAD TECHNIQUES

Semi-Analytical Formulation for the Phase-Noise Analysis of Injection-Locked Push-Push Oscillators	327
<i>Elena Fernández, Mabel Pontón, Franco Ramírez, Sergio Sancho, Almudena Suárez</i>	
CAD of Multi-Resonator Rectenna for Micro-Power Generation.....	331
<i>Vittorio Rizzoli, Giacomo Bichicchi, Alessandra Costanzo, Francesco Donzelli, Diego Masotti</i>	
Fast Physic Based Analysis of Multifinger MOSFETs with SB-SP Combined Method for Global Modeling.....	335
<i>Giorgio Leuzzi, Vincenzo Stornelli</i>	
Characterizing Drain Current Dispersion in GaN HEMTs with a New Trap Model.....	339
<i>Sayed A. Albahrani, James G. Rathmell, Anthony E. Parker</i>	
Harmonic Load-Pull Technique Using Volterra Analysis.....	343
<i>Janne P. Aikio, Mikko Mäkitalo, Timo Rahkonen</i>	

EuMC/EuMIC03: TUNABLE MEMS-BASED CIRCUITS

RF-MEMS Tunable Filters on Low-Loss LTCC Substrate for UAV Data-Link	347
<i>William Gautier, Armin Stehle, Bernhard Schoenlinner, V. Ziegler, Ulrich Prechtel, Wolfgang Menzel</i>	
Tunable Microwave Amplifier Using a Compact MEMS Impedance Matching Network.....	351
<i>Frederic Domingue, Ammar B. Kouki, Raafat R. Mansour</i>	
Centre Frequency and Bandwidth Tunable Bandpass Filter Based on RF MEMS (10-14GHz)	355
<i>Montserrat Fernández-Bolaños, Catherine Dehollain, Suat Ayoç, Pierre Nicole, Adrian M. Ionescu</i>	
When New Needs for Satellite Payloads Meet with New Filters Architecture and Technologies	359
<i>H. Leblond, J. F. Villemazet, J-L. Cazaux, D. Pacaud, J. J. Herren, L. Rigaudeau, L. Lapierre, D. Baillargeat, P. Blondy, S. Bila, S. Verdeyme, C. Delage, C. Quendo, J-F. Favennec, B. Potelon, E. Rius, F. Seyfert, S. Pacchini</i>	
RF MEMS-MMIC Building Blocks for Emerging Wireless Systems and RF-Sensing Applications.....	363
<i>R. Malmqvist, C. Samuelsson, P. Rantakari, P. Frijlink, D. Smith, W. Simon, J. Saijets, T. Vähä-Heikkilä, R. Baggen</i>	

EuMC/EuMIC04: LINEARIZING TECHNIQUES FOR POWER AMPLIFIERS

A Highly Efficient Doherty Power Amplifier Employing Optimized Carrier Cell	367
<i>Junghwan Moon, Young Yun Woo, Bumman Kim</i>	
A Fully Integrated 2.4/3.4GHz Dual-Band CMOS Power Amplifier with Variable Inductor	371
<i>Hyun Jin Yoo, Kang Hyuk Lee, Hyuk Jun Oh, Yun Seong Eo</i>	
Concurrent Dual Band 2.4/3.5GHz Fully Integrated Power Amplifier in 0.13µm CMOS Technology	375
<i>Mohammad Reza Ghajar, Slim Boumaiza</i>	
Efficiency Enhancement of a WiMAX Switching Mode GaN Power Amplifier Through Layout Optimization of Distributed Harmonic Matching Networks	379
<i>M.M. Ebrahimi, M. Helaoui, F.M. Ghannouchi</i>	
PWM Bandwidth and Wireless System Peak-to-Minimum Power Ratio	383
<i>Pedro Cruz, Nuno Borges Carvalho</i>	

EuMC/EuMIC05: RF MEMS FABRICATION, DEVICES AND RELIABILITY

New Fabrication Process to Manufacture RF-MEMS and HEMT on GaN/Si Substrate.....	387
<i>F. Crispoldi, Alessio Pantellini, S. Lavanga, Antonio Nanni, Paolo Romanini, L. Rizzi, P. Farinelli, Claudio Lanzieri</i>	
High Q Tunable Cavity Using Dielectric Less RF-MEMS Varactors	391
<i>Romain Stefanini, Matthieu Chatras, Arnaud Pothier, Jean-Christophe Orlianges, Pierre Blondy</i>	
Pulse RF Operation of MEMS Capacitive Switches	395
<i>Cristiano Palego, Jie Deng, Subrata Halder, Zhen Peng, James C.M. Hwang, David I. Forehand, Charles L. Goldsmith</i>	
Dielectric Charging and Thermally Activated Processes in MEMS Capacitive Switches	399
<i>George Papaioannou, Negar Tavasolian, Charles L. Goldsmith, John Papapolymerou</i>	
Temperature Dependence of ESD Charging in RF MEMS Capacitive Switch.....	403
<i>J. Ruan, George Papaioannou, N. Nohier, D. Trémouilles, F. Coccetti, Robert Plana</i>	

EuMC/EuMIC06: PACKAGING AND MODULE INTEGRATION

Highly Integrated and Solderless LTCC Based C-Band T/R Module	407
<i>Roberto Giordani, Marco Amici, Alessandro Barigelli, Franco Conti, Marco Del Marro, Marziale Feudale, Massimiliano Imperato, Andrea Suriani</i>	
60GHz-Band Modules for Multi Beam Wireless Broadband Communication System	411
<i>Kenji Kawakami, Yusuke Kitsukawa, Satoshi Miho, Kazutomi Mori, Takeshi Yuasa, Morishige Hieda, Moriyasu Miyazaki</i>	
A 60GHz LC-VCO Module Using Flip-Chip on a Laminate Substrate	415
<i>M. Notten, H. Veenstra, X. Huang, J.B. Mills</i>	
Wafer Scale Package Construction and Usage for RF Through Millimeter Wave Applications.....	419
<i>Henrik Morkner</i>	
HMIC Wafer Level Packaging	423
<i>Timothy Boles, David R. Hoag, Margaret Barter, Richard Giacchino, Paul Hogan, Joel Goodrich</i>	

EuMC/EuMIC07: ROBUST AMPLIFIERS

Sub-Nanosecond Greater-Than-10V Compact Pulse Amplifier for Ultra-Wideband Application	427
<i>Renfeng Jin, Subrata Halder, James C.M. Hwang, Choi L. Law</i>	
Broadband AlGaIn/GaN High Power Amplifiers, Robust LNAs, and Power Switches in L-Band	431
<i>S. Piotrowicz, B. Mallet-Guy, E. Chartier, J.C. Jacquet, O. Jardel, D. Lancereau, G. Le Coustre, E. Morvan, R. Aubry, C. Dua, M. Oualli, M. Richard, N. Sarazin, Marie-Antoinette di Forte-Poisson, J. Delaire, Y. Mancuso, S.L. Delage</i>	
A 5.8-GHz GaAs Based HBT Amplifier with Novel RF ESD Protection	435
<i>Bo-Jr Huang, Kun-You Lin, Chau-Ching Chiong, Huei Wang</i>	
X-Band GaN-HEMT LNA Performance versus Robustness Trade-Off	439
<i>A. Bettidi, F. Corsaro, Antonio Cetronio, Antonio Nanni, Marco Peroni, Paolo Romanini</i>	
GaN MMIC Amplifiers for W-Band Transceivers	443
<i>Satoshi Masuda, Toshihiro Ohki, Kozo Makiyama, Masahito Kanamura, Naoya Okamoto, Hisao Shigematsu, Kenji Imanishi, Toshihide Kikkawa, Kazukiyo Joshin, Naoki Hara</i>	

EuMC/EuMIC08: LINEAR AND NONLINEAR DEVICE AND CIRCUIT CAD

Experimental Research into Non-Quasi-Static Phenomena in Monolithic pHEMT Devices	447
<i>T.M. Martin-Guerrero, Alberto Santarelli, C. Camacho-Peñalosa</i>	
A New Approach for Nonlinear Metric Estimation of Limit Cycle Amplifiers.....	451
<i>F. Arfaei Malekzadeh, Reza Mahmoudi, Arthur H.M. van Roermund</i>	
A Novel Design Methodology for Simultaneously Matched LNAs Based on Noise Measure	455
<i>Walter Ciccognani, Sergio Colangeli, Ernesto Limiti, Patrick Ettore Longhi</i>	
Modelling and Design of a Wideband 6-18GHz GaN Resistive Mixer	459
<i>Valeria Di Giacomo, Nicolas Thouvenin, Christophe Gaquière, Alberto Santarelli, Fabio Filicori</i>	
Class-A Power Amplifier Design Technique Based on Electron Device Low-Frequency Characterization	463
<i>Antonio Raffo, Sergio Di Falco, Valeria Vadalà, Francesco Scappaviva, Giorgio Vannini</i>	

EuMC/EuMIC09: ACTIVE TUNABLE CIRCUITS

Temperature Drift Compensation Technique for a Hybrid LTCC Oscillator at 20GHz	467
<i>Torben Baras, Arne F. Jacob</i>	
Phase-Locked Broadband GaAs HBT VCO Module for Millimeter-Wave Astronomical Local Oscillators.....	471
<i>Yue-Fang Kuo, Yuh-Jing Hwang, Chau-Ching Chiong, Ro-Min Weng, Ming-Tang Chen</i>	
Alternative Architectures for Narrowband Varactor-Tuned Bandpass Filters	475
<i>Andrew C. Guyette</i>	
A Wideband 90° Continuous Phase Shifter for 60GHz Phased Array Transceiver in 90nm CMOS Technology	479
<i>Behzad Biglarbegian, Mohammad-Reza Nezhad-Ahmadi, Mohammad Fakharzadeh, Safieddin Safavi-Naeini</i>	
12.5mW 48GHz CMOS Image-Rejection Filter with 1GHz Tuning Range.....	483
<i>Sho Ohashi, Ahmet Oncu, Minoru Fujishima</i>	

EuMC/EuMIC10: INDUSTRIAL MM-WAVE AND MICROWAVE LINEAR PA'S

Efficiency Enhancement of GaN Power HEMTs by Controlling Gate-Source Voltage Waveform Shape.....	487
<i>A. Ramadan, A. Martin, T. Reveyrand, J.-M. Nebus, P. Bouysse, L. Lapierre, J.F. Villemazet, S. Forestier</i>	
A Linearity Improved GaAs pHEMT Power Amplifier Using Common-Gate/Common-Source Circuit Topology	491
<i>Fan-Hsiu Huang, Hong-Yeh Chang, Yi-Jen Chan</i>	
S-Band Discrete and MMIC GaN Power Amplifiers.....	495
<i>Joakim Nilsson, Niklas Billström, Niklas Rorsman, Paolo Romanini</i>	
59-71GHz Wideband MMIC Balanced Power Amplifier in a 0.13μm SiGe Technology	499
<i>Nejdat Demirel, Eric Kerhervé, Robert Plana, Denis Pache, Didier Belot</i>	
40 to 85GHz Power Amplifier MMICs Using an Optical Lithography Based Low Cost GaAs PHEMT Process.....	503
<i>Kohei Fujii, John Stanback, Henrik Morkner</i>	

EuMC/EuMIC11: RF MEMS CIRCUITS

Miniature Microwave RF MEMS Tunable Waveguide Filter	507
<i>Derek Scarbrough, Charles L. Goldsmith, John Papapolymerou, Yuan Li</i>	
Compact Ka-Band Phase Shifters Using MEMS Capacitive Switches.....	511
<i>Cristiano Palego, Zhen Peng, James C.M. Hwang, Derek Scarbrough, David I. Forehand, Charles L. Goldsmith</i>	
Development of Different K-Band MEMS Phase Shifter Designs for Satellite COTM Terminals.....	515
<i>P. Farinelli, E. Chiappesi, F. Di Maggio, B. Margesin, S. Colpo, A. Ocera, M. Russo, I. Pomona</i>	
Phase Error and Nonlinearity Investigation of Millimeter-Wave MEMS 7-Stage Dielectric-Block Phase Shifters.....	519
<i>N. Somjit, G. Stemme, J. Oberhammer</i>	
Integration of Self-Assembled Inductors with CMOS LC Oscillators	523
<i>A.G. Mukherjee, S. Vatti, M.E. Kiziroglou, R.W. Moseley, C. Papavassiliou, A.S. Holmes, E.M. Yeatman</i>	

EuMIC/EuWiT01: RFICS FOR WIRELESS APPLICATIONS

Dynamic Power and Signal Integrity Analysis for Chip-Package-Board Co-Design and Co-Simulation	527
<i>Sidina Wane, An-Yu Kuo, Patrick Dos Santos</i>	
A Flip-Chip Single-Pole Three-Throw Switch with Integrated Bypass LNA for WLAN Applications.....	531
<i>Timothy Fox, Richard Giacchino</i>	
A RF CMOS Base-Band Analog Circuit for IEEE 802.11a/b/g/n WLAN Transceiver	535
<i>Sang-Gyu Park</i>	
Comparison of g_m-Boosted Oscillators in Silicon Field Effect Transistor and Silicon-Germanium Hetero-Junction Bipolar Transistor Technology	539
<i>Thomas Ussmueller, Kay Seemann, Robert Weigel</i>	
A 0.13μm CMOS $\Delta\Sigma$ Fractional-N Synthesizer for WiMAX Application	543
<i>Tzu-Chan Chueh, Wei-Hsien Chen, Da-Rong Huang</i>	

EuMIC 2009 ABSTRACTS

Abstracts.....	547
-----------------------	------------

Author Index