

2009 International Conference on Photonics in Switching

(PS 2009)

Pisa, Italy
15 – 19 September 2009



IEEE Catalog Number: CFP0999A-PRT
ISBN: 978-1-4244-3857-0

TABLE OF CONTENTS

Novel Grating Devices Using Photonic Crystal Fiber	1
<i>S. B. Lee</i>	
Polarisation-Insensitive 640 Gbit/s Demultiplexing Using A Polarisation-Maintaining Highly Non-Linear Fibre	5
<i>H. Hu, H. C. H. Mulvad, M. Galili, E Palushani, A. T. Clausen, L. K. Oxenlowe, P. Jeppesen</i>	
Tolerance of Counterphased Pump-Phase Modulation in a Fibre-Based Dual-Pump Wavelength Converter for 86 Gb/s RZ-DQPSK	7
<i>T. Richter, R. Elschner, K. Petermann, C. Schubert</i>	
Ultrafast All-Optical A/D Conversion Using Non-Linear Optical Loop Mirrors with Multi-Period Transfer Functions	9
<i>Y. Miyoshi, S. Takagi, S. Namiki</i>	
Impact of Pump-Phase Modulation on Fibre-Based Parametric Wavelength Conversion of Coherently Detected PSK Signals	13
<i>R. Elschner, T. Richter, K. Petermann</i>	
All-Optical Microwave Notch Filter Incorporating an S-Bending-Based Wavelength-Spacing Tunable Dual-Wavelength Fibre Laser	15
<i>Kwanil Lee, S. B. Lee</i>	
Ultrafast Nonlinear Optics on a Chip: Application to All-Optical Switching.....	17
<i>B. J. Eggleton</i>	
Controllable Optical Demultiplexing Using Continuously Tunable Optical Parametric Delay at 160-Gbit/s with <0.1 ps Resolution	18
<i>X. Wu, S. Nuccio, O. F. Yilmaz, J. Wang, A. Bogoni, A. E. Willner</i>	
Observation of Four-Wave Mixing Signals from an AlAsSb/InGaAs ISBT (Inter Sub-Band Transition) Optical Waveguide	20
<i>H. Kuwatsuka, R. Akimoto, T. Mozume, S. Gozu, K. Akita, T. Ogasawara, H. Ishikawa</i>	
All-Optical Low-Power Switch Based on III-V/SOI Heterogeneous Integration	22
<i>M. Tassaei, G. Roelkens, D. VanThourhout, R. Baets</i>	
4 x 4 All-Optical Wavelength Converter Using A Single Fabry-Perot Laser Diode.....	24
<i>M. R. Uddin, B. Nakarmi, J. S. Lim, Y. H. Won</i>	
Remodulation of a Subcarrier Modulated Signal by Feed-Forward Current Injection in a Reflective SOA	26
<i>M. Presi, A. Chiuchiarelli, R. Proietti, G. Contestabile, E. Ciaramella</i>	
Performance Investigation of an IQ Wavelength Converter	28
<i>R. Yu, X. Yi, J. Kurumida, S. J. B. Yoo</i>	
Versatile Usage of a Multiport Encoder/Decoder in OPS and OBS Nodes	30
<i>G. Cincotti, N. Kataoka, N. Wada, X. Wang, K. Kitayama</i>	
Stacked Optical Code Label for Multicasting in Optical Packet Switching Networks (Invited).....	32
<i>M. Chen, M. Xin, H. Chen, S. Xie</i>	
Scalability Study of SOA Based Optical Switch for Optical Packet Networks.....	36
<i>S. Zsigmond, H. Furukawa, N. Wada</i>	
Implementation of Optical Switch Control Function in Active Optical Access System.....	38
<i>K. Wakayama, M. Okuno, D. Mashimo, J. Sugawa, H. Ikeda, K. Sakamoto</i>	
Management of Switched Systems at 100 Tbps: The DARPA CORONET Program	40
<i>G. Clapp, R. A. Skoog, A. C. VonLehmen, B. Wilson</i>	
Development and Field Demonstration of an Optical Burst Switching Testbed with PLZT Optical Matrix Switch.....	44
<i>T. Tanemura, A. Al Amin, Y. Nakano</i>	
Hierarchical Optical Cross-Connect Architecture that Implements Colorless Waveband Add/Drop Ratio Restriction Utilizing a Novel Wavelength Multi/Demultiplexers.....	48
<i>R. Hirako, K. Ishii, H. Hasegawa, K. I. Sato, O. Moriwaki</i>	
Low Loss and Cost-Effective Hierarchical Optical Path Cross-Connect Switch Architecture Based on WSS/WBSS	50
<i>S. I. Mitsui, H. Hasegawa, K. I. Sato</i>	
Wavelength Selectable Switches and Future Photonic Network Applications	52
<i>B. C. Collings</i>	
Small-Signal Analysis of SOA-MZI-Based NRZ Wavelength Conversion Configurations	56
<i>M. Spyropoulou, N. Pleros, G. Papadimitriou, I. Tomkos</i>	

All-Optical 2R Regeneration and Wavelength Conversion at 10Gb/s Using A Single Bistable DFB Laser Diode	58
<i>K. Huybrechts, A. Ali, G. Morthier</i>	
Restoration in GMPLS-Based Wavelength Switched Optical Networks with Limited Wavelength Converters	60
<i>N. Sambo, I. Cerutti, A. Giorgetti, N. Andriolli, P. Castoldi, R. Munoz, S. Ruepp, R. Casellas, R. Martinez, A. V. Manolova</i>	
Wavelength Assignment Method Smoothing Available Fiber Resources for Multiple Fibers OPS Networks.....	62
<i>Y. Hirota, H. Tode, K. Murakami</i>	
43-Gb/s WDM Signal Transmission Across 150-km 2 ROADM Rings with Colorless and Directionless OXC Based on 3D-MEMS Optical Switch and WSSs	64
<i>T. Seki, T. Matsuda, A. Naka, T. Kotanigawa, K. Oda</i>	
The Impact of Network Design on Packet Scheduling in Slotted WDM Packet Rings	66
<i>B. Uscumlic, A. Gravey, I. Cerutti, P. Gravey, M. Morvan</i>	
Static Lightpath Establishment with Sparse Regenerator Placement in WDM Translucent Networks	68
<i>M. Bakri, M. Koubaa, I. Ouerda, M. Menif</i>	
Experimental Demonstration of the All Optical Network Wavelength Conversion in a Passive Optical Network	70
<i>A. Coiro, A. Valenti, S. Pompei, G. T. Beleffi, F. Curti, S. Di Bartolo, A. Rufini</i>	
The Impact of the Scheduler on Waiting Time to Access an Optical Ring	72
<i>D. Barth, C. Cadere, J. M. Fourneau, N. Izri, D. Marinca, S. Vial</i>	
Wavelength Conversion of a 160 Gb/s RZ OTDM Signal in a PPLN Waveguide at Room Temperature	74
<i>M. V. Drummond, J. D. Reis, R. N. Nogueira, P. P. Monteiro, A. L. Teixeira, S. Shinada, N. Wada, H. Ito</i>	
Demonstration of Hybrid Optoelectronic Buffer for 10-Gbit/s Arbitrary-Length Asynchronous Optical Packets	76
<i>T. Nakahara, H. Takenouchi, R. Urata, H. Yamazaki, R. Takahashi</i>	
All-Optical Wavelength Conversion Using Cross-Phase Modulation at 42.7 Gbit/s in Silicon-Organic Hybrid (SOH) Waveguides	78
<i>T. Vallaitis, D. Hillerkuss, J. S. Li, R. Bonk, N. Lindenmann, P. Dumon, R. Baets, M. L. Scimeca, I. Biaggio, F. Diederich, C. Koos, W. Freude, J. Leuthold</i>	
Impact of Modulator Technology and Receiver Filters on the Performance of 40 Gb/s DQPSK Optical Communication Systems	80
<i>M. Frezzini, M. Secondini, E. Forestieri</i>	
Power Optimization for Intensity and Time Jitter Characterization in Optical Frequency Multiplication and Time Multiplexing	82
<i>F. Caneelliere, F. Fresi, E. Lazzeri, A. Nguyen, M. Secondini, P. Ghelfi, L. Poti</i>	
Optical Fiber Link System for the Antenna Measurement	84
<i>I. K. Cho, J. I. Mun, S. M. Kim, J. H. Yun</i>	
Optical MPLS Shared Buffer Switch Implementing Over-Size Accepting Scheduler	86
<i>C. Fujihashi, M. Kitamura, K. Maezawa</i>	
Linearized Semiconductor Optical Amplifiers Impairments in Dynamic Optical Networks	88
<i>A. Lopez, J. J. Martinez, M. A. Losada, J. Mateo, I. Garces</i>	
Noise and Beatings in Chi-Square Based Optical CDMA Channels	90
<i>S. Sahuguende</i>	
All-Optical Cell Acknowledgment in Synchronous Optical Packet Switches	92
<i>N. Androilli, F. Cugini, M. Scaffardi, P. Castoldi, L. Poti, A. Bogoni, A. Bianchi, F. Ponzini</i>	
Optical Interconnection Architectures Based on Microring Resonators	94
<i>A. Bianco, D. Cuda, M. Garrich, R. Gaudino, G. Gavilanes, P. Giaccone, F. Neri</i>	
Proposal and Design of Sub-mW and High-Speed Polymer Thermo-Optic Switch	96
<i>N. Xie, T. Hashimoto, K. Utaka</i>	
Reflective Optical Switch in Silicon-on-Insulator	98
<i>N. P. Owens, G. Z. Mashanovich, G. T. Reed</i>	
Optimisation Study of Micro Cantilevers for Switching of Photonic Band Gap Crystals	100
<i>S. M. C. Abdulla, E. Berenschot, M. J. DeBoer, L. J. Kauppinen, R. M. DeRidder, G. J. M. Krijnen</i>	
All-Optical Wavelength Conversion with Extinction Ratio Improvement of 100Gb/s RZ-Signals in Ultralong Bulk SOAs	102
<i>P. Runge, C. A. Bunge, K. Petermann</i>	
Phosphate Glass Ion-Exchange Er³⁺/Yb³⁺ Co-Doped Waveguide Amplifiers Longitudinally Pumped by Broad Area Lasers	104
<i>V. Donzella, V. Toccafondo, S. Faralli, F. DiPasquale, D. Barbier, H. H. Figueroa</i>	

A Proposal and Analytical Investigation of All-Optical T-Type Flip-Flop Using SOAs.....	106
<i>S. Shimizu, H. Uenohara</i>	
Fabrication and Modal Analysis of Ion-Implanted LiNbO₃ Ridge Optical Waveguide for Integrated Erbium-Doped Amplifiers	108
<i>A. Malacarne, S. M. Sher, G. B. Montanari, S. Sugliani, C. Porzi, L. Poti</i>	
FLC Based Matrix Optical Switch	110
<i>Y. Panarin, S. Sreenilayam</i>	
All-Optical Wavelength-Selective Switch by Amplitude Control with a Single Control Light for Wide Wavelength Range.....	113
<i>H. Kishikawa, K. Kimiya, N. Goto, S. Yanagiya</i>	
Fabrication of Three-Dimensional Colloidal Crystals in the Cavity of the Optical Fiber end Face	115
<i>W. Guo, M. Wang, P. Yu, Q. Liu</i>	
Design of Partially-Asynchronous Parallel Processing Elements for Setting up Benes Networks in O(log2N) Time.....	117
<i>Y. Kai, K. Hamada, Y. Miao, H. Obara</i>	
Aggregation Issues in Time Slotted Packet Ring Networks	119
<i>T. Atmaca, T. Eido, T. D. Nguyen, D. Chiaroni, G. Buform</i>	
Electro-Optic Modulator Meditated by Metal-Insulator-Metal Plasmonic Waveguides.....	121
<i>D. J. Lee, J. H. Sung, S. G. Lee, S. G. Park, E. H. Lee, B. H. O</i>	
Photonic Crystal Electro-Optic Modulator Incorporating Hybrid Silicon/Polymer Material	123
<i>J. Sung, J. Yang, S. Park, S. Lee, E. Lee</i>	
Design of a Silicon Mach-Zehnder Interferometric Switch Using Slow Light in Photonic Crystal	125
<i>H. S. Lee, T. Y. Han, B. H. O, S. G. Lee, S. G. Park, E. H. Lee</i>	
Optical Packet Switching Between Many Parallel Optical Fibers.....	127
<i>M. Ohta, K. Fujikawa</i>	
Impact of Kerr Nonlinearity on Novel Orthogonal Modulation Formats in WDM Networks.....	129
<i>S. O Duill, R. O Dowd</i>	
A Novel Method for Measuring Wide-Band Dispersion Characteristics of Electro-Optic and Thermo-Optic Switches.....	131
<i>K. H. Kim, S. H. Lee, S. H. Kim, S. M. Kim, E. H. Lee</i>	
A Framework for Evaluation the Cost of Optical Packet Switching Nodes.....	133
<i>F. Callegati, W. Cerroni</i>	
Tunable Silicon Photonic Crystal Microcavity Filter by Using Nonuniform Structures	135
<i>F. Emami, M. T. Akbarzadeh, A. R. Keshavarz, M. Mahzoon</i>	
Technologies and Systems of Optical Switching.....	137
<i>D. J. Blumenthal, J. E. Bowers</i>	
All-Optical 2-Bit Digital-to-Analog Conversion With a Single Semiconductor Optical Amplifier	141
<i>C. Porzi, M. Scaffardi, A. Bogoni</i>	
Optical Logic Gate by the Modulation of Self-Locking of a Single Mode FP-LD	143
<i>M. R. Uddin, J. S. Lim, Y. D. Jeong, Y. H. Won</i>	
How to Use Saturation Effects in SOAs for All-Optical Processing	145
<i>G. Contestabile</i>	
All-Optical Non-Integer Ratio Bit-Rate Conversion Using Soliton Collision in Optical Fiber	149
<i>S. Tomioka, T. Kanou, T. Kunihiro, A. Maruta</i>	
All-Optical Clocked D Type Flip-Flop Exploiting SOA-Based Optical SR Latch and Logic Gates	151
<i>J. Wang, G. Berrettini, G. Meloni, L. Poti, A. Bogoni</i>	
All-Optical Set-Reset Flip-Flop Based on Semiconductor Ring Laser: Ultrafast Response and Error-Free Bit-Error-Rate Operation	153
<i>A. Trita, M. J. L. Vidal, M. Zanola, G. Mezosi, J. Javaloyes, M. Sorel, F. Bragheri, I. Cristiani, A. Scire, S. Balle, G. Giuliani</i>	
Dynamic Switching Characteristics of 1x4 InGaAsP/InP Multimode Interference Waveguide Switch	155
<i>S. Tomofuji, S. Matsuo, T. Kakitsuka, K. Kitayama</i>	
Cavity-Enhanced Four-Wave-Mixing in an Integrated Semiconductor Ring Laser for All-Optical Digital Logic Operations	157
<i>B. Li, M. I. Memon, D. Lu, G. Mezosi, Z. Wang, M. Sorel, S. Yu</i>	
Novel 4x4 Port Integrated SOA Switch and Wavelength Converter	159
<i>H. Wang, A. Wonfor, S. Liu, R. V. Penty, I. H. White</i>	
Optical Switching Devices Based on Semiconductor Optical Amplifiers	161
<i>K. Morito</i>	
Monolithic Multiband Wavelength Router for Fast Reconfigurable Data Networking	163
<i>A. Rohit, K. A. Williams, X. J. M. Leijtens, T. De Vries, Y. S. Oei, M. J. R. Heck, L. M. Augustin, R. Notzel, D. J. Robbins, M. K. Smit</i>	

Dual-Band OLT Transmitter Using Self-Locked RSOA for Next Generation WDM-PON.....	165
<i>S. Hann, S. Y. Jung, Y. E. Im, M. Thollabandi, C. S. Park</i>	
All-Optical Memories Based on Photonic Crystal Nanocavities	167
<i>A. Shinya, S. Matsuo, K. Nozaki, T. Tanabe, E. Kuramochi, T. Sato, T. kakitsuka, M. Notomi</i>	
Silicon Photonics: The Optical Spice Rack.....	169
<i>M. Lipson</i>	
Photonic Integration in a Commercial Scaled Bulk-CMOS Process.....	170
<i>J. S. Orcutt, A. Khilo, M. A. Popovic, C. W. Holzwarth, H. Li, J. Sun, B. Moss, M. S. Dahlem, E. P. Ippen, J. L. Hoyt, V. Stojanovic, F. X. Kartner, H. I. Smith, R. J. Ram</i>	
High-Bit-Rate Optical Switching Based on XPM in Silicon Waveguides.....	172
<i>S. Suda, S. Namiki, Y. Shoji, K. Kintaka, H. Kawashima, T. Hasama, H. Ishikawa</i>	
High Speed Phase Detection for Holographic Data Storage by Photorefractive Time-Domain Differential Detection with Sb: Sn₂P₂S 6 Crystal	174
<i>M. Takabayashi, A. Okamoto, Y. Kojima, A. A. Grabar</i>	
Optical Switching for Next Generation Data Centers	176
<i>M. Glick</i>	
The Integration of Silicon Photonics and VLSI Electronics for Computing Systems.....	180
<i>A. V. Krishnamoorthy, R. Ho, X. Zheng, H. Schwetman, J. Lexau, P. Koka, G. Li, I. Shubin, J. E. Cunningham</i>	
Cost and Performance Issues of a Packet-Optical Add/Drop Multiplexer Technology	184
<i>D. Chiaroni, G. Buformi, C. Simonneau, J. C. Antona, A. Gravey, B. Uscumlic, P. Gravey, D. Barth, C. Cadere</i>	
Packet Multiplexing Based on BGP Routing Information on Slotted OPS Networks	186
<i>Y. Okamura, H. Imaizumi, K. Hisadome, O. Ishida, Y. Sekiya, H. Morikawa</i>	
The European ICT-BOOM Project: Photonic Tb/s Routers Made of Silicon	188
<i>L. Stampoulidis</i>	
A Switched Photonic Network for the New Transport Backbone of Telecom Italia.....	192
<i>P. Pagnan, M. Schiano</i>	
Next Generation Access Networks: PIEMAN and Beyond	196
<i>S. Smolorz, H. Rohde, P. Ossieur, C. Antony, P. D. Townsend, T. De Ridder, B. Baekelandt, X. Z. Qui, S. Appathurai, H. G. Krimmel, D. Smith, A. Poustie</i>	
Hierarchical Optical Path Network Design Algorithm That Can Best Utilize WSS/WBSS Based Cross-Connects	200
<i>H. C. Le, H. Hasegawa, K. I. Sato</i>	
Performance Comparison of Mult-Domain Routing Schemes in GMPLS Networks with BGP	202
<i>A. V. Manolova, S. Ruepp, L. Dittmann</i>	
Improved Capacity Utilization via Agile Wavelength Provisioning and Protection Sharing in Global Core Optical Networks	204
<i>K. Rouschenbach, R. Hain, A. Jackson, J. Jacob, W. Leland, J. Lowry, W. Miliken, P. Pal, R. Ramanathan, C. Santivanez, I. Baldine, S. Huang, D. Wood</i>	
Evolution of Switching Technology in DWDM Networks	205
<i>A. Viglienzoni, R. M. Dorward</i>	
High-Speed MMF Transmission by Using Mode-Field Matched Center-Launching Technique	209
<i>D. H. Sim, Y. Takushima, Y. C. Chung</i>	
Techniques for Flexible Radio-Over-Fibre Networks	211
<i>T. Koonen, H. D. Jung, H. Yang, C. Okonkwo, Y. Zheng, S. T. Abraha, E. Tangdiongga</i>	
Novel Optical Modulation Scheme for 16-QAM Format with Quadrant Differential Encoding.....	215
<i>M. Secondini, E. Forestieri, F. Cavaliere</i>	
Optical Integration: Enabling Technology for Photonic Switching.....	217
<i>M. Romagnoli, P. Galli, G. Grasso, E. Lannone, A. Bogoni</i>	
VLSI Photonics: Science and Engineering of Micro/Nano-Scale Photonic Integration.....	222
<i>E. H. Lee</i>	
Fully Integrated 42.6 Gb/s All-Optical XOR Gate	224
<i>R. J. Manning, S. K. Ibrahim, R. P. Webb, Y. An, A. J. Poustie, G. D. Maxwell, S. Lardenois, R. A. Harmon</i>	
High-Speed Reflective S-SEEDs for Photonic Logic Circuits	226
<i>G. A. Keeler, D. K. Serkland, M. E. Overberg, K. M. Geib, D. D. Gill, S. D. Mukherjee, A. Y. Hsu, J. B. Clevenger, D. Baoicchi, W. C. Sweat</i>	
Optical Static Random Access Memory Cell Using An Integrated Semiconductor Ring Laser	228
<i>B. Li, M. I. Memon, G. Mezosi, Z. Wang, M. Sorel, S. Yu</i>	
Design and Fabrication of Mach-Zehnder Interferometer Bistable Laser Diode All-Optical Flip-Flop.....	230
<i>K. Takeda, M. Takenaka, T. Tanemura, Y. Nakano</i>	
Photonic Digital Processing for Enabling Next Generation Optical Networks.....	232
<i>M. Scaffardi, P. Ghelfi, C. Porzi, G. Meloni, G. Berrettini, A. Malacarne, F. Fresi, E. Lazzeri, J. Wang, X. Wu, I. Fazal, A. Willner, L. Poti, A. Bogoni</i>	

Numerical and Experimental Study of the Switching Times and Energies of DFB-Lasser Based All-Optical Flip-Flops	237
<i>K. Huybrechts, A. Ali, T. Tanemura, Y. Nakano, G. Morthier</i>	
Continuously Tuneable Wavelength Converter for Arbitrary Input and Output Signal Wavelengths	239
<i>S. Petit, T. Kurosu, M. Takahashi, T. Yagi, S. Namiki</i>	
Dynamic Operation of a Monolithic Wavelength-Routing Switch Using Double-Ring-Resonator-Coupled Tunable Laser Diodes.....	241
<i>T. Segawa, S. Matsuo, T. Kakitsuka, Y. Shibata, T. Sato</i>	
Integrated Phased-Array 1x16 Photonic Switch for WDM Optical Packet Switching Application	243
<i>I. M. Soganci, T. Tanemura, K. A. Williams, N. Calabretta, T. DeVries, E. Smalbrugge, M. K. Smit, H. J. S. Dorren, Y. Nakano</i>	
640-Gbit/s/port (64- x 10-Gbit/s) Colored DPSK Optical Packet Switching	245
<i>N. Wada, H. Furukawa</i>	
128 x 128 3D-MEMS Optical Switch Module with Simultaneous Optical Paths Connection for Optical Cross-Connect Systems	247
<i>M. Mizukami, J. Yamaguchi, N. Nemoto, Y. Kawajiri, H. Hirata, S. Uchiyama, M. Makihara, T. Sakata, N. Shimoyama, H. Ishii, F. Shimokawa</i>	
Simultaneous Multi-Format RZ-OOK and RZ-DPSK Optical Packet Switching Based on Tunable Four - Wave Mixing.....	249
<i>J. Kurumida, R. Yu, T. He, A. O. Karalar, X. Yi, S. J. B. Yoo</i>	
Compensation for Patterning in SOA-Based Switches.....	251
<i>R. P. Webb, R. J. Manning</i>	
Experimental Study on Dynamic Range of SOA Switch for Multi-Wavelength Optical Packet Switching	253
<i>L. Hui, H. Imaizumi, T. Tanemura, Y. Nakano, H. Morikawa</i>	
Energy Bottlenecks in Future Networks and Optical Signal Processing.....	255
<i>S. Namiki, T. Hasama, H. Ishikawa</i>	
Future Directions in Optical Networking Technology Development-Optical Fast Circuit Switching and Multilevel Optical Routing-.....	259
<i>K. I. Sato</i>	
Optical Label Switching Technology and Energy-Efficient Future Networks	263
<i>S. J. B. Yoo</i>	
Hybrid Optoelectronic Router for Asynchronous Optical Packets	265
<i>R. Takahashi, R. Urata, H. Takenouchi, T Nakahara</i>	
Reduced Load Engset Fix Point Analysis for Optical Burst Switched Networks.....	267
<i>H. Overby</i>	
Optimized Combination of Wavelength Converters and Optical Buffers for OBS Networks Using Wavelength Contention Minimization	269
<i>J. Pedro, P. Monteiro, J. Pires</i>	
Connected Objects and the Internet of Things - A Paradigm Shift.....	271
<i>E. Zouganeli, I. E. Svinnset</i>	
Issues and Challenges in Physical-Layer Aware Optically Switched Network Design and Operation	275
<i>Y. Pointurier, S. Azodolmolky, M. Angelou, L. Tomkos</i>	
Impairment Aware GMPLS-Based Control Plane Architectures to Realize Dynamically Reconfigurable Transparent Optical Networks	276
<i>V. S. Chava, E. Salvadori, A. Zanardi, S. dalsass, R. Piesiewicz</i>	
Hybrid Control Plane Architecture for Dynamic Impairment-Aware Routing in Transparent Optical Networks.....	278
<i>V. S. Chava, E. Salvadori, A. Zanardi, S. Dalsass, R. Piesiewicz</i>	
Physical Impairment Awareness in the Context of an Operator Infrastructure.....	280
<i>E. Le Rouzic</i>	
A Novel Distributed Wavelength Reservation Scheme for Short-Lived Heterogeneous Optical Services	284
<i>A. Muriali, R. C. Almeida, K. M. Guild</i>	
Prioritizing Connection Requests in GMPLS-Controlled Optical Networks	286
<i>S. Ruepp, A. Koster, N. Andriolli, A. V. Manolova</i>	
Author Index	