2009 16th IEEE – NPSS Real Time Conference

(RT 2009)

Beijing, China 10 – 15 May 2009



IEEE Catalog Number: CFP09RTC-PRT ISBN: 978-1-4244-5796-0

Table of Contents

| PL2-2 | ITER CODAC Status and Implementation Plan |
|---------|--|
| TCA-1 | Advances in Developing Next-Generation Electronics Standards for Physics |
| TCA-2 | Machine Protection System for the XFEL |
| TCA-3 | MicroTCA implementation of synchronous Ethernet-based DAQ system for large scale experiments 22 <u>C. Girerd</u> , J. Marteau, D. Autiero, B. Carlus, W. Tromeur, and S. Gardien |
| TCA-4 | ATCA Advanced Control and Data Acquisition Systems for Fusion Experiments |
| TCA-5 | Intelligent Platform Management Controller (IPMC) for ATCA Compute Nodes |
| RTSA1-1 | Overview of the T2K Fine Grained Detector Data Acquisition at J-Parc |
| RTSA1-2 | Architecture and Implementation of the Front-End Electronics of the Time Projection Chambers in the T2K Experiment 43 D. Calvet, P. Baron, D. Besin, C. Coquelet, X. De La Broise, E. Delagnes, F. Druillole, A. Le Coguie, E. Monmarthe, and E. Zonca |
| FESP1-2 | A Design for Large-Area Fast Photodectors with Transmission-Line Readout and Waveform Sampling · · 49 H. J. Frisch, K. Byrum, JF. C. Genat, Z. Insepov, V. Ivanov, E. N. May, T. Natoli, M. Pellin, F. Tang, HH. Wang, K. Nishimura, B. Adams, J. Anderson, K. Attenkaufer, G. Varner, M. Bodgan, G. Drake, J. Elam, R. Northrop, M. K. Heintz, H. Weerts, R. Stanek, J. Va'Vra, L. Ruckman, A. Tremsin, M. Sanchez, A. Paramonov, M. Wetstein, E. Ramberg, T. Zhao, A. Ronzhin, O. Siegmund, D. Routkevitch, A. Zinoviev, and G. Sellberg |
| FESP1-3 | Pico-Second Timing with Micro-Channel Plate Devices and Waveform Sampling Readout Electronics ·· 62 JF. C. Genat, K. Byrum, H. J. Frisch, E. N. May, T. Natoli, <u>F. Tang</u> , M. K. Heintz, and E. Yurtsev |
| FESP1-4 | The Design and Initial Testing of the Beam Phase and Energy Measurement System for DTL in the Proton Accelerator of CSNS |
| CMSP-2 | Monitoring the Event Building Features of the ATLAS RPCs ROD with an Embedded Microprocessor · 76 A. Aloisio, L. Capasso, F. Cevenini, M. Della Pietra, and V. Izzo |

| CMSP-3 | Emulating the GLink Chip-Set with FPGA Serial Transceivers in the ATLAS Level-1 Muon Trigger. A. Aloisio, F. Cevenini, <u>R. Giordano</u> , and V. Izzo | 84 |
|---------|---|--------|
| CMSP-4 | Parallel Computer with 10GBit Data Links | 89 |
| CMSP-5 | Receiver Assistant Congestion Control in High Speed and Lossy Networks | 91 |
| CMSP-6 | Characterizing Jitter Performance of Multi Gigabit FPGA-Embedded Serial Transceivers | 96 |
| CMSP-7 | Online Equilibrium Reconstruction for EAST Plasma Discharge | 102 |
| CMSP-8 | Handling Online Information in the LHCb Experiment | 106 |
| CMSP-11 | Slow Control System for a NEXT Prototype | ·· 110 |
| CMSP-12 | Comparing the Performance of EPICS Channel Access with a New Implementation Based on ICE (th Internet Communications Engine) | |
| CMSP-13 | Electronics of BESIII TOF Monitor System C. Feng, S. Liu, and Q. An | ·· 117 |
| CMSP-17 | A New Concept for Experiment Program Planning for the Wendelstein 7-X Experiment | ·· 121 |
| CMSP-19 | Central Control System for EAST | 126 |
| CMSP-24 | Powering of Detector Front End Chips by DC-DC Converters | ·· 129 |
| CMSP-25 | Clock Data Recovery Based on Delay Chain for Medium Data Rate Transmission | 137 |
| CMSP-27 | Webscope: a New Tool for Fusion Data Analysis and Visualization | 141 |
| CMSP-28 | High-Speed Data-Injection for Data-Flow Verification in LHCb | 144 |
| CMSP-29 | Functionality of DAQ-Middleware | 150 |
| FESP2-2 | A Serial Link Transmitter in MAPS | 153 |

| FESP2-3 | Readout Electronics and Data Acquisition System of the MicroBooNE Experiment |
|---------|---|
| FESP2-5 | Compact SiPM based Detector Module for Time-of-Flight PET/MR |
| HLT-1 | High Rate Packets Transmission on 10 Gb/s Ethernet LAN Using Commodity Hardware |
| HLT-3 | The ATLAS High Level Trigger Infrastructure, Performance and Future Developments |
| HLT-4 | Commissioning of the ATLAS High Level Trigger with Single-Beam and Cosmic Rays |
| HLT-5 | Online Selection of pi0 (eta) -> gamma + gamma decays and the Potential for Intercalibrating the CMS Barrel Electromagnetic Calorimeter 193 Y. Yang |
| RTSA1-3 | High-Speed Data Acquisition Electronics for a PEM Scanner 196 P. Lousa, F. Almeida, P. Almeida, A. Bastos, N. Ferreira, P. Lecoq, S. Tavernier, A. Rivetti, A. I. Santos, J. Varela, I. Teixeira, N. Pimenta, V. Bexiga, R. Bugalho, S. Carmona, B. Carrico, S. Ferreira, M. Ferreira, J. Godinho, J. C. Silva, M. C. Martins, C. Leong, P. Machado, F. Goncalves, N. Matela, R. Moura, P. Neves, N. Oliveira, C. Ortigao, F. Piedade, J. Pinheiro, P. Relvas, P. Rodrigues, A. Trindade, and J. P. Teixeira |
| RTSA2-2 | Commissioning of the New Electronics and Online System for the Super-Kamiokande Experiment 201 S. Yamada, Y. Arai, K. Awai, Y. Hayato, K. Ishikawa, K. Kaneyuki, Y. Kouzuma, A. Minegishi, S. Nakayama, H. Nishino, K. Okumura, Y. Obayashi, Y. Shimizu, M. Shiozawa, A. Takeda, and T. Uchida |
| RTSA2-3 | A 40 MHz Trigger-Free Readout Architecture for the LHCb Experiment at CERN206 F. Alessio, R. Jacobsson, and Z. Guzik |
| RTSA2-1 | Performance study of a DWDM link with real-time characteristics |
| OPF-2 | Controlling a Large CPU Farm Using Industrial Tools |
| OPF-3 | Management of the LHCb Readout Network 224 G. Liu, and N. Neufeld |
| TDA2-1 | The LHCb Readout System and Real-Time Event Management |

| TDA2-3 | Commissioning and First Experience of the ALICE Data Acquisition System |
|----------|--|
| TDA2-4 | Atlas DAQ and Controls |
| FESPP-1 | Firmware Upgrade for the Acquisition Board of the LabPET Small Animal PET Scanner244 MA. Tetrault, M. Bergeron, R. Lecomte, and R. Fontaine |
| FESPP-2 | A New Statistics-Based Online Baseline Restorer (SOBLR) for a High Count-Rate Fully Digital System249 H. Li, C. Wang, H. Baghaei, Y. Zhang, R. Ramirez, S. Liu, S. An, and <u>WH. Wong</u> |
| FESPP-3 | Digital Filters for Noise Reduction |
| FESPP-4 | Electronics of the Atlas Liquid Argon Calorimeter and Its Precision Calibration |
| FESPP-7 | LHCb Silicon Tracker DAQ and DCS Online Systems |
| FESPP-9 | Potential Advantages of Digitally Sampling Scintillation Pulses in Energy Determination in PET 267 Q. Xie, X. Wang, Y. Chen, Y. Zhang, and W. Cao |
| FESPP-10 | Research on Intellectual Signal Classifier System |
| FESPP-12 | A 64 Channels 14-Bit 50 MS/sec Data Acquisition Card with Real Time Processing in VME Form Factor.274 <u>J. P. Martin</u> , C. Mercier, and N. Starinsky |
| FESPP-14 | On-Chip Processing for the Wave Union TDC Implemented in FPGA |
| FESPP-15 | A FPGA Based High-Precision Time-to-Digital Converter 283 P. Branchini, A. Aloisio, R. Giordano, V. Izzo, S. Loffredo, and R. Cigalese |
| FESPP-17 | The Design of 1Gsps Real-Time Sampling System for Transient Pulsant Signal |
| FESPP-18 | A Fully Fledged TDC Implemented in Field-Programmable-Gate-Arrays |
| FESPP-20 | Design of a low power high speed auto-zeroed column-level ADC for data readout of CMOS APS based vertex detector |
| FESPP-22 | Nanosecond Edge Detection System Using Embedded FPGA Fabrics |
| FESPP-23 | Characterization of Scintillation Pulses in Time Determination in TOF-PET |

| FESPP-25 | ATCA Control System Hardware for the Plasma Vertical Stabilization in the JET Tokamak | 308 |
|----------|---|-----|
| FESPP-26 | Fast Control in BESIII Experiment | 314 |
| FESPP-29 | A Flexible Electronic Nose for Odor Discrimination Using Different Methods of Classification <u>I. Chilo</u> , R. Olsson, G. Horvath, T. Lindblad, J. Redeby, and J. Roeraade | 317 |
| RTSA3-5 | A Real Time Coincidence System for High Count-rate TOF or Non-TOF PET Cameras Using Hybrid Method Combining AND-logic and Time-mark Technology | |
| TDA3-2 | The ATLAS Trigger System C. Padilla | 326 |
| TDA3-4 | The Digital Algorithm Processors for the ATLAS Level-1 Calorimeter Trigger S. B. Silverstein | 334 |
| CMS1-1 | An Integrated Control System for the LHCb Experiment | 343 |
| CMS1-2 | ALICE Detector Control System | 346 |
| CMS1-5 | Control and Monitoring System for the HADES RPC Detector | 351 |
| CMS2-1 | The ALICE Data Quality Monitoring System | 354 |
| CMS2-3 | The ALICE DAQ Online Databases | 361 |
| TDA4-1 | The EUDET Pixel Telescope Data Acquisition System | 366 |
| TDA4-2 | A General Purpose DAQ System for Time Projection Chambers | 372 |
| TDA4-3 | Data Acquisition System for Multi-Channel Gas Detector | 377 |

| TDA4-4 | Increasing Design Changeability Using Dynamical Partial Reconfiguration |
|---------|--|
| TDA4-5 | First Release of Data Acquisition Backbone Core (DABC) |
| TDAP-1 | Qualified standard industry components as I/O extension for an Interlock System at PITZ, MTF and XFEL |
| TDAP-2 | A Multiplatform Framework for Real-Time Applications in Nuclear Fusion Devices |
| TDAP-3 | The core-control techniques of the redundant system-slot Compact PCI HA platform $\cdots \cdots 404$ $\underline{\rm K.~Song}$ |
| TDAP-5 | Design of the Real-Time Data Acquisition and Transmission System for the Qinghai-Tibet Railway Particular Detection Ground Penetrating Radar 407 Q. Jiang, and J. Pei |
| TDAP-6 | A New Design for Precision Clock Synchronization Based on FPGA |
| TDAP-7 | Dose Calculation for Radiotherapy Treatment Planning Using Monte Carlo Methods on FPGA Based Hardware 415 V. Fanti, R. Marzeddu, C. Pili, P. Randaccio, S. Siddhanta, J. Spiga, and A. Szostak |
| TDAP-11 | ATCA Fast Data Acquisition and Processing System for JET Gamma-Ray Cameras Upgrade Diagnostic420 R. J. S. C. Pereira, A. M. Gonalves, A. Neto, J. Sousa, A. J. N. Batista, B. Carvalho, C. A. F. Varandas, and C. M. B. A. Correia |
| TDAP-12 | A High-Performance Storage System for the LHCb Experiment 426 J. M. Caicedo Carvajal, R. Schwemmer, J. C. Garnier, and N. Neufeld |
| TDAP-14 | A Slice-Based Data Acquisition System for Long Duration Discharge in EAST |
| TDAP-15 | 10G-Ethernet Prototyping for 2-D X-Ray Detectors at the XFEL |
| TDAP-16 | Implementation of a Level 1 Trigger System using High Speed Serial (VXS) Techniques for the 12GeV high luminosity experimental programs at Thomas Jefferson National Accelerator Facility |
| TDAP-19 | Custom DAQ Module for Timing and Energy Measurements for JPARC E14 |
| TDAP-20 | Implementation of Distributed High Precision Real-Time Data Acquisition System |

| TDAP-21 | Software Design of Electronics Tests and Data Acquisition for a New Gas Detector | 450 |
|---------|---|-----|
| TDAP-23 | Structure of the Updated ANKE DAQ System | 455 |
| TDAP-25 | Online Data Processing and Analyzing in BESIII DAQ <u>F. Li</u> , K. J. Zhu, L. P. Chen, M. L. Chen, and X. Ji | 458 |
| TDAP-26 | BES III TOF Trigger Sub-System S. Liu, <u>W. Zheng</u> , and Q. An | 461 |
| TDAP-27 | The Data Acquisition and Calibration System for the ATLAS Semiconductor Tracker | 465 |
| TDAP-28 | An Integrated Data Acquisition System for J-PARC Hadron Experiments | 472 |
| TDAP-29 | Trigger Algorithm Development on FPGA-Based Compute Nodes M. Liu, A. Jantsch, D. Jin, A. Kopp, W. Kuehn, J. Lang, L. Li, S. J. Lange, Z. Liu, Z. Lu, D. Muenchow, V. Pechenov, J. S. Roskoss, S. Spataro, Q. Wang, and H. Xu | 478 |
| TDAP-30 | Hardware/Software Co-Design of an ATCA-Based Computation Platform for Data Acquisition and Triggering | 485 |
| TDAP-31 | Trigger System for Industrial CT | 490 |
| TDAP-32 | A CompactPCI-based Continuous and Real-time Data Acquisition System for EAST Tokamak F. Wang, G. M. Li, S. Li, Y. F. Zhu, and Y. Wang | 492 |
| TDAP-33 | Upgrade of the EAST Central Timing System | 495 |
| TDAP-35 | Continuous and Real-Time Data Acquisition Embedded System for EAST | 499 |
| TDAP-37 | Process µC/OS-II Time Tick Interrupt Using the Co-Processor | 503 |
| RTSA2-4 | A Unified Interconnection Network with Precise Time Synchronization for the CBM DAQ-System F. Lemke, D. Slogsnat, N. Burkhardt, and U. Bruening | 506 |
| RTSA3-1 | An FPGA Computing Demo Core for Space Charge Simulation J. Wu, and Y. Huang | 512 |
| RTSA3-3 | BES III Time-of-Flight Readout System | 516 |

| RTSA3-4 | TOF Clock System for BESIII | 2 |
|---------|---|---|
| TDA5-2 | Active Buffer for DAQ in CBM Experiment | 7 |
| TDA5-3 | A Low-Jitter Distrubuted Synchronous Clock Using DAC | 2 |
| TDA5-4 | Performance of a Serial-Bus Based Readout Control System at Belle | 7 |
| TDA5-5 | Pulse Shapes for Signal Reconstruction in the ATLAS Tile Calorimeter | 3 |
| TDA5-6 | A 250 MHz Level 1 Trigger and Distribution System for the GlueX Experiment | 8 |
| TDA6-2 | The ATLAS LAr Calorimeter Level 1 Trigger Signal pre-Processing System: Installation, Commissioning and Calibration Results | |
| TDA6-3 | The Commissioning of the CMS ECAL Detector with Cosmics and First LHC Beams55 A. Thea | 9 |
| TDA6-4 | THE ALICE STORAGE SYSTEM: an Analysis of the Impact on the Performance of the Configuration Parameters and of the Load of Concurrent Streams | 5 |
| WS-3 | Application of ATCA in Trigger and DAQ System for Experimental Physics | 1 |