

2009 Proceedings of ESSCIRC

**Athens, Greece
14 – 18 September 2009**



IEEE Catalog Number: CFP09542-PRT
ISBN: 978-1-4244-4355-0

ESSCIRC Table of Contents

Joint Plenary Sessions

Challenges for silicon technology scaling in the Nanoscale Era	1
<i>Tze-Chiang (T.C.) Chen, IBM T.J. Watson Research Center, USA</i>	
Bio-Inspired Devices, Circuits and Systems	8
<i>Tadashi Shibata, Department of Electrical Engineering and Information Systems, School of Engineering, The University of Tokyo, Japan</i>	
Scaling Beyond CMOS: Turing-Heisenberg Rapprochement.....	16
<i>Victor V. Zhirnov, Ralph K. Cavin III, Semiconductor Research Corporation, USA</i>	
Nano Electro-Mechanical Devices: a New Opportunity for Microelectronics.....	23
<i>Michael Roukes, California Institute of Technology, USA</i>	
The Impact of Semiconductor Packaging Technologies on System Integration An Overview.....	24
<i>Carlo Cognetti, STMicroelectronics, Agrate Brianza, Italy</i>	
Ultra-Thin Chips and Related Applications, A New Paradigm in Silicon Technology.....	29
<i>Joachim Burghartz, Wolfgang Appel, Christine Harendt, Horst Rempp, Harald Richter, Martin Zimmermann, Institut für Mikroelektronik Stuttgart (IMS CHIPS), Germany</i>	

ESSCIRC Plenary Sessions

RFID, Where are they?	37
<i>W. Dehaene^{a,b}, Georges Gielen^a, M. Steyaert^a, H. Danneels^a, V. Desmedt^a, C. De Roover^a, Z. Li^a, M. Verhelst^d, N. Van Helleputte^a, S. Radiom^a, C. Walravens^a, L. Pleyzier^d, ^aDept. Elektrotechniek-ESAT, Katholieke Universiteit Leuven, Belgium, ^bIMEC, Leuven Belgium, ^cVlaams Instituut voor de Logistiek Antwerpen Belgium, ^dIntel Corporation, Hillsboro, USA</i>	
The Future of High Frequency Circuit Design	45
<i>Invited Paper, Ali Hajimiri, California Institute of Technology, USA</i>	
Embedded Analog-to-Digital Converters	53
<i>Klaas Bult, Broadcom Corporation, The Netherlands</i>	

ESSDERC Plenary Sessions

Function by Defects at the Atomic Scale – New Concepts for Non-Volatile Memories	66
<i>Rainer Waser¹ and Matthias Wuttig², ¹IWE 2, RWTH Aachen University, and IEM, Forschungszentrum Jülich, ²Physics 1A, RWTH Aachen University, Germany</i>	
Nanowire Electronics	74
<i>Joerg Appenzeller, Purdue University, USA</i>	
Performance, Reliability, Radiation Effects, and Aging Issues in Microelectronics – From Atomic-Scale Physics to Engineering-Level Modeling	77
<i>Sokrates T. Pantelides^{a,b,c}, L. Tsetseris^{a,d}, M.J. Beck^a, S.N. Rashkeev^{a,e}, G. Hadjisavvas^a, I.G. Batyrev^a, B.R. Tuttle^{a,f}, A.G. Marinopoulos,^a X.J. Zhou^b, D.M. Fleetwood^{b,a}, and R.D. Schrimpf^b, ^aDepartment of Physics and Astronomy, Vanderbilt University, USA, ^bDepartment of Electrical Engineering and Computer Science, Vanderbilt University, USA, ^cOak Ridge National Laboratory, USA, ^dAristotle University, Thessaloniki, Greece, ^eIdaho National Laboratory, USA, ^fPenn State Behrend College, USA</i>	

A2L-A Joint Session - New CMOS for Improved SRAM Circuits Robustness

Migrating from Planar to FinFET for Further CMOS Scaling: SOI or Bulk?.....85

Thomas Chiarella, Liesbeth Witters, Abdelkarim Mercha, Christoph Kerner, Rok Dittrich¹, Michal Rakowski, Claude Ortolland, Lars-Åke Ragnarsson, Bertrand Parvais, A. De Keersgieter, S. Kubicek, A. Redolfi, R. Rooyackers, C. Vrancken, S. Brus, A. Lauwers, P. Absil, S. Biesemans, T. Hoffmann, IMEC, Belgium ¹assignee at IMEC from Qimonda

Impact of a 10nm Ultra-Thin BOX (UTBOX) and Ground Plane on FDSOI devices for 32nm node and below89

Claire Fenouillet-Beranger^(1,2), Pierre Perreau^(1,2), Stephane Denorme⁽²⁾, Lucie Tost⁽¹⁾, Francois Andrieu⁽¹⁾, Olivier Weber⁽¹⁾, S. Barnola⁽¹⁾, C. Arvet⁽²⁾, Y. Campidelli⁽²⁾, S. Haendler⁽¹⁾, R. Beneyton⁽²⁾, C. Perrot⁽²⁾, C. de Buttel^(1,2), P. Gros⁽²⁾, L. Pham-Nguyen^(2,3), F. Leverd⁽²⁾, P. Gouraud⁽²⁾, F. Abbate⁽²⁾, F. Baron⁽²⁾, A. Torres⁽¹⁾, C. Laviron⁽¹⁾, L. Pinzelli⁽²⁾, J. Vetier⁽²⁾, C. Borowiak⁽²⁾, A. Margain⁽²⁾, Daniel Delprat⁽⁴⁾, F. Boedt⁽⁴⁾, K. Bourdelle⁽⁴⁾, B.-Y. Nguyen⁽⁴⁾, Olivier Faynot⁽¹⁾, Thomas Skotnicki⁽²⁾, ⁽¹⁾CEA-LETI Minatec, France, ⁽²⁾ST Microelectronics, Crolles, France, ⁽³⁾IMEC, ⁽⁴⁾SOITEC, France

Fast stability analysis of large-scale SRAM arrays and the impact of NBTI degradation93

Stefan Drapatz*, Thomas Fischer*, Karl Hofmann†, Ettore Amirante†, Peter Huber†, Martin Ostermayr†, Georg Georgakos† and Doris Schmitt-Landsiedel*, *Technische Universität München, Germany, †Infineon Technologies AG, Neubiberg, Germany

A2L-D Wideband LNAs

Wideband Inductorless Minimal Area RF Front-End.....97

Sven Karsten Hampel¹, Oliver Schmitz¹, Marc Tiebout², Ilona Rolfs¹, ¹Institut für Hochfrequenztechnik und Funksysteme, Leibniz Universität Hannover, Germany, ²Infineon Technologies Austria AG, Austria

Low-Cost Feedback-Enabled LNAs in 45nm CMOS.....101

Jonathan Borremans, Steven Thijss², Morin Dehan, Abdelkarim Mercha, Piet Wambacq¹, IMEC, Leuven, Belgium, ¹also Vrije Universiteit Brussel, Brussels, Belgium, ²also Katholieke Universiteit Leuven, Leuven, Belgium

Wide-Band Variable-Gain LNA in 65 nm CMOS with Inverter Based Amplifier for Multi-Tuners Cable TV Reception.....105

Sébastien Robert, Olivier Abed-Meraïm, Luca Lo Coco, NXP Semiconductors, Caen, France

A2L-E Analog Signal Conditioning

100–1000 MHz Cutoff Frequency, 0–12 dB Boost Programmable Gm-C Filter with Digital Calibration for HDD Read Channel.....109

Takahide Terada¹, Taizo Yamawaki¹, Masaru Kokubo¹, Koji Nasu², ¹Hitachi Ltd., Central Research Laboratory, Tokyo, Japan, ²Renesas Technology Corp., Hyogo, Japan

An Oscilloscope Array for High-Impedance Device Characterization.....113

Fred Chen, Anantha Chandrakasan, Vladimir Stojanović, Massachusetts Institute of Technology, USA

3D Capacitive Transmission of Analog Signals with Automatic Compensation of the Voltage Attenuation.....117

Eleonora Franchi¹, Federico Natali¹, Antonio Gnudi¹, Roberto Guerrieri¹, Massimiliano Innocenti², Luca Ciccarelli², Mauro Scanduzzo², Roberto Canegallo², ¹University of Bologna, Italy, ²ST Microelectronics, Milano, Italy

A Mixed-Signal Organic 1kHz Comparator with Low VT Sensitivity on Flexible Plastic Substrate.....121

Hagen Marien, Michiel Steyaert, Nick van Aerle¹, Paul Heremans², Katholieke Universiteit Leuven, Belgium, ¹Polymer Vision Ltd., The Netherlands, ²IMEC, Belgium

A3L-D RF Building Blocks

A Highly Linear, Differential Gyrator in 65nm CMOS for Reconfigurable GHz Applications.....125

Oliver Schmitz¹, Sven Karsten Hampel¹, Koen Mertens², Marc Tiebout², Ilona Rolfs¹, ¹Leibniz Universität Hannover, Germany, ²Infineon Technologies Austria AG, Austria

A Low Power, Area Efficient Limiting Amplifier in 90nm CMOS129
Filip Tavernier and Michiel Steyaert, K.U. Leuven Belgium

A 200 μ A Duty-Cycled PLL for Wireless Sensor Nodes..........133
Salvatore Drago*, Domine Leenaerts*, Bram Nauta†, Fabio Sebastian*, Kofi Makinwa‡ and Lucien Breems*, *NXP Semiconductors, Eindhoven, The Netherlands, †Electronic Instrumentation Laboratory, Delft University of Technology, The Netherlands, ‡University of Twente, The Netherlands

A3L-E High-Voltage High Current

25V Sampling Switch for Power Management Data Converters in 0.35 μ m CMOS with DMOS..........137
Devrim Yilmaz Aksin and Ilter Ozkaya, Istanbul Technical University, Turkey

Capacitive-coupled Current Sensing and Auto-ranging Slope Compensation for Current Mode SMPS with Wide Supply and Frequency Range141
Stefan Herzer, Sumeet Kulkarni, Maciej Jankowski, Jochen Neidhardt, Bernhard Wicht, Texas Instruments, Freising, Germany

An Integrated 10A, 2.2ns Rise-Time Laser-Diode Driver for LIDAR Applications145
Mike Wens, Jean-Michel Redouté, Tim Blanckaert, Nicolas Bleyaert and Michiel Steyaert, K.U. Leuven, Belgium

Closed Loop Class-D Amplifier with Nonlinear Loop Integrators149
Benno Krabbenborg, Marco Berkhouit, NXP Semiconductors, The Netherlands

A3L-F Digital Circuits

A 2.5GHz, 6.9mW DS Modulator with Standard Cell Design in 45nm-LP CMOS using Time-Interleaving153
Paolo Madoglio¹, Ashoke Ravi¹, Luis Cuellar¹, Stefano Pellerano¹, Parmoon Seddighrad², Ismael Lomeli¹, Yorgos Palaskas¹,
¹Intel Corporation, Hillsboro, USA, ²Univ. of Washington, USA

647 MHz, 0.642pJ/block/cycle 65nm Self Synchronous FPGA..........157
Benjamin Devlin[†], Jeong MyeongGyu[†], Toru Nakura[‡], Makoto Ikeda[‡] and Kunihiro Asada[‡], [†]Dept. of Electronic Engineering, University of Tokyo, [‡]VLSI Design and Education Center(VDEC), University of Tokyo, Japan

A Charge-Recovery 600MHz FIR Filter with 1.5-Cycle Latency Overhead161
Jerry C. Kao¹, Wei-Hsiang Ma¹, Visvesh S. Sathe^{1,2}, Marios C. Papaefthymiou¹, ¹University of Michigan, USA,
²Advanced Micro Devices, Fort Collins, USA

Subthreshold SCL for Ultra-Low-Power SRAM and Low-Activity-Rate Digital Systems..........165
Armin Tajalli and Yusuf Leblebici, Ecole Polytechnique Fédéral de Lausanne, Switzerland

A6L-D RF Power Amplifiers

A 60GHz Power Amplifier with 14.5dBm Saturation Power and 25% Peak PAE in CMOS 65nm SOI169
Alexandre Siligaris¹, Yasuhiro Hamada³, Christopher Mounet¹, Christine Raynaud^{1,2}, Baudouin Martineau², Nicolas Deparis⁴, Nathalie Rolland⁴, Muneo Fukaiishi³, and Pierre Vincent¹, ¹CEA-LETI, MINATEC, France, ²STMicroelectronics, Crolles, France,
³NEC Corporation, Kawasaki, Japan, ⁴IEMN, CNRS, Lille, France

A 60GHz 65nm CMOS RMS Power Detector for Antenna Impedance Mismatch Detection..........173
Jean Gorisse^(1,2,3), Andreia Cathelin⁽¹⁾, Andreas Kaiser⁽²⁾, Eric Kerhervé⁽³⁾, ⁽¹⁾STMicroelectronics, Crolles, France,
⁽²⁾IEMN, Lille, France, ⁽³⁾IMS / University of Bordeaux, France

A 2.4-GHz 24-dBm SOI CMOS Power Amplifier with On-Chip Tunable Matching Network for Enhanced Efficiency in Back-Off	177
<i>Francesco Carrara, Calogero D. Presti, and Giuseppe Palmisano, Università di Catania, Italia</i>	

A Double Balanced Power Amplifier for S-Band Phased Arrays in SiGe BiCMOS	181
<i>Holger Erkens, Ralf Wunderlich, and Stefan Heinen, RWTH Aachen University, Germany</i>	

A6L-E Integrated Wireless

A Low-Power Wide-Band Digital Frequency Synthesizer for Cognitive Radio Sensor Units	185
<i>Liangge Xu, Kari Stadius, Jussi Rynnänen, Helsinki University of Technology, Finland</i>	

A Single-Chip RF Tuner / OFDM Demodulator for Mobile Digital TV Application.....	189
<i>Tsuyoshi Sekine, Ryuichi Fujimoto, Yoshimitsu Takamatsu, Mitsumasa Nakamura, Takuya Hirakawa, Masato Ishii, Takaya Yasuda, Motohiko Hayashi, Hiroya Itoh, Y. Wada, T. Imayama, T. Oomoto, Y. Ogasawara, S. Saigusa, M. Yano, M. Nishikawa, H. Yoshida, Y. Yoshida, K. Yoshioka, and N. Itoh, Toshiba Corporation, Kawasaki, Japan</i>	

An S-band Frontend Receiver for Mobile TV in 65nm CMOS.....	193
<i>Theo Chalvatzis, Kostis Vavelidis, Nikos Kanakaris and Iason Vassiliou, Broadcom Corp., Athens, Greece</i>	

A6L-F 3-D Imaging

A Parallel 32x32 Time-To-Digital Converter Array Fabricated in a 130 nm Imaging CMOS Technology	197
<i>Marek Gersbach^{1,5}, Yuki Maruyama⁵, Estelle Labonne¹, Justin Richardson^{2,3}, Richard Walker³, L. Grant², Robert K. Henderson³, Fausto Borghetti⁴, David Stoppa⁴, and Edoardo Charbon^{1,5}, ¹Ecole Polytechnique Fédérale de Lausanne, Switzerland, ²ST Microelectronics, Edinburgh, Scotland, ³University of Edinburgh, Scotland, ⁴Fondazione Bruno Kessler, Italy, ⁵TU Delft, The Netherlands</i>	

Pulsed Time-of-Flight 3D-CMOS Imaging Using Photogate-Based Active Pixel Sensors.....	201
<i>Andreas Spickermann, Daniel Durini, Stefan Bröcker, Werner Brockherde, Bedrich J. Hosticka, and Anton Grabmaier, Fraunhofer Institute for Microelectronic Circuits and Systems (IMS), Germany</i>	

A 32x32-Pixel Array with In-Pixel Photon Counting and Arrival Time Measurement in the Analog Domain	205
<i>David Stoppa¹, Fausto Borghetti¹, Justin Richardson^{2,3}, Richard Walker^{2,3}, Lindsay Grant², Robert K. Henderson³, Marek Gersbach^{4,5}, Edoardo Charbon^{4,5}, ¹Fondazione Bruno Kessler (FBK), Trento, Italy, ²STMicroelectronics, Edinburgh, U.K., ³The University of Edinburgh, U.K., ⁴TU Delft, The Netherlands, ⁵Ecole Polytechnique Fédérale de Lausanne, Switzerland</i>	

A 134-pixel CMOS Sensor for Combined Time-of-Flight and Optical Triangulation 3-D Imaging.....	209
<i>Oreste Sgrott, Daniel Mosconi, Massimo Saiani, David Stoppa, Gianmaria Pedretti, Matteo Perenzoni, Lorenzo Gonzo, Center for Materials and Microsystems, Fondazione Bruno Kessler, Italy</i>	

B2L-A Joint Session - Circuits For New Technologies

A 3-V, 6-bit C-2C Digital-to-Analog Converter using Complementary Organic Thin Film Transistors on Glass	213
<i>Wei Xiong¹, Yang Guo¹, Boris Murmann¹, Ute Zschieschang², Hagen Klauk², ¹Stanford University, U.S.A., ²Max Planck Institute for Solid State Research, Stuttgart, Germany</i>	

A Low Variation GHz Ring Oscillator with Addition-based Current Source.....	217
<i>Xuan Zhang and Alyssa B. Apsel, Cornell University, USA</i>	

Challenges and Prospects of RF OscillatorsUsing Silicon Resonant Tunneling Diodes.....	221
<i>Emanuela Buccafurri¹, Abdelkrim Medjahi¹, Francis Salmon¹, Raphael Clerc², Marco Pala², Alain Ponchet¹, Gérard Ghibaudo², ¹ INL-INSA-Lyon, France, ² IMEP-LAHC, France</i>	

B2L-D Single Chip Wireless

- A 1x1 802.11n WLAN SoC with Fully Integrated RF Front-end Utilizing PA Linearization.....225**
Emmanouil Terrovitis, Michael Mack, Justin Hwang, Brian Kaczynski, Gabriel Tseng*, Bor-Chin Wang*, Srenik Mehta, David Su,
Atheros Communications, Santa Clara, USA, *Atheros Communications, Hsinchu, Taiwan

- A Single-Chip CMOS UHF RFID Reader Transceiver for Mobile Applications.....229**
Le Ye, Huailin Liao¹, Fei Song¹, Jiang Chen¹, Congyin Shi¹, Chen Li¹, Junhua Liu¹, Ru Huang¹, Jinshu Zhao², Huijing Xiao²,
Ruiqiang Liu², Xinan Wang², ¹Institute of Microelectronics, Peking University, Beijing, China, ²The Key Laboratory of Integrated
Micro-systems, Shenzhen Graduate School of Peking University, Shenzhen, China

- A 400-MHz CMOS Radio Front-End for Ultra Low-Power Medical Implantable Applications.....233**
Francesco Carrara¹, Alessandro Italia¹, and Giuseppe Palmisano¹, Ranieri Guerra², Universita' di Catania, Italy,
²STMicroelectronics, Catania, Italy

B2L-F Optical Sensors and Vision Systems

- Extraneous-Light Resistant Multipixel Range Sensor Based on a Low-Power Correlating Pixel-Circuit237**
Gerald Zach, Milos Davidovic, and Horst Zimmermann, Vienna University of Technology, Institute of Electrodynamics, Microwave and
Circuit Engineering, Austria

- A Pixel-Shared CMOS Image Sensor Using Lateral Overflow Gate.....241**
Shin Sakai¹, Yoshiaki Tashiro¹, Nana Akahane^{1,2}, Rihito Kuroda¹, Koichi Mizobuchi² and Shigetoshi Sugawa¹, ¹Tohoku University,
Japan, ²Texas Instruments Japan, Ibaraki, Japan

- High Precision Optical Angle Measuring Method Applicable in Standard CMOS Technology245**
Christian Koch, Jürgen Oehm and Andreas Gornik, Ruhr-Universität Bochum, Germany

- A Real-Time Image Recognition System Using a Global Directional-Edge-Feature Extraction VLSI Processor.....249**
Hongbo Zhu and Tadashi Shibata, The University of Tokyo, Japan

B3L-D UWB Circuits

- A CMOS ESD-Protected RF Front-End for UWB Receiver.....253**
Bo Shi, Michael Yan Wah Chia, Institute for Infocomm Research, A*STAR, Connexis, Singapore

- Ultra Low Power Detection Circuits in 130nm CMOS for a Wireless UWB Localization System.....257**
Christophe De Roover and Michiel Steyaert, Katholieke Universiteit Leuven, Belgium

- A 240MHz Programmable Gain Amplifier & Filter for Ultra Low Power Low-Rate UWB receivers.....261**
Stefano D'Amico¹, Andrea Baschirotto^{1,2}, Kathleen Philips³, Olivier Rousseaux³, Bert Gyselinckx³, ¹University of Salento, Italy,
²University of Milan-Bicocca, Italy, ³IMEC-NL, The Netherlands

- A Wideband 0 to 60 dB CMOS Variable Gain Amplifier for IR-UWB I/Q Receivers.....265**
David Barras¹, Heinz Jaeckel¹, Walter Hirt², ¹ETH, Switzerland, ²IBM Zurich, Ruschlikon

B3L-E Power Management Circuits

- Sub-1V Input Single-Inductor Dual-Output (SIDO) DC-DC Converter with Adaptive Load-Tracking Control (ALTC)269
for Single-Cell-Powered System**
Ming-Hsin Huang¹, Yu-Nong Tsai¹, Yu-Huei Lee¹, Shih-Jung Wang¹, Ke-Horng Chen¹, Ying-Hsi Lin², and Gin-Kou Ma³,
¹National Chiao Tung University, Taiwan, ²Realtek Semiconductor Corp., Hsinchu, Taiwan, ³Industrial Technology Research Institute,
Hsinchu, Taiwan

A High Efficiency and Compact Size 65nm Power Management Module with 1.2V Low-Voltage PWM Controller for UWB System Application..........**273**
Yu-Huei Lee¹, Shih-Jung Wang¹, Yao-Yi Yang¹, Kuo-Lin Zheng¹, Po-Fung Chen¹, Chun-Yu Hsieh¹, Ming-Hsin Huang¹, Yu-Nong Tsai¹, Yu-Zhou Ke¹, Ke-Horng Chen¹, Yi-Kuang Chen², Chen-Chih Huang², Ying-Hsi Lin², ¹National Chiao Tung University, Hsinchu, Taiwan,
²Realtek Semiconductor Corp., Hsinchu, Taiwan

An Integrated Shunt-LDO Regulator for Serial Powered Systems**277**
Michael Karagounis, David Arutinov, Marlon Barbero, Fabian Huegging, Hans Krueger, Norbert Wermes, University of Bonn, Germany

A 60 μ W Low-Power Low-Voltage Power Management Unit for a Self-Powered System based on Low-Cost Piezoelectric Powering Generators**281**
Jordi Colomer-Farrarons*, Pedro Luis Miribel-Català*, Alberto Saiz-Vela*, Josep Samitier***, *Universitat de Barcelona, Spain,
**IBEC, Institut de Biotecnologia de Barcelona, Barcelona, Spain

B3L-F Circuits for MEMS

A Self-Adaptive Switched-Capacitor Voltage Converter with Dynamic Input Load Control for Energy Harvesting**285**
Dominic Maurath, Yiannos Manoli, University of Freiburg, Germany

A 300Hz 19b DR Capacitive Accelerometer based on a Versatile Front End in a 5th-order $\Delta\Sigma$ Loop..........**289**
Marc Pastre¹, Maher Kayal¹, Hanspeter Schmid², Alexander Huber², Pascal Zwahlen³, Anne-Marie Nguyen³, Yufeng Dong³,
¹STI IEL EPFL, Switzerland, ²IME, FHNW, Switzerland, ³Colibrys SA, Switzerland

A Multifunction Low-Power Preamplifier for MEMS Capacitive Microphones..........**293**
Syed Arsalan Jawed¹, Jannik Hammel Nielsen², Massimo Gottardi¹, Andrea Baschirotto³, Erik Bruun⁴, ¹Fondazione Bruno Kessler, Italy, ²Analog Devices, Denmark, ³University of Milano, Italy, ⁴Technical University of Denmark, Denmark

A Digitally-Assisted Electrothermal Frequency-Locked Loop..........**297**
Mahdi Kashmiri and Kofi Makinwa, Delft University of Technology, The Netherlands

B6L-D RF & MM-Wave Transceiver Building Blocks

Merged Power Amplifier and Mixer Circuit Topology for Radar Applications in CMOS**301**
Vadim Issakov¹, Marc Tiebout², Herbert Knapp³, Yiqun Cao³, Werner Simbürger³, ¹Dept. of High-Frequency Electronics, University of Paderborn, Germany, ²Infineon Technologies Austria AG, Villach, Austria, ³Infineon Technologies AG, Neubiberg, Germany

A 19GHz, 250pJ/bit Non-linear BPSK Demodulator in 90nm CMOS**305**
Gabriel Macias-Montero, Han Yan, Atef Akhnoukh, Leo de Vreede and John Long, Jose Lopez-Villegas¹ and Jack Pekari², Delft University of Technology, The Netherlands, ¹University of Barcelona, Spain, ²IBM Microelectronics, Burlington, USA

Low-Noise ESD-protected 24 GHz Receiver for Radar Applications in SiGe:C Technology..........**309**
Vadim Issakov¹, Herbert Knapp², Filippo Magrini², Andreas Thiede¹, Werner Simbürger², Linus Maurer³, ¹University of Paderborn, Germany, ²Infineon Technologies AG, Neubiberg, Germany, ³Danube Integrated Circuit Engineering GmbH, Austria

A Low Noise, High Gain, Highly Linear Mixer for 77 GHz Automotive Radar Applications in SiGe:C Bipolar Technology**313**
Shoujun Yang¹, Hans-Peter Forstner², Guenter Haider¹, Harald Kainmueller¹, Klaus Aufinger², Linus Maurer¹, Richard Hagelauer¹, ¹DICE GmbH & Co KG, Austria, ²Infineon Technologies AG, Munich, Germany

122 GHz Low-Noise-Amplifier in SiGe Technology**317**
Wolfgang Winkler, Wojciech Debski, Silicon Radar GmbH, Germany, Bernd Heinemann, Falk Korndörfer, Holger Rücker, Klaus Schmalz, Christoph Scheytt, Bernd Tillack, IHP GmbH, Germany

B6L-E Oversampled ADCs

A 110μW Single Bit Audio Continuous-time Oversampled Converter with 92.5 dB Dynamic Range	321
<i>Shanthi Pavan and Prabu Sankar, Indian Institute of Technology, Madras, India</i>	
A 1.0 mW, 71 dB SNDR, -1.8 dB FS Input Swing, Fourth-Order $\Sigma\Delta$ Interface Circuit for MEMS Microphones	325
<i>Luca Picolli, Marco Grassi, Luca Rosson, Piero Malcovati, Department of Electrical Engineering, University of Pavia, Italy, Andrea Fornasari, National Semiconductor Corporation, Assago, Italy</i>	
A 0.5 V Feedforward Delta-Sigma Modulator with Inverter-Based Integrator.....	329
<i>Jun Wang, Toshimasa Matsuoka, Kenji Taniguchi, Department of Electrical, Osaka University, Japan</i>	
A 1-V 84-dB DR 1-MHz Bandwidth Cascade 3-1 Delta-Sigma ADC in 65-nm CMOS	333
<i>Koen Cornelis and Michiel Steyaert, K.U.Leuven, Belgium</i>	
A Single Bit 6.8mW 10MHz Power-Optimized Continuous-Time $\Delta\Sigma$ with 67dB DR in 90nm CMOS	337
<i>Pieter Crombez^{1,2}, Geert Van der Plas¹, Michiel Steyaert², Jan Craninckx¹, ¹IMEC-SSET-Wireless, Belgium, ²K.U.Leuven, Belgium</i>	

B6L-F Processors & Memories

Power Reduction Techniques for an 8-core Xeon® Processor.....	341
<i>Stefan Rusu, Simon Tam, Harry Muljono, Jason Stinson, David Ayers, Jonathan Chang, Raj Varada, Matt Ratta, Sailesh Kottapalli, Sujal Vora, Intel Corporation, Santa Clara, USA</i>	
A 2.89mW 50GOPS 16X16 16-Core MIMO Sphere Decoder in 90nm CMOS.....	345
<i>Chia-Hsiang Yang, Student Member, IEEE, Dejan Marković, Member, IEEE, University of California, USA</i>	
A Microprogrammable Memory Controller for High-Performance Dataflow Applications	349
<i>Jérôme Martin, Christian Bernard, Fabien Clermidy, CEA-LETI, MINATEC, France, Yves Durand, Kalray S.A., Montbonnot Saint Martin, France</i>	
A Yield Centric Statistical Design Method for Optimization of the SRAM Active Column.....	353
<i>Toby Doorn¹, Jeroen Croon¹, Jan Ter Maten¹, Alessandro Di Bucchianico², ¹NXP Semiconductors, Eindhoven, the Netherlands, ²Eindhoven University of Technology, The Netherlands</i>	
A Resonant-Clock 200MHz ARM926EJ-S™ Microcontroller	357
<i>Alexander T. Ishii¹, Jerry C. Kao^{1,2}, Visvesh S. Sathe^{1,2}, Marios C. Papaefthymiou^{1,2}, Cyclos Semiconductor, USA¹ University of Michigan, USA²</i>	

C2L-A Joint Session - Technology Impact On Circuit Design

FinFET RF Receiver Building Blocks Operating Above 10 GHz	361
<i>Domagoj Šiprak^{1,3}, Piet Wambacq^{2,3}, Bertrand Parvais², Abdelkarim Mercha², Michael Fulde⁴, Jesenka Veledar Krüger¹, Morin Dehan², and Stefaan Decoutere², ¹Infineon Technologies AG, Neubiberg, Germany, ²IMEC, Leuven, Belgium, ³Vrije Universiteit Brussel, Brussel, Belgium, ⁴Infineon Technologies Austria AG, Villach, Austria</i>	
Assessment of the impact of technology scaling on the performance of LC-VCOs	365
<i>Davide Ponton^{*†}, Gerhard Knoblinger[†], Andreas Roithmeier[‡], Marc Tiebout[†], Michael Fulde[†] and Pierpaolo Palestri[†] [†]DIEGM, University of Udine, Italy, [†]Infineon Technologies Austria, DCV, Villach, Austria, [‡]Infineon Technologies AG, Neubiberg, Germany</i>	
Oxide Soft BreakDown : From Device Modeling to Small Circuit Simulation	369
<i>Louis Gerrer¹, Gérard Ghibaudo¹, Guillaume Ribes², ¹IMEP-LAHC, Minatec-INPG, France, ²St Microelectronics, Crolles, France</i>	

C2L-E Wireline Communications

A 10Gb/s NRZ Receiver with Feedforward Equalizer and Glitch-Free Phase-Frequency Detector.....373
Ali Kiaei^{1,3}, Mounir Bohsali^{2,3}, Ahmad Bahai^{1,3}, Thomas H. Lee¹, ¹Stanford University, USA, ²University of California at Berkeley, USA, ³National Semiconductor Corporation, Santa Clara, USA

An 11.1Gbps Analog PRML Receiver for EDC of up to 400km-Reach WDM Fiber-Optic Links377
Salam Elahmadi, Matthias Bussmann, Jomo Edwards, Kelvin Tran, Lloyd F. Linder, Christopher Gill, Harry Tan, Devin Ng, Menara Networks Inc., Dallas, TX, Dalius Baranauskas, Denis Zelenin, Pacific MicroCHIP Corp., Los Angeles, CA

Low-Jitter Fractional Spread-Spectrum Clock Generator Using Fast-Settling Dual Charge-Pump Technique for Serial-ATA Application.....381
Takashi Kawamoto¹, Tomoaki Takahashi², Shigeyuki Suzuki², Takayuki Noto², and Katsushi Asahina², ¹Hitachi Central Research Laboratory, Tokyo, Japan, ²Renesas Technology, Hyogo, Japan

C3L-D Frequency Generation

Design and Phase Noise Analysis of a Multiphase 6 to 11 GHz PLL.....385
George von Bueren, David Barras, Heinz Jaeckel, Electronics Laboratory, ETH Zürich, Switzerland, Christian Kromer, Aprius Inc., Sunnyvale, USA, Alex Huber, University of Applied Sciences Northwestern Switzerland, Switzerland, Marcel Kossel, IBM Zurich Switzerland

Designing Ultra-Low Voltage PLL Using a Bulk-Driven Technique389
Ting-Sheng Chao, Dept. of SOC Technology Center, Industrial Technology Research Institute, Hsinchu, Taiwan R.O.C., Yu-Lung Lo, Dept. of Microelectronics Engineering, National Kaohsiung Marine University, Kaohsiung, Taiwan, R.O.C., Wei-Bin Yang, Tamkang University, Taipei, Taiwan R.O.C., Kuo-Hsing Cheng, National Central University, Taoyuan, Taiwan, R.O.C.

A 30-MHz, 90-ppm/ $^{\circ}$ C Fully-integrated Clock Reference Generator with Frequency-locked Loop393
Ken Ueno, Tetsuya Asai, and Yoshihito Amemiya, Hokkaido University, Japan

A 0.4-1.4V 24MHz Fully Integrated 33 μ W, 104ppm/V Supply-Independent Oscillator for RFIDs.....397
Valentijn De Smedt, Wim Dehaene and Georges Gielen, Katholieke Universiteit Leuven, Belgium

C3L-E Digital Processing

A 118.4GB/s Multi-Casting Network-on-Chip for Real-Time Object Recognition Processor.....401
Joo-Young Kim, Kwanho Kim, Seungjin Lee, Minsu Kim, Jinwook Oh, and Hoi-Jun Yoo, Korea Advanced Institute of Science and Technology (KAIST), Guseong-dong, Yuseong-gu, Daejeon, Republic of Korea

A 1.69 Gb/s Area-Efficient AES Crypto Core with Compact On-the-fly Key Expansion Unit405
Po-Chun Liu, Hsie-Chia Chang, and Chen-Yi Lee, Department of Electronics Engineering, National Chiao Tung University, Taiwan

Area and Latency Optimized High-Throughput Min-Sum Based LDPC Decoder Architectures.....409
Matthias Korb, Tobias G. Noll, Chair of Electrical Engineering and Computer Systems, Aachen, Germany

A 11.5-Gbps LDPC Decoder Based on CP-PEG Code Construction413
Chih-Lung Chen, Kao-Shou Lin, Hsie-Chia Chang, Wai-Chi Fang, and Chen-Yi Lee, National Chiao Tung University, Taiwan, R.O.C.

C3L-F Biomedical Applications

An Integrated Common-Mode Feedback Topology for Multi-Frequency Bioimpedance Imaging.....417
Mohamad Rahai¹, Andreas Demosthenous¹ and Richard Bayford², ¹University College London, UK, ²Middlesex University, UK

An Ambient Light Adaptive Subretinal Stimulator	421
<i>Liu Liu*, Jürgen Wünschmann*, Naser Pour Aryan*, Amr Zohny*, Michael Fischer*, Steffen Kibbel†, Albrecht Rothermel*</i>	
<i>*Institute of Microelectronics, University of Ulm, Germany, †Retina Implant AG, Reutlingen, Germany</i>	
A Fully On-Chip LDO Voltage Regulator for Remotely Powered Cortical Implants	425
<i>Vahid Majidzadeh, Alexandre Schmid, and Yusuf Leblebici, Ecole Polytechnique Fédérale de Lausanne, Switzerland</i>	
A SPAD-based Pixel Linear Array for High-Speed Time-Gated Fluorescence Lifetime Imaging	429
<i>Lucio Pancheri, David Stoppa, Fondazione Bruno Kessler Italy</i>	

C6L-D RF VCOs

A 5.8GHz LC-Based Digitally Controlled Oscillator with 20kHz Frequency Resolution and 37 % Tuning Range	433
<i>Rachid El Waffaoui and Simon Lee, NXP Semiconductors, Eindhoven, The Netherlands</i>	
A 20-GHz 1-V VCO with Dual-Transformer Configuration and a Pseudo-Static Divider on Self-Stabilized Concept.....	437
<i>Takahiro Nakamura, Toru Masuda, Nobuhiro Shiramizu, Akihiro Nakamura and Katsuyoshi Washio, Central Research Laboratory, Hitachi, Ltd., Tokyo, JAPAN</i>	
A Low-Phase-Noise Injection-Locked Differential Ring-VCO with Half-Integral Subharmonic Locking in 0.18 μm CMOS	441
<i>Yuka Kobayashi, Shuhei Amakawa, Noboru Ishihara, and Kazuya Masu, Integrated Research Institute, Tokyo Institute of Technology, Nagatsuta, Japan</i>	
A 0.059-mm² 10.8-mW Local Oscillator for GSM Systems in 65-nm CMOS	445
<i>Stefano Dal Toso*, Andrea Bevilacqua*, Marc Tiebout†, Nicola Da Dalt†, Andrea Gerosa* and Andrea Neviani*, *University of Padova, Italy; †Infineon Technologies, Villach, Austria</i>	

C6L-E DC-DC Converters

Improved On-Chip Components for Integrated DC-DC Converters in 0.13 μm CMOS	449
<i>Jinhua Ni, Zhiliang Hong, Fudan University, China, Bill Yang Liu, Analog Devices, Shanghai, China</i>	
High Efficiency DC-DC Buck Converter with 60/120-MHz Switching Frequency and 1-A Output Current	453
<i>Massimiliano Belloni, Edoardo Bonizzoni, and Franco Maloberti, University of Pavia, Italy</i>	
High Efficiency Buck-Boost Converter with Reduced Average Inductor Current (RAIC) Technique	457
<i>Ping-Ching Huang*, Wei-Quan Wu*, Hsin-Hsin Ho*, Ke-Horng Chen*, and Gin-Kou Ma*, National Chiao Tung University, Taiwan, *Industrial Technology Research Institute, Taiwan</i>	
A MOS Current-mode Buck DC-DC Converter with a 240-kHz Loop Bandwidth and Unaltered Frequency Characteristics using a Quadratic and Input-voltage-dependent Compensation Slope	461
<i>Yasuhiro Sugimoto, Chuo University, Japan</i>	

C6L-F Nyquist-Rate ADCs

A 0.45pJ/Conv-Step 1.2Gs/s 6b Full-Nyquist Non-Calibrated Flash ADC in 45nm CMOS and its Scaling Behaviour	465
<i>Paul Veldhorst, George Goksun, Anne-Johan Annema and Bram Nauta, University of Twente, The Netherlands, Berry Buter, Maarten Vertregt, NXP Semiconductors, Eindhoven, The Netherlands</i>	
A 2.85mW 0.12mm² 1.0V 11-bit 20-MS/s Algorithmic ADC in 65nm CMOS.....	469
<i>Jae-Won Nam¹, Young-Deuk Jeon¹, Young-Kyun Cho¹, Sang-Gug Lee², and Jong-Kee Kwon¹, ¹Electronics and Telecommunications Research Institute (ETRI), Yuseong-Gu, Daejeon, Republic of Korea, ²Korea Advanced Institute of Science and Technology (KAIST), Yuseong-Gu, Daejeon, Republic of Korea</i>	

A Digitally Calibrated 14-bit Linear 100-MS/s Pipelined ADC with Wideband Sampling Frontend.....473

Lei Luo⁽¹⁾, Kaihui Lin⁽¹⁾, Long Cheng⁽¹⁾, Liren Zhou⁽¹⁾, Fan Ye⁽¹⁾, Junyan Ren⁽²⁾, ⁽¹⁾State Key Laboratory of ASIC & Systems, Fudan University, Shanghai, China, ⁽²⁾Micro-/nano-electronic Sci. & Tech. Innovation Platform, Fudan University, China

An 8th-Order MASH Delta-Sigma with an OSR of 3477

Trevor C. Caldwell, Electrical and Computer Engineering, University of Toronto, Canada, David A. Johns, University of Toronto, Canada

Author Index