

INTELEC 09 – 31st International Telecommunications Energy Conference

**Incheon, Korea
18-22 October 2009**

Pages 1-622



**IEEE Catalog Number: CFP09INT-PRT
ISBN: 978-1-4244-2490-0**

TABLE OF CONTENTS

EVI ELECTRIC VEHICLE TECHNOLOGY AND VEHICULAR TELEMATICS 1

| | |
|--|----|
| Numerical Investigation on Iron Loss in the High Powered Interior Buried PM Synchronous Machine Considering Harmonic EMF Waveform | 1 |
| <i>Changki Kim, Ji-Seong Park, Sung-Chin Hahn, Sang-Yong Jung</i> | |
| A Study on the Performance of the Improved Energy Storage System for Mild Hybrid Vehicles | 5 |
| <i>Byoung-Hoon Kim, Back-Haeng Lee, Jin-Beom Jeong, Dong-Hyung Shin, Hyun-Sik Song, Hoon-Heo, Hee-Jun Kim</i> | |
| Development of an IPMSM for In-Wheel Type Electric Vehicles | 11 |
| <i>Byeong-Hwa Lee, Jeong-Jong Lee, Sung-Il Kim, Soon-O Kwon, Jung-Pyo Hong</i> | |
| Power Density Improvement Design of the Traction Motor for the Hybrid Electric Vehicle | 15 |
| <i>Song Jaehong, Jung Daesung, Kim Sangjin, Lee Sanghan, Park Hyungkun, Kim Dohyun, Park Seungyong, Kwon Soon, Kim Yongho, Hong Jungpyo</i> | |

DS1 DISASTER RECOVERY & SAFETY

| | |
|--|----|
| Use of Mobile Engine Generators as Source of Back-up Power | 19 |
| <i>Satoshi Iwai, Teruaki Kono, Masahiro Hashiwaki, Yuji Kawagoe</i> | |
| Telecommunications Outside Plant Power Infrastructure: Past Performance and Technological Alternatives for Improved Resilience to Hurricanes | 25 |
| <i>Alexis Kwasinski</i> | |
| NTT Facilities' Quality Management of Maintenance System | 31 |
| <i>Satoshi Iwai, Isamu Sutou, Yuji Kawagoe</i> | |
| Telecom Power Planning for Natural Disasters: Technology Implications and Alternatives to U.S. Federal Communications Commission's "Katrina Order" in View of the Effects of 2008 Atlantic Hurricane Season | 37 |
| <i>Alexis Kwasinski</i> | |

MG1 DISTRIBUTED & MICRO-GRID SYSTEM 1

| | |
|---|----|
| A New Representation of the Unintentional Islanding Test Resonant Function | 43 |
| <i>Michel E. Alsharidah, William G. Dunford, Wei Feng</i> | |
| Delivering Cost Savings and Environmental Benefits with Hybrid Power | 49 |
| <i>Joël Brunarie, George Myerscough, Ake Nystrom, Jan Ronsen</i> | |
| Multi-loop Control of Z-Source Inverter for Single-phase Power Conditioning Systems | 58 |
| <i>Thehlukuntla Chandra Shekar, Mummadi Veerachary</i> | |
| Use of Unified Power Quality Conditioner In Khoozestan- Iran Steel Complex Network, a Case Study | 64 |
| <i>Alireza Vahabzadeh, Hadi Vadizadeh, Fariba Anvariasl, Fatemeh Kadkhoda</i> | |

DM1 DIAGNOSTIC & MONITORING SYSTEM 1

| | |
|---|----|
| Monitoring Tool for the Customers Services's Quality International Telecommunications Energy Conference 2009 | 70 |
| <i>Fabio Pizzuti</i> | |
| Wide Band Technique in Electronic Choke for Wire Communication System | 75 |
| <i>Akihiko Katsuki, Tomoaki Matsunaga, Naoki Yamano, Takahiro Furukawa</i> | |
| Wireless Data Acquisition for Photovoltaic Power System | 81 |
| <i>Makbul Anwari, Arief Hidayat, M. Imran Hamid, Taufik</i> | |
| Induction Motor Diagnosis Using Voltage Spectrum of an Auxiliary Winding – Time Varying Load Torque | 85 |
| <i>Lamiaa El Menzhi, Abdallah Saad</i> | |

PC1 POWER CONVERSION 1

| | |
|---|-----|
| Accuracy Digital Control for Boost DC-DC Converter | 91 |
| <i>Fujio Kurokawa, Akihiro Fukayama, Masashi Okamatsu, Hiroyuki Yajima</i> | |
| A New Digital Control for Forward Type Multiple-Output DC-DC Converter | 96 |
| <i>Fujio Kurokawa, Tomoyuki Mizoguchi, Shohei Sukita, Hiroyuki Osuga</i> | |
| A Novel Bidirectional DC-DC Converter with High Efficiency and Small Size AC Link | 101 |
| <i>Katsuji Iida, Hirofumi Matsuo, Toshiro Hirose, Yoichi Ishizuka</i> | |
| Loss Evaluation of a Series-Parallel Compensation DC-DC Converter for a Small Fuel Cell System | 109 |
| <i>Koji Orikawa, Jun-Ichi Itoh</i> | |

EV2 ELECTRIC VEHICLE TECHNOLOGY AND VEHICULAR TELEMATICS 2

| | |
|--|-----|
| Power System Modeling and Analysis of Electric Ship Propulsion System | 115 |
| <i>Sanggon Lee, Sanghoon Kim, Yu-Seok Jeong, Sang-Yong Jung</i> | |
| Rogue Wave Kinematics in 2-D Wave Tank | 119 |
| <i>Kwang Hyo Jung, Hae-Jin Choi, Sung Bu Suh, Hyo Jae Jo</i> | |
| A Design of DC Link Voltage according to Power Loss of Inverter and Motor in Hybrid Vehicle | 127 |
| <i>Won-Kyoung Lee, Taesuck Kwon, Joonhwan Lee, Hyoung Geun Park, Sangjun Lee, Hyeoundong Lee</i> | |
| Modeling and Simulation of Electric Drive System for Series Hybrid Electric Vehicle | 130 |
| <i>Yu-Seok Jeong</i> | |

PC2 POWER CONVERSION 2

| | |
|---|-----|
| Circuit Design Considerations for Integrated High Switching Frequency Buck Converter | 134 |
| <i>Mohamed Orabi</i> | |
| First-order Pseudo Dead-Beat Current Controller For Buck Converter | 140 |
| <i>Mummadi Veerachary, Gundu Satish</i> | |
| Non-Linear Sampled-Data Model for Fourth Order Boost DC-DC Converter | 146 |
| <i>Anmol Ratna Saxena, Mummadi Veerachary</i> | |
| Robust Digital Controller for Fifth Order Boost Converter | 152 |
| <i>Mummadi Veerachary, B. Krishna Mohan</i> | |

PC3 POWER CONVERSION 3

| | |
|---|-----|
| A Bridgeless Interleaved PWM Boost Rectifier with Intrinsic Voltage-Doubler Characteristic | 158 |
| <i>Weiming Lin, Chao Huang, Xiaojun Guo</i> | |
| Transient Current Circuit for Switching Loss Reduction in Buck Converters | 164 |
| <i>Shinya Hiromitsu, Mariko Ogawa, Seiya Abe, Masahito Shoyama, Yu Yonezawa, Naoyuki Mishima</i> | |
| Frequency Response Improvement of DSP Controlled DC-DC Converter with Pole-Zero Cancellation Technique | 169 |
| <i>Seiya Abe, Mariko Ogawa, Toshiyuki Zaitu, Satoshi Obata, Masahito Shoyama, Tamotsu Ninomiya</i> | |
| Dynamic Characteristics of DC-DC Converter with Novel Digital Peak Current-Injected Control | 175 |
| <i>Fujio Kurokawa, Junya Sakemi, Shohei Sukita, Yuichiro Shibata, Masato Soejima, Tomonori Yokoyama, Masahiro Sasaki, Yasuhiro Mimura</i> | |

EM1 ELECTRIC MACHINE & DRIVES 1

| | |
|--|-----|
| Investigation and Comparison of System Efficiency on the PMSM Considering Nd-Fe-B Magnet and Ferrite Magnet | 181 |
| <i>Tao Sun, Soon-O Kwon, Jeong-Jong Lee, Jung-Pyo Hong</i> | |
| 10kW Industrial Ultrasonic Welder Design | 187 |
| <i>Jun-Ho Lee, Hwa-Chun Lee, Jun-Ho Choi, Sung-Jun Park, Hae-Gon Nam</i> | |
| A Study on the Optimum Phase Advance Angle of High Speed Operation for 7 Phase BLDC Motor Drives | 193 |
| <i>Hyun-Cheol Kim, Jang-Mok Kim</i> | |
| Current-Controlled PWM Technique for Brushless DC Motor Drives with a Single Current Sensing Resistor | 200 |
| <i>Pongpit Wipasuramonton, Kowit Sowsuwan</i> | |

PC4 POWER CONVERSION 4

| | |
|---|-----|
| Distortion-Free Constant-Voltage Constant-Current AC Power Supply Having the Unity Input Power Factor by the Use of Variable Capacitance Devices | 205 |
| <i>Akihiko Katsuki, Koichiro Yoshimatsu, Hidetaka Tanoue, Yuichi Sugimoto</i> | |
| Control Method for Autonomous Changing the Number of DC-DC Converters to Improve Efficiency | 211 |
| <i>Masayuki Yamada, Hirofumi Matsuo</i> | |
| A Novel Two-Switch Forward Converter for High Step-Down Conversion | 216 |
| <i>Jinbin Zhao, Masaaki Sekine</i> | |
| Fundamental Study of High Density DC/DC Converter Design based on Sensitivity Analysis | 221 |
| <i>Yusuke Hayashi, Kazuto Takao, Hiromichi Ohashi</i> | |

DM2 DIAGNOSTIC & MONITORING SYSTEM 2

| | |
|---|-----|
| Power Quality in Telecommunication Exchanges Delivery Points | 226 |
| <i>Maurizio Caciotta, Sabino Giarnetti, Maurizio Grossoni, Fabio Leccese, Emiliano Cevenini, Paolo Mistrone</i> | |
| VRLA Monitoring Application in the Integrated Power Operation Management System by a Global Telecom Operator | 232 |
| <i>Jian Gao, Longyun Yu</i> | |
| Implementation of a Network-based Online Monitoring System for Substation Power Facilities in Urban Rail Transit | 238 |
| <i>Doyoon Kim, Young Park, Sang Bin Lee, Hosung Jung</i> | |

PC5 POWER CONVERSION 5

| | |
|--|-----|
| Estimating Performance of High Output Power Density 400/400V Isolated DC/DC Converter with Hybrid Pair SJMOSFET and SiC-SBD for Power Supply of Data Center | 241 |
| <i>R. Simanjorang, H. Yamaguchi, H. Ohashi, T. Takeda, H. Murai, M. Yamasaki</i> | |
| Effect of Ripple on Frequency Response Characteristics of Boost Converter - Analysis in Consideration of ESR of Output Capacitor | 246 |
| <i>Eiji Sakai, Masatoshi Nakahara</i> | |
| Zero-Voltage Switching Multi-output Forward Converter | 252 |
| <i>Jae-Kuk Kim, Seong-Wook Choi, Gun-Woo Moon</i> | |

PA1 POWER SYSTEM ARCHITECTURE 1

| | |
|---|-----|
| Analysis of the SVC Impact on Distance Relays Performance | 258 |
| <i>E. Abedi, H. Aakarian Abyaneh, R. Asgari, S. Sadeghi, M. Shafiee</i> | |
| Assessment of Power Distribution Transformers Electrical and Thermal Parameters in Harmonic Environments | 263 |
| <i>Faramarz Separi, Mohammadreza Samakush, Ali-Reza Vahabzadeh</i> | |
| Noise Current Characteristics of Semiconductor Circuit Breaker During Break-Off Condition in DC Power Supply System | 267 |
| <i>Seiya Abe, Kosuke Nomura, Kentaro Fukushima, Masahito Shoyama, Tamotsu Ninomiya, Akira Matsumoto, Akiyoshi Fukui, Mikio Yamasaki</i> | |

PC6 POWER CONVERSION 6

| | |
|--|-----|
| Zero-Voltage-Switched Interleaved Flyback Converter | 272 |
| <i>Yao-Ching Hsieh, Ming-Ren Chen, Hung-Liang Cheng</i> | |
| Boundary Control of Buck Converters with Constant-Power Loads | 278 |
| <i>Chimaobi N. Onwuchekwa, Alexis Kwasinski</i> | |
| Zero-Current Soft-Switching Bidirectional DC-DC Converter for High Efficiency DC Uninterruptible Power Supply | 284 |
| <i>Woo-Young Choi, Ju-Hong Ju, Sung-Jun Park, Kwang-Heon Kim, Young-Cheol Lim</i> | |

PT1 PHYSICAL & THERMAL DESIGN

| | |
|---|-----|
| Development of a Rack-type Air-conditioner for Improving Energy Saving in a Data Center | 287 |
| <i>Ari Yoshii, Yosuke Mino, Shisei Waragai, Tsuneo Uekusa</i> | |
| Water Cooling Radiation Method for Inverter System of Hybrid Electric Vehicles | 292 |
| <i>Byung-Guk Woo, Yonghwa Lee, Chan-Ho Kang, Kwan-Yuhl Cho</i> | |
| Nonuniform Air Flow and Cooling in Rack Systems - Prediction by Computational Fluid Dynamics | 298 |
| <i>Anton Breier</i> | |

PC7 POWER CONVERSION 7

| | |
|--|-----|
| A High-Frequency Linked Three-Level Phase-Shift ZVS-PWM DC-DC Converter for Distributed DC Power Feeder | 302 |
| <i>Hisayuki Sugimura, Laknath Gamage, Khairy Fathy, Soon-Kurl Kwon, Toshimitsu Doi, Mutsuo Nakaoka</i> | |
| A Novel Isolated Buck-Boost Converter | 308 |
| <i>Soo-Seok Kim, Woo-Jin Jang, Joong-Ho Song, Ok-Koo Kang, Hee-Joon Kim</i> | |
| Analysis of a Capacitive Loaded Buck Converter | 313 |
| <i>Magnus Karlsson, Torbjörn Holmberg, Matz Lenells</i> | |

PC 8 POWER CONVERSION 8

| | |
|---|-----|
| Digital Signal Processor and Energy Control | 319 |
| <i>Yutaka Nishikori, Yoshimichi Nakamura, Hirofumi Matsuo</i> | |
| New Control Techniques for UPS Dynamic Efficiency Optimisation | 324 |
| <i>Zanei Giovanni, Cevenini Emiliano, Ferro Andrea, Rossi Carlo</i> | |
| Development of Parallel Processing Type UPS Using a Novel Independent Control for Parallel-Connected UPS Units | 329 |
| <i>Yoshiaki Okui, Shouichi Ohta, Naoya, Nakamura, Minoru Yanagisawa</i> | |

PC9 POWER CONVERSION 9

| | |
|--|-----|
| Stability Analysis of PFC Converters with One-Cycle Control | 335 |
| <i>Mohamed Orabi, Reham Haron, Mohammed Z. Youssef</i> | |
| Novel Composite Resonance DC-DC Converter with Voltage Doubler Rectifier | 341 |
| <i>Hisatsugu Kato, Hirohumi Matsuo, Masaki Eguchi, Yukitaka Sakamoto, Masaki Nakaishi</i> | |
| Stability Analysis of Power Supplies Required for Remote Sensing Applications | 349 |
| <i>Mohamed Orabi</i> | |

ES1 ENERGY MANAGEMENT & STORAGE 1

| | |
|--|-----|
| Optimal Energy Management of TLC Plants Using Low Cost Wireless Sensor Network Based Monitoring System and a Simulation Model for Data Analysis | 355 |
| <i>F. Genova, M. Gasparone, A. Cuda, M. Beoni, G. Fici, M. Sorrentino</i> | |
| Simulation Analysis and Test Study of BTS Power Saving Techniques | 361 |
| <i>C. Lubritto, A. Petraglia, C. Vetromile, A. D'Onofrio, F. Caterina, M. Logorelli, G. Marsico, S. Curcuruto, L. Miglio, F. Cenci</i> | |
| Improvement of Fuel and Air Supply Method for a Zigzag-type DMFC | 365 |
| <i>Hiroto Kasuya, Toshiaki Yachi</i> | |

PC10 POWER CONVERSION 10

| | |
|--|-----|
| A New 2-Cell Shunt Active Power Filter with Compensation Principle Based on Synchronous Reference Frame | 371 |
| <i>Seyed Hossein Hosseini, Arash Khoshkbar Sadigh, Mehdi Farasat</i> | |
| A Half Bridge LC Resonant Converter with Reduced Current Ripple of the Output Capacitor | 377 |
| <i>Byeong Cheol Hyeon, Ji Tae Kim, Bo Hyung Cho</i> | |
| LLC Series Resonant Converter with Auxiliary Circuit for Hold-Up Time | 382 |
| <i>Bong-Chul Kim, Ki-Bum Park, Seong-Wook Choi, Gun-Woo Moon</i> | |

PC11 POWER CONVERSION 11

| | |
|---|-----|
| Interline Power Flow Controller Based Damping Controllers for Damping Low Frequency Oscillations | 386 |
| <i>M. R. Banaei, A. Kami</i> | |
| An Investigation of Method to Reduce Harmonic Components in Large-Scale Self-Commutated Inverter | 392 |
| <i>Tsuyoshi Harimoto, Hidemi Hayashi, Katsuaki Murata</i> | |
| HVDC Based Damping Controllers for Power System Stability | 398 |
| <i>M. R. Banaei, N. Taheri</i> | |

RE1 RENEWABLE ENERGY & SYSTEM 1

| | |
|---|-----|
| Maximum Power Point Tracker for a Multiple-input Cuk DC-DC Converter | 404 |
| <i>Sungwoo Bae, Alexis Kwasinski</i> | |
| Photovoltaic Module Integrated Converter System Minimizing Input Ripple Current for Inverter Load | 409 |
| <i>Woo-Young Choi, Sung-Geun Song, Sung-Jun Park, Kwang-Heon Kim, Young-Cheol Lim</i> | |
| High Step-Up DC-DC Converter with High Efficiency for Photovoltaic Module Integrated Converter Systems | 413 |
| <i>Woo-Young Choi, Se-Min Kim, Sung-Jun Park, Kwang-Heon Kim, Young-Cheol Lim</i> | |

RE2 RENEWABLE ENERGY & SYSTEM 2

| | |
|--|-----|
| New Converter Circuitry for PV Applications Using Multilevel Converters | 417 |
| <i>Mostafa Mousa, Mahrous E. Ahmed, Mohamed Orabi</i> | |
| Buck-Integrated SEPIC Converter For Photovoltaic Power Conversion | 423 |
| <i>Mummadi Veerachary</i> | |
| Development of Photovoltaic Simulator Based on DC-DC Converter | 428 |
| <i>Ho Lee, Min-Jung Lee, Se-Na Lee, Hwa-Chun Lee, Hae-Kon Nam, Sung-Jun Park</i> | |

ES2 ENERGY MANAGEMENT & STORAGE 2

| | |
|--|-----|
| Development of Direct Methanol Fuel Cell Charger Using Electric Double Layer Capacitor | 433 |
| <i>Yasuaki Norimatsu, Akihiko Kanouda</i> | |
| A Method for Performance Evaluation and Optimal Sizing of the Supercapacitor Module by the Electrochemical Impedance Spectroscopy | 438 |
| <i>Sang-Hyun Kim, Woojin Choi</i> | |
| Modularized Charge Equalizer with Intelligent Switch Block for Lithium-ion Batteries in an HEV | 444 |
| <i>Chol-Ho Kim, Moon-Young Kim, Jun-Ho Kim, Gun-Woo Moon</i> | |

POWER CONVERSION 12

| | |
|--|-----|
| A Novel Multiple-Output Converter Using Band Pass Filters | 450 |
| <i>Kyusik Choi, Joung-Hu Park, Bo-Hyung Cho</i> | |
| Conduction Loss Reduction Technique with Small Resonant Capacitor for a Phase Shift Full Bridge Converter | 454 |
| <i>Woo-Jin Lee, Kyu-Min Cho, Gun-Woo Moon</i> | |
| Analysis of LLC Resonant Converter Considering Effects of Parasitic Components | 459 |
| <i>Byoung-Hee Lee, Moon-Young Kim, Chong-Eun Kim, Ki-Bum Park, Gun-Woo Moon</i> | |

PC13 POWER CONVERSION 13

| | |
|---|-----|
| Analysis of the Effects of Duty Cycle Constraints in Multiple-Input Converters for Photovoltaic Applications | 465 |
| <i>Junseok Song, Alexis Kwasinski</i> | |

| | |
|--|-----|
| Single-Phase Quasi-Z-Source AC/AC Converter | 470 |
| <i>Minh-Khai Nguyen, Young-Gook Jung, Young-Cheol Lim, Duk-Guen Cha</i> | |
| Non-Isolated High Step-up Converter Based on Boost Integrated Half-Bridge Converter | 475 |
| <i>Ki-Bum Park, Chong-Eun Kim, Gun-Woo Moon, Myung-Joong Youn</i> | |

RE3 RENEWABLE ENERGY & SYSTEM 3

| | |
|--|-----|
| Photovoltaic Energy Conversion System Using Single-Phase Grid-Tied Inverter | 481 |
| <i>Makbul Anwari, M. Imran Hamid, Taufik</i> | |
| Recognition of Electric Arcing in the DC-wiring of Photovoltaic Systems | 487 |
| <i>Fritz Schimpf, Lars E. Norum</i> | |
| Power Loss Analysis for Single Phase Grid-Connected PV Inverters | 493 |
| <i>Chee Lim Nge, Ole-Morten Midtgård, Lars Norum, Tor Oskar Sætre</i> | |

RE4 RENEWABLE ENERGY & SYSTEM 4

| | |
|--|-----|
| The Effect of Series LC Circuit Parameters on Current-Ripple Reduction in Pulse-link DC-AC Converter for Fuel Cell Applications | 498 |
| <i>Kentaro Fukushima, Isami Norigoe, Masahito Shoyama, Tamotsu Ninomiya, Yosuke Harada, Kenta Tsukakoshi</i> | |
| Control System Design for the Small Proton Exchange Membrane Fuel Cell Stack | 504 |
| <i>Tae-Hoon Kim, Woojin Choi</i> | |
| Hardware Simulator for PMSG Wind Power System with Matrix Converter | 510 |
| <i>D. Yun, B. Han, N. Choi</i> | |

PC14 POWER CONVERSION 14

| | |
|--|-----|
| IGBT Based High Voltage Converter with Integrated Magnetics | 516 |
| <i>Woo-Sup Kim, Seoung-Woon Lee, Su-Yong Chae, Bo-Hyung Cho</i> | |
| A Novel Transformer Winding for Phase Shift Full Bridge Converter | 520 |
| <i>Kyu-Min Cho, Young-Do Kim, In-Ho Cho, Gun-Woo Moon</i> | |
| High Precision Automatic Voltage Regulator Using the Series Transformer | 525 |
| <i>Se-Na Lee, Zang-Lei, Min-Jung Lee, Sung-Geun Song, Sung-Jun Park</i> | |
| Design of LLC Resonant Converter Using Planar Magnetic Component | 529 |
| <i>Sihun Yang, Seiya Abe, Masahito Shoyama</i> | |

MG2 DISTRIBUTED & MICRO-GRID SYSTEM 2

| | |
|--|-----|
| A Study on Charge Patterns for Uninterruptible Power Supply System with Distributed Generators | 534 |
| <i>H. Murai, T. Takeda, K. Hirose, Y. Okui, Y. Iwase, K. Yukita, K. Ichiiyanagi</i> | |
| Smart Storage System for Seamless Transition of Customers with Intermittent Renewable Energy Sources into Microgrid | 539 |
| <i>Kyebyung Lee, Kwang M. Son, Gilsoo Jang</i> | |
| Development of Test-bed and Security Devices for SCADA Communication in Electric Power System | 544 |
| <i>Dong-Joo Kang, Hak-Man Kim</i> | |
| Multiagent System for Microgrid Operation Based on Power Market Environment | 549 |
| <i>Hak-Man Kim, Tetsuo Kinoshita</i> | |

RE5 RENEWABLE ENERGY & SYSTEM 5

| | |
|--|-----|
| Joint Study on Renewable Energy Application in Base Transceiver Stations | 554 |
| <i>Mohammed Belfqih, Jian Gao, Daming Xu, Dong Han, Zhehui Liu, Enzhi Liang</i> | |
| An Overview of Available and Future Technical Solutions to Reduce/Optimize the Energy Consumption of Telecom Equipment and Networks | 558 |
| <i>Claudio Bianco, Flavio Cucchiatti, Gianluca Griffa, Huang Rantong, Zhu Bin, Han Dong, Paolo Gemma</i> | |
| A Brushless DC Generator & Synchronous Rectifier for Isolated Telecommunication Stations | 565 |
| <i>Omer C. Onar, Yusuf Gurkaynak, Alireza Khaligh</i> | |

| | |
|---|------------|
| The Determination of State of Charge Based on Extended Kalman Filter Using Per-Unit System and Time Constant Principle | 571 |
| <i>Jonghoon Kim, Seongjun Lee, Bohyung Cho</i> | |

PA2 POWER SYSTEM ARCHITECTURE 2

| | |
|---|------------|
| Development of 400 Vdc Power Distribution System and 400 Vdc Output Rectifier | 576 |
| <i>Akira Matsumoto, Akiyoshi Fukui, Takashi Takeda, Keiichi Hirose, Mikio Yamasaki</i> | |
| A Study of the Safety of the DC 400 V Distribution System | 581 |
| <i>Masatoshi Noritake, Tomonori Iino, Akiyoshi Fukui, Keiichi Hirose, Mikio Yamasaki</i> | |
| Verification and Analysis for Small Signal Stability of Electric Power Systems for the International Space Station/JEM | 587 |
| <i>Katsunaga Watanabe, Masato Uesugi, Masaaki Komatsu</i> | |
| Developing of Higher Voltage Direct-Current Power-feeding Prototype System | 593 |
| <i>Tadatoshi Babasaki, Toshimitsu Tanaka, Yousuke Nozaki, Toru Tanaka, Tadahito Aoki, Fujio Kurokawa</i> | |

ES3 ENERGY MANAGEMENT & STORAGE

| | |
|---|------------|
| Hysteresis Modeling for Estimation of State-of-Charge in NiMH Battery Based on Improved Takacs Model | 598 |
| <i>Novie Ayub Windarko, Jaeho Choi</i> | |
| The Model of Operating Power Balance Dynamics According to Supervision in Stochastic System with Energy Accumulation | 604 |
| <i>D. A. Korev, A. J. Abdenov, I. L. Ozernykh</i> | |
| An Enhanced Coulomb Counting Method for Estimating State-of-Charge and State-of- Health of Lead-Acid Batteries | 608 |
| <i>Kong-Soon Ng, Yao-Feng Huang, Chin-Sien Moo, Yao-Ching Hsieh</i> | |
| Automation Power Energy Management Strategy for Mobile Telecom Industry | 613 |
| <i>Jung-Chin Chen, Jong-Ching Hwang, Jeng-Shyang Pan, Yi-Chao Huang</i> | |

IK1 GREEN ICT IN KOREA

| | |
|---|------------|
| Climate Change and ICTs | 619 |
| <i>Seungdo Kim, Hyeon-Kyeong Kim, Hyoung Jun Kim</i> | |
| Standardization Activities on ICTs & Climate Change | 623 |
| <i>Eunsook Kim, Yong-Woon Kim, Hyoung Jun Kim, Hae Won Jung</i> | |
| A Proposal of GHG Inventory Implementation for Telecommunication Sector in Korea | 629 |
| <i>Jong Myung Rhee, Dong Seok Lim, Sam-Young Chung</i> | |
| DC-based Power Feeding System Approaches for Green ICT in Korea | 633 |
| <i>Sung-Yong Son</i> | |

RE6 RENEWABLE ENERGY & SYSTEM 6

| | |
|---|------------|
| An Update on the Field Trial Concerning Underground Solution for FTTCab Architecture | 639 |
| <i>Claudio Bianco, Flavio Cucchiatti, Gianluca Griffa, Kong Xiaoming, Chen Qiao, Hong Yuping, Paolo Gemma, Zhai Liqian</i> | |
| An Update on the Field Trial Concerning Free Cooling Solution for FTTCab Architecture | 645 |
| <i>Claudio Bianco, Flavio Cucchiatti, Gianluca Griffa, Hong Yuping, Kong Xiaoming, Chen Qiao, Luo Shudong, Han Dong</i> | |
| Design and Operational Experience of Powering Base Transceiver Station in Indonesia by Using a Hybrid Power System | 650 |
| <i>P. A. Dahono, M. F. Salam, F. M. Falah, G. Yudha, Y. Marketatmo, S. Budiwibowo</i> | |
| The Application of Valve-Regulated Lead Acid Batteries to Wind Power Generation System | 654 |
| <i>Hisaaki Takabayashi, Shinichi Sano, Yoshikazu Hirose, Katsura Mitani, Hiroyuki Wakatabe</i> | |
| Commercial Deployment of Fuel Cell Backup Power Systems Using Liquid Fuel for a Major U.S. Telecom Operator - Case Study | 659 |
| <i>Rich Romer</i> | |

PA3 POWER SYSTEM ARCHITECTURE 3

| | |
|---|-----|
| Effect of System Parameters When Fuse Blows in High Voltage Direct Current (HVDC) Power Supply Systems | 661 |
| <i>Toru Tanaka, Toshimistu Tanaka, Tadatashi Babasaki, Yosuke Nozaki, Tadahito Aoki</i> | |
| Development of an Independent Type of Hybrid Power Generation System | 667 |
| <i>Toshiro Hirose, Hirofumi Matsuo, Yoichi Ishizuka</i> | |
| Basic Study on Grounding System for High-voltage Direct Current Power Supply System | 672 |
| <i>Toshimitsu Tanaka, Yasuhiro Honma, Shoichi Kuramoto, Toru Tanaka, Tadatashi Babasaki, Yousuke Nozaki</i> | |
| Examination for a Symmetric-flux Ferrite Core for Three-phase Converter Applications | 676 |
| <i>Jacobo Aguillon-Garcia, Gun-Woo Moon</i> | |

AP1 AEROSPACE POWER APPLICATION

| | |
|--|-----|
| Solar Array Development for Low Earth Orbit Satellite | 682 |
| <i>Jin-Baek Jang, Sang-Jeong Lee</i> | |
| Approach to the Use of Simulated Software Test Bench in Integration Test of Flight Software | 686 |
| <i>Cheol-Hea Koo, Sang-Kon Lee</i> | |
| Lithium-Ion Battery Design for the Hybrid Satellite in the Geostationary Orbit | 690 |
| <i>Ja Chun Koo, Sang Kon Lee, Sung Woong Ra</i> | |
| A Study for Payload Interface Design of GEO satellite | 696 |
| <i>Jae-Dong Choi, Jong-Seok Park, Koon-Ho Yang</i> | |

PC15 POWER CONVERSION 15

| | |
|--|-----|
| Power Efficiency Improvement of a Multi-Oscillated Current Resonant Type DC-DC Converter | 701 |
| <i>Tadahiko Sato, Hirofumi Matsuo, Hiroyuki Ota, Yoichi Ishizuka, Nobuhiro Higashi</i> | |
| Design and Realization of a Novel Green-Oriented Double Conversion Uninterruptible Power Supply | 706 |
| <i>Eduardo Kazuhide Sato, Masahiro Kinoshita, Yushin Yamamoto, Tatsuaki Amboh</i> | |
| Highly Efficient LED Light Driver With Dimming Control Using Delta Sigma Modulation | 712 |
| <i>Sooyeub Yoo, Keehong Um, Hyungjun Kim</i> | |
| Digital Control Scheme of Single-Phase Uninterruptible Power Supply | 716 |
| <i>Shuhei Okada, Tomoyasu Nunokawa, Takaharu Takeshita</i> | |

PC16 POWER CONVERSION 16

| | |
|--|-----|
| A Robust Hysteretic PWM Control Method for Switching Converters | 722 |
| <i>Min Lin, Terukazu Sato, Kimihiro Nishijima., Takashi Nabeshima</i> | |
| A Critical-Conduction-Mode Bridgeless Interleaved Boost Power Factor Correction | 728 |
| <i>E. Firmansyah, S. Tomioka, S. Abe, M. Shoyama, T. Ninomiya</i> | |
| ZVS Phase Shift Full Bridge Converter with Controlled Leakage Inductance of Transformer | 733 |
| <i>Young-Do Kim, Chong-Eun Kim, Kyu-Min Cho, Ki-Bum Park, Gun-Woo Moon</i> | |
| Current-Resonant DC-DC Converter Designed to Achieve 95% of Total Efficiency in Power Conditioner for Fuel Cell | 738 |
| <i>Yutaka Suehiro, Kazuhiro Yamaguchi, Youichi Ito</i> | |

PC17 POWER CONVERSION 17

| | |
|---|-----|
| A Feasibility Study of ZCS-PWM Boost DCDC Converters with Auxiliary Lossless Active Edge-Resonant Cell | 744 |
| <i>T. Mishima, S. Miyake, M. Nakaoka</i> | |
| Quasi-resonant Converter with Divided Resonant Capacitor on Primary and Secondary Side | 749 |
| <i>Hironobu Shiroyama, Hirofumi Matsuo, Yoichi Ishizuka</i> | |
| A Cascade Connection of Switching Converters for New Energy Control | 755 |
| <i>Koosuke Harada, Katsuaki Murata, Michihiko Nagao</i> | |
| Control and PWM Modulation Scheme for Dead-Time Compensation of CVCF Inverters | 760 |
| <i>Zhongwei Guo, Fujio Kurokawa</i> | |

EM2 ELECTRIC MACHINE & DRIVES 2

| | |
|--|------------|
| Advanced Non-linear Logic Torque Sharing Function of SRM for Torque Ripple Reduction | 766 |
| <i>Tae-Hyoung Kim, Dong-Hee Lee, Jin-Woo Ahn</i> | |
| Emergency Power Supply Using Flywheel and Doubly Fed Induction Generator | 770 |
| <i>Noriyuki Kimura, Makoto Sonoda, Toshimitsu Morizane, Katsunori Taniguchi, Fujio Kurokawa</i> | |
| Modeling and Simulation of A Switched Reluctance Generator System Based on Variable Generation Voltage Converter..... | 776 |
| <i>Zhenguo Li, Na Zhao, Zhizhong Kan, Dong-Hee Lee, Jin-Woo Ahn</i> | |
| Suspending Force Control Scheme for Bearingless SRM..... | 780 |
| <i>Tae-Hub Park, Jianing Liang, Dong-Hee Lee, Huijun Wang, Jin-Woo Ahn</i> | |

POSTER PRESENTATION

| | |
|--|------------|
| Estimation of the State of Charge of Ni-MH Battery Pack Based on Artificial Neural Network | 785 |
| <i>Chang-Hao Piao, Wen-Li Fu, Jin Wang, Zhi-Yu Huang, Chongdu Cho</i> | |
| Operating Characteristics for 50kW Utility Interactive Photovoltaic System in Chosun University, Korea | 789 |
| <i>Bo-Hyun Kim, Dae-Seung Kim, Zheng-Guo Piao, Byung-Ik Jung, Youn-Ok Choi, Gum-Bae Cho, Hyung-Lae Baek</i> | |
| Performance Assessment of 3kW Grid-Connected PV Systems in Korea | 794 |
| <i>Zheng-Guo Piao, Byung-Ik Jung, Youn-Ok Choi, Geum-Bae Cho</i> | |
| Development of a Photovoltaic Simulator with Novel Simulation Method of Photovoltaic Characteristics | 799 |
| <i>Jong-Pil Lee, Byung-Duk Min, Tae-Jin Kim, Jong-Hyun Kim, Myung-Hyo Ryu, Ju-Won Baek, Dong-Wook Yoo, Ji-Yoon Yoo</i> | |
| Calculation and Compensation of PCC Voltage Variation Using a Grid Connected Inverter of a Wind Turbine in a Weak Grid..... | 804 |
| <i>Ji-Hoon Im, Seung-Ho Song</i> | |
| Torque Ripple Compensation Using Negative Sequence Current Control During Unbalanced Grid Conditions in a DFIG System | 810 |
| <i>Byoung-Chang Jeong, Seung-Ho Song</i> | |
| Implementation of Active and Reactive Power Control Strategy in a Lab-Scale DFIG Simulator | 815 |
| <i>Tae-Hyeong Kim, Ji-Hoon Im, Hyeong-Jin Choi, Seung-Ho Song, Seung-Gi Jeong, Ju-Yeop Choi, Ick Choy</i> | |
| Decoupled State Estimator Design for Stand-Alone Photovoltaic System | 820 |
| <i>Il-Song Kim, Pyeong-Sick Ji, Un-Dong Han, Chin-Gook Lee, Hong-Gyu Kim</i> | |
| Nonlinear Observer Based Control of PEM Fuel Cell Systems | 825 |
| <i>Eung-Seok Kim, Cherl-Jin Kim</i> | |
| A Power Conversion System with a Current-Fed Three-Phase DC-DC Converter for Fuel Cell Applications..... | 828 |
| <i>Yujin Song, S. B. Han, S. I. Park, H. G. Jeong, B. M. Jung, S. K. Chung</i> | |
| Optimized Wireless Power Transmission Circuit for Energy Transfer | 833 |
| <i>Young Chul Noh, Cheolung Cha, Jun Park, Jong Chan Choi, Moonil Kim</i> | |
| A Novel Tracking System Development of Photovoltaic for Low Radiation | 836 |
| <i>Jae-Sub Ko, Jung-Sik Choi, Sung-Jun Kang, Mi-Geum Jang, Jung-Woo Back, Dae-Kyung Kim, Dong-Hwa Chung</i> | |
| Development of Thermoelectric Cooling System for BIPV Module | 842 |
| <i>Jung-Sik Choi, Jae-Sub Ko, Sung-Jun Kang, Mi-Geum Jang, Jung-Woo Back, Dae-Kyung Kim, Dong-Hwa Chung</i> | |
| RPV(Reactive-power-variation) Anti-islanding Method for Grid-connected Three-phase PVPCS..... | 848 |
| <i>Ki-Ok Lee, Ju-Yeop Choi, Ick Choy, Seong-Ho Song, Byung-Gu Yu, Jung-Hoon So, Gwon-Jong Yu</i> | |
| Power Quality Control Using the Goertzel Algorithm for Grid-Connected System..... | 851 |
| <i>Jae-Hyung Kim, Su-Won Lee, Seong-Ryong Lee, Tae-Won Lee, Chung-Yuen Won</i> | |
| Development of 125kW Grid-Tied PV Inverter and Research on Efficiency vs. Transformer Turn Ratio..... | 856 |
| <i>Bong-Joo Choi, Yong-Seung Oh, Kang-Soon Ahn, Hee-Jun Kim</i> | |
| Design of Low Cost Power Converter System for Fuel Cell..... | 859 |
| <i>Taeuk Jung, Juyong Kim, Cheol Choi</i> | |
| Optimal Design Methodology for FC-PCS using Fuel Cell Simulator | 863 |
| <i>Jong-Soo Kim, Gyu-Yeong Choe, Byoung-Kuk Lee, Dong-Seong Oh, Jin-Wook Kim, Jae-Sun Shim</i> | |
| Design of Photovoltaic Generation System Using PLECS..... | 869 |
| <i>Gyu-Yeong Choe, Jong-Soo Kim, Byoung-Kuk Lee, Chung-Yuen Won, Jong-Sun Kim, Jae-Sun Shim</i> | |
| Optimal Battery Design of FCEV Using a Fuel Cell Dynamics Model | 873 |
| <i>Jong-Soo Kim, Jung-Min Ko, Byoung-Kuk Lee, Hyo-Beom Lee, Tae-Won Lee, Jae-Sun Shim</i> | |

| | |
|--|-----|
| Parallel Inverter Control in the Distributed Power System | 877 |
| <i>Cheng Yan, Xiaoming Zha, Xiaohui Li</i> | |
| Characteristics of a Power Quality Disturbance Generator for the Test of Microgrid With STS | 881 |
| <i>Eui-Cheol Nho, Young-Ho Lee, Jin-Kyu Seok, In-Dong Kim, Nam-Sup Choi, Tae-Won Chun, Heung-Geun Kim</i> | |
| Voltage and Current Characteristics Analysis of Passive Filter | 885 |
| <i>Jong-Gyeum Kim, Young-Jeen Park, Dong-Ju Lee, Il-Jung Kim</i> | |
| Developing New Power System Supervision and Control Equipment (PS-SVC) for Power Receiving Facilities | 889 |
| <i>Toshiaki Murakami, Hiroshi Naitou, Takeru Tawara</i> | |
| Assessment of Harmonic Emission Limits for KOREA Transmission System | 896 |
| <i>Yong Peel Wang, Joonho Ahn, Min Young Park, Dae Sik Kim, Sang Ok Han, Se Dong Kim</i> | |
| Status of Master Specification (KEM-SPEC) for Electrical Installation and Construction in Korea | 900 |
| <i>Yong Peel Wang, Joonho Ahn, Soon Seok Seo, Gwang Gon Kim, Dae Sik Kim, Sang Ok Han</i> | |
| Safety Criteria and Development Methodology for the Safety Critical Railway Software | 904 |
| <i>Eui-Jin Joung, Se-Chan Oh, Sung-Hyuk Park, Gil-Dong Kim</i> | |
| Analysis of Existing Standards on Broadband Equipment's Energy Efficiency and Proposal of an Alternative Evaluation Methodology | 908 |
| <i>Claudio Bianco, Flavio Cucchiatti, Gianluca Griffa, Paolo Gemma, Linzhiyao, Xiaojinjiang, Fanyahong</i> | |

PEM ELECTRIC MACHINE & DRIVES

| | |
|---|-----|
| Re-acceleration Characteristics of Stationary Discontinuous Armature Permanent Magnet Linear Synchronous Motor by Using Each Control System | 913 |
| <i>Yong-Jae Kim, Kyoung-Pil Cho, Seung-Ho Shin, Youn-Ok Choi, Geum-Bae Cho</i> | |
| Development of IPM Synchronous Motor for Diesel Hybrid Electric Vehicle | 919 |
| <i>Ju-Hee Cho, Hong-Seok Oh, Sang-Uk Cho, Deok-Geun Kim, Ik-Seong Park</i> | |
| The Velocity Control of a Permanent Magnet Type Stepping Motor Using a Self-tuning Theory | 924 |
| <i>Sung- Ho Hong, Soo-Rang Lee, Sung-Hwan Choi, Young-Tae Kim, Sang-Don Lee, Cheri-Jin Kim</i> | |
| Double-layer Rotor Design for Improving Characteristics of Single-phase LSPM Motor | 927 |
| <i>Byeong-Hwa Lee, Fangliang, Jung-Pyo Hong, Hyuk Nam</i> | |
| Output Voltage Control of a Synchronous Generator for Ships Using Compound Type Digital AVR | 931 |
| <i>Sang-Hoon Park, Seung-Kyung Lee, Su-Won Lee, Jae-Sung Yu, Sang-Seuk Lee, Chung-Yuen Won</i> | |
| Optimization of Magnetic Suspension Using Response Surface Methodology | 937 |
| <i>Ho-Kyoung Lim, Jae-Woo Jung, Jung-Pyo Hong</i> | |
| Novel Position Sensorless Starting Method of BLDC Motor for Reciprocating Compressor | 941 |
| <i>Dae-Kyong Kim, Duck-Shik Shin, Sang-Taek Lee, Hee-Jun Kim, Byung-Il Kwon, Byung-Taek Kim, Kwang-Woon Lee</i> | |
| Optimal Design for Cogging Torque Reduction in BLDC Motor Using the Response Surface Method | 946 |
| <i>Young-Kyoun Kim, Jung-Moo Seo, Seung-Bin Lim, Se-Hyun Rhyu, In-Sung Jung, Jin Hur</i> | |
| Core Loss Distribution of Three-Phase Induction Motor Using Numerical Method | 950 |
| <i>Jeong-Jong Lee, Soon-O Kwon, Jung-Pyo Hong, Ji-Hyun Kim, Kyung-Ho Ha</i> | |
| Minimization of Torque Ripple in a BLDC Motor Using an Improved DC Link Voltage Control Method | 954 |
| <i>Jin-Soek Jang, Byung-Taek Kim</i> | |
| Finite Element Analysis of a Very Large-Scale Permanent Magnet BLDC Motor Considering Two-dimensional Magnetic Properties of Electrical Steels | 959 |
| <i>Hee Sung Yoon, Pan-Seok Shin, Koji Fujiwara, Chang Seop Koh</i> | |
| A Design of PWM Converter Inverter System for Building Air Conditioner Compressor | 963 |
| <i>Bon-Gwan Gu, Joon Sung Park, Jun-Hyuk Choi, In-Soung Jung</i> | |
| A Study on Digital Control of 3-D.O.F. BLDCM Using LabVIEW | 966 |
| <i>Joonseon Ahn, Sung Chul Go, Seungjoo Kim, Ju Lee, Hee-Jun Kim</i> | |
| A Novel Load Variation Compensation Algorithm in a Sensor-less Brushless DC Motor Drive for a Reciprocating Compressor | 970 |
| <i>Sang-Taek Lee, Hee-Jun Kim, Dae-Kyong Kim, Kwang-Woon Lee</i> | |
| Novel IPMSM Drive for Compact Washing Machine | 974 |
| <i>Anton Dianov, Sang-Taek Lee</i> | |
| Influence of Flatness of the Secondary Reaction Plate on Performance of a Linear Induction Motor | 981 |
| <i>Hyung-Woo Lee, Sung Gu Lee, Chanbae Park, Sam-Young Kwon, Byung-Song Lee, Ju Lee, Hyun-June Park</i> | |
| Design of IPMSM to Reduce Cogging Torque Considering Tapping the Rotor and Shape of Barrier | 984 |
| <i>Chang-Sung Jin, Sol Kim, Youn-Hyun Kim, Ju Lee</i> | |

| | |
|--|------|
| Optimal Design of a Magnetization Fixture for Cogging Torque Reduction of ODD Spindle Motor | 988 |
| <i>Jaenam Bae, Se-Young Oh, Seung-Joo Kim, Ju Lee</i> | |
| Design of Rotor Slot of Single Phase Induction Motor with Copper Die-cast Rotor Cage for High Efficiency | 991 |
| <i>Kwangsoo Kim, Seung-Bin Lim, Ju Lee</i> | |
| The Study on Train Separation Control & Safety Braking Model Technology Using Balise for Conventional Lines | 995 |
| <i>Jong-Hyen Baek</i> | |
| Design and Analysis of Outer Rotor Type IPMSM for an Electric Bicycle | 999 |
| <i>Kyung-Su Kim, Sung-Ho Lee, Hyun-Rok Cha, Kyu-Seok Lee, Sung-Jun Park</i> | |
| The Study to Substitute Aluminum for Copper As a Winding Material in Induction Machine | 1003 |
| <i>Pil-Wan Han, Yon-Do Chun, Jae-Hak Choi, Mi-Jung Kim, Dae-Hyun Koo, Ju Lee</i> | |
| Non Linear, Time Variant Speed Control of a Single Phase Hybrid Switched Reluctance Motor | 1006 |
| <i>Uffe Jakobsen, Jin Woo Ahn</i> | |

PPC POWER CONVERSION

| | |
|--|------|
| The Research for the Stability of SPWM Inverter Affected by Digital Control | 1011 |
| <i>Hongtao Shan, Yu Zhang, Yong Kang, Xuejuan Kong, Hongliang Wang, Hongbo Li</i> | |
| Research on One-step-delay Effect of Digital Control P Y O Inverter | 1015 |
| <i>Hongtao Shan, Yu Zhang, Yong Kang, Xuejuan Kong, Hongbo Li</i> | |
| A Novel Dynamic Strategy for the Combined Inverters Based on Feed-forward Compensation | 1019 |
| <i>Hongliang Wang, Xiumei Yue, Xuejun Pei, Yong Kang</i> | |
| An Analysis of a Constant Current Controlled Bidirectional DC-DC Converter with Digital Control | 1024 |
| <i>Shingo Tachikawa, Toshiro Hirose, Hiroshige Yanagi, Yoichi Ishizuka, Hirofumi Matsuo</i> | |
| Steady State Analysis of Two Stage Converter Combined with Coupling Capacitor | 1029 |
| <i>Shohei Otsu, Terukazu Sato, Takashi Nabeshima, Kimihiro Nishijima</i> | |
| Elimination of Magnetic Saturation Due to Fast Dynamic Response in DC-DC Converter | 1034 |
| <i>Teruhiko Kohama, Sunao Tokimatsu, Hiroshi Shimamori</i> | |
| A Time-Delay Suppression Technique for DPWM Control Circuit | 1040 |
| <i>Yoichi Ishizuka, Fumitoshi Hirose, Yusuke Yamada, Hirofumi Matsuo</i> | |
| Non-isolation Soft-Switching Buck Converter for High-Step-Down Conversion | 1046 |
| <i>Jinbin Zhao</i> | |
| Class D and Class E Selectable Power Amplifier | 1052 |
| <i>Akito Kiri, Kouta Ohara, Yoshihiro Tomita, Seiji Shukuri, Takeshi Yasukouchi, Tadashi Suetsugu</i> | |
| H-bridge Based Multilevel Inverter Using PWM Switching Function | 1056 |
| <i>Won-Kyun Choi, Feel-Soon Kang</i> | |
| Common Arm 3-Phase Transformer Multi-level Inverter | 1061 |
| <i>Sung-Geun Song, Dae-Kyong Kim, Hae-Kon Nam, Sung-Jun Park</i> | |
| A Novel Flicker Mitigation Method of Auxiliary Power Unit for Electric Locomotive | 1066 |
| <i>Won-Cheol Lee, Bum-Su Jun, Sang-Hoon Park, Sang-Seok Lee, Chung-Yuen Won</i> | |
| Optimization of the Magnetic Energy Coupling at 13.56 MHz | 1070 |
| <i>Cheolung Cha, Jun Park, Sei Young Mun, Young Chul Noh, Jin Mo Jang</i> | |
| Robust DC-Link Voltage Control Scheme for Photovoltaic Power Generation System PCS | 1073 |
| <i>Joon Sung Park, Jun-Hyuk Choi, Bon-Gwan Gu, In-Soung Jung, Eun-Chul Lee, Kang-Soon Ahn</i> | |
| Analysis of MOSFET Failure Modes in LLC Resonant Converter | 1077 |
| <i>Won-Suk Choi, Sung-Mo Young, Dong-Wook Kim</i> | |
| An LED Color Control System with Independently Changeable Illuminance | 1083 |
| <i>Hoon Kim, Jia Liu, Ho-Sang Jin, Hee-Jun Kim</i> | |
| New Half-Bridge DC-to-DC Converters for Wide Input Voltage Applications | 1088 |
| <i>Hyosang Jang, Taeyoung Ahn, Byungcho Choi</i> | |
| Adapter Design Using Planar Transformer for Aircraft | 1094 |
| <i>Yong-Hee Shin, Yong-Seung Oh, Kang-Soon Ahn, Chang-Sun Kim</i> | |
| An Improved Active-Clamp ZVS Forward Converter with a Lossless Snubber | 1099 |
| <i>Eun-Soo Kim, Sun-Ho Choi, Moon-Ho Kye</i> | |
| A New Oven Detection Algorithm and Control of IH-Jar Achieved by DSP Control | 1103 |
| <i>Yong-Seung Oh, Kang-Soon Ahn, Hee-Jun Kim</i> | |
| A Current-Mode Non-inverting CMOS Buck-Boost DC-DC Converter | 1107 |
| <i>Jong-Ha Park, Hoon Kim, Hee-Jun Kim</i> | |
| Effectiveness of Ultra-FRFETTM for the HV-BLU System in LCD TVs | 1110 |
| <i>Dong-Soo Kim, Jae-Eul Yeon, Kyu-Min Cho, Hee-Jun Kim</i> | |

| | |
|---|------|
| A Local-Dimming LED BLU Driving Circuit for a 42-inch LCD TV | 1116 |
| <i>Yu-Cheol Park, Hee-Jun Kim, Back-Haeng Lee, Dong-Hyun Shin</i> | |
| Protection Circuit to Prevent a Transition from ZVS Mode to ZCS Mode Under Variable Frequency Operation | 1122 |
| <i>Ho-Sung Kim, Jong-Hyun Kim, Ju-Won Baek, Dong-Wook Yoo, Hee-Je Kim</i> | |
| Protection Circuit of Normally-on SiC JFET Using an Inrush Current | 1126 |
| <i>Jong-Hyun Kim, Byung-Duk Min, Ju-Won Baek, Dong-Wook Yoo</i> | |
| A Novel Topology and Control Strategy of DC Fault Current Limiter | 1130 |
| <i>Hongbo Li, Jiguo Zhao, Jian Xiong, Xinchun Lin, Fang Luo</i> | |
| Nonlinear Modeling of Inverter Using the Hammerstein's Approach | 1134 |
| <i>Yan Cheng, Xiaoming Zha, Yimin Liu</i> | |
| A New HVDC AC/DC Converter Using the Diode Rectifier and the Auxiliary Converter | 1138 |
| <i>Mi-Seon Choi, Rio Dan Jian, Sung-Geun Song, Sung-Jun Park, Hyun-Lok Cha</i> | |
| Online Statistical Estimation Methods for the Internal Resistance of Nickel-hydrogen Batteries | 1144 |
| <i>Chang-Hao Piao, Gai-Hui Lei, Jin Wang, Chongdu Cho</i> | |
| Charge Equalizer Using a Cockcroft–Walton Voltage Multiplier for Series-Connected Supercapacitors | 1148 |
| <i>Masatoshi Uno, Akio Kukita</i> | |
| Interactive Charging Performance of a Series Connected Battery with Shunting Equalizers | 1153 |
| <i>Masatoshi Uno</i> | |
| Further Development on Voltage Balancer for EDLCs Employing Cockcroft-Walton Circuit | 1157 |
| <i>Keiju Matsui, Masaru Hasegawa, Kenji Ando</i> | |
| Grid-Connected Peak-Load Compensation System Based on Lithium-Polymer Battery | 1163 |
| <i>Doo-Yong Jung, Young-Hyok Ji, Su-Won Lee, Chung -Yuen Won, Yong-Chae Jung, Kwang-Duk Seo</i> | |
| Intelligent Charged System for Lithium-Ion Battery Strings | 1167 |
| <i>Shih-Ming Wang, Ming-Wang Cheng, Yuang-Shung Lee, Ren-Her Chen, Wun-Tong Sie</i> | |
| Cell Voltage Equalization Using ZCS SC Bidirectional Converters | 1173 |
| <i>Ming-Wang Cheng, Yuang-Shung Lee, Ren-Her Chen, Wun-Tong Sie</i> | |
| A Study on the Dynamic SOC Compensation of an Ultracapacitor Module for the Hybrid Energy Storage System | 1179 |
| <i>Hyun-Sik Song, Jin-Beom Jung, Baek-Haeng Lee, Dong-Hyun Shin, Byoung-Hoon Kim, Yu-Cheol Park, Hoon-Heo, Hee-Jun Kim</i> | |
| Partial Discharge Localization and Classification Using Acoustic Emission Analysis in Power Transformer | 1186 |
| <i>Ezatollah Mohammadi, Mehdi Niroomand, Mahdie Rezaeian, Zahra Amini</i> | |
| Railway Platform Monitoring System Using Stereo Vision Algorithm For Passenger's Safety | 1192 |
| <i>Seh-Chan Oh, Sung-Hyuk Park, Chang-Mu Lee</i> | |
| Performance of a Small PZT Exciter for Thermosonic Non-Destructive Testing | 1196 |
| <i>Bu-Byoung Kang, Hyung-Woo Lee, Chang-Young Lee</i> | |
| Measurement of Propagation Velocity of the Electromagnetic Wave Produced by Partial Discharge in a Gas-insulated Switchgear | 1200 |
| <i>Seung-Yong Jung, Jung-Yoon Kim, Chung-Seok Oh, Bang-Wook Lee, Ja-Yoon Koo</i> | |
| Development of Wireless Communication-based Safety Equipment for Protection of Trackside Maintenance Workers | 1207 |
| <i>Jong-Gyu Hwang, Hyun-Jeong Jo, Yong-Ki Yoon, Yong-Gyu Kim</i> | |
| A Diagnosis Method of DC/DC Converter Aging Based on the Variation of Parasitic Resistor | 1211 |
| <i>Tae-Jin Kim, Jong-Pil Lee, Byung-Duk Min, Dong-Wook Yoo</i> | |
| Safety Guaranteeing Method & Tool Development in Railway Communication System | 1216 |
| <i>Hyun-Jeong Jo, Jong-Gyu Hwang, Seung-Kwon Shin, Yong-Kyu Kim</i> | |
| Investigation of Effectiveness of Split Image Plane for ESD Immunity in System Level | 1221 |
| <i>Yuang-Shung Lee, Cheng-Hsiung Chiang</i> | |
| Double-Hybrid Spread-Spectrum Technique for Conducted-EMI Reduction in DC-DC Switching Regulators with FPGA-Based Controller | 1227 |
| <i>Gamal M. Dousoky, Masahito Shoyama, Tamotsu Ninomiya</i> | |
| Thermal Design of a High Power Telecommunication System Using a CFD Tool | 1233 |
| <i>Ki-Ho Hong, Hong-Mo Koo, Ho-Jin Cha, Yun-Hee Park</i> | |
| The COMS Telecommand Processing in the Hight Uoftware | 1239 |
| <i>Soo-Yeon Kang, Sang-Kon Lee, Koon-Ho Yang</i> | |
| The Preliminary EMC Analysis between GEO Satellite and the Delta 4 Launch Vehicle | 1242 |
| <i>Eui Chan Kim, Ja Chun Koo, Sung Woong</i> | |
| Author Index | |