

2009 IEEE International Symposium on Radio-Frequency Integration Technology

(RFIT 2009)

**Singapore
9-11 December 2009**



IEEE Catalog Number: CFP09852-PRT
ISBN: 978-1-4244-5031-2

TABLE OF CONTENTS

RF MEMS Integration Present & Future Trends	1
<i>Dennis L. Polla, Michael B. Wolfson</i>	
Adaptive Calibration Method for AM/PM Distortion in Nonlinear Devices	4
<i>Sang-Min Han, Oleg Popov, Sun-Ju Park, Dal Ahn, Jongsik Lim, Won-Sang Yoon, Seongmin Pyo, Young-Sik Kim</i>	
A V-band CMOS Elevated-Center CPW Amplifier for High-Speed Radio-Over-Fiber Systems	8
<i>Ibrahim Haroun, Yaun-Chai Hsu</i>	
A Viable Multi-Conductor Spiral Inductor on Silicon Substrate with Effective Shielding	12
<i>Meng-Ju Chiang, Meng-Lin Lee, Ching-Kuang C. Tzuang</i>	
A New Q-Enhancement Architecture for SAW-less Communication Receiver in 65-nm CMOS	16
<i>Christoph Schmits, Tobias D. Werth, Josef Hausner</i>	
High-speed Programmable Counter Design for PLL Based on A Delay Partition Technique	20
<i>Hui Zhang, Hai-Gang Yang, Jia Zhang, Fei Liu</i>	
CMOS Low-Noise Amplifier Linearization Through Body Biasing	24
<i>Aya Mabrouki, Thierry Taris, Yann Deval, Jean-Baptiste Begueret</i>	
Design of an RF-DAC in 65 nm CMOS for Multistandard, Multimode Transmitters	28
<i>Niklas Zimmermann, Renato Negra, Stefan Heinen</i>	
A 4-Octave Tuning Range Integer-/Fractional-N Synthesizer for Low Phase Noise Space Applications	32
<i>Thomas Leineweber, Frank Henkel, Jan Steinkamp, Lutz Dallüge, Peter Waldow, Martin Thornber</i>	
Robust 90-nm RF CMOS Device Models for RFIC Design	36
<i>L. Jia, F. Lin, J. Shi, A. S. Peng, R. Lee, D. Chen</i>	
CMOS LC Quadrature Oscillator with Phase Mismatch Compensation Circuit for UWB Application	40
<i>Jia Lin, Muthukumaraswamy Annamalai Arasu, Yuan Xiaojun</i>	
A New Equivalent Circuit Extraction Technique for Slot Arrays	44
<i>Ming-Yun Lü, Zhi-Jun Meng, Ming Zhu, Zhe Wu</i>	
Time Variant Digital Sigma-Delta Modulator for Fractional-N Frequency Synthesizers	47
<i>Franco Maloberti, Edoardo Bonizzoni, Antonio Surano</i>	
Design and Implementation of an LTCC Filter with High Stopband Rejection	51
<i>Yong-Sheng Dai, You-Fang Yao, Bao-Shan Li, De-Long Lu, Yuan You, Sheng-Lei Xiao, Jie Zhang, Guang-Qiang Fu, Wen-Kan Zhou, Yu-Hong Guo, Shao-Bo Chen, Li-Jie Wang</i>	
A Balanced Power Amplifier Utilizing the Reflected Input Power	55
<i>Jongsik Lim, Chunseon Park, Jakyung Koo, Hyeonwon Cha, Yongchae Jeong, Sang-Min Han, Dal Ahn</i>	
A GPS Anchor Node for Outdoor Wireless Sensor Network Applications	59
<i>Y. C. Kan, S. Y. Chiang, C. J. Lin</i>	
A 29dBm Linear Power Amplifier Module for IEEE 802.16e (Wimax) and LTE Applications Using E-mode pHEMT Technology	63
<i>Y. H. Chow, K. G. Tee, J. Rajendran, S. Y. Ho, M. H. Lee, C. F. Chan, Y. Y. Liew</i>	
Investigation of CMOS On-chip Transmission Lines CPW, SCPW and CPWG up to 110GHz	67
<i>Jinglin Shi, Kai Kang, Yong Zhong Xiong, Fujiang Lin</i>	
A Miniature 8–16 GHz Packaged Tunable Frequency and Bandwidth RF MEMS Filter	71
<i>Kok-Yan Lee, Gabriel M. Rebeiz</i>	
Sub-nanosecond Greater-Than-10V Compact Pulse Amplifier with Improved Linearity and Reduced Power Consumption	75
<i>Renfeng Jin, Subrata Halder, James C. M. Hwang, Choi L. Law</i>	
Noise Analysis in Ultra High Speed CMOS Track and Hold Circuit	79
<i>Hailang Liang, Rob. J. Evans, Efstratios Skafidas</i>	
Frequency Synthesis Using Pulse Width Locked Loop	84
<i>Devrim Yilmaz Aksin, Pinar Basak Basyurt, Hayri Ugur Uyanik</i>	
Evaluation of Environmental Noise Susceptibility of RF Circuits Using Direct Power Injection	88
<i>Naoya Azuma, Yu Usami, Makoto Nagata</i>	
Dispersion Engineering with CRLH Metamaterials	92
<i>Pei-Ling Chi, Tatsuo Itoh</i>	
A Low Power CMOS Single-chip Receiver and System-on-Package for 60GHz Mobile Applications	96
<i>Jae Jin Lee, Dong Yun Jung, Ki Chan Eun, Inn Yeal Oh, Chul Soon Park</i>	
Thermal Management for Flip-chip High Power Amplifiers Utilizing Carbon Nanotube Bumps	100
<i>Ikuo Soga, Daiyu Kondo, Yoshitaka Yamaguchi, Taisuke Iwai, Toshihide Kikkawa, Kazukiyo Joshin</i>	
A Circularly Polarized Fractal Microstrip Antenna for RFID Applications	104
<i>J. Ghalibafan, F. H. Kashani</i>	

Digitally Programmable Continuous-Time Biquad Filter in 65-nm CMOS	108
<i>Amir Zjajo, Mingxin Song</i>	
A New Approach to Parameter Extraction for On-Chip Symmetric Transformers	112
<i>Huailin Liao, Chuan Wang</i>	
A Back-Gate Coupling QVCO with Kvco Linearization Technique	116
<i>Yen-Chung Chiang, Yu-Hsin Chang</i>	
A 3D Multilayered Si MMIC Left-handed Metamaterial Bandpass Filter	119
<i>Wei Tong, Haiying Zhang, Zhirun Hu</i>	
Built-In RFIC Inter-Modulation Testing Using Sub-sampled Monobit Kernel Function	122
<i>Qiang Zhu, Yang Xu</i>	
A 0.18μ m CMOS 3-5GHz Switched Gain Low Noise Amplifier for UWB system	126
<i>Lu Huang, Lisong Feng, Fujiang Lin</i>	
Exact Sequence Lengths in MASH Digital Delta-Sigma Modulators for Fractional-N Frequency Synthesizers	130
<i>Jiajun Zheng, Quan Xue, Fumio Muto</i>	
Design of a Full Band, Compact Waveguide-Microstrip Power Splitter Using Multilayer PCB Technology	135
<i>Hong Yi Lim, Zhicheng Wei, Zhuo Li, Geok Ing Ng, Yoke Choy Leong</i>	
Circularly Polarized Broadband Dual Loop Antenna Fed by Coplane Stripline	138
<i>Xue-Xia Yang, Jian-Yong Zhou, Yan-Yan Gao</i>	
Pulse Generator and BPSK Modulator Design for CMOS UWB Transmitters	142
<i>Michail Papamichail, Dimitrios Mavridis, George Papadopoulos</i>	
A New Extraction Method for the Characteristic Impedance and Effective Dielectric Constant of Transmission Line with DGS	146
<i>Minwoo Kang, Sunju Park, Kwisoo Kim, Sang-Min Han, Jongsik Lim, Kwansun Choi, Dal Ahn</i>	
Methodology for Optimizing Gain and Noise Figure Performance of CMOS LNAs at 60GHz and beyond	150
<i>Siok-Been Yeo, James Brinkhoff, Fujiang Lin, Yong Ping Xu</i>	
An Improved NL-L Transmission Line De-embedding Technique for mm-Wave Applications	154
<i>See Chuan Leong, Fujiang Lin, Yong Ping Xu</i>	
Analytical Modeling of the Temperature Dependent Microwave Noise in AlGaIn/GaN HEMTs	158
<i>Z. H. Liu, G. I. Ng, S. Arulkumaran</i>	
Integration of RF MEMS Switch with MMIC pHEMT and Passive Devices on GaAs	162
<i>Kok-Yan Lee, Seah Yong Meng, Ang Kian Sen, Ng Geok Ing, Wang Hong</i>	
Improved 2-D FDTD Model for Analyzing Uniform Lossy Transmission Lines	166
<i>Shaoqiu Xiao, Bing-Zhong Wang, Mingchun Tang, Xiao-Fei Liu</i>	
A Compact X-band Balanced Frequency Doubler on GaAs pHEMT 3D MMIC	170
<i>Takana Kaho, Yo Yamaguchi, Hiroshi Okazaki, Kazuhiro Uehara</i>	
A Study on the Open End Effect of Coupled Transmission Lines	174
<i>Kwangsik Park, Chilhyeun Gwon, Minwoo Kang, Daehoon Jang, Sunju Park, Kwisoo Kim, Jongsik Lim, Dal Ahn</i>	
A UHF Low-Spur, Low-Phase Noise Fractional-N Synthesizer in 0.18-μm CMOS	177
<i>Dan Lei Yan, Pradeep Basappa Khannur, Bin Zhao, Wooi Gan Yeoh, Yuan Xiaojun</i>	
A New Unified Model for Channel Thermal Noise of Deep Submicron RFCMOS	181
<i>S. N. Ong, K. W. J. Chew, K. S. Yeo, L. H. K. Chan, X. S. Loo, C. C. Boon, M. A. Do</i>	
A Low-Cost Low-Power 900MHz Digital Frequency Synthesizer with Built-in Spread Spectrum Modulation	185
<i>Ananda Natarajan Sitaraman</i>	
A Fully Integrated Q-enhanced Notch Filter LNA for TX Blocker Suppression in FDD Systems	189
<i>Dirk Bormann, Tobias D. Werth, Stefan Kaehlert, Christoph Schmits, Stefan Heinen</i>	
Investigations on the Nonidealities in Pd/n-GaN Schottky Diodes Grown by MOCVD	193
<i>S. Suresh, V. Ganesh, M. Balaji, K. Baskar</i>	
CMOS Up-Conversion Mixer with Adaptive Bias Circuit for UHF RFID Reader	197
<i>Kyonggon Choi, Minsu Kim, Hyungchul Kim, Hanjin Cho, Jaeyong Cho, Sungchul Yoo, Kyoungon Yang, Sungchan Jung, Sunghan Ryu, Youngoo Yang</i>	
Lange Coupler Design for Si-ICs up to 170GHz in 0.13μm SiGe BiCMOS	201
<i>Lei Wang, Yong-Zhong Xiong, Bo Zhang, Lim Teck-Guan, Xiaojun Yuan</i>	
A Digital Ultra-Fast Acquisition Linear Frequency Modulated PLL for mm-Wave FMCW Radars	205
<i>Wanghua Wu, John R. Long, Robert Bogdan Staszewski</i>	
On the Accuracy of De-embedding Technologies for On-wafer Measurement up to 170GHz	209
<i>Bo Zhang, Yong-Zhong Xiong, Lei Wang, Lim Teck-Guan, Yi-Qi Zhuang, Le-Wei Li, Xiaojun Yuan</i>	

Multifunctional Frequency Converter MMIC for 38GHz Band 600Mbps Multi-level QAM Wireless System	213
<i>Shinji Nagamine, Fumio Ozawa, Toshifumi Shirosaki, Toru Taniguchi, Kenichi Okada</i>	
Low Power CMOS GPS/GALILEO RF Front-end Receiver	217
<i>B. H. Ong, M. J. Wu, W. L. Lien, C. F. Kuo, S. L. Chew, C. H. Lu</i>	
A Very High Efficiency Ultra-low-power 13.56MHz Voltage Rectifier in 150nm SOI CMOS	221
<i>Geoffroy Gosset, Denis Flandre</i>	
A 24 GHz 90-nm CMOS-Based Power Amplifier Module with Output Power of 20 dBm	225
<i>Kazukiyo Joshin, Yoichi Kawano, Masayuki Fujita, Toshihide Suzuki, Masaru Sato, Tatsuya Hirose</i>	
Temperature Compensated VCO design for Multi-band WCDMA Transceiver Application	229
<i>Satyanarayana Reddy Karri, Bun Suan Heng, C. H. Shen, G. K. Dehng</i>	
CMOS Device Modeling for Millimeter-Wave Power Amplifiers	233
<i>Kota Matsushita, Naoki Takayama, Ning Li, Shogo Ito, Kenichi Okada, Akira Matsuzawa</i>	
A 5.9 GHz LC-Based Digitally Controlled Oscillator with High Frequency Resolution Using Novel Varactor Pairs	237
<i>Sang-Sun Yoo, Yong-Chang Choi, Hong-Joo Song, Hyung-Joun Yoo</i>	
Robust RF MEMS Switches and Phase Shifters for Aerospace Applications	241
<i>James C. M. Hwang, Charles L. Goldsmith</i>	
A Compact Microstrip Two-layers Bandpass Filter Using Improved Interdigital-Loop Resonators	245
<i>Kamol Boonlom, Teerapan Pratumvinit, Prayoot Akkaraekthalin</i>	
Power Amplifier Linearization Using Feedforward Technique for Wide Band Communication System	249
<i>M. A. Honarvar, M. N. Moghaddasi, A. R. Eskandari</i>	
An Ultra Compact CMOS Transceiver for HF Multi-standard RFID Reader	253
<i>Young-Han Kim, Seung-Chan Park, Hyung-Joun Yoo</i>	
Time-Domain Front-End for Short Time Windowing UWB WLAN Transform-Domain Receiver	257
<i>Mohamed Zebdi, Daniel Massicotte, Christian Jesus B. Fayomi</i>	
A Fully Digital Polar Transmitter Using a Digital-to-Time Converter for High Data Rate System	261
<i>Yong-Chang Choi, Sang-Sun Yoo, Hyung-Joun Yoo</i>	
A Power Efficient 60 GHz 90nm CMOS OOK Receiver with an On-chip Antenna	265
<i>Kai Kang, Pham Duy Dong, James Brinkhoff, Chun-Huat Heng, Fujiang Lin, Xiaojun Yuan</i>	
Issues in “Ahuja” Frequency Compensation Technique	269
<i>Uday Dasgupta</i>	
A Stereo Earphone Driver with Volume Control in 65-nm CMOS Technology	273
<i>Alexander Tanzil, Uday Dasgupta</i>	
Left-handed Tri-section Stepped-Impedance Resonator	277
<i>Shokrollah Karimian, Zhirun Hu</i>	
A 3.5-mW 2.45-GHz Frequency Synthesizer in 0.18μm CMOS	281
<i>Yeung Bun Choi, Xiaojun Yuan</i>	
A 2.4-GHz CMOS Power Amplifier Design for Low Power Wireless Sensors Network	285
<i>Kuruveetil Haridas, T. Hui Teo, Xiaojun Yuan</i>	
System-level Design of a Delta-Sigma Modulator Target for Next Generation Wireless Application	289
<i>Xiaobo Qiu, Liter Siek, Kei Tee Tiew</i>	
Adaptive CMOS-Based RF Transceivers – State-of-the-art and Future Trends	293
<i>Linus Maurer, Rastislav Vazny, Andreas Mayer</i>	
CMOS RF PA Design: Using Complexity to Solve the Linearity and Efficiency Trade-Off	298
<i>Patrick Reynaert, Brecht Francois, Ercan Kaymaksut</i>	
A 60 GHz Transformer-based variable-gain Power Amplifier in 90nm CMOS	304
<i>James Brinkhoff, Kai Kang, Duy-Dong Pham, Fujiang Lin</i>	
Demonstration Experiment of Millimeter Wave Multi-Gigabit Wireless LAN System	308
<i>Takayuki Umaba, Shoichi Kitazawa, Amane Miura, Hiroyuki Ohtsuki, Masazumi Ueba, Mitsuhiro Azuma, Atsushi Honda, Satoru Shimizu</i>	
Integrated Millimeter-Wave On-Chip Antenna Design Employing Artificial Magnetic Conductor	312
<i>Fujiang Lin, Ban Leong Ooi</i>	
New Progress in the Development of Compact High-Performance Microwave Ultra-Wideband (UWB) Filters	316
<i>Zhewang Ma, Chun-Ping Chen, Tetsuo Anada</i>	
Wideband 60GHz On-Chip Antenna with an Artificial Magnetic Conductor	322
<i>H. Chu, Y. X. Guo, F. Lin, X. Q. Shi</i>	
Stability Analysis of Power Amplifiers	326
<i>A. Suárez, F. Ramírez, S. Jeon, D. Rutledge</i>	

High Efficiency, High Linearity, Switch Mode Power Amplifiers for Varying Envelop Signal Applications	330
<i>Tian Tong, Daniel Sira, Michael Nielsen, Jan Hvolgaard Mikkelsen, Torben Larsen</i>	
Design Challenges for a High Performance HSDPA RF Transceiver IC	334
<i>Walid Y. Ali-Ahmad, C. S. Chiu, B. S. Heng, E. S. Khoo, S. R. Karri, C. H. Shen, T. Y. Sin, W. Yang, H. L. Zhang, C. L. Heng, G. K. Dehng</i>	
Techniques for Improving CMOS VCO Performance	340
<i>Chun-Huat Heng, Amit Bansal, San Jeow Cheng</i>	
Digitally Controlled Integrated DC-DC Converters with Fast Transient Response	345
<i>W. T. Ng, J. Wang, K. Ng, A. Prodic, T. Kawashima, M. Sasaki, H. Nishio</i>	
Antennas in Silicon Integrated Circuits	349
<i>Hsin-Ta Wu, Wuttichai Lerdsitsomboon, Dongha Shim, Chieh-Lin Wu, Yang-Hun Yun, Jau-Jr Lin, Su Yu, Changhua Cao, Yanping Ding, Eun-Young Seok, K. O. Kenneth</i>	
Will the Multimode Wireless Transceiver Soon Resemble a Software-Defined Radio?	353
<i>A. A. Abidi</i>	
Organic and Ceramic SoP Solutions and Modules for mmW Applications	357
<i>Manos M. Tentzeris</i>	
Layout and Process Characteristics of LTCC Substrate for Microwave Module	361
<i>Ziliang Wang, Jian Yang</i>	
Application of CMOS and Si-based Technologies in the Development of Substrate Integrated Circuits (SICs)	367
<i>Ke Wu</i>	
Integrated Receivers up to 220 GHz utilizing GaAsmHEMT Technology	368
<i>Herbert Zirath, Niklas Wadefalk, Rumien Kuzhuharov, Sten E. Gunnarsson, Sergey Cherednichenko, Iltcho Angelov, Morteza Abbasi, Bertil Hansson, Vessen Vassilev, Jan Svedin, Staffan Rudner, Ingmar Kallfass, Arnulf Leuther</i>	
Inductive Coupling Transceivers for Inter-chip Data Communication	372
<i>Tadahiro Kuroda</i>	
Integrated 60-GHz LTCC Circularly Polarized Antenna Array	375
<i>M. Sun, Y. X. Guo, M. F. Karim, L. C. Ong</i>	
Author Index	