2009 4th International Design and Test Workshop

(IDT 2009)

Riyadh, Saudi Arabia
15 - 17 November 2009

IEEE Catalog Number: CFP0963D-PRT
ISBN: 978-1-4244-5748-9

TABLE OF CONTENTS

Integrated Sensors for Health Monitoring in Advanced Electronic Systems 1
C. H. Wang, Y. Liu, M. Desmulliez, A. Richardson

Wireless Healthcare Monitoring System 7
F. Touati, N. Hamza, L. Khriji

CMOS Phase Frequency Detector for High Speed Applications 13
N. M. H. Ismail, M. Othman

CMOS Programmable Divider for Zigbee Frequency Synthesizer 18
N. M. H. Ismail, M. Othman

Lock Detector with Stable Parameters 21
A. Hovsepyan, V. Melikyan, M. Ishkhanyan, T. Hakobyan, G. Harutyunyan

Improved Analysis for the Intermodulation Performance of the Contact-Type MEMS Microswitch. 25
M. T. Abuelma

Efficient Implementation of Modular Multiplication on FPGAs Based on Sign Detection 29
A. M. A. Fattah, A. M. B. El-Din, H. M. A. Fahmy

A New Approach for Sensing and Measuring the Incident Radiation on Semiconductor Mercury-Cadmium-Telluride (MCT) Detector 35
M. T. Abuelma

A Realistic Fault Simulation Model for EEPROM Memories 41
H. Aziza, J. Plantier, J. M. Portal

Parallel Binary Tree Splitting Protocol for Tag Anti-Collisionin RFID Systems 47
U. S. Mohammed, M. Salah

Real-Time Markov Localization for Autonomous UGV 53
Y. Shoukry, W. F. Abdelfatah, S. A. Hammad

Model Order Reduction of On-Chip Interconnects 59
D. Medhat, E. Hegazi, M. Abdel-Rahman

COMRA: An Efficient Low-Energy Core Mapping and Routing Path Allocation Algorithm for Heterogeneous NoCs 65
M. Saneei, M. R. Kakoee, A. Afzali-Kusha

Tuned Voltage Controlled Oscillator Using Quantum Dot Transistor 71
A. M. H. El-Sayed

A Novel 3-in-1 MEMS Variable Capacitance Device with a Customizable Tuning Range 76
A. M. Elshurafa, E. I. El-Masry

An Electrical Field Sensor for Micro/Nano Particles Detection Applications 80
M. F. Ibrahim, F. Elsayed, Y. H. Ghallab, W. Badawy

Figures of Merit to Characterize the Importance of Skin and Proximity Effects 84
A. Shebaita, D. Petranovic, Y. Ismail

An S-Domain Based Framework for Accurate and Efficient Static Waveform Analysis 90
A. Shebaita, D. Petranovic, Y. Ismail

Lower Power, Lower Delay Design Scheme for CMOS Tapered Buffers 96
A. Shebaita, Y. Ismail

Subthreshold MOSFET Transistor Amplifier Operation 101
S. M. Sharroush, Y. S. Abdalla, A. A. Dessouki, A. B. El-Sayed

Scalable Mean Voting Mechanism for Fault Tolerant Analog Circuits 107
S. Askari, B. Dwivedi, A. Saeed, M. Nourani

CAN Bus Analyzer and Emulator 113
H. Kashif, G. Bahig, S. Hammad

Toward a Hybrid Technique to Enhance Vocal Guiding System for A Manipulator Arm "TR45" 117
M. Fezari, H. Attoui, M. Bedda

Wireless Voice Command System Based on Kalman Filter and HMM Models to Control Manipulator Arm 123
A. Hamza, M. Fezari, M. Bedda

A Reconfigurable Interconnected Filter for Face Recognition Based on Convolution Neural Network 129
S. A. Dawwd, B. S. Mahmood

Hardware Implementation of Distributed Speech Recognition System Front End 135
A. A. Al-Sallab, H. Fahmy, M. Rashwan

Optimized Hardware Implementation of FFT Processor 140
A. A. Al-Sallab, H. Fahmy, M. Rashwan

A Delay-Aware Topology-Based Design for Networks-on-Chip Applications 145
H. Elmiligi, A. A. Morgan, M. W. El-Kharashi, F. Gebali
FPGA Based Selective Harmonic Elimination Pulse Width Modulation Technique 150
B. M. Saied, S. A. Dawwd, A. S. Al-Soufi
A Discrete Particle Swarm Optimization Technique (DPSO) for Power Filter Design 156
A. M. Sharaf, A. A. A. El-Gammal
Open Ends Induction Motor Operation Based on a Dual Inverter 162
S. M. W. Ahmed, M. M. Eisa, G. M. A. Sowilam, A. B. Salem
Practical Implementation of a Dual Inverter Operates Open Ends Induction Motor 168
S. M. W. Ahmed, G. M. A. Sowilam, A. B. Salem
An All-Digital Direct Digital Synthesizer Fully Implemented on FPGA 174
H. Omran, K. Sharaf, M. Ibrahim
FPGA Implementation of Rijndael Algorithm Using Reduced Residue of Prime Numbers 180
M. H. Rais, S. M. Qasim
A CMOS Operational Floating Current Conveyor Circuit 184
F. Elsayed, M. F. Ibrahim, Y. H. Ghallab, W. Badawy
Transient Current Testing for Future CMOS Technologies 188
M. A. Rjeily, A. Chehab, A. Kayssi
Mach-Zehnder MEMS Interferometer with Two Si/Air Beam Splitters 194
H. Omran, M. Medhat, B. Saadany, D. Khalil
Design of an 8-bit Pipelined ADC with Lower than 0.5 LSB DNL and INL Without Calibration 198
E. El-Sayed, H. El-Dib
RF MEMS Resonators: Material Properties Extraction 204
Y. Nada, S. Stoffels, H. A. C. Tilmans, E. Hegazi, H. F. Ragai, A. M. Shaarawi
The Design of 2 GHz LNA for ISM RF Receivers 208
W. S. El-Deeb, A. M. Moselhy, H. S. El-Hennawy
An Integrated ESD DEsign Verification Flow 212
H. Hegazy
Detection of Broken Bars in Squirrel Cage Induction Motor 215
Y. Soufi, T. Bahi, M. F. Harkat, H. Merabet
Wavelet Transform-Based Transient Current Analysis for Detection of Gate-Oxide Shorts in CMOS 220
A. Ghandour, K. Fawaz, A. Chehab, A. Kayssi
Online Power Management Using DVFS for RTOS 226
M. Shalan, D. El-Sissy
Clustering Techniques for Improving Transient Current Testing 232
C. Serhal, A. Chehab, A. Kayssi
Modeling of Gate Oxide Short Defects in MOSFETS 238
S. Chehade, A. Chehab, A. Kayssi
Physical Aware Design Methodology for Analog & Mixed Signal Integrated Circuits 242
H. M. Eissa, A. R. El-Mously
A Novel Technique to Enhance the Stability and the Supply Rejection of a Miller Compensated LDO 247
N. M. Sinoussi, A. M. Elsayed
Static Power Optimization of a Full-Adder Under Front-End of Line Systematic Variations 252
H. Aghababa, A. Afzali-Kusha, B. Forouzandeh
Accelerating Scientific Applications Using GPU's 258
M. Taher
Implementing a Methodology for Process Variation Awareness of Design Context and its Impact on Circuit Analysis 264
R. F. Salem, H. M. AbdelGhany, A. R. Mously, H. M. Eissa, M. H. Anis
Novel Technique for Reducing Effects of Non-Linear Frequency Sweeps in LFM Ranging Radars 269
H. A. Ahmed, A. N. Hafez, A. H. Khalil
Leveraging RFID Technology for Intelligent Classroom 274
R. A. Ramadan
Double-Sampled Time-Interleaved Delta-Sigma Modulators 280
M. A. Makarem, M. Dessouky, M. Tawfik, H. F. Ragaie
Area and Delay Optimization for Networks-on-Chip Architectures using Genetic Algorithms 284
A. A. Morgan, H. Elmiligi, M. W. El-Kharashi, F. Gebali
Adaptive Routing Using Context-Aware Agents for Networks on Chips 290
M. Nickray, M. Dehyadgari, A. Afzali-Kusha
A Robust and Automated Methodology for LVS Quality Assurance 296
A. Mohy, M. A. Makarem

Improved Weighted Code Mapping for Buses with Non Uniform Data Distribution 299
S. Mehrnami, M. Moradinasab, R. Yousefi
Exploring Multistage Interconnection Network Implementations for FPGA-Based MPSOCs 303
Y. Aydi, R. Tligue, M. Abid, J. L. Dekeyser
A Class of Single-Stage and Multi-Stage Lowpass Delta-Sigma Modulators in 1.2-V 0.13 – μ m CMOS 309
M. Momeni, M. Glesner
NoCScope: a Graphical Interface to Improve Networks-on-Chip Monitoring and Design Space Exploration 315
L. Moller, L. S. Indrusiak, M. Glesner
On the Testing of MEMS Resonators 321
S. Mahdavi, F. Nabki, M. Sawan, M. N. El-Gamal
A Prdominant Routing for On-Chip Networks 327
A. Asad, M. Seyrafi, A. E. Zonouz, M. Soryani, M. Fathy
Stable Optical Filter Using Porous Silicon Technology 333
M. M. Hassan, A. H. Morshed, D. Khalil
Low Noise Low Voltage Sub Bandgap Reference Voltage with PTAT Current Generator 337
M. M. El-Kholy
Sigma-Delta Modulation Techniques for Wide Spreading Range Programmable Spread Spectrum Clock Generators 342
A. El-Kholy, A. Mokhtar, A. Ahmed
Fast Search for Worst-Case Test Vectors for Leakage Current Failure Induced by Total Dose in Standard-Cell ASICs 347
H. A. Abdel-Aziz, A. A. Abou-Auf
Hardware EDF Scheduler Implementation on Controller Area Network Controller 353
H. Shokry, M. Shedeed, S. Hammad, M. Shalan, A. Wahdan
Model-Based Embedded Software Development Flow 359
H. Kashif, M. Mostafa, H. Shokry, S. Hammad
RATC: a Robust Topology Control Algorithm for Heterogeneous Wireless Sensor Networks 363
M. Nickray, A. Afzali-Kusha
An Efficient Implementation of RSA for Low Cost Microprocessors 368
A. Talal, M. A. Sobh, A. M. B. Eldin
How to Design an Effective Serial Input Shift Register (SISR) for Data Compression Process of Built-In Self-Test Methodology 372
A. Ahmad, J. Al-Balushi
Non-Algorithmic Stress Optimization Using Simulation for DRAMs 380
Z. Al-Ars, S. Hamdioui
A Modified Bus Invert Method for the Submicron Technology 386
M. Moradinasab, S. Mehrnami, R. Yousefi
Digital On-Chip Phase Noise Measurement 389
M. Ouda, E. Hegazi, H. F. Ragai
FPGA-Based Implementation of a CFAR Processor Using Batcher's Sort and LUT Arithmetic 394
Y. M. Seddiq, S. A. Alshebeili, S. M. Alhumaidi, A. M. Obied
Analysis and Design of Gyro-Drive Mode Loop with Amplitude Control 400
A. Shaban, M. El-Badry, A. El-Sayed
Design Method for a ΣΔ-Based Closed Loop Gyroscope 404
A. K. El-Shennawy, H. Aboushady, A. El-Sayed
Usage of Run-time Re-configuration for System Porting in Automotive Applications 408
S. A. K. El-Din, A. M. Wahba
Chaotic Model (Rossler) Using Filed Programmble Gate Array (FPGA) 414
M. A. S. Aseeri
Formal Verification of Analog and Mixed Signal Designs 418
M. Zaki, S. Tahar
FPGA Design and Implementation of Fixed Width Standard and Truncated 6x6-bit Multipliers: A Comparative Study 419
M. H. Rais
Infrastructure Monitoring Smart Wireless Sensor network with Solar Energy Harvesting 423
A. Biyabani
Author Index