2009 International Conference on Power Systems

(ICPS 2009)

Kharagpur, India
27 – 29 December 2009

IEEE

IEEE Catalog Number: CFP0902H-PRT
ISBN: 978-1-4244-4330-7

TABLE OF CONTENTS

Estimation of Power Quality using Complex H∞ Filter 1
H. K. Sahoo, P. K. Dash, N. P. Rath, R. Kant

Direct Model Reference Adaptive Internal Model Controller for DFIG Wind Farms with Dither Injection 7
N. Amuthan

Reliability Evaluation of Distribution System Accounting Distributed Generation Using Functional Link Network 13
A. Koshti, P. Purey, L. S. Titare, L. D. Arya

Control of MPPT for Photovoltaic Systems Using Advanced Algorithm EPP 19
F. Ansari, A. Iqbal, S. Chatterji, A. Afzal

Combined EKF and SVM based High Impedance Fault Detection in Power Distribution Feeders 25
S. R. Samantaray, L. N. Tripathy, P. K. Dash

Digital Switching Scheme for Cascaded Mutlilevel Inverters 31
S. A. Alexander, T. Manigandan, N. Senthilnathan

A New Approach to Islanding Detection in Distributed Generations 37
S. R. Samantaray, T. M. Pujhari, B. D. Subudhi

A Novel Solid-State Integrated Protection System for Three Phase Induction Motors 43
T. K. Chatterjee, D. K. Mittra, S. Mahata, S. Kareddy

Selection of Dead Angle of a Three-Level Multipulse Voltage Source Converter for Power Quality Improvement in HVDC System 49
D. M. Mohan, B. Singh, B. K. Panigrahi

Fault Classification and Fault Distance Location of Double Circuit Transmission Lines for Phase to Phase Faults using only One Terminal Data 55
A. Jain, A. S. Thoke, E. Koley, R. N. Patel

Analysis of Passive Magnetic Fault Current Limiter Using Wavelet Transform 61
T. Santra, A. K. Chkraborty, D. Roy, A. B. Choudhury

Graph Theory based Corrective Control Strategy during Single Line Contingency 67
M. K. Maharana, K. S. Swarup

A New Static Var System Auxiliary Controller for Damping Subsynchronous Oscillations in Series Compensated Power Systems 73
P. R. Sharma, S. Bansal

Voltage Profile Enhancement through Optimal Placement of FACTS Devices using Queen-Bee-Assisted GA 79
K. Sundareswaran, P. Bharathram, M. Siddharth, G. Vaishnavi, N. A. Shrivastava, H. Sarma

Power Sharing and Stability Enhancement of an Autonomous Microgrid with Inertial and Non-inertial DGs with DSTATCOM 84
R. Majumder, A. Ghosh, G. Ledwich, F. Zare

A Modified Simple Algorithm for Detection of Voltage Sags and Swells in Practical Loads 90
P. Meena, K. U. Rao, D. Ravishankar

Sensitivity Based Evolutionary Algorithms for Reactive Power Dispatch 96
B. Bhattacharyya, S. K. Goswami

Fault Section Estimation in Power System using Neuro-Genetic Approach 103
P. P. Bedekar, S. R. Bhide, V. S. Kale

A Combined Multipulse-Multilevel Inverter Based SSSC 109
B. Geethalakshmi, P. Dananjayan

Assessment of Economic Penetration Levels of Photovoltaic Array Area in a Hybrid Energy System 115
A. Gupta, R. P. Saini, M. P. Sharma

Pumped Storage Bidding and its Impacts in Combined Pool-Bilateral Market 121
P. Kanakasabapathy, K. Shanti Swarup

Load Margin Analysis for Steady State Voltage Stability Using PSO Technique 127
A. Indira, S. Mandal, P. Acharjee, S. S. Thakur

Harmonic Reduction in AC to AC Converter by Trapezoidal Modulation Technique 133
A. Agarwal, V. Agarwal

Anomalies in Harmonic Distortion and Concordia Pattern Analyses in Induction Motors due to Capacitor Bank Malfunctions 139
S. Das, G. Das, P. Purkait, S. Chakravorti

Selection of Capacitor for the Self-Excited Six-Phase Induction Generator 145
G. K. Singh, K. A. Senthil, R. P. Saini
Control and Protection of a Microgrid with Converter Interfaced Micro Sources 151
M. Dewadasa, R. Majumder, A. Ghosh, G. Ledwich
Hybrid Energy System Sizing Incorporating Battery Storage: An Analysis via Simulation Calculation 157
A. Gupta, R. P. Saini, M. P. Sharma
Multi-objective Fuzzy-GA Formulation for Optimal Placement and Sizing of Shunt FACTS Controller 163
A. R. Phadke, M. Fozdar, K. R. Niazi
Constrained Optimal Power Flow using Craziness Based Particle Swarm Optimization Considering Valve Point Loading and Prohibited Operating Zone 169
P. K. Roy, S. P. Ghoshal, S. S. Thakur
Parallel Coningency Analysis in a High Performance Computing Environment 175
G. A. Ezhilarasi, K. S. Swarup
Identification of PQ Disturbances Based on Change in Audible Noise of Three Phase IM 181
L. S. Patil, K. D. Patil, A. G. Thosar
Real-time Monitoring of Critical Nodes with Minimal Number of Phasor Measurement Units 186
D. Thukaram, B. Ravikumr, K. V. S. Sravan, R. Y. Prasad, S. Surendra, S. R. Kolla
Reactive Power Optimization with Different Objectives in Large Power Systems including HVDC Systems and FACTS Devices 192
D. Thukaram, S. Lakpathi, K. Ravishankar, S. Surendra
Artificial Neural Network based Short Term Load Forecasting for Restructured Power System 198
M. Akole, B. Tyagi
PLC Based Operation of Three Natural Gas Generator Models - A Learning Aid for Undergraduate Students 205
P. K. Shadhu Khan, A. A. Noman, R. K. Dey
Investigations on the Effect of Dynamic Fault on Impulse Fault Current Waveforms of Transformer 211
P. Rajamani, D. Dey, S. Chakravorti
Analysis of Leakage Current on Polluted Polymer Insulator by High Resolution Spectrum Estimation Method 216
C. Muniraj, S. Chandrasekar
Determination of the Weakest Branch in a Radial Distribution Network using Local Voltage Stability Indicator at the Proximity of the Voltage Collapse Point 221
S. Banerjee, C. K. Chanda, S. C. Konar
Optimal Placement of Distributed Generation for a Projected Load Increase Using Relative Electrical Distance Approach 225
D. Thukaram, C. Vyjayanthi, S. Surendra
Incentive Charge Calculation for Open Access Transmission System 231
K. Pal, M. Pandit, L. Srivastava
A Profit Based Unit Commitment Problem in Deregulated Power Markets 237
K. Lakshmi, S. Vasantharathna
Effect of Doubly Fed Induction Generator on Transient Stability Analysis of Grid 243
S. Sheri, B. Shankarprasad, V. V. Bhat, S. Jagadish
Study of Autonomous Hybrid Power System Using SVC and STATCOM 249
P. Sharma, N. K. Saxena, T. S. Bhatti
Study of a Thyristor Driven Pump as a Flow Indicator 254
S. C. Bera, N. Mandal, R. Sarkar
Switching and Fault Transient Analysis of 765 kV Transmission Systems 260
D. Thukaram, K. Ravishankar, K. A. Rajendra, S. R. Kolla
Control of 4-Leg VSC Based DSTATCOM using Modified Instantaneous Symmetrical Component Theory 266
S. Kumar, B. Singh
A New Simple Modeling and Analysis of Custom Power Controllers 272
P. Vasudevanaidu, Y. N. Kumar
Optimized Daily Scheduling of Wind-Pumped Hydro Plants for a Day-Ahead Electricity Market System 278
D. K. Khatod, V. Pant, J. Sharma
New Approach of Procurement Market Model for Reactive Power in Deregulated Electricity Market 284
A. Singh, P. K. Kalra, D. S. Chauhan
Cost Benefit Analysis of Solar Powered LED Based Lighting System for N.I.T. Silchar 290
A. K. Sinha, S. K. Samantaray, C. Bhattacharjee, A. R. Jha, R. Das, T. S. Tomar

Evolutionary Computation based Four-Area Automatic Generation Control in Restructured Environement 295
R. Roy, S. P. Ghoshal, P. Bhatt
Artificial Neural Network Application for Control of STATCOM in Power Systems for Both Voltage Control Mode and Reactive Power Mode 301
S. Sumathi, Bansilal
Time of Use Pricing - India, A Case Study 305
S. K. M. Shaikh, A. A. Dharme
Optimal Siting and Sizing of Hybrid Distributed Generation using EP 311
S. G. Bharathi Dasan, S. Selvi Ramalakshmi, R. P. Kumudini-devi
Reliability Driven Reconfiguration of Rural Power Distribution Systems 317
S. Chakrabarti, G. Ledwich, A. Ghosh
Voltage - Frequency Controller for Stand Alone WECS Employing Permanent Magnet Synchronous Generator 323
B. Singh, V. Sheeja, R. Uma, P. Jayaprakash
Design of a Star-Hexagon Transformer Based Electronic Load Controller for Isolated Pico Hydro Generating System 329
B. Singh, V. Rajagopal
Mitigation of Detrimental Subsynchronous Oscillations by Linear Optimal Control with Prescribed Degree of Stability 335
I. M. H. Naveh, E. Rakhshani
An Improved Prony Method for Identifying Low Frequency Oscillations using Synchro-Phasor Measurements 339
P. Tripathy, S. C. Srivastava, S. N. Singh
Measurement of Power Quality under Nonsinusoidal Condition using Wavelet and Fuzzy Logic 344
S. Nath, P. Sinha
Robust Extended Complex Kalman Filter Applied to Distorted Power System Signals for Frequency Estimation 350
R. Panigrahi, S. Rauta, P. C. Panda
Performance Analysis of Converter based Variable Speed Wind Energy Conversion System 356
A. Sinha, D. Kumar, P. Samuel, R. Gupta
Two Analytical Approaches for Optimal Placement of Distributed Generation Unit in Power Systems 362
S. Ghosh, S. P. Ghoshal, S. Ghosh
Development of a Smart Energy Saving Device Based on Ant Colony System 368
A. Baral, P. Sarkar, K. Das, D. Ghosh, P. Syam
Neural Network Principal Component Analysis Based Power Transformer Differential Protection 374
M. Tripathy
Distribution System Load Flow Solution Using Genetic Algorithm 380
D. Chakraborty, C. P. Sharma, B. Das, K. Abhishek, T. Malakar
Design of Robust Power System Stabilizer Using H∞ Mixed Sensitivity Technique 386
A. Sil, T. K. Gangopadhyay, S. Paul, A. K. Maitra
Restoration of Load Voltage by Distributed Generation 390
G. S. Reddy, R. K. Singh
One-Step-Ahead Hourly Load Forecasting Using Artificial Neural Network 395
N. M. Pindoriya, S. N. Singh, S. K. Singh
Lightning Electromagnetic Fields at Different Heights above the Ground 401
K. Chandrasekaran, P. D. Kannu
OPF based Voltage Stability Assessment of a Multi-Bus Power System Using Network Equivalencing Technique 406
P. Nagendra, S. Halder nee Dey, S. Paul
Line Outage Contigency Screening and Ranking for Voltage Stability Assessment 412
C. Subramani, S. S. Dash, M. A. Bhaskar, M. Jagadeeshkumar, K. Sureshkumar, R. Parthipan
Effects of Compensated AC Transmission Links Under Normal/Subnominal Frequency Operation 417
S. Kumar
Multiagent Based Particle Swarm Optimization Approach to Economic Dispatch with Security Constraints 423
S. Sivasubramani, K. S. Swarup
Breakdown Voltage Modeling of Manila Paper in the Presence of Cavities under AC and DC Conditions by Adaptive Fuzzy Logic Technique 429
S. Mohanty, S. Ghosh
A Novel Method to Assess Global Voltage Stability of a Multi-Bus Power System 435
S. Halder nee Dey, R. Chowdhury, P. Das

Faulted Phase Selection on Double Circuit Transmission Line using Wavelet Transform and Neural Network 441
V. S. Kale, S. R. Bhide, P. P. Bedekar
Low Voltage Ride-through and Performance Improvement of a Grid Connected DFIG System 447
R. K. Behera, W. Gao
Artificial Neural Network based Multi Area Automatic Generation Control Scheme for A Competitive Electricity Market Environement 453
B. P. Padhy, B. Tyagi
Low Cost Solution for Automation and Control of MV Substation using MODBUS-SCADA 459
N. Yellamandamma, K. V. H. Rao, A. Aggarwal, T. S. Kumar
Fuzzy C-Means Clustering Damping Controller Design for a Power System Installed with TCSC 465
S. V. Khatami, N. Talebi, M. T. N. Razavi
Wind Power Trading Options in Indian Electricity Market: Inclusion of Availability based Tariff and Day Ahead Trading 471
D. K. Agrawal, N. P. Patidar, R. K. Nema
A New Technique To Classify Transient Events In Power Transformer Differential Protection Using S-Transform 477
S. Sendilkumar, B. L. Mathur, J. Henry
Harmonics Estimation and Modeling of Residential and Commercial Loads 483
R. D. Patidar, S. P. Singh
A Study on Ferroresonance with a Varying Initial Conditions using a Nonlinear Model of Transformer 489
M. Roy, C. K. Roy
Frequency Regulation of Hybrid Renewable Energy System for Large Band Wind Speed Variation 495
P. K. Ray, S. R. Mohanty, N. Kishor
Active Power Loss Minimization with FACTS Devices Using SA/PSO Techniques 501
S. Majumdar, A. K. Chakraborty, P. K. Chattopadhyay
Stand-Alone Wind Energy Supply System 506
C. N. Bhende
Thermal Modeling of Electrical Utility Transformer 512
V. V. S. S. Haritha, T. R. Rao, A. Jain, M. Ramamoorty
Real-Time Detection and Analysis of PQ Disturbances with DSP using Matlab Embedded Link to Code Composer Studio 518
P. Meena, K. U. Rao, D. Ravishankar
Determination of Worst Case Loading Margin using Genetic Algorithm 523
A. R. Phadke, M. Fozdar, K. R. Niazi
Realistic Multistress Long Term Aging of 28kV Polymeric Insulators 529
R. Sundararajan, R. Chapman, R. Nowlin
Modeling of Facts and Custom Power Devices in Distribution Network to Improve Power Quality 535
A. K. Sahoo, T. Thyagarajan
A Novel Structure of UPFC with Matrix Converter 542
B. Geethalakshmi, G. Devanathan, P. Dananjayan
Ensuring Spinning Reserve in Generation Deficient Indian Power System 548
S. Das
Mitigation of Flicker at Wood Saw Machine with Active and Reactive Power Compensation 554
V. B. Virulkar, M. V. Aware
Optimum Coordination of Overcurrent Relays in Distribution System Using Genetic Algorithm 560
P. P. Bedekar, S. R. Bhide, V. S. Kale
Design and Analysis of a Switched Reluctance Generator for Rural Electrification in Stand Alone Wind Energy Conversion System 566
R. Karthikeyan, K. Vijayakumar, R. Arumugam, V. Kamaraj
Investigation and Modeling of Epoxies Aging Tests under the Effect of Variation of Parameters on Partial Discharge (PD) 572
C. K. Vibhakar, S. A. Kanitkar
A New Control Strategy for Load Compensation in Power Distribution System 577
U. K. Rao, M. K. Mishra
Optimal Power Flow of Large Distribution System Solution for Combined Economic Emission Dispatch Problem Using Particle Swarm Optimization 583
K. K. Swarnkar, S. Wadhwani, A. K. Wadhwani
Supplementary Excitation Controller Design to Enhance System Damping Ratio using an Innovative Swarm Intelligence Algorithm 588
R. Shivakumar, R. Lakshmipathi, Y. Suresh

Directional Relaying during Power Swing and Single-pole Tripping 594
P. Jena, A. K. Pradhan
Simulation and Performance Evaluation of 10 kW Two Stage Power Electronic Interface for Fuel Cell Based Power Supply System 600
A. Kirubakaran, S. Jain, R. K. Nema
Design of Pulsed Power System for Fusion Reactor 606
B. Srilatha, A. K. Sinha
Analysis and Control of a Variable Speed Wind Turbine Drive System Dynamics 612
R. K. Thakur
Two Stage State Estimator with Phasor Measurements 617
K. Jamuna, K. S. Swarup
A Study on Ferroresonance and Its Dependence on Instant of Switching Angle of the Source Voltage 622
M. Roy, C. K. Roy
System Planning and Protection Engineering - An Overview 628
A. Jain, K. Garg
Maximum Power Point Tracking Parameter Selection for Higher Order Converters Used in Photovoltaic Applications 634
M. Veerachary
Power Quality Survey in a Technological Institute 640
N. Karthikeyan, S. Sasitharan, B. K. Srinivas, M. K. Mishra, K. B. Kalyan
Additional Cost Based Distribution System Planning 646
S. Singh, T. Ghose, S. K. Goswami, P. Mishra
Three Single-Phase Voltage Source Converter Based Three-Phase Four Wire DSTATCOM 651
B. Singh, P. Jayaprakash, D. P. Kothari
Modelling of Risk Drivers in Valuation of Electricity Distribution Business 656
Y. Bichpuriya, P. Chitkara
System ATC Estimation using Distributed Computing 662
S. N. Pandey, S. Tapaswi, L. Srivastava
A Study on ABT Scheduling and Accounting Treatment of TPL-SUGEN: During Its Unit Wise Eventual Commercial Operation 668
S. Sharma, B. R. Parekh, S. Jani
Energy Management of Village Towards Self Sufficiency 674
M. Sharma, R. B. Agarwal
Consumer Indexing - A GIS Based Approach 679
P. Chaurasia, T. Thakur
Identification of Internal Faults in Power Transformer Using Symmetrical Components and Park's Plots 684
S. Ala, M. Tripathy, A. K. Singh
An Intelligent Water Cooling Techniques - A Case Study 690
P. Ravibabu, A. Praveen, C. Vikaschandra
A Methodology for Selective Localization of Capacitor Banks for Power Systems 695
S. Raman, A. Jain, M. Ramamoorty, A. Vaghamshi
ICT Enabled High Voltage Laboratory: Cost Effective Tool for Engineering Education 700
S. Karmakar, N. K. Roy, P. Kumbhakar, A. Nafalski
Control of Single-Phase Z-Source Inverter for a Grid Connected System 706
T. Chandrashekhar, M. Veerachary
A Tool for Real Time Demand Estimation 712
V. K. Agrawal, U. K. Verma, A. Gartia, Rakesh
Power System Network Modeling for On-line Analysis 717
A. Gartia, Nallarasan, S. P. Barnwal, G. Madhukar
Partial Discharge Measurement of Transformer with ICT Facilities 723
S. Karmakar, N. K. Roy, P. Kumbhakar
Technical Efficiencies for State owned Electricity Generation Companies in India 728
T. Thakur, S. Jain
Congestion Management using Generation Rescheduling and/or Load Shedding of Sensitive Buses 732
J. Hazra, A. K. Sinha, Y. Phulpin
SRF Theory for Voltage and Frequency Control of IAG Based Wind Power Generation 737
B. Singh, S. Sharma
Transient Stability Analysis Using Modified Euler's Iterative Technique 743
A. A. Nimje, C. K. Panigrahi

Performance Analysis of Compensation Current Extraction Techniques for 3Φ, 3-Wire Shunt Active Power Filter Under Unbalanced Supply 747
J. M. Gonda, A. V. Anantha, D. S. Sumam
Computation of Critical Clearing Time using an Integrated Approach 753
B. K. Saharoy, A. K. Pradhan, A. K. Sinha
WAMs Implementation in MSETCL:A Beginning 758
A. Roy, S. Kelkar, V. Pande, S. Shrouty, A. Kulkarni
Broadband Over Power Lines (BPL) 764
S. Basu, S. Roy, P. K. Ray
Response Analysis of Saturable Reactors and Tap Changer in an Aluminium Smelting Plant 768
A. P. Agalgaonkar, K. M. Muttaqi, S. Perera
Author Index