

20th International Symposium on Space Terahertz Technology 2009

(ISSTT 2009)

**Charlottesville, Virginia, USA
20-22 April 2009**

Editors:

**Eric Bryerton
Anthony Kerr**

Arthur Lichtenberger

ISBN: 978-1-61738-401-1

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2009) by the International Symposium on Space Terahertz Technology
All rights reserved. ISSTT proceedings are open access; available for free online:
<http://www.nrao.edu/meetings/isstt/index.shtml>

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact the International Symposium on Space Terahertz Technology at the address below.

International Symposium on Space Terahertz Technology
c/o NRAO Headquarters
520 Edgemont Road
Charlottesville, VA 22903-2475

Phone: (434) 296-0254
Fax: (434) 296-0278

mbishop@nrao.edu

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Contents

ORAL SESSIONS

M1: ALMA Cartridges (Wolfgang Wild, Chair)

M1A: Prototype ALMA Band 5 Cartridge: Design and Performance	2
<i>V. Belitsky, I. Lapkin, B. Billade, E. Sundin, A. Pavolotsky, D. Meledin, M. Strandberg, R. Finger, O. Nyström, D. Henke, V. Desmaris, M. Fredrixon, S.E. Ferm</i>	
M1B: Evaluation of ALMA Band 8 S/N01 Cartridge	6
<i>Y. Sekimoto, Y. Iizuka, T. Ito, K. Kumagai, N. Satou, M. Kamikura, Y. Serizawa, N. Naruse, Y. Niizeki, Y. Fujimoto, and W. L. Shan</i>	
M1C: Series Production of State-of-the-Art 602-720 GHz SIS Receivers for Band 9 of ALMA ...	7
<i>B. D. Jackson, R. Hesper, J. Adema, J. Barkhof, A. M. Baryshev, T. Zijlstra, S. Zhu, and T. M. Klapwijk</i>	
M1D: Development of the 787-950 GHz ALMA Band 10 Cartridge	12
<i>Y. Uzawa, T. Kojima, M. Kroug, M. Takeda, M. Candotti, Y. Fujii, W.-L. Shan, K. Kaneko, S. Shitov, and M.-J. Wang</i>	

M2: SIS Receivers (Jacob Kooi, Chair)

M2A: 230 GHz sideband-separating mixer array	14
<i>Doris Maier</i>	
M2B: ALMA Band 5 (163-211 GHz) Sideband Separation Mixer	19
<i>B. Billade, V. Belitsky, A. Pavolotsky, I. Lapkin, J. Kooi</i>	
M2C: Development of SIS Mixers for SMA 400-520 GHz Band	24
<i>C. Li, T. Chen, T. Ni, W. Lu, C. Chiu, C. Chen, Y. Chang, M. Wang and S. Shi</i>	
M2D: An 800 GHz SIS Receiver for the RLT Incorporating a HIFI Band 3-type Mixer and	31
<i>SiGe LNA</i> <i>A. Hedden, H. Li, E. Tong, S. Paine, R. Blundell, J. Kawamura, C. Groppi, C. Kulesa, C. Walker, G. de Lange, T. Klapwijk, T. Zijlstra, H. Mani, and S. Weinreb</i>	
M2E: Broadband SIS mixer for 1 THz Band	35
<i>A. Karpov, D. Miller, J. A. Stern, B. Bumble, H. G. LeDuc, J. Zmuidzinas</i>	

M3: THz Sources (Imran Mehdi, Chair)

M3A: Terahertz Local Oscillator Sources	37
<i>T.W. Crowe, J.L. Hesler, W.L. Bishop, G.S. Schoenthal, and K. Hui</i>	
M3B: Tunable THz Source with Harmonic Multiplier Based on Superlattice Structures	38
<i>V.L.Vaks, A.N.Panin, S.I.Pripolzin, D.G.Paveliev, and U.I.Koshurinov</i>	
M3C: Terahertz Sideband Generator Array on Extended Silicon Dielectric Lens	39
<i>H. Xu, Sami H. Hawasli, Lei Liu, J. Hesler, and R. Weikle, II</i>	
M3D: Diamond Heat-Spreaders for Submillimeter-Wave GaAs Schottky Diode Frequency	43
<i>Multipliers</i> <i>C. Lee, J. Ward, R. Lin, E. Schlecht, G. Chattopadhyay, J. Gill, B.Thomas, A. Maestrini, I.Mehdi, and P. Siegel</i>	

M4: QCLs (Brian Ellison, Chair)

- M4A: Integration of Lithographically Microfabricated Rectangular Waveguides and 48
THz Quantum Cascade Lasers
*M.C. Wanke, C.D. Nordquist, M. Lee, C.L. Arrington, A.M. Rowen, M.J. Cich, A.D. Grine,
C.T. Fuller, E.A. Shaner, E.W. Young, and J.L. Reno*
- M4B: Phase-locking of a 2.7-THz Quantum Cascade Laser to a Microwave Reference 49
*A.M. Baryshev, P. Khosropanah, W. Zhang, W. Jellema, J.N. Hovenier, J.R. Gao, T.M. Klapwijk,
D.G. Paveliev, B.S. William, S. Kumar, Q. Hu, J.L. Reno, B. Klein, J.L. Hesler*

T1: First Light THz Instruments (Anthony Kerr, Chair)

- T1A: First 1.3 THz Observations at the APEX Telescope 54
C. Risacher, D. Meledin, V. Belitsky, and P. Bergman
- T1B: First Light of the TELIS instrument 62
*G. Lange, P. Yagoubov, H. Golstein, A. de Lange, B. van Kuik, J. van Rantwijk E. de Vries,
J. Dercksen, R. Hoogeveen, V. Koshelets, O. Kiselev, A. Ermakov*
- T1C: Performance of HIFI in Flight Conditions 63
*P. Dieleman, D. Teyssier, T. Klein, J. Pearson, W. Jellema, J. Kooi, J. Braine, P. Morris,
A. de Jonge, R. de Haan, W. Laauwen, H. Smit, N. Whyborn, P. Roelfsema, F. Helmich, and
T. de Graauw, on behalf of the HIFI team*
- T1D: HIFI Instrument Stability as Measured during the Thermal Vacuum Tests of the 69
Herschel Space Observatory
J. W. Kooi and V. Ossenkopf

T2: Direct Detectors (Brian Jackson, Chair)

- T2A: Development of Low-Noise Multiband Imaging Arrays using Microwave Kinetic 71
Inductance Detectors (MKID) for Groundbased Submillimeter Astronomy
*O. Noroozian, N.G. Czakon, P.K. Day, J.-S. Gao, J. Glenn, S. Golwala, H. LeDuc, P.R. Maloney,
B. Mazin, D. Moore, H. T. Nguyen, J. Sayers, J. Schlaerth, J. E. Vaillancourt, A. Vayonakis, and J.
Zmuidzinas*
- T2B: Noise Measurements in Ti Hot-Electron Nanobolometers 72
S.V. Pereverzev, D. Olaya, M.E. Gershenson, R. Cantor, and B.S. Karasik
- T2C: Low Thermal Conductance Transition Edge Sensor (TES) for SPICA 73
*P. Khosropanah, B. Dirks, J. van der Kuur, M. Ridder, M. Bruijn, M. Popescu, H. Hoevers, J.-R.
Gao, D. Morozov, and P. Mauskopf*
- T2D: Effect of Lifetime Broadening of Superconducting Energy Gap on Quasiparticle 74
Tunneling Current
T. Noguchi, T. Suzuki, A. Endo, M. Naruse, Y. Hibi, H. Matsuo, and Y. Sekimoto
- T2E: Kinetic Inductance Detectors with Integrated Antennas for Ground and Space-Based 80
Sub-mm Astronomy
*A. Baryshev, J.J.A. Baselmans, S. Yates, A. Neto, D. Bekers, G. Gerini, Y.J.Y. Lankwarden, B. Klein,
R. Barends, H. Hoevers, T.M. Klapwijk*

T3: THz Systems (Patrick Pütz, Chair)

- T3A: GUBBINS: A Novel Millimeter-Wave Heterodyne Interferometer 82
*P.K. Grimes, M.J.R. Brock, C.M. Holler, J. John, M.E. Jones, O.G. King, J. Leech, A.C. Taylor,
G. Yassin, K. Jacobs, and C. Groppi*

T3B: SuperCam: A 64 Pixel Heterodyne Array Receiver for the 350 GHz Atmospheric Window	90
<i>C. Groppi, C. Walker, C. Kulesa, D. Golish, J. Kloosterman, S. Weinreb, G. Jones, J. Barden, H. Mani, T. Kuiper, J. Kooi, A. Lichtenberger, T. Cecil, G. Narayanan, P. Pütz, and A. Hedden</i>	
T3C: Clover - Measuring the Cosmic Microwave Background B-mode Polarization	97
<i>P. K. Grimes, P. A. R. Ade, M. D. Audley, C. Baines, R. A. Battye, M. L. Brown, P. Cabella, P. G. Calisse, A. D. Challinor, P. J. Diamond, W. D. Duncan, P. Ferreira, W. K. Gear, D. Glowacka, D. J. Goldie, W. F. Grainger, M. Halpern, P. Hargrave, V. Haynes, G. C. Hilton, K. D. Irwin, B. R. Johnson, M. E. Jones, A. N. Lasenby, P. J. Leahy, J. Leech, S. Lewis, B. Maffei, L. Martinis, P. Mauskopf, S. J. Melhuish, C. E. North, D. O’Dea, S. M. Parsley, L. Piccirillo, G. Pisano, C. D. Reintsema, G. Savini, R. Sudiwala, D. Sutton, A. C. Taylor, G. Teleberg, D. Titterington, V. Tsaneva, C. Tucker, R. Watson, S. Withington, G. Yassin, J. Zhang, and J. Zuntz</i>	
T3D: A Test Flight Instrument for the Stratospheric Terahertz Observatory (STO)	107
<i>C. Walker, C. Kulesa, C. Groppi, E. Young, P. Bernasconi, H. Eaton, N. Rolander, C. Lisse, D. Hollenbach, J. Kawamura, P. Goldsmith, W. Langer, H. Yorke, J. Sterne, A. Skalare, I. Mehdi, S. Weinreb, J. Kooi, J. Stutzki, U. Graf, C. Honingh, P. Pütz, C.L. Martin</i>	
T3E: Main Parameters and Instrumentation of Millimetron Space Mission	108
<i>A.M. Baryshev, W. Wild, S.F. Likhachev, V.F. Vdovin, G.N. Goltsman, and N.S. Kardashev</i>	

T4: Components and Novel Applications (Thomas Crowe, Chair)

T4A: New Results on Terahertz Detection by Carbon Nanotubes	110
<i>E. Carrion, M. Muthee, J. Donovan, R. Zannoni, J. Nicholson, E. Polizzi, and K. S. Yngvesson</i>	
T4B: In situ Quantitative THz Gas Analysis	120
<i>J. Pearson, B. Drouin, K. Cooper, and R. Stachnik</i>	
T4D: Ultra-Gaussian Horns for CLOVER – a B-Mode CMB Experiment	128
<i>P.A. Ade, R. J. Wylde, and J. Zhang</i>	

W1: Schottky Mixers and Detectors (Heinz-Wilhelm Hübers, Chair)

W1A: Broadband Schottky Receivers for Atmospheric Studies	139
<i>K. Hui, J.L. Hesler, and T.W. Crowe</i>	
W1B: Sub-Millimeter Wave MMIC Schottky Subharmonic Mixer Testing at Passive Cooling Temperatures	140
<i>B. Thomas, E. Schlecht, A. Maestrini, J. Ward, G. Chattopadhyay, R. Lin, J. Gill, C. Lee, and I. Mehdi</i>	
W1C: A 200 GHz Schottky Diode Quasi-Optical Detector Based on Folded Dipole Antenna	145
<i>L. Liu, H. Xu, Y. Duan, A. W. Lichtenberger, J. L. Hesler, and R. M. Weikle, II</i>	

W2: HEB Mixers and Receivers (Boris Karasik, Chair)

W2A: NbN Phonon-Cooled Hot-Electron Bolometer Mixer with Additional Diffusion Cooling	151
<i>S. A. Ryabchun, I. V. Tretyakov, M. I. Finkel, S. N. Maslennikov, N. S. Kaurova, V. A. Seleznev, B. M. Voronov, and G. N. Gol’tsman</i>	
W2B: Quantum Noise Contribution to NbN Hot Electron Bolometer Receiver	155
<i>W. Zhang, P. Khosropanah, J.R. Gao, E.L. Kollberg, K.S. Yngvesson, T. Bansal, J.N. Hovenier, and T.M. Klapwijk</i>	
W2C: Development of 1.5 THz Waveguide NbTiN HEB Mixers	156
<i>L. Jiang, T. Yamakura, Y. Irimajiri, K. Shimbo, S. Shiba, T. Shiino, N. Sakai, P. G. Ananthasubramanian, H. Maezawa, and S. Yamamoto</i>	
W2D: System Performance of NbTiN THz SHEB Waveguide Mixers and Cryogenic SiGe LNA	161
<i>P. Pütz, M. Schultz, C.E. Honingh, M. Justen, K. Jacobs, J. Bardin, G. Jones, H. Mani, and S. Weinreb</i>	

W2E: Integration of a Mobile Terahertz Spectroscopic System Based on HEB Heterodyne Detection	162
<i>J. Surek, T. Hofer, and E. Gerecht</i>	

W3: Receivers and Backends (Victor Belitsky, Chair)

W3A: ATOMMS: the Active Temperature, Ozone and Moisture Microwave Spectrometer	167
<i>C. Groppi, E. Kursinski, D. Ward, A. Otarola, K. Sammler, M. Schein, S. Al Banna, B. Wheelwright, S. Bell, W. Bertiger, M. Miller, H. Pickett</i>	
W3B: Water Vapor Radiometer for ALMA	174
<i>A. Emrich, S. Andersson, M. Wannerbratt, P. Sobis, Serguei Cherednichenko, D. Runesson, T. Ekebrand, M. Krus, C. Tegnader, U. Krus</i>	
W3C: Advanced mHEMT Technologies for Space Applications	178
<i>A. Hülsmann, A. Leuther, I. Kallfass, R. Weber, A. Tessmann, M. Schlechtweg, O. Ambacher</i>	
W3D: Compact 340 GHz Receiver Front-Ends	183
<i>P. Sobis, T. Bryllert, A. Olsen, J. Vukusic, V. Drakinskiy, S. Cherednichenko, A. Emrich and J. Stake</i>	

W4: Testing and Measurements (Bertrand Thomas, Chair)

W4A: Modular VNA Extenders for Terahertz Frequencies	190
<i>Y. Duan and J.L. Hesler</i>	
W4B: A Simple Orthomode Transducer for Centimeter to Submillimeter Wavelengths	191
<i>A. Dunning, S. Srikanth, and A. R. Kerr</i>	
W4C: Six-Port Reflectometers for Waveguide Bands WR-15 and WR-2.8	195
<i>G. Wu, Z. Liu, L. Liu, J. Hesler, A. Lichtenberger, and R. Weikle, II</i>	
W4D: Fast Fourier Transform Spectrometer	199
<i>B. Klein, I. Krämer, S. Hochgürtel, R. Güsten, A. Bell, K. Meyer, and V. Chetk</i>	
W4E: High Resolution Digital Spectrometer with Correlation and Image Rejection Capabilities	202
<i>A. Murk, C. Straub, D. Zardet, and B. Stuber</i>	

POSTER SESSIONS

P1: Sources

P1A: Design Study for the Local Oscillator Injection Scheme for the ALMA Band 10 Receiver	204
<i>M. Candotti, Y. Uzawa, Y. Fujii, and T. Kojima</i>	
P1B: A Novel Dual-Chip Single-Waveguide Power Combining Scheme for Millimeter-Wave Frequency Multipliers	205
<i>J. Siles, A. Maestrini, B. Alderman, S. Davies, and H. Wang</i>	
P1D: Numerical Physical Model for Heterostructure Barrier Varactors	210
<i>J. Grajal and V. Bernardo</i>	

P2: Waveguides, Antennas, and Quasi-Optics

P2A: A New, Simple Method for Fabricating High Performance Sub-mm Focal Plane Arrays by Direct Machining using Shaped Drill Bits	214
<i>J. Leech, G. Yassin, B.K. Tan, M. Tacon, P. Kittara, A. Jiralucksanawong, and S. Wangsuya</i>	
P2B: High Performance Frequency Selective Surfaces for Passive Radiometry	219
<i>R. Dickie, R. Cahill, H. S. Gamble, V. F. Fusco, P. G. Huggard, M. Henry, M. L. Oldfield, P. Howard, Y. Munro, and P. de Maagt</i>	

P2C: The Ring-Centered Waveguide Flange for Submillimeter Wavelengths	220
<i>A. R. Kerr and S. Srikanth</i>	
P2D: Ideal Grid Generates Cross Polarization	223
<i>B. Lazareff, S. Mahieu, and D. Geoffroy</i>	
P2E: Some Experiments Concerning Resolution of 32 Sensors Passive 8 mm Wave	227
Imaging System	
<i>A. Denisov, V. Gorishnyak, S. Kuzmin, V. Miklashevich, V. Obolonskv, V. Radzikhovsky ,</i>	
<i>B. Shevchuk, B. Yshenko,, V. Uliz'ko, and J.Y. Son</i>	
P2F: A Single 30 cm Aperture Antenna Design for the Operation of 2 Widely Separated	230
Frequency Bands for the Active Temperature, Ozone and Moisture Microwave	
Spectrometer (ATOMMS)	
<i>S. AlBanna, C. Groppi, C. Walker, M. Schein, S. Bell, B. Wheelwright, C. Drouet d'Aubigny, A. Young,</i>	
<i>D. Golish, E. Kursinski, A. Otarola, D. Ward, K. Sammler, W. Bertiger, M. Miller, and H. Pickett</i>	

P3: Novel Devices and Measurements

P3A: Toward THz Single Photon Detection with a Superconducting Nanobolometer	238
<i>D. Santavicca, B. Reulet, B. Karasik, S. Pereverzev, D. Olaya, M. Gershenson, L. Frunzio,</i>	
<i>and D. E. Prober</i>	
P3C: A New Laboratory for Terahertz Photonics	239
<i>J. Castillo, C. Barrientos, V. H. Calle, L. Pallanca, F. P. Mena, and E. A. Michael</i>	
P3D: Implementation of a Two-Temperature Calibration Load Unit for the	242
Submillimeter Array	
<i>C. Tong, D. Papa, S. Leiker, R. Wilson, S. Paine, R. Christensen, and R. Blundell</i>	
P3E: ALMA Band 9 Cartridge Automated Test System	246
<i>J. Barkhof, B. D. Jackson, A. M. Baryshev, and R. Hesper</i>	

P4: Schottky Diodes

P4A: A 380 GHz Sub-harmonic Mixer using MMIC Foundry Based Schottky Diodes	251
Transferred onto Quartz Substrate	
<i>J. Treuttel, B. Thomas, A. Maestrini, H. Wang, B. Alderman, J.V. Siles, S. Davis, T. Narhi</i>	
P4B: Conception and Fabrication of GaAs Schottky Diodes for Mixers	255
<i>C. Jung, A. Maestrini, A. Cavanna, U. Gennser, I. Sagnes, H. Wang, Y. Jin</i>	

P5: SIS Mixers

P5A: A Sideband-Separating Mixer Upgrade for ALMA Band 9	257
<i>R. Hesper, G. Gerlofsma, P. Mena, M. Spaans, and A. Baryshev</i>	
P5B: Limits of Image Rejection of Sideband-Separating Mixers	261
<i>D. Maier</i>	
P5C: Shot-Noise Characteristics of NbN Superconducting Tunnel Junctions	262
<i>J. Li, X. Cao, M. Takeda, H. Matsuo, Z. Wang, and S. Shi</i>	
P5D: Unilateral finline transition at THz frequencies	263
<i>B. Tan and G. Yassin</i>	
P5E: Superconducting SIS Mixers with Vertically Stacked Junctions	267
<i>M. Wang, T. Chen, C. Chiu, W. Lu, J. Li, and S. Shi</i>	

P6: Physics and Measurements of SIS Devices

- P6A: Magnetic Field Dependence of the Microwave Properties of Proximity Effect Nb/Al 271
Bilayers Close to the Gap Frequency
*S. Zhu, T. Zijlstra, C. F. J. Lodewijk, A. Brettschneider, M. van den Bemt, B. D. Jackson,
A. M. Baryshev, A. A. Golubov, and T. M. Klapwijk*
- P6B: Measurement of Electron-Phonon Interaction Time of Niobium using Heating Effect 275
in SIS Tunnel Junction
B. Tan, G. Yassin, P. Kittara, and J. Leech
- P6C: Submillimeter-wave Emitted by Small Parallel Josephson Junction Arrays 278
F. Boussaha, A. Féret, M. Salez, C. Chaumont, B. Lecomte, J-M. Krieg and L. Lapierre

P7: HEB and Direct Detectors

- P7A: A Study of Direct Detection Effect on the Linearity of Hot Electron Bolometer Mixers 282
Y. Lobanov, C. Tong, R. Blundell, and G. Gol'tsman
- P7B: Multiplexing of Hot-Electron Nanobolometers using Microwave SQUIDs 288
B.S. Karasik, P.K. Day, and J.H. Kawamura
- P7C: Performance Investigation of a Quasi-Optical NbN HEB Mixer at Submillimeter 289
Wavelength
*W. Miao, Y. Delorme, A. Feret, R. Lefevre, L. Benoit, F. Dauplay, J.M. Krieg, G. Beaudin, W. Zhang,
Y. Ren, and S.C. Shi*
- P7D: Low Noise Terahertz Receivers Based on Superconducting NbN Hot Electron Bolometers 293
J. Chen, L. Kang, M. Liang, J. P. Wang, and P. H. Wu
- P7E: A Room Temperature Nb₅N₆ Microbolometer for Detecting 100 GHz Radiation 297
L.Kang, P.H.Wu, X.H.Lu, J.Chen, Q.J.Yao, and S.C.Shi
- P7F: A Dual-Polarization TES Bolometer Detector for CMB B-pol Measurements 298
*V. Yefremenko, G. Wang, A. Datesman, L. Bleem, J. McMahon, C. Chang, J. Pearson,
G. Shustakova, A. Crites, T. Downes, J. Mehl, S. Meyer, J. Carlstrom, and V. Novosad*
- P7G: Highly Sensitive NbN Hot Electron Bolometer Mixer at 5.25 THz 299
W. Zhang, P. Khosropanah, T. Aggarwal, J.R. Gao, T.M. Klapwijk, W. Miao, and S.C. Shi

P8: Receivers and Backends

- P8A: Improved Multi-octave 3 dB IF Hybrid for Radio Astronomy Cryogenic Receivers 300
I. Malo, J. Gallego, C. Diez, I. López-Fernández, and C. Briso
- P8B: Analysis, Simulation and Design of Cryogenic Systems for ALMA Band 5 307
Prototype Cartridge
M. Strandberg, I. Lapkin, V. Belitsky, A. Pavolotsky, and S.-E. Ferm
- P8D: Design of a Heterodyne Receiver for Band 1 of ALMA 311
N. Reyes, P. Zorzi, F. P. Mena, C. Granet, E. Michael, L. Bronfman, and J. May
- P8E: GREAT: Ready for Early Science aboard SOFIA 315
S. Heyminck, R. Güsten, U.U. Graf, J. Stutzki, P. Hartogh, H.-W. Hübers, O. Ricken, B. Klein et al.
- P8F: Microwave Kinetic Inductance Detector (MKID) Camera Testing for Submillimeter 318
Astronomy
*N.G. Czakon, P.K. Day, J.-S. Gao, J. Glenn, S. Golwala, H. LeDuc, P.R. Maloney, B. Mazin,
D. Moore, O. Noroozian, H. T. Nguyen, J. Sayers, J. Schlaerth, J. E. Vaillancourt, A. Vayonakis,
and J. Zmuidzinas*
- P8G: Radiometer MMIC 319
A. Emrich, T. Pellikka, and S.E. Gunnarsson
- P8H: STEAMR Receiver Chain 320
P. Sobis, A. Emrich, and M. Hjorth

P8I: A Multi-Beam 2SB Receiver for Millimeter-Wave Radio Astronomy	326
<i>W.L. Shan, J. Yang, S.C. Shi, Q.J. Yao, Y.X. Zuo, S.H. Chen, A.Q. Cao, Z.H. Lin, W.Y. Duan, J.Q. Zhong, Z.Q. Li, and L. Liu</i>	
P8J: CASIMIR – Caltech Airborne Submillimeter Interstellar Medium Investigations Receiver	327
<i>D. Miller, M. L. Edgar, A. Karpov, S. Lin, S. J. E. Radford, F. Rice, M. Emprechtinger, J. Zmuidzinas, and A. I. Harris</i>	