

# **2010 IEEE Radio Frequency Integrated Circuits Symposium**

**(RFIC 2010)**

**Anaheim, California, USA  
23-25 May 2010**



**IEEE Catalog Number: CFP10MMW -PRT**  
**ISBN: 978-1-4244-6240-7**

# TABLE OF CONTENTS

## RSU5A RFIC PLENARY

<b>RSU5A-1: RF Power Amplification: Can CMOS Deliver?</b> .....	1
<i>David J. Allstot</i>	
<b>RSU5A-2: The Universal Connector: RF Application Trends Over the Next Decade</b> .....	2
<i>Gregory L. Waters</i>	

## RMO1A CELLULAR TRANSCEIVERS

<b>RMO1A-1: A 28mW WCDMA/GSM/GPRS/EDGE Transformer-Based CMOS</b> .....	3
<i>Danielle Griffith, Venkatesh Srinivasan, Salvatore Pennisi, Vijay Rentala, Yu Su, Swaminathan Sankaran, Imtinan Elahi, Sreeikiran Samala, Halil Kiper, Bijit Patel, Siraj Akhtar, Dan Edmondson</i>	
<b>RMO1A-2: An EDGE Transmitter with Mitigation of Oscillator Pulling</b> .....	7
<i>Imran Bashir, Robert Bogdan Staszewski, Oren Eliezer, Khurram Waheed, Vasile Zoicas, Nir Tal, Jaimin Mehta, Meng-Chang Lee, Poras T. Balsara, Bhaskar Banerjee</i>	
<b>RMO1A-3: An All-Digital Offset PLL Architecture</b> .....	11
<i>Robert Bogdan Staszewski, Sudheer Vemulapalli, Khurram Waheed</i>	
<b>RMO1A-4: An Interstage Filter-Free Mobile Radio Receiver with Integrated TX Leakage Filtering</b> .....	15
<i>Rastislav Vazny, Werner Schelmbauer, Harald Pretl, Stefan Herzinger, Robert Weigel</i>	
<b>RMO1A-5: A SAW-Less CMOS TX for EGPRS and WCDMA</b> .....	19
<i>Kurt Hausmann, Jeff Ganger, Mark Kirschenmann, George B. Norris, Wayne Shepherd, Vivek Bhan, Daniel B. Schwartz</i>	

## RMO1B RF CMOS MODULATORS & RECEIVERS

<b>RMO1B-1: A Quadrature Charge-Domain Filter with an Extra In-Band Filtering for RF Receivers</b> .....	23
<i>Ming-Feng Huang</i>	
<b>RMO1B-2: A Low-Power Receiver Down-Converter with High Dynamic Range Performance</b> .....	27
<i>Diptendu Ghosh, Ranjit Gharpurey</i>	
<b>RMO1B-3: A Multiphase PWM RF Modulator Using a VCO-Based Opamp in 45nm CMOS</b> .....	31
<i>Min Park, Michael H. Perrott</i>	
<b>RMO1B-4: Spurious Noise Reduction by Modulating Switching Frequency in DC-to-DC Converter for RF Power Amplifier</b> .....	35
<i>Eung Jung Kim, Chang-Hyuk Cho, Woonyun Kim, Chang-Ho Lee, Joy Laskar</i>	
<b>RMO1B-5: A Rail-to-Rail Input Receiver Employing Successive Regeneration and Adaptive Cancellation of Intermodulation Products</b> .....	39
<i>Edward A. Keehr, Ali Hajimiri</i>	

## RMO1C FREQUENCY GENERATION AND SYNTHESIS

<b>RMO1C-1: A D-Band PLL Covering the 81--82GHz, 86--92GHz and 162--164GHz Bands</b> .....	43
<i>Shahriar Shahramian, Adam Hart, Anthony Chan Carusone, Patrice Garcia, Pascal Chevalier, Sorin P. Voimigescu</i>	
<b>RMO1C-2: An Integrated Frequency Synthesizer for 81--86GHz Satellite Communications in 65nm CMOS</b> .....	47
<i>Zhiwei Xu, Qun Jane Gu, Yi-Cheng Wu, Heng-Yu Jian, Frank Wang, Mau-Chung Frank Chang</i>	
<b>RMO1C-3: Low-Noise Fractional-N PLL Design with Mixed-Mode Triple-Input LC VCO in 65nm CMOS</b> .....	51
<i>Yuanfeng Sun, Xueyi Yu, Woogeun Rhee, Sangsoo Ko, Wooseung Choo, Byeong-ha Park, Zhihua Wang</i>	
<b>RMO1C-4: A Wideband Millimeter-Wave Frequency Doubler-Tripler in 0.13<math>\mu</math>m CMOS</b> .....	55
<i>Shadi Saberi Ghouchani, Jeyanandh Paramesh</i>	

<b>RMO1C-5: 200GHz CMOS Prescalers with Extended Dividing Range via Time-Interleaved Dual Injection Locking</b> .....	59
<i>Qun Jane Gu, Heng-Yu Jian, Zhiwei Xu, Yi-Cheng Wu, Mau-Chung Frank Chang, Yves Baeyens, Young-Kai Chen</i>	

### RMO1D W-BAND AND ABOVE

<b>RMO1D-1: Transmitter Chipset for 24/77GHz Automotive Radar Sensors</b> .....	63
<i>Vittorio Giammello, Egidio Ragonese, Giuseppe Palmisano</i>	
<b>RMO1D-2: A 94GHz Passive Imaging Receiver using a Balanced LNA with Embedded Dicke Switch</b> .....	67
<i>Leland Gilreath, Vipul Jain, Hsin-Cheng Yao, Le Zheng, Payam Heydari</i>	
<b>RMO1D-3: 94GHz Silicon Co-Integrated LNA and Antenna in a mm-Wave Dedicated BiCMOS Technology</b> .....	71
<i>R. Pilard, D. Gloria, F. Giancesello, F. Le Pennec, C. Person</i>	
<b>RMO1D-4: A 3G-Bit/s W-Band SiGe ASK Receiver with a High-Efficiency On-Chip Electromagnetically-Coupled Antenna</b> .....	75
<i>Jason W. May, Ramadan A. Alhalabi, Gabriel M. Rebeiz</i>	
<b>RMO1D-5: A 325GHz Frequency Multiplier Chain in a SiGe HBT Technology</b> .....	79
<i>Erik Öjefors, Bernd Heinemann, Ullrich R. Pfeiffer</i>	

### RMO2A RFID CIRCUITS

<b>RMO2A-1: Semi-Active High-Efficient CMOS Rectifier for Wireless Power Transmission</b> .....	83
<i>Stephen T. Kim, Taejoong Song, Jaehyouk Choi, Franklin Bien, Kyutae Lim, Joy Laskar</i>	
<b>RMO2A-2: A Single-Chip CMOS UHF RFID Reader Transceiver</b> .....	87
<i>Runxi Zhang, Chunqi Shi, Yihao Chen, Wei He, Ping Xu, Shuai Xu, Zongsheng Lai</i>	
<b>RMO2A-3: Near Zero Turn-On Voltage High-Efficiency UHF RFID Rectifier in Silicon-on-Sapphire CMOS</b> .....	91
<i>Paul T. Theilmann, Calogero D. Presti, Dylan Kelly, Peter M. Asbeck</i>	
<b>RMO2A-4: A Low Power Low Cost Fully Integrated UHF RFID Reader with 17.6dBm Output P1dB in 0.18µm CMOS Process</b> .....	95
<i>Jingchao Wang, Chun Zhang, Zhihua Wang</i>	
<b>RMO2A-5: Far-Field RF Powering System for RFID and Implantable Devices with Monolithically Integrated On-Chip Antenna</b> .....	99
<i>Soheil Radiom, Majid Baghaei-Nejad, Guy Vandenbosch, Li-Rong Zheng, Georges Gielen</i>	

### RMO2B WIDEBAND LNAS

<b>RMO2B-1: A 2--1100MHz Wideband Low Noise Amplifier with 1.43dB Minimum Noise Figure</b> .....	103
<i>Mohamed El-Nozahi, Ahmed A. Helmy, Edgar Sánchez-Sinencio, Kamran Entesari</i>	
<b>RMO2B-2: A 0.045mm<sup>2</sup> 0.1--6GHz Reconfigurable Multi-Band, Multi-Gain LNA for SDR</b> .....	107
<i>Arnd Geis, Yves Rolain, Gerd Vandersteen, Jan Craninckx</i>	
<b>RMO2B-3: A Linearity-Enhanced Wideband Low-Noise Amplifier</b> .....	111
<i>Kihwa Choi, Tamal Mukherjee, Jeyanandh Paramesh</i>	
<b>RMO2B-4: Power Efficient Distributed Low-Noise Amplifier in 90nm CMOS</b> .....	115
<i>Brecht Machiels, Patrick Reynaert, Michiel Steyaert</i>	
<b>RMO2B-5: A Wide-Band RF Front-End with Linear Active Notch Filter for Mobile TV Applications</b> .....	119
<i>Seung Hwan Jung, Kang Hyuk Lee, Young Jae Lee, Hyun Kyu Yu, Yun Seong Eo</i>	

### RMO2C MILLIMETER-WAVE VCOS

<b>RMO2C-1: A mm-Wave Arbitrary 2<sup>N</sup> Band Oscillator Based on Even-Odd Mode Technique</b> .....	123
<i>Alvin Hsing-Ting Yu, Sai-Wang Tam, David Murphy, Tatsuo Itoh, Mau-Chung Frank Chang</i>	
<b>RMO2C-2: A 24GHz and 60GHz Dual-Band Standing-Wave VCO in 0.13µm CMOS Process</b> .....	127
<i>Liang Wu, Alan W.L. Ng, Lincoln L.K. Leung, Howard C. Luong</i>	
<b>RMO2C-3: Multi-Band Multi-Standard Local Oscillator Generation for Direct Up/Down Conversion Transceiver Architectures Supporting WiFi and WiMax Bands in Standard 45nm CMOS Process</b> .....	131
<i>Ram Sathwani, Assaf Ben Bassat, Adil A. Kidwai, Shahar Rivel</i>	

<b>RMO2C-4: A 0.13<math>\mu</math>m CMOS Local Oscillator for 60GHz Applications Based on Push-Push Characteristic of Capacitive Degeneration</b> .....	135
<i>Tino Copani, Hyungseok Kim, Bertan Bakkaloglu, Sayfe Kiaei</i>	
<b>RMO2C-5: A Switched-Capacitor mm-Wave VCO in 65nm Digital CMOS</b> .....	139
<i>Mohammad Nariman, Reza Rofougaran, Franco De Flaviis</i>	

### **RMO2D RECONFIGURABLE PA CONCEPTS**

<b>RMO2D-1: Multi-Mode WCDMA Power Amplifier Module with Improved Low-Power Efficiency Using Stage-Bypass</b> .....	143
<i>Gary Hau, Mahendra Singh</i>	
<b>RMO2D-2: A 3.4GHz to 4.3GHz Frequency-Reconfigurable Class E Power Amplifier with an Integrated CMOS-MEMS LC Balun</b> .....	147
<i>Leon Wang, Tamal Mukherjee</i>	
<b>RMO2D-3: A Q-Band 6W MMIC Power Amplifier with 3-Way Power Combination Circuit</b> .....	151
<i>Hiroshi Otsuka, Kazuhisa Yamauchi, Koji Yamanaka, Shin Chaki, Kazuhiko Nakahara, Kunihiro Endo, Akira Inoue, Yoshihito Hirano</i>	
<b>RMO2D-4: A Multi-Band Reconfigurable Power Amplifier for UMTS Handset Applications</b> .....	155
<i>Unha Kim, Kyutae Kim, Junghyun Kim, Youngwoo Kwon</i>	
<b>RMO2D-5: High-Efficiency Reconfigurable RF Transmitter for Wireless Sensor Network Applications</b> .....	159
<i>Francesco Carrara, Giuseppe Palmisano</i>	

### **RMO3A CMOS WIDEBAND TRANSCEIVER ICs**

<b>RMO3A-1: A Triband 65nm CMOS Tuner for ATSC Mobile DTV SoC</b> .....	163
<i>Sanghoon Kang, Huijung Kim, Jeong-Hyun Choi, Jae-Hong Chang, Jong-Dae Bae, Wooseung Choo, Byeong-ha Park</i>	
<b>RMO3A-2: A Multi-Standard Multi-Band Tuner for Mobile TV SoC with GSM Interoperability</b> .....	167
<i>Huijung Kim, Sanghoon Kang, Jae-Hong Chang, Jeong-Hyun Choi, Hanguk Chung, Jungwook Heo, Jong-Dae Bae, Wooseung Choo, Byeong-ha Park</i>	
<b>RMO3A-3: A 2.2mW Regenerative FM-UWB Receiver in 65nm CMOS</b> .....	171
<i>Nitz Saputra, John R. Long, John J. Pekarik</i>	
<b>RMO3A-4: A 75 pJ/Bit All-Digital Quadrature Coherent IR-UWB Transceiver in 0.18<math>\mu</math>m CMOS</b> .....	175
<i>Enrique Barajas, Didac Gómez, Diego Mateo, José Luis Gonzalez</i>	
<b>RMO3A-5: A 90nm-CMOS, 500Mbps, Fully-Integrated IR-UWB Transceiver using Pulse Injection-Locking for Receiver Phase Synchronization</b> .....	179
<i>Changhui Hu, Patrick Y. Chiang, Kangmin Hu, Huaping Liu, Rahul Khanna, Jay Nejedlo</i>	

### **RMO3B ADVANCED CHARACTERIZATION OF MM-WAVE COMPONENTS**

<b>RMO3B-1: The "Load-Thru" (LT) De-Embedding Technique for the Measurements of mm-Wave Balanced 4-Port Devices</b> .....	183
<i>Zhiming Deng, Ali M. Niknejad</i>	
<b>RMO3B-2: RF-Pad, Transmission Lines and Balun Optimization for 60GHz 65nm CMOS Power Amplifier</b> .....	187
<i>Sofiane Aloui, Eric Kerherve, Robert Plana, Didier Belot</i>	
<b>RMO3B-3: 200GHz<math>f_T</math> SiGe HBT Load Pull Characterization at mm-Wave Frequencies</b> .....	191
<i>Luciano Boglione, Richard T. Webster</i>	
<b>RMO3B-4: A Miniature 26/77GHz Dual-Band Branch-Line Coupler Using Standard 0.18<math>\mu</math>m CMOS Technology</b> .....	195
<i>Yu-Sheng Lin, Cheng-Ying Hsu, Huey-Ru Chuang, Chu-Yu Chen</i>	
<b>RMO3B-5: Compact Transformer Power Combiners for Millimeter-Wave Wireless Applications</b> .....	199
<i>Yi Zhao, John R. Long, Marco Spirito</i>	

## **RMO3C ADVANCED DEVICE TECHNOLOGIES & DESIGN TECHNIQUES**

<b>RMO3C-1: Integration of Multi-Standard Front End Modules SOCs on High Resistivity SOI RF CMOS Technology</b> .....	203
<i>F. Giansello, S. Boret, B. Martineau, C. Durand, R. Pilard, D. Gloria, B. Rauber, C. Raynaud</i>	
<b>RMO3C-2: Vast-Fast Low-Triggering LTdSCR ESD Protection Structure for RF ICs in CMOS</b> .....	207
<i>Jian Liu, Lin Lin, Xin Wang, Hui Zhao, He Tang, Qiang Fang, Albert Wang, Hongyi Chen, Haolu Xie, Siqiang Fan, Bin Zhao, Gary Zhang</i>	
<b>RMO3C-3: A Cost-Competitive High Performance Junction-FET (JFET) in CMOS Process for RF &amp; Analog Applications</b> .....	211
<i>Yun Shi, Robert M. Rassel, Richard A. Phelps, Panglijen Candra, Douglas B. Hershberger, Xiaowei Tian, Susan L. Sweeney, Jay Rascoe, BethAnn Rainey, Jim Dunn, David Harame</i>	
<b>RMO3C-4: Tunability of Bulk Acoustic Wave Filters Using CMOS Transistors: Concept, Design and Implementation</b> .....	215
<i>M. El Hassan, Eric Kerherve, Yann Deval, J. B. David, Didier Belot</i>	
<b>RMO3C-5: A Layout Efficient, Vertically Stacked, Resonator-Coupled Bandpass Filter in LTCC for 60GHz SOP Transceivers</b> .....	219
<i>Rony E. Amaya</i>	
<b>RMO3C-6: Co-Design Considerations for Frequency Drift Compensation in BAW-Based Time Reference Application</b> .....	223
<i>S. Razafimandimby, D. Petit, P. Bar, S. Joblot, J.-F. Carpentier, J. Morelle, C. Arnaud, G. Parat, Patrice Garcia, C. Garnier</i>	

## **RMO3D SWITCH & SWITCH-MODE TECHNOLOGIES**

<b>RMO3D-1: High Efficiency and Wideband Envelope Tracking Power Amplifier with Sweet Spot Tracking</b> .....	227
<i>Dongsu Kim, Jinsung Choi, Daehyun Kang, Bumman Kim</i>	
<b>RMO3D-2: A 150MHz, 84% Efficiency, Two Phase Interleaved DC-DC Converter in AlGaAs/GaAs P-HEMT Technology for Integrated Power Amplifier Modules</b> .....	231
<i>Han Peng, V. Pala, T. P. Chow, Mona Hella</i>	
<b>RMO3D-3: A 0dBm 10Mbps 2.4GHz Ultra-Low Power ASK/OOK Transmitter with Digital Pulse-Shaping</b> .....	235
<i>Xiongchuan Huang, Pieter Harpe, Xiaoyan Wang, Guido Dolmans, Harmke de Groot</i>	
<b>RMO3D-4: A Linear-in-dB SiGe HBT Wideband High Dynamic Range RF Envelope Detector</b> .....	239
<i>Hsuan-yu Marcus Pan, Lawrence E. Larson</i>	
<b>RMO3D-5: Cellular Antenna Switches for Multimode Applications Based on a Silicon-on-Insulator Technology</b> .....	243
<i>Ali Tombak, Christian Iversen, Jean-Blaise Pierres, Dan Kerr, Mike Carroll, Phil Mason, Eddie Spears, Todd Gillenwater</i>	

## **RMO4A ULTRA LOW POWER RECEIVERS AND TRANSMITTERS**

<b>RMO4A-1: A 120<math>\mu</math>W Fully-Integrated BPSK Receiver in 90nm CMOS</b> .....	247
<i>Han Yan, Jose Gabriel Macias-Montero, Atef Akhrouk, Leo C. N. de Vreede, John R. Long, John J. Pekarik, Joachim N. Burghartz</i>	
<b>RMO4A-2: A Fully Integrated 2.4GHz CMOS Diversity Receiver with a Novel Antenna Selection</b> .....	251
<i>Yong-Il Kwon, Sang-Ku Park, T. J. Park, Hai-Young Lee</i>	
<b>RMO4A-3: A 90<math>\mu</math>W MICS/ISM Band Transmitter with 22% Global Efficiency</b> .....	255
<i>Jagdish Pandey, Brian Otis</i>	
<b>RMO4A-4: A 2mW CMOS MICS-Band BFSK Transceiver with Reconfigurable Antenna Interface</b> .....	259
<i>Seungkee Min, Sridhar Shashidharan, Mark Stevens, Tino Copani, Sayfe Kiaei, Bertan Bakaloglu, Sudipto Chakraborty</i>	
<b>RMO4A-5: A 1.8 to 2.4GHz 20mW Digital-Intensive RF Sampling Receiver with a Noise-Canceling Bandpass Low-Noise Amplifier in 90nm CMOS</b> .....	263
<i>Joonhee Lee, Jaewook Kim, SeongHwan Cho</i>	

## **RMO4B OPTIMIZED DESIGN TECHNIQUES FOR RF FRONT-END BUILDING BLOCKS**

<b>RMO4B-1: A Differential 4-Path Highly Linear Widely Tunable On-Chip Band-Pass Filter</b> .....	267
<i>Amir Ghaffari, Eric A. M. Klumperink, Bram Nauta</i>	
<b>RMO4B-2: A CMOS Wide-Bandwidth High-Power Linear-in-dB Variable Attenuator Using Body Voltage Distribution Method</b> .....	271
<i>Yan-Yu Huang, Wangmyong Woo, Chang-Ho Lee, Joy Laskar</i>	
<b>RMO4B-3: A 17GHz Transformer-Neutralized Current Re-Use LNA and Its Application to a Low-Power RF Front-End</b> .....	275
<i>Sandipan Kundu, Jeyanandh Paramesh</i>	
<b>RMO4B-4: A Self-Healing 2.4GHz LNA with On-Chip <math>S_{11}/S_{21}</math> Measurement/Calibration for in-situ PVT Compensation</b> .....	279
<i>Karthik Jayaraman, Qadeer Khan, Baoyong Chi, William Beattie, Zhihua Wang, Patrick Y. Chiang</i>	
<b>RMO4B-5: A Low Power LNA Using Miniature 3D Inductor Without Area Penalty of Passive Components</b> .....	283
<i>Akira Tanabe, Ken'ichiro Hijioka, Hirokazu Nagase, Yoshihiro Hayashi</i>	

## **RMO4C TEMPERATURE COMPENSATED OSCILLATORS**

<b>RMO4C-1: A 65nm CMOS DCXO System for Generating 38.4MHz and a Real Time Clock from a Single Crystal in 0.09mm<sup>2</sup></b> .....	287
<i>Danielle Griffith, Fikret Dülger, Gemady Feygin, Ahmed Nader Mohieldin, Prasanth Vallur</i>	
<b>RMO4C-2: A 50ppm 600MHz Frequency Reference Utilizing the Series Resonance of an FBAR</b> .....	291
<i>Julie Hu, Lori Callaghan, Richard Ruby, Brian Otis</i>	
<b>RMO4C-3: An Electronically Temperature-Compensated 427MHz Low Phase-Noise AlN-on-Si Micromechanical Reference Oscillator</b> .....	295
<i>Hossein Miri Lavasani, Wanling Pan, Farrokh Ayazi</i>	
<b>RMO4C-4: A Wide Tuning 1.3GHz LC VCO with Fast Settling Noise Filtering Voltage Regulator in 0.18<math>\mu</math>m CMOS Process</b> .....	299
<i>Hiroshi Akima, Aleksander Dec, Ken Suyama</i>	
<b>RMO4C-5: A Wide-Range VCO with Optimum Temperature Adaptive Tuning</b> .....	303
<i>Behzad Saeidi, Joshua Cho, Georgi Taskov, Aaron Paff</i>	

## **RMO4D SILICON MILLIMETER-WAVE AMPLIFIERS**

<b>RMO4D-1: A 60GHz Transformer Coupled Amplifier in 65nm Digital CMOS</b> .....	307
<i>Michael Boers</i>	
<b>RMO4D-2: A Stage-Scaled Distributed Power Amplifier Achieving 110GHz Bandwidth and 17.5dBm Peak Output Power</b> .....	311
<i>Jiashu Chen, Ali M. Niknejad</i>	
<b>RMO4D-3: DC Hot Carrier Stress Effect on CMOS 65nm 60GHz Power Amplifiers</b> .....	315
<i>T. Quémerais, L. Moquillon, V. Huard, J.-M. Fournier, P. Benech, N. Corrao</i>	
<b>RMO4D-4: A Layout-Based Optimal Neutralization Technique for mm-Wave Differential Amplifiers</b> .....	319
<i>Zhiming Deng, Ali M. Niknejad</i>	
<b>RMO4D-5: A 100GHz Transformer-Coupled Fully Differential Amplifier in 90nm CMOS</b> .....	323
<i>Noël Deferm, Patrick Reynaert</i>	

## **RTU1B CMOS MILLIMETER-WAVE 60/24GHZ RADIO**

<b>RTU1B-1: A 68–82GHz Integrated Wideband Linear Receiver Using 0.18<math>\mu</math>m SiGe BiCMOS</b> .....	327
<i>Austin Ying-Kuang Chen, Yves Baeyens, Young-Kai Chen, Jenshan Lin</i>	
<b>RTU1B-2: A 24GHz Low-Power Fully Integrated Receiver with Image-Rejection using Rich-Transformer Direct-Stacked/Coupled Technique</b> .....	331
<i>Nobuhiro Shiramizu, Takahiro Nakamura, Toru Masuda, Katsuyoshi Washio</i>	
<b>RTU1B-3: A 60GHz CMOS Receiver Front-End with Integrated 180° Out-of-Phase Wilkinson Power Divider</b> .....	335
<i>Chi-Chen Chen, Yo-Sheng Lin, Jen-How Lee, Jin-Fa Chang</i>	
<b>RTU1B-4: Coherent Parametric RF Downconversion in CMOS</b> .....	339
<i>Zhixing Zhao, Jean-François Bousquet, Sebastian Magierowski</i>	

<b>RTU1B-5: 60GHz Broadband Image Rejection Receiver Using Varactor Tuning</b> .....	343
<i>Jihoon Kim, Wooyeol Choi, Youngrak Park, Youngwoo Kwon</i>	

## **RTU1C CMOS PAS**

<b>RTU1C-1: A Discrete Resizing and Concurrent Power Combining Structure for Linear CMOS Power Amplifier</b> .....	347
<i>Jihwan Kim, Hyungwook Kim, Youngchang Yoon, Kyu Hwan An, Woonyun Kim, Chang-Ho Lee, Kevin T. Kornegay, Joy Laskar</i>	
<b>RTU1C-2: A Single-Chip 2.4GHz Double Cascode Power Amplifier with Switched Programmable Feedback Biasing under Multiple Supply Voltages in 65nm CMOS for WLAN Application</b> .....	351
<i>Mingyuan Li, Ali Afsahi, Arya Behzad</i>	
<b>RTU1C-3: A 31dBm, High Ruggedness Power Amplifier in 65nm Standard CMOS with High-Efficiency Stacked-Cascode Stages</b> .....	355
<i>Stephan Leuschner, Sandro Pinarello, Uwe Hodel, Jan-Erik Mueller, Heinrich Klar</i>	
<b>RTU1C-4: Analysis and Design of a Wideband High Efficiency CMOS Outphasing Amplifier</b> .....	359
<i>M. C. A. van Schie, M. P. van der Heijden, M. Acar, A. J. M. de Graauw, Leo C. N. de Vreede</i>	
<b>RTU1C-5: A Highly Efficient 5.8GHz CMOS Transmitter IC with Robustness Over PVT Variations</b> .....	363
<i>Eun-Hee Kim, Jeong-Ki Choi, Seok-Oh Yun, Jinho Ko, Kwyro Lee</i>	

## **RTU1D EMERGING ARCHITECTURES IN DIGITAL FREQUENCY SYNTHESIS**

<b>RTU1D-1: A 700<math>\mu</math>A, 405MHz Fractional-N All Digital Frequency-Locked Loop for MICS Band Applications</b> .....	367
<i>S. Shashidharan, W. Khalil, Sudipto Chakraborty, Sayfe Kiaei, Tino Copani, Bertan Bakkaloglu</i>	
<b>RTU1D-2: A 2MHz Bandwidth <math>\Delta</math>-<math>\Sigma</math> Fractional-N Synthesizer Based on a Fractional Frequency Divider with Digital Spur Suppression</b> .....	371
<i>Pin-En Su, Sudhakar Pamarti</i>	
<b>RTU1D-3: A 6fJ/step, 5.5ps Time-to-Digital Converter for a Digital PLL in 40nm Digital LP CMOS</b> .....	375
<i>J. Borremans, K. Vengattarmane, Jan Craninckx</i>	
<b>RTU1D-4: A 6GHz Direct Digital Synthesizer MMIC with Nonlinear DAC and Wave Correction ROM</b> .....	379
<i>Danyu Wu, Gaopeng Chen, Jianwu Chen, Xinyu Liu, Lixin Zhao, Zhi Jin</i>	
<b>RTU1D-5: A 10GHz 8-Bit Direct Digital Synthesizer Implemented in GaAs HBT Technology</b> .....	383
<i>Gaopeng Chen, Danyu Wu, Zhi Jin, Jin Wu, Xinyu Liu</i>	

## **RTU2A WLAN TRANSCEIVERS AND COMPONENTS**

<b>RTU2A-1: Dual-Band CMOS Transceiver with Highly Integrated Front-End for 450Mb/s 802.11n Systems</b> .....	387
<i>S. Gross, T. Maimon, F. Cossoy, M. Ruberto, G. Normatov, A. Rivkind, N. Telzhensky, R. Banin, O. Ashckenazi, A. B. Bassat, S. Zaguri, G. Hara, M. Zajac, N. Shahar, S. Shahaf, H. Yousef, E. Mor, Y. Eilat, A. Nazimov, Z. Beer, A. Fridman, O. Degani</i>	
<b>RTU2A-2: A CMOS Transceiver with Internal PA and Digital Pre-Distortion for WLAN 802.11a/b/g/n Applications</b> .....	391
<i>Chia-Jun Chang, Po-Chih Wang, Chih-Yu Tsai, Chin-Lung Li, Chiao-Ling Chang, Han-Jung Shih, Meng-Hsun Tsai, Wen-Shan Wang, Ka-Un Chan, Ying-Hsi Lin</i>	
<b>RTU2A-3: Highly Linear SOI Single-Pole, 4-Throw Switch with an Integrated Dual-Band LNA and Bypass Attenuators</b> .....	395
<i>Chun-Wen Huang, Lui Lam, Mark Doherty, William Vaillancourt</i>	
<b>RTU2A-4: A 6.1GS/s 52.8mW 43dB DR 80MHz Bandwidth 2.4GHz RF Bandpass <math>\Delta\Sigma</math> ADC in 40nm CMOS</b> .....	399
<i>Julien Ryckaert, Arnd Geis, Lynn Bos, Geert Van der Plas, Jan Craninckx</i>	
<b>RTU2A-5: Single-Chip WiFi b/g/n 1x2 SoC with Fully Integrated Front-End &amp; PMU in 90nm Digital CMOS Technology</b> .....	403
<i>J.C. Jensen, Ram Sadhwani, Adil A. Kidwai, B. Jann, A. Oster, M. Sharkansky, I. Ben-bassat, Ofir Degani, S. Porat, Amir Fridman, H. Shang, C. Chu, A. Ly, M. Smith</i>	

## **RTU2C MILLIMETER-WAVE ARRAYS**

<b>RTU2C-1: A 44GHz 8-Element Phased-Array SiGe HBT Transmitter RFIC with an Injection-Locked Quadrature Frequency Multiplier .....</b>	<b>407</b>
<i>Sunghwan Kim, Prasad S. Gudem, Lawrence E. Larson</i>	
<b>RTU2C-2: A Thirty Two Element Phased-Array Transceiver at 60GHz with RF-IF Conversion Block in 90nm Flip Chip CMOS Process .....</b>	<b>411</b>
<i>Emanuel Cohen, Claudio Jakobson, Shmuel Ravid, Dan Ritter</i>	
<b>RTU2C-3: A 16-Element Phased-Array Receiver IC for 60GHz Communications in SiGe BiCMOS.....</b>	<b>415</b>
<i>Scott K. Reynolds, Arun S. Natarajan, Ming-Da Tsai, Sean Nicolson, Jing-Hong Conan Zhan, Duixian Liu, Dong G. Kam, Oscar Huang, Alberto Valdes-Garcia, Brian A. Floyd</i>	
<b>RTU2C-4: A 24GHz Phased-Array Receiver in 0.13<math>\mu</math>m CMOS using an 8GHz LO.....</b>	<b>419</b>
<i>Satwik Patnaik, Ramesh Harjani</i>	
<b>RTU2C-5: Wafer-Scale W-Band Power Amplifiers Using On-Chip Antennas.....</b>	<b>423</b>
<i>Yusuf A. Atesal, Berke Cetinoneri, Ramadan A. Alhalabi, Gabriel M. Rebeiz</i>	

## **RTU2D RF MODELING FOR SWITCH AND PA APPLICATIONS**

<b>RTU2D-1: Application of BSIMSOI MOSFET Model to SOS Technology.....</b>	<b>427</b>
<i>James Roach, Lee-Wen Chen, Peter Clarke, Francis M. Rotella</i>	
<b>RTU2D-2: Modeling of SOI FET for RF Switch Applications .....</b>	<b>431</b>
<i>Tzung-Yin Lee, Sunyoung Lee</i>	
<b>RTU2D-3: A High Power CMOS Differential T/R Switch Using Multi-Section Impedance Transformation Technique .....</b>	<b>435</b>
<i>Hyun-Woong Kim, Minsik Ahn, Ockgoo Lee, Chang-Ho Lee, Joy Laskar</i>	
<b>RTU2D-4: Exploitation of Active Load-Pull and DLUT Models in MMIC Design .....</b>	<b>439</b>
<i>D. M. FitzPatrick, T. Williams, J. Lees, J. Benedikt, S. C. Cripps, P. J. Tasker</i>	
<b>RTU2D-5: A Mixed-Signal Load-Pull System for Base-Station Applications .....</b>	<b>443</b>
<i>Mauro Marchetti, Rob Heeres, Michele Squillante, Marco Pelk, Marco Spirito, Leo C. N. de Vreede</i>	

## **RTUIF RFIC INTERACTIVE FORUM**

<b>RTUIF-01: A 228<math>\mu</math>W Injection Locked Ring Oscillator based BPSK Demodulator in 65nm CMOS.....</b>	<b>447</b>
<i>Qiang Zhu, Yang Xu</i>	
<b>RTUIF-02: A 0.13<math>\mu</math>m CMOS Wireless Reflector for Phase Sweep Cooperative Diversity .....</b>	<b>451</b>
<i>Jean-François Bousquet, Sebastian Magierowski, Geoffrey Messier, Zhixing Zhao</i>	
<b>RTUIF-03: Design Methodology and Comparison of Rectifiers for UHF-Band RFIDs.....</b>	<b>455</b>
<i>Francesco Mazzilli, Prakash E. Thoppay, Norbert Jöhl, Catherine Dehollain</i>	
<b>RTUIF-04: A CMOS Ultra-Wideband Radar Transmitter with Pulsed Oscillator .....</b>	<b>459</b>
<i>Sungeun Lee, Sanghoon Sim, Songcheol Hong</i>	
<b>RTUIF-05: 900MHz/1800MHz GSM Base Station LNA with Sub-1dB Noise Figure and +36dBm OIP3.....</b>	<b>463</b>
<i>Domine Leenaerts, Jos Bergervoet, Jan-Willem Lobeek, Marek Schmidt-Szalowski</i>	
<b>RTUIF-06: A 4.35mW +22dBm IIP3 Continuously Tunable Channel Select Filter for WLAN/WiMax Receivers in 90nm CMOS .....</b>	<b>467</b>
<i>Mostafa Savadi Oskooei, Nasser Masoumi, Mahmud Kamarei, Henrik Sjöland</i>	
<b>RTUIF-07: Wideband Trans-Impedance Filter Low Noise Amplifier .....</b>	<b>471</b>
<i>Mikko Kaltiokallio, Aarno Pärssinen, Jussi Rynnänen</i>	
<b>RTUIF-08: A Wideband High-Linearity Mixer in 0.5<math>\mu</math>m InP DHBT Technology .....</b>	<b>475</b>
<i>Mark Stuenkel, Milton Feng</i>	
<b>RTUIF-09: A High Gain Wideband 77GHz SiGe Power Amplifier.....</b>	<b>479</b>
<i>Roe Ben Yishay, Roi Carmon, Oded Katz, Danny Elad</i>	
<b>RTUIF-10: A Broadband Differential Cascode Power Amplifier in 45nm CMOS for High-Speed 60GHz System-on-Chip.....</b>	<b>483</b>
<i>Morteza Abbasi, Torgil Kjellberg, Anton J. M. de Grauw, Edwin van der Heijden, Raf Roovers, Herbert Zirath</i>	
<b>RTUIF-11: A CMOS LC VCO with Novel Negative Impedance Design for Wide-Band Operation.....</b>	<b>487</b>
<i>Chang-Hsi Wu, Guan-Xiu Jian</i>	
<b>RTUIF-12: An 80GHz Range Synchronized Push-Push Oscillator for Automotive Radar Application.....</b>	<b>491</b>
<i>Chama Ameziane, Thierry Taris, Yann Deval, Didier Belot, Robert Plana, Jean-Baptiste Bégueret</i>	



<b>RTUIF-13: Millimeter Wave CMOS VCO with a High Impedance LC Tank</b> .....	495
<i>Seung Wan Chai, Jaemo Yang, Bon-Hyun Ku, Songcheol Hong</i>	
<b>RTUIF-14: Controlled Dither in 90nm Digital to Time Conversion based Direct Digital Synthesizer for Spur Mitigation</b> .....	499
<i>S. Talwalkar, T. Gradishar, B. Stengel, G. Cafaro, G. Nagaraj</i>	
<b>RTUIF-15: 2--4 and 9--12Gb/s CMOS Fully Integrated ILO-based CDR</b> .....	503
<i>O. Mazouffre, R. Toupe, M. Pignol, Yann Deval, Jean-Baptiste Bégueret</i>	
<b>RTUIF-16: A 22.5dB Gain, 20.1dBm Output Power K-Band Power Amplifier in 0.18<math>\mu</math>m CMOS</b> .....	507
<i>Chi-Cheng Hung, Jing-Lin Kuo, Kun-You Lin, Huei Wang</i>	
<b>RTUIF-17: A 40% PAE Linear CMOS Power Amplifier with Feedback Bias Technique for WCDMA Applications</b> .....	511
<i>Hamhee Jeon, Kun-Seok Lee, Ockgoo Lee, Kyu Hwan An, Youngchang Yoon, Hyungwook Kim, Dong Ho Lee, Jongsoo Lee, Chang-Ho Lee, Joy Laskar</i>	
<b>RTUIF-18: A Switching-Mode Amplifier for Class-S Transmitters for Clock Frequencies up to 7.5GHz in 0.25<math>\mu</math>m SiGe-BiCMOS</b> .....	515
<i>Stefan Heck, Martin Schmidt, Alexander Bräckle, Frieder Schuller, Markus Grözing, Manfred Berroth, Hans Gustat, Christoph Scheytt</i>	
<b>RTUIF-19: SiGe Power Amplifier ICs for 4G (WIMAX and LTE) Mobile and Nomadic Applications</b> .....	519
<i>V. Krishnamurthy, K. Hershberger, B. Eplett, J. Dekosky, H. Zhao, D. Poulin, R. Rood, E. Prince</i>	
<b>RTUIF-20: Self-Matched ESD Cell in CMOS Technology for 60GHz Broadband RF Applications</b> .....	523
<i>Chun-Yu Lin, Li-Wei Chu, Ming-Dou Ker, Tse-Hua Lu, Ping-Fang Hung, Hsiao-Chun Li</i>	
<b>RTUIF-21: The Impact of MOSFET Layout Dependent Stress on High Frequency Characteristics and Flicker Noise</b> .....	527
<i>Kuo-Liang Yeh, Chih-You Ku, Jyh-Chyurn Guo</i>	
<b>RTUIF-22: A Novel Low-Profile Low-Parasitic RF Package using High-Density Build-Up Technology</b> .....	531
<i>Chien-Cheng Wei, Ming-Chien Lin, Chin-Ta Fan, Ta-Hsiang Chiang, Ming-Kuen Chiu, Shao-Pin Ru, Nan Ni, Albert Cardona</i>	
<b>RTUIF-23: A High Quality Factor Varactor Technology Evaluation</b> .....	535
<i>Romain Debroucke, Sebastien Jan, Jean-François Larchanché, Christophe Gaquière</i>	
<b>RTUIF-24: Power Improvement for 65nm nMOSFET with High-Tensile CESL and Fast Nonlinear Behavior Modeling</b> .....	539
<i>Chia-Sung Chiu, Kun-Ming Chen, Guo-Wei Huang, Shu-Yu Lin, Bo-Yuan Chen, Cheng-Chou Hung, Sheng-Yi Huang, Cheng-Wen Fan, Chih-Yuh Tzeng, Sam Chou</i>	
<b>RTUIF-25: RF Benchmark Tests for Compact MOS Models</b> .....	543
<i>G. D. J. Smit, A. J. Scholten, D. B. M. Klaassen</i>	
<b>RTUIF-26: A 1.8V 74mW UHF RFID Reader Receiver with 18.5dBm IIP3 and -77dBm Sensitivity in 0.18<math>\mu</math>m CMOS</b> .....	547
<i>Xuguang Sun, Baoyong Chi, Chun Zhang, Ziqiang Wang, Zhihua Wang</i>	

**Author Index**