

# **IEEE/ION Position, Location and Navigation Symposium**

**(PLANS 2010)**

**Indian Wells, California, USA  
4 – 6 May 2010**

**Pages 1 - 666**



**IEEE Catalog Number: CFP10PLN-PRT**  
**ISBN: 978-1-4244-5036-7**

# IEEE/ION PLANS 2010 Position Location and Navigation Symposium Table of Contents

## A1. High Performance Inertial Sensors

- RS9000, a Novel MEMS Accelerometer Family for Mil/Aerospace and Safety Critical** 1  
**Applications:** J-M. Stauffer, O. Dietrich, B. Dutoit, *Colibrys (Switzerland) Ltd., Switzerland*
- SAR500 - A High-Precision High-Stability Butterfly Gyroscope with North Seeking** 6  
**Capability:** D. Lapadatu, B. Blixhavn, R. Holm, T. Kvisterøy, *Sensoror Technologies AS, Norway*
- The Exploratory Research of a Novel Gyroscope Based on Superfluid Josephson** 14  
**Effect:** Z. Xie, J. Liu, W. Zhao, B. Song, *Nanjing University of Aeronautics and Astronautics, China*
- Accurate Real Time Inertial Navigation Device by Application and Processing of Arrays of MEMS Inertial Sensors:** 20  
M. Tanenhaus, T. Geis, *Tanenhaus and Associates, Inc.*; D. Carhoun, *Consultant*; A. Holland, *Eminent MicroSystems/Consultant*
- Navigation in Vehicle Crash Test Using MEMS-based IMU:** 27  
P. Björkholm, L. Landén, J. Stigwall, *Imego AB, Sweden*; P. Johannisson, *Chalmers University of Technology, Sweden*; S. Södermalm, *Volvo Cars Corporation, Sweden*; P. Andersson, *Autoliv Sverige AB, Sweden*; C. Johnsson, *Saab Automobile, AB Sweden*
- High Performance Inertial Navigation Grade Sigma-Delta MEMS Accelerometer:** 32  
Y. Dong, P. Zwahlen, A-M. Nguyen, F. Rudolf, J-M. Stauffer, *Colibrys (Switzerland) Ltd., Switzerland*

## B1. Precise Positioning

- Ultra-Wideband Time-Difference-Of-Arrival High Resolution 3D Proximity Tracking** 37  
**System:** J. Ni, *ERC/ESCG*; D. Arndt, P. Ngo, C. Phan, K. Dekome, *NASA Johnson Space Center*; J. Dusl, *Jacobs/ESCG*
- Benefit of Partial L2C Availability to Estimate Ionospheric Delay for Dual-frequency GPS Ambiguity Resolution:** 44  
D. Wang, K. O'Keefe, *University of Calgary, Canada*

<b>RAIM Analysis in the Position Domain:</b> X. Zhang, Z. Huang, R. Li, <i>Beihang University, China</i>	<b>53</b>
<b>Multipath Adaptive Filtering in GNSS/RTK-Based Machine Automation Applications:</b> L. Serrano, <i>University of New Brunswick, Canada &amp; EADS Astrium Ltd., UK</i> ; D. Kim, R.B. Langley, <i>University of New Brunswick, Canada</i>	<b>60</b>
<b>Instantaneous Doppler-Aided RTK Positioning with Single-Frequency Receivers:</b> M. Bahrami, M. Ziebart, <i>University College London, UK</i>	<b>70</b>
<b>Improving the Speed of CORS Network RTK Ambiguity Resolution:</b> D. Odijk, <i>Curtin University of Technology, Australia</i> ; P.J.G. Teunissen, <i>Curtin University of Technology, Australia and Delft University of Technology, The Netherlands</i>	<b>79</b>

## **C1. Indoor Personal & First Responder Navigation 1 (Dead-Reckoning & Map Based)**

<b>A Method of Pedestrian Dead Reckoning Using Action Recognition:</b> M. Kourogi, T. Ishikawa, T. Kurata, <i>National Institute of Advanced Industrial Science and Technology, (AIST), Japan</i>	<b>85</b>
<b>Altitude Accuracy While Tracking Pedestrians Using a Boot-mounted IMU:</b> W.T. Faulkner, R. Alwood, D.W.A. Taylor, J. Bohlin, <i>ENSCO, Inc.</i>	<b>90</b>
<b>Pedestrian Dead Reckoning System with Phone Location Awareness Algorithm:</b> S.H. Shin, M.S. Lee, C.G. Park, <i>Seoul National University, South Korea</i> ; H.S. Hong, <i>Samsung Electronics, South Korea</i>	<b>97</b>
<b>Continuous Indoor Navigation with RFID and INS:</b> G. Retscher, Q. Fu, <i>Institute of Geodesy and Geophysics, Vienna University of Technology, Austria</i>	<b>102</b>
<b>DINGPOS, a GNSS-based Multi-sensor Demonstrator for Indoor Navigation: Preliminary Results:</b> G.A. Vecchione, D. Palenzuela, M. Toledo, J.J. Rosales de Cáceres, <i>GMV Aerospace and Defence, S.A., Spain</i> ; D. Kubrak, Y. Capelle, <i>Thales Alenia Space, France</i> ; G. Seco, J. López-Salcedo, <i>Universitat Autònoma de Barcelona, Spain</i> ; P. Tiley, <i>Advance Digital Institute, UK</i> ; A. Consoli, <i>Saphyrion, Switzerland</i> ; D. Jiménez-Baños, G. López-Risueño, <i>ESA/ESTEC, The Netherlands</i>	<b>113</b>

## **D1. Marine**

<b>Development of Pilot Carry-Aboard Wi-Fi Transmitter Hooked in AIS Employing DGPS:</b> J. Chen, G. Peng, R. Ke, X. Zhang, C. Chaoyang, G. Yang, P. Chen, <i>Jimei University, China</i>	<b>122</b>
<b>Combine Draft Detector with GPS Receiver to Monitor Barge's Loadage:</b> Y. Weng, J. Chen, G. Peng, X. Zhang, <i>Jimei University, China</i>	<b>127</b>
<b>A DGPS Integrity Monitoring Algorithm to Detect the Satellite Clock Failure:</b> S.H. Park, K.Y. Seo, D.J. Cho, <i>GNSS Research Center, Korea Ocean R&amp;D Institute, South Korea</i>	<b>132</b>
<b>Assessment of Precise GPS Ephemeris and Clock in the International GNSS</b>	<b>137</b>

**Service:** D.J. Cho, H.C. Jeong, S.H. Park, *Korea Ocean Research & Development Institute, South Korea*

**A Self-adaptive Unscented Kalman Filtering for Underwater Gravity Aided Navigation:** L. Wu, J. Ma, J. Tian, *Huazhong University of Science and Technology, China* **142**

*L. Wu, J. Ma, J. Tian, Huazhong University of Science and Technology, China*

**Researches on the New System of the Aids to Navigation:** X.G. Zhang, *Jimei University, China* **146**

*L. Xiang, Xiamen Navigation Aids Branch of Shanghai Maritime Safety Administrator, China; G-J. Peng, W. Wei, J. Zheng, Jimei University, China; J. Shao, Xiamen Navigation Aids Branch of Shanghai Maritime Safety Administrator, China*

**Coarse Alignment Based on IMU Rotational Motion for Surface Ship:** F. Sun, W. Sun, *College of Automation, Harbin Engineering University, China* **151**

*L. Wu, Huazhong University of Science and Technology, China*

## A2. Low Cost Inertial Sensor Technologies

**Evaluating the Performance of Low Cost MEMS Inertial Sensors for Seamless Indoor/Outdoor Navigation:** A. Kealy, *The University of Melbourne, Australia*; G. Roberts, *The University of Nottingham, UK*; G. Retscher, *Vienna University of Technology, Austria* **157**

*A. Kealy, The University of Melbourne, Australia; G. Roberts, The University of Nottingham, UK; G. Retscher, Vienna University of Technology, Austria*

**Development of a MEMS Gyroscope for Northfinding Applications:** B.R. Johnson, E. Cabuz, H.B. French, R. Supino, *Honeywell International* **168**

*B.R. Johnson, E. Cabuz, H.B. French, R. Supino, Honeywell International*

**Vibratory Gyro Skewed Pick-Off and Driver Geometry:** W.S. Watson, *Watson Industries, Inc.* **171**

*W.S. Watson, Watson Industries, Inc.*

**Low-Cost, Compact Fiber-Optic Gyroscope for Super-Stable Line-of-Sight Stabilization:** R. Yahalom, *InFiber Technology Incorporated*; B. Moslehi, L. Oblea, V. Sotoudeh, *Intelligent Fiber Optic Systems Corporation*; J.C. Ha, *Air Force Research Laboratory* **180**

*R. Yahalom, InFiber Technology Incorporated; B. Moslehi, L. Oblea, V. Sotoudeh, Intelligent Fiber Optic Systems Corporation; J.C. Ha, Air Force Research Laboratory*

**Performances Comparison of Different MEMS-based IMUs:** M. De Agostino, A.M. Manzino, M. Piras, *Politecnico di Torino - DITAG, Italy* **187**

*M. De Agostino, A.M. Manzino, M. Piras, Politecnico di Torino - DITAG, Italy*

**Evaluation of a Double Equipped MEMS IMU Based on Real Flight Trial Scenarios:** M. Becker, U. Bestmann, A. Schwithal, P. Hecker, *Institute of Flight Guidance, Technische Universitaet Braunschweig, Germany*; R. Bott, P. Kohl, S. Knedlik, H. Scheyer, E. v. Hinüber, *iMAR GmbH, Germany* **202**

*M. Becker, U. Bestmann, A. Schwithal, P. Hecker, Institute of Flight Guidance, Technische Universitaet Braunschweig, Germany; R. Bott, P. Kohl, S. Knedlik, H. Scheyer, E. v. Hinüber, iMAR GmbH, Germany*

**MEMS based AHRS with Adaptive Bias Estimation for High Performance Rate Sensor Replacement:** M.W. Ryan, *Ryan Mechatronics LLC*; G. Miller, *PVP Advanced EO Systems, Inc.* **214**

*M.W. Ryan, Ryan Mechatronics LLC; G. Miller, PVP Advanced EO Systems, Inc.*

## B2. Algorithms & Processing 1 (Navigation & Integrity)

**Approach for Detection and Identification of Multiple Faulty Satellite Navigation:** L. Patino-Studencka, G. Rohmer, *Fraunhofer Institut IIS, Germany*; J. Thielecke, *University of Erlangen-Nuremberg, Germany* **221**

*L. Patino-Studencka, G. Rohmer, Fraunhofer Institut IIS, Germany; J. Thielecke, University of Erlangen-Nuremberg, Germany*

**Group Delay Compensation in AltBOC Receivers to Mitigate the Effect of Frequency Selective Propagation Delay Distortions:** N.C. Shivaramaiah, A.G. Dempster, **227**

*N.C. Shivaramaiah, A.G. Dempster*

- Enhancing the Time-To-Fix for the Unaided Single-Frequency Integer Ambiguity Resolution in GNSS Attitude Determination Applications:** 236  
G. Giorgi, *Delft University of Technology, The Netherlands*; P.J.G. Teunissen, D. Odijk, *Curtin University of Technology, Australia*; P.J. Buist, *Delft University of Technology, The Netherlands*
- Analytical Performance of CBOC-Modulated Galileo E1 Signal using Sine BOC(1,1) Receiver for Massmarket Applications:** 245  
E. Simona Lohan, *Tampere University of Technology, Finland*
- Evaluating Tracking Performance and a New Carrier-to-Noise Estimation Method Using SNACS:** 254  
F.M. Schubert, J. Jost, P. Robertson, *German Aerospace Center, DLR, Germany*; R. Prieto-Cerdeira, *European Space Agency, ESTEC, The Netherlands*; B.H. Fleury, *Aalborg University, Denmark*
- Characterization of GNSS Signal Parameters Under Ionosphere Scintillation Conditions using Software-based Tracking Algorithms:** 264  
L. Zhang, *Beijing Institute of Technology, China & Miami University, USA*; Y. Morton, *Miami University*; F. van Graas, *Ohio University*; T. Beach, *Creare Inc.*
- Linear Composite Code Acquisition Method for GNSS:** 276  
Y-C. Lin, S-S. Jan, *National Cheng Kung University, Taiwan*

## C2. Vision/Integrated Navigation Systems for Indoor Applications

- Integration of 3D and 2D Imaging Data for Assured Navigation in Unknown Indoor Environments:** 285  
E. Dill, M. Uijt de Haag, *Ohio University*
- Passive Indoor Image-Aided Inertial Attitude Estimation Using a Predictive Hough Transformation:** 295  
J.M. Borkowski, M.J. Veth, *Air Force Institute of Technology*
- Camera-aided Inertial Navigation using Epipolar Points:** 303  
D. Zachariah, M. Jansson, *Royal Institute of Technology (KTH), Sweden*
- Vision-Based Attitude Estimation for Indoor Navigation using Vanishing Points and Lines:** 310  
C. Kessler, C. Ascher, N. Frietsch, M. Weinmann, G.F. Trommer, *Karlsruhe Institute of Technology, Germany*
- Indoor 3D Position Estimation Using Low-Cost Inertial Sensors and Marker-Based Video-Tracking:** 319  
B. Hartmann, N. Link, *Karlsruhe University of Applied Sciences, Germany*; G.F. Trommer, *Karlsruhe Institute of Technology, Germany*
- A Sensor Based Indoor Mobile Localization and Navigation using Unscented Kalman Filter:** 327  
C.J. C-J. Sun, H.Y. Kuo, C.E. Lin, *National Cheng Kung University, Taiwan*

## D2. Urban Personal & Vehicular Navigation 1 (Non-GNSS)

## Based)

**Efficient Particle Filtering for Tracking Maneuvering Objects:** T. Sathyan, M. Hedley, *Information and Communication Technologies Center Commonwealth Scientific and Industrial Research Organization, Australia* **332**

**An Effective Pedestrian Dead Reckoning Algorithm Using a Unified Heading Error Model:** W. Chen, *University of Science and Technology of China, China / Finnish Geodetic Institute, Finland*; R. Chen, Y. Chen, H. Kuusniemi, *Finnish Geodetic Institute, Finland*; J. Wang, *Shanghai Institute of Technical Physics, China* **340**

**New Method for Magnetometers Based Orientation Estimation:** V. Renaudin, M.H. Afzal, G. Lachapelle, *University of Calgary, Canada* **348**

**A Novel Method for Metropolitan-scale Wi-Fi Localization Based on Public Telephone Booths:** H. Tian, *Sun Yat-sen University, China / Hong Kong Polytechnic University, Hong Kong*; L. Xia, *Sun Yat-sen University, China / Wuhan University, China*; E. Mok, *Hong Kong Polytechnic University, Hong Kong* **357**

**Improving Simultaneous Localization and Mapping for Pedestrian Navigation and Automatic Mapping of Buildings by using Online Human-Based Feature Labelling:** P. Robertson, M. Angermann, M. Khider, *German Aerospace Center DLR, Germany* **365**

**Knee and Waist Attached Gyroscopes for Personal Navigation: Comparison of Knee, Waist and Foot Attached Inertial Sensors:** Z. Liu, *Drexel University*; C-H. Won, *Temple University* **375**

## A3. Multisensor Integrated Systems 1 (GPS/Inertial)

**Analysis of Deeply Integrated and Tightly Coupled Architectures:** M. Lashley, *Navigation Technology Associates*; D.M. Bevely, J.Y. Hung, *Auburn University* **382**

**Tightly Coupled GPS/INS Integration for Differential Carrier Phase Navigation Systems Using Decentralized Estimation:** S.E. Langel, S.M. Khanafseh, F-C. Chan, B. Pervan, *Illinois Institute of Technology* **397**

**An Alternative Erection Procedure for On-Ground Transfer Alignment:** H. Rotstein, Y. Baumgarten, *Rafael Advanced Defense Systems Ltd., Israel* **410**

**A Self-resetting Method for Reducing Error Accumulation in INS-based Tracking:** E. Akeila, Z. Salcic, A. Swain, *University of Auckland, New Zealand* **418**

## B3. Receiver and Antenna Technology

**A Robust Bias Detection Method in the Frequency Domain for Code Delay Estimation Applied to Modern Navigation Modulations:** D. Fernandez-Prim, *Institute of Applied Systems Technology, Joanneum Research, Austria* **428**

<b>Adaptive Antenna for Handheld GPS Receivers:</b> A.S.C. Svendsen, I.J. Gupta, <i>The Ohio State University</i>	<b>436</b>
<b>Channels Combining Techniques for a Novel Two Steps Acquisition of New Composite GNSS Signals in Presence of Bit Sign Transitions:</b> K. Sun, L. Lo Presti, <i>Politecnico di Torino, Italy</i>	<b>443</b>
<b>Hierarchical Code Acquisition for Dual Band GNSS Receivers:</b> F. Bastia, L. Deambrogio, C. Palestini, M. Villanti, R. Pedone, G.E. Corazza, <i>DEIS/ARCES - University of Bologna, Italy</i>	<b>458</b>
<b>A Valid Comparison of Vector and Scalar Tracking Loops:</b> M. Lashley, <i>Navigation Technology Associates</i> ; D.M. Bevly, J.Y. Hung, <i>Auburn University</i> (BEST PAPER IN TRACK B)	<b>464</b>
<b>Evolutionary Navigation System:</b> J-J. Floch, D. Oskam, <i>EADS Astrium GmbH, Germany</i> ; D. Fernandez, M. Schoenhuber, <i>Joanneum Research, Austria</i> ; M. Ouedraogo, <i>EADS Astrium GmbH, Germany</i> ; S. Vaccaro, D. Llorens del Río, <i>Jast SA, Switzerland</i> ; F. Amarillo Fernandez, <i>European Space Agency</i>	<b>475</b>

### **C3. Indoor Personal & First Responder Navigation 2 (RF Based)**

<b>First Responder Location and Tracking using Synthetic Aperture Navigation:</b> L. Haas, M. Harlacher, <i>Argon ST</i>	<b>483</b>
<b>Accelerometer Assisted Robust Wireless Signal Positioning Based on a Hidden Markov Model:</b> J. Liu, R. Chen, L. Pei, W. Chen, T. Tenhunen, H. Kuusniemi, T. Kröger, Y. Chen, <i>Finnish Geodetic Institute, Finland</i>	<b>488</b>
<b>Improved First Responder Localization for Single-Hop and Multi-Hop Networks:</b> D. Humphrey, T. Sathyan, M. Hedley, <i>CSIRO ICT Centre, Australia</i>	<b>498</b>
<b>Experimental Validation of TOA UWB Positioning with Two Receivers Using Known Indoor Features:</b> J. Kietlinski-Zaleski, T. Yamazato, M. Katayama, <i>Nagoya University, Japan</i>	<b>505</b>
<b>A Repeater-based Localization System with Wideband Signalling:</b> J. Liu, <i>University of Calgary, Canada</i>	<b>510</b>
<b>A Comprehensive Approach for Optimizing ToA-localization in Harsh Industrial Environments:</b> A. Lewandowski, C. Wietfeld, <i>Dortmund University of Technology, Germany</i>	<b>516</b>
<b>Wi-Fi-enabled GPS Indoor Geolocation System:</b> I.F. Progri, <i>Giftet Inc.</i>	<b>526</b>
<b>A Novel Positioning Algorithm Based on Ultra Wideband Technology:</b> W. Gerok, T. Kaiser, <i>Leibniz University Hannover, Germany</i>	<b>539</b>

### **D3. Relative Navigation & Landing Systems**

<b>Performance Comparison of Single and Dual Frequency Closely Coupled GPS/INS</b>	<b>544</b>
--	------------

<b>Relative Positioning Systems:</b> S. Martin, W. Travis, D. Bevly, <i>Auburn University</i>	
<b>Tightly-Coupled Image-Aided Inertial Relative Navigation Using Statistical Predictive Rendering (SPR) Techniques and A Priori World Models:</b> J. Beich, M. Veth, <i>Air Force Institute of Technology</i>	<b>552</b>
<b>Aircraft GNSS-based Precision Approach and RAIMS Simulations on a SimPit Platform:</b> M. Serrano, L. Serrano, <i>SimNav Solutions, Portugal</i>	<b>561</b>
<b>GBAS Based Autoland System: A Bottom Up Approach for GAST-D Requirements:</b> B. Belabbas, T. Dautermann, G. Looye, J. Kladetzke, <i>German Aerospace Center - DLR, Germany</i>	<b>566</b>
<b>Overbounding Position Errors in the Presence of Carrier Phase Multipath Error Model Uncertainty:</b> S. Khanafseh, S. Langel, B. Pervan, <i>Illinois Institute of Technology</i>	<b>575</b>
<b>Attitude Bootstrapped Multi-frequency Relative Positioning:</b> P.J. Buist, <i>Delft University of Technology, The Netherlands</i> ; P.J.G. Teunissen, <i>Curtin University of Technology, Australia</i> ; G. Giorgi, S. Verhagen, <i>Delft University of Technology, The Netherlands</i>	<b>585</b>
<b>Impact of Satellite Coverage in Single-frequency Precise Heading Determination:</b> J. Reis, J. Sanguino, A. Rodrigues, <i>Technical University of Lisbon, Portugal</i>	<b>592</b>

## A4. Sensor Manufacturing, Error Modeling & Testing

<b>Error Modeling and Characterization of Environmental Effects for Low Cost Inertial MEMS Units:</b> Y. Yuksel, N. El-Sheimy, <i>University of Calgary, Canada</i> ; A. Noureldin, <i>Queen's University, Canada</i>	<b>598</b>
<b>Inertial Instrument Error Identification Algorithm Based on Reverse Navigation Data:</b> Q. Zeng, J. Liu, L. Sha, <i>Nanjing University of Aeronautics and Astronautics, China</i>	<b>613</b>
<b>Towards Volume Medium-accuracy MEMS Gyro Manufacturing: Challenges and Solutions:</b> O. Mezentsev, E. Frolov, M. Klimkin, D. Soloviev, A. Mezentsev, <i>iSense LLC, Russia</i>	<b>617</b>
<b>Calibration Enhancement of ShapeAccelArray Technology for Long Term Deformation Monitoring Applications:</b> C. Griffith, P. Dare, <i>University of New Brunswick, Canada</i> ; L. Danish, <i>Measurand Inc., Canada</i>	<b>621</b>
<b>Analysis of Sculling Motion Errors Caused by Sensor Transfer Function Imperfections in Strapdown Inertial Navigation Systems:</b> I. Rapoport, A. Brandes, <i>Elbit Systems, Electro-Optics ELOP, Ltd., Israel</i>	<b>627</b>
<b>Observability of Integrated Navigation System States Under Varying Dynamic Conditions and Aiding Techniques:</b> M. Becker, U. Bestmann, A. Schwithal, P. Hecker, <i>Institute of Flight Guidance, Technische Universitaet Braunschweig, Germany</i>	<b>632</b>
<b>Development of a Low Cost Sun Sensor using Quadphotodiode:</b> I. Maqsood, <i>Masdar Institute of Science and Technology, United Arab Emirates</i> ; T. Akram, <i>Technical University of Hamburg, Germany</i>	<b>639</b>



## B4. GNSS Augmentation Systems

- Incremental Benefits of Dual Frequency Signals for the Wide Area Augmentation Systems:** T. Schempp, S. Peck, *Raytheon* **645**
- Ephemeris Type A Fault Analysis and Mitigation for LAAS:** H. Tang, S. Pullen, P. Enge, *Stanford University*; L. Gratton, B. Pervan, *Illinois Institute of Technology*; M. Brenner, J. Scheitlin, P. Kline, *Honeywell* **654**
- Enabling LAAS Airport Surface Movement: Mitigating the Anomalous Ionospheric Threat:** Y.S. Park, S. Pullen, P. Enge, *Stanford University* **667**
- Testbed for Dual-Constellation GBAS Concepts:** M. Bitter, T. Feuerle, B. von Wulfen, M. Steen, P. Hecker, *Institute of Flight Guidance, TU Braunschweig, Germany* **680**
- Multi-Layer Modeling and Simulation of the Effects of Ionospheric Scintillation on Service Availability of the GPS Augmentation Systems:** R. Malla, R. Fries, *Raytheon Company* **688**
- GBAS NSE Model for CAT II/III Autoland Simulations:** P. Neri, C. Macabiau, *ENAC, France*; L. Azoulai, J. Muller, *AIRBUS, France* **694**
- Authenticating Aviation Augmentation System Broadcasts:** S. Lo, P. Enge, *Stanford University* **708**
- A Software-Based Receiver Sampling Frequency Calibration Technique and its Application in GPS Signal Quality Monitoring:** Y. Kou, X. Zhou, *Beihang University, China*; Y. Morton, *Miami University*; D.M. Akos, *University of Colorado-Boulder* **718**

## C4. Weak Signal Processing

- Improving Carrier Phase Reacquisition using Advanced Receiver Architectures:** P. Xie, M.G. Petovello, *University of Calgary, Canada* **728**
- Comparing Detection Performance of Polarization and Spatial Diversity for Indoor GNSS Applications:** M. Zaheri, A. Broumandan, G. Lachapelle, *University of Calgary, Canada* (BEST PAPER IN TRACK C) **737**
- Resource and Performance Comparisons for Different Acquisition Methods that can be Applied to a VHDL-based GPS Receiver in Standalone and Assisted Cases:** J. Leclere, C. Botteron, P-A. Farine, *École Polytechnique Fédérale de Lausanne, Switzerland* **745**
- A Differential Post Detection Technique for Two Steps GNSS Signal Acquisition Algorithm:** K. Sun, L. Lo Presti, *Politecnico di Torino, Italy* **752**
- Hybrid Fault Detection Technique in Assisted GNSS:** G. Ghinamo, G. Boiero, P. Lovisolò, *Telecom Italia Lab., Italy*; A.D. Torre, E. Detoma, *SEPA, Italy* **765**
- Processing GPS L2C Signals Under Ionospheric Scintillations:** Y. Kou, X. Zhou, *Beihang University, China*; Y. Morton, *Miami University*; L. Zhang, *Beijing Institute of Technology,* **771**

**Interference Cancellation in Multipath Environment for Mobile WiMAX** 783  
**Geo-location System:** J-W. Park, S-H. Song, T-K. Sung, *Chungnam National University, South Korea*

## D4. Urban Personal & Vehicular Navigation 2 (GNSS Based)

**Collaborative Acquisition of Weak GPS Signals:** P. Luo, M.G. Petovello, *University of Calgary, Canada* 787

**A Novel Fine Code Phase Determination Approach for a Bandwidth Limited Snapshot GPS Receiver:** R. Zheng, M-H. Chen, X.H. Ba, J. Chen, *Institute of Microelectronics, Chinese Academy of Sciences, China* 796

**Nominal GNSS Pseudorange Measurement Model for Vehicular Urban Applications:** D. Salos, *TéSA/ENAC, France*; C. Macabiau, A. Martineau, *ENAC, France*; B. Bonhoure, *CNES, France*; D. Kubrak, *Thales Alenia Space, France* 806

**Bayesian Multisensor Navigation Incorporating Pseudoranges and Multipath Model:** M. Khider, T. Jost, E. Abdo Sanchez, P. Robertson, M. Angermann, *German Aerospace Center DLR, Germany* 816

**Integration of GPS and Vision Measurements for Navigation in GPS-Challenged Environments:** A. Soloviev, *University of Florida*; D. Venable, *Air Force Research Laboratory* 826

**Cooperative GPS Navigation:** S. Quebe, *Brigham Young University*; J. Campbell, S. DeVilbiss, *Air Force Research Laboratory*; C.N. Taylor, *Brigham Young University* 834

**Statistical Analysis of Different Low Cost GPS Receivers for Indoor and Outdoor Positioning:** M. Piras, *Politecnico di Torino, Italy*; G. Marucco, K. Charqane, *Istituto Superiore Mario Boella, Italy* 838

## A5. Multisensor Integrated Systems 2 (Miscellaneous Sensors & Algorithms)

**Sensitivity Analysis of Object Space Geometry for TLS-Aided Navigation:** X. Wang, D.A. Grejner-Brzezinska, C.K. Toth, J.K. Lee, *The Ohio State University* 850

**Using Single-Camera Geometry to Perform Gyro-free Navigation and Attitude Determination:** Z. Zhu, S. Bhattacharya, M. Uijt de Haag, W. Pelgrum, *Ohio University* 858

**Research on Multi-sensor Information Fusion System Application for UAVs with Long Range and High Altitude:** Y. Yu, J. Liu, Z. Xiong, R. Li, *Nanjing University of Aeronautics and Astronautics, China* 868

**Knowledge-based Error Detection and Correction Method of a Multi-sensor Multi-network Positioning Platform for Pedestrian Indoor Navigation:** Y. Chen, R. Chen, L. Pei, T. Kröger, H. Kuusniemi, J. Liu, *Finnish Geodetic Institute, Finland*; W. Chen, *University of Science and* 873

*Technology of China, China (BEST PAPER IN TRACK A)*

**An A-to-N Mark Monitoring System Based on Wireless Sensor Network:** J. Zheng, **880**  
X. Zhang, G. Fang, L. Lu, *Jimei University, China*

**A Universal Navigability Map Building Approach for Improving Terrain-Aided-  
Navigation Accuracy:** S. Reynaud, C. Louis, *Thales, France* **888**

**Time Synchronization and Temporal Ordering of Asynchronous Sensor  
Measurements of a Multi-sensor Navigation System:** J-O. Nilsson, P. Handel, *Royal Institute of  
Technology, Sweden* **897**

## **B5. Modernized GNSS**

**Space Qualified Frequency Sources (Clocks) for Current and Future GNSS  
Applications:** L.A. Mallette, *The Aerospace Corporation*; J. White, *U.S. Naval Research Laboratory*; P.  
Rochat, *SpectraTime Inc.* **903**

**Dilution of Precision and Total Interference Level on a GPS+Galileo Compatible  
Receiver A Global Perspective:** D. Fernandez Prim, *Institute of Applied Systems Technology  
JOANNEUM RESEARCH, Austria* **909**

**Comparison of Different Chip Pulse Shapes for DS-CDMA Systems:** J-J. Floch, **918**  
*Astrium GmbH, Germany*; J-L. Issler, *CNES, France*; F. Antreich, M. Meurer, *German Aerospace Center,  
DLR, Germany*

**Measurement Error Models and Fault-Detection Algorithms for Multi-  
Constellation Navigation Systems:** M. Joerger, J. Neale, B. Pervan, *Illinois Institute of Technology*;  
S. Datta-Barua, *Atmospheric and Space Technology Research Associates (ASTRA), LLC* **927**

**Low Complex Interoperable GNSS Signal Processor and its Performance:** P. Kovar, **947**  
P. Kacmarik, F. Vejrazka, *Czech Technical University in Prague, Czech Republic*

## **C5. Terrestrial Radionavigation & RF-Positioning**

**Designing, Developing, and Deploying a Small Footprint Low Frequency System  
for Positioning, Navigation, Timing, and Data Services:** C. Stout, C. Schue, *UrsaNav, Inc.* **952**

**An Analysis of Advanced Optimization Algorithms for Multiuser Cooperative  
Navigation:** M.A. Enright, *Quantum Dimension, Inc.* **966**

**A New Differential Positioning Method Using Modulation Correlation of Signals of  
Opportunity:** T.A. Webb, P.D. Cross, P.A. Groves, *University College London, UK*; R.J. Mason, J.H.  
Harrison, *Terrafix Ltd., UK* **972**

**Augmenting Commercial Wireless Transceivers with Time-of-Arrival Positioning:** **982**  
R.C. Daniels, S.W. Peters, R.W. Heath, Jr., *The University of Texas at Austin*

**Development and Validation of an OFDM/DVB-T Sensor for Positioning:** D. Serant, **988**

ENAC/TéSA, France; P. Thevenon, TéSA-ISAE, France; M-L. Boucheret, University of Toulouse, IRIT/ENSEEIH/TéSA, France; O. Julien, C. Macabiau, ENAC, France; S. Corazza, M. Dervin, Thales Alenia Space, France; L. Ries, CNES, France (BEST STUDENT PAPER)

**An Inquiry-based Bluetooth Indoor Positioning Approach for the Finnish Pavilion at Shanghai World Expo 2010:** L. Pei, R. Chen, J. Liu, T. Tenhunen, H. Kuusniemi, Y. Chen, *Finnish Geodetic Institute, Finland* **1002**

**Design of Hybrid Long Integration in Geo-location in Presence of CCI:** S-H. Song, J-W. Park, T-K. Sung, *Chungnam National University, South Korea* **1010**

## D5. Land Vehicle Navigation

**Nonlinear Filtering for Tightly Coupled RISS/GPS Integration:** J. Georgy, *Queen's University, Canada*; A. Noureldin, *Royal Military College of Canada, Canada*; Z. Syed, C. Goodall, *Trusted Positioning Inc., Canada* **1014**

**Digital Map-Based One Dimensional Navigation Model for Vehicle Applications:** Y. Jiang, F. Gao, G. Xu, *Beihang University, China* **1022**

**Using AsteRxi, GNSS/MEMS IMU Receiver in a Container Positioning System:** L. Vander Kuylen, J. Leyssens, G. Van Meerbergen, *Septentrio NV, Belgium* **1027**

**High-Precision Lane-level Road Map Building for Vehicle Navigation:** A. Chen, A. Ramanandan, J.A. Farrell, *University of California, Riverside* **1035**

**Implementation of an FPGA-based Aided IMU on a Low-Cost Autonomous Outdoor Robot:** M. Jew, A. El-Osery, *New Mexico Tech*; S. Bruder, *Applied Technology Associates* **1043**

**Self-Calibrated Multiple-Lane Detection System:** Y. Jiang, F. Gao, G. Xu, *Beihang University, China* **1052**

**Planar Landmark Detection Using a Specific Arrangement of LIDAR Scanners:** K. Narayana, F. Goulette, B. Steux, *Robotics Laboratory, Mines ParisTech, France* **1057**

**Analytical Resolution Method Based on Ambiguity Function for Attitude Determination:** B. Wang, X. Zhan, Y. Zhang, *Shanghai Jiao Tong University, China* **1070**

**An Obstacle-Edging Reflex for an Autonomous Lawnmower:** K.A. Daltorio, A.D. Rolin, J.A. Beno, B.E. Hughes, A. Schepelmann, M.S. Branicky, R.D. Quinn, *Case Western Reserve University*; J.M. Green, *MTD Products, Inc.* (WALTER FRIED AWARD) **1079**

## A6. Alternative Navigation Sensors & Integration Algorithms

**An Insider View on the Tracking Loops: A Novel Ultra-Tight GNSS/INS Hybridization Approach:** C. Palestini, L. Deambrogio, F. Bastia, G.E. Corazza, *DEIS/ARCES, University of Bologna, Italy* **1093**

- Camera-based Vehicle Localization at Intersections using Detailed Digital Maps:** N. Mattern, G. Wanielik, *Chemnitz University of Technology, Germany* **1100**
- GPS-Like Navigation Underground:** C. Davis, *Raytheon-UTD* **1108**
- Approaches for Using Three Dimensional Sonar as a Supplemental Sensor to GNSS:** W.R. Woodward, R. Webb, *UrsaNav, Inc.*; R. Kahrs Hansen, *CodaOctopus Omnitech, Norway*; B. Cunningham *CodaOctopus Research and Development Ltd., UK*; J.N. Markiel, *The Ohio State University* **1112**

## **B6. Algorithms & Processing 2 (Multipath Mitigation & Weak Signal)**

- An Innovative Multipath Mitigation Method Using Coupled Amplitude Delay Locked Loops in GNSS Receivers:** X. Chen, F. Dovis, *Politecnico di Torino, Italy*; M. Pini, *Istituto Superiore Mario Boella, Italy* **1118**
- Multipath Mitigation Techniques for CBOC, TMBOC and AltBOC Signals Using Advanced Correlator Architectures:** A. Jovanovic, Y. Tawk, C. Botteron, P-A. Farine, *Ecole Polytechnique Fédérale de Lausanne, Switzerland* **1127**
- Implementation Details of a Deeply Integrated GPS/INS Software Receiver:** W.L. Edwards, B.J. Clark, D.M. Bevely, *Auburn University* **1137**
- Projected Bandwidth Loop – An Alternative to Adaptive Bandwidth Loops with Reduced Complexity:** F.A. Khan, A.G. Dempster, C. Rizos, *University of New South Wales, Australia* **1147**
- Studies on DPM for the Density Estimation of Pseudorange Noises and Evaluations on Real Data:** N. Viandier, J. Marais, *University Lille Nord de France, INRETS LEOST, France*; A. Rabaoui, E. Duflos, *University Lille Nord de France, France* **1154**
- Carrier Phase Multipath Corrections Based on GNSS Signal Quality Measurements to Improve CORS Observations:** C. Rost, L. Wanninger, *Technische Universität Dresden, Germany* **1162**
- Particle Filtering and its Application for Multipath Mitigation with GNSS Receivers:** X. Liu, *Wuhan University, China*; P. Closas, *Centre Tecnologic de Telecomunicacions de Catalunya, Spain*; J. Liu, X. Hu, *Wuhan University, China* **1168**
- Indoor Tracking with Low Training and Hardware Costs:** M. Cortes, J.D Hobby, T. Janiszewski, *Alcatel-Lucent Bell Labs* **1174**
- The Merits of the Cyclostationarity of BOC Signals for a Cognitive GNSS Receiver Design:** M. Sahmoudi, *ISAE/SupAero, University of Toulouse, France*; C. Yang, *Sigtem Technology, Inc., USA*; V. Calmettes, *ISAE/SupAero, University of Toulouse, France* **1181**

## **C6. Vision/Integrated Navigation for Vehicular Applications**

<b>The Precise INS/GPS Geolocation of a Vehicle-towed UXO Detection System:</b>	<b>1189</b>
J.K. Lee, D.J. Cacamise II, C. Jekeli, <i>Ohio State University</i>	
<b>Observability Analysis of INS and Lever-arm Error States with CDGPS – Camera Aiding:</b>	<b>1197</b>
A. Ramanandan, A. Chen, J.A. Farrell, <i>University of California, Riverside</i>	
<b>Relating Local Vision Measurements to Global Navigation Satellite Systems Using Waypoint Based Maps:</b>	<b>1204</b>
J.W. Allen, D.M. Bevly, <i>Auburn University</i>	
<b>Mosaic Aided Navigation: Tools, Methods and Results:</b>	<b>1212</b>
V. Indelman, P. Gurfil, E. Rivlin, H. Rotstein, <i>RAFAEL - Advanced Defense Systems Ltd., Israel</i>	
<b>Lidar Attitude Estimation for Vehicle Safety Systems:</b>	<b>1226</b>
J. Britt, D.J. Broderick, D.M. Bevly, J. Hung, <i>Auburn University</i>	
<b>Precision Multi-Sensor Optical Navigation Test-bed Utilizing Ground-Truthed Data Set:</b>	<b>1232</b>
J.E. Touma, M. Fessenden, T.J. Klausutis, C. New, <i>Air Force Research Laboratory</i> ; D.D. Diel, <i>Scientific Systems Company</i>	
<b>GIMPhI: A Novel Vision-based Navigation Approach for Low Cost MMS:</b>	<b>1238</b>
M. De Agostino, A. Lingua, F. Nex, M. Piras, <i>Politecnico di Torino - DITAG, Italy</i>	

## D6. Aviation

<b>High Integrity Stochastic Modeling of GPS Receiver Clock for Improved Positioning and Fault Detection Performance:</b>	<b>1245</b>
F-C. Chan, M. Joerger, B. Pervan, <i>Illinois Institute of Technology</i>	
<b>NIORAIM Algorithm Applied to a Multiconstellation GNSS: Analysis of Integrity Monitoring Performances in Various Phases of Flight:</b>	<b>1258</b>
P. Madonna, S. Viola, L. Sfarzo, <i>T.R.S. S.p.A., Italy</i>	
<b>Analysis and Evaluation of MEMS INS/GNSS Hybridization for Commercial Aircraft and Business Jets:</b>	<b>1264</b>
M. Steen, P.M. Schachtebeck, M. Kujawska, P. Hecker, <i>Institute of Flight Guidance, TUBS, Germany</i>	
<b>Phase I Helicopter Test Flight Evaluation of IFR Approaches to a Heliport Under GPS/WAAS Guidance:</b>	<b>1271</b>
S.S. Avery, <i>FAA/ Mike Monroney Aeronautical Center</i> ; D. Stapleton, <i>ISI/Mike Monroney Aeronautical Center</i>	
<b>GPS Experiment on the Balloon-based Operation Vehicle:</b>	<b>1287</b>
P.J. Buist, S. Verhagen, <i>Delft University of Technology, The Netherlands</i> ; T. Hashimoto, S. Sawai, S-I. Sakai, N. Bando, S. Shimizu, <i>JAXA-ISAS, Japan</i> (BEST PAPER IN TRACK D)	
<b>Errors in the Pressure and Blanchard Altitudes for a Cross Country Flight:</b>	<b>1295</b>
T-C. Li, V. Chueh, <i>Northrop Grumman Corporation Navigation Systems</i>	
<b>Geometrical Siting Considerations for Wide Area Multilateration Systems:</b>	<b>1304</b>
A. Jasch, T. Feuerle, G. Scoor, P. Hecker, <i>TU Braunschweig, Germany</i>	