

2010 International Conference on Indium Phosphide and Related Materials

(IPRM 2010)

**Takamatsu, Japan
31 May – 4 June 2010**



IEEE Catalog Number: CFP10IIP-PRT
ISBN: 978-1-4244-5919-3

Table of Contents

Tuesday, June 1

PL: Plenary Session

PL2	The DARPA COSMOS Program: The Convergence of InP and Silicon CMOS Technologies for High-Performance Mixed-Signal	5
-----	--	---

TuA2: Quantum Dot and Nanostructure Devices

TuA2-1	Nanowires for Quantum Optics.....	10
TuA2-2	Selective-Area MOVPE Growth and Optical Properties of Single InAsP Quantum Dots Embedded in InP NWs.....	15
TuA2-3	InAs/InP QDs Broadband LED Using Selective MOVPE Growth and Double-Cap Procedure	19
TuA2-4	Temperature sensitivity of 1.5 μ m (100) InAs/InP-based Quantum Dot Lasers.....	23

TuB2: Submicron III-V MOS

TuB2-1	III-V MOSFETs: Scaling Laws, Scaling Limits, Fabrication Processes.....	25
TuB2-2	Scaling of InGaAs MOSFETs into Deep-Submicron Regime	31
TuB2-3	Submicron InP/InGaAs Composite Channel MOSFETs with Selectively Regrown N ⁺ -Source/Drain Buried in Channel Undercut.....	37
TuB2-4	Fabrication and Characterization of 200-nm Self-Aligned In _{0.53} Ga _{0.47} As MOSFET	41

TuA3: Lasers and Modulators

TuA3-1	Very-High-Bit-Rate Integrated Photonic Devices for Next-Generation Ethernet.....	44
TuA3-2	40Gb/s SOA-Integrated EAM Using Cascaded Structure	50
TuA3-3	Chirp Optimization of 1550nm InAs/InP Quantum Dash Based Directly Modulated Lasers for 10Gb/s SMF Transmission up to 65Km.....	52
TuA3-4	Ultra-Low Threshold 1490 nm Surface-Emitting BH-DFB Laser Diode with Integrated Monitor Photodiode.....	55
TuA3-5	Thin-Film GaInAsP/InP Lateral Current Injection Type Fabry-Perot Laser -Improved Quantum Efficiency Operation-.....	59

TuB3: Growth and Characterization of III-V

TuB3-1	Antimonide Based Infrared Materials: Developments in InSb and GaSb Substrate Technologies.....	63
TuB3-2	Effect of Gravity on the Growth of Ternary Alloy Semiconductor Bulk Crystals	68
TuB3-3	Growth of Large Platy InGaAs Crystals and Fabrication of Semiconductor Laser Diodes	74
TuB3-4	Optical and Electrical Properties of InP Porous Structures Formed on p-n Substrates.....	77
TuB3-5	Preparation of N-TYPE InP Substrates by Vertical Boat Growth.....	81

TuA4: Advanced Epitaxy for Nanostructures

TuA4-1	Fabrication of III-V Semiconductor Nanowires by SA-MOVPE and their Applications to Photonic and Photovoltaic Devices	85
TuA4-2	Epitaxial III-V Planar Nanowires: Self-Aligned, High-Mobility and Transfer-Printable	88
TuA4-3	RF-MBE Growth of InN/InGaN MQW Structures by DERI and their Characterization	92
TuA4-4	Selective Area Growth of III-V Semiconductors: From Fundamental Aspects to Device Structures	96

TuB4: HBT

TuB4-1	Type-II InP/GaAs _x Sb _{1-x} DHBTs with Simultaneous F _T and F _{MAX} >340 GHz Fabricated by Contact Lithography	102
--------	--	-----

Table of Contents

TuB4-2	400 GHz F_{MAX} InP/GaAsSb HBT for Millimeter-Wave Applications	105
TuB4-5	A 120-Gbit/s 520-mV _{pp} Multiplexer IC Using 1- μ m Self-Aligned InP/InGaAs/InP DHBT with Emitter MESA Passivation Ledge	111
TuB4-6	Sensitivity of a 20-GS/s InP DHBT Latched Comparator.....	115
TuB4-7	Reliability Study on InP/InGaAs Emitter-Base Junction for High-Speed and Low-Power InP HBT ...	119

Table of Contents

Wednesday, June 2

WeA2: Sb-Based Alloys and Heterostructures

WeA2-1	Advances in the Growth and Performance of Antimonide-Based Mid-Infrared Interband Cascade Lasers	123
WeA2-2	InAsSb and InPSb Materials for Mid Infrared Photodetectors	127
WeA2-5	Zn-Doped InGaAs with High Carrier Concentration Enhanced by Sb Surfactant for Low Specific Contact Resistance.....	133

WeB2: Toward THz

WeB2-1	Sub 50 nm InP HEMT with $f_T = 586$ GHz and Amplifier Circuit Gain at 390 GHz for Sub-Millimeter Wave Applications.....	137
WeB2-2	High Performance InP mHEMTs on GaAs Substrate with Multiple Interconnect Layers	140
WeB2-3	High Frequency Performance of Vertical InAs Nanowire MOSFET	144
WeB2-4	Selective Undercut Etching for Ultra Narrow Mesa Structure in Vertical InGaAs Channel MISFET	148
WeB2-5	RTD Oscillators at 430-460 GHz with High Output Power ($\sim 200 \mu\text{W}$) Using Integrated Offset Slot Antennas.....	152
WeB2-6	Monte Carlo Study of Strain Effect on High Field Electron Transport in InAs and InSb.....	156

WeA3: High-speed Switches

WeA3-1	Integration Technologies for an 8x8 InP-Based Monolithic Tunable Optical Router with 40Gb/s Line Rate per Port	160
WeA3-2	A Monolithic Wavelength-Routing Switch using Double-Ring-Resonator-Coupled Tunable Lasers with Highly Reflective Mirrors.....	164
WeA3-3	Monolithically-Integrated 8:1 SOA Gate Switch with Small Gain Deviation and Large Input Power Dynamic Range for WDM Signals	168
WeA3-4	Intersubband Absorption Generation through Silicon Ion Implantation in Undoped InGaAs/AlAsSb Coupled Double Quantum Wells towards Monolithic Integration of Intersubband-Transition-Based All-Optical Switches	172
WeA3-5	Room Temperature Picosecond Mode-Locked Pulse Generation from a 1.55 μm VECSEL with an InGaAsN/GaN Fast Saturable Absorber Mirror	176

WeB3: Growth and Characterization of Nitride

WeB3-1	Ammonothermal Technology for Bulk Gallium Nitride Crystals.....	179
WeB3-4	Observation of Birefringence Distribution Caused by Residual Strain in Bulk C-Plane GaN Substrates	184

Poster Viewing

WeP2	InGaAsN as Absorber in APDs for 1.3 Micron Wavelength Applications	187
WeP4	Investigation of SiO ₂ on AlGaAs Prepared by Liquid Phase Deposition	191
WeP5	Comparison of the Photoluminescence Spectra between Quantum Well Structure and Quantum Dots Structure	195
WeP6	Synthesis of Cubic-GaN Nanoparticles Using the Na Flux Method - A Novel Use for the Ultra-High Pressure Apparatus -	199

Table of Contents

WeP7	AlN Bulk Single Crystal Growth on SiC and AlN Substrates by Sublimation Method	203
WeP8	Carbon-Doped $\text{In}_x\text{Ga}_{1-x}\text{As}_{1-y}\text{Sb}_y$ on InP Grown by Metal-Organic Chemical Vapor Deposition	207
WeP9	The Combination for Thermodynamic Model and Precursor State Used in GaAsSb/GaAs Multiple Quantum Wells Grown by Gas Source Molecular Beam Epitaxy	211
WeP10	Investigation of the Origin of InAs Dot Formation at the Growth Interrupted AlGaInAs Hetero-Interface Grown by MOVPE	214
WeP13	MOVPE Growth of InPN Films on InP(001) Substrates.....	220
WeP14	Reduction of Surface Roughness of GaP on Si Substrate using Strained GaInP Interlayer by MOCVD.....	224
WeP15	Selective Area Growth of InP on Nano-Patterned $\text{SiO}_2/\text{Si}(100)$ Substrates by Molecular Beam Epitaxy	228
WeP16	Heteroepitaxial Growth of Indium Phosphide from Nano-Openings Made by Masking on a Si(001) Wafer	232
WeP19	MOVPE Regrowth Steps for High Power Quantum Cascade Lasers.....	237
WeP20	Proposal of InAlGaAs/InAlAs/InP 1x2 Cross-Point Optical Switch with Mode-Spot Modulation MMI Waveguide and 45° TIR Mirror.....	241
WeP21	Switching Characteristics in Variable Refractive-Index Waveguide Array by Carrier Injection	245
WeP22	All-Optical Switch Using InAs Quantum Dots in a Vertical Cavity.....	249
WeP23	Low Driving Voltage Spatial Light Modulator Fabricated by Ultrahigh-Purity GaAs.....	253
WeP24	Enhanced TE/TM Electro-Optic Effect in Vertically Coupled InGaAs Quantum Dots	257
WeP25	Dependence of Threshold Current Density on Quantum Well Composition for Compressive Strained-Layer $\text{Al}_x\text{Ga}_y\text{In}_{1-x-y}\text{As}$ Lasers.....	261
WeP26	Thermal Performance of $1.55\mu\text{m}$ InGaAlAs Quantum Well Buried Heterostructure Lasers	265
WeP27	Investigation of Regrowth Interface Quality of AlGaInAs/InP Buried Heterostructure Lasers.....	269
WeP28	Investigation of Bonding Strength and Photoluminescence Properties of InP/Si Surface Activated Bonding.....	273
WeP29	Selective Etching and Polymer Deposition on InP Surface in CH_4/H_2 -RIE	277
WeP31	New Approach Based on Linear Spectrogram to Measure Optical Delays in Semiconductor Optical Amplifiers	285
WeP32	Floating-Base InGaP/GaAs Heterojunction Phototransistors with Low Doped Extrinsic Base.....	289
WeP33	Optical Control of InP-Based HEMT 60GHz Oscillators with Sub-Harmonic Injection Locking.....	293
WeP34	Optical Generation of Microwave Carrier with High Spectral Purity Using Integrated Dual Wavelength Semiconductor Laser Diode	295
WeP35	Proposal of Multi-Wavelength Integration of Athermal GaAs VCSEL Array with Thermally Actuated Cantilever Structure	299
WeP37	Air-Bridge Contact Fabrication for In-Plane Active Photonic Crystal Devices	304
WeP39	Characterization of InAlAs/ $\text{In}_{0.25}\text{Ga}_{0.75}\text{As}_{0.72}\text{Sb}_{0.28}$ /InGaAs Double Heterojunction Bipolar Transistors	309
WeP41	Analytical Studies on Temperature Dependence of DC Characteristics of InP/GaAsSb Double Heterojunction Bipolar Transistors.....	314
WeP42	High Linearity 2-Bit Current Steering InP/GaInAs DHBT Digital-to-Analog Converter.....	317
WeP43	DC and RF Cryogenic Behaviour of InAs/AlSb HEMTs	321

Table of Contents

WeP44	An 80 nm $\text{In}_{0.7}\text{Ga}_{0.3}\text{As}$ MHEMT with Flip-Chip Packaging for W-Band Low Noise Applications.....	325
WeP45	$\text{N}^+\text{-InGaAs/InAlAs}$ Recessed Gates for InAs/AlSb HFET Development	329
WeP46	Isolated-Gate InAs/AlSb HEMTs: a Monte Carlo Study	333
WeP47	TCAD Optimization of Field-Plated InAlAs-InGaAs HEMTs.....	337
WeP48	An Optoelectronic Mixer Based on Composite Transparent Gate InAlAs/InGaAs Metamorphic HEMT	340
WeP49	Plasma-Resonant THz Detection with HEMTs.....	344
WeP50	Ti- and Pt-Based Schottky Gates for InGaSb p-Channel HFET Development	348
WeP51	A New Low-Power RTD-Based 4:1 Multiplexer IC using AN InP RTD/HBT MMIC Technology.....	352
WeP52	Low Power K-Band Second Harmonic Balanced VCO IC Using InP Based RTDs	355
WeP53	Scalable High-Current Density RTDs with Low Series Resistance	358
WeP54	A Traveling Wave Amplifier Based on Composite Right/Left Handed (CRLH) Transmission Lines Periodically Loaded with Resonant Tunneling Diode Pairs	362
WeP55	Air-Gap Capacitance-Voltage Analysis of p-InP Surfaces	366
WeP56	THz Generation Based on Gunn Oscillations in GaN Planar Asymmetric Nanodiodes.....	369
WeP58	Room-Temperature Operation Type-II GaSb/GaAs Quantum-Dot Infrared Light-Emitting Diode.....	374
WeP59	Optical Characterization of InGaAsP/InAlAsP Multiple Quantum Wells Grown by MBE for 1 μm Wavelength Region.....	377
WeP60	All-Optical Switch Consisting of Multimode Interferometer Combined with Metamaterials: Device Design.....	381

Table of Contents

Thursday, June 3

ThA1: Integrated Light Sources

ThA1-1	Electrical Pumping to III-V Layer from Highly Doped Silicon Micro Wire to Realize Light Emission by Plasma Assisted Bonding Technology	385
ThA1-3	Monolithic Integration of a 10 Gb/s Mach-Zehnder Modulator and a Widely Tunable Laser based on a 2-Ring Loop-Filter	390
ThA1-4	Fast Wavelength Switching in Interleaved Rear Reflector Laser	394
ThA1-5	Wavelength Trimming of MEMS VCSELs for Post-Process Wavelength Allocation	397

ThA2: Photodetectors

ThA2-1	Optical Coupling of Planar III-V Pin Photodiodes and SOI Waveguides Using an Integrated BCB Prism	401
ThA2-2	Lateral Junction Waveguide Type Photodiode for Membrane Photonic Circuits	405
ThA2-3	High Gain InAs Electron-Avalanche Photodiodes for Optical Communication	409
ThA2-4	25-Gbit/s Receiver Optical Subassembly using Maximized-Induced-Current Photodiode	413
ThA2-5	Composite-Field MIC-PDs for Low-Bias-Voltage Operation	417
ThA2-6	Low Excess Noise APD with Detection Capabilities above 2 Microns	421

ThB2: HEMT for MMIC

ThB2-1	Metamorphic HEMT Technology for Submillimeter-Wave MMIC Applications	425
ThB2-2	Sub-50NM InGaAs/InAlAs/InP HEMT for Sub-Millimeter Wave Power Amplifier Applications	431
ThB2-3	Improvement in Noise Figure of Wide-Gate-Head InP-Based HEMTs with Cavity Structure	434
ThB2-4	High Reliability Performance of 0.1- μ m Pt-Sunken Gate InP HEMT Low-Noise Amplifiers on 100 mm InP Substrates	438
ThB2-5	Aluminum-Free GaInP/GaInAs pHEMTs for Low-Noise Applications with Peak $f_T = 256$ GHz and Peak $f_{MAX} = 360$ GHz	442

Table of Contents

Friday, June 4

FrA1: Integrated Receivers and Related Components

FrA1-1	Waveguide-Integrated Components Based 100 Gb/s Photoreceivers: From Direct to Coherent Detection.....	445
FrA1-2	Athermal InP-Based 90°-Hybrid Rx OEICs with pin-PDs >60 GHz for Coherent DP-QPSK Photoreceivers.....	449
FrA1-3	Novel <i>InP</i> -Based Optical 45° Hybrid for Demodulating 8-Ary <i>DPSK</i> Signal.....	453
FrA1-4	Compact <i>InP</i> -Based 90° Hybrid Using a Tapered 2x4 <i>MMI</i> and a 2x2 <i>MMI</i> Coupler.....	457
FrA1-5	TM Mode Waveguide Isolator Monolithically Integrated with InP Active Devices.....	461

FrB1: Advanced Heteroepitaxy

FrB1-1	Advances in the Growth of Lattice-Matched III-V Compounds on Si for Optoelectronics.....	465
FrB1-2	Growth and Characterization of TlInGaAsN/TiGaAsN Triple Quantum Wells on GaAs Substrates	469
FrB1-3	Semi-Insulating Iron-Doped InP Buffer Layers for Al-Free GaInP/GaInAs pHEMTs.....	473
FrB1-4	High-Electron-Mobility $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{In}_{0.8}\text{Ga}_{0.2}\text{As}$ Composite-Channel Modulation-Doped Structures Grown by Metal-Organic Vapor-Phase Epitaxy.....	477
FrB1-5	High Doping Effects on <i>in-situ</i> Ohmic Contacts to n-InAs.....	481

FrA2: Photonic Crystal Devices

FrA2-1	Quantum and Classical Information Processing with a Single Quantum Dot in Photonic Crystal Cavity.....	485
FrA2-4	Single Quantum Dot Laser Using Photonic Crystal Nanocavity.....	491

FrB2: FET for Logic

FrB2-2	Logic Characteristics of 40 nm Thin-Channel InAs HEMTs.....	496
FrB2-3	III-V-Semiconductor-on-Insulator MISFETs on Si with Buried SiO_2 and Al_2O_3 Layers by Direct Wafer Bonding.....	500
FrB2-4	Mobility Enhancement in Indium-Rich N-Channel $\text{In}_x\text{Ga}_{1-x}\text{As}$ HEMTs by Application of <110> Uniaxial Strain.....	504
FrB2-5	DC and RF Characteristics of InAs-Channel MOS-MODFETs Using PECVD SiO_2 as Gate Dielectrics.....	508