

# **2010 International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2010)**

**Pisa, Italy  
14 – 16 June 2010**

**Pages 1-913**



**IEEE Catalog Number: CFP1048A-PRT  
ISBN: 978-1-4244-4986-6**

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

### MA1 - PM Brushless Motor Drives

- 1 *Seilmeier M., Arenz S., Piepenbreier B., Hahn I.* - (Germany)  
Model based closed loop control scheme for compensation of harmonic currents in PM-synchronous machines
- 7 *Mohamed Abbas A. Y., Fletcher J. E.* - (United Kingdom)  
Efficiency evaluation of interior permanent magnet synchronous machines using the synthetic loading technique
- 13 *Baudart F., Dehez B., Labrique F., Matagne E.* - (Belgium)  
Optimal sinusoidal currents for avoiding torque pulsations after the loss of one phase in polyphase SMPM synchronous motor
- 19 *Botan C., Ratoi M., Ostafi F., Horga V.* - (Romania)  
Minimum energy control of servo drive system with PMSM
- 24 *Lee K., Lee S. B.* - (South Korea)  
MTPA operating point tracking control scheme for vector controlled PMSM drives

### MB1 - Advanced DC/DC Converters

- 29 *Roasto I., Vinnikov D., Jalakas T., Zakis J., Ott S.* - (Estonia)  
Experimental study of shoot-through control methods for qZSI-based DC/DC converters
- 35 *Kurokawa F., Ishibashi T., Sakemi J., Babasaki T.* - (Japan)  
A new approach to improve dynamic characteristics of digitally controlled buck-boost DC-DC converter
- 39 *Rubino L., Guida B., Marino P., Cavallo A.* - (Italy)  
On the selection of optimal turns ratio for transformers in isolated DC/DC converters
- 44 *Abe S., Ogawa M., Zaitso T., Obata S., Shoyama M., Ninomiya T.* - (Japan)  
Power-stage frequency response cancellation of DC-DC converter with digital control
- 50 *Kurokawa F., Maeda Y.* - (Japan)  
A novel digital PID controlled DC-DC converter

### MC1 - Power System Analysis and Control

- 54 *Szymanski Z. M.* - (Poland)  
Modern method analysis of the stability an electro energetic grid with great load converter power supply system
- 62 *Mokryani G., Siano P., Piccolo A.* - (Italy)  
Inrush current detection based on wavelet transform and probabilistic neural network
- 68 *Quaia S., Lauria D., Mazzanti G., Chiodo E.* - (Italy)  
Technical-economical comparison among different solutions for overhead power transmission lines
- 74 *Grasselli U., Prudenzi A.* - (Italy)  
Voltage transient origin localization tests: short low voltage cable case study
- 80 *Wilson D. G., Robinett III R. D.* - (United States)  
Nonlinear power flow control applications to conventional generator swing equations subject to variable generation
- 86 *Pouryan S. Z.* - (Iran)  
Practical modeling of loss at sample distribution network and its accuracy evaluation
- 92 *Polini C., Missori D., Di Napoli A.* - (Italy)  
Combined storage system for energy saving

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

### MA2 - Design of Electrical Machines and Drives

- 98 *Kloetzl J., Pyc M., Gerling D.* - (Germany)  
Permanent magnet loss reduction in PM-machines using analytical and FEM calculation
- 101 *Hoang E., Lecrivain M., Gabsi M.* - (France)  
3-D thermal model of an hybrid excitation flux switching synchronous machine using a 2-D FE method software
- 105 *Van K. H., Anna-Kaisa Repo, Arkkio A.* - (Finland)  
Resistive loss identification of an inverter-fed deep-bar induction motor
- 111 *Ergene L. T., Donmezer Y.* - (Turkey)  
A study of end turn inductance calculation in BLDC motors
- 115 *Morishita M., Miki I., Nakamura M.* - (Japan)  
Efficiency improvement for IPMSM of outer rotor type
- 119 *Montisci A., Pintus R.* - (Italy)  
Sensitivity analysis of design parameters of an inductive MHD generator
- 124 *Wallace R. R., Tapia J. A., Moran L. A.* - (Chile)  
Electromagnetical design of surface mounted P.M. axial-flux synchronous motors

### MB2 - PV Conversion Systems

- 130 *Spertino F., Boicea A. V., Di Leo P., Graditi G.* - (Italy)  
Comparison of operating parameters in grid connected photovoltaic systems with single/double sun-trackers at different latitudes
- 134 *Diaz-Dorado E., Suárez-García A., Carrilo C., Cidrás J.* - (Spain)  
Influence of the shadows in photovoltaic systems with different configurations of bypass diodes
- 140 *Graditi G., Colonnese D., Femia N.* - (Italy)  
Efficiency and reliability comparison of DC-DC converters for single-phase grid-connected photovoltaic inverters
- 148 *Aleo F., Lo Trovato M. L., Loteta A., Gigliucci G., Scalia S.* - (Italy)  
Long and short term performance tests on concentrating photo-voltaic prototype plants and modules
- 154 *Schenkman B. L., Wilson D. G., Robinett III R. D., Kukolich K.* - (United States)  
Photovoltaic distributed generation for Lanai power grid real-time simulation and control integration scenario
- 158 *Zizzo G., Campoccia A., Favuzza S., Sanseverino E. R.* - (Italy)  
Reliability analysis of a stand-alone PV system for the supply of a remote electric load
- 164 *Gargiulo M., Guerriero P., Daliento S., Irace A., D'Alessandro V., Crisci M., Smarrelli A., Smarrelli M.* - (Italy)  
A novel wireless self powered microcontroller based monitoring circuit for photovoltaic panels in grid-connected systems
- 169 *Tina G. M., Gagliano S., Graditi G., Merola A.* - (Italy)  
Probabilistic energy performance comparison among flat and tracking PV systems

### MC2 - Multilevel Converters

- 175 *Krishna R., Kottayil S. K., Leijon M.* - (Sweden)  
Direct predictive current control of grid connected neutral point clamped inverter for wave power extraction

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 180 *Colak I., Bayindir R., Kabalci E.* - (Turkey)  
Design and analysis of a 7-level cascaded multilevel inverter with dual SDCSs
- 186 *Ounejjar Y., Al-Haddad K.* - (Canada)  
Multilevel hysteresis controller of the novel seven-level packed U-cells converter
- 192 *Marchesoni M., Vaccaro L.* - (Italy)  
Operating limits in multilevel MPC inverters with active front end
- 198 *Imarazene K., Chekireb H., Berkouk E. M.* - (Algeria)  
Redundant states in five-level inverter using selective harmonics elimination PWM
- 204 *Tomasso G., Di Monaco M., Attaianese C.* - (Italy)  
Three-phase three-level active NPC converters for high power systems
- MPI.1 - Power Quality and Filtering**
- 210 *Fioletto M., Raimondo G., Rubino L., Serbia N., Marino P.* - (Italy)  
Power losses analysis in AC/DC conversion based on active front end systems
- 216 *Masjedi S., Ahmadi M., Pashajavid E.* - (Iran)  
Improved shunt APF based on using adaptive RBF neural network and modified hysteresis current control
- 221 *Lavopa E., Zanchetta P., Summer M., Bolognesi P.* - (United Kingdom, Italy)  
Improved voltage harmonic control for sensorless shunt active power filters
- 227 *Chomat M., Schreier L., Bendl J.* - (Czech Republic)  
Active front-end of electric drive under unbalanced voltage supply
- 233 *Rob R., Sora I., Panoiu C., Panoiu M.* - (Romania)  
Using active filters in reducing of the total harmonic distortion on electrothermal installation with electromagnetic induction
- 239 *Tsengenes G., Adamidis G.* - (Greece)  
An improved current control technique for the investigation of a power system with a shunt active filter
- 245 *Boyra M., Thomas J. L.* - (France)  
Size comparison of MVDC and D-UPFC for MV distribution network interconnection
- 251 *Buzdugan M. I., Balan H. C., Muresan D. T.* - (Romania)  
An electrical power quality problem in an emergency unit of a hospital - case study
- 257 *Kamarposhti M. A., Lesani H.* - (Iran)  
Comparison between parallels and series FACTS devices on static voltage stability using MLP index
- MPI.2 - Modelling and Analysis of Electric Drives**
- 263 *Dallas S., Kappatou J., Safacas A.* - (Greece)  
Investigation of transient phenomena of a salient poles synchronous machine during field short-circuit using FEM
- 269 *Imeryuz M., Mergen A. F., Ustun O.* - (Turkey)  
A method to analyze asynchronous machines with broken rotor bars
- 273 *El-Sadik F. M.* - (Sudan)  
Resistance influence on the synchronous and compensating reactances in a SMIB power system
- 278 *Moradi H.* - (Iran)  
Brushless DC generator without permanent magnet

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 282 *Orlova S., Pugachov V., Levin N., Konuhova M.* - (Latvia)  
Non-overlapping concentrated windings in homopolar inductor machines
- 287 *Hrabovcova V., Kalamen L., Sekerak P., Rafajdus P.* - (Slovakia)  
Determination of single phase induction motor parameters
- 293 *Moussa M. F., Dessouky Y. G.* - (Egypt)  
High starting performance synchronous motor
- 298 *Amralahi M. H., Sarem Y. N., Rezvantaleb S., Malekshah M. B., Masoumi R., Rad S. M.* - (Iran)  
Condition and life assessment of transformers using chemical analysis methods
- 303 *Hoang E., Lecrivain M., Hlioui S., Ahmed H. B., Multon B.* - (France)  
Element of slot thermal modelling
- 306 *Vijayakumar N., Eltaliawi O. G., Burgwinkel P.* - (Germany)  
Modelling and simulation of the transient behaviour of heavy duty drive trains
- 312 *Matsumoto A., Hasegawa M., Matsui K.* - (Japan)  
A novel flux model and decoupling control on maximum torque control frame for IPMSM position sensorless vector control
- 318 *Marchesoni M., Carpaneto M., Vallini G.* - (Italy)  
Practical implementation of a sensorless field oriented PMSM drive with output AC filter
- 324 *Bolognesi P., Papini F., Papini L., Bruno O.* - (Italy)  
Effects of saturation on eccentricity force in permanent magnet synchronous machines
- 331 *Bolognesi P., Bruno O., Papini F., Biagini V., Taponecco L.* - (Italy)  
A low-complexity rotary-linear motor useable for actuation of active wheels

### MP1.3 - Power Electronics in Power Systems

- 339 *Carrillo C., Vidal-Vilariño F., Suárez-Álvarez M., Saez-Tort M., Díaz-Dorado E.* - (Spain)  
Impact of ASD settings in its LVRT behavior
- 343 *Proto D., Angelino R., Bracale A., Carpinelli G.* - (Italy)  
Dispersed generators and storage systems for providing ancillary services in distribution systems
- 352 *Zizzo G., Campoccia F., Sanseverino E. R.* - (Italy)  
Analysis of the limitations of WiFi communications managed by the IEEE 802.11 protocol in data transmission in automated power distribution systems
- 358 *Picardi C., Sgrò D., Gioffré G.* - (Italy)  
A simple and low-cost PLL structure for single-phase grid-connected inverters

### MP1.4 - Electronic Ballasts

- 363 *Oh W., Cho K., Yeon J., Yoo K.* - (South Korea)  
Fully digital controlled electronic ballast for electrode-less lamps
- 368 *Tomm F. L., Hansen J., Seidel Á. R., Dalla Costa M., Campos A., do Prado R. N.* - (Brazil)  
HID lamp electronic ballast based a SEPIC AC-AC converter
- 374 *de Pelegrini Lopes J., Menke M. F., Seidel Á. R., Bisogno F. E., da Silva M. F., Vargas Luz P. C., Borin V. P.* - (Brazil)  
Self-oscillating electronic ballast with lighting intensity regulation
- 379 *do Prado R. N., da Silva M. F.* - (Brazil)  
High power factor dimmable lighting system for electrodeless fluorescent lamp

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

### MA3 - Analysis and Control of Wind Energy Conversion Systems

- 385 *Addalan Kalcon G. O., Adam G. P., Lara O. A., Burt G., Lo K. L.* - (United Kingdom)  
Modeling and control strategies of VSC-HVDC for wind power integration to met GB grid code requirements
- 391 *Dou Z. L., Cheng M. Z., Ling Z. B., Cai X.* - (China)  
An adjustable pitch control system in large wind turbine based on a fuzzy-pid controller
- 396 *Barrios L. A., Mauricio J. M., Maza Ortega J. M., Exposito A. G.* - (Cuba)  
Control strategy for a mid-size wind energy conversion system
- 403 *Kallio S., Piironen P., Silventoinen P.* - (Finland)  
Boost operation of three-phase half-controlled rectifier in wind power system using permanent magnet generator
- 407 *Andriollo M., de Bortoli M., Tortella A.* - (Italy)  
Equivalent circuit for the dynamic analysis of a PM synchronous generator/back-to-back converter drive for VAWT applications

### MB3 - Monitoring and Parameter Identification of Electric Drives

- 413 *Szarka T., Szentirmai L., Szentirmai-Váradi A.* - (Hungary)  
Smart measuring instrument for motor-driven household labor-saving devices
- 419 *Verrelli C. M., Marino R., Tomei P.* - (Italy)  
Adaptive output feedback tracking control for induction motors with uncertain load torque and resistances
- 425 *Bogiatzidis I., Safacas A., Mitronikas E.* - (Greece)  
Identification of backlash phenomena appeared in a twin AC drive for a cement kiln
- 431 *Dwivedi V., Singh D.* - (India)  
Electric power quality monitoring (PQM) using virtual instrumentation
- 437 *Ciancetta F., Bucci G., Fiorucci E., Landi C.* - (Italy)  
A wireless event-based sensors network for power quality monitoring application
- 442 *Hasni M., Touhami O., Ibtouen R., Fadel M., Caux S.* - (Algeria)  
Modelling and parameter identification of synchronous machine by PWM excitation signals

### MC3 - Soft Switching Converters

- 448 *Bifaretti S., Bellini A., Iacovone V.* - (Italy)  
A zero-voltage transition full bridge DC-DC converter for photovoltaic applications
- 454 *Kedarisetti J., Purcareia C., Mutschler P.* - (Germany)  
Design of a quasi resonant dc-link soft-switching inverter
- 460 *Chung-Yi Lin, Shih-Jen Cheng, Jing-Yuan Lin, Huang-Jen Chiu, Yu-Kang Lo* - (Taiwan)  
Analysis and design of a push-pull quasi-resonant boost power factor corrector
- 466 *Kasa N., Kobayashi M., Iida T.* - (Japan)  
Analysis of coupled inductors and transformers for zero-current transition boost converters
- 472 *Zhang Y., Bagnoli P. E.* - (Italy)  
Numerical analysis of series-resonant charging converter
- 478 *Tapia-Hernandez A., Araujo-Vargas I., Ponce-Silva M., Ponce-Flores M.* - (Mexico)  
Design of a ZVT DC-DC converter with stray components integration for a public-transport electric vehicle

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

### MA4 - Brushless PM and VR drives

- 484 *Pennatini A., Bagnoli P. E., Franchi E.* - (Italy)  
AC series voltage regulator for permanent magnet generators
- 490 *Rahimi M., Momeni M., Abbaszadeh K.* - (Iran)  
A new approach to minimize torque pulsations in PMSM driven by field oriented control
- 495 *Egea A., Almandoz G., Poza J., Gonzalez A.* - (Spain)  
Analytic model of axial flux permanent magnet machines considering spatial harmonics
- 501 *Arkkio A., Nepal B. R., Sinervo A.* - (Finland)  
Electromechanical interaction in a synchronous reluctance machine
- 507 *Boscaino V., Gaeta M., Capponi G., Marino F.* - (Italy)  
Non linear digital control improving transient response: design and test on a multiphase VRM

### MB4 - Diagnostics of Electrical Machines & Drives

- 513 *Stefani A., Gritli Y., Filippetti F., Rossi C., Chatti A., Zarri L.* - (Italy, Tunisia)  
Experimental validation of doubly fed induction machine rotor fault diagnosis based on wavelet analysis in closed loop operations
- 519 *Torkaman H., Afjei E., Amiri H.* - (Iran)  
Dynamic eccentricity fault diagnosis in switched reluctance motor
- 523 *Montague R., Bingham C., Atallah K.* - (United Kingdom)  
Magnetic gear overload detection and remedial strategies for servo-drive systems
- 529 *Piegari L., Cristaldi L., Faifer M., Rossi M., Toscani S.* - (Italy)  
Rotor fault detection in field oriented controlled induction machines
- 535 *Estima J. O., Marques Cardoso A. J.* - (Portugal)  
A novel diagnostic method for single power switch open-circuit faults in voltage-fed PWM motor drives

### MC4 - Power Electronic Devices

- 541 *Hernandez L., Brito E. B., Perez S. N., Rodriguez M. A., Yris J. C.* - (Mexico)  
Proceedings modelling of SiC-PiN diode with adjust of ambipolar diffusion length
- 545 *Ngwendson L. E., Madathil S. E., Coulbeck L., Crane A., Dudley R.* - (United Kingdom)  
Comparison of trench gate IGBT and CIGBT devices for 3.3kV high power module applications
- 551 *Alessandria A. S., Fracapane L.* - (Italy)  
A new top structure concept for a trench-gate emitter implant field-stop IGBT
- 556 *Bernardoni M., Delmonte N., Cova P., Menozzi R.* - (Italy)  
Self-consistent compact electrical and thermal modeling of power devices including package and heat-sink
- 562 *Choi W., Young S.* - (South Korea)  
Effectiveness of SiC Schottky diode for super-junction MOSFETs on continuous conduction mode PFC

### MP2.1 - Renewable Sources of Energy

- 568 *Schuster T., Dannerer G., Krischan K.* - (Austria)  
Design of small potable water power plants, with regard to grid connection and efficiency
- 574 *Minav T., Laurila L., Pyrhonen J.* - (Finland)  
Energy recovery efficiency comparison in an electro-hydraulic forklift and in a diesel hybrid heavy forwarder

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 580 *Boscaino V., Collura R., Capponi G., Marino F.* - (Italy)  
A fuel cell-battery hybrid power supply for portable applications
- 586 *Capizzi G., Bonanno F., Napoli C.* - (Italy)  
A wavelet based prediction of wind and solar energy for long-term simulation of integrated generation systems
- 593 *Pallares-Lopez V., Moreno-Munoz A., Gonzalez de la Rosa J. J., Real-Calvo R.* - (Spain)  
A IEEE1588-based system for synchronized PMUs and protective relaying functions
- 599 *Parlak K. S.* - (Turkey)  
Synchronization of an inverter to a distributed power network
- 603 *Capizzi G., Bonanno F.* - (Italy)  
Improved dynamic model simulation of integrated generation systems
- MP2.2 - Photovoltaic and Wind Energy Conversion**
- 610 *Moriana I., Martín I. S., Sanchis P.* - (Spain)  
Wind-photovoltaic hybrid systems design
- 616 *Testa A., de Caro S., Scimone T.* - (Italy)  
An AC solar module with minimum DC filter capacitor
- 622 *Eltamaly A. M., Alolah A. I., Abdulghany M. Y.* - (Saudi Arabia)  
Digital implementation of general purpose fuzzy logic controller for photovoltaic maximum power point tracker
- 628 *Battistelli L., Chiodo E., Lauria D.* - (Italy)  
Bayes assessment of photovoltaic inverter system reliability and availability
- 635 *Miceli R., Di Dio V., Rando C., Zizzo G.* - (Italy)  
Dynamics photovoltaic generators: technical aspects and economical valuation
- 641 *Boccaletti C., Di Felice P., Santini E.* - (Italy)  
Designing photovoltaic plants for extreme ambient conditions
- 647 *Casini D., Marola G.* - (Italy)  
A current feed inverter for grid integration of a variable speed wind turbine
- 653 *Eltamaly A. M., Alolah A. I., Abdulrahman M. H.* - (Saudi Arabia, Egypt)  
Modified DFIG control strategy for wind energy applications
- 660 *Addalan Kalcon G. O., Adam G. P., Lara O. A., Burt G., Lo K. L.* - (United Kingdom)  
Enhanced performance of FSIG wind farms for grid code compliance
- 666 *Bolognesi P., Biagini V., Taponecco L.* - (Italy)  
Analysis and control of a brushless wind generator with maximum power tracking
- 673 *Wang Y., Lipo T. A., Panda D.* - (United States)  
The application of dual-half controlled converter in a PMSG wind turbine
- 678 *Andreotti A., Del Pizzo A., Rizzo R., Tricoli P.* - (Italy)  
An efficient architecture of a PV plant for ancillary service supplying
- MP2.3 - Industrial Automation and Motion Control**
- 683 *Lisowiec A., Nowakowski A., Kolodziejczyk Z., Miedzinski B.* - (Poland)  
New sensing techniques used in circuit breaker diagnosis



# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 687 *Chiandone M., Sulligoi G.* - (Italy)  
Performance assessment of a motion control application based on Linux RTAI
- 693 *Crisostomi E., Balestrino A.* - (Italy)  
Advanced PID controllers in MIMO systems
- 697 *Nasimi R., Shahbzia M., Irani R.* - (Iran)  
A hybrid particle swarm optimization neural network strategy for permeability estimation of the reservoir

### MP2.4 - Teaching and Education in Electrical Engineering

- 703 *Raud Z., Vodovozov V.* - (Estonia)  
Virtual lab to study power electronic converters
- 709 *Haskovic Z., Masic S., Smaka S.* - (Bosnia and Herzegovina)  
Visualisation and animation of transformer, electrical machines and electrical drives working principles
- 713 *Zabus J. M., Labrique F., Daras T.* - (Belgium)  
A single stage converter for feeding high power leds which can be used in a project based learning of electrical circuits

### TA1 - Traction Drives

- 719 *Mermet-Guyennet M.* - (France) **Invited survey paper**  
New power technologies for traction drives
- 724 *Kracht P., Koerner O., Amler G.* - (Germany)  
Diesel electric propulsion system with PM generator and new combined rectifier and braking chopper topology
- 730 *Peroutka Z., Zák J., Komrska T., Blahnik V.* - (Czech Republic)  
DSP-based control of main traction converter containing medium-frequency transformer
- 736 *Streibl B., Neudorfer H.* - (Austria)  
Investigating the air flow rate of self-ventilated traction motors by means of computational fluid dynamics
- 740 *Cerovský Z.* - (Czech Republic)  
Special three-phase double-winding alternator for diesel electric hybrid drive of building machines for heavy duty conditions
- 744 *Hoffmann H., Piepenbreier B.* - (Germany)  
High voltage IGBTs and medium frequency transformer in DC-DC converters for railway applications
- 750 *Iannuzzi D., Tricoli P.* - (Italy)  
Metro trains equipped onboard with supercapacitors: a control technique for energy saving

### TB1 - Grid Interaction of Wind Power Generators

- 757 *Shi G., Cao Y., Li Z., Cai X.* - (China)  
Impact of wind-battery hybrid generation on isolated power system stability
- 762 *Kazuhiro O., Takaki N.* - (Japan)  
Wind turbine emulator using wind turbine model based on blade element momentum theory
- 766 *Carrillo C., Diaz-Dorado E., Silva-Ucha M., Perez-Sabín F.* - (Spain)  
Effects of WECS settings and PMSG parameters in the performance of a small wind energy generator
- 772 *Barote L., Marinescu C.* - (Romania)  
PMSG wind turbine system for residential applications

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 778 *Carli D., Brunelli D., Bertozzi D., Benini L.* - (Italy)  
A high-efficiency wind-flow energy harvester using micro turbine
- 784 *Xu J., Liu B., Torres-Olguin R., Undeland T.* - (Norway)  
Grid integration of large offshore wind energy and oil & gas installations using LCC HVDC transmission system
- 792 *Liu B., Xu J., Torres-Olguin R., Undeland T.* - (Norway)  
Faults mitigation control design for grid integration of offshore wind farms and oil & gas installations using VSC HVDC

### TC1 - Converter Modelling and Control I

- 798 *Altinoz O. T., Erdem H.* - (Turkey)  
Evaluation function comparison of particle swarm optimization for buck converter
- 803 *Wolbank T. M., Stumberger R., Lechner A., Machl J.* - (Austria)  
Novel approach of constant switching-frequency inverter control with optimum current transient response
- 809 *Oleschuk V., Griva G., Di Leo P., Spertino F.* - (Italy)  
Synchronously modulated cascaded neutral-clamped converters for photovoltaic application
- 815 *von Zimmermann M., Piepenbreier B.* - (Germany)  
Steady-state analysis of an AC-AC Z-source inverter including discontinuous power flow
- 821 *Shih-Jen Cheng, Chung-Yi Lin, Jing-Yuan Lin, Huang-Jen Chiu, Yu-Kang Lo* - (Taiwan)  
Analysis and design of a push-pull DCM boost power factor corrector
- 827 *Sarikan A., Aydemir M. T., Yavuzoglu E., Ozyurt C.* - (Turkey)  
Real time digital simulation of a satellite attitude control system
- 833 *Wang Y., Schaefer U.* - (Germany)  
Real time simulation of a FPGA based space vector PWM controller
- 839 *Grandi G., Ostojic D.* - (Italy)  
Carrier-based discontinuous modulation for dual three-phase two-level inverters

### TA2 - Modelling of Electrical Machines and Drives I

- 845 *Tessarolo A., Giulivo D.* - (Italy)  
Analytical methods for the accurate computation of stator leakage inductances in multi-phase synchronous machines
- 853 *Werner U.* - (Germany)  
Theoretical analysis of shaft vibrations in two-pole induction machines concerning static rotor eccentricity
- 861 *Rasilo P., Arkkio A.* - (Finland)  
Modeling the effect of inverter supply on Eddy-current losses in synchronous machines
- 866 *Bodson M., Kiselychynk O.* - (United States)  
On the triggering of self-excitation in induction generators
- 872 *Campeanu A., Vlad I., Enache S., Cautil I., Augustinov L., Petropol G.* - (Romania)  
Simulation of dynamical processes specific to asynchronous traction motors
- 878 *Buecherl D., Herzog H. G.* - (Germany)  
Iron loss modeling by complex inductances for steady state simulation of electrical machines

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

### TB2 - Distributed Generation

- 884 *Vandoorn T. L., Renders B., Degroote L., Meersman B., Vandeveldel L.* - (Belgium)  
Power balancing in islanded microgrids by using a DC-bus voltage reference
- 890 *Quaia S.* - (Italy)  
Distributed generation and under load transformers operation: voltage quality problems and possible improvements
- 895 *Degroote L., Renders B., Meersman B., Vandoorn T. L., Vandeveldel L.* - (Belgium)  
Power quality improvements through power electronic interfaced distributed generation
- 902 *Shin-Ichi Hamasaki, Tsuji M., Yamada E.* - (Japan)  
A study on power flow control for distributed generator with EDLC
- 908 *Savaghebi M., Jalilian A.* - (Iran)  
A new control strategy for distributed generation interface converters to compensate microgrid harmonics
- 914 *Consoli A., Scarcella G., Cacciato M., Crisafulli V., Scelba G.* - (Italy)  
Robustness evaluation of phase-locked loop algorithms for single-phase distributed generation systems

### TC2 - Advanced Drive Control

- 920 *Spichartz M., Heising C., Staudt V., Steimel A.* - (Germany)  
Correction of inverter voltage errors for model-based induction machine control
- 926 *Dodds S. J., Orłowska-Kowalska T., Szabat K., Roy P.* - (United Kingdom)  
Observer based robust control of an electric drive with a flexible coupling
- 932 *Corradini M. L., Ippoliti G., Longhi S., Orlando G.* - (Italy)  
An observer based quasi sliding mode controller for permanent-magnet synchronous motors
- 937 *Uchiyama N., Sano S.* - (Japan)  
Robust adaptive contouring control for biaxial feed drive systems
- 942 *Shamsi Nejad M. A., Farshad M., Rad H. M.* - (Iran)  
A new method of PWM pulses generation in induction motor drive using artificial neural networks
- 947 *Statkic S., Jeftenic B., Bebic M.* - (Serbia and Montenegro)  
Controlled multi motor crawler drive with adjustable steering radius on open pit mining machines

### TP1.1 - Controlled Electric Drives

- 953 *Momeni M., Rahimi M.* - (Iran)  
Simple expressions for suppression of torque and speed vibrations in PMSM drives
- 959 *Ajangnay M. O.* - (Sudan)  
Optimal PID controller parameters for vector control of induction motors
- 966 *Zaimeddine R., Undeland T.* - (Norway)  
DTC control schemes for induction motor fed by three-level NPC-VSI using space vector modulation
- 972 *Ryvkin S.* - (Russia)  
Sliding mode approach to the elimination of the voltage oscillation influence on the control quality of a drive system fed by a three-level voltage source inverter
- 978 *Pessina G., Morra E.* - (Italy)  
Optimization and design of the shaded pole single phase asynchronous motor
- 982 *Afjei E., Torkaman H.* - (Iran)  
Comparison of two types of hybrid motor/generator

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 987 *Moradi H.* - (Iran)  
Indirect angle estimation in without permanent magnet brushless DC motor with employment of the Maxwell-Wien bridge
- 991 *Moussa M. F., Dessouky Y. G.* - (Egypt)  
One-line detection of rotor position for vector controlled IPMSM
- 996 *Alrifai F., Schofield N.* - (United Kingdom)  
Control of brushless PM machines using measured torque feedback
- 1002 *Poltschak F. G., Amrhein W.* - (Austria)  
Influence of winding layout of PMSM on inductance and its impact on suitability for sensorless vector control
- 1008 *Adamidis G., Leibadaras M.* - (Greece)  
Evaluation of methods of speed estimation of asynchronous motor based on direct torque control (DTC)
- 1012 *Idkhajine L., Monmasson E.* - (France)  
Optimized FPGA-based extended Kalman filter application to an AC drive sensorless speed controller
- 1018 *Kojima K., Hasegawa M., Ohnuma T., Tomita M., Doki S., Okuma S., Matsui K.* - (Japan)  
Position sensorless control by reduced-order extended-flux observer applicable to IPMSM with concentrated windings
- 1024 *Nagy I., Jordan R. K., Stumpf P.* - (Hungary)  
Dynamics of different speed controls of ultra high speed induction generator using approximate and accurate model
- TP1.2 - Traction Drives and Systems**
- 1030 *Georgakopoulos I., Mitronikas E., Safacas A.* - (Greece)  
Broken bar detection using inverter currents in induction motor drives
- 1036 *Komatsu Y.* - (Japan)  
Design of the unidirectional current type coreless DC brushless motor for electrical vehicle with low cost and high efficiency
- 1040 *Patsias E., Asimakopoulos P., Boumis T., Safacas A., Mitronikas E.* - (Greece)  
Experience derived from the conversion of a conventional car to a hybrid electric vehicle - analysis of the powertrain
- 1046 *Ueno S., Tsuji K., Abe T., Higuchi T., Shigematsu K.* - (Japan)  
Fundamental modeling of vehicle power network system using VHDL-AMS
- 1052 *Jurado F., Fernandez L.* - (Spain)  
Control strategies of a fuel-cell hybrid tramway integrating two DC/DC converters
- 1058 *Nicolae P. M. T., Stanescu D. G. I., Nicolae I. D.* - (Romania)  
Designing an asynchronous motor for urban traction considering the influence of magnetic saturation and current upsetting
- 1063 *Di Fraia S., Becherini G., Tellini B.* - (Italy)  
Design of multistage linear induction motor used as electromagnetic catapult
- 1069 *Yong-Hae Kim, Seung-Youl Kang, Cheon S., Myung-Lae Lee, Jong-Moo Lee, Zyung T.* - (South Korea)  
Optimization of wireless power transmission through resonant coupling
- 1074 *Capizzi G., Bonanno F., Napoli C.* - (Italy)  
A new approach for lead-acid batteries modelling by local cosine bases

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1080 *Frugier D., Ladoux P.* - (France)  
Voltage disturbances on 25kV-50 Hz railway lines modelling method and analysis
- 1086 *Bertoluzzo M., Bolognesi P., Bruno O., Buja G., Castellan S., Isastia V., Menis R., Meo S.* - (Italy)  
A distributed driving and steering system for electric vehicles using rotary-linear motors
- TP1.3 - Power Converter Analysis and Control**
- 1094 *Axelrod B., Berkovich Y.* - (Israel)  
Step conversion ratio buck converter based on a switched coupled-inductor cell
- 1099 *Bin Mohd Hussain M. N., Ibrahim I. R., Hamzah M. K., Binti Damanhuri N. S., Bin Othman N. A.* - (Malaysia)  
Development of PI controller for battery charger using PFC rectifier
- 1102 *Schirone L., Celani F., Macellari M., Schiaratura A.* - (Italy)  
Discrete-time sliding mode controller for inverters
- 1108 *Himmelstoss F. A., Walter C. M.* - (Austria)  
A simple Cuk converter derivated two-quadrant DC motor controller
- 1113 *Choi W., Young S.* - (South Korea)  
Effectiveness of fast recovery MOSFETs to reliability of switching power supplies
- 1119 *Ciccarelli F., Lauria D.* - (Italy)  
Sliding-mode control of bidirectional DC-DC converter for supercapacitor energy storage applications
- 1123 *Ribeiro E. F., Marques Cardoso A. J., Boccaletti C.* - (Portugal)  
Power conditioning of an energy storage system for telecommunications
- 1129 *Naim Tajuddin M. F., Ghazali N. H., Daut I., Ismail B.* - (Malaysia)  
Implementation of DSP based SPWM for single phase inverter
- 1135 *Godoy R. B., Canesin C. A., Pereira Pinto J. O.* - (Brazil)  
Optimized dynamic response of paralel operation of two single phase inverters based on evolutionary theory
- 1141 *Yang S., Abe S., Shoyama M.* - (Japan)  
Design consideration of reduction flat transformer temperature in llc resonant converter for plasma display
- 1146 *Foong H. C., Tan M. T., Zheng Y.* - (Singapore)  
A dual-mode digital DC-DC converter based on distributed arithmetic
- 1150 *Graditi G., Griva G., Oleschuk V.* - (Italy)  
Overmodulation control of five-phase inverters with full DC-bus voltage utilization
- TP1.4 - Power Electronic Applications**
- 1156 *Kizhlo M., Kanbergs A.* - (Latvia)  
The causes of the changes of soil resistivity and the substantiation of prospective experiments
- 1160 *Sotelo D. M., Perez O. D., Alonso M. P.* - (Spain)  
Assesment of the lubrication condition of a bearing using the spectral analysis of the stator current
- 1166 *Miceli R., La Cascia D., Cino A., Di Dio V., Rando C., Zizzo G., Sunseri C., Piazza S., Inguanta R.* - (Italy)  
An electrochemical route towards the fabrication of nanostructured semiconductor solar cells

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1172 *Ding C., Damen A. A. H., van den Bosch P. P. J.* - (Netherlands)  
Vibration isolation of a feedback linearized model for a contactless electromagnetic isolator by virtually varying mass control
- 1178 *Abdel-Khalik A. S., Elsherbeny A. S., Ahmed S.* - (Egypt, United States, Qatar)  
Design and evaluation of a magnetic planetary gearbox for compact harsh environments
- 1183 *Marongiu I., Gatto G., Damiano A.* - (Italy)  
Decision support system for biomass energy exploitation in smart grid planning
- 1189 *Yeon J., Kang W., Cho K., Ahn T., Kim H.* - (South Korea)  
Multi-phase interleaved LLC-SRC and its digital control scheme
- 1194 *Basu K., Somani A., Mohapatra K. K., Mohan N.* - (United States)  
A power electronic transformer-based three-phase PWM AC drive with lossless commutation of leakage energy
- 1201 *Mauri M., Carmeli S., Dezza F. C., Rosati D., Marchegiani G.* - (Italy)  
MVDC connection of offshore wind farms to the transmission system
- 1207 *Cavallaro C., Musumeci S., Santonocito C., Pappalardo M.* - (Italy)  
Load priority control strategy for SPV-UPS system

### TR - Remote Session

- 1213 *Ahmadi R., Mehrasa M.* - (Iran)  
Sliding mode control for three-phase AC/DC voltage-source boost converter
- 1218 *Nasri A., Moghadam M. F., Mokhtari H.* - (Iran)  
Timetable optimization for maximum usage of regenerative energy of braking in electrical railway systems
- 1222 *Bazghaleh A. Z., Naghashan M. R., Meshkatoddini M. R., Mahmoudimanesh H.* - (Iran)  
Optimum design of medium speed single-sided linear induction motor to obtain best performance
- 1227 *Gujarathi Pritam P. K., Mohite Sanjay S. B.* - (Oman, India)  
A design and implementation of a novel multimode single phase matrix converter
- 1231 *Panah P. G., Shafiei A., Sharifian R.* - (Iran)  
An improved variable structure design for velocity control of a permanent magnet linear synchronous motor
- 1237 *Braescu F. C., Ferariu L., Lazar C.* - (Romania)  
OSEK-Based multiple controllers with schedule feasibility self-testing
- 1243 *Hussain B., Sharkh S. M.* - (United Kingdom)  
Impact studies of distributed generation on power quality and protection setup of an existing distribution network

### TA3 - Switched Reluctance Drives

- 1247 *Denies J., Dehez B., Ahmed H. B.* - (Belgium)  
Comparison of simulated annealing and genetic algorithm used in an SRM design optimization
- 1253 *Andessner D., Gruber W., Amrhein W.* - (Austria)  
Fundamental wave analysis of the switched permanent magnet reluctance machine
- 1259 *Misawa S., Miura Y., Miki I.* - (Japan)  
A rotor position estimation using fourier series of phase inductance for switched reluctance motor

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1264 *Schneider T., Schulte C., Mathapati S., Böcker J.* - (Germany)  
Energy transfer with doubly-excited switched reluctance drive
- 1270 *Naitoh H., Ishikawa H.* - (Japan)  
A current controller for a switched reluctance motor based on model reference adaptive control
- 1276 *Pavlitov C. N., Chen H., Gorbounov Y. V., Tashev T., Georgiev T., Xing W.* - (Bulgaria, China)  
Switched reluctance motor torque ripples reduction by the aid of adaptive reference model
- TB3 - Fuel Cells and Energy Storage**
- 1280 *Arana A. G., Barrena Bruña J. A., Rodriguez Vidal M. A., Chivite Zabalza F. J.* - (Spain)  
Frequency restoration in insular grids using ultracaps ESS
- 1286 *Ciancetta F., Ometto A., Rotondale N.* - (Italy)  
Analysis of PEM fuel cell supercapacitor battery pack system during standard cycle
- 1291 *Testa A., de Caro S., La Torre R., Scimone T.* - (Italy)  
Optimal design of energy storage systems for stand-alone hybrid Wind/PV generators
- 1297 *Boscaino V., Capponi G., Marino F.* - (Italy)  
FPGA implementation of a fuel cell emulator
- 1302 *Tsotoulidis S., Mitronikas E., Safacas A.* - (Greece)  
Comparative study of three types of step-up DC-DC converters for polymer electrolyte membrane fuel cell applications
- 1308 *Palma L. M.* - (Chile)  
An active power filter for low frequency ripple current reduction in fuel cell applications
- TC3 - Converter Topologies**
- 1314 *Hagh M. T., Habashi E. M., Sadigh A. K., Gharehpetian G.* - (Iran)  
Flying capacitor multicell converter based uninterruptible power supply fed by fuel cell
- 1319 *Dobrucky B., Prazenica M., Kassa J.* - (Slovakia)  
Topology and control strategies for two-phase electronic converter drives
- 1325 *Abbaszadeh K., Yazdaninejad M.* - (Iran)  
A modified topology of isolated interleaved flyback boost converter with winding-cross-coupled inductors
- 1331 *Narasimham P. V. R. L., Neelima P. V. S., Maruthi M. K., Naresh V.* - (India)  
A novel low cost inverter for extended torque- speed characteristics of spindle motor
- 1334 *Melicio R., Mendes V. M. F., Catalão J. P. S.* - (Portugal)  
Power converter topologies and fractional-order controllers: wind energy applications
- 1339 *Nicolae D., Richards C., Ehler P.* - (South Africa)  
Small power, three to one phase matrix converter for wind generators
- 1344 *Erdem E., Tatar Y., Sünter S.* - (Turkey)  
Effects of input filter on stability of matrix converter using Venturini modulation algorithm
- TA4 - Traction Systems**
- 1350 *Ladoux P., Aeberhard M., Courtois C.* - (France) **Invited survey paper**  
Railway traction power supply from the state of the art to future trends
- 1356 *Hõimoja H., Vinnikov D., Lehtla M., Rosin A., Zakis J.* - (Estonia)  
Survey of loss minimization methods in tram systems

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1362 *Raimondo G., Ladoux P., Lowinsky A. L., Marino P.* - (France, Italy)  
Reactive power compensation in railways using active impedance concept
- 1368 *de Azevedo e Melo G., Serrão Gonçalves F. A., Nunes de Oliveira R. A., Muno J. M., dos Santos M., Canesin C. A.* - (Brazil)  
Trolleybus power system for operation with AC or DC distribution networks
- 1374 *Falvo M. C., Lamedica R., Bartoni R., Maranzano G.* - (Italy)  
Energy saving in metro-transit systems: impact of braking energy management

### **TB4 - Grid Interconnection of Renewable Energy Sources**

- 1381 *Görbe P., Magyar A., Hangos K. M.* - (Hungary)  
THD reduction with grid synchronized inverter's power injection of renewable sources
- 1387 *Pinnarelli A., Menniti D., Sorrentino N.* - (Italy)  
An hybrid pv-wind supply system with D-STATCOM interface for a water-lift station
- 1393 *Chang H. C., Huang L. C., Chen C. C.* - (Taiwan)  
A novel electric energy management strategy applied in hybrid PV system
- 1398 *Picardi C., Sgrò D.* - (Italy)  
A predictive control strategy for grid-connected inverters based on a new electrical signal modeling
- 1404 *Nagliero A., Mastromauro R. A., Liserre M., Dell'Aquila A.* - (Italy)  
Monitoring and synchronization techniques for single-phase PV systems

### **TC4 - Converter Modelling and Control II**

- 1410 *Tutkun N., Türkkän Y., Ibrahimbas M., Yücel N.* - (Turkey)  
Harmonic elimination in a single phase inverter output voltage with 2 and 4 bipolar notches in a half cycle by the HGA
- 1416 *Aissani M., Aliouane K.* - (Algeria)  
Three-dimensional space vector modulation for four-leg voltage-source converter used as an active compensator
- 1422 *Dell'Aquila R. V., Balboni L., Morici R.* - (Italy)  
A new approach: modeling, simulation, development and implementation of a commercial grid-connected transformerless PV inverter
- 1430 *Gatto G., Marongiu I., Perfetto A., Serpi A.* - (Italy)  
Modelling and predictive control of a buck-boost DC-DC converter
- 1436 *Mutlu B. R., Dolen M.* - (Turkey)  
Implementations of state-space controllers using field programmable gate arrays

### **WA1 - Bearingless and Ultra High Speed Machines**

- 1442 *Chen L., Hofmann W.* - (Germany)  
Design procedure of bearingless high-speed switched reluctance motors
- 1448 *Gruber W., Silber S., Amrhein W., Nussbaumer T.* - (Austria, Switzerland)  
Design variants of the bearingless segment motor
- 1454 *Warberger B., Reichert T., Nussbaumer T., Kolar J. W.* - (Switzerland)  
Design considerations of a bearingless motor for high-purity mixing applications
- 1460 *Munteanu G., Binder A., Schneider T., Funieru B.* - (Germany)  
No-load tests of a 40 kW high-speed bearingless permanent magnet synchronous motor



# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1466 *Bramerdorfer G., Jungmayr G., Amrhein W., Gruber W., Marth E., Reisinger M.* - (Austria)  
Bearingless segment motor with Halbach magnet
- 1472 *Schulz A.* - (Austria)  
A hot-swap controller amplifier module for active magnetic bearings with supreme reliability - electronic circuitry and error detection strategies
- 1478 *Wildmann C., Nussbaumer T., Kolar J. W.* - (Switzerland)  
Design considerations for the drive system of an ultra-high speed spinning ball motor

### WB1 - Sensorless control

- 1484 *Reill J., Piepenbreier B., Hahn I.* - (Germany)  
Utilisation of magnetic saliency for sensorless-control of permanent-magnet synchronous motors
- 1490 *Poltschak F. G., Amrhein W.* - (Austria)  
Fitness of saturated PMSM for sensorless control
- 1496 *Consoli A., Gaeta A., Scarcella G., Scelba G., Testa A.* - (Italy)  
Effects of inverter faults and line disturbances on sensorless position estimation
- 1502 *Tsuji M., Xu F., Tsuruda Y., Hamasaki S., Yamada E.* - (Japan)  
Characteristic improvement of a novel current observer based induction motor speed sensorless system
- 1508 *Gheorghe-Daniel Andreescu, Schlezinger C.* - (Romania)  
Enhancement sensorless control system for PMSM drives using square-wave signal injection
- 1512 *Zhong Q. C.* - (United Kingdom)  
Speed-sensorless AC Ward Leonard drive systems

### WC1 - Power Quality & Filtering

- 1518 *da Silva N., Pomilio J. A., Vendrusculo E. A.* - (Brazil)  
Analysis of control strategy and dimensioning of hybrid active power filter with reduced inverter power rating
- 1524 *Komrska T., Zák J., Peroutka Z.* - (Czech Republic)  
Control strategy of active power filter with adaptive FIR filter-based and dft-based reference estimation
- 1530 *Tsengenes G., Adamidis G.* - (Greece)  
A new simple control strategy for shunt active power filters under non ideal mains voltages
- 1537 *Sladic S., Zajec P., Nedeljkovic D.* - (Croatia, Slovenia)  
Transformerless connections of low voltage DC sources to single-phase shunt active power filter with adaptive filter capacitor voltage
- 1541 *Panoiu M., Panoiu C., Rob R., Jordan A.* - (Romania)  
Using LMS algorithm for controlling the active power of nonlinear loads
- 1547 *Sarem Y. N., Amralahi M. H., Malekshah M. B., Mounesirad S., Layegh M. A., Nia D. H.* - (Iran)  
Electric arc furnace power modeling for statcom controller application
- 1553 *Carbone R., Tomaselli A.* - (Italy)  
Passive harmonic filtering systems for low power PWM ASDs: a comparative analysis and perspectives

### WA2 - Road Electrical Vehicles I

- 1559 *Renhart W., Magele C., Hausberger S., Zallinger M., Luz R.* - (Austria)  
Recent NiMH-battery modeling supported by finite element thermal analysis

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1564 *Rinderknecht S., Meier T.* - (Germany)  
Electric power train configurations and their transmission systems
- 1569 *Fuchs E. F., Myat M. H.* - (United States)  
Speed and torque range increases of electric drives through compensation of flux weakening
- 1575 *Kim H., Kim J., Kang J., Choi W., Park J., Byun S., Jun Y., Kim J., Ko J.* - (South Korea)  
Control algorithm for a power split type hybrid electric vehicle
- 1581 *Groß S., Lohner A., Schellong W.* - (Germany)  
Comparative analysis of hybrid drive configurations for local public transport road vehicles
- WB2 - Modelling of Electrical Machines and Drives II**
- 1587 *Helmer R., Dück P., Ponick B.* - (Germany)  
Determination of transient reactances of salient pole synchronous machines with analytical and numerical methods
- 1591 *Vlad I., Campeanu A., Enache S., Augustinov L., Petropol G.* - (Romania)  
Establishment of optimum electromagnetic stresses for traction asynchronous motors
- 1597 *Freese M.* - (Germany)  
Analytic calculation of turbo generator end winding inductances using Neumann's formula
- 1603 *Magyari K., Radulescu M. M., Laza F., Coutellier D.* - (Romania)  
Eddy-current loss analysis of small interior-permanent-magnet synchronous motors with fractional-slot concentrated windings
- 1607 *Benhaddadi M. R., Olivier G., Yelle J.* - (Canada)  
Premium efficiency motors effectiveness
- 1613 *Tutkun N., Arslan F.* - (Turkey)  
Determination of capacitance range in the self excited induction generator through the hybrid genetic algorithms
- 1618 *Mirosevic M.* - (Croatia)  
The influence of impact load on torsional dynamics of generator-units for feeding induction motor drives
- WC2 - Fault Analysis and Fault Tolerance**
- 1622 *Habibinia D., Ghandehari R., Najafi Y., Rahimzadeh M., Khalilpoor H.* - (Iran)  
Study of inverter and rectifier substations islanding fault in HVDC system, and comparison between different control-protective methods
- 1628 *Tani A., Casadei D., Mengoni M., Serra G., Zarri L.* - (Italy)  
Theoretical and experimental analysis of fault-tolerant control strategies for seven-phase induction motor drives
- 1634 *Karaköse M., Aydın I., Akin E.* - (Turkey)  
The intelligent fault diagnosis frameworks based on fuzzy integral
- 1640 *Donnoli M.* - (Italy)  
On line detection of faults in a rolling mill process a method for detecting faults in a rolling mill process using multivariate SPC and system identification
- 1645 *Miceli R., Galluzzo G. R., Genduso F., Favuzza S., Di Tommaso A. O.* - (Italy)  
Development of diagnostic systems for the fault tolerant operation of micro-grids

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

- 1651 *Lorzadeh I., Farjah E., Lorzadeh O.* - (Iran)  
Fault-tolerant matrix converter topologies and switching techniques based on Venturini method for AC motor drives with delta connection windings

### WA3 - Road Electrical Vehicles II

- 1658 *Graditi G., Griva G., Oleschuk V.* - (Italy)  
Combined synchronized PWM for dual neutral-clamped inverters for asymmetrical split-phase traction drive
- 1664 *Makkonen H., Partanen J., Silventoinen P.* - (Finland)  
Concept of battery charging and discharging in automotive applications
- 1670 *Antaloae C. C., Marco J., Vaughan N. D.* - (United Kingdom)  
High frequency alternating current power supply for automobile auxiliary electrical systems
- 1676 *Ceraolo M., Lutzenberger G., Doveri N.* - (Italy)  
Experiences of realisation and test of a fuel-cell based vehicle

### WB3 - Power Electronic Transformers

- 1682 *Nath S., Mohapatra K. K., Basu K., Mohan N.* - (United States)  
Source based commutation in matrix converter fed power electronic transformer for power systems application
- 1687 *Versèle C., Deblecker O., Lobry J.* - (Belgium)  
Multiobjective optimal design of transformers for isolated switch mode power supplies
- 1693 *Basu K., Somani A., Mohapatra K. K., Mohan N.* - (United States)  
A three-phase AC/AC power electronic transformer-based PWM AC drive with lossless commutation of leakage energy
- 1700 *Kadurek P., Cobben J. F. G., Kling W. L.* - (Netherlands)  
Smart MV/LV transformer for future grids
- 1706 *Casarin J., Ladoux P., Martin J., Chauchat B.* - (France)  
AC/DC converter with medium frequency link for railway traction application : evaluation of semiconductor losses and operating limits

### WC3 - Power Electronics Applications

- 1712 *Pirisi A., Mussetta M., Gruosso G., Zich R. E.* - (Italy)  
An optimized three phase TPM-LiG for marine applications
- 1718 *Kieferndorf F., Basler M., Serpa L. A., Fabian J. H., Coccia A., Scheuer G. A.* - (Switzerland)  
ANPC-5L technology applied to medium voltage variable speed drives applications
- 1726 *Godoy R. B., Seixas F., Portela M., Pires G., Fernandes R., de Azevedo e Melo G., Canesin C. A.* - (Brazil)  
A HPF AC-AC converter for permanent magnet generator applications
- 1732 *Rahideh A., Shaheed H.* - (United Kingdom)  
Real time nonlinear model predictive control for fast systems
- 1738 *Chiandone M., da Rin A., Sulligoi G.* - (Italy)  
Motion control of marine electrical drives: technical assessment and perspectives
- 1744 *Fattahi S. J.* - (Iran)  
Direct torque control of brushless doubly fed induction machine

# SPEEDAM 2010 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION  
PISA (Italy), 14<sup>th</sup> - 16<sup>th</sup> June, 2010

## Proceedings Index

### WA4 - Special Machines and Drives

- 1748 *Yano T.* - (Japan)  
Basic characteristics of a hexahedron-octahedron based spherical stepping motor
- 1754 *Tessarolo A., Zocco G., Tonello C.* - (Italy)  
Design and testing of a 45-MW 100-Hz 12-phase synchronous motor for liquefied natural gas turbo-compressor drive applications
- 1762 *Mekuria Y. G., Binder A., Funieru B.* - (Germany)  
Analysis of the effect of radial rotor surface grooves on rotor losses of high speed solid rotor induction motor
- 1768 *Grandi G., Tani A., Sanjeevikumar P., Ostojic D.* - (Italy)  
Multi-phase multi-level AC motor drive based on four three-phase two-level inverters
- 1776 *Kazadi S., Mau B., Shin H.* - (United States)  
A magnetically levitated motor
- 1783 *Colak I., Demirtas M., Bayindir R., Yesilbudak M.* - (Turkey)  
Design and simulation of a drive system for speed control of travelling wave ultrasonic motor

### WB4 - EMC and EMI Problems

- 1789 *Pavlovic F.* - (Slovenia)  
Commutator motors as EMI sources
- 1794 *Krischan K., Dannerer G., Koenig O., Seebacher R.* - (Austria)  
Comparing low cost speed control for single phase induction motors concerning line reaction and electromagnetic compatibility
- 1800 *Spadacini G., Pignari S. A., Fedeli E.* - (Italy)  
Experimental characterization of the static magnetic field generated by railway filters
- 1804 *Weinger A., Beliaev D., Medvedev V.* - (Russia)  
High-power controlled AC drive and power supply system
- 1808 *Kovacs E., Szarka A. V.* - (Hungary)  
Investigation of LED street lighting's disturbances

### WC4 - Multisource Renewable Generation Systems

- 1812 *Galvão J., Leitão S., Malheiro S., Gaio T.* - (Portugal)  
Microgeneration model in energy hybrid system - cogeneration and PV panels
- 1818 *Shen Y., Tang T., Benkhoris M. F., Amelon N.* - (China, France)  
Modeling of an electricity generation chain using renewable sources
- 1823 *Savaghebi M., Dehghani M. T., Hooshyar H., Jalilian A.* - (Iran)  
Enhancement of microturbine-generator output voltage quality through application of matrix converter interface
- 1827 *Li J., Tang T.* - (China)  
A neural network control strategy for multi-energy common DC bus hybrid power supply

**'Cwj qt 'Kpf gz**