

2010 Conference on Ph.D. Research in Microelectronics and Electronics

(PRIME 2010)

**Berlin, Germany
18 – 21 July 2010**



**IEEE Catalog Number: CFP10622-PRT
ISBN: 978-1-4244-7905-4**

TABLE OF CONTENTS

Estimating IC Self-Heating for on-Wafer Measurements	1
<i>S. Hauptmann, C. Knochenhauer, M. Wickert, F. Ellinger</i>	
An Automatic Retiming System for Asynchronous Fractional Frequency Dividers	5
<i>D. Tasca, M. Zanuso, S. Levantino, C. Samori</i>	
P450-Mediated Electrochemical Sensing of Drugs in Human Plasma for Personalized Therapy	9
<i>A. Cavallini, S. Carrara, G. De Micheli, V. Erokhin</i>	
Fully Integrated 50MHz Frequency Reference with 1ppm Absolute Accuracy within 0-80°C	13
<i>E.O. Ates, D.Y. Aksin</i>	
Digital Shaping of Static and Dynamic Mismatch Errors in Digital to Analog Converters	17
<i>B. Mohr, N. Zimmermann, B.T. Thiel, R. Negra, S. Heinen</i>	
Discharge Characteristics as the Criteria for Replacing Batteries with Power Harvesting Circuits in Sensor Systems	21
<i>C. Mikeka, H. Arai</i>	
Quadrature Frequency Divider with Programmable Duty Cycle	25
<i>T.D. Werth, F. De Sordi, S. Heinen</i>	
A Nested Digital Delta-Sigma Modulator Architecture for Fractional-N Frequency Synthesis	29
<i>B. Fitzgibbon, M.P. Kennedy, F. Maloberti</i>	
An Innovative Water and Ice Detection System for Monitoring Road and Runway Surfaces	33
<i>A. Troiano, E. Pasero, L. Mesin</i>	
Ultra-Wideband Transmitters based on M-Sequences for High Resolution Radar and Sensing Applications	37
<i>B. Sewiolo, B. Laemmle, R. Weigel</i>	
An Ultra Low-Power CMOS Frequency Synthesizer for Low Data-Rate sub-GHz Applications	41
<i>C.M. Ippolito, A. Italia, G. Palmisano</i>	
Continuous-Time Delta-Sigma Based Readout Concepts for CZT Detector Arrays	45
<i>M. Voelker, H. Zhou</i>	
A Timing Error Detection Latch Using Subthreshold Source-Coupled Logic	49
<i>M.J. Turnquist, E. Laulainen, J. Makipaa, L. Koskinen</i>	
An Innovative Transition Method to Reduce Conducted Emissions for Automotive High Side Power Switch	53
<i>L. Creosteanu, G. Brezeanu</i>	
Hardware Reduction in Higher Order MASH Digital Delta-Sigma Modulators via Error Masking	57
<i>B. Fitzgibbon, M.P. Kennedy</i>	
Development of an Innovative Electrolytes Characterization Approach using a Combined COMSOL/MATLAB/HSPICE System	61
<i>M. Scaramuzza, A. Ferrario, A. De Toni</i>	
Lateral Drift-Field Photodetector for High Speed 0.35µm CMOS Imaging Sensors Based on Non-Uniform Lateral Doping Profile: Design, Theoretical Concepts, and TCAD Simulations	65
<i>R. Mahdi, J. Fink, B.J. Hosticka</i>	
A Low Power Time-to-Digital-Converter in 0.13µm CMOS with 100ps Time Resolution Capability for Silicon Pixel Radiation Detector	69
<i>S. Garbolino, S. Martoiu</i>	
Study of Proximity-Coupling: Application to new RF-Interconnects	73
<i>Y.C.M. Boussougou, T. Le Gouguec, Y. Quere, F. Huret</i>	
Properties of Source-Gated Transistors in Polysilicon	77
<i>R.A. Sporea, J.M. Shannon, S.R.P. Silva</i>	
Bulk-Driven Flipped Voltage Differential Pair	81
<i>Y. Haga, I. Kale</i>	
Feasibility Study of Partial-RESET Multilevel Programming in Phase Change Memories	85
<i>S. Braga, A. Sanasi, A. Cabrini, G. Torelli</i>	
CMOS Based Biosensor with Integrated Biomembrane: Spectre Simulation and Measurement	89
<i>S. Dierk, H.K. Trieu, I. Koper</i>	
Comparison of Various 2.4GHz LNA Topologies: Designed in 0.35µm Austriamicrosystems Technology	92
<i>A. Djugova, J. Radic, M. Videnovic-Misic</i>	
Energy Capability Improvement of Large DMOS Transistors by Adaptive Current Redistribution	96
<i>D. Costachescu, M. Pfof</i>	

Design Experiences of a CMOS LNA for mm-waves	100
<i>E.R. Parada, S. Tanner, C. Botteron, P. Farine</i>	
Continuous Gain Calibration of an FM-Radio Transmitter based on an All-Digital PLL	104
<i>J.H. Mueller, A. Neyer, R. Wunderlich, S. Heinen</i>	
Design of Continuous-Time $\Sigma\Delta$ Modulators with Real Analog Blocks	108
<i>O. Belotti, F. Maloberti</i>	
An 8-bit 440-MS/s Pipelined Analog-to-Digital Converter in 0.13-μm CMOS	112
<i>T. Nieminen, K. Halonen</i>	
Effect of Capacitance on the Output Characteristics of Solar Cells	116
<i>P. Merhej, E. Dallago, D. Finarelli</i>	
High-Speed Comparators for SAR ADCs in 130 nm BiCMOS	120
<i>J. Digel, M. Grozing, M. Berroth, H. Gustat, J. Scheytt</i>	
Efficient Architecture for High-Speed Low-Power SC $\Sigma\Delta$ Modulators	124
<i>F.A. Amoroso, G. Cappuccino, A. Pugliese</i>	
Development of Vertical Superlattices in Silicon for On-chip Thermal Management	128
<i>J. Parasuraman, D. Angelescu, P. Basset, M. Bardoux</i>	
On the Use of Black Silicon Obtained by Reactive Ion Etching as the Hot Spot of a Thermoelectric Generator Heated by Electromagnetic Radiation	132
<i>K.N. Nguyen, P. Basset, F. Marty, E. Richalot</i>	
Analysis of Forward Body Biasing (FBB) in a Complementary Differential LC Injection-Locked Frequency Divider based on Direct Injection	136
<i>S. Daneshgar, M.P. Kennedy</i>	
Design of Received Signal Strength Indicators for RF-MIMO Systems	140
<i>U. Mayer, M. Wickert, F. Ellinger</i>	
Fully Monolithically Integrated X-Band Power Amplifier without External Matching	144
<i>I. Meshcheriakov, V.A. Solomko, P. Weger</i>	
Optimized Parallel Implementation of Pedestrian Tracking Using HOG Features on GPU	148
<i>H. Sugano, R. Miyamoto, Y. Nakamura</i>	
FPGA Based ASIC Fast Prototyping System for New Generation Piezo Injectors Control Units: Power Stages Architecture, Faults Management and Current Control Methodologies	152
<i>S. Alpe, G. Botto, M. De Giuseppe</i>	
Automatic Assembler Generator for NoGap	156
<i>P. Karlstrom, S. Loganathan, F. Akhlaq, D. Liu</i>	
A Discrete-Components Impulse-Radio UWB Low-Noise Amplifier with Voltage Controlled-Gain	160
<i>J. Colli-Vignarelli, C. Dehollain</i>	
A Reconfigurable Integrated Transmission Line $\Sigma\Delta$ Modulator for the UWB/WLAN Receiver	164
<i>A. Zahabi, M. Anis, M. Ottmanns</i>	
Acquisition Performance of Galileo E5a Signal	168
<i>Y. Tawk, C. Botteron, A. Jovanovic, P. Farine</i>	
Rational Modeling of Interconnect Networks Using Multi-parameter Kautz Functions	172
<i>N. Iassamen, M. Telescu, P. Brehonnet, N. Tanguy</i>	
A Low Power CMOS 0.13μm High Dynamic Range Front-End for 100μm \times 100μm Pixel Sensors	176
<i>T. Kugathanan</i>	
A Noise Model for Full Characterization of Discrete-Time Current Sensing	180
<i>M. Crescentini, M. Bennati, M. Tartagni</i>	
A 24GHz CMOS Digitally Modulated Polar Power Amplifier with Embedded FIR Filtering	184
<i>H. Kim, T. Copani, S. Kiaei</i>	
A 100 Gigabit Measurement System with State of the Art FPGA Technology for Characterization of High Speed ADCs and DACs	188
<i>D. Ferenci, M. Berroth</i>	
Overview of an Environment for Automated Electrical Behavioural Modelling using Data-Based Methods	192
<i>P. Senger, I.R. Doelling, W. Rosenstiel</i>	
Parallelization of Bandpass Sigma-Delta Modulators for Class-S Digital Power Amplifiers	197
<i>T. Podsiadlik, J. Dooley, R. Farrell</i>	
FPGA-Based Acceleration of the AutoDock Molecular Docking Software	201
<i>I. Pechan, B. Feher, A. Berces</i>	
TDM Switch-based Crossbar Architecture for SoC on FPGA	205
<i>P. Surapong, M. Glesner</i>	
Implementation of Realtime Pipeline-Folding 64-Tap Filters on FPGA	209
<i>P. Surapong, M. Glesner, H. Klingbeil</i>	

Fault Resilient Intra-die and Inter-die Communication in 3D Integrated Systems	213
<i>V. Pasca, L. Angel, M. Benabdenbi</i>	
Analysis of Thermal Noise and the Effect of Parasitics in the Charge-Pump Integrator	217
<i>A. Nilchi, D.A. Johns</i>	
Limiting Amplifiers for Bits Recovery of Gbps Analog BPSK/QPSK Demodulator	221
<i>Y. Su, G. Liu, H. Schumacher</i>	
In-vehicle Communication Network Statistical Analysis Using VHDL-AMS Behavioral Models	225
<i>C. Muller, M. Valle</i>	
A SiGe 7 Gbit/s Analog BPSK/QPSK Demodulator	229
<i>G. Liu, Y. Su, H. Schumacher</i>	
Fully Differential Low-noise Amplifier with Offset Reduction for High-resolution Neural Signal Recording	233
<i>U.A. Muller, S. Tanner, P. Farine</i>	
Multibit Continuous-time $\Sigma\Delta$ Modulator with Reduced Number of Feedback Levels	237
<i>J. Garcia, A. Rusu</i>	
A Microcontrolled Neural Interface with Electrode Impedance Measurement	241
<i>C. Carboni, D. Loi, G. Angius</i>	
Analog Design Oriented Ultra-deep-submicron CMOS Technology Analysis	245
<i>G. Pollissard-Quatremere, G. Gosset, D. Flandre</i>	
A 1-V 225-nW 1KS/s Current Successive Approximation ADC for Pacemakers	249
<i>S. Al-Ahdab, R. Lotfi, W.A. Serdjin</i>	
Automatic Multi-connectivity Interface Generation for System Designs Based on a Dataflow Description	253
<i>R. Thavot, A.A.B.A. Rahman, R. Mosqueron, M. Mattavelli</i>	
Multichannel Bipotentostat System for Cellular Monitoring Platforms	257
<i>M. Vergani, M. Carminati, G. Ferrari, M. Adamovski</i>	
Very High Density Microelectrode Array with Monolithically Integrated Readout Circuits	261
<i>S. Hashemi, N. Joye, A. Schmid, Y. Leblebici</i>	
An Analog Closed-Loop SC Accelerometer Interface for a Capacitive High-Q Sensor Element	265
<i>M. Yucetas, A. Kalanti, J. Salomaa, L. Aaltonen, K. Halonen</i>	
A Dynamically Reconfigurable Architecture for Vision Pre-processor	269
<i>B. Zhang, N. Zheng, K. Mei</i>	
Sound Recognition with Spiking Silicon Cochlea and Hidden Markov Models	273
<i>D. Jackel, R. Moeckel, S. Liu</i>	
Automatic Impedance Matching in Microwave Power Harvesters	277
<i>P. Zhao, Y. Zheng, M. Glesner</i>	
Integrated Temperature Compensation Scheme for a Standard Linear CMOS Vision Sensor	281
<i>H. Zimouche, G. Sicard</i>	
Power-Gating: More Than Leakage Savings	285
<i>A. Calimera, E. Macii, M. Poncino</i>	
Comparison of CMOS VCO Topologies	289
<i>M. Haase, V. Subramanian, T. Zhang, A. Hamidian</i>	
Modeling of MIM Capacitors in 0.25 μm SiGe BiCMOS Process up to 140 GHz	293
<i>A. Hamidian, Z. Zhang, V. Subramanian, G. Boeck</i>	
A High Output Voltage Swing Logarithmic Image Sensor Designed with On Chip FPN Reduction	297
<i>H. Amhaz, G. Sicard</i>	
Hierarchical Performance Estimation of Analog Blocks using Pareto Fronts	301
<i>E. Deniz, G. Dundar</i>	
System Simulation of Adaptive I/Q Mismatch Compensation Method using SystemC-AMS	305
<i>Y. Wang, Z. Chen, C. Van Meersbergen, S. Heinen</i>	
Digital Polyphase Baseband for Direct Digital Generation of High Sample Rate Radio Frequency Signals	309
<i>B.T. Thiel, S. Dietrich, R. Negra</i>	
Delta Sigma ADC Design Flow Through a Labview Based Design and Benchmarking Tool: Architecture Mapping	313
<i>F. Rizzo, D. Zito, R. Saletti, R. Becker</i>	
Impact of Dual Placement on WDDL Design security in Mesh-Based and Tree-Based FPGAs	317
<i>E. Amouri, Z. Marrakchi, H. Mehrez</i>	
A 1-MHz Analog Front-End for a Wireless Bioelectrical Impedance Sensor	321
<i>J. Ramos, J.L. Ausin, G. Torelli</i>	

A 3D Image Sensor based on Current Assisted Photonic Mixing Demodulator in 0.18 μm CMOS Technology	325
<i>Q.D. Hossain, G.D. Betta, L. Pancheri, D. Stoppa</i>	
A Novel High Frequency Pseudo Noise Correlator Hardware Design for Cable Fault Diagnoses	329
<i>H. Geisler, R.A. Guinee</i>	
Low Power Multi-band CMOS Receiver Front-End	333
<i>K. Phansathitwong, H. Sjolund, P. Andreani</i>	
Modelling and Simulation of an RF-DAC Based Transmitter at Architectural Level in SystemC/AMS	337
<i>J. Guan, R. Negra</i>	
Reproducible Single-Byte Laser Fault Injection	341
<i>J. Dutertre, A. Mirbaha, D. Naccache, A. Tria</i>	
Digitally-Controlled High-Frequency DC-DC Buck Converter	345
<i>G. Abbas, C. Condemine, N. Abouchi</i>	
A Describing Function Based Method for Predicting the Stability of Higher-Order High-Pass Σ-Δ Modulators	349
<i>G.D. Altinok, M. Al-Janabi, I. Kale</i>	
Application of Partial Reconfiguration of FPGAs in Image Processing	353
<i>T. Raikovich, B. Feher</i>	
A 1.7 GHz-to-3.1 GHz Fully Integrated Broadband Class-E Power Amplifier in 90 nm CMOS	357
<i>D. Kalim, D. Erguvan, R. Negra</i>	
3D Ranging with a High Speed Imaging Array	361
<i>S. Bellisai, F. Guerrieri, S. Tisa</i>	
Advances in CMOS SoC Radar Sensor for Contactless Cardiac Monitoring	365
<i>M. Mincica, D. Pepe, F. Zito, D. Zito</i>	
A Low Bandwidth Pulse-Based Neural Recording System	369
<i>S. Yen, J.G. Harris</i>	
Hardware and Software Synthesis of Image Filters From CAL Dataflow Specification	373
<i>A.A.A. Rahman, R. Thavot, M. Mattavelli, P. Faure</i>	
A Study for Remote Powering of a Knee Prosthesis Through Inductive Link	377
<i>O. Atasoy, C. Dohollain</i>	
Author Index	