## **2010 First IEEE International Conference on Smart Grid Communications**

Gaithersburg, Maryland, USA 4 – 6 October 2010



**IEEE Catalog Number: CFP10SGC-PRT ISBN**:

978-1-4244-6510-1

## **Smart Grid 2010 Table of Contents**

T-MM1: New Concepts for a Smarter Power Grid Chair: Peter Sauer, University of Illinois, Urbana-Champaign, United States
Energy Management System and Pervasive Service-Oriented Networks
Distributed Power Balancing for the FREEDM System
Compressing Electrical Power Grids13  Zhifang Wang, University of Illinois at Urbana-Champaign, United States; Anna Scaglione, University of California at Davis, United States; and Robert J. Thomas, Cornell University, United States
High Assurance Smart Grid: Smart Grid Control Systems Communications Architecture
Views on Service Oriented Architectures in the Context of Smart Grids
<b>T-MM2: Wide Area Monitoring and Control</b> Chairs: Gerald Fitzpatrick, NIST, United States; Mladen Kezunovic, Texas A&M, United States; James Thorp, Virginia Tech, United States
Calculation and Visualization of Power System Stability Margin Based on PMU Measurements31 Michael Vaiman, V&R Energy Systems Research, Inc., United States; Marianna Vaiman, V&R Energy Systems Research, Inc., United States; Slava Maslennikov, ISO New England, United States; Eugene Litvinov, ISO New England, United States; and Xiaochuan Luo, ISO New England, United States
Delivery Requirements and Implementation Guidelines for the NASPInet Data Bus
Fault Detection and Localization in Smart Grid: A Probabilistic Dependence Graph Approach43 Miao He, Arizona State University, United States; and Junshan Zhang, Arizona State University, United States
The Deployment of a Smart Monitoring System using Wireless Sensor and Actuator Networks49 Nicola Bressan, University of Padova, Italy; Leonardo Bazzaco, University of Padova, Italy; Nicola Bui, Patavina Technologioes, Italy; Paolo Casari, University of Padova, Italy; Lorenzo Vangelista, Patavina Technologioes, Italy; and Michele Zorzi, University of Padova, Italy
Ontology Matching Approach to the Harmonization of CIM and IEC 61850 Standards55 Rafael Santodomingo, Comillas Pontifical University, Spain; José Antonio Rodríguez-Mondéjar, Comillas Pontifical University, Spain; and Miguel Ángel Sanz-Bobi, Comillas Pontifical University, Spain
T-MM3: Distributed Generation and Renewables Chair: Mischa Schwartz, Columbia University, United States
Facilitating a Generic Communication Interface to Distributed Energy Resources -  Mapping IEC 61850 to RESTful Services
A Primary Evaluation for Applicability of IEC 62056 to A Next-Generation Power Grid67 Tetsuo Otani, Central Research Institute of Electric Power Industry, Japan
Cascading Failures in Smart Grid - Benefits of Distributed Generation

Local Control of Reactive Power by Distributed Photovoltaic Generators	79
Konstantin Turitsyn, Los Alamos National Laboratory, United States; Petr Šulc, New Mexico Consortium, United States; Scott Backhaus, Los Alamos National Laboratory, United States; and Michael Chertkov, Los Alamos National Laboratory, United States	
Impacts of Communication Delay on the Performance of a Control Scheme to Minimize Power Fluctuations Introduced by Renewable Generation under Varying V2G Vehicle Pool Size	85
T-MA1: Topics in Advanced Metering Chair: Archan Misra, Telcordia Technologies, United States	
WattDepot: An Open Source Software Ecosystem for Enterprise-scale Energy	
Data Collection, Storage, Analysis, and Visualization	91
Who Controls the Off Switch?	96
Ross Anderson, Cambridge University, United Kingdom; and Shailendra Fuloria, Cambridge University, United Kingdom	
Leveraging Smart-Meters for Initiating Application Migration across Clouds for	
Performance and Power-Expenditure Trade-offs	102
Sumit Kumar Bose, Unisys Global Service India, India; Michael A. Salsburg, Unisys Corporation, United States; and Mohammad Firoj Mithani, Unisys Global Service India, India	
Dynamic Load Modeling of an HVAC Chiller for Demand Response Applications	108
Compressed Meter Reading for Delay-Sensitive and Secure Load Report in Smart Grid	114
T-MA2: Field Trials Chairs: Skip Ashton, Ember, United States; Gary Stuebing, Duke Energy, United States	
Modeling Power Transformers for the Design of SWER Line Coupling Networks	120
Cornelis J. Kikkert, James Cook University, Australia	120
PRIME Interoperability Tests and Results from Field	126
Aitor Aruzuaga, ZIV Group, Spain; Inigo Berganza, Iberdrola, Spain; Alberto Sendin, Iberdrola, Spain; Manu Sharma, Current Technologies International, Switzerland; and Badri Varadarajan, Texas Instruments, United States	
Scalability of Smart Grid Protocols - Protocols and Their Simulative Evaluation for Massively Distributed DERs	131
Johannes Bergmann, Siemens AG, Germany; Christian Glomb, Siemens AG, Germany; Jürgen Götz, Siemens AG, Germany; Jörg Heuer, Siemens AG, Germany; Richard Kuntschke, Siemens AG, Germany; and Martin Winter, Siemens AG, Germany	
Substation Automated Data Analysis: Deployment Challenges	137
Mladen Kezunovic, TLI INC, United States; Tomo Popovic, TLI INC, United States; Scott Sternfeld, FirstEnergy Corporation, United States; Bruce Fardanesh, New Your Power Authority, United States; Brian Clowe, CenterPoint Energy, United States; and Paul Myrda, EPRI, United States	
SmartGridLab: A Laboratory-Based Smart Grid Testbed	143
Gang Lu, Washington State University, United States; Debraj De, Washington State University, United States; and Wen-Zhan Song, Washington State University, United States	170

<b>T-MA3: Electric Vehicles</b> Chair: Onur Altintas, Toyota InfoTechnology Center, Japan	
Architecture and Communication of an Electric Vehicle Virtual Power Plant	149
Assessment Framework of Plug-in Electric Vehicles Strategies	155
Interconnections and Communications of Electric Vehicles and Smart Grids	161
Smart Grid Charger for Electric Vehicles Using Existing Cellular Networks and SMS Text Messages	167
Locating PHEV Exchange Stations in V2G	173
T-TM1: Control and Communication Chair: Mardavij Roozbehani, MIT, United States	
Spectral Analysis of Synchronization in a Lossless Structure-Preserving Power Network Model Florian Dörfler, UC Santa Barbara, United States; and Francesco Bullo, UC Santa Barbara, United States	179
A Framework for Optimizing Measurement-based Power Distribution under  Communication Network Constraints	185
Communication Capacity Requirement for Reliable and Secure State Estimation in Smart Grid Husheng Li, The University of Tennessee, United States; Lifeng Lai, University of Arkansas, United States; and Robert C. Qiu, Tennessee Technological University, United States	191
Control Over a Hybrid MAC Wireless Network	197
Robust Broadcast-Communication Control of Electric Vehicle Charging	203
GERI - Bell Labs Smart Grid Research Focus: Economic Modeling, Networking, and Security and Privacy	208
United States; Jung-In Choi, Gachon Energy Research Institute, Kyungwon University, Korea, Republic of; Junhee Hong, Gachon Energy Research Institute, Kyungwon University, Korea, Republic of; Jinho Kim, Gachon Energy Research Institute, Kyungwon University, Korea, Republic of; Wonsuk Ko, Gachon Energy Research Institute, Kyungwon University, Korea, Republic of; Young-Woo Nam, Gachon Energy	

1-1M2: Faise Data injection and Privacy
Chair: Tim Polk, NIST, United States
Stealth Attacks and Protection Schemes for State Estimators in Power Systems214 György Dán, KTH, Royal Institute of Technology, Sweden; and Henrik Sandberg, KTH, Royal Institute of Technology, Sweden
Malicious Data Attacks on Smart Grid State Estimation: Attack Strategies and Countermeasures220 Oliver Kosut, Cornell University, United States; Liyan Jia, Cornell University, United States; Robert J. Thomas, Cornell University, United States; and Lang Tong, Cornell University, United States
False Data Injection Attacks in Electricity Markets
Privacy for Smart Meters: Towards Undetectable Appliance Load Signatures
Smart Grid Privacy via Anonymization of Smart Metering Data
Towards a Framework for Cyber Attack Impact Analysis of the Electric Smart Grid
<b>T-TM3: Networking for the Smart Grid</b> Chairs: Anjan Bose, Washington State University, United States; David Culler, University of California, Berkeley, United States; Jean-Philippe Vasseur, Cisco Systems, France
A Communication Stack over PLC for Multi Physical Layer IPv6 Networking
Agent Based Supervision of Zone 3 Relays to Prevent Hidden Failure Based Tripping
Applicability Study of RPL with Local Repair in Smart Grid Substation Networks
Hydro: A Hybrid Routing Protocol for Low-Power and Lossy Networks
Location Assisted Routing Techniques for Power Line Communication in Smart Grids274  Mauro Biagi, University of Rome Sapienza, Italy; and Lutz Lampe, University of British Columbia, Canada
Low Cost Wireless Sensor Network in Distributed Generation
T-TA1: Architectures for Communication Chair: Anna Scaglione, University of California, Davis, United States
A Comparative Study of Data Storage and Processing Architectures for the Smart Grid

Modeling Smart Grid Applications with Co-Simulation	<b>291</b>
Cognitive Radio for Smart Grid Communications	297
Power Line Communications and the Smart Grid	303
On Wireless Sensors Communication for Overhead Transmission Line Monitoring in Power Delivery Systems	309
Ka-Shun Hung, University of Hong Kong, Hong Kong; Wai Kin Lee, University of Hong Kong, Hong Kong; Victor On-Kwok Li, University of Hong Kong, Hong Kong; King-Shan Lui, University of Hong Kong, Hong Kong; Philip .W.T. Pong, University of Hong Kong, Hong Kong; Kenneth K.Y. Wong, University of Hong Kong, Hong Kong; Guang-Hua Yang, University of Hong Kong, Hong Kong, Hong Kong	,,,,
ICT Reference Architecture Design based on Requirements for Future Energy Marketplaces	
T-TA2: Secure Communication and Metering Chair: David McGrew, Cisco, United States	
Zero-configuration Identity-based Signcryption Scheme for Smart Grid	321
Secure Information Aggregation for Smart Grids using Homomorphic Encryption	327
Secure Lossless Aggregation for Smart Grid M2M Networks	333
Application-Aware Secure Multicast for Power Grid Communications	339
Redundant Metering for Integrity with Information-Theoretic Confidentiality	345
Intrusion Detection for Advanced Metering Infrastructures: Requirements and Architectural Directions	350
University of Illinois at Urbana-Champaign, United States; and Himanshu Khurana, University of Illinois at Urbana-Champaign, United States	
<b>T-TA3: Smart Grid and Area Networks</b> Chairs: Nada Golmie, NIST, United States; Himanshu Khurana, University of Illinois, Urbana-Champaign, United States	
A Methodology to Evaluate Wireless Technologies for the Smart Grid	356

Performance Analysis and Enhancements of Narrowband OFDM Powerline  Communication Systems	362
II Han Kim, Texas Instruments, United States; Badri Varadarajan, Texas Instruments, United States; and Anand Dabak, Texas Instruments, United States	
Coordination of Cloud Computing and Smart Power Grids	368
Quality of Service Networking for Smart Grid Distribution Monitoring	373
RF Mesh Systems for Smart Metering: System Architecture and Performance	379
Dynamic Data Forwarding in Wireless Mesh Networks  Tadashige Iwao, Fujitsu, Japan; Kenji Yamada, Fujitsu, Japan; Masakazu Yura, Fujitsu, Japan; Yuuta Nakaya, Fujitsu, Japan; Alvaro Cárdenas, Fujitsu, United States; Sung Lee, Fujitsu, United States; and Ryusuke Masuoka, Fujitsu, United States	385
T-WM1: Pricing and Demand Response Models Chair: Tina Tsou, Huawei, China	
Incentive-based Energy Consumption Scheduling Algorithms for the Smart Grid	391
Two Market Models for Demand Response in Power Networks	397
Constructing Demand Response Models for Electric Power Consumption	403
Residential Demand Response Using Reinforcement Learning	409
Optimal Real-time Pricing Algorithm Based on Utility Maximization for Smart Grid	415
Minimizing the Electricity Bill of Cooperative Users under a Quasi-Dynamic Pricing Model	421
T-WM2: Demand-Side Management and Implementation Chair: Michael Chertkov, Los Alamos National Laboratory, United States	
In-home Power Distribution Systems by Circuit Switching and Power Packet Dispatching	427
Demand Side Load Management Using a Three Step Optimization Methodology	431
Power Demand Shifting with Smart Consumers: A Platform for Power Grid friendly  Consumption Control Strategies	437
Anett Schülke, NEC Europe Ltd., Germany; Jochen Bauknecht, NEC Europe Ltd., Germany; and Johannes Häussler. NEC Europe Ltd Germany	

Control Mechanisms for Residential Electricity Demand in SmartGrids443
Shalinee Kishore, Lehigh University, United States; and Lawrence V. Snyder, Lehigh University, United States
Analytics and Transactive Control Design for the Pacific Northwest Smart Grid
Demonstration Project
T-WM3: Models for Service, Computation and Smart Grid Network Integration Chair: Howard Choe, Raytheon, United States
Integrated Design and Implementation of Toronto's Smart Distribution Grid
Agent-oriented Designs for a Self Healing Smart Grid461
Steve Bou Ghosn, North Dakota State University, United States; Prakash Ranganathan, University of North Dakota, United States; Saeed Salem, North Dakota State University, United States; Jingpeng Tang, University of Minnesota Crookston, United States; Davin Loegering, North Dakota State University, United States; and Kendall E. Nygard, North Dakota State University, United States
CIM, 61850, COSEM Standards used in a Model Driven Integration Approach to Build the
Smart Grid Service Oriented Architecture
Design of Low-Carbon Electric and Communication Infrastructure
Ontology-based Resource Description and Discovery Framework for Low Carbon
Grid Networks
Smart Grid Data Cloud: A Model for Utilizing Cloud Computing in the Smart Grid Domain483 Sebnem Rusitschka, Siemens AG, Germany; Kolja Eger, Siemens AG, Germany; and Christoph Gerdes, Siemens AG, Germany
Smart High Voltage Substation based on IEC 61850 Process Bus and IEEE 1588
Time Synchronization
T-WA1: Smart Grid Services for Demand Response Chair: Sami Ayyorgun, Telcordia Technologies, United States
Distributed Demand Management in Smart Grid with a Congestion Game
Demand Response Architecture: Integration into the Distribution Management System501 Salman Mohagheghi, ABB, United States; James Stoupis, ABB, United States; Zhenyuan Wang, ABB, United States; Zhao Li, ABB, United States; and Hormoz Kazemzadeh, ABB, United States
Use of Responsive Load to Supply Ancillary Services in the Smart Grid:Challenges
and Approach
Load Participation in Electricity Markets: Day-Ahead and Hour-Ahead Market Coupling with
Wholesale/Transmission and Retail/Distribution Cost and Congestion Modeling

Incentive Design for Lowest Cost Aggregate Energy Demand Reduction
Efficient Energy Delivery Management for PHEVs525 Mahdi Kefayati, The University of Texas at Austin, United States; and Constantine Caramanis, The University of Texas at Austin, United States
T-WA2: Networks and Resource Allocation Chair: Giuseppe Caire, University of Southern California, United States
Towards Cooperative Grids: Sensor/Actuator Networks for Renewables Integration531  Jay Taneja, University of California, Berkeley, United States; David Culler, University of California,  Berkeley, United States; and Prabal Dutta, University of Michigan, Ann Arbor, United States
Coordination and Control of Distributed Energy Resources for Provision of Ancillary Services537  Alejandro D. Dominguez-Garcia, University of Illinois at Urbana-Champaign, United States; and  Christoforos N. Hadjicostis, University of Cyprus, Cyprus
Dynamic Pricing and Stabilization of Supply and Demand in Modern Electric Power Grids543  Mardavij Roozbehani, MIT, United States; Munther Dahleh, MIT, United States; and Sanjoy Mitter, MIT,  United States
Efficient Algorithms for Renewable Energy Allocation to Delay Tolerant Consumers
On Efficient Use of Local Sources in Smart Grids with Power Quality Constraints555  Daniele Forner, University of Padova, Italy; Tomaso Erseghe, University of Padova, Italy;  Stefano Tomasin, University of Padova, Italy; and Paolo Tenti, University of Padova, Italy
The POWER of Networking: How Networking can Help Power Management561 Sedat Gormus, Toshiba Research Europe Limited, United Kingdom; Parag Kulkarni, Toshiba Research Europe Limited, United Kingdom; and Zhong Fan, Toshiba Research Europe Limited, United Kingdom
T-WA3: Standards and Regulations Chairs: Lutz Lampe, University of British Columbia, Canada; David Su, NIST, United States
A Unified Solution for Advanced Metering Infrastructure Integration with a
Distribution Management System566 Zhao Li, ABB, United States; Zhenyuan Wang, ABB, United States; Jean-Charles Tournier, ABB,
United States; William Peterson, ABB, United States; Wenping Li, ABB, United States; and Yi Wang, Virginia Tech, United States
Embedding Synchronism in SmartGrid with IEEE1588-based for Intelligent Electronics Devices572 Victor Pallarés-López, University of Cordoba, Spain; Antonio Moreno-Muñoz, University of Cordoba, Spain; Juan José González de la Rosa, University of Cadiz, Spain; Rafael Real-Calvo, University of Cordoba, Spain; and Miguel Jesús González-Redondo, University of Cordoba, Spain
Spectrum for Smart Grid
Survey of Smart Grid Standardization Studies and Recommendations
Toward Digital Ecologies: Intelligent Agent Networks Controlling Interdependent Infrastructures589 Valeriy Vyatkin, The University of Auckland, New Zealand; Gulnara Zhabelova, The University of Auckland, New Zealand; Mihaela Ulieru, University of New Brunswick, Canada; and Donald McComas, Eaton Corporation, United States
Author Index 595