

# **2010 International Conference on Electromagnetics in Advanced Applications**

## **(ICEAA 2010)**

**Sydney, Australia  
20 – 24 September 2010**



**IEEE Catalog Number: CFP1068B-PRT  
ISBN: 978-1-4244-7366-3**

## TABLE OF CONTENTS

		pages
<b>SESSION 1: Electromagnetics for Health and Medical Applications, Organized by K. Ito</b>		
Bardati F., Iudicello S., Tognolatti P.	Microwave radiometry antennas in breast cancer early diagnosis	180 183
Michiyama T., Asanuma K., Kuwano S.	Numerical Simulation of Heating Characteristics in a New Microwave Coaxial-Slot Antenna for Cancer Therapy	390 393
Uno Y., Saito K., Takahashi M., Ito K.	Structure of cylindrical tissue-equivalent phantom for medical applications	406 409
Mase A., Nagae D., Ito N., Komada Y.	Non-contact and non-invasive stress evaluation using microwave reflectometry	144 147
Yang F., Mohan A.S.	Breast Cancer Imaging Techniques using UWB Microwave Imaging	305 308
<b>SESSION 2: Electromagnetic applications to biomedicine</b>		
Ito N., Mase A., Kobayashi A., Komada Y., Kogi Y., Sakata E., Shimazu H.	Microwave Measurement of Heart Beat Applied to Daily Life	256 259
Zhang H., Tan S.Y., Lee W.W.J., Tan H.S.	On the microwave detection of dielectric bodies in a lossy medium with parallel-plate dielectric waveguide probe	298 300
Samal N.K., Paulraj R.	Combined role of magnetic iron oxide nanoparticles and 2.45 GHz microwave radiation on antioxidant enzymes of mice	313 316
Mohsin S.A., Sheikh N.M., Maalik A.	The Effect of the MRI Radiofrequency Field on Medical Leads Embedded Beneath Skin Tissue	513 516
Mohsin S.A., Sheikh N.M.	Scattering by implants during MRI: A simplified computational approach	517 520
<b>SESSION 3: Electromagnetic measurements</b>		
Stahl J., Kuebrich D., Duerbaum T.	Modification and Characterization of a Standard LISN for Effective EMI Noise Separation	39 42
Puskely J., Nováček Z.	Far-Field Reconstruction Based on Compression Method from Cylindrical Near-Field Phaseless Measurements	370 373
Sevimli O., Parker A.E., Fattorini A.P., Harvey J.T.	Very low frequency s-parameter measurements for transistor noise modelling	386 389
Cariou R.	Use of wavelets decomposition to reduce outside transmissions during measurement of RCS	791 794
Trotignon J.G.	Short Electric-Field Antennae as Diagnostic Tools for Space Plasmas	63 66
<b>SESSION 4: Inverse scattering and remote sensing</b>		
Abeynayake C., Ferguson M.	Investigation on improved target detection capabilities using multi-channel, multiple receive coil metal detector data	209 212

Rohm W., Bosy J., Sierny J.	GNSS tomography from epoch local solution to country wide near real time system	493	496
Gray D.A., Viola M., Moran W., Samarasekera S., May P., Bates B., Venkataraman K., McCarroll C., Ferguson B., McLaughlin D.	WREN : A Weather Radar Experimental Network	505	508
Jang H.-K., Shin J.-H., Kim C.-G.	Low RCS patch array antenna with electromagnetic bandgap using a conducting polymer	140	143
Khairi R., Coatanhay A., Khenchaf A.	The Observability of Marine Weather Conditions Using the Electromagnetic Waves Scattering from the Sea Surface: A Statistical Analysis	529	532
Li X., Xu X.	Numerical Study on the Statistics of the Phase in Backscattered Signals from Time-evolving Sea Surfaces	855	858
<b>SESSION 5: Frontiers in high-precision optical and microwave signal generation and applications, Organized by J. Kim</b>			
Kim J., Cox J.A., Kärtner F.X.	Femtosecond Lasers for Attosecond Timing Control	797	799
Inaba H., Nakajima Y., Hosaka K., Iwakuni K., Yasuda M., Akamatsu D., Kohno T., Onae A., Hong F.-L.	Low noise optical frequency synthesizer for optical lattice clocks	813	816
Tobar M.E., Ivanov E.N., Hartnett J.G., le Floch J.-M., Stanwick P.L.	High Precision Microwave Interferometers and Oscillators for Applied and Fundamental Physics Applications	803	806
Bui L.A., Sarkhosh N., Emami H., Mitchell A.	Microwave Photonic Instantaneous RF Frequency Measurement Systems Employing Optical Mixing	807	810
Minoshima K.	High-Precision Absolute Length Metrology using Fiber-Based Optical Frequency Combs	800	802
Zhang Z., Hou D., Li P., Liu C., Zhao J.	Long-term stability of frequency transfer over an urban fiber link using microwave phase compensation	811	812
<b>SESSION 6: Electromagnetic properties of materials</b>			
Hyde M.W., Havrilla M.J.	Reducing the Measurement Footprint in the Characterization of Low-Loss Materials Using the Flanged-Waveguide Measurement Geometry	43	46
Le Floch J-M., Hartnett J.G., Tobar M.E., Bara R., Mouneyrac D., Cros D., Krupka J.	Cryogenic properties of a diamond sample at microwave frequencies	837	840
<b>SESSION 7: Nano-Magnetism and Magnetic Materials, Organized by V. Metlushko</b>			
Cowburn R.P.	3-dimensional spintronics	795	796
Heyne L., Kläui M.	Analytical description for current-induced vortex core displacement	195	196

Aliev F.G., Dieleman D., Awad A.A., Asenjo A., Iglesias-Freire O., Garcia-Hernandez M., Metlushko V.	Probing ground state in circular magnetic dots: single vs. double magnetic vortex	160	163
Kunz A., Reiff S.C., Priem J.D., Rentsch E.W.	Controlling Individual Domain Walls in Ferromagnetic Nanowires for Memory and Sensor Applications	248	251
Reichhardt C.J.O., Reichhardt C., Libal A.	Topological Defects from Doping and Quenched Disorder in Artificial Ice Systems	252	255
Reichhardt C., Reichhardt C.J.O., Libal A.	Transport, Hysteresis and Avalanches in Artificial Spin Ice Systems	260	263
Rose V., Freeland J.W.	A New Concept for Quantitative Nanoscale Imaging With Magnetic Contrast: Synchrotron X-ray Enhanced Scanning Tunneling Microscopy	201	204
Keavney D.J., Cheng X.M.	Imaging of magnetization dynamics in artificial ferromagnetic nanoscale structures	595	595
Freeman M.R., Davis J.P., Liu N., Losby J., Fraser A., Burgess J., Compton S., Fortin D., Vick D., Hiebert W.	Nanomagnetomechanical Resonators	291	293
Sautner J., Jayapratha N., Metlushko V.	Functional 3-D Magnetic Nanostructures	547	548
Lin A.S.-H., Milosevic M., Peeters F., Janko B.	Andreev bound states in superconductor ferromagnet hybrids	368	369
Baumann D., Giannini R., Hafner C., Li E.P., Fumeaux C.	Investigation of Plasmon Resonance of Stacked Gold Nanodisks using Time-Domain Simulations	353	356
De Long L.E., Shlyk L., Cao G., Niewa R.	The Promise of Strong Spin-Orbit Coupling: Novel Materials with Novel Properties for Novel Devices	591	594
Roshchin I.V., Badgley K.E., Zhernenkov M., Fitzsimmons M.R., Varela M., Pennycook S.J., Li Z.-P., Ponce H., Romero A.H., Miller C.W., Schuller I.K.	Uncompensated moments in antiferromagnets: Origin, properties and role in exchange bias.	631	632
You C.-Y., Ha S.-S., Lee S., Suzuki Y., Nozaki T., Shiota Y., Shiraishi M., Shinjo T.	Variation of the Perpendicular Magnetic Anisotropy with Bias Voltage in Ultra Thin Ferromagnetic Layers	841	842
<b>SESSION 8: Intentional EMI, Organized by C.E. Baum</b>			
Baum C.E.	Combined Electric and Magnetic Dipoles for Mesoband Radiation, Part 2	1	7
Kumar P., Altunc S., Baum C.E., Christodoulou C.G., Schamilooglu E.	Launching a Fast (100 ps) High-Voltage (> 100 kV) Pulse into a Biological Target	8	11
Gardner R.L.	The role of nonlinear conductivity in beginning the lightning return stroke	833	836
Anderson S.J.	Space-time focussing of HF skywave radar signals with application to nonlinear scattering phenomenology	16	19
Kohlberg I., Hemmady S.	Principles of Statistical Physics As Applied to EMC	685	688
Stoudt D.C., Gardner R.L.	Hybrid Models in Susceptibility Analysis	271	274
Hong K., Braidwood S.	Stopping Car Engines Using High Power Electromagnetic Pulses	378	381

<b>SESSION 9: EMC/EMI/EMP</b>			
Shannon J., Grady B., Jones M., Portillo S.	X-Ray Failure Analysis Techniques	737	740
Sui M., Xu X.	NFIPO Based Technique for Near-Field Angular Glint Calculation of Radar Targets	851	854
<b>SESSION 10: Phased and adaptive arrays, Organized by W.X. Zhang</b>			
Wu Z.-H., Zhang W.-X.	A circularly polarized printed compound air-fed array antenna	337	340
Dieter S., Li J., Keyrouz S., Ren J., Menzel W.	Investigations of Advanced Folded Reflectarray Antennas	89	92
Abedin M.J., Mohan A.S.	Maximum Likelihood Near Field Localisation using Concentric Circular Ring Array	533	536
Stupfel B., Collet M.	Singular value decomposition for far-field reduction	51	54
<b>SESSION 11: Phased and adaptive arrays</b>			
Joler M., Malnar D., Barbin S.E.	An FPGA-Enhanced Genetic Algorithm for Mitigation of a Flawed Array Radiation	616	619
Okiyokota M., Yasuzumi T., Kazama Y., Hashimoto O.	Beam Scanning Characteristics on 16-element Array Antenna Using Double-loop Antenna	454	457
Hasegawa S., Yasuzumi T., Hashimoto O., Kazama Y.	A Phased Array Antenna Using Cross Dipole Antenna for Mobile satellite Communications	465	468
Wang J.J.H.	Low-cost broadband planar traveling-wave arrays (TWA) with 2-D elements	612	615
<b>SESSION 12: Wideband and Multiband Antennas, Organized by H. Nakano</b>			
Nakano H., Oyanagi H., Yamauchi J.	Spiral Antenna Radiating a Conical Beam of Circular Polarization	109	112
Huang C.-F.	Review of the Design for Terminal Antennas and the Relative Issues	35	38
Ooi P.C., Selvan K.T.	A Dual-Band CPW-Fed Printed Square Loop Antenna for Wireless Applications	79	82
Kahng S., Choi D.-G., Oh H.-T., Kwon D.-H., Kim S.-G., Jeong C.-H.	Investigating The Effect Of The Electromagnetic Field From A Multi-Band Antenna Embedded Mobile Phone On The Hearing Aid Compatibility	546	546
Vinci G., Weigel R.	Multiband Planar Vivaldi Antenna for Mobile Communication and Industrial Applications	93	96
Fukusako T., Nakamura T., Nobe R., Yamane S.	Design methods of broadband circularly polarized patch antennas using artificial ground structure	216	219
Tanabe M., Masuda Y.	Axial Ratio Characteristics of an Archimedean Spiral Antenna on a Thin Magnetic Material	414	417
Fang X.S., Leung K.W., Chen R.S.	Design of wideband circularly polarized cylindrical dielectric resonator antennas	224	227
AbuTarboush H.F., Nilavalan R., Peter T.	PIFA based Reconfigurable Multiband Antenna for Wireless Applications	232	235

Sharaiha A., Letestu Y.	Quadrifilar Helical Antennas : Wideband and Multiband Behavior for GPS Applications	620	623
Shibayama J., Wakabayashi Y., Yamauchi J., Nakano H.	Wideband Analysis of Periodic Electromagnetic Elements	317	320
Phongcharoenpanich C., Suwalak R.	Dual-Band RFID-Reader Antenna using Annular Plate with Curved and Rectangular Slots	633	636
Luk K.M., Wu B.Q.	Design of Wideband Polarization Diversity Antenna with Conical Radiation Pattern	829	832
<b>SESSION 13: Modeling, simulation and applications of artificial dielectric and magnetic media, including metamaterials, Organized by R. Mittra, K.P. Esselle, L. Matekovits</b>			
Pflaum C., Rahimi Z., Jandl C.	Simulation of Optical Waves in Thin-Film Solar Cells	24	26
Mittra R., Yoo K.	A New Technique for the Numerical Simulation of Periodic Structures including EBGs, FSSs and Metamaterials	31	34
Huang Y., Wu L.-S., Tang M., Mao J.-F.	Study on Multi-Walled Carbon Nanotube Resonator	59	62
Monticone F., Matekovits L., Orefice M., Esselle K.P., Vecchi G.	Avoiding conductor width discontinuities at the cell borders in width-modulated microstrip line periodic structures	67	70
Powell D.A., Lapine M., Gorkunov M., Shadrivov I.V., Kivshar Y.S.	Analysing and Manipulating Near-Field Interaction in Metamaterials	87	88
Cui T.J., Ma H.F.	Modeling of Electromagnetic Metamaterials	462	464
Yoon J.H., Ahn J., Chang K., Yoon Y.J.	Beam tilted base station antenna with electromagnetic gradient surface	481	484
Jang G., Kahng S., Mok S.	A Novel Metamaterial CRLH ZOR Microstrip Patch Antenna Capacitively Coupled To A Rectangular Ring	545	545
<b>SESSION 14: Electromagnetism and signal processing for advanced radar applications, Organized by D. Erricolo, L.K. Patton, M.C. Wicks</b>			
Jin Y., O'Donoughue N., Moura J.M.F.	Time Reversal Adaptive Waveform in MIMO Radar	741	744
Parker J.T., Ferrara M., Bracken J., Himed B.	Preliminary Experimental Results for RF Tomography Using Distributed Sensing	549	552
Lo Monte L., Patton L.K., Wicks M.C.	Direct-Path Mitigation for Underground Imaging in RF Tomography	27	30
Kenyon C.M., Goodman N.A.	Range-Doppler Ambiguity Mitigation via Closed-Loop, Adaptive PRF Selection	608	611
Wang P., Li H., Himed B.	Instantaneous frequency estimation of polynomial phase signals using local polynomial Wigner-Ville distribution	N/A	
Capraro G.T., Wicks M.C.	Metacognition in Radar	693	696
Baker C.J.	Cognitive Diversity Sensing	875	878

<b>SESSION 15: Large CEM Computations, Organized by J.F. Lee, X.Q. Sheng</b>			
Xiang F., Hu J., Yin J., Nie Z.	A fast IE-FFT algorithm with grid-robust higher order vector basis	148	151
Peng Z., Wang X.-C., Lee J.-F.	Integral equation domain decomposition method for solving electromagnetic wave scattering from non-penetrable objects	821	824
Sheng X.-Q., Pan X.-M., Deng C.-Q.	A predicting methodology of scattering by clusters of multi-objects/systems based on plane wave database	697	700
Gionaj E., Weiland T.	Particle Based PWFA Simulations using a Discontinuous Galerkin Approach	604	607
<b>SESSION 16: Electromagnetic sensing in the marine environment, Organized by S. Anderson, C. Anderson</b>			
Vrbancich J.	Airborne electromagnetic sensing of shallow seawater using a helicopter time-domain system – applications for bathymetric mapping and characterizing the seafloor	220	223
Pirisi A., Mussetta M., Gruosso G., Zich R.E.	Automated TPM-LiG Modeling for WSN Subsystems in Marine Environment	733	736
Young J.A., Clark D.A.	Magnetic tensor gradiometry in the marine environment	701	704
Anderson S.J., Anderson W.C.	A MIMO technique for enhanced clutter selectivity in a multiple scattering environment : application to HF surface wave radar	133	136
Kulessa A.S., Hacker J.M.	Determining the refractive index structure in the littoral marine boundary layer by in situ measurements and sensing techniques	172	175
Khenchaf A.	Overview of random rough surface scattering EM models. Application to the sea surface	653	656
Morris J.T., Anderson S.J.	Statistical polarimetric radar detection of submerged obstacles via perturbed flows on the ocean surface	275	278
Dong Y., Merrett D.S., Crisp D.J.	Measurements of microwave backscatter from sea surface using L-band multi-channel receiver	287	290
Cureton G.P., Anderson S.J.	On the brightness threshold dependence of nonlinear wave spectrum estimation from sunglint	678	680
<b>SESSION 17: Wireless communications</b>			
del Corte Valiente A., Gutiérrez Blanco O., Gómez Pulido J.M.	Increasing Airport Security with the Development of High Accuracy Location Algorithms based on Ray-tracing Techniques over WLAN Networks	121	124
Bui V.P., Wei X.C., Li E.P.	An efficient hybrid simulation technique for modeling the electromagnetic field propagation in a closed environment	473	476
Plouhinec E., Uguen B.	Validity of Geometrical Optics Multiple Reflections inside Materials with Far-Receiver and Rays Infinity Assumptions	561	564
Forman M.A., Young D.	The Generation of Shared Cryptographic Keys through Half Duplex Channel Impulse Response Estimation at 60 GHz	627	630

<b>SESSION 18: Advances in Geophysical Electromagnetics, including Lightning, Space Weather, and Satellite Observations, Organized by J. Simpson</b>			
Perona G., Notarpietro R., Molinaro M., Casotto S., Zoccarato P., Nardo A., Cucca M., Paolella S., Bordi I., Sutera A., Tartaglione N., Speranza A., Nava B., Radicella S., Vespe F.	The Italian GPS Radio Occultation Experiment On Board The Indian Satellite Oceansat-2	681	684
Thiel D.V., Mogensen G.	Transient surface impedance measurements using spherics - source identification and characterisation	101	104
Waters C.L., Sciffer M.D., Lysak R.L.	FDTD modeling of ULF waves in the magnetosphere and ionosphere	477	480
Simpson J.J.	Global 3-D Full-Maxwell's Equations FDTD Modeling of the Effects of Space Weather on the Earth-Ionosphere System	589	590
<b>SESSION 19: Electromagnetic theory</b>			
Ding P.P., Zouhd S., Li L.W., Yeo S.P., Christensen N.B.	A modified fast hankel transform algorithm for calculating planar multilayered green's function	47	50
Velázquez-Arcos J.M., Granados-Samaniego J., Fernández-Chapou J.L., Vargas C.A.	Vector generalization of the discrete time reversal formalism brings an electromagnetic application on overcoming the diffraction limit	264	267
Watanabe K.	Two-Dimensional Electromagnetic Scattering from Cylinder Located near Lamellar Grating	410	413
Georgiev G.N., Georgieva-Grosse M.N.	An Application of the Zeros of Laguerre Polynomials	637	640
Morishita Y., Nakao N., Wakino K., Kitazawa T.	A Hybrid Mode-Matching Spectral Domain Approach for Evaluation of Complex Permittivity of Lossy Materials in Cylindrical Cavity	645	648
Blagoveshchensky D.V., Sergeeva M.A., Kalishin A.S.	Multilateral Investigation Of The Ionosphere Through A Magnetospheric Storm	361	363
Xu X., Chen P.	A Study on the Possibility of Applying Precursor Waves to Penetration Imaging	843	846
Jiang D., Xu X.	Multi-path Backscattering from Ships over Time-evolving Sea Surfaces	847	850
<b>SESSION 20: Microwave antennas</b>			
Zou L., Fumeaux C.	High-permittivity cross-shaped dielectric resonator antenna for circular polarization	168	171
Valkonen R., Myllymäki S., Huttunen A., Holopainen J., Ilvonen J., Vainikainen P., Jantunen H.	Compensation of finger effect on mobile terminal antenna by antenna selection	364	367
Mayer L.W., Scholtz A.L.	A Polarization- and Power-agile Interrogator Antenna for UHF RFID Systems	521	524
Pivit F., Markert D.	Analysis of the Impact of Phase- and Amplitude Distortions on the Beam Accuracy of Active Antenna Arrays for Mobile Communication	573	576

Chen C., Yung E.K.N.	Dual-band Linearly-polarized Slot Antenna with Conical Beam	188	190
Hu Z., Cole P.H.	Bottle Packaged Wine Product Detection By UHF RFID Systems	301	304
Palantei E., Ramos Emakarim L., Nugraha A., Subaer N.K.	Optimized Wideband Horn Antennas of High Gain and Directivity	321	324
Verma A., Weng B., Shepherd R., Fumeaux C., Truong V.-T., Wallace G., Bates B.D.	6 GHz Microstrip Patch Antennas with PEDOT and Polypyrrole Conducting Polymers	329	332
Wollenschläger F., Stephan R., Xia L., Müller J., Hein M.A.	A broadband 60 GHz aperture-coupled patch array integrated in multilayer ceramics technology	357	360
Yahya M., Awang Z.	Cross Polarization Ratio Analysis On Circular Polarized Patch Antenna	442	445
Lukes Z., Lacik J., Raida Z.	Novel Fractal Modification of Wideband Cone Antenna Designed by Global Optimization Method	469	472
Oh S.-S., Jung Y.-B., Ju Y.-R., Park H.-D.	Frequency-Tunable Open-Ring Microstrip Antenna using Varactor	624	626
Mussetta M., Pirinoli P., Cong P.T., Orefice M., Zich R.E.	Optimization of a Dual-Layer Reflectarray Antenna by means of Soft-Computing Techniques	716	719
Pirisi A., Mussetta M., Gruosso G., Zich R.E.	Bio-inspired optimization techniques for wireless energy transfer	731	732
Kagoshima K., Kagaya A., Obote S.	Investigations on Decoupling and Matching Feeding Networks for a MIMO Array Antenna	341	344
Williams J.T., Paulotto S., Baccarelli P., Jackson D.R.	Design of a 1-D Comline Leaky-Wave Antenna with the Open-Stopband Suppressed	83	86
Tawk Y., Al-Husseini M., Hemmady S., Albrecht A.R., Balakrishnan G., Christodoulou C.G.	Implementation of a Cognitive Radio Front-End Using Optically Reconfigurable Antennas	294	297
Gomez J.A., Brooker G.	Analytic edge smoothing for planar UWB circular monopole antennas fed with coplanar waveguides	394	397
Hellicar A.D., Bird T.S., Hanham S.M.	Wideband short horn design for a multibeam radiotelescope	863	866
<b>SESSION 21: Computational Electromagnetics,</b> <b>Organized by R.D. Graglia, D.R. Wilton</b>			
Chew W.C., Jiang L.J., Chao H.Y., Hesford A.J., Li M.K., Qian Z.G., Liu Y.G., Chen Y.P., Ma Z.H., Sun L.E., Tong M.S., Davis C., Sha W.E.I.	Review of multi-scale electromagnetic modeling	641	644
Gjonaj E., Weiland T.	A Divergence Cleaning Method for the High Order DG-FEM in the Time Domain	581	584
Yang M.-L., Sheng X.-Q.	Parallel FE-BI-MLFMA for Scattering by Extremely Large Targets with Cavities	105	108
Johnson W.A., Paulotto S., Jackson D.R., Wilton D.R., Langston W.L., Basilio L.I., Baccarelli P.,	Modeling of General 1-D Periodic Leaky-Wave Antennas in Layered Media using EIGER™		
Valerio G., Celepcikay F.T.		205	208
Wang H.-G., Li H., Liu D.-Q., Yu X.-H.	A Quasi-Three Dimensional Multi-Level Green's Function Interpolation Method for	125	128
Lancellotti V., De Hon B.P., Tijhuis A.G.	Multilayered Structures Linear embedding via Green's operators for 3-D scattering from piecewise homogeneous bodies	349	352

Valerio G., Wilton D.R., Jackson D.R., Galli A.	Investigation of Bound and Leaky Modes on Periodic Bidimensional Structures Using Mixed-Potential Integral Equations	156	159
Ciganek J., Kadlec P., Raida Z., Sedenka V.	Finite Element Analysis of Composite Objects: Time Domain Versus Frequency Domain	164	167
Hu J., Lei L., Zheng K., Nie Z., He S.	An Efficient Iterative Technique for Accelerating the Convergence of EFIE	113	116
He S., Nie Z.	Accurate and fast calculation for dielectric-coated PEC surfaces with thin dielectric approximations	117	120
Schöberl M., Siuka A., Schlacher K.	Geometric Aspects of First Order Field Theories in Piezoelectricity and Magnetohydrodynamics	55	58
Graglia R.D., Peterson A.F.	Hierarchical vector polynomials for the triangular prism	871	874
<b>SESSION 22: Electromagnetic modeling of devices and circuits</b>			
Shar R., Axon P.	Electromagnetic Simulation of Mono-Pulse DF antenna configurations	240	243
Hoque M.E., Heimlich M., Tarazi J., Parker A., Mahon S.	Scalable HEMT model for small signal operations	309	312
Verma A., Fumeaux C., Bates B.D.	Modified Getsinger's Model for Accurate Determination of Effective Permittivity Dispersion in Multilayered Microstrip Lines	325	328
Yasuzumi T., Yamamoto J., Uwano T., Hashimoto O.	A Compact Microstrip BSF Using Quasi-lumped Elements	426	429
Pereira M.R., Salgado H.M., Pereira J.R.	Synthesis of microstrip filters with arbitrary reflective group delay response	509	512
Kadri A., Abu-Dayya A., Trinchero D., Stefanelli R.	Design of Radio-Acoustic Sensors for Leakage Detection in Underground Water Pipes	867	870
<b>SESSION 23: Electromagnetic Compatibility Technology and Application, Organized by Y. Wen</b>			
Tan H., Wang F.-L., Li J., Chen H.-M.	Software Framework of EMC Test Based on Object-Oriented Programming Idea	784	786
Huang Q., Mu J., Wu J., Tan Z.	Performance of Secondary User in Opportunistic Spectrum Access System	745	748
Chen S., Wen Y.	Discussions on the Generation Mechanism of Spark Phenomenon When Locomotive Running Through an Electricity Neutral Section	749	752
Wang J., Cai B.-G., Liu J., Shangguan W.	Electromagnetic compatibility design of multi-sensor based train integrated positioning system	753	756
Shan Q., Wen Y.	Research on the BER of the GSM-R Communications Provided by the EM Transient Interferences in High-Powered Catenary System Environment	757	760
Zhang X.-Y., Wen Y., Tan Z.-H.	Research on High-Speed Mobile Radio Large-scale Propagation Characteristics and Interference	761	764
Wen D.-E., Cui T.J., Yu J., Zhang Q.	Full Wave Analysis to Near Field Radiation Characteristics of Antennas by MLFMA	767	769

Wang C., Xie D., Wu N., Song W.	On pulse fields waveform dependent characteristics of NEMP simulation	770	773
Xie D.G., Huang S.G., Wang C., Fang C.H.	Performance analysis of RS code in data link communication system	774	776
Xie D.G., Wu N., Yu J., Yang X.S., Hou D.Y.	Preliminary Study on the EMS of CRT Display for Computer	777	779
Fang C., Zhang Q., Xie D.G.	Simulation of shielding characteristic of a typical decay waveguide window for EMP	780	783
<b>SESSION 24: Technologies for mm and sub-mm waves</b>			
Feil P., Bauer F.	Two right-angle microstrip to waveguide transitions suitable for metal backed substrates	450	453
Merkle T., Smith S.L., Nikolic N., Smart K.W., Shen M.	E-Band Aperture Coupled GaAs / LCP Antennas	501	504
<b>SESSION 25: Optoelectronics and photonics</b>			
Malomed B.A., Stepanyants Y.A.	Localized nonlinear optical modes and the corresponding support structures: Exact solutions to the nonlinear Schrödinger equation with external potentials	20	23
Classen C., Bandlow B., Schuhmann R.	Computational Analysis of Whispering Gallery Modes in Flat Dielectric Disks	553	556
Mildren R.P.	Characteristics of a side pumped tungstate Raman laser.	825	828
McCosker R.J., Town G.E.	A Delta-K Electro-Optic Polymer Modulator using a Multi-Channel Directional Coupler	859	862
<b>SESSION 26: Hybrid ray, beam and numerical methods, Organized by G. Manara, P. Pathak</b>			
Burkholder R., Pathak P., Chang P.	Ray Solution for Near - Zone Electromagnetic Propagation through a Periodic Wall	787	790
Lertwiriyaprapa T., Phaebua K., Phongcharoenpanich C., Krairiksh M.	Application of UTD Ray Solution for Characterization of Propagation in Thai Commercial Orchard	176	179
James G., Nikolic N.	Low-Loss Dual-Linear Polarisation Tracking Feeds for Satellite On-The-Move (SOTM) Systems	279	282
Jakobus U.	Overview of hybrid methods in FEKO: Theory and applications	434	437
Chou H.-T., Lu K.-Y., Chen Y.-C., Hsu H.-T., Huang N.-T.	Analysis and Synthesis of Phased Array Antennas in the Presence of Electrically Large and Complex Platforms via a Hybrid Numerical Code	458	461
Janpugdee P., Wang C.-F., Chia T.-T.	Hybrid GRE-high frequency method for analysis of scattering and radiation problems incorporating large and complex structures	485	488
<b>SESSION 27: Radio Telescope Antennas, Organized by S. Hay</b>			
Ivashina M.V., Iupikov O., van Cappellen W.	Extending the capabilities of the GRASP and CAESAR software to analyze and optimize active beamforming array feeds for reflector systems.	197	200

Hayman D.B., Chippendale A., Qiao R.-Y., Bunton J.D., Beresford R.J., Roberts P., Axtens P.	Gain Calibration of Phased Array Feeds	418	421
Lehmensiek R., Theron I.P.	Compact low loss L-band orthomode transducer	228	231
Hay S.G.	Connected Array Sensitivity Matching with Differential Beamforming and Single-Ended Loading	649	652
Bunton J.D., Hay S.G.	Achievable Field of View of a Chequerboard Phased Array Feed	728	730
<b>SESSION 28: Small and Miniaturized antennas, Organized by M. Bialkowski</b>			
Bialkowski M.E., Razali A.R., Boldaji A., Cheng K.-H., Liu P.	Miniaturization Techniques of Multiband Antennas for Portable Transceivers	283	286
Chiu C.-W., Chang C.-H., Chi Y.-J.	A compact folded loop antenna for LTE/GSM band mobile phone applications	382	385
Ge Y., Esselle K.P., Bird T.S.	Compact Broadband Dielectric Resonator Antennas	213	215
Kim E., Ryu H.-K., Woo J.-M.	An Electrically Small Printed Inverted-F Antenna with a Ceramic Chip Coupler	537	540
Zhao S., Fumeaux C., Coleman C.	Optimal Positions of Loading for a Shortened Resonant Monopole Using Genetic Algorithm	705	708
<b>SESSION 29: Finite methods</b>			
Kaufmann T., Engström C., Fumeaux C.	Residual-Based Adaptive Refinement for Meshless Eigenvalue Solvers	244	247
Stefanski T.P., Benkler S., Chavannes N., Kuster N.	Parallel Implementation of the Finite-Difference Time-Domain Method in Open Computing Language	557	560
de Tolosa T.A.G., Janiszewski J.M.	On The Stability Of Two Numerical Procedures For The Analysis Of Transient Currents.	600	603
Coatanhay A.	Numerical modeling of the electromagnetic scattering by a sea surface: the MoM and Discontinuous Galerkin Method approaches.	525	528
Kot J.S.	A higher-order Nyström method for dielectric scattering	374	377
van Leuven P.G., van Beurden M.C., Tijhuis A.G.	Analysis of Plasmonic Waveguides: An Embedding Approach	489	490
Martinaud J.P., Salin G.	Domain decomposition techniques applied to finite array modelling	661	664
Gilles T.E., Serizawa H.	Scattering by a Perfectly Conducting Square Plate - Comparison between Analytical and Numerical Solutions	709	711
<b>SESSION 30: Metamaterials</b>			
Yoon K.-C., Yun T.-S., Nam H., Jeon B.-W., Lee D-K., Lee J.-C.	Dual-band Narrow Bandwidth Band-pass Filter with lambda/2 Open Stubs Using the Meta-materials Technique	236	239
Ratajczak P., Brachat P., Fargeas J.M., Baracco J.M.	Performance Improvement of a Reconfigurable Active Reflector Based on High Impedance Surface	333	336
Ju Y.R., Oh S.S., Park W.K., Roh H.C., Cho H.Y., Park H.D.	Waveguide Antenna With Miniaturized-Aperture Using A Split-Ring-Resonator	398	401
Whites K.W., Amert T., Groven L., Glover B.	Low loss, high index of refraction metamaterials based on multiple enhancement mechanisms	569	572

Basilio L.I., Warne L.K., Langston W.L., Johnson W.A., Sinclair M.B.	An Effective Media Toolset for Use in Metamaterial Design	577	580
Sakakibara K., Sano H., Kikuma N., Hirayama H.	Mechanically-Controlled Phase Shifter of Left-Handed Waveguide for Beam-Scanning Slot Array Antennas	657	660
<b>SESSION 31: Advances in Mathematical Methods, Organized by J.M. Arnold, P.D. Smith</b>			
Arnold J.M.	Discretisation of Maxwell-Bloch dynamical systems	268	270
Kastner R., Heyman E.	Time domain diakoptics: domain and source decomposition formulations	497	500
de Hon B.P., Arnold J.M.	Discrete Green's function diakoptics - A toy problem	565	568
Holik S.M., Drysdale T.D.	Simplified model for on-chip interconnects in electromagnetic modelling of System-in-Package	541	544
Shafalyuk O., Sirenko Y.K., Smith P.D.	Exact absorbing conditions for FDTD analysis of axially-symmetrical open structures	422	425
Askarpour A.N., Uslenghi P.L.E.	Exact radiation from an axial dipole antenna on a prolate metallic spheroid coated with layers of isorefractive and anti-isorefractive materials	71	74
Brovenko A., Vinogradova E., Melejik P., Poedinchuk A., Troshilo A.	Response of a Strip Grating on a Ferromagnetic Half-space: a Riemann-Hilbert Approach	765	766
Daniele V., Lombardi G.	On the solution of the double Wiener-Hopf equation involved in the quarter plane problem	75	78
Ganesh M., Hawkins S.C.	Simulation of the interaction of electromagnetic fields with multiple rough scatterers in three dimensions	402	405
Valagiannopoulos C.A., Tsitsas N.L., Fikioris G.	Convergence and oscillations in Method-of-Auxiliary-Sources analyses of dielectric scattering problems	665	668
van Beurden M.C., Vaessen J.A.H.M., Tijhuis A.G.	Numerical kernel construction for bodies of revolution with high-order Fourier modes	491	492
Shafalyuk A., Vinogradova E.	Potential problem for N arbitrarily shaped surfaces of revolution: rigorous approach	430	433
Safanova G., Vinogradova E.D.	Rigorous Approach to Analysis of Arbitrary Profiled Shielded Micro-Strip Line: TEM-mode	438	441
Tuchkin Yu.A., O. Suvorova	Analytical Regularization Method for TE-modes in hollow waveguides modelling	720	723
Lock K.	Oblique incidence plane wave scattering from cylindrical lens reflector using method of regularization	724	727
Vinogradov S.S.	The spherical reflector antenna supported by back plane as a radar cross-section enhancer	817	820
Smith P.D.	Wideband responses of highly resonant scatterers: regularization methods	712	715
<b>5XX]HcbU'DUdYfg.</b>			
N.A. Vazhenin, A.P. Plokikh, G.G. Shishkin,	Study for Characteristics of Fluctuating Radiation Originating Inside a <del>Atmosphere</del> Based on Gas Discharge with Crossed E and H Fields	345	348
M.E.C Rodrigues, G. Carrie, I. Castanet, T. Pina, M.S. Pontes,	Study and Test of Slant Path Rain Attenuation Synthesizers for Tropical and Equatorial Areas	585	588