

2010 20th Australasian Universities Power Engineering Conference

(AUPEC 2010)

**Christchurch, New Zealand
5 – 8 December 2010**



**IEEE Catalog Number: CFP1066D-PRT
ISBN: 978-1-4244-8379-2**

TABLE OF CONTENTS

SMART GRIDS

| | |
|--|---|
| Evolution of Smart Grid and Some Pertinent Issues | 1 |
| <i>M. Hossain, A. Oo, A. Ali</i> | |
| Improved Coordinated Control of On-load Tap Changers..... | 7 |
| <i>Y. Li, N. Nair, S. Nguang</i> | |

ELECTRIC VEHICLES

| | |
|--|----|
| The HV System Impacts of Large Scale Electric Vehicle Deployments in a Metropolitan Area | 13 |
| <i>D. McCarthy, P. Wolfs</i> | |
| Design of a Battery Charger and Charging Management System for an Electric Vehicle..... | 19 |
| <i>A. Cousland, R. Ciaravolo, G. Blieden, N. Hosseinzadeh</i> | |
| Impact of Plug-in Electrical Vehicles on Voltage Profile and Losses of Residential System..... | 25 |
| <i>A. Masoum, S. Deilami, P. Moses, A. Abu-Siada</i> | |
| Impact of PHEV Loads on the Dynamic Performance of Power System..... | 31 |
| <i>F. Islam, H. Pota, M. Mahmud, M. Hossain</i> | |
| The Triple Hybrid Electric Vehicle..... | 36 |
| <i>B. Kepple</i> | |
| Investigation of Feasibility of Integrating Alternative Energy Sources in a Roadside Assistance Vehicle | 42 |
| <i>S. Overington, S. Rajakaruna, S. Islam, T. Chandratilleke</i> | |

POWER QUALITY

| | |
|--|----|
| The Effect of New Residential Appliances on Power Quality | 49 |
| <i>S. Hardie, N. Watson</i> | |
| Review of Power Quality State Estimation..... | 55 |
| <i>A. Farzanehrafat, N. Watson</i> | |
| The Value of an Incremental (Mitigated) SAIDI Minute | 60 |
| <i>E. Schalkwyk</i> | |
| The Influence of Nonlinear Loads on the Power Quality of the New Zealand Low Voltage Electrical Power Distribution Network..... | 63 |
| <i>M. Witherden, R. Rayudu, R. Rigoi-Mariani</i> | |

POWER ELECTRONICS

| | |
|---|----|
| The Characteristics of CFLs; Beyond the Harmonics | 69 |
| <i>M. Schinkelshoek, N. Watson, B. Heffernan</i> | |
| A Resonant Based Marx Generator | 75 |
| <i>S. Zabihi, F. Zare, G. Ledwich, A. Ghosh</i> | |
| Arctan Power Frequency Droop for Power Electronics Dominated Microgrids..... | 80 |
| <i>C. Rowe, T. Summers, R. Betz</i> | |

RENEWABLE ENERGY

| | |
|--|----|
| Comparison of DC Capacitor Requirements for 3- and 5-phase Permanent Magnet Generators Feeding Diode Rectifiers | 86 |
| <i>J. Fletcher, N. Hassanain</i> | |
| Robust Sensorless Decoupled P-Q Control of Doubly Fed Induction Generators for Wind Power Applications..... | 92 |
| <i>M. Mohseni, M. Masoum, S. Islam</i> | |

| | |
|---|-----|
| Reaching Out to High School Students with the Power of Renewable Energy..... | 98 |
| <i>H. Beck, A. Bodnarova</i> | |
| Dynamic Transfer Capability Analysis with Wind Farms and Dynamic Loads | 103 |
| <i>M. Hossain, H. Pota, R. Ramos</i> | |
| Dynamic Analysis of a DC Offset Controller for Grid-Connected Inverters..... | 109 |
| <i>L. Bowtell, A. Ahfock</i> | |
| Enhancement of Small Signal Stability of a Renewable Energy Based Electricity Distribution System Using Shunt Controllers..... | 114 |
| <i>S. Dahal, N. Mithulananthan, T. Saha</i> | |

RENEWABLE ENERGY/ENERGY MGT

| | |
|---|-----|
| A Review of Fault Ride Through Strategies for Different Wind Turbine Systems | 120 |
| <i>D. Nguyen, M. Negnevitsky</i> | |
| Potential Challenges: Integrating Renewable Energy with the Smart Grid | 125 |
| <i>G. Shafullah, A. Oo, D. Jarvis, A. Ali, P. Wolfs</i> | |
| A Novel Control Strategy for Doubly Fed Induction Generator and Permanent Magnet Synchronous Generator during Voltage Dips | 131 |
| <i>J. Hu, J. Zhu, D. Dorrell, Y. Wang, Y. Zhang, W. Xu, Y. Li</i> | |
| Development of Simplified Models for a Single Phase Grid Connected Photovoltaic System..... | 137 |
| <i>R. Yan, T. Saha</i> | |
| Neural Network (NN) based Demand Side Management (DSM)..... | 143 |
| <i>R. Jabbar, M. Junaid, M. Masood, A. Zaka, H. Jahangir, A. Rafique, I. Kaleem</i> | |

PROTECTION

| | |
|---|-----|
| Directional Earth Fault Relay Operation in Mutually Coupled Multiple Circuit Distribution Lines..... | 149 |
| <i>L. Perera</i> | |
| Study On Performance Of Developed And Industrial HFCT Sensors | 155 |
| <i>G. Luo, D. Zhang</i> | |
| Surge Arrester with Improved Reliability and Protection Level for Low Bandwidth Data Communication in High Voltage Installations | 160 |
| <i>W. Vijayananda, S. Alahakoon</i> | |

ELECTRIC MACHINES & DRIVES

| | |
|---|-----|
| Artificial Neural Network Based Space Vector PWM for a Five-Level Diode-Clamped Inverter..... | 166 |
| <i>M. Saqib, S. Kashif</i> | |
| Modelling of Surface Mounted PM Machines Incorporating Saturation Saliency and Frequency Variation..... | 172 |
| <i>Y. Wang, J. Zhu, Y. Guo, Y. Li, W. Xu, J. Hu, S. Wang</i> | |
| Comparison of Concentrated and Distributed Windings in an IPM Machine for Field Weakening Applications..... | 178 |
| <i>L. Chong, R. Dutta, N. Dai, M. Rahman, H. Lovatt</i> | |
| Experimental Investigation of Frequency Characteristics of Large Industrial DC Machines with Thyristor-based Drives..... | 183 |
| <i>G. Mirzaeva, J. Welsh, T. Summers, R. Betz</i> | |
| Analysis and Performance Investigation of An Axial-Field PM Motor utilising Cut Amorphous Magnetic Material | 189 |
| <i>G. Liew, W. Soong, N. Ertugrul, J. Gayler</i> | |
| Rotational Magnetic Properties of SMC Materials in 3-D Flux Electrical Machines | 195 |
| <i>Y. Li, Q. Yang, C. Zhang, J. Zhu, Y. Wang, W. Xu, J. Hu</i> | |

TRANSMISSION & DISTRIBUTION

| | |
|---|-----|
| The Use of Arc-Suppression Coils in Power Systems with Open-Delta Regulators | 201 |
| <i>R. Burgess, A. Ahfock</i> | |
| Optimal Voltage Level and Line Bundling for Transmission Lines | 207 |
| <i>M. Eghbal, T. Saha, M. Nguyen</i> | |

| | |
|---|-----|
| Mixed-Integer Method for Optimal UPFC Placement based on Line Flow-Based Equations | 213 |
| <i>R. Chang, T. Kuo, T. Saha</i> | |
| Incorporating Instrument Transformer Errors to Voltage Stability Assessment | 219 |
| <i>F. Wu, J. Peng, N. Nair, D. Goodwin</i> | |

Deregulated Energy Market

| | |
|---|-----|
| Available Transfer Capability Determination Using Bees Algorithm | 225 |
| <i>R. Idris, A. Kharuddin, M. Mustafa</i> | |
| Fair Allocation of Transmission Ancillary Service Cost using Game Theory : A Preliminary Study | 231 |
| <i>N. Choudhury, S. Goswami</i> | |
| The Development of a System Dynamics Model to Evaluate Electricity Generation Expansion in New Zealand | 236 |
| <i>T. Jalal, P. Bodger</i> | |

POWER SYSTEMS

| | |
|---|-----|
| Static Var Compensator for Damping Power Fluctuation with Locally Measured Parameters: Hybrid Control Technique Using Power, Rate of Change of Power and Phase Angle | 242 |
| <i>A. Arulampalam, T. Saha</i> | |
| Maiden Application of Fuzzy Logic Based IDD Controller for Automatic Generation Control of Multi-area Hydrothermal System: A Preliminary Study | 248 |
| <i>L. Saikia, N. Sinha</i> | |
| A Class of Intelligent Algorithms for On-Line Dynamic Security Assessment of Power Systems | 254 |
| <i>R. Tiako, D. Jayaweera, S. Islam</i> | |
| Nonlinear Excitation Control of Power Systems with Dynamic Loads via Feedback Linearization | 260 |
| <i>M. Mahmud, M. Hossain, H. Pota</i> | |

POWER SYSTEMS/AUTOMATION & CONTROL

| | |
|---|-----|
| Forecast Short-term Electricity Demand Using Semi-parametric Additive Model | 266 |
| <i>S. Fan, R. Hyndman</i> | |
| Effect of Large Dynamic Loads on Interconnected Power Systems with Power Oscillation Damping Controller (PODC) | 272 |
| <i>M. Mahmud, M. Hossain, H. Pota</i> | |
| Estimation of Loss Components in a Cascaded H-bridge StatCom..... | 278 |
| <i>C. Townsend, T. Summers, R. Betz</i> | |
| Eddy Current Damper for the Labshare Remote Laboratory Shake Table Rig..... | 284 |
| <i>P. Watterson, L. Yeoh, C. Giampietro, C. Chapman, L. Houghton</i> | |

DISTRIBUTED GENERATION

| | |
|---|-----|
| Analysis of Power Quality Impact of High Penetration PV in Residential Feeders | 290 |
| <i>N. Jayasekara, P. Wolfs</i> | |
| A Comparison of Instantaneous and Fryze Power Calculations on P-F and Q-V Droop in Microgrids..... | 298 |
| <i>C. Rowe, T. Summers, R. Betz, D. Cornforth</i> | |
| A Method of Determination of Suitable Location and Capacity of DG Units in a Distribution System..... | 303 |
| <i>N. Upadhyay, A. Mishra</i> | |
| Supporting Increasing Renewable Energy Penetration in Australia - The Potential Contribution of Electric Vehicles..... | 309 |
| <i>C. Kelman</i> | |

RENEWABLE ENERGY

| | |
|--|-----|
| Photovoltaic-Variable Speed Diesel Generator Hybrid Energy System for Remote Area Applications..... | 315 |
| <i>P. Lim, C. Nayar</i> | |
| The Windro Skyscraper: A Concept..... | 320 |
| <i>C. Rowe, L. Fang, T. Summers, R. Betz</i> | |

| | |
|---|-----|
| Effects of Wind Speed Variations and Machine Inertia Constants on Variable Speed Wind Turbine Dynamics | 326 |
| <i>M. Chowdhury, N. Hosseinzadeh, W. Shen</i> | |
| An Overview of DC Cable Modelling for Fault Analysis of VSC-HVDC Transmission Systems | 332 |
| <i>J. Yang, J. O'Reilly, J. Fletcher</i> | |
| Review on Wind Turbine Generators and Power Electronic Converters with the Grid-Connection Issues | 337 |
| <i>H. Kim, D. Lu</i> | |

HV APPLICATIONS

| | |
|--|-----|
| Design and Construction of a Triggered Spark Gap for Long Distance Exploding Wire Experiments | 343 |
| <i>R. Sinton, R. Herel, W. Enright, P. Bodger</i> | |

AUTOMATION & CONTROL

| | |
|--|-----|
| Design and Implementation of a Radial Magnetic Bearing with Permanent Magnet Bias | 346 |
| <i>Z. Du, P. Watterson</i> | |
| Low Voltage Ride-Through Requirements at the PCC Versus Wind Generator Terminals | 352 |
| <i>M. Mohseni, S. Islam, M. Masoum</i> | |
| Design and Development of a Test Rig to Validate the Concept of an Active Stirling Engine | 358 |
| <i>V. Gopal, R. Duke, D. Clucas</i> | |

POWER ELECTRONICS

| | |
|--|-----|
| Applications of Silicon Carbide JFETs in Power Converters | 364 |
| <i>R. Shillington, P. Gaynor, M. Harrison, B. Heffernan</i> | |
| A Novel Method for Mitigating The Capacitor Switching-on Transients | 370 |
| <i>S. Tseng, J. Chen</i> | |
| A New Generation of High Voltage Pulsed Power Converters | 375 |
| <i>S. Zabih, F. Zare, G. Ledwich, A. Ghosh, H. Akiyama</i> | |
| Suppression of Electromagnetic Interference of DC-DC Power Converters by Chaos Generators | 380 |
| <i>F. Chen, P. Shen</i> | |
| High Bandwidth Voltage and Current Control Design for Voltage Source Converters | 386 |
| <i>A. Ghosh, G. Ledwich</i> | |

POWER SYSTEM RELIABILITY

| | |
|--|-----|
| Study of Leakage Current Distribution in a Wooden Pole using a Three Dimensional Resistance Model | 392 |
| <i>H. Rasara, M. Rahmat, K. Wong</i> | |
| Value Based Strategic Integration of Distributed Generation | 398 |
| <i>D. Jayaweera, S. Islam</i> | |

POWER SYSTEMS HARMONICS

| | |
|---|-----|
| Switching Instant Variation in Harmonic State-Space Modelling of Power Electronic Devices | 404 |
| <i>J. Orillaza, M. Hwang, A. Wood</i> | |
| The Use of Thevenin/Norton Models for the Rapid Assessment of Harmonic Filter Performance for Power System Contingencies | 409 |
| <i>P. Wolfs</i> | |
| A New Approach to Harmonic Allocation for MV Installations | 415 |
| <i>V. Gosbell, R. Barr</i> | |
| Review of Current Harmonic Voltage Simulation and Allocation Methods | 421 |
| <i>B. Knight, A. Oo, T. Gear, B. Harvey</i> | |

CONDITION MONITORING

| | |
|--|-----|
| Investigation of Negative Sequence Components for Stator Shorted Turn Detection in Induction Motors..... | 425 |
| <i>S. Bakhti, N. Ertugrul, W. Soong, M. Arkan</i> | |
| Advanced De-noising of Power Cable Partial Discharge Signals by Empirical Mode Decomposition..... | 431 |
| <i>C. Herold, S. Wenig, T. Leibfried</i> | |
| Novel Method to Determine Insulation Temperature during Dielectric Measurements on Power Transformers | 436 |
| <i>M. Jaya, O. Helmlinger, T. Leibfried</i> | |
| PDC Patterns of Biodegradable Transformers Insulation Oil After Experienced Faults and At Different Moisture Levels | 441 |
| <i>N. Muhamad, B. Phung, T. Blackburn</i> | |

EDUCATION/ENERGY STORAGE

| | |
|---|-----|
| A Go-cart as an Electric Vehicle for Undergraduate Teaching and Assessment | 449 |
| <i>B. Heffernan, R. Duke, R. Zhang, P. Gaynor, M. Cusdin</i> | |
| An Economic Assessment of “Second Use” Lithium-Ion Batteries for Grid Support..... | 455 |
| <i>P. Wolfs</i> | |

TRANSMISSION & DISTRIBUTION

| | |
|--|-----|
| A Statistical Study on Topological Features of High Voltage Distribution Networks in Western Australia | 461 |
| <i>Y. Li, P. Wolfs</i> | |
| Design of Wide-Area SVC Controller with H-infinity Loop-shaping technique for Low frequency Oscillation Damping | 467 |
| <i>N. Modi, T. Saha, N. Mithulanathan</i> | |
| Coordinated Strategy for Under-voltage and Under-frequency Load Shedding | 473 |
| <i>K. Mollah, N. Nair</i> | |

MODELLING & SIMULATION

| | |
|---|-----|
| An AC Loss Model for Bi2223 Superconductors in Partial Core Transformers..... | 479 |
| <i>A. Laphorn, P. Bodger</i> | |
| Study on Inrush Current Phenomenon in DC-DC Converter with Isolating Transformer | 483 |
| <i>D. Zhang, K. Tseng, Y. Liu</i> | |
| Impact of Voltage Sags on Three-Phase Power Transformers | 489 |
| <i>A. Masoum, P. Moses, A. Abu-Siada</i> | |
| Investigation of the Dynamic Performance of Compensation Devices for Voltage Stability During Low Voltages | 495 |
| <i>M. Hossain, H. Pota, R. Ramos</i> | |
| Partial Discharge Detection using Antenna like activity of Overhead Distribution Cables | 501 |
| <i>S. Fernando, W. Rowe, K. Wong</i> | |

SMART GRIDS

| | |
|--|-----|
| Home Area Network Technology Assessment for Demand Response in Smart Grid Environment..... | 506 |
| <i>M. Hug, S. Islam</i> | |
| Demand-Side Response Load Management Modeling Encountering Electrical Peak Demands in Eastern and Southern Australia - Smart Grid Tools | 512 |
| <i>M. Marwan, F. Kamel</i> | |
| System Thevenin Impedance Estimation Through On-Load Tap Changer Action | 518 |
| <i>M. Bahadornegjad, K. Nair</i> | |
| A Comprehensive Approach to Demand Response in Restructured Power Systems..... | 523 |
| <i>D. Nguyen, M. Negnevitsky, M. Groot</i> | |

DISTRIBUTED GENERATION/ELECTRIC M&D

- Optimization of Distribution Transformer Using High Frequency Attained by SMPS Technology** 529
R. Khawaja, M. Arif, S. Ahmad, M. Naveed, J. Nasir

POWER QUALITY

- Dc-link Capacitor Voltage Balancing for a Five-level Diode-clamped Active Power Filter Using Redundant Vectors** 535
H. Zhang, S. Finney, J. Fletcher, A. Massoud, J. Yang, B. Williams
- Implementation of Closed Loop Voltage Control for Medium Voltage Distribution.....** 541
J. Quinn, A. Oo, T. Gear
- Damping of Large Turbo-Generator Subsynchronous Resonance using Superconducting Magnetic Energy Storage Unit** 547
A. Abu-Siada
- The 230 V CBEMA Curve – Preliminary Studies.....** 551
S. Elphick, V. Smith

TRANSMISSION & DISTRIBUTION

- Impacts of HVAC Interconnection Parameters on Inter-area Oscillation** 557
M. Nguyen, T. Saha, M. Eghbal
- Voltage Unbalance Reduction in Low Voltage Distribution Networks with Rooftop PVs** 563
F. Shahnia, A. Ghosh, G. Ledwich, F. Zare
- A Thermal Constraint Study of the Wellington Regional Transmission Network.....** 568
P. Paranavithana, J. Phoon

MODELLING & SIMULATION

- Sensitivity of Ferroresonance Simulations to Model Parameters and Initial Conditions** 573
P. Moses, M. Masoum
- Impact of High Wind Generation Penetration on Frequency Control.....** 579
H. Klempe, C. McCulloch, A. Wong, M. Piekutowski, M. Negnevitsky
- Challenges of Economic Modelling for Transmission Investment.....** 585
N. Newham
- A Novel Winding Structure in Planar Inductors to Decrease the Overall Capacitive Couplings** 591
N. Shahabi, A. Boora, F. Zare, G. Ledwich, A. Ghosh

ELECTRIC MACHINES & DRIVES

- Flux-Switching Permanent Magnet Machine Drive System for Plug-in Hybrid Electrical Vehicle** 596
W. Xu, J. Zhu, Y. Zhang, Y. Wang, Y. Li, J. Hu
- Electromagnetic Parameters of a Three Phase Transverse Flux Machine with an External Rotor for Wheel Hub Drives.....** 602
E. Schmidt, D. Brunschweiler, S. Berchten
- ANN-Based Flux Observer for the Sensor-Less Control of a Permanent Magnet Synchronous Motor** 608
S. Kashif, M. Saqib

RENEWABLE ENERGY

- Impact of Wind Turbine Penetration on the Dynamic Performance of Interconnected Power Systems** 614
M. Hossain, H. Pota, R. Ramos
- Modelling of a Doubly Fed Induction Generator (DFIG) to Study its Control System** 620
M. Billah, N. Hosseinzadeh, M. Ekteab
- Fast Tracking Control for Maximum Output Power in Wind Turbine Systems** 626
K. Kim, D. Lee, J. Kim

| | |
|--|-----|
| AHP and Fuzzy Assessment Based Sustainability Indicator for Hybrid Renewable Energy System..... | 631 |
| <i>G. Liu, M. Rasul, M. Amanullah, M. Khan</i> | |
| Achieving a Synergy by combining Air Conditioners and Photovoltaic Panels: An Evolutionary-Algorithm Approach | 637 |
| <i>C. Perfumo, J. Ward, J. Braslavsky</i> | |

ADDITIONAL PAPERS

| | |
|---|-----|
| A New Method for Improving Reliability and Line Loss in Distribution Networks | 643 |
| <i>I. Ziari, G. Ledwich, A. Ghosh, G. Platt</i> | |
| Identification of the Weakest Bus in a Distribution System with Load Uncertainties Using Reactive Power Margin | 648 |
| <i>T. Aziz, T. Saha, N. Mithulanathan</i> | |
| Selection of PI Compensator Parameters for VSCHVDC System Using Decoupled Control Strategy..... | 654 |
| <i>L. Wang, N. Ertugrul</i> | |
| Enhanced Reactive Power Support of a PMSG based Wind Turbine for a Remote Area Power System | 661 |
| <i>S. Sayeef, N. Mendis, K. Muttaqi, S. Perera</i> | |