

2011 IEEE Radio and Wireless Symposium

(RWS 2011)

**Phoenix, Arizona, USA
16 – 19 January 2011**



IEEE Catalog Number: CFP11RAW-PRT
ISBN: 978-1-4244-7687-9

TABLE OF CONTENTS

RRW DISTINGUISHED LECTURERS I

| | |
|--|---|
| Inkjet-Printed Paper/Polymer-Based ``Green'' RFID and Wireless Sensor Nodes: The Final Step to Bridge Cognitive Intelligence, Nanotechnology and RF? | 1 |
| <i>Manos M. Tentzeris</i> | |
| Let Swarms of Bees Optimize Your Future Communication Antennas..... | 3 |
| <i>Yahya Rahmat-Samii</i> | |

PROPAGATION MEASUREMENTS AND MODELING

| | |
|--|----|
| Multipath Modeling Using Canonical Scatterers | 5 |
| <i>Victor G. Kononov, Constantine A. Balanis</i> | |
| Experimental Validation of LMSS Fading Models for GPS Measurements in Fading/Shadowing Environment | 9 |
| <i>Raffat Khan, Kamran Kiasaleh</i> | |
| Estimation and Identification of Time-Varying Long-Term Fading Channels via the Particle Filter and the EM Algorithm | 15 |
| <i>Xiao Ma, Mohammed M. Olama, Seddik M. Djouadi, Charalambos D. Charalambous</i> | |
| On the Capacity of Spectrum Sharing Systems in Generalized Fading Scenarios..... | 19 |
| <i>Daniel Benevides da Costa, Ugo Silva Dias</i> | |
| Measurement of the MIMO UWB OFDM Channel | 23 |
| <i>Kevin Wanuga, Prathaban Mookiah, Kapil R. Dandekar</i> | |

DITINGUISHED LECTURERS II

| | |
|---|----|
| Relay Node Placement in Wireless Sensor Networks..... | 27 |
| <i>Guoliang Xue</i> | |

ADVANCED DIGITAL BEAMFORMING AND RELAY TECHNOLOGIES

| | |
|--|----|
| Cooperative MIMO Transmission Scheme for the DVB-T2 System | 29 |
| <i>Soonbae Ji, Junghyun Kim, Cheolwoo You</i> | |
| Compensation of the Clustering in Post-FFT OFDM Beamforming Using Pilot Relocation | 33 |
| <i>Mohammad Sadegh Akhzari, Saeid R. Seydnejad, Najmeh Nejatimonfared</i> | |
| Power-Efficient Network Coded Cooperation Using Non-Binarily Modulated Relay | 37 |
| <i>Cheng Cheng, Koji Ishibashi, Tadahiro Wada</i> | |
| Multiple-Access Relay System Based on Nested Distributed Turbo Code..... | 41 |
| <i>K. Ishii, Koji Ishibashi, H. Ochiai</i> | |
| Multi-Mode Relay Simulations: An Energy Evaluation on WSNet..... | 45 |
| <i>Cedric Levy-Benheton, Doreid Ammar, Guillaume Villemaud, Tanguy Risset</i> | |

PASSIVE ANTENNAS: APPLICATIONS AND SPECIAL DESIGNS

| | |
|--|----|
| 60GHz Antenna Integration in a Laptop Computer Base for WPAN Applications | 49 |
| <i>A.L. Amadjikpe, Debabani Choudhury, George E. Ponchak, John Papapolymerou</i> | |
| Flexible Bow-Tie Antennas with Reduced Metallization..... | 53 |
| <i>Ahmet C. Durgun, Mark S. Reese, Constantine A. Balanis, Craig R. Birtcher, David R. Allee, Sameer Venugopal</i> | |
| A Hairpin Antenna-in-Package Concept for RFID Tag Applications..... | 57 |
| <i>T. Papatheologou, A.B. Smolders, U. Johannsen</i> | |
| Tunable 3.5GHz and 1.5GHz Chip Antennas Based on Thin-Film BaSrTiO ₃ Capacitors | 61 |
| <i>Nan Ni, Albert Humirang Cardona</i> | |

HIGH-SPEED AND BROADBAND WIRELESS TECHNOLOGIES

| | |
|---|----|
| Ultra-High-Speed Six-Port Frequency-Division-Multiplexing V-Band Transceiver | 65 |
| <i>Nazih Khaddaj Mallat, Emilia Moldovan, Serioja O. Tatu, Ke Wu</i> | |
| Si/SiGe HBT UWB Impulse Generator Tunable to FCC, ECC and Japanese Spectral Masks | 69 |
| <i>Dayang Lin, Bernd Schleicher, Andreas Trasser, Hermann Schumacher</i> | |
| A 0.05pJ/p-mV 5th-Derivative Pulse Generator for Full-Band IR-UWB Transceiver in 0.18(mu)m CMOS | 73 |
| <i>X. Wang, Siqiang Fan, B. Qin, Lin Lin, Qiang Fang, Hui Zhao, He Tang, Jian Liu, Z. Shi, Albert Wang, Liwu Yang, Y. Cheng</i> | |
| An 0.5V, 0.91pJ/Bit, 1.1Gb/s/ch Transceiver in 65nm CMOS for High-Speed Wireless Proximity Interface | 77 |
| <i>Takeshi Matsubara, Isamu Hayashi, Abul Hasan Johari, Satoshi Kumaki, Kaoru Kohira, Tadahiro Kuroda, Hiroki Ishikuro</i> | |
| Simultaneous Generation and Transmission of UWB Wireless and Baseband Wired Signals Employing a Dual-Drive Modulator | 81 |
| <i>Shilong Pan, Jianping Yao</i> | |

PASSIVE ANTENNAS: CHARACTERISTICS AND DESIGN

| | |
|--|-----|
| Field Distribution Modeling and Measurements of Ferrite-Loaded CBS Antennas..... | 85 |
| <i>Victor G. Kononov, Constantine A. Balanis, Craig R. Birtcher</i> | |
| Characteristics of Planar Monopole Antenna on High Impedance Electromagnetic Surface..... | 89 |
| <i>Maximilian C. Scardelletti, Nathan Jastram, George E. Ponchak, Rhonda R. Franklin</i> | |
| Design of a High-Efficiency Rectenna for 1.575GHz Wireless Low Power Transmission..... | 93 |
| <i>Ning Zhu, Kihun Chang, Mingguang Tuo, Peng Jin, Hao Xin, Richard W. Ziolkowski</i> | |
| An Electrically Small Meandered Line Antenna with Truncated Ground Plane | 97 |
| <i>Ibrahim T. Nassar, Thomas M. Weller</i> | |
| A Circular Polarized TEM Horn Antenna Array with Large Scanning Angle | 101 |
| <i>Georg Strauss, Klaus Breitsameter</i> | |

RADIO FREQUENCY COMMUNICATION SYSTEMS

| | |
|--|-----|
| Analysis and Design of SLM Based DFT Spreading OFDM System for Active Anti-Jamming System | 105 |
| <i>Jangsu Kim, Dong Geon An, Heung-Gyo Ryu, Jin-up Kim</i> | |
| A Null-Zone Control Method for RFID Systems | 109 |
| <i>Masaaki Yamamoto, Takanori Yamazoe</i> | |
| Analysis of Read Range for UHF Passive RFID Tags in Close Proximity with Dynamic Impedance Measurement of Tag ICs | 113 |
| <i>Hiroyuki Yojima, Yu Tanaka, Yohtaro Umeda, Osamu Takyu, Machiko Nakayama, Kazunari Kodama</i> | |
| Connection Set-Up and Synchronization in RF Memory Tag System | 117 |
| <i>Joni Jantunen, Michael Pelissier</i> | |
| On the Impulsive Nature of Interchannel Interference in Digital Communication Systems..... | 121 |
| <i>Alexei V. Nikitin</i> | |

MONOLITHICALLY INTEGRATED PASSIVES

| | |
|--|-----|
| A K-Band Integrated Bandpass Filter in 90-nm CMOS Technology | 125 |
| <i>Vikram Sekar, Kamran Entesari</i> | |
| Ku-Band Analog Phase Shifters Using Individually Designed All-Pass Networks with BST Tunable Capacitors | 129 |
| <i>Nan Ni, Albert Humirang Cardona</i> | |
| Automatically Tuned, Variable Bandwidth, Q-Enhanced IF Bandpass Filters | 133 |
| <i>Joel Schonberger, Renee Strouts, William Kuhn</i> | |
| Memory Effects in Ferroelectric Thick Film Varactors Based on Barium Strontium Titanate | 137 |
| <i>H. Maune, M. Sazegar, Y. Zheng, R. Jakoby</i> | |
| A Novel Slow-Wave Structure for Millimeter-Wave Filter Application on Bulk CMOS | 141 |
| <i>Bo Yang, Efstratios Skafidas, Robin J. Evans</i> | |

ADVANCED TECHNIQUES FOR SOFTWARE DEFINED AND COGNITIVE RADIOS

| | |
|---|-----|
| Robust QAM Classification by Moments and Its Error Probability Analysis..... | 145 |
| <i>Shinji Ohara, Ikuo Oka, Shingo Ata</i> | |
| An Efficient Modulation Identification Algorithm Without Constellation Map Knowledge | 149 |
| <i>Murat Karabacak, Hakan A. Cirpan, Huseyin Arslan</i> | |
| Blind OFDM Parameter Estimation Techniques in Frequency-Selective Rayleigh Channels | 153 |
| <i>Emmanuel Kanterakis, Wei Su</i> | |
| Scheduling Using Superposition Coding: Design and Software Radio Implementation..... | 157 |
| <i>P. Vizi, S. Vanka, S. Srinivasa, M. Haenggi, Z. Gong</i> | |
| A Rotatable Reconfigurable Antenna for Cognitive Radio Applications..... | 161 |
| <i>Y. Tawk, J. Costantine, C.G. Christodoulou</i> | |

NOVEL PASSIVE COMPONENTS AND PACKAGING

| | |
|--|-----|
| Integrated Millimeter-Wave CPW to Dielectric Image-Guide Transitions in Silicon Technology | 165 |
| <i>Behzad Biglarbegian, Mohamed Basha, Suren Gigoyan, Safieddin Safavi-Naeini</i> | |
| Microwave Transversal Six-Band Bandpass Planar Filter for Multi-Standard Wireless Applications | 169 |
| <i>Roberto Gomez-Garcia, Jose-Maria Munoz-Ferreras, Manuel Sanchez-Renedo</i> | |
| S-Parameters Extraction for Wide-Band Transition from Coupled Microstrip Line to Waveguide by the LRdR Method | 173 |
| <i>Ziqiang Tong, Andreas Stelzer</i> | |
| High Performance Organic Substrate with High Dielectric Constant, Low Loss, and Low Temperature Coefficient of Resonant Frequency for High Frequency RF Module Applications | 177 |
| <i>Kiyoshige Kojima, Naomi Shiga, Takatoshi Matsuo, Ryota Mori, Yuhki Hayashi, Mitsuishi Tada, Toshihiko Jimbo</i> | |
| Selective Wireless Power Transmission Through 2D Waveguide Sheet Using Strong Electromagnetic Confinement by Choke-Enclosed Resonant Coupler | 181 |
| <i>Akihito Noda, Hiroyuki Shinoda</i> | |

OFDM/CDMA SYSTEM AND ULTRA-WIDEBAND COMMUNICATIONS

| | |
|--|-----|
| Efficient SNR Estimation in OFDM System..... | 185 |
| <i>Seon Ae Kim, Dong Geon An, Heung-Gyo Ryu, Jin-up Kim</i> | |
| Multiuser Chip Timing Recovery in Asynchronous CDMA Systems Using a Transpose Domain Filter | 189 |
| <i>Seema Sud</i> | |
| Compressed Sensing for OFDM UWB Systems | 193 |
| <i>Tanish Agrawal, Vishwas Lakkundi, Anthony Griffin, Panagiotis Tsakalides</i> | |
| Compressive Sensing TDOA for UWB Positioning Systems | 197 |
| <i>Depeng Yang, Husheng Li, Gregory D. Peterson, Aly E. Fathy</i> | |
| Quantization of UWB TR Receiver with Slightly Frequency Shifted Reference..... | 201 |
| <i>Weihong Niu, Jia Li, Timothy Talty</i> | |

DIGITAL SIGNAL PROCESSING AS APPLIED TO WIRELESS

| | |
|--|-----|
| Adaptive RCPC-Based Cooperative Coding for Coordinated Multipoint Transmission | 205 |
| <i>Afshin Haghighat, Amir Helmy</i> | |
| LMS Based Digital Cancellation of Second-Order TX Intermodulation Products in Homodyne Receivers..... | 211 |
| <i>Christian Lederer, Mario Huemer</i> | |
| A Low Cost Analog FIR Channel Select Filter for Wireless Receiver | 215 |
| <i>Dukju Ahn, Songcheol Hong</i> | |
| Simple Encryption Algorithm with Improved Performance in Wireless Communications | 219 |
| <i>Mustafa M. Matalgah, Amer M. Magableh</i> | |
| Modified-DES Encryption Algorithm with Improved BER Performance in Wireless Communication..... | 223 |
| <i>Walid Y. Zibideh, Mustafa M. Matalgah</i> | |

ADVANCE IN SIGNAL GENERATION

| | |
|---|-----|
| A 2.6-mW 106-GHz Transmission-Line-Based Voltage-Controlled Oscillator Integrated in a 65-nm CMOS Process | 227 |
| <i>Uroschanit Yodprasit, Mizuki Motoyoshi, Ryuichi Fujimoto, Kyoya Takano, Minoru Fujishima</i> | |
| A Frequency Tunable Super-Regenerative Oscillator for Channel Selective Receivers..... | 231 |
| <i>Won-Sang Yoon, Hun-Sung Lee, Hee-Jong Lee, Jongsik Lim, Young-Sik Kim, Sang-Min Han</i> | |
| VCO Gain Nonlinearity Calibration with Frequency Offset/Drift Compensation for 3G/GSM/EDGE Polar Modulation Transmitter | 235 |
| <i>Kenji Miyanaga, Wayne Lee, Akira Kato, Shunsuke Hirano, Kaoru Ishida</i> | |
| Spurious Mechanisms and Debugging in Direct Digital Synthesis | 239 |
| <i>Earl McCune</i> | |
| A Digitally Controlled CMOS Phase Shifter with Frequency Doubling for Multiple-Antenna, Direct-Conversion Transceiver Systems..... | 243 |
| <i>Karthik Tripurari, Mihai Banu, Peter Kinget</i> | |

WIRELESS TRANSMITTERS AND RECEIVERS

| | |
|---|-----|
| Implementation of Concurrent Dual-Band Receiver Using IF Undersampling | 247 |
| <i>Toru Kitayabu, Hiroyasu Ishikawa</i> | |
| Analog Synchronous Receiver for Multi-Gigabit Wireless Communications..... | 251 |
| <i>A. Cagri Ulusoy, Gang Liu, Andreas Trasser, Sebastien Chartier, Hermann Schumacher</i> | |
| A CMOS Mobile TV Tuner with Precise RF Gain Control and Fast Locking PLL for Multiband FM/T-DMB/DAB Applications..... | 255 |
| <i>Seung Jun Lee, Jong Ok Ha, Jeawook Shin, Hyunchol Shin, Yun Seong Eo</i> | |
| A Low-Power UHF/13.56MHz/2.4GHz Multi-Standard RFID Reader Transceiver SoC in 90nm CMOS | 259 |
| <i>Rui Yu, Theng-Tee Yeo, Hwa-Seng Yap, Kwang-Hung Tan, Chuanjun Zheng, Choon-Tiong Law, Tao Yan, Boon-Seah Quek, Sravanthi Vullikanti, Changqing Xu, Zhiping Li, Lee-Guek Yeo, Yujing Ting, Masaaki Itoh, Yasushi Kose</i> | |
| Digitally Controlled Envelope Modulator for a Polar Transmitter with Low Code-AM Distortion | 263 |
| <i>Hyunseok Choi, Jiseon Paek, Hyunyong Lee, Songcheol Hong</i> | |

ADVANCED FRONT-END TECHNOLOGY

| | |
|--|-----|
| Candidate Architecture for MIMO LTE-Advanced Receivers with Multiple Channels Capabilities and Reduced Complexity and Cost | 267 |
| <i>Ioan Burciu, Matthieu Gautier, Guillaume Villemaud, Jacques Verdier</i> | |
| Full Band UWB LNA with 8kV+ ESD Protection in RFCMOS | 271 |
| <i>X. Wang, Siqiang Fan, B. Qin, Jian Liu, Lin Lin, He Tang, Hui Zhao, Qiang Fang, Albert Wang, J. He, Bin Zhao, R. Wong, S.-J. Wen</i> | |
| An Adaptive Cancellation System for a Colocated Receiver and Its Dynamic Range | 275 |
| <i>Shabbir Ahmed, Michael Faulkner</i> | |
| A Low Power Digitally-Enhanced SASP-Based Receiver Architecture for Mobile DVB-S Applications in the Ku-Band (10.7--12.75GHz)..... | 279 |
| <i>Andree Fouque, Francois Rivet, Francois Fadhuile, Yann Deval, Jean-Baptiste Begueret, Didier Belot</i> | |
| Tunable Low-Voltage Dual-Directional ESD Protection for RFICs | 283 |
| <i>Jian Liu, Lin Lin, X. Wang, Hui Zhao, He Tang, Qiang Fang, Albert Wang, Liwu Yang, Haolu Xie, Siqiang Fan, Bin Zhao, Gary Zhang, Xingang Wang</i> | |

INTERACTIVE POSTER SESSION

| | |
|--|-----|
| Log-Periodic Antenna Array Inspired Parallel Strip Ultra-Wideband (UWB) Antenna | 287 |
| <i>Zeeshan Salmani, Hualiang Zhang</i> | |
| Tri-Band Wilkinson Power Divider Using Resonators..... | 291 |
| <i>Zhebin Wang, Jae-Sik Jang, Chan-Wang Park</i> | |
| Spiral Defected Ground Structures in Grounded Coplanar Waveguide | 295 |
| <i>Young Ki Hong, Rashaunda M. Henderson</i> | |

| | |
|---|-----|
| High-Speed LED Driver for Visible Light Communications with Drawing-Out of Remaining Carrier | 299 |
| <i>Hiroyuki Tanaka, Yohtaro Umeda, Osamu Takyu</i> | |
| Novel High-Spatial Resolution Probe for Electric Near-Field Measurement | 303 |
| <i>Daisuke Uchida, Toshiaki Nagai, Yoshitaka Oshima, Shinichi Wakana</i> | |
| On MIMO Capacity of Weibull Fading Channels | 307 |
| <i>Victor M. Vergara, Silvio E. Barbin</i> | |
| A DC-10.5-GHz CMOS Distributed Amplifier with 3.2+-0.3dB NF, 10.5+-1.4dB Gain and +-13.8ps Group Delay Variation | 311 |
| <i>Jin-Fa Chang, Yo-Sheng Lin</i> | |
| UHF RFID Mobile Reader for Passive- and Active-Tag Communication | 315 |
| <i>Sanae Nakao, Takayasu Norimatsu, Takanori Yamazoe, Takashi Oshima, Kazuyoshi Watanabe, Katsuya Minatozaki, Yohei Kobayashi</i> | |
| A 64-dB Spurious Free Dynamic Range CMOS Baseband Analog Chain for IEEE 802.11a/b/g WLAN | 319 |
| <i>Minyeon Cha, Dongjin Oh, Induck Choi, Ickjin Kwon</i> | |
| System-Level Requirements for Implementing Wide Dynamic Range Pulse-Modulated Polar Transmitters | 323 |
| <i>Hou-Chung Lin, Jau-Horng Chen</i> | |
| Effective Throughput 1Gbps Wireless System by Single-Carrier 64QAM for Millimeter-Wave Applications | 327 |
| <i>Hideaki Yoshida, Toru Taniguchi, Yasuhiro Toriyama, Kazuya Kojima, Toshifumi Shirosaki, Shinji Nagamine, Jun Kobayashi</i> | |
| Experimental Investigation of 60GHz Transmission Characteristics Between Computers on a Conference Table for WPAN Applications | 331 |
| <i>George E. Ponchak, A.L. Amadikpe, Debabani Choudhury, John Papapolymerou</i> | |
| Enhanced Architecture to Increase the Dynamic Range of SDR Receivers | 335 |
| <i>Pedro Miguel Cruz, Nuno Borges Carvalho</i> | |
| Power Allocation in Bi-Directional Cognitive Relay Networks | 339 |
| <i>Udit Pareek, Muhammad Naeem, Daniel Lee</i> | |
| Can Compressed Sensing Be Efficient in Communication with Sparse Data? | 343 |
| <i>Nam Nguyen, Thomas A. Sexton</i> | |
| A 60GHz Ultra Low-Power Wake-Up Radio | 347 |
| <i>Xia Li, Peter Baltus, Dusan Milosevic, Paul van Zeijl, Arthur van Roermund</i> | |
| Proposal of New Generation Mobile System Cooperating with Virtualized Network | 351 |
| <i>Takashi Ishikawa, Shinji Murai, Hitomi Nakamura, Seishi Hanaoka, Masashi Yano</i> | |
| Delta-Sigma Modulator with Non-Uniform Quantization | 355 |
| <i>Mao Hagiwara, Toru Kitayabu, Hiroyasu Ishikawa, Hiroshi Shirai</i> | |
| Study on Non-Linear Compensation Technique Based on Signal Point Error Estimation Over Satellite Transponder | 359 |
| <i>Masaaki Kojima, Akinori Hashimoto, Yoichi Suzuki, Takeshi Kimura, Shoji Tanaka</i> | |
| Robust Turbo Equalization Under Channel Uncertainties | 363 |
| <i>Nargiz Kalantarova, Suleyman S. Kozat, Alper T. Erdogan</i> | |
| Empirical Study of Stepped-FM UWB Microwave Sensor | 367 |
| <i>Ryohei Nakamura, Akihiro Kajiwara</i> | |
| Moving Vehicle Discrimination Using Hough Transformation | 371 |
| <i>Yuki Okamoto, Isamu Matsunami, Akihiro Kajiwara</i> | |
| Processing and Transmission Energy Consumption with Error Control Coding in Industrial Wireless Sensor Networks | 375 |
| <i>R.D. Souza, Y. Xu, M. Gidlund</i> | |
| RF Channel Modeling of a WSN Testbed for Industrial Environment | 379 |
| <i>Shuiping Luo, Nagesh Polu, Zhizhang Chen, Jeff Slipp</i> | |
| Characterization of Error in a Near-Field Electromagnetic Ranging (NFER) Real-Time Location System (RTLS) | 383 |
| <i>Hans Gregory Schantz, Christian Weil, Alfred Hans Unden</i> | |
| Multimode Radio Fingerprinting for Localization | 387 |
| <i>E. Martin</i> | |
| Concept for a Time-Code Signal Assisted Single-Shot Receiver | 391 |
| <i>Christoph Kandziora, Robert Weigel</i> | |
| A Schema for the Selection of Network Topology for Wireless Body Area Networks | 395 |
| <i>Marek Bykowski, David Tracey, Ben Graham, Nick Timmons, Jim Morrison</i> | |

| | |
|---|-----|
| UWB Wireless Link Design and Implementation Challenges in Broadband Frequency Modulated | |
| FNIR Biomedical Imaging | 399 |
| <i>A.M. Khwaja, P. Daruwalla, K. Manseta, E. Sultan, L. Zhou, K. Pourrezaei, L. Najafizadeh, A. Gandjbakhche, A.S. Daryoush</i> | |
| Nano-Power Wake-Up Radio Circuit for Wireless Body Area Networks..... | 403 |
| <i>Stevan Marinkovic, Emanuel Popovici</i> | |
| BEAT: Bio-Environmental Android Tracking..... | 407 |
| <i>Michael Mitchell, Frank Sposaro, An-I Andy Wang, Gary Tyson</i> | |
| Improvements of Wireless Communication and Energy Harvesting Aspects for Implantable Sensor | |
| Interfaces by Using the Split Frequencies Concept..... | 411 |
| <i>Jasmin Walk, Thomas Ussmueller, Robert Weigel, Georg Fischer</i> | |
| Empirical Study of UWB-IR Sensor Watching for Bathroom..... | 415 |
| <i>Yuki Ota, Kyohei Ota, Akihiro Kajiwara</i> | |
| A Low-Power Dual-Modulus Injection-Locked Frequency Divider for Medical Implants..... | 419 |
| <i>Kai Zhu, Syed K. Islam, Jeremy Holleman, Song Yuan</i> | |
| Power-Efficient Inductive Link Optimization for Implantable Systems..... | 423 |
| <i>Jungsuk Kim, Hyunchul Kim, Kenneth D. Pedrotti</i> | |
| Radar Cross Section of the Human Heartbeat and Respiration in the 500MHz to 3GHz Band..... | 427 |
| <i>Oyvind Aardal, Svein-Erik Hamran, Tor Berger, Jan Hammerstad, Tor Sverre Lande</i> | |
| Considerations in Measuring Vital Signs Cross Section with Doppler Radar..... | 431 |
| <i>John E. Kiriazi, Olga Boric-Lubecke, Victor M. Lubecke</i> | |
| Author Index | |