

# **2010 IEEE Vehicle Power and Propulsion Conference**

**(VPPC 2010)**

**Lille, France  
1 – 3 September 2010**

**Pages 1-798**



**IEEE Catalog Number: CFP10VPP-PRT  
ISBN: 978-1-4244-8220-7**

# TABLE OF CONTENTS

<b>COMPARISON OF CONTROL PERFORMANCE OF PMSM OF DIFFERENT ROTOR STRUCTURE</b> .....	1
<i>J. Gao, R. Li, S. Huang, Z. Chen</i>	
<b>THEORY OF OPERATION, DESIGN PROCEDURE AND SIMULATION OF A BIDIRECTIONAL LLC RESONANT CONVERTER FOR VEHICULAR APPLICATIONS</b> .....	6
<i>G. Pledl, M. Tauer, D. Buecherl</i>	
<b>OPTIMAL ENERGY MANAGEMENT FOR A HYBRID ENERGY STORAGE SYSTEM FOR ELECTRIC VEHICLES BASED ON STOCHASTIC DYNAMIC PROGRAMMING</b> .....	11
<i>C. Romaus, K. Gathmann, J. Bocker</i>	
<b>DESIGN OF A PERMANENT MAGNET ELECTRIC VARIABLE TRANSMISSION FOR HEV APPLICATIONS</b> .....	17
<i>Y. Cheng, C. Espanet, R. Trigui, A. Bouscayrol, S. Cui</i>	
<b>MAGNETIC DESIGN OF A THREE-PHASE INDUCTIVE POWER TRANSFER SYSTEM FOR ROADWAY POWERED ELECTRIC VEHICLES</b> .....	22
<i>M. Budhia, G. Covic, J. Boys</i>	
<b>A COMMON MODEL VALIDATION IN THE CASE OF THE TOYOTA PRIUS II</b> .....	28
<i>K. Chen, R. Trigui, A. Bouscayrol, E. Vinot, W. Lhomme, A. Berthon</i>	
<b>A STUDY ON DESIGN OF INVERTER FOR MULTI-PHASE BRUSHLESS DC SHIP PROPULSION MOTOR</b> .....	33
<i>S. Park, J. Song, H. Choi, M. Lee, Y. Kong, J. Bin</i>	
<b>LOW COST FLUX-SWITCHING BRUSHLESS AC MACHINES</b> .....	38
<i>J. Chen, Z. Zhu, S. Iwasaki, R. Deodhar</i>	
<b>EVALUATION OF THE BENEFITS OF USING DUAL-SOURCE ENERGY STORAGE IN HYBRID ELECTRIC VEHICLES</b> .....	44
<i>A. Lajunen</i>	
<b>A REVIEW OF FLUX-WEAKENING CONTROL IN PERMANENT MAGNET SYNCHRONOUS MACHINES</b> .....	50
<i>D. Lu, N. Kar</i>	
<b>HYBRIDIZATION OF AN AIRCRAFT EMERGENCY ELECTRICAL NETWORK: EXPERIMENTATION AND BENEFITS VALIDATION</b> .....	56
<i>K. Rafal, B. Morin, X. Roboam, E. Bru, C. Turpin, H. Piquet</i>	
<b>POWER-ELECTRONIC-BASED MACHINE EMULATOR FOR HIGH-POWER HIGH-FREQUENCY DRIVE CONVERTER TEST</b> .....	62
<i>M. Oettmeier, R. Bartelt, C. Heising, V. Staudt, A. Steimel, S. Tietmeier, B. Bock, C. Doerlemann</i>	
<b>ELECTROMAGNETIC PERFORMANCE ANALYSIS OF HYBRID-EXCITED FLUX-SWITCHING MACHINES FOR ELECTRICAL VEHICLES BY AN IMPROVED MAGNETIC NETWORK MODEL</b> .....	68
<i>W. Hua, G. Zhang, M. Cheng</i>	
<b>INTEGRATED ENERGY &amp; EMISSION MANAGEMENT FOR HYBRID ELECTRIC TRUCK WITH SCR AFTERTREATMENT</b> .....	73
<i>J. Kessels, F. Willems, W. Schoot, P. Bosch</i>	
<b>A NEW DC MICRO-GRID SYSTEM USING RENEWABLE ENERGY AND ELECTRIC VEHICLES FOR SMART ENERGY DELIVERY</b> .....	79
<i>C. Liu, K. Chau, C. Diao, J. Zhong, X. Zhang, S. Gao, D. Wu</i>	
<b>EFFICIENCY MODELING AND PERFORMANCE COMPARISON OF SWITCHED CAPACITOR CONVERTER EV/PHEV DRIVES</b> .....	85
<i>Z. Amjadi, S. Williamson</i>	
<b>EMR AND INVERSION-BASED CONTROL OF A VIRTUAL REALITY BICYCLE TRAINER</b> .....	91
<i>M. Leblanc, P. Sicard</i>	
<b>DEVELOPMENT OF CONTACT-WIRE/BATTERY HYBRID LRV: HYBRID TECHNOLOGY WITH LITHIUM ION RECHARGEABLE BATTERY FOR LRV</b> .....	98
<i>M. Ogasawara, Y. Taguchi</i>	
<b>FAST MULTI OBJECTIVE OPTIMIZATION OF AN AUTOMOTIVE PMSM USING MIXED BEM WITH GENETIC ALGORITHMS</b> .....	104
<i>S. Touati, R. Ibtouen, O. Touhami, A. Djerdir</i>	
<b>ANALYSIS OF AVERAGE TORQUE IN SWITCHED RELUCTANCE MOTOR WITH UNIPOLAR AND BIPOLAR EXCITATIONS BASED ON AN IMPROVED FOURIER SERIES MODEL</b> .....	108
<i>X. Liu, Z. Pan, Z. Zhu</i>	
<b>MITIGATION OF ACOUSTIC NOISE AND VIBRATION IN PERMANENT MAGNET SYNCHRONOUS MACHINES DRIVE USING FIELD RECONSTRUCTION METHOD</b> .....	114
<i>B. Sutthiphornsombath, A. Khoobroo, B. Fahimi</i>	
<b>AN ON-LINE METHOD FOR STATOR FAULT DETECTION IN MULTI-PHASE PMSM DRIVES</b> .....	119
<i>F. Meinguet, E. Semail, J. Gyselinck</i>	
<b>MINIMUM-COPPER-LOSS CONTROL OVER FULL SPEED RANGE OF AN IPMSM DRIVE FOR HYBRID ELECTRIC VEHICLE APPLICATION</b> .....	125
<i>B. Asaei, B. Rahrovi</i>	

<b>CAR AND RENEWABLE ENERGY STORAGE ACCUMULATORS ACTIVE LIFE EXTENSION FOR HAZARDOUS WASTES ECO-IMPACT MINIMIZATION</b> .....	131
<i>O. Ustun, M. Yilmaz, P. Ali-Zada, R. Tuncay, H. Mamadov</i>	
<b>BLDC DRIVE CONTROL OF ELECTRIC WATER PUMP FOR AUTOMOTIVE APPLICATION</b> .....	135
<i>J. Park, J. Choi, B. Gu, I. Jung</i>	
<b>INFLUENCE OF DIFFERENT ELECTRIFIED VEHICLE CONCEPTS AND DRIVING CYCLES ON THE ENERGETIC EFFICIENCY OF PASSENGER CARS</b> .....	140
<i>A. Thanheiser, D. Buecherl, H. Herzog</i>	
<b>ADVANTAGES OF A VARIABLE DC-LINK VOLTAGE BY USING A DC-DC CONVERTER IN HYBRID-ELECTRIC VEHICLES</b> .....	144
<i>T. Schoenen, M. Kunter, M. Hennen, R. Doncker</i>	
<b>ESTIMATION OF SPRING TORQUE IN AN ELECTRONIC THROTTLE VALVE</b> .....	149
<i>N. Rajaei, X. Chen, M. Zheng</i>	
<b>MULTI-OBJECTIVE OPTIMIZATION OF A SWITCHED RELUCTANCE MOTOR FOR LIGHT ELECTRIC TRACTION APPLICATIONS</b> .....	155
<i>D. Ilea, M. Radulescu, F. Gillon, P. Brochet</i>	
<b>INFLUENCE OF MATERIAL DOPING DEGREE ON PERFORMANCE OF IMCCR USED FOR EV</b> .....	161
<i>J. Cao, W. Li, Y. Zhang, F. Huo</i>	
<b>POWER FLOW MANAGEMENT STRATEGIES FOR A LOCAL DC DISTRIBUTION SYSTEM OF MORE ELECTRIC AIRCRAFT</b> .....	166
<i>H. Zhang, F. Mollet, S. Breban, C. Saudemont, B. Robyns</i>	
<b>AN OPTIMAL FUZZY LOGIC POWER SHARING STRATEGY FOR PARALLEL HYBRID ELECTRIC VEHICLES</b> .....	172
<i>F. Khoucha, M. Benbouzid, A. Kheloui</i>	
<b>PREDICTING ELECTRIC VEHICLE IMPACTS ON RESIDENTIAL DISTRIBUTION NETWORKS WITH DISTRIBUTED GENERATION</b> .....	177
<i>P. Papadopoulos, S. Skarvelis-Kazakos, I. Grau, L. Cipcigan, N. Jenkins</i>	
<b>A CONTROL ANALYSIS OF HIGH-PERFORMANCE HYBRID ELECTRIC VEHICLES</b> .....	182
<i>J. Sibley, A. Emadi</i>	
<b>ELECTRICAL VEHICLE ENGINEERING MASTER DEGREE FOR NEW DEVELOPMENTS IN AUTOMOTIVE INDUSTRY</b> .....	188
<i>E. Semail, A. Bouscayrol, Z. Mounni, P. Riviere, E. Fortin</i>	
<b>HYBRID SUPPLY FOR AUTOMOTIVE APPLICATION USING SUPERCAPACITORS</b> .....	192
<i>N. Rizoug, G. Feld, B. Barbadette</i>	
<b>ADAPTIVE TORQUE CONTROL OF PERMANENT MAGNET SYNCHRONOUS MOTORS IN AUTOMOTIVE APPLICATIONS</b> .....	199
<i>J. Malaize, W. Dib, S. Toru</i>	
<b>STATE-OF-THE-ART IN ELECTRIC VEHICLE CHARGING INFRASTRUCTURE</b> .....	205
<i>A. Foley, L. Winning, B. Gallachoir</i>	
<b>OPTIMAL DESIGN OF A PMSM USING CONCENTRATED WINDING FOR APPLICATION URBAN HYBRID VEHICLE</b> .....	211
<i>H. Mai, R. Bernard, P. Bigot, F. Dubas, D. Chamagne, C. Espanet</i>	
<b>ELECTRIC VEHICLE CHARGING SYSTEM WITH PV GRID-CONNECTED CONFIGURATION EXPERIMENTAL TESTS OF CONTROL AND POWER MANAGEMENT</b> .....	217
<i>F. Locment, M. Sechilariu, C. Forgez</i>	
<b>AN IMPROVED AMPERE-HOUR METHOD FOR BATTERY STATE OF CHARGE ESTIMATION BASED ON TEMPERATURE, COULOMB EFFICIENCY MODEL AND CAPACITY LOSS MODEL</b> .....	223
<i>G. Wu, R. Lu, C. Zhu, C. Chan</i>	
<b>THE POWER-ORIENTED GRAPHS TECHNIQUE: SYSTEM MODELING AND BASIC PROPERTIES</b> .....	227
<i>R. Zanasi</i>	
<b>ENERGY SOURCES SIZING FOR HYBRID FUEL CELL VEHICLES BASED ON STATISTICAL DESCRIPTION OF DRIVING CYCLES</b> .....	233
<i>A. Ravey, N. Watrin, B. Blumier, A. Miraoui</i>	
<b>MODEL-BASED LIFE ESTIMATION OF LI-ION BATTERIES IN PHEVS USING LARGE SCALE VEHICLE SIMULATIONS: AN INTRODUCTORY STUDY</b> .....	239
<i>A. Filippi, S. Stockar, S. Onori, M. Canova, Y. Guezennec</i>	
<b>DESIGN OF A LINEAR MAGNETIC-GEARED FREE-PISTON GENERATOR FOR SERIES HYBRID ELECTRIC VEHICLES</b> .....	245
<i>W. Li, S. Gao, D. Wu, X. Zhang</i>	
<b>POLE-RESTRAINING CONTROL OF ACTIVE FRONT END FOR SHORE-SIDE POWER SUPPLY OF SHIPS</b> .....	251
<i>C. Heising, M. Oetmeier, V. Staudt, A. Steimel</i>	
<b>ADVANTAGES OF VARIABLE DC BUS VOLTAGE FOR HYBRID ELECTRICAL VEHICLE</b> .....	257
<i>M. Becherif, M. Ayad</i>	
<b>MAXIMUM TORQUE PER AMPERE AND FLUX-WEAKENING CONTROL FOR PMSM BASED ON CURVE FITTING</b> .....	263
<i>S. Huang, Z. Chen, K. Huang, J. Gao</i>	
<b>MULTIOBJECTIVE OPTIMAL DESIGN OF A VOLTAGE SUPPLY INVERTER FED IN-WHEEL SYNCHRONOUS MOTOR</b> .....	268
<i>C. Versele, O. Deblecker, Z. Greve, J. Lobry</i>	

<b>ENERGETIC MACROSCOPIC REPRESENTATION OF A SOLID OXIDE FUEL CELL FOR STIRLING ENGINE COMBINED CYCLE IN HIGH-EFFICIENT POWERTRAINS</b> .....	274
<i>C. Gay, D. Hissel, F. Lanzetta, M. Pera, M. Feidt</i>	
<b>METHOD TO DESIGN THE LEAKAGE INDUCTANCES OF A MULTIWINDING TRANSFORMER FOR A MULTISOURCE ENERGY MANAGEMENT SYSTEM</b> .....	282
<i>U. Steiger, S. Mariethoz</i>	
<b>NEURAL NETWORK SETTING PID CONTROL OF HEV ELECTRONIC THROTTLE</b> .....	288
<i>X. Wu, X. Wang, J. Bing, L. Ye</i>	
<b>MODELLING AND INVERSION-BASED CONTROL OF A MAGNETORHEOLOGICAL VEHICLE SUSPENSION</b> .....	293
<i>H. Sleiman, B. Lemarie-Semail, S. Clenet, J. Lozada</i>	
<b>IRON LOSS OF NON-RARE EARTH TRACTION MOTOR FOR ELECTRIC VEHICLE</b> .....	299
<i>M. Morimoto</i>	
<b>CONTROL STRATEGIES FOR FAULT TOLERANT PM DRIVES USING SERIES ARCHITECTURE</b> .....	303
<i>M. Shamsi-Nejad, B. Nahid-Mobarakeh, S. Pierfederici, F. Meibody-Tabar</i>	
<b>AN AUTOMOTIVE THERMOELECTRIC-PHOTOVOLTAIC HYBRID ENERGY SYSTEM</b> .....	309
<i>X. Chau, C. Chan, S. Gao</i>	
<b>HIGH TORQUE-DENSITY SEVEN-PHASE INDUCTION MOTOR DRIVES FOR ELECTRIC VEHICLE APPLICATIONS</b> .....	314
<i>D. Casadei, M. Mengoni, A. Tani, G. Serra, L. Zarri</i>	
<b>REMEDIAL OPERATION OF A FAULT-TOLERANT FLUX-SWITCHING PERMANENT MAGNET MOTOR FOR ELECTRIC VEHICLE APPLICATIONS</b> .....	320
<i>W. Zhao, M. Cheng, W. Hua, H. Jia, R. Cao, W. Wang</i>	
<b>EMISSIONS AND FUEL CONSUMPTION DURING ROAD TEST FROM DIESEL AND HYBRID BUSES UNDER REAL ROAD CONDITIONS</b> .....	326
<i>J. Merkisz, J. Pielecha</i>	
<b>HARDWARE-IN-THE-LOOP TESTING OF HYBRID VEHICLE MOTOR DRIVES AT FORD MOTOR COMPANY</b> .....	331
<i>J. Wu, C. Dufour, L. Sun</i>	
<b>CORRECTIVE ACTION WITH POWER CONVERTER FOR FAULTY MULTIPLE FUEL CELLS GENERATOR USED IN TRANSPORTATION</b> .....	336
<i>E. Frappe, A. Bernardinis, G. Coquery, O. Bethoux, C. Marchand</i>	
<b>ANALYSIS AND DESIGN OF A WIRELESS CLOSED-LOOP ICPT SYSTEM WORKING AT ZVS MODE</b> .....	342
<i>R. Lu, T. Wang, Y. Mao, C. Zhu</i>	
<b>SYSTEM DESIGN AND OPTIMIZATION OF THE WORLD'S FASTEST HYDROGEN FUEL CELL VEHICLE</b> .....	347
<i>E. Hillstrom, K. Ponzianni, B. Sinshiemer, C. Bork, M. Canova, Y. Guezennec, G. Rizzoni, M. Procter</i>	
<b>SYNTHESIS AND VALIDATION OF REPRESENTATIVE REAL-WORLD DRIVING CYCLES FOR PLUG-IN HYBRID VEHICLES</b> .....	353
<i>T. Lee, Z. Filipi</i>	
<b>MULTILAYER FRAMEWORK FOR VEHICLE-TO-GRID OPERATION</b> .....	359
<i>D. Wu, K. Chau, S. Gao</i>	
<b>DESIGN AND IMPLEMENTATION OF A HIGH-EFFICIENCY ON-BOARD BATTERY CHARGER FOR ELECTRIC VEHICLES WITH FREQUENCY CONTROL STRATEGY</b> .....	365
<i>J. Kim, G. Choe, H. Jung, B. Lee, Y. Cho, K. Han</i>	
<b>DETERMINATION OF THE HIGH FREQUENCY PARAMETERS OF THE POWER TRANSFORMER USED IN THE RAILWAY SUBSTATION</b> .....	371
<i>H. Ouaddi, G. Nottet, S. Baranowski, L. Kone, N. Idir</i>	
<b>DETECTION OF STATIC ROTOR ECCENTRICITY IN PERMANENT MAGNET SYNCHRONOUS DRIVES USING FIELD RECONSTRUCTION METHOD</b> .....	376
<i>A. Khoobroo, B. Fahimi</i>	
<b>A SERIES-PARALLEL HYBRID ELECTRIC POWERTRAIN FOR INDUSTRIAL VEHICLES</b> .....	383
<i>S. Grammatico, A. Balluchi, E. Cosoli</i>	
<b>EDDY CURRENT BASED, CONTACTLESS POSITION TRANSDUCER FOR A GAS HANDLE</b> .....	389
<i>A. Bossche, P. Sergeant</i>	
<b>DESIGN OF EMI FILTERS FOR DC-DC CONVERTER</b> .....	393
<i>J. Kotmy, T. Duquesne, N. Idir</i>	
<b>TWO MOTORS DRIVE SYSTEM TOPOLOGIES WITH FIVE-LEG INVERTER</b> .....	399
<i>E. Santos Jr., C. Jacobina, O. Silva, A. Lima</i>	
<b>OPTIMIZATION OF CONTROL PARAMETERS IN PARALLEL HYBRID ELECTRIC VEHICLES USING A HYBRID GENETIC ALGORITHM</b> .....	405
<i>F. Hu, Z. Zhao</i>	
<b>RESEARCH ON DIRECT TORQUE CONTROL FOR THE ELECTRICAL VARIABLE TRANSMISSION</b> .....	411
<i>S. Cui, Q. Xu, Y. Cheng</i>	
<b>STATE-OF-THE-ART OF DC-DC CONVERTERS FOR FUEL CELL VEHICLES</b> .....	416
<i>M. Kabalo, B. Blunier, D. Bouquain, A. Miraoui</i>	
<b>A FEEDBACK-TYPE COMMON MODE ACTIVE FILTER FOR VEHICULAR INDUCTION MOTOR DRIVES</b> .....	422
<i>M. Piazza, A. Ragusa, G. Vitale</i>	

<b>CONCEPTUAL DESIGN OF A PURE ELECTRIC VEHICLE</b> .....	428
<i>C. Weissinger, D. Buecherl, H. Herzog</i>	
<b>THERMAL STRESS ANALYSIS FOR IGBT INVERTER SYSTEMS</b> .....	433
<i>N/A</i>	
<b>DEVELOPMENT AND VALIDATION OF EMISSIONS AND FUEL ECONOMY TEST PROCEDURES FOR HEAVY DUTY HYBRID ELECTRIC VEHICLE</b> .....	438
<i>K. Qin, M. Ouyang, Q. Lu, M. Fang, Jidong Gao, Junhua Gao</i>	
<b>DESIGN AND IMPLEMENTATION OF AN ELECTRIC DIFFERENTIAL FOR TRACTION APPLICATION</b> .....	443
<i>A. Haddoun, M. Benbouzid, D. Diallo, R. Abdessemed, J. Ghouili, K. Srairi</i>	
<b>A COMBINED MULTIPHASE ELECTRIC DRIVE AND FAST BATTERY CHARGER FOR ELECTRIC VEHICLES: TOPOLOGY AND ELECTRIC PROPULSION EFFICIENCY ANALYSIS</b> .....	449
<i>L. Sousa, B. Silvestre, B. Bouchez</i>	
<b>ANTI-LOCK AND ANTI-SLIP BRAKING SYSTEM, USING FUZZY LOGIC AND SLIDING MODE CONTROLLERS</b> .....	455
<i>P. Naderi, A. Farhadi, M. Mirsalim, T. Mohammadi</i>	
<b>A DSP DIGITAL CONTROLLER DESIGN AND IMPLEMENTATION OF A HIGH POWER BOOST CONVERTER IN HYBRID ELECTRIC VEHICLES</b> .....	461
<i>O. Ellabban, O. Hegazy, J. Mierlo, P. Lataire</i>	
<b>PMSM AND INVERTER SIZING COMPROMISE APPLIED TO FLYWHEEL FOR RAILWAY APPLICATION</b> .....	467
<i>M. Sough, D. Depernet, F. Dubas, B. Boualem, C. Espanet</i>	
<b>MACROSCOPIC MODELING AND REPRESENTATION OF A PEM FUEL CELL GAS SUPPLY TAKING INTO ACCOUNT THE WATER PHENOMENA</b> .....	472
<i>L. Boulon, K. Agbossou, D. Hissel, A. Bouscayrol, P. Sicard, A. Hernandez, M. Pera</i>	
<b>A NEW PERMANENT-MAGNET VERNIER IN-WHEEL MOTOR FOR ELECTRIC VEHICLES</b> .....	478
<i>J. Li, D. Wu, X. Zhang, S. Gao</i>	
<b>AN INTEGRATED FAST BATTERY CHARGER FOR ELECTRIC VEHICLE</b> .....	484
<i>S. Lacroix, E. Laboure, M. Hilairret</i>	
<b>MODELING OF AN HYBRID SOLAR CAR WITH A LITHIUM-ION BATTERY</b> .....	490
<i>L. Menard, S. Astier, G. Fontes, J. Blaquiére, C. Turpin, F. Gailly</i>	
<b>THERMAL MODELLING, SIMULATION AND EVALUATION OF A HIGH POWER BATTERY CELL FOR AUTOMOTIVE APPLICATIONS</b> .....	496
<i>D. Simic</i>	
<b>ANALYSIS AND OPTIMIZATION OF A NOVEL BRUSHLESS COMPOUND-STRUCTURE PERMANENT-MAGNET SYNCHRONOUS MACHINE</b> .....	500
<i>P. Zheng, Q. Wu, J. Bai, W. Shi, Y. Sui</i>	
<b>STUDY ON RESISTANCE SETTING METHOD FOR CHASSIS DYNAMOMETER TEST OF HYBRID ELECTRIC BUS</b> .....	505
<i>M. Fang, L. Peng, W. Qiao, M. Fang, K. Qin, J. Gao</i>	
<b>MODELING POWER SEMICONDUCTOR LOSSES IN HEV POWERTRAINS USING SI AND SIC DEVICES</b> .....	509
<i>J. Reed, J. McFarland, J. Tangudu, E. Vinot, R. Trigui, G. Venkataramanan, S. Gupta, T. Jahns</i>	
<b>IMPEDANCE MEASUREMENTS COMBINED WITH THE FUZZY LOGIC METHODOLOGY TO ASSESS THE SOC AND SOH OF LITHIUM-ION CELLS</b> .....	515
<i>A. Zenati, P. Desprez, H. Razik, S. Rael</i>	
<b>A DOUBLE-STATOR PERMANENT MAGNET BRUSHLESS MACHINE SYSTEM FOR ELECTRIC VARIABLE TRANSMISSION IN HYBRID ELECTRIC VEHICLES</b> .....	521
<i>Y. Wang, M. Cheng, Y. Fan, K. Chau</i>	
<b>AN INTEGRATED CHARGER FOR PLUG-IN HYBRID ELECTRIC VEHICLES BASED ON A SPECIAL INTERIOR PERMANENT MAGNET MOTOR</b> .....	526
<i>S. Haghbin, M. Alakula, K. Khan, S. Lundmark, M. Leksell, O. Wallmark, O. Carlson</i>	
<b>LOSS ANALYSIS OF VEHICLE-TO-GRID OPERATION</b> .....	532
<i>S. Gao, K. Chau, C. Chan, D. Wu</i>	
<b>TEMPERATURE EFFECTS ON FAST CHARGING LARGE FORMAT PRISMATIC LITHIUM IRON PHOSPHATE CELLS</b> .....	538
<i>D. Patel, F. Tredeau, Z. Salameh</i>	
<b>MODELING OF THE AUTOMOTIVE POWER SUPPLY NETWORK WITH VHDL-AMS</b> .....	542
<i>M. Diebig, S. Frei, H. Reitingner, C. Ullrich</i>	
<b>ANALYSIS OF OPERATION MODES FOR A NEIGHBORHOOD ELECTRIC VEHICLE WITH POWER SOURCES HYBRIDIZATION</b> .....	548
<i>J. Trovao, P. Pereirinha, H. Jorge</i>	
<b>FUEL CELL SYSTEM INTEGRATION INTO A HEAVY-DUTY HYBRID VEHICLE: PRELIMINARY EXPERIMENTAL RESULTS</b> .....	554
<i>J. Mulot, F. Harel, S. Begot, D. Hissel, I. Rodel, S. Boblet, M. Amiet</i>	
<b>HIGH TORQUE DOUBLE-STATOR SWITCHED RELUCTANCE MACHINE FOR ELECTRIC VEHICLE PROPULSION</b> .....	559
<i>M. Abbasian, B. Fahimi, M. Moallem</i>	
<b>A NOVEL HYBRID EXCITED FLUX-SWITCHING BRUSHLESS AC MACHINES FOR EV/HEV APPLICATIONS</b> .....	564
<i>J. Chen, Z. Zhu, S. Iwasaki, R. Deodhar</i>	

<b>OPTIMAL DESIGN OF ELECTRICAL DRIVE AND POWER CONVERTER FOR HYBRID ELECTRIC POWERTRAIN</b> .....	570
<i>Z. Wu, D. Depernet, C. Espanet</i>	
<b>FUZZY CONTROLLER FOR THREE PHASES INDUCTION MOTOR DRIVES</b> .....	578
<i>B. Badr, A. Eltamaly, A. Alolah</i>	
<b>MULTI-FIDELITY SIMULATION MODELLING IN OPTIMIZATION OF A SUBMARINE PROPULSION SYSTEM</b> .....	584
<i>A. Molina-Cristobal, P. Palmer, B. Skimmer, G. Parks</i>	
<b>ENERGY EFFICIENCY ANALYSIS AND COMPARISON OF TRANSMISSION TECHNOLOGIES FOR AN ELECTRIC VEHICLE</b> .....	590
<i>T. Hofman, C. Dai</i>	
<b>EVALUATION OF PERFORMANCE CHARACTERISTICS OF VARIOUS LITHIUM-ION BATTERIES FOR USE IN BEV APPLICATION</b> .....	596
<i>N. Omar, B. Verbrugge, G. Mulder, P. Bossche, J. Mierlo, M. Daowd, M. Dhaens, S. Pauwels</i>	
<b>NEURAL ADAPTIVE CONTROL STRATEGY FOR HYBRID ELECTRIC VEHICLES WITH PARALLEL POWERTRAIN</b> .....	602
<i>Y. Gurkaynak, A. Khaligh, A. Emadi</i>	
<b>MODELING AND CONTROL OF POWER-SPLIT HYBRID ELECTRIC VEHICLES</b> .....	608
<i>R. Zanasi, F. Grossi</i>	
<b>MODELLING, SIMULATION AND VALIDATION OF AN ELECTRICAL ZERO EMISSION OFF-ROAD MOTORCYCLE</b> .....	614
<i>T. Bauml</i>	
<b>STUDY ON CORNERING STABILITY CONTROL BASED ON PNEUMATIC TRAIL ESTIMATION BY USING DUAL PITMAN ARM TYPE STEER-BY-WIRE ON ELECTRIC VEHICLE</b> .....	619
<i>R. Minaki, Y. Hori</i>	
<b>THE BOND GRAPH – AN EXCELLENT MODELLING TOOL TO STUDY ABSTRACTION LEVEL AND STRUCTURE COMPARISON</b> .....	625
<i>G. Geitner</i>	
<b>A MULTIPHASE DUAL-INVERTER SUPPLIED DRIVE STRUCTURE FOR ELECTRIC AND HYBRID ELECTRIC VEHICLES</b> .....	632
<i>E. Levi, M. Jones, W. Satiawan</i>	
<b>VIRTUAL BATTERY CHARGING STATION UTILIZING POWER-HARDWARE-IN-THE-LOOP: APPLICATION TO V2G IMPACT ANALYSIS</b> .....	639
<i>C. Edrington, O. Vodyakho, B. Hacker, S. Azongha, A. Khaligh, O. Onar</i>	
<b>THE USE OF SUPERCAPACITORS IN ELECTRICAL VEHICLE: MODELING, SIZING AND CONTROL</b> .....	645
<i>M. Ayad, M. Becherif, S. Aitcheikh, M. Wack</i>	
<b>ADVANTAGES OF A NEW APPROACH FOR ESTIMATING THE STATOR RESISTANCE OF A PERMANENT MAGNET SYNCHRONOUS MACHINE COMPARED TO KNOWN CONVENTIONAL METHODS</b> .....	651
<i>S. Kellner, B. Piepenbreier</i>	
<b>A CHASSIS DYNAMOMETER LABORATORY FOR FUEL CELL HYBRID VEHICLES AND THE HYDROGEN CONSUMPTION MEASUREMENT SYSTEM</b> .....	657
<i>M. Chen, Z. Jin, Q. Lu, X. Ye, M. Fang, K. Qin</i>	
<b>ELECTRICAL LOSS MINIMIZATION STRATEGY FOR INTERIOR PERMANENT MAGNET SYNCHRONOUS MOTOR DRIVES</b> .....	662
<i>M. Cao, N. Hoshi</i>	
<b>POWER SOURCE TO WHEEL MODEL OF A HIGH EFFICIENCY FUEL CELL BASED VEHICLE</b> .....	668
<i>J. Olivier, G. Wasselynck, D. Trichet, B. Auvity, C. Josset, C. Le-Bozec</i>	
<b>HIGH POWER LITHIUM BATTERIES USAGE IN HYBRID VEHICLES</b> .....	674
<i>M. Ceraolo, G. Lutzemberger, M. Marrassi</i>	
<b>DESIGNING AND MANUFACTURING OF FORMULA SAE-HYBRID RACECAR FOR A NEW ENGINEERING EDUCATION PROGRAM</b> .....	679
<i>I. Chang, N. Kim, D. Lee, S. Cha</i>	
<b>VEHICLE-TO-GRID SYSTEMS FOR FREQUENCY REGULATION IN AN ISLANDED DANISH DISTRIBUTION NETWORK</b> .....	685
<i>J. Pillai, B. Bak-Jensen</i>	
<b>PROJECT-BASED TEACHING UNIT USING ENERGETIC MACROSCOPIC REPRESENTATION TO DESIGN DRIVE CONTROLLERS</b> .....	691
<i>F. Giraud, A. Allegre, A. Bouscayrol, K. Chen, B. Lemaire-Semail, W. Lhomme</i>	
<b>VALIDATION OF QUASI-STATIC SERIES HYBRID ELECTRIC VEHICLE SIMULATION MODEL</b> .....	697
<i>M. Liukkonen, A. Hentunen, J. Suomela</i>	
<b>FUEL CELL ELECTRIC SCOOTER: CONSIDERATIONS TOWARD AN OPTIMIZED ARCHITECTURE</b> .....	703
<i>D. Chrenko</i>	
<b>DESIGN AND CONTROL OF THE INDUCTION MOTOR PROPULSION OF AN ELECTRIC VEHICLE</b> .....	708
<i>B. Tabbache, A. Kheloui, M. Benbouzid</i>	
<b>A DIGITAL PWM CONTROL FOR SWITCHED RELUCTANCE MOTOR DRIVES</b> .....	714
<i>B. Shao, A. Emadi</i>	
<b>FORMULA ZERO: DEVELOPMENT AND KART'S COMPETITION DRIVEN BY PEMFC</b> .....	720
<i>J. Larramona, M. Cerqueda, L. Elu, L. Uson</i>	

<b>ARCHYBALD: AN HYBRID TRANSMISSION FOR HEAVY VEHICLES</b> .....	727
<i>A. Sauter, V. Venaille, G. Trouher, J. Bouysset, O. Pape</i>	
<b>A MODEL TO ESTIMATE THE EFFECT OF DC BUS VOLTAGE ON HEV POWERTRAIN EFFICIENCY</b> .....	731
<i>M. Thompson, C. Hoff, J. Gover</i>	
<b>MODELING STORAGE CHARACTERISTICS OF ELECTRIC VEHICLES IN THE GRID</b> .....	736
<i>M. Lipiec, I. Komarnicki</i>	
<b>BRAKING CONTROL METHOD FOR FRONT-AND-REAR-WHEEL-INDEPENDENT-DRIVE-TYPE ELECTRIC VEHICLES (FRIDEVS) ON LOW-FRICTION-COEFFICIENT ROADS</b> .....	742
<i>N. Mutoh, T. Ustunomiya, H. Akashi, S. Tatsuoka</i>	
<b>STATOR-FLUX-ORIENTED CONTROL OF PMSM WITH HIGHLY-DYNAMIC FIELD-WEAKENING OPERATION</b> .....	748
<i>M. Oettmeier, C. Heising, V. Staudt, A. Steimel</i>	
<b>DIFFERENT ENERGY MANAGEMENT STRATEGIES OF HYBRID ENERGY STORAGE SYSTEM (HESS) USING BATTERIES AND SUPERCAPACITORS FOR VEHICULAR APPLICATIONS</b> .....	753
<i>A. Allegre, R. Trigui, A. Bouscayrol</i>	
<b>OPTIMAL CONTROL OF A HIGH EFFICIENCY LOW DISTORTION 6-LEVEL HYBRID MULTILEVEL MOTOR DRIVE</b> .....	759
<i>S. Marithoz</i>	
<b>SPECIALIZED BATTERY EMULATOR FOR AUTOMOTIVE ELECTRICAL SYSTEMS</b> .....	765
<i>T. Baumhofer, W. Waag, D. Sauer</i>	
<b>ANALYTICAL MODELING OF STATIC CONVERTERS FOR OPTIMAL SIZING OF ON-BOARD ELECTRICAL SYSTEMS</b> .....	769
<i>H. Huu, L. Gerbaud, N. Retiere, J. Roudet, F. Wurtz</i>	
<b>TORQUE COORDINATION OF CLUTCH, ENGINE AND MOTOR DURING POWER TRANSITION FOR A HYBRID ELECTRIC BUS</b> .....	775
<i>L. Chen, G. Xi</i>	
<b>THE INTERACTIVE EFFECTS OF MULTIPLE EV CHARGERS WITHIN A DISTRIBUTION NETWORK</b> .....	781
<i>E. Bentley, P. Suwanapingkarl, S. Weerasinghe, T. Jiang, G. Putrus, D. Johnston</i>	
<b>SENSITIVITY ANALYSIS OF LUGRE FRICTION MODEL FOR PNEUMATIC ACTUATOR CONTROL</b> .....	787
<i>A. Mehmood, S. Laghrouche, M. Bagdouri, F. Ahmed</i>	
<b>A NOVEL SLIP CONTROL METHOD CONSIDERING AXLE-WEIGHT TRANSFER FOR ELECTRIC LOCOMOTIVE: PROPOSAL AND EXPERIMENTAL VERIFICATION OF ELECTRICAL AXLE-WEIGHT TRANSFER COMPENSATION</b> .....	793
<i>M. Yamashita, T. Soeda</i>	
<b>CONTROL OF IPMSM FOR HYBRID ELECTRIC COMMERCIAL VEHICLE</b> .....	799
<i>B. Jun, J. Lee, T. Lee, C. Won</i>	
<b>MODEL PREDICTIVE CONTROL FOR POWER MANAGEMENT IN HYBRID FUEL CELL VEHICLES</b> .....	803
<i>C. Bordons, M. Ridaou, A. Perez, A. Arce, D. Marcos</i>	
<b>OPTIMIZATION OF A MULTI-SPEED ELECTRIC AXLE AS A FUNCTION OF THE ELECTRIC MOTOR PROPERTIES</b> .....	809
<i>A. Sormiotti, M. Boscolo, A. Turner, C. Cavallino</i>	
<b>DESIGN OF SWITCHING POWER CONVERTER OF PMSM POWER DRIVER FOR HYBRID ELECTRIC VEHICLE</b> .....	815
<i>N. Jin, H. Gao, X. Wang, J. Liu</i>	
<b>ELECTRICAL VEHICLES PROJECT: A METHOD TO LEARN POWER ELECTRONICS FOR A NON-SPECIALIZED ENGINEER?</b> .....	819
<i>C. Paugam, A. Andre, X. Margueron, C. Raibaudou, A. Leblanc, E. Delmotte, P. Besse</i>	
<b>IMPROVEMENT OF FUEL ECONOMY IN POWER-SHIFT AUTOMATED MANUAL TRANSMISSION THROUGH SHIFT STRATEGY OPTIMIZATION – AN EXPERIMENTAL STUDY</b> .....	825
<i>D. Ngo, T. Hofman, M. Steinbuch, A. Serrarens, L. Merckx</i>	
<b>MATHEMATICAL MODELING OF AGING FACTORS FOR LI-ION BATTERY CELLS</b> .....	830
<i>H. Jed, A. Miez, J. Vinassa</i>	
<b>PRACTICAL CONTROL STRUCTURE OF A HEAVY DUTY HYBRID ELECTRIC VEHICLE</b> .....	834
<i>J. Solano-Martinez, D. Hissel, M. Pera, M. Amiet</i>	
<b>OPTIMAL MANAGEMENT OF ELECTRIC VEHICLES WITH A HYBRID STORAGE SYSTEM</b> .....	842
<i>E. Vinot, R. Trigui, B. Jeanneret</i>	
<b>PARAMETERIZATION OF AN ELECTRICAL BATTERY MODEL FOR DYNAMIC SYSTEM SIMULATION IN ELECTRIC VEHICLES</b> .....	848
<i>M. Einhorn, V. Conte, C. Kral, J. Fleig, R. Permann</i>	
<b>MULTI-OBJECTIVE OPTIMIZATION OF HYBRID ELECTRIC VEHICLES CONSIDERING FUEL CONSUMPTION AND DYNAMIC PERFORMANCE</b> .....	855
<i>S. Buerger, B. Lohmann, M. Merz, B. Vogel-Heuser, M. Hallmannsegger</i>	
<b>AN INTEGRATED BI-DIRECTIONAL POWER ELECTRONIC CONVERTER WITH MULTI-LEVEL AC-DC/DC-AC CONVERTER AND NON-INVERTED BUCK-BOOST CONVERTER FOR PHEVS WITH MINIMAL GRID LEVEL DISRUPTIONS</b> .....	861
<i>D. Erb, O. Onar, A. Khaligh</i>	
<b>NOVEL FAULT DIAGNOSTIC TECHNIQUE FOR PERMANENT MAGNET SYNCHRONOUS MACHINES USING ELECTROMAGNETIC SIGNATURE ANALYSIS</b> .....	867
<i>Y. Da, M. Krishnamurthy</i>	

<b>SIZING OF A HYBRID LOCOMOTIVE BASED ON ACCUMULATORS AND ULTRACAPACITORS</b> .....	873
<i>A. Jaafar, B. Sareni, X. Roboam, M. Thiounn-Guermeur</i>	
<b>FUEL-EFFICIENT STATE OF CHARGE CONTROL IN HYBRID ELECTRIC VEHICLES</b> .....	879
<i>T. Salcher, L. Neumann, G. Kramer, H. Herzog</i>	
<b>MAGNETIC AND THERMAL 3D FINITE ELEMENT MODEL OF A LINEAR INDUCTION MOTOR</b> .....	884
<i>J. Gong, F. Gillon, P. Brochet</i>	
<b>PLUG-IN HYBRID ELECTRIC VEHICLE CHARGING: CURRENT ISSUES AND FUTURE CHALLENGES</b> .....	890
<i>A. Shafiei, S. Williamson</i>	
<b>A NEW ENERGY CONTROL STRATEGY FOR A THROUGH THE ROAD PARALLEL HYBRID ELECTRIC MOTORCYCLE</b> .....	898
<i>B. Asaei, M. Habibidoost</i>	
<b>EXPERIMENTAL SET-UP TO TEST THE POWER TRANSFER OF AN INNOVATIVE SUBWAY USING SUPERCAPACITORS</b> .....	903
<i>A. Bouscayrol, W. Lhomme, C. Demian, A. Allegre, E. Chattot, S. Fassi</i>	
<b>CLASSIFICATION OF DUTY PULSES AFFECTING ENERGY STORAGE SYSTEMS IN VEHICULAR APPLICATIONS</b> .....	909
<i>A. Devie, M. Montaru, S. Pelissier, P. Venet</i>	
<b>A NEW LINEAR PARAMETRIZATION FOR PEAK FRICTION COEFFICIENT ESTIMATION IN REAL TIME</b> .....	915
<i>R. Castro, R. Araujo, J. Cardoso, D. Freitas</i>	
<b>27-LEVEL CONVERTER FOR ELECTRIC VEHICLES USING ONLY ONE POWER SUPPLY</b> .....	921
<i>J. Dixon, J. Pereda</i>	
<b>BUCK-BOOST CONVERTERS DESIGN FOR ULTRACAPACITORS AND LITHIUM BATTERY MIXING IN HYBRID VEHICLE APPLICATIONS</b> .....	928
<i>M. Camara, H. Gualous, B. Dakyo, C. Nichita, P. Makany</i>	
<b>ELECTRIC VEHICLE POWERTRAIN SIMULATION TO OPTIMIZE BATTERY AND VEHICLE PERFORMANCES</b> .....	934
<i>N. Janiaud, F. Vallet, M. Petit, G. Sandou</i>	
<b>FUEL CELL SYSTEM IMPROVEMENT FOR MODEL-BASED DIAGNOSIS ANALYSIS</b> .....	939
<i>M. Batteux, P. Fiani, N. Rapin, P. Dague</i>	
<b>NEW APPROACH TO SUPERCAPACITOR TESTING AND DYNAMIC MODELLING</b> .....	945
<i>L. Gauchia, S. Castano, J. Sanz</i>	
<b>HARDWARE-IN-THE-LOOP VERIFICATION ENVIRONMENT FOR HEAVY-DUTY HYBRID ELECTRIC VEHICLES</b> .....	950
<i>A. Hentunen, J. Suomela, A. Leivo, M. Liukkonen, P. Sainio</i>	
<b>COMPARATIVE STUDY OF VARIOUS CURRENT CONTROLLERS FOR THE SWITCHED RELUCTANCE MACHINE</b> .....	956
<i>X. Rain, M. Hilairet, O. Bethoux</i>	
<b>RELUCTANCE TORQUE ANALYSIS AND REACTANCE CALCULATION OF IPM FOR HEVS BASED ON FEM</b> .....	962
<i>L. Song, D. Jiang, S. Cui, S. Sheng</i>	
<b>ENERGY CONTROL FOR PLUG-IN HEV WITH ULTRACAPACITORS LITHIUM-ION BATTERIES STORAGE SYSTEM FOR FIA ALTERNATIVE ENERGY CUP RACE</b> .....	966
<i>F. Mapelli, D. Tarsitano</i>	
<b>A PLUG-IN HYBRID “BLUE-ANGEL III” FOR VEHICLE TO GRID SYSTEM WITH A WIRELESS GRID INTERFACE</b> .....	972
<i>V. Haerri, U. Madawala, D. Thrimawithana, R. Arnold, A. Maksimovic</i>	
<b>MODELING OF ELECTRIC VEHICLES DYNAMICS WITH MULTI-BOND GRAPHS</b> .....	977
<i>L. Silva, G. Magallan, P. Barrera, C. Angelo, G. Garcia</i>	
<b>EDUCATION ON VEHICLE ELECTRIFICATION: BATTERY SYSTEMS, FUEL CELLS, AND HYDROGEN</b> .....	984
<i>S. Moura, J. Siegel, D. Siegel, H. Fathy, A. Stefanopoulou</i>	
<b>SCALABILITY AS A DEGREE OF FREEDOM IN ELECTRIC DRIVE TRAIN SIMULATION</b> .....	990
<i>D. Buecherl, C. Bertram, A. Thanheiser, H. Herzog</i>	
<b>STEEM: ALSTOM AND RATP EXPERIENCE OF SUPERCAPACITORS IN TRAMWAY OPERATION</b> .....	995
<i>J. Moskowicz, J. Cohuau</i>	
<b>NONLINEAR MODELING OF PANCAKE DC LIMITED ANGLE TORQUE MOTOR BASED ON LUGRE FRICTION MODEL</b> .....	1000
<i>F. Ahmed, S. Laghrouche, M. Bagdouri</i>	
<b>ESTIMATION OF INDIVIDUAL IN-CYLINDER AIR MASS FLOW VIA PERIODIC OBSERVER IN TAKAGI-SUGENO FORM</b> .....	1006
<i>H. Kerkeni, J. Lauber, T. Guerra</i>	
<b>COMPARISON OF ANALYTICAL MODELS FOR PREDICTING ELECTROMAGNETIC PERFORMANCE IN SURFACE-MOUNTED PERMANENT MAGNET MACHINES</b> .....	1012
<i>L. Wu, Z. Zhu, D. Staton, M. Popescu, D. Hawkins</i>	
<b>ON BRAKING EFFICIENCY OF URBAN ELECTRIC TRANSPORTATION SYSTEMS BASED ON POWER ELECTRONICS</b> .....	1018
<i>P. Nicolae, I. Nicolae</i>	
<b>STOCHASTIC ANALYSIS ON THE ENERGY CONSTRAINT OF V2G FREQUENCY REGULATION</b> .....	1024
<i>Sekyung Han, Soo Hee Han, K. Sezaki</i>	



<b>ON THE INTEGRATION OF OPTIMAL ENERGY MANAGEMENT AND THERMAL MANAGEMENT OF HYBRID ELECTRIC VEHICLES</b> .....	1028
<i>J. Lescot, A. Sciarretta, Y. Chamaillard, A. Charlet</i>	
<b>HIGH PERFORMANCE ALGORITHMS FOR THE CONTROL AND LOAD IDENTIFICATION OF BOOST DC-DC CONVERTERS</b> .....	1034
<i>H. Kinoshita, K. Liu, A. Zaharin, Y. Yokozawa</i>	
<b>REAL TIME MODEL-BASED MONITORING OF A PEM FUEL CELL FLOODING AND DRYING OUT</b> .....	1040
<i>N. Fouquet</i>	
<b>DESIGN METHODOLOGY OF AN ELECTRIC VEHICLE HYBRID ENERGY STORAGE UNIT FOR IMPROVED ENERGY EFFICIENCY</b> .....	1048
<i>S. Mariethoz, P. Barrade</i>	
<b>OPTIMIZATION OF THE ENERGY CONSUMPTION OF THE ELECTRIC DRIVE FOR A POSTAL DELIVERY BICYCLE</b> .....	1054
<i>J. Timmermans, P. Lataire, J. Mierlo</i>	
<b>MODELING AND SIMULATION OF SWITCHED CAPACITOR CONVERTERS FOR ELECTRIC VEHICLE ENERGY STORAGE SYSTEMS</b> .....	1061
<i>Z. Amjadi, S. Williamson</i>	
<b>DEVELOPMENT OF SOFTWARE TESTBED USING PARAMETRIC DESIGN APPROACHES FOR A SERIES HYBRID MILITARY VEHICLE</b> .....	1068
<i>S. Lee, J. Kim, H. Bae, D. Choi, B. Cho</i>	
<b>OPTIMIZATION OF A POWER ELECTRONIC STRUCTURE FOR HYBRID FUEL CELL/ULTRACAPACITORS VEHICLE</b> .....	1074
<i>M. Kamali-Nejad, T. Azib, G. Remy, O. Bethoux, C. Marchand</i>	
<b>ONLINE OPTIMAL CONTROL OF A PARALLEL HYBRID WITH AFTER-TREATMENT CONSTRAINT INTEGRATION</b> .....	1080
<i>A. Chasse, G. Corde, A. Mastro, F. Perez</i>	
<b>PARAMETER CHARACTERIZATION OF LOW FREQUENCY PULSATING EMISSIONS FROM SPACE VECTOR PWM DRIVES</b> .....	1086
<i>M. Enohnyaket, K. Hyypä, J. Delsing</i>	
<b>EXPERIMENTAL INVESTIGATION ON VOLTAGE STABILITY IN VEHICLE POWER NETS FOR POWER DISTRIBUTION MANAGEMENT</b> .....	1092
<i>T. Kohler, T. Wagner, A. Thanheiser, J. Froeschl, C. Bertram, D. Buecherl, H. Herzog</i>	
<b>NEW EDUCATIONAL DEMANDS FOR THE FUTURE: AUTOMOTIVE TECHNOLOGY – MASTER OF SCIENCE</b> .....	1098
<i>T. Hofman, M. Steinbuch, A. Mestrom</i>	
<b>COMPARISON OF FLUX CONTROL CAPABILITY OF A SERIES DOUBLE EXCITATION MACHINE AND A PARALLEL DOUBLE EXCITATION MACHINE</b> .....	1104
<i>Y. Amara, G. Barakat, M. Gabsi</i>	
<b>DIAGNOSIS OF A HYDROGEN/AIR FUEL CELL BY A STATISTICAL MODEL-BASED METHOD</b> .....	1110
<i>A. Zeller, O. Rallieres, J. Regnier, C. Turpin</i>	
<b>POWER-SPLIT HYBRID TRANSMISSION ENERGETIC AND DYNAMIC EVALUATION PROGRAM</b> .....	1116
<i>P. Pognant-Gros, T. Wasselin, F. Badin</i>	
<b>LIFEMIT: PROJECT ANR-07-PDIT-004</b> .....	1124
<i>S. Benjamin, P. Desprez, F. Jegat, F. Duclaud, J. Bourdet, J. Bouysset, O. Pape, S. Qaisar, D. Dallet, S. Rael, B. Davat</i>	
<b>STATOR-FLUX-ORIENTED CONTROL WITH HIGH TORQUE DYNAMICS FOR IM AND PMSM</b> .....	1129
<i>M. Spichartz, M. Oetmeier, C. Heising, V. Staudt, A. Steimel</i>	
<b>HYBRID MODELING AND APPLICATIONS OF VIRTUAL METRO SYSTEMS</b> .....	1135
<i>W. Wang, M. Cheng, W. Hua, W. Zhao, S. Ding, Y. Zhu</i>	
<b>FUEL CELL/BATTERY PASSIVE HYBRID POWERTRAIN WITH ACTIVE POWER SHARING CAPABILITY</b> .....	1140
<i>J. Bernard, M. Hofer, U. Hannedes, A. Toth, A. Tsukada, F. Buchi, P. Dietrich</i>	
<b>VEHICLE DEVELOPMENT PROCESS FOR ECOCAR: THE NEXT CHALLENGE COMPETITION</b> .....	1145
<i>K. Patil, T. Maxwell, S. Bayne, R. Gale</i>	
<b>DEVELOPMENT OF DESIGN TOOL FOR HYBRID POWER SYSTEMS OF HYBRID ELECTRIC MILITARY COMBAT VEHICLES</b> .....	1151
<i>D. Choi, B. Cho, S. Lee, Y. Yoon</i>	
<b>SINGLE-STAGE FUEL-CELL INVERTER WITH NEW CONTROL STRATEGY</b> .....	1156
<i>L. Garcia, L. Freitas, H. Avelar, N. Costa, J. Junior, E. Coelho, V. Farias, L. Freitas</i>	
<b>ON THE SUITABILITY OF GALLIUM-NITRIDE (GAN) BASED AUTOMOTIVE POWER ELECTRONICS</b> .....	1162
<i>S. Dargahi, S. Williamson</i>	
<b>HYBRID EXCITATION SYNCHRONOUS MOTOR CONTROL WITH A NEW FLUX WEAKENING STRATEGY</b> .....	1168
<i>L. Kefsi, Y. Touzani, M. Gabsi</i>	
<b>SIMULATING THE RRS JAMES CLARK ROSS AS PART OF A MULTIOBJECTIVE DESIGN PROCESS</b> .....	1173
<i>A. Kwiatkowski, P. Palmer, A. Molina-Cristobal, R. Bridgeman, G. Parks</i>	
<b>IMPACT OF THE AGEING OF SUPERCAPACITORS IN POWER CYCLING ON THE BEHAVIOUR OF HYBRID ELECTRIC VEHICLES APPLICATIONS</b> .....	1179
<i>N. Bertrand, O. Briat, H. Brouji, J. Vinassa</i>	

<b>DIAGNOSIS OF A FUEL CELL STACK USING ELECTROCHEMICAL IMPEDANCE SPECTROSCOPY AND BAYESIAN NETWORKS</b> .....	1184
<i>S. Wasterlain, D. Candusso, F. Harel, X. Francois, D. Hissel</i>	
<b>MULTI-STAR MULTI-PHASE WINDING FOR A HIGH POWER NAVAL PROPULSION MACHINE WITH LOW RIPPLE TORQUES AND HIGH FAULT TOLERANT ABILITY</b> .....	1190
<i>F. Scuiller, J. Charpentier, E. Semail</i>	
<b>HELPFUL HINTS TO ENHANCE RELIABILITY OF DC-DC CONVERTERS IN HYBRID ELECTRIC VEHICLE APPLICATIONS</b> .....	1195
<i>A. Ranjbar, B. Fahimi</i>	
<b>EFFICIENCY EVALUATION OF SINGLE-PHASE SOLUTIONS FOR AC-DC PFC BOOST CONVERTERS FOR PLUG-IN-HYBRID ELECTRIC VEHICLE BATTERY CHARGERS</b> .....	1201
<i>F. Musavi, W. Eberle, W. Dunford</i>	
<b>DSP BASED SRG LOAD VOLTAGE CONTROL</b> .....	1207
<i>A. Silveiram, D. Andrade, L. Gomes, A. Fleury, C. Bissochi</i>	
<b>CORRELATION BETWEEN THE NEAR MAGNETIC FIELD RADIATED BY AN EMI FILTER AND ITS ELECTRIC WORKING</b> .....	1212
<i>C. Labarre, F. Costa, J. Ecrabey</i>	
<b>MODELLING OF ANISOTROPIC SYNCHRONOUS MACHINE IN STATOR REFERENCE FRAME</b> .....	1217
<i>J. Fang, C. Heising, V. Staudt, A. Steimel</i>	
<b>IMPACTS OF ELECTRIC VEHICLE LOADS ON POWER DISTRIBUTION SYSTEMS</b> .....	1222
<i>J. Pillai, B. Bak-Jensen</i>	
<b>MULTIPLE-INPUT DC-DC CONVERTER FOR THE THERMOELECTRIC-PHOTOVOLTAIC ENERGY SYSTEM IN HYBRID ELECTRIC VEHICLES</b> .....	1228
<i>Y. Fan, J. Ge, W. Hua</i>	
<b>EMI MODEL OF AN AC/AC POWER CONVERTER</b> .....	1233
<i>J. Espina, J. Balcells, A. Arias, C. Ortega, N. Berbel</i>	
<b>CONTROL STRATEGY WITH SATURATION MANAGEMENT OF A FUEL CELL/ULTRACAPACITORS HYBRID VEHICLE</b> .....	1239
<i>T. Azib, G. Remy, O. Bethoux, C. Marchand</i>	
<b>BATTERY CHARGING SYSTEM FOR PHEV AND EV USING SINGLE PHASE AC/DC PWM BUCK CONVERTER</b> .....	1245
<i>K. Kim, S. Park, S. Lee, T. Lee, C. Won</i>	
<b>CAUSAL-BASED GENERATION OF VELOCITY REFERENCE FOR AUTOMATIC SUBWAYS</b> .....	1251
<i>J. Verhille, R. Bearee, A. Bouscayrol</i>	
<b>ON-LINE ENERGY MANAGEMENT FOR HEV BASED ON PARTICLE SWARM OPTIMIZATION</b> .....	1257
<i>S. Caux, D. Wanderley-Honda, D. Hissel, M. Fadel</i>	
<b>ROBUST CONTROL IN 4X4 HYBRID-CONVERTED TOURING VEHICLES DURING URBAN SPEED STEERING MANEUVERS</b> .....	1264
<i>R. Sampaio, M. Becker, V. Lemos, A. Siqueira, J. Ribeiro, G. Caurin</i>	
<b>FUEL EFFICIENT CONTROL STRATEGY, BASED ON BATTERY-ULTRACAPACITOR ENERGY STORAGE SYSTEM, IN PARALLEL HYBRID ELECTRIC VEHICLES</b> .....	1270
<i>A. Eghbali, B. Asaei, P. Nader</i>	
<b>DEVELOPMENT OF A NON-CONTACT RAPID CHARGING INDUCTIVE POWER SUPPLY SYSTEM FOR ELECTRIC-DRIVEN VEHICLES</b> .....	1275
<i>K. Kobayashi, N. Yoshida, Y. Kamiya, Y. Daisho, S. Takahashi</i>	
<b>ROBUST LPV MODEL-BASED SENSOR FAULT DIAGNOSIS USING RELATIVE FAULT SENSITIVITY SIGNATURE AND RESIDUAL DIRECTIONS APPROACHES IN A PEM FUEL CELL</b> .....	1281
<i>S. Lira, V. Puig, J. Quevedo, A. Husar</i>	
<b>ROBUST YAW STABILITY CONTROL FOR ELECTRIC VEHICLES BASED ON ACTIVE STEERING CONTROL</b> .....	1288
<i>K. Nam, S. Oh, Y. Hori</i>	
<b>REAL TIME CONDITION MONITORING IN LI-ION BATTERIES VIA BATTERY IMPULSE RESPONSE</b> .....	1293
<i>A. Banaei, B. Fahimi</i>	
<b>PRELIMINARY DESIGN OF A SERIES HYBRID PNEUMATIC POWERTRAIN FOR A CITY CAR</b> .....	1299
<i>R. Hayeri, A. Taghavi, M. Durali</i>	
<b>PORTABLE VEHICULAR ELECTRONIC NOSE SYSTEM FOR DETECTION OF AUTOMOBILE EXHAUST</b> .....	1305
<i>Q. Wang, K. Song, T. Guo</i>	
<b>AN EDUCATION PROGRAM FOR TRANSPORTATION ELECTRIFICATION</b> .....	1310
<i>A. Emadi, M. Ehsani</i>	
<b>IMPLEMENTATION AND EVALUATION OF AN IPT BATTERY CHARGING SYSTEM IN ASSISTING GRID FREQUENCY STABILISATION THROUGH DYNAMIC DEMAND CONTROL</b> .....	1315
<i>C. Huang, J. Boys, G. Covic, J. Lee, R. Stebbing</i>	
<b>TOWARD ANALYTICAL SOLUTION OF OPTIMAL CONTROL PROBLEMS FOR HEV ENERGY MANAGEMENT</b> .....	1321
<i>C. Fontaine, S. Delprat, T. Guerra</i>	
<b>DIFFERENT MODELS OF A TRACTION DRIVE FOR AN ELECTRIC VEHICLE SIMULATION</b> .....	1327
<i>T. Letrouve, A. Bouscayrol, W. Lhomme, N. Dollinger, F. Calvairac</i>	
<b>AN ENERGETIC BASED METHOD LEADING TO MERGED CONTROL LOOPS FOR THE STABILITY OF INPUT FILTERS</b> .....	1333
<i>P. Barrade, A. Bouscayrol, P. Delarue</i>	

<b>ON THE FEASIBILITY OF HYBRID BATTERY/ULTRACAPACITOR ENERGY STORAGE SYSTEMS FOR NEXT GENERATION SHIPBOARD POWER SYSTEMS</b> .....	1339
<i>Y. Tang, A. Khaligh</i>	
<b>ENERGETIC MACROSCOPIC REPRESENTATION AND PSIM® SIMULATION: APPLICATION TO A DC/DC CONVERTER INPUT FILTER STABILITY</b> .....	1345
<i>P. Delarue, A. Bouscayrol, P. Barrade</i>	
<b>DESIGN AND APPLICATION OF PARALLEL HYBRID VEHICLE SIMULATION PLATFORM</b> .....	1351
<i>X. Ye, Z. Jin, B. Liu, M. Chen, Q. Lu</i>	
<b>EXPERIMENTAL INVESTIGATION OF HIGH-FLUX MAGNETIC MATERIALS FOR HIGH-CURRENT INDUCTORS IN HYBRID-ELECTRIC VEHICLE DC-DC CONVERTERS</b> .....	1356
<i>M. Rylko, J. Hayes, M. Egan</i>	
<b>HIGH ORDER SLIDING MODE OPTIMAL CURRENT CONTROL OF FIVE PHASE PERMANENT MAGNET MOTOR UNDER OPEN CIRCUITED PHASE FAULT CONDITIONS</b> .....	1363
<i>F. Mekri, J. Charpentier, S. Benelghali, X. Kestelyn</i>	
<b>BATTERY AND ULTRACAPACITOR COMBINATIONS – WHERE SHOULD THE CONVERTER GO?</b> .....	1369
<i>J. Miller, G. Sartorelli</i>	
<b>IMPACT OF PLUG-IN ELECTRIC VEHICLES ON THE SUPPLY GRID</b> .....	1375
<i>J. Balcells, J. Garcia</i>	
<b>EFFICIENCY OF A REGENERATIVE DIRECT-DRIVE ELECTROMAGNETIC ACTIVE SUSPENSION</b> .....	1379
<i>B. Gysen, T. Sande, J. Paulides, E. Lomonova</i>	
<b>DETERMINING A SUITABLE ALL ELECTRIC RANGE FOR A LIGHT WEIGHT PLUG-IN HYBRID ELECTRIC VEHICLE</b> .....	1385
<i>J. Poxon, A. McGordon, G. Muraleedharakurup, P. Jennings</i>	
<b>A MULTIPHASE TRACTION/FAST-BATTERY-CHARGER DRIVE FOR ELECTRIC OR PLUG-IN HYBRID VEHICLES: SOLUTIONS FOR CONTROL IN TRACTION MODE</b> .....	1393
<i>A. Bruyere, L. Sousa, B. Bouchez, P. Sandulescu, X. Kestelyn, E. Semail</i>	
<b>HYBRID CONTROL TECHNIQUE APPLIED IN A FC-SC ELECTRIC VEHICLE PLATFORM</b> .....	1400
<i>I. Cervantes, F. Perez-Pinal, J. Leyva-Ramos, A. Mendoza-Torres</i>	
<b>A NOVEL VOLTAGE BALANCE METHOD FOR CASCADED H-BRIDGE RECTIFIER</b> .....	1405
<i>X. Tao, Y. Li, M. Sun</i>	
<b>A BI-DIRECTIONAL BATTERY CHARGER FOR ELECTRIC VEHICLES USING PHOTOVOLTAIC PCS SYSTEMS</b> .....	1410
<i>G. Choe, J. Kim, B. Lee, C. Won, T. Lee</i>	
<b>STATISTICAL ANALYSIS OF PHEV FLEET DATA</b> .....	1416
<i>Q. Gong, S. Midlam-Mohler, V. Marano, G. Rizzoni, Y. Guezemec</i>	
<b>SAMPLED-DATA ENERGETIC MANAGEMENT OF A FUEL CELL/SUPERCAPACITOR SYSTEM</b> .....	1422
<i>F. Tiefertsee, M. Hilairet, D. Normand-Cyrot, O. Bethoux</i>	
<b>OVERVIEW OF SUPERCAPACITOR VOLTAGE EQUALISATION CIRCUITS FOR AN ELECTRIC VEHICLE CHARGING APPLICATION</b> .....	1428
<i>S. Lambert, V. Pickert, J. Holden, W. Li, X. He</i>	
<b>VOLTERRA SERIES ESTIMATION OF TRANSIENT SOOT EMISSIONS FROM A DIESEL ENGINE</b> .....	1435
<i>R. Ahlawat, J. Hagen, Z. Filipi, J. Stein, H. Fathy</i>	
<b>ELECTRIC VEHICLES AND DISPLACED GASEOUS EMISSIONS</b> .....	1442
<i>A. Foley, P. Leahy, E. McKeogh, B. Gallachoir</i>	
<b>STUDY OF AN OPTIMIZATION CRITERION OF MOUNTING BLOCKS FOR DRIVABILITY EVALUATION OF AN ELECTRIC VEHICLE</b> .....	1448
<i>B. Eller, J. Hetet</i>	
<b>MULTI-PHYSICS MODELING OF INDUSTRIAL INDUCTORS ASSOCIATED TO CONVERTERS</b> .....	1454
<i>G. Parent, M. Rossi, M. Hecquet, V. Lanfranchi, M. Bekemans</i>	
<b>PREDICTIVE ONLINE CONTROL FOR HYBRIDS: RESOLVING THE CONFLICT BETWEEN GLOBAL OPTIMALITY, ROBUSTNESS AND REAL-TIME CAPABILITY</b> .....	1460
<i>S. Kutter, B. Baker</i>	
<b>DESIGN AND EXPERIMENT OF AN AXIAL-AXIAL FLUX COMPOUND-STRUCTURE PMSM USED FOR HEVS</b> .....	1466
<i>J. Zhao, P. Zheng, C. Tong, R. Liu, Q. Wu</i>	
<b>LIFE CYCLE ASSESSMENT OF CONVENTIONAL AND ALTERNATIVE SMALL PASSENGER VEHICLES IN BELGIUM</b> .....	1471
<i>M. Messagie, F. Boureima, J. Matheys, N. Sergeant, L. Turcksin, C. Macharis, J. Van Mierlo</i>	
<b>SIMULATED FUEL ECONOMY AND PERFORMANCE OF ADVANCED HYBRID ELECTRIC AND PLUG-IN HYBRID ELECTRIC VEHICLES USING IN-USE TRAVEL PROFILES</b> .....	1476
<i>M. Earleywine, J. Gonder, T. Markel, M. Thornton</i>	
<b>GRID-CONNECTED ELECTRIC VEHICLES CHARGER STATION BASED ON LITHIUM POLYMER BATTERY ENERGY STORAGE SYSTEM</b> .....	1482
<i>D. Jung, Y. Ji, C. Won, T. Lee, S. Lee, K. Seo</i>	
<b>MODELING OF POWER SPLIT DEVICE FOR HEAVY-DUTY VEHICLES</b> .....	1487
<i>S. Syed, W. Lhomme, A. Bouscayrol, O. Pape, G. Letrouher</i>	
<b>ELECTRIC VEHICLES AS STORAGE DEVICES FOR SUPPLY-DEMAND MANAGEMENT</b> .....	1493
<i>S. Johnston, E. Bentley, M. Narayana, T. Jiang, P. Suwanapingkarl, G. Putrus</i>	

<b>DESIGN OF A SUPERCAPACITOR-BATTERY STORAGE SYSTEM FOR A WASTE COLLECTION VEHICLE</b> .....	1499
<i>S. Butterbach, B. Vulturescu, G. Coquery, C. Forgez, G. Friedrich</i>	
<b>SIZING AND EXPERIMENTAL CHARACTERIZATION OF ULTRA-CAPACITORS FOR SMALL URBAN HYBRID ELECTRIC VEHICLE</b> .....	1505
<i>D. Loukakou, H. Gualous, Y. Cheng, C. Espanet, F. Dubas</i>	
<b>POWER-CYCLE-LIBRARY-BASED CONTROL STRATEGY FOR PLUG-IN HYBRID ELECTRIC VEHICLES</b> .....	1512
<i>M. Shams-Zahraei, A. Zouzani</i>	
<b>POWER SYSTEM MODELING AND PERFORMANCE EVALUATION OF SERIES/ PARALLEL-TYPE PLUG-IN HYBRID ELECTRIC VEHICLES</b> .....	1518
<i>K. Ochiai, Y. Wada, Y. Kamiya, Y. Daisho, K. Morita</i>	
<b>OPTIMIZATION OF LINEAR FLUX SWITCHING PERMANENT MAGNET MOTOR</b> .....	1524
<i>W. Min, J. Chen, Z. Zhu, G. Duan</i>	
<b>SYSTEMATIC DEVELOPMENT OF SERIES-HYBRID BUS THROUGH MODELLING</b> .....	1530
<i>T. Huria, G. Sanna, G. Pede</i>	
<b>FINITE ELEMENT ANALYSIS AND EXPERIMENTAL STUDIES ON HYBRID MAGNETIC BEARING</b> .....	1536
<i>L. Song, J. Gao, W. Zhu, Q. Zeng</i>	
<b>AN IMPROVED MAGNETIC-GEARED PERMANENT MAGNET IN-WHEEL MOTOR FOR ELECTRIC VEHICLES</b> .....	1541
<i>Y. Fan, H. Jiang, M. Cheng, Y. Wang</i>	
<b>DESIGN OF A HYBRID ELECTRIC VEHICLE EDUCATION PROGRAM BASED ON CORPORATE NEEDS</b> .....	1546
<i>J. Gover, M. Thompson, C. Hoff</i>	
<b>BUCK-BOOST EQUALIZER FOR SUPER-CAPACITOR MODULES</b> .....	1550
<i>S. Zhang, R. Lu, J. Sun</i>	
<b>MODELING, DESIGN, AND CONTROL OF A FUEL CELL/BATTERY/ULTRA-CAPACITOR ELECTRIC VEHICLE ENERGY STORAGE SYSTEM</b> .....	1555
<i>S. Kim, S. Williamson</i>	
<b>ENERGETIC MACROSCOPIC REPRESENTATION AND MAXIMUM CONTROL STRUCTURE OF ELECTRIC VEHICLES CHARGING PHOTOVOLTAIC SYSTEM</b> .....	1560
<i>F. Locment, M. Sechilariu</i>	
<b>COMPARISON OF PERMANENT MAGNET BRUSHLESS MOTORS FOR ELECTRIC VEHICLES</b> .....	1566
<i>C. Yu, X. Zhang, S. Gao, D. Wu</i>	
<b>SINGLE-PHASE HIGH POWER HYBRID FRONT-END RECTIFIER WITH SOFT-COMMUTATION</b> .....	1571
<i>G. Lima, L. Freitas, J. Vieira Jr., E. Coelho, L. Freitas</i>	
<b>ESTIMATION OF THE INDUCTION MOTOR PARAMETERS OF AN ELECTRIC VEHICLE</b> .....	1577
<i>J. Terras, A. Neves, D. Sousa, A. Roque</i>	
<b>MODELLING AND SIMULATION OF MULTIPHASE IM WITH SINUSOIDAL FLUX DISTRIBUTION USED IN NAVAL APPLICATIONS INCLUDING TORQUE CALCULATION</b> .....	1583
<i>C. Heising, J. Fang, R. Bartelt, V. Staudt, A. Steimel</i>	
<b>ADAPTIVE PREDICTIVE ROBUST CONTROL FOR FUEL CELLS HYBRID VEHICLES</b> .....	1588
<i>L. Degliuomini, D. Zumoffen, M. Basualdo, D. Feroldi, J. Riera</i>	
<b>Author Index</b>	