

2010 International Symposium on Semiconductor Manufacturing

(ISSM 2010)

**Tokyo, Japan
18-20 October 2010**



IEEE Catalog Number: CFP10SSM-PRT
ISBN: 978-1-4577-0392-8

TABLE OF CONTENTS

KEYNOTE SPEECH SESSION

| | |
|--|----|
| Smartgrid for Future Green Society | 1 |
| <i>Takeshi Yokota</i> | |
| Advanced Process Control for Nano Technology Manufacturing | 38 |
| <i>John K. Kibarian</i> | |

SESSION 1 PROCESS AND MATERIAL OPTIMIZATION (PO) PART 1

| | |
|--|----|
| ALD-SiO ₂ Deposition and CD Slimming Techniques for Double Patterning and a Heater-less Batch Tool | 39 |
| <i>Tetsuya Shibata, Jun Satoh, Jun Ogawa, Toshihiro Abe, Toru Ishii, Kazuhide Hasebe</i> | |
| Crystalline Grain Size of Nickel-Platinum Silicide Films and Their Impact on Device Characteristics | 42 |
| <i>Yoshiki Yonamoto, Takuya Futase, Naotoshi Akamatsu, Yutaka Inaba, Hisanori Tanimoto</i> | |
| Methods to Eliminate Pattern Collapse in Mass Production by the Resist Replacement without Changing Model-based Optical-Proximity-Correction | 46 |
| <i>Yoshinori Matsui, Takayuki Yuguchi, Masafumi Fujita, Kazuto Yamaguchi, Tomoya Yamazaki, Takayuki Uchiyama, Masaharu Takizawa</i> | |
| Hydrogen Concentration Effect during RIE Process for Piezo Resistor of MEMS Pressure Sensor | 49 |
| <i>Shin Egami, Shinya Nakagawa, Tetsuya Yoda</i> | |
| Improvement of Gate Critical Dimension for 40nm Node Device | 53 |
| <i>Hiroyuki Yazawa, Atsushi Nishizawa, Takeshi Akimoto</i> | |
| Defect Reduction in Cu Chemical-Mechanical Polishing | 56 |
| <i>Thor Eusner, Nannaji Saka, Jung-Hoon Chun</i> | |
| Optimizing of Process Parameter and Further Step Coverage Improving regarding Copper Seed Deposition for 50nm NAND Flash | 60 |
| <i>Ying-Chieh Pan, Chun-Chi Chen, Hsien-Chang Kuo, Hung-Ju Chien</i> | |
| Effective Start up Study and Factor Analysis for Lithography Process Filter | 63 |
| <i>Toru Umeda, Shuichi Tsuzuki, Toru Numaguchi</i> | |

SESSION 2 MANUFACTURING CONTROL AND EXECUTION (MC) AND ENVIRONMENT, SAFETY AND HEALTH (ES)

| | |
|---|----|
| Apply Neighborhood Search on Optimization Heuristic for Scheduling of Foundry Fabrication | 67 |
| <i>Yih-Yi Lee, Chien-Lin Chang, Hsiao-Fen Wu, Hsin-Hon Hsieh, T. C. Fang</i> | |
| Input Plan Optimization System for the High Mix Low Volume Factory of the Semiconductor Manufacturing | 70 |
| <i>Koji Kamoda, Toshiharu Miwa, Shoichiro Fujiwara, Takafumi Chida, Nobuaki Nishihara</i> | |
| Effective WIP Flow Estimation for Daily Fab Production Target Setting with Consideration of Variability | 73 |
| <i>Yu-Ting Kao, Shi-Chung Chang, Peter B. Luh, Simon Wang, Hsuan Chuang, Joey Chang</i> | |
| Design of Standard Modeling Process for Tool Sequencing Optimization under Given Robot Control Logics: A PVD Case | 77 |
| <i>Pi-Min Hsu, Ji-Lun Chen, Joey Chang, Shian-Chiang Chiou, Jen-Hsuan Ho, Shi-Chung Chang, Liang-Liang Sun, Peter B. Luh</i> | |
| Optimal Wet-Furnace Machine Allocation for Daily Fab Production | 81 |
| <i>Simon Wang, Fenix Wang, Joey Chang, Ju-Yin Chang, Shi-Chung Chang, Peng Wang, Peter B. Luh, Yu-Ting Kao, Shun-Cheng Zhan</i> | |
| Smart PM Automatic Control System | 85 |
| <i>Cheng-Sheng Chang, Hsi-Lo Lo, Cheng-Chung Pan, De-Lung Wu</i> | |
| Improve Fab Performance by Using a Unique System that Support Overall Equipment Efficiency Methodology | 89 |
| <i>Maya Bakshi, Tomer Segal, Sylvain Bouhnik</i> | |
| 1 st LEED Certified Green Building for Existing Building Operation and Maintenance for Semiconductor Industry | 93 |
| <i>Tan Joo Shiu, Urashima Shigeru, Loh Chin Ling</i> | |

KEYNOTE SPEECH SESSION

| | |
|--|-----|
| 3D-TSV Overview | 96 |
| <i>Sitaram Arkalgud</i> | |
| Relentless Innovation: The Case for Agility in Semiconductor Manufacturing | 135 |
| <i>Thomas Sonderman</i> | |

SESSION 3 PROCESS AND MATERIAL OPTIMIZATION (PO) PART 2

| | |
|---|-----|
| Advances on NiPt SALICIDE Process Optimization for 28nm CMOS Manufacturing..... | 178 |
| <i>Yi-Wei Chen, Nien-Ting Ho, Jerander Lai, J. F. Lin, C. C. Huang, J. Y. Wu, James M. M. Chu, Jeffery W. Butterbaugh</i> | |
| Optimal Fabrication Process for MEMS Pressure Sensor by 8inch CMOS..... | 182 |
| <i>Tadashi Kai, Katsuyuki Inoue, Yoshitaka Adachi</i> | |
| Process Optimization with the Dynamic Response Analysis | 186 |
| <i>Nobuichi Kuramochi, Noriaki Katagiri</i> | |
| Effects of Surface Conditions of the Focus Ring on Etching Uniformity..... | 190 |
| <i>Ayuta Suzuki, Nobutoshi Terasawa, Tsuyoshi Moriya, Song-Yun Kang</i> | |

SESSION 4 FINAL MANUFACTURING (FM) AND CONTAMINATION CONTROL AND ULTRACLEAN TECHNOLOGY

| | |
|---|-----|
| High Productivity Multiple DUT CV Test for MEMS Microphone Wafer with Automatic Correction | 193 |
| <i>Shin Inuzuka</i> | |
| Influence of Airborne H₂S on Haze Generation in ArF Lithography | 197 |
| <i>Makiko Tamaoki, Eri Uemura, Kazuhiro Nishiki, Masayuki Hatano, Fumihiko Aiga</i> | |
| Outdoor Airborne Contamination Control for Semiconductor Manufacturing Process..... | 201 |
| <i>Chia-ching Wan, Jang-Jung Lee, Lien-fang Wu</i> | |

SESSION 5 FACTORY DESIGN (FD) AND MANUFACTURING STRATEGY AND OPERATION MANAGEMENT (MS)

| | |
|--|-----|
| Enhance Transfer Performance for High Throughput Tools by Control Scenario..... | 205 |
| <i>Yu-Jen Chen, Hsi-Lo Lo, Cheng-Chung Pan, Nian-Wei Chan</i> | |
| Mathematical Model for Estimating Direct Tool to Tool Transport Ratio | 209 |
| <i>Hiroshi Kondo</i> | |
| The Secret of Manufacturing Excellence : Lean Maintenance..... | 213 |
| <i>Tan Lin Sheng, Joan Tofoya</i> | |

SESSION 6 MANUFACTURING CONTROL AND EXECUTION (MC)

| | |
|---|-----|
| Focus Estimation using Scatterometry for 65/45-nm-node Hole Processes | 217 |
| <i>Kana Nemoto, Hideaki Sasazawa, Shunichi Matsumoto, Toshiharu Miwa, Seiji Hama, Yoshio Mori, Shota Tazawa, Koichiro Narimatsu</i> | |
| Root Cause Identification in Yield Degradation Due to Nickel-silicide Disconnection | 221 |
| <i>Masaki Kitabata, Yuji Kawabata, Shin-ichi Imai</i> | |
| Using Actual Equipment Data for Process Prediction in High-Mix Production..... | 225 |
| <i>Hirofumi Tsuchiyama, Hiroyuki Nakata, Katsuhisa Sakai</i> | |

SUMMARY PRESENTATION FOR INTERACTIVE POSTER SESSION

| | |
|---|-----|
| Enabling 18nm-particle Detection on Si Surfaces by Conventional Laser Scattering..... | 229 |
| <i>Akitake Tamura, Shigeru Kawamura, Misako Saito</i> | |
| Optimization of Test Parameters for the Thermal Resistance | 233 |
| <i>Shigenobu Murashima, Shigehiro Yamazaki</i> | |
| Defect Spatial Signature Analysis for Semiconductor Process..... | 237 |
| <i>Katsuki Imai, Masami Ichikawa, Yoshihide Shigeyama</i> | |
| Potential Technologies for Next Generation Defect Inspection..... | 241 |
| <i>Dilip Patel</i> | |
| Parallel Plate Wet Denuder Coupled Ion Chromatography for Near Real Time Monitoring of Acids, Ammonia and Amines in Clean Room and Equipments..... | 246 |
| <i>Masaki Takeuchi, Yoshimi Shiramizu, Masaru Tanaka, Hiromichi Tsunoda, Hideji Tanaka, Norikazu Namiki, Shuji Fujii</i> | |
| Effective Cleaning of Si by the Dry Ice Blasting for Future Dry Process Technology | 250 |
| <i>H. Satoh, K. Uchida, A. Koizumi, S. Nozaki, W. Kondou, H. Hosono</i> | |
| Ultra Thin Silicon Substrate for Next Generation Technology Nodes | 254 |
| <i>W. Schwarzenbach, X. Cauchy, O. Bonnin, F. Boedt, E. Butaud, C. Moulin, S. Kerdiles, J.-F. Gilbert, N. Daval, C. Aulnette, C. Girard, M. Yoshimi, C. Maleville</i> | |
| Stress-based Inspection System for Detecting Microcracks on CMP Surfaces | 257 |
| <i>Kazufumi Sakai, Shinsuke Yamaguchi, Naoharu Nishio, Kazuhiro Nonaka</i> | |
| Variable Frequency Drive using Nonresonant Ultrasonic Motor for Wear Reduction | 260 |
| <i>Yuki Soh, Koji Kosaka, Hiroshi Kubota</i> | |
| Non-destructive Inline Evaluation Method for the Gate Insulator in the Nodes Beyond the 22nm Generation..... | 263 |
| <i>Yuya Nishi, Toshimasa Hirano, Kazumiti Tanaka, Yuki Soh, Masao Yoshioka, Hiroshi Kubota, Kazuhiro Kobayashi, Yoshiyuki Yamashita, Akira Yoshino</i> | |

| | |
|---|-----|
| Optimizing Return On Inspection Through Defectivity Smart Sampling | 267 |
| <i>Mhamed Sahnoun, Philippe Vialletelle, Samuel Bassetto, Soidri Bastioni, Michel Tollenaere</i> | |
| Application and Effect Verification of EES to Old Generation Resist Coater | 271 |
| <i>Takahiro Shimojoh, Masahiro Shimbo</i> | |
| Bottleneck Elimination for Efficiency Improvement in Equipment Engineering Data Use Activities | 275 |
| <i>Masahiro Shimbo, Masatoshi Ikeda, Masahiko Minamide, Hiroshi Matsumura, Junichi Uchida, Hidetaka Nishimura</i> | |
| Optimization of CVD CIF3 Non-plasma Cleaning Condition with Advanced Endpoint Detection Tool | 279 |
| <i>Yohei Hamaguchi, Kazuyuki Fujii, Kenji Shirakawa, Minoru Hanazaki, Katsuo Katayama, Masato Toyota</i> | |
| Demand Forecasting System Using Customer Behavior to Optimize Foundry Manufacturing | 283 |
| <i>Rung-Shin Jiang, Edwin D. Liou, Kao-Lan Chen, Chun-Sheng Su, Chih-Young Hung</i> | |
| The Method of Modeling of Cycle Time and Consumable Cost of Batch Tool | 287 |
| <i>Hiroyuki Tsukahara, Tadashi Imai, Yoshiaki Namiokai, Hisashi Hosoe</i> | |
| Automatic Engineering Lot Handle System | 291 |
| <i>Hung-Lung Lin, Hsi-Lo Lo, Cheng-Chung Pan, Nian-Wei Chan</i> | |
| Advanced Automatic Transportation on Twin-FAB by Conveyor System | 295 |
| <i>Chia-Cheng Kuo, Chia-Yang Lin, Chien-Chih Chiu</i> | |
| ISSM 2010 a High Availability Multi-layered MCS System..... | 299 |
| <i>Chia-Yang Lin, Ming-Tang Yeh, Chia-Cheng Kuo</i> | |
| CMP Oxide Slurry Recycle System Implementation | 303 |
| <i>Jack Hsu, Y. J. Wann, J. R. Pai</i> | |

KEYNOTE SPEECH SESSION

| | |
|--|-----|
| Technologies and Trends Related to Power Module | 306 |
| <i>Katsumi Satoh</i> | |
| More-than-Moore Reinvented | 340 |
| <i>George Liu</i> | |

INVITED SPEECH SESSION

| | |
|---|-----|
| Perspective of CMOS Technology | 359 |
| <i>Tohru Mogami</i> | |

SESSION 8 PROCESS AND MATERIALS OPTIMIZATION (PO), YIELD ENHANCEMENT METHODOLOGY (YE), AND DESIGN FOR MANUFACTURING (DM)

| | |
|---|-----|
| A Novel Electron Beam-inspection Technique for Highimpedance Contact Plugs | 387 |
| <i>Yusuke Ominami, N. Tsuno, M. Nozoe, J. H. Oh, H. W. Yoo, J. P. Lee, D. Y. Mun</i> | |
| Methodology for N% Recovery Post PM for Aged/non-annealed SPA Oxynitride Gate without XPS Referencing..... | 391 |
| <i>JaeHyun Kim, ChangHwan Lee, SeongJun Heo, HyungWon Yoo, ChulHong Kim, Sungchul Yoo, Nam Hee Yoon, Zhiming Jiang, Hwan Seong Moon</i> | |
| Direct Correlation Between Electrical Failure and Haze Signals of DF (Dark Field) Inspectors | 395 |
| <i>Katsuhiro Fujiyoshi, Tomoko Isaka, Kyoko Sasahara, Hiroshi Nagaishi, Koichi Sakurai</i> | |
| Self-aligned Critical Line for LSI Yield Improvement | 399 |
| <i>Masaaki Sugimoto</i> | |
| Yield Model for Estimation of Yield Impact of Semiconductor Manufacturing Equipment | 403 |
| <i>A. Nutsch, R. Oechsner, U. Schoepka, L. Pfitzner</i> | |
| Optimizing and Applying a Scribe VC-TEG for the Shortloop Monitoring of Cu-via Open Failures..... | 407 |
| <i>Jiro Inoue, Hiroshi Nagaishi, Koichi Sakurai</i> | |
| Virtual Equipment Engineering: A Continuous Simulation Chain Leveraging Development of New Semiconductor Manufacturing Equipment | 411 |
| <i>Andreas Mattes, Matthias Koitzsch, Martin Schellenberger, Lothar Pfitzner</i> | |

SESSION 9 PROCESS AND MATERIALS OPTIMIZATION (PC)

| | |
|--|-----|
| Compensation of High-Speed Drift by Cu-CMP APC in Continuous Input of High-Mix Products | 415 |
| <i>N. Miyashita, K. Tamaki, H. Tsuchiyama, N. Uchida, K. Sakai, K. Yamamoto</i> | |
| Prediction of Slip Generation during Rapid Thermal Processing | 419 |
| <i>Nao Higuchi, Hiroshi Matsumura, Shinji Watanabe, Seiichi Shishiguchi</i> | |
| Advanced FD System for COC Reduction and Quality Improvement by using Pad Height Sensor for CMP Process | 423 |
| <i>Katsuhisa Sakai, Hirofumi Tsuchiyama, Masaru Nozue, Hiroyuki Masuda, Katsuhide Watanabe, Takashi Kurosawa, Tetsuya Tabaru</i> | |
| Productivity Improvement through Systematic Process Window Identification..... | 427 |
| <i>Allen Park, Ellis Chang</i> | |
| Reduction of Si Residues for Trench Etching | 431 |
| <i>Koichi Konishi, Kazumi Saito, Takeshi Akimoto</i> | |

| | |
|--|-----|
| Immersion Lithography Process Improvements by Wafer Edge Inspection at 300mm DRAM Manufacturing Fab | 435 |
| <i>Marlene Strobl, Calvin Hsu, Yu Chen Lin, Howard Chen, Damian Chen, Alex Cheng, WonGun Lee, Steve Lin, Oreste Donzella, Ribi Leung, Jennifer Kopp, Becky Pinto</i> | |
| Analysis of Gate CD Drift by EES | 439 |
| <i>Keiichi Harashima, Makoto Ajima, Takeshi Akimoto</i> | |
| Optimized Design of Control Plans Based on Risk Exposure and Resources Capabilities | 443 |
| <i>Belgacem Bettayeb, Philippe Vialletelle, Samuel Bassetto, Michel Tollenaere</i> | |

Author Index