

2011 International Conference on Electronic Devices, Systems and Applications

(ICEDSA 2011)

**Kuala Lumpur, Malaysia
25 – 27 April 2011**



**IEEE Catalog Number: CFP1157J-PRT
ISBN: 978-1-61284-388-9**

TABLE OF CONTENTS

| | |
|---|-----|
| An Effective Approach for Creating Multi-Notch Characteristics in Monopole Antennas | 1 |
| <i>H. Mardani, S. Abazari, M. Mardani</i> | |
| A Transport Control Protocol Suite for Smart Metering Infrastructure | 5 |
| <i>T. Khalifa, K. Naik, M. Alsabaan, A. Nayak</i> | |
| Advantages of MIMO Channel Estimation in Rician Flat Fading Environments | 11 |
| <i>M. Jabbari, H. Nooralizadeh</i> | |
| Semantic Speech Query via Stemmer for Quran Documents Results | 17 |
| <i>M. Yunus, R. Zainuddin, N. Abdullah</i> | |
| Varactor-Based Frequency-Tuned Microwave Open-Circuited Stub Resonator | 22 |
| <i>M. Latip, M. Salleh, N. Wahab, M. Hamzah</i> | |
| An Innovative Invert Charge Recovery Logic Structure | 25 |
| <i>N. Wang, Y. Zhang, T. Yoshihara</i> | |
| A Novel Area-Throughput Optimized Architecture for the AES Algorithm | 29 |
| <i>H. Samiee, R. Atani, H. Amindavar</i> | |
| Hardware Implementation Of Recursive Sorting Algorithms | 33 |
| <i>D. Mihhailov, V. Sklyarov, I. Skliarova, A. Sudnitson</i> | |
| A Self-Timed Dual-Rail Processor Core Implementation for Microcontrollers | 39 |
| <i>H. Tsai, W. Cheng, Y. Chang, C. Chen, F. Cheng</i> | |
| A New Design Of XOR-XNOR Gates For Low Power Application | 45 |
| <i>N. Ahmad, R. Hasan</i> | |
| Biased Voltage Boundary Condition to Operate Bilayer Graphene in the Insulating Region | 50 |
| <i>H. Sadeghi, M. Ahmadi, S. Sangtarash, R. Ismail</i> | |
| Analytical Modelling Of Early Voltage And Current Gain Of Si_{1-y}Ge_y Heterojunction Bipolar Transistor | 53 |
| <i>F. Rabbi, Y. Arafat, M. Khan</i> | |
| A Novel N-MOSFET with Air Gaps in Gate Insulator for Deep Submicron Applications | 59 |
| <i>A. Orouji, M. Rahimian, A. Aminbeidokhti</i> | |
| A Novel GaAs MESFET with Multi-Recessed Drift Region and Partly p-Type Doped Space Layer | 63 |
| <i>A. Orouji, A. Aminbeidokhti, M. Rahimian</i> | |
| Two Dimensional Analytical Subthreshold Swing Model of a Double Gate MOSFET with Gate-S/D Underlap, Asymmetric and Independent Gate Features | 67 |
| <i>R. Vaddi, S. Dasgupta, R. Agarwal</i> | |
| A 4-Phase Cross-Coupled Charge Pump With Charge Sharing Clock Scheme | 73 |
| <i>H. Zhu, M. Huang, Y. Zhang, T. Yoshihara</i> | |
| A10-bit, 20-MS/s, Fully Differential Single Transfer Phase CBSC Pipelined ADC in 0.18µm CMOS | 77 |
| <i>M. Zamani, M. Dousti, A. Nohoji</i> | |
| CMOS Implementation of One Layer of Neurons for Pattern Recognition System | 83 |
| <i>S. Moshfe, B. Mashoufi, N. Kamali</i> | |
| A Low Power Consumption And Compact Mixed-Signal Gaussian Membership Function Circuit For Neural/Fuzzy Hardware | 87 |
| <i>M. Pour, B. Mashoufi</i> | |
| A Low Power, High Performance Multi-Mode Delta-Sigma ADC for GSM, WCDMA and WLAN Standards | 92 |
| <i>M. Honarparvar, E. Aghdam, M. Shamsi, A. Zahedi, M. Zafaranchi</i> | |
| Solar Energy Water Heater Remote Monitoring and Control System | 98 |
| <i>A. Tahat, M. Abukhalaf, O. Elmuhsen</i> | |
| An Obstacle Detection and Avoidance of A Mobile Robot with Stereo Vision Camera | 104 |
| <i>R. Hamzah, H. Rosly, S. Hamid</i> | |
| Logical Circuit Gate Sizing using MPSO guided by Logical Effort – An Examination of the 4-Stage Half Adder Circuit | 109 |
| <i>A. Johari, S. Mohamed, A. Halilm, I. Yassin, H. Hassan</i> | |
| Rectangular Electrode Characteristic in Electrodynamics Solid Particle Measurement | 115 |
| <i>M. Ghazali, W. Ibrahim, S. Ghani, M. Rahmat</i> | |
| Development of Wireless High Immunity EEG Recording System | 120 |
| <i>H. Saadi, M. Ferroukhi, M. Attari</i> | |
| New Bridgeless PFC Converter with Reduced Components | 125 |
| <i>M. Mahdavi, H. Farzanehfard</i> | |

| | |
|--|-----|
| Reduction of Line-Current Total Harmonic Distortion (THD) of a Valley Fill Electronic Ballast | 131 |
| <i>S. Rahman, F. Rabbi, M. Khan</i> | |
| A New Active Clamping PWM DC-DC Converter | 137 |
| <i>M. Delshad, N. Rakian</i> | |
| A New Soft Switching Current-fed Converter With High Voltage Gain | 142 |
| <i>M. Delshad, H. Eghbali</i> | |
| Process Optimization Approach in Fine Pitch Cu Wire Bonding | 147 |
| <i>B. Wong, C. Yong, P. Eu, B. Yap</i> | |
| A High Precision High Frequency VLSI Multi-Input Min-Max Circuit Based on WTA-LTACells | 152 |
| <i>M. Padash, A. Khoei, K. Hadidi, H. Ghasemiyani</i> | |
| A Nano-Watt Current-Mode Defuzzifier For Fuzzy Logic Controllers | 157 |
| <i>A. Niknam, A. Khoei, K. Hadidi, M. Padash</i> | |
| Low-Voltage and Low-Power Consumption 0.35um CMOS Voltage-Mode Defuzzifier | 161 |
| <i>A. Taji, A. Khoei, K. Hadidi, M. Padash</i> | |
| A Noise-Canceling CMOS Low-Noise Amplifier for WiMAX | 165 |
| <i>G. Fatemeh, G. Hossein</i> | |
| A Study on Palmistry Color Reflectance Related to Personality of Subject | 170 |
| <i>S. Hassan, H. Hashim, N. Abdullah, A. Azman</i> | |
| Sensor Network for Detecting Human's Thermal Comfort Considering of Individuals | 176 |
| <i>K. Kojima</i> | |
| Fruit Defect Detection From Color Images Using ACM And MFCM Algorithms | 182 |
| <i>G. Moradi, M. Shamsi, M. Sedaghi, M. Alsharif</i> | |
| Low Cost Digital Stroboscope Designed to Measure Speed of Motor Optically | 187 |
| <i>M. Islam, M. Bhuiyen</i> | |
| Mechanical Parameters Characterization of Planar FEF Fingers for pH Sensor | 191 |
| <i>A. Manut, A. Zoolfakar, R. Rani, M. Zolkapli</i> | |
| Frequency-Tuned Microwave Ring Resonator Using Varactor Diodes | 195 |
| <i>M. Latip, N. Wahab, M. Salleh, Z. Awang, M. Hamzah</i> | |
| Review on The Latest H.264 Motion Estimation Techniques | 199 |
| <i>A. Juri, A. Jambek</i> | |
| Implementing Root Raised Cosine (RRC) Filter for WCDMA using Xilinx | 203 |
| <i>N. Khairudin, M. Idros, N. Hassan, A. Razak, M. Haron, S. Al-Junid</i> | |
| DSP Source Code Optimization Of BPSK/QPSK Receiver Symbol Synchronization Recovery Circuit | 208 |
| <i>V. Vasilevskiy, V. Panyushkin, P. Puzyrev</i> | |
| Development Of A Multitasking Mobile Robot For The Construction Of Educational Robotics Kits | 213 |
| <i>J. Filho, W. Almeida, S. Martins</i> | |
| Current-Tunable Current-Mode All-pass Section Using DDCC | 217 |
| <i>U. Torteanchai, M. Kumngern</i> | |
| A New Chopper Modulator Circuit | 221 |
| <i>M. Kumngern</i> | |
| A Very-High Resolution VLSI Loser-Take-All (LTA) Circuit for Neural Networks and Fuzzy Systems | 225 |
| <i>M. Padash, B. Mashoufi, A. Taji, H. Hatami</i> | |
| Realization of Active-C Voltage Mode Third Order Band Pass Filter with Current Controlled Current Conveyor (CCCII) | 229 |
| <i>A. Ranjan, S. Paul</i> | |
| BandPass Dynamic Element Matching for Low OSR High Resolution Delta Sigma Modulators | 232 |
| <i>Y. Hasanpour, E. Aghdam, V. Sabouhi, M. Sasan</i> | |
| Effects of Annealing Process on Dielectric Properties of Sol-gel Derived Lead Titanate Thin Films | 237 |
| <i>R. Bakar, M. Bakar, M. Rusop</i> | |
| Effect of Nitrogen Incorporation to Electrical and Optical Properties of Amorphous Carbon Thin Film Prepared by Thermal CVD | 241 |
| <i>F. Mohamad, A. Yusof, U. Noor, M. Rusop</i> | |
| Two Dimensional Analytical Subthreshold Current Model of a Generic Double Gate MOSFET with Gate Underlap | 246 |
| <i>R. Vaddi, S. Dasgupta, R. Agarwal</i> | |
| Structural and Optical Properties of As-prepared ZnO Nanorod by Electrochemical Deposition Method | 250 |
| <i>A. Rodzi, N. Azami, M. Mamat, M. Musa, M. Rusop, A. Rodzi, M. Berhan</i> | |
| Design and Simulation of SAW Delay Line for Corrosion Detection | 254 |
| <i>A. Malik, A. Iqbal, Z. Burhanudin</i> | |
| Electrical and Optical Properties of Nanostructured Copper (I) Iodide Thin Films for DSSC | 258 |
| <i>M. Amalina, M. Musa, M. Rusop</i> | |

| | |
|---|------------|
| Photoconductivity Of MEH-PPV:TiO₂ Nanocomposite Thin Film | 263 |
| <i>F. Zahid, M. Sarah, M. Rusop</i> | |
| Photoconductivity of Nanocomposited MEH-PPV: CNTs Thin Film for Organic Solar Cells Application | 267 |
| <i>M. Sarah, R. Yaacob, F. Zahid, U. Noor, M. Rusop</i> | |
| Effect of Deposition Temperature on the Characteristics of Zinc Oxide Nanoparticles Thin Films Deposited by Thermal Chemical Vapor Deposition..... | 272 |
| <i>S. Shariffudin, N. Zakaria, S. Herman, M. Rusop</i> | |
| The Effect of Drying Temperature towards Electrical and Structural Properties of Magnesium Oxide | 276 |
| <i>Z. Habibah, L. Ismail, R. Bakar, M. Rusop</i> | |
| Wavelet Transform and Fast Fourier Transform for Signal Compression: A Comparative Study | 280 |
| <i>S. Karim, R. Kamarudin, B. Karim, M. Hasan, J. Sulaiman</i> | |
| Frequency Domain Adaptive Sampling Technique for Aerospace Instrumentation and Telemetry Applications..... | 286 |
| <i>S. Sreelal, B. Varghese</i> | |
| H[∞] Speed Control for Permanent Magnet Synchronous Motor | 290 |
| <i>S. Zulkifli, M. Ahmad</i> | |
| Multi-format Index Data Structure (MIDS) for Multimedia Container Format Demultiplexers | 294 |
| <i>S. Sumath, P. Namratha, K. Naveen, N. Ramakrishna</i> | |
| Low-Cost Solar Water Heater | 300 |
| <i>N. Buniyamin, K. Salah, A. Mohamed, Z. Mohamad</i> | |
| Inductor-Less Monolithic Tunable Active Dual-Band Bandpass Filter..... | 305 |
| <i>A. Alahyari, A. Habibzadeh, H. Hassani, M. Zamani, M. Dousti</i> | |
| An Ultra Wide-Band Low-Noise Amplifier: Design And Simulation Using ED02AH And RFCMOS 0.18mM Technologies..... | 309 |
| <i>H. Hassani, A. Habibzadeh, A. Alahyari, M. Dousti</i> | |
| Ion-Sensitive Field-Effect Transistor Selectivity with Back-Propagation Neural Network..... | 314 |
| <i>W. Abdullah, F. Elektrik, M. Othman, M. Ali, M. Islam</i> | |
| Nanostructured TiO₂ Photoanode prepared through sonication of P-25/Sol-Gel for Dye-sensitized Solar Cells..... | 318 |
| <i>M. Abdullah, M. Musa, M. Mamat, L. Ismail, M. Rusop</i> | |
| Photoresponse Characteristics of Nanostructured Aluminum Doped Zinc Oxide Thin Films | 322 |
| <i>M. Malek, S. Arbain, M. Mamat, M. Sahdan, M. Musa, A. Rodzi, Z. Khusaimi, M. Rusop</i> | |
| Effect of Deposition Temperature of Amorphous Carbon Thin Films | 328 |
| <i>A. Fadzilah, M. Rusop</i> | |
| Electrical Properties of Spin Coated PMMA for OFETs Applications..... | 333 |
| <i>L. Ismail, Z. Habibah, M. Abdullah, H. Rusop</i> | |
| Effects of Cobalt Doping Concentration on the Structural, Electrical, and Optical Properties of Titanium Dioxide Thin Films..... | 339 |
| <i>M. Musa, Z. Ameran, M. Mamat, M. Malek, N. Rasheid, U. Noor, M. Rusop</i> | |
| A Novel Fabrication Process for Nanostructured Al-Doped ZnO Thin Film Based Humidity Sensors..... | 343 |
| <i>N. Sin, M. Kamel, M. Mamat, Z. Mohamad, R. Alip, M. Rusop</i> | |
| Effect of the Deposition Process on the Crystallization of Polycrystalline Silicon Thin Film on Glass Substrate..... | 349 |
| <i>S. Herman, A. Tatsuya, S. Horita</i> | |
| Author Index | |