

2011 7th Conference on Ph.D. Research in Microelectronics and Electronics

(PRIME 2011)

**Madonna di Campiglio, Italy
3-7 July 2011**



IEEE Catalog Number: CFP11622-PRT
ISBN: 978-1-4244-9138-4

Table of Contents

Plenary session

Multi-radio integration into scaled CMOS SoCs <i>Marian Verhelst</i> (invited speaker) Intel Labs, Hillsboro, OR, USA	1
------------------------------------------------------------------------------------------------------------------------------------	---

Session 1 - Wireless and Wired Communications I

An FPGA Based Diagnostic Tool for Jitter Optimization in Serial High-Speed Transceivers <i>Stefan Erb, Michael Stadler and Wolfgang Pribyl</i> Institute of Electronics, Graz University of Technology, Graz, Austria	5
Filter Partitioning Optimum Strategy in Homodyne Multi-Standard Radio Receivers <i>Silvian Spiridon^{1,2}, Claudius Dan¹ and Mircea Bodea¹</i> ¹ “POLITEHNICA” University of Bucharest, Bucharest, Romania ² Now with Broadcom, Bunnik, The Netherlands	9
Simulation Environment for Blocker Detection in LTE Systems <i>Thomas Schlechter</i> Institute of Networked and Embedded Systems, Klagenfurt University, Klagenfurt, Austria	13

Session 2 – Time-to-Digital Converters (TDCs)

Observations on the Resolution and Tones in First Order Noise Shaping Time-to-Digital Converters <i>Francesco Brandonisio¹, Michael Peter Kennedy¹ and Franco Maloberti²</i> ¹ University College Cork and Tyndall National Institute, Cork, Ireland ² Department of Electronics, University of Pavia, Pavia, Italy	17
Monolithic Time-to-Amplitude Converter for TCPSC Applications with 45 ps Time Resolution <i>Matteo Crotti, Ivan Rech and Massimo Ghioni</i> Dipartimento di Elettronica e Informazione, Politecnico di Milano, Milan, Italy	21
15bit Time-to-Digital Converters with 0.9% DNL_{rms} and 160ns FSR for Single-photon Imagers <i>Bojan Markovic, Simone Bellisai and Federica A. Villa</i> Dipartimento di Elettronica e Informazione, Politecnico di Milano, Milan, Italy	25

Session 3 – Wireless, RF and mm-Waves

FoM to Compare the Effect of ASK Based Communications on Remotely Powered Systems <i>Enver G. Kilinc¹, Oğuz Atasoy¹, Catherine Dehollain¹ and Franco Maloberti²</i> ¹ RF-IC Group, Ecole Polytechnique Fédérale de Lausanne, Lausanne, Switzerland ² Department of Electronics, University of Pavia, Pavia, Italy	29
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

Session 4 – VLSI and System-on-Chip

- FlexDEF: Development Framework for Processor Architecture Implementation and Evaluation**
Kasyab P. Subramanian, Erik Ryman, Magnus Sjalander, Tung Thanh Hoang, Mafijul Md Islam and Per Larsson-Edefors 37
VLSI Research Group, Department of Computer Science and Engineering Chalmers University of Technology, Gothenburg, Sweden
- Power Gating Multiplier of Embedded Processor Datapath**
Tung Than Hoang, Vineeth Saseendran, Donatas Siaudinis and Per Larsson-Edefors 41
VLSI Research Group, Department of Computer Science and Engineering Chalmers University of Technology, Gothenburg, Sweden
- A 19MFLIPS CMOS Fuzzy Controller to Control Continuously Variable Transmission Ratio**
Ali Naderi¹, Mortaza Aliasghary¹, Alireza Pourazar² and Hadi Ghasemzadeh³ 45
¹ Department of Electrical Engineering, Istanbul Technical University, Istanbul, Turkey
² Microelectronics Research Laboratory, Tabriz University, Tabriz, Iran
³ Microelectronics Research Laboratory, Urmia University, Urmia, Iran

Session 5 – Biosensors

- Handheld Bio-Impedance Measurement System Based on an Instrument-on-Chip**
Angelo Rottigni, Marco Carminati, Giorgio Ferrari and Marco Sampietro 49
Dipartimento di Elettronica e Informazione, Politecnico di Milano, Milan, Italy
- Design of an Electronic Oscillator for Biosensing Applications based on a MEMS Resonator**
Vincenzo Russino, Francesco Pieri and Paolo Bruschi 53
Dipartimento di Ingegneria dell'Informazione: Elettronica, Informatica, Telecomunicazioni, Università di Pisa, Pisa, Italy
- Electrochemical Impedance Spectroscopy Study of the Cells Adhesion over Microelectrodes Array**
Alberto Ferrario¹, Matteo Scaramuzza¹, Elisabetta Pasqualotto¹, Alessandro De Toni¹, Alessandro Paccagnella¹, Marta Maschietto² and Stefano Vassanelli² 57
¹ Department of Information Engineering, Università di Padova, Padova, Italy
² Department of Human Anatomy and Physiology, Università di Padova, Padova, Italy
- Design of a Cantilever-based System for DNA Detection**
Andrea Adami, Fausto Borghetti, Nicola Massari, Massimiliano Decarli, Cristian Collini, Leandro Lorenzelli and David Stoppa 61
Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy

Session 6 – Analogue Techniques I

- A CMOS Equalizer for Short-Reach Optical Communications**
Cecilia Gimeno, Concepción Aldea and Santiago Celma 65
Electronic Design Group (GDE), Aragón Institute of Engineering Research (I3A), University of Zaragoza, Zaragoza, Spain
- Operational Amplifier Design For High-Speed Pipelined Analog-to-Digital Converters in Deep-Submicron CMOS Processes**
Tero Nieminen and Kari Halonen 69
Department of Micro- and Nanosciences, Aalto University School of Electrical Engineering, SMARAD-2, Espoo, Finland
- High Precision Injection Circuit for in-Pixel Calibration of Large Sensor Matrix**
Emanuele Quartieri¹ and Massimo Manghisoni² 73
¹ Dipartimento di Elettronica, Università di Pavia, Pavia, Italy
² Dipartimento di Ingegneria Industriale, Università di Bergamo, Dalmine, Italy

Analog Front-end for Monolithic and Hybrid Pixels in a Vertical Integration CMOS Technology <i>Alessia Manazza^{1,3}, Stefano Zucca^{1,3}, Luigi Gaioni³, Lodovico Ratti^{1,3} and Gianluca Traversi^{2,3}</i>	77
¹ Dipartimento di Elettronica, Università di Pavia, Pavia, Italy	
² Dipartimento di Ingegneria Industriale, Università di Bergamo, Dalmine, Italy	
³ INFN, Sezione di Pavia, Pavia, Italy	
 <u>Session 7 Sensors I</u>	
A CMOS THz Staring Imager with In-pixel Electronics <i>Suzana Domingues¹, Matteo Perenzoni¹, David Stoppa¹, Antonio D. Capobianco² and Francesco Sacchetto²</i>	81
¹ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
² Dept. of Information Engineering, Università degli Studi di Padova, Padua, Italy	
Design and Characterization of a Monolithic CMOS Phase-Sensitive Pixel Based on an Avalanche Photodiode <i>Olga Shcherbakova², Roberto Mittempergher², Lucio Pancheri¹, David Stoppa¹ and Gian-Franco Dalla Betta²</i>	85
¹ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
² DISI, University of Trento, Trento, Italy	
Towards a Hybrid CMOS-imager with Organic Semiconductors as Photoactive Layer <i>Daniela Baiert¹, Morten Schmidt¹, Giuseppe Scarpa¹, Paolo Lugli¹, Lucio Pancheri³, David Stoppa³ and Gian-Franco Dalla Betta²</i>	89
¹ Institut für Nanoelektronik, Technische Universität München, Munich, Germany	
² DISI, University of Trento, Trento, Italy	
³ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
Alpha-Particle Monitoring Systems Based on a BJT Detector on High-Resistivity Silicon <i>Davide Saguatti¹, Vladyslav Tyzhnevyy² and Gabriele Giacomini³</i>	93
¹ Dipartimento di Scienze e Metodi dell'Ingegneria, Università di Modena e Reggio Emilia, Reggio Emilia, Italy	
² Dipartimento di Ingegneria e Scienza dell'Informazione, Università di Trento, Trento, Italy	
³ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
 <u>Session 8 – Power Management</u>	
A Hybrid DC/DC Converter for Ultra-Low Power Wireless Sensor Nodes <i>Stefan Gruber^{1,2}, Hannes Reinisch², Günter Hofer¹, Albert Missoni¹, Wolfgang Pribyl² and Gerald Holweg¹</i>	97
¹ Development Center Graz, Infineon Technologies Austria AG, Graz, Austria	
² Institute of Electronics, Graz University of Technology, Graz, Austria	
Inductorless Voltage Regulator System with Voltage Increasing Capability for Low-Power Sensors <i>Antti Kalanti, Lasse Aaltonen, Mikail Yüçetas, Mika Pulkkinen, Matti Paavola, Mika Kämäräinen and Kari Halonen</i>	101
SMARAD-2, Department of Micro and Nanosciences, Aalto University School of Electrical Engineering, Espoo, Finland	
Output Stage Topologies of DC-DC Buck Converters Operating up to 5 V Supply Voltage in 65 nm CMOS <i>Gerhard Maderbacher¹, Thomas Jackum¹, Wolfgang Pribyl¹ and Christoph Sandner²</i>	105
¹ Institute of Electronics, Graz University of Technology, Graz, Austria	
² Infineon Technologies Austria AG, Villach, Austria	

A CMOS LowPower SoC for HID and LED Lamps Ballast	
<i>Andrea Costantini¹, Giorgio Cavaleri¹, Aurora Pepino², Marcello De Matteis³, Giuseppe Cocciolo³, Marco De Blasi³, Stefano D'Amico³, Paolo Visconti³ and Andrea Baschiroto²</i>	109
¹ “Cavaleri Sistemi s.r.l.”, Galatone, Italy	
² Department of Physics, University of Milano Bicocca, Milan, Italy	
³ Department of Innovation Engineering, University of Salento, Lecce, Italy	

Session 9 – Analog-to-Digital Converters I

A High Speed Linear Buffer for A/D Conversion beyond 100 GS/s in InP DHBT Technology	
<i>Damir Ferenci, Markus Grözing and Manfred Berroth</i>	113
Institute of Electrical and Optical Communications Engineering, University of Stuttgart, Stuttgart, Germany	
A 6 bit 25 GS/s Flash Interpolating ADC in 90 nm CMOS Technology	
<i>Felix Lang, Thomas Alpert, Damir Ferenci, Markus Grözing and Manfred Berroth</i>	117
Institute of Electrical and Optical Communications Engineering, University of Stuttgart, Stuttgart, Germany	
A Chopper Stabilized Low-power Differential $\Delta\Sigma$ ADC	
<i>Mikail Yüccetas, Lasse Aaltonen, Mika Pulkkinen, Antti Kalanti and Kari Halonen</i>	121
SMARAD-2/Department of Micro- and Nanosciences, Aalto University School of Electrical Engineering, Aalto, Finland	
A 20-bit Dynamic Range CMOS A/D Converter for Ionization Chambers	
<i>Giuseppe Venturini^{1,2}, Francis Anghinolfi¹, Bernd Dehning¹, François Krummenacher² and Maher Kayal²</i>	125
¹ CERN, Genève, Switzerland	
² STI, ELab, GR-KA, EPFL, Lausanne, Switzerland	

Session 10 – Analogue Techniques II

An Ultra Low-Power 7th Order Active-RC LPF for IEEE 802.15.4a Standard Compliant Transceiver	
<i>Oleksiy Klymenko, Gunter Fischer and Denys Martynenko</i>	129
Institut für Innovative Mikroelektronik (IHP), Frankfurt (Oder), Germany	
A Chopper Modulated Low Noise Instrumentation Amplifier For MEMS Thermal Sensors Interfacing	
<i>Federico Butti¹, Paolo Bruschi¹ and Massimo Piotto²</i>	133
¹ Department of Information Engineering, University of Pisa, Pisa, Italy	
² IEIIT – Pisa, CNR, Pisa, Italy	
A 4-μW 0.8-V Rail-to-Rail Input/Output CMOS Fully Differential OpAmp	
<i>María De Rodanas Valero, Santiago Celma, Nicolás Medrano and Belén Calvo</i>	137
Group of Electronic Design, University of Zaragoza, Zaragoza, Spain	
A CMOS Micropower Voltage-to-Frequency Converter for Portable Applications	
<i>Cristina Azcona, Belén Calvo, Nicolás Medrano, Santiago Celma and María De Rodanas Valero</i>	141
Group of Electronic Design, University of Zaragoza, Zaragoza, Spain	

Session 11 - Sensors II

Geometrical Parameters Influence on the Hall Effect Sensors Offset and Drift	
<i>Maria-Alexandra Paun, Jean-Michel Sallese and Maher Kayal</i>	145
STI-IEL-Electronics Lab, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland	

System-Theoretical Analysis and Modeling of Pulsed Thermal Time-of-Flight Flow Sensor	149
<i>O. Ecin, E. Engeliën, R. Viga, B.J. Hosticka and A. Grabmaier</i>	
Chair for Electronic Components and Circuits at the University Duisburg-Essen, Duisburg, Germany	
Bias Circuit Design for POSFET based Tactile Sensing Devices	153
<i>Arun Kumar Sinha and Maurizio Valle</i>	
Department of Biophysics and Electronics, University of Genova, Genova, Italy	
A Demodulation Inductive Proximity Sensor with Suppression of Background Magnetic Flux Density	157
<i>Stefan Hoberg and Dietmar Ehrhardt</i>	
Institute of Microsystemtechnology (IMT), University of Siegen, Siegen, Germany	
<u>Session 12 - Image Processing</u>	
A Low-Power Stereo Vision System Based on a Custom CMOS Imager with Positional Data Coding	161
<i>Nicola Cottini¹, Marco De Nicola¹, Massimo Gottardi¹ and Roberto Manduchi²</i>	
¹ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
² Dept. of Computer Engineering, University of California Santa Cruz, CA 95064, USA	
Low Complexity Image Recognition Algorithm for Handheld Applications	165
<i>Pradyumna Ayyalasomayajula, Sara Grassi and Pierre-André Farine</i>	
Institute of Microengineering, Electronics and Signal Processing Laboratory, Ecole Polytechnique Fédérale de Lausanne, EPFL STI IMT ESPLAB, Neuchâtel, Switzerland	
FPGA Implementation of a People Counter for an Ultra-Low-Power Wireless Camera Network Node	169
<i>Leonardo Gasparini¹, Massimo Gottardi¹, Nicola Massari¹, Dario Petri² and Roberto Manduchi³</i>	
¹ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
² Dept. of Information Engineering and Computer Science, University of Trento, Trento, Italy	
³ Dept. of Computer Engineering, University of California Santa Cruz, CA 95064, USA	
<u>Session 13 – Single-Photon Avalanche Detectors</u>	
Fast-Gated Single-Photon Detector Module for Wide Dynamic Range Optical Measurements	173
<i>Gianluca Boso¹, Alberto Dalla Mora¹, Alberto Tosi¹, Antonio Pifferi² and Davide Contini²</i>	
¹ Dipartimento di Elettronica e Informazione, Politecnico di Milano, Milan, Italy	
² Dipartimento di Fisica, Politecnico di Milano, Milan, Italy	
Photon Counting Module based on InGaAs/InP Single-Photon Avalanche Diodes for Near-infrared Counting up to 1.7 μm	177
<i>Andrea Bahgat Shehata¹, Carmelo Scarcella¹, Alberto Tosi¹ and Adriano Della Frera²</i>	
¹ Dipartimento di Elettronica e Informazione, Politecnico di Milano, Milan, Italy	
² Micro Photon Devices srl, Bolzano, Italy	
A Mini-SiPM Array for PET Detectors implemented in 0.35-μm HV CMOS Technology	181
<i>Leo Huf Campos Braga¹, Lucio Pancheri¹, Leonardo Gasparini¹, Robert K. Henderson² and David Stoppa¹</i>	
¹ Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	
² The University of Edinburgh, Edinburgh, U.K.	
Characterization of a CMOS SPAD Sensor designed for Fluorescence Lifetime Spectroscopy	185
<i>Michele Benetti¹, Marina Popleteeva¹, Gian-Franco Dalla Betta¹, Lucio Pancheri² and David Stoppa²</i>	
¹ Dep. Information Engineering and Computer Science (DISI), University of Trento, Italy	
² Center for Materials and Microsystems, Fondazione Bruno Kessler, Trento, Italy	

Session 14 – TCAD

- Exploring Ageing Effects on Integrated Power Devices (I-V) for Health Monitoring**
Emmanuel Marcault^{1,2}, Marie Breil^{1,2}, Abdelhakim Bourenmane^{1,2}, Patrick Tounsi^{1,2} and Philippe Dupuy³ 189
¹ CNRS, LAAS, Toulouse, France
² UPS, INSA, INP, ISAE, UT1, UTM, LAAS, Université de Toulouse, Toulouse, France
³ Freescale Semiconductor, Toulouse, France
- A Numerical Study of the Design of ZnMgO Window Layer for Cadmium-free Thin-film CIGS Solar Cells**
Fabrizio Troni, Giovanna Sozzi and Roberto Menozzi 193
Department of Information Engineering, University of Parma, Parma, Italy
- Analysis of Worst-case Hot-Carrier Conditions for n-type MOSFET**
Ivan Starkov¹, Hajdin Ceric¹, Stanislav Tyaginov² and Tibor Grasser² 197
¹CDL for Reliability Issues in Microelectronics, Institute for Microelectronics, TU Wien, Wien, Austria
²Institute for Microelectronics, TU Wien, Wien, Austria

Session 15 – Analogue Techniques III

- A Low Mismatch Symmetric Charge Pump for the Application in PLLs**
Ye Zhang, Niklas Zimmermann, Ralf Wunderlich and Stefan Heinen 201
Chair of Integrated Analog Circuits and RF Systems, RWTH Aachen University, Aachen, Germany
- A Low Power High GBW Fully Differential Subthreshold CMOS Opamp for CT $\Delta\Sigma$ Modulators**
Aytac Atac, Artur Geller, Ralf Wunderlich and Stefan Heinen 205
Chair of Integrated Analog Circuits and RF Systems, RWTH Aachen University, Aachen, Germany
- Performance Improvement of Maneatis PLL for Microprocessor Clock**
J. Dhurga Devi and P.V. Ramakrishna 209
Dept.of ECE, College of Engineering, Anna University, Chennai, India
- Temperature Tracking Current Reference for Multilevel Phase-Change Memories**
Fabio Gallazzi, Alessandro Cabrini and Guido Torelli 213
Department of Electronics, University of Pavia, Pavia, Italy

Session 16 – Digital Design

- A Delay Model Allowing Nano-CMOS Standard Cells Statistical Simulation at the Logic Level**
Antonio Mastrandrea, Francesco Menichelli and Mauro Olivieri 217
DIET - Sapienza University of Rome, Rome, Italy
- A Novel Logic Level Calculation Model for Leakage Currents in Digital Nano-CMOS Circuits**
Zia Abbas, Vanni Genua and Mauro Olivieri 221
DIET - Sapienza University of Rome, Rome, Italy
- Synthesis of Quasi Delay Insensitive Monitors**
Alexandre Porcher, Katell Morin-Allory and Laurent Fesquet 225
TIMA Laboratory, INPG/UJF/CNRS, Grenoble Cedex, France

Magnetic QCA Majority Voter Feasibility Analysis	
<i>Marco Vacca, Davide Vighetti, Matteo Mascarino, Luca Gaetano Amaru, Mariagrazia Graziano and Maurizio Zamboni</i>	229
Electronics Department, Politecnico di Torino, Italy	

Session 17 – Analog-to-Digital Converters II

A X-Coupled Differential Single-Opamp Resonator for Low Power Continuous Time $\Delta\Sigma$-ADCs	
<i>Sebastian Zeller¹, Christian Muenker¹ and Robert Weigel²</i>	233
¹ University of Applied Sciences Munich, Munich, Germany	
² University of Erlangen-Nuremberg, Erlangen, Germany	

Reconfigurable Multi-Band Quadrature $\Sigma\Delta$ Modulators	
<i>Nithin Y.B. Kumar^{1,2}, Amit Patra¹ and Franco Maloberti²</i>	237
¹ Dept. of Electrical and Electronics, IIT Kharagpur, India	
² Department of Electronics, University of Pavia, Pavia, Italy	

Oversampling Enhancement in Sigma Delta Modulators	
<i>Oscar Belotti, Aldo Pena Perez and Franco Maloberti</i>	241
Department of Electronics, University of Pavia, Pavia, Italy	

Session 18 – RF and mm Waves II

A Discrete-Component Impulse-Radio Ultra-Wide Band (IR-UWB) Receiver with I/Q Demodulation	
<i>James Colli-Vignarelli², Alexander Feldman¹, Stephan Robert¹ and Catherine Dehollain²</i>	245
¹ Institute for Information and Communication Technologies Haute Ecole d'Ingénierie et de Gestion du Canton de Vaud (HEIG-VD), Switzerland	
² Radio Frequency Integrated Circuit Group, Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland	

4.55GHz Phase and Quadrature Pulsed Bias VCO in 40nm CMOS Technology	
<i>Stefano Perticaroli¹, Filippo Neri², Fabrizio Palma¹ and Marco Balucani¹</i>	249
¹ Department of Information Engineering, Electronics and Telecommunications, DIET, Sapienza University of Rome, Rome, Italy	
² ST-Ericsson, Schlieren, Switzerland	