

World Heavy Oil Congress 2008

**Edmonton, Alberta, Canada
10-12 March 2008**

Volume 1 of 2

ISBN: 978-1-61839-114-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2008) by DMG Events
All rights reserved.

Printed by Curran Associates, Inc. (2011)

For permission requests, please contact DMG Events
at the address below.

DMG Events Northcliffe House
2 Derry Street
London W8 5TT United Kingdom

Phone: +44 20 7938 6000
Fax: +44 20 3180 6550

info@gastech.co.uk

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

Heavy Oil and Extra Heavy Oil Production by Big Casing/Tubing and ESP	1
<i>Hongen Dou, Yuwen Chang</i>	
Application of Multi-point Temperature and Pressure Monitoring Technology in SAGD Production Wells	13
<i>Xie Wenyan, Liu Dezhu, Zhao Peng, Yang Zhixiang, Zhang Fuxing</i>	
Super Heavy Oil SAGD Pilot Test in Block Shu1 of Liaohe Oilfield	18
<i>Sun Shouguo, Peng Songliang, Zhou Liguo, Jiang Hua</i>	
Evaluation of SF Injection- Production Systems for Heavy Oil in Mid-Deep Formations in Block Qi40 of Liaohe Oilfield	24
<i>Liu Dezhu, An Jiuquan, Zhou Liguo, Zhang Lina</i>	
Research and Application on Development of Thin and Susceptible Heavy Oil Reservoir in Wangzhuang Oilfield	31
<i>Zhu Guilin, Chen Xinmin, Liu Linbo, Zhou Yisheng</i>	
Research on CO₂ Assisted Extra Heavy Oil Recovery Technology	38
<i>Wang Shihu, Cao Yanbin, Gai Pingyuan, Tang Peizhong, Fan Haitao, Wang Shantang</i>	
High-temperature Plug Formation with Industrial Waste during Steam Injection Stimulation of Heavy Oil in China's Henan Oilfield	44
<i>W. Zhang, C. Zhao, X. Wang, H. Cheng, Z. Pan</i>	
Study on Effect of Flow Conduit Types on Well Water Cut in Tahe Heavy Oil Carbonate Reservoir	50
<i>Zhongchun Liu, Yulin Ren, Xiangchun Yuan, Chengyuan Lv, Jianglong Li, Zhongliang Tan, Ming Luo</i>	
Researches on Conversion of Recovery Methods for Heavy Oil Reservoirs in Liaohe Oilfield	58
<i>Zhong Guan, Yuhong Fu, Pingee Yang, X. Wang, Yanzhi Xu</i>	
A New Heat Sensitive Gel for Profile Control in Steam Floods: Laboratory Study and Field Trial	65
<i>Cao Yaping, Wang Qian, Li Mu, Hu Jianhua, Su Ye</i>	
High Temperature Optical Fiber Temperature and Pressure Monitoring Technique for SAGD Horizontal producers	72
<i>Sun Shouguo</i>	
Laboratory Research on Ploymer Flooding for SZ36-1 Offshore Heavy Oilfield	79
<i>Fuhai Liu, Fei Yi, Bo Huang, Chengsheng Wang, Wenhui Liu, Ping Chen, S. Chen</i>	
Drilling Technology For Fishbone Wells In Shallow Heavy Oil Field	86
<i>Fan Zhiguo, Zhao Ziren, Li Hongyan, Wan Jiaoyu</i>	
Geochemical Based Proxies for Assessing <i>In-Situ</i> Processing of Heavy Oils and Oil Sands	90
<i>H. Huang, Tamer Koksalan, Barry Bennett, Jennifer Adams, S. Larter</i>	
Structural Description of Aromatic Core in Residue Fractions	103
<i>Hui-Cheng Zhang, Wan-Fu Sun, Xiang-Chen Fang, Ming-Hua Guan</i>	
Delayed Coking for Refractory Feedstock Processing	109
<i>Haiping Shen, Zibin Liu, Jun Long</i>	
Study on FRET Ebullated-Bed Hydrotreating	114
<i>Tao Yang, Li Jia, Changlu Hu</i>	
The Study on the Origin of H₂S in the Steam Injection Heavy Oil Blocks	119
<i>Liu Qicheng, Wu Tuo, Yang Junyin, Huang Yi</i>	
Drilling Fluids Engineering to Drill Extra-heavy Oil Reservoir on the Orinoco Oil Belt, Eastern Venezuela	127
<i>R. Pino, W. Gonzalez</i>	
Funding the Heavy Oil Sector's Innovation – Maximizing Canada's R&D Tax Credit	133
<i>G.S. Hill, M. Bernard, S. Cheung</i>	
More than 200 Multilateral Wells Drilled in the Faja Del Orinoco Extra-Heavy Oil Reservoir	137
<i>Steven R. Fipke</i>	
Naphthenic Acid Removal by Catalytic Decarboxylation on Alkaline Earth Oxide Catalysts	148
<i>L. Ding, H. Yang, P. Rahimi, S. Ng, O. Omotoso, J. Chen, Z. Ring</i>	
Heavy Oil Cementing Best Practices for Long-Lasting Zonal Isolation	152
<i>F. Tahmourpour, J. Griffith</i>	
Combining InSAR and GPS for Improved Surface Deformation Monitoring	158
<i>E. Davis, S. Marsic, W. Roadarmel</i>	
Experiences and Best Practices in the use of PCP's in Orinoco Belt Carabobo Area, Venezuela	165
<i>M. A. Ramos, J. C. Brown, M. Quijada, R. Parra, J. Romero, L. Seince</i>	

Foamy Oil Experiments Monitored by Computed Tomography Scanning	173
<i>E. Kowalewski, L. Rennan, K. Solbakken, E. Gilje, K. Melhuus, J.K. Ringen</i>	
Profitability and Technical Efficiency Analysis of Combined Steam Flooding and Horizontal Wells for a Relatively Thin Sand Reservoir in the Orinoco Belt in Venezuela	185
<i>J. J. Castillo, J. Buitrago</i>	
Prediction of Solubility of Hydrogen, Methane and Ethane in Heavy Oils	190
<i>M.R. Riazi, Y.A. Roomi</i>	
Investigation of Toe-to-Heel Steam Flooding (TTHSF) for Heavy Oil Recovery	196
<i>A.S. Bagci, M.H. Salisu, E. Mackay</i>	
Heat Integrtrion and Energy Optimization in SAGD Surface Facilities	207
<i>Naryana Murthy Nadella</i>	
Extra Heavy Oil pre-Dehydration Process Development	216
<i>Noik Christine, Dalmazzone Christine, Glenat Philippe, Pichot Damien</i>	
Regional Geologic Framework, Depositional Models and Resource Estimates of the Oil Sands of Alberta, Canada	224
<i>F.J. Hein, R.A. Marsh</i>	
Preliminary Results of Enhanced Heavy Oil Recovery by CO₂ Cyclic Injection	233
<i>R. Shi, J. Schnitzler, A. Kantzas</i>	
Design and Installation of a High-Pressure 3D Physical Model for Evaluation of Solvent Vapor Extraction Processes	243
<i>K.D. Knorr, R.R. Wilton, F.B. Zeng, D.R. Exelby, H.S. Smith, D.A. Kniaz, L.G. Mroske</i>	
Integration of Hydroconversion Upgrader Into Refinery for Bottoms and Crude Oil Quality Upgrading – Case Study	255
<i>J. K. Runyan</i>	
Using CT Scanning to Study 3-D VAPEX Process	262
<i>G.Q. Wu, A. Kantzas</i>	
Influence of Modifiers on the Quality of Deasphalted Oil Obtained from Bitumen in Solvent Deasphalting	275
<i>D. Seth, S. Kieser, T.J.W. De Bruijn</i>	
Improving Athabasca Bitumen Development Economics through Integration with HTL Upgrading	285
<i>Ed Koshka, Joe Kuhach, Ed Veith</i>	
In Situ Upgrading Potential of the CAPRI™ Process	297
<i>M. Greaves, C. Ayasse, A. T. Turta</i>	
Relationship Between Dehydration and Hydrocarbon Losses for Various Chemical Applications	311
<i>X. Yang</i>	
All Metal PCP Field Trial Update	319
<i>A. Damnjanovic, S. Jahn, G. Mitskopoulos, L. Seince</i>	
Water Production in Extra Heavy Oil Environment: Controlling the Risks, Optimizing the Production	326
<i>M. Inizan, Y. Alves, E. Cermeño, E. Draoui, Y. Gamez</i>	
Utilization of Near Bit Reamer Technology to Simultaneously Manage Lost Circulation and Increase ROP in Heavy Oil Drilling	337
<i>R. Bews</i>	
The Origin of Matrix and Fracture Mega-Porosity in a Carbonate Bitumen Reservoir, Grosmont Formation, Saleski, Alberta	342
<i>K.R. Barrett, J.C. Hopkins, K.N. Wilde, M.E. Connelly</i>	
Precise Ground Movement Monitoring with Satellite Radar Imagery	353
<i>B. Kampes, M. Van Der Kooij</i>	
Measurement of CO₂ Diffusivity in Extra Heavy Oil Saturated Sands: A New Mathematical Modeling Approach	361
<i>R. Kharrat, H. Rahnema, S.M. Ghaderi, M.H. Ghazanfari</i>	
SW-SAGD Pilot Project, in the Well MFB-617, TL Sands, MFB-15 Reservoir, Bare Field, Eastern Basin of Venezuela	372
<i>R.J. Marin, F.J. Armas, R. Mago, C. Rojas, R. Guzman</i>	
Design of In Situ Combustion Process by Using Experimental Data	379
<i>S. Razzaghi, R. Kharrat, S. Vossoughi</i>	
Strategies to Improve SAGD Performance in Top Water Reservoirs	390
<i>L.V. Mejia-Caña, S.J. Sjølyst, E. Gilje, E. Ivarrud, J. Alvestad</i>	
Value of NMR Logging for Heavy Oil Characterization	399
<i>S. Chen, J. Chen, D. Georgi, B. Sun</i>	
Oilsands Hydrotransport Process Control Using Computational Fluid Dynamics	415
<i>O. Garcia, C. Diaz-Goano, F. Forbes</i>	

Influence of Reservoir Parameters and Steam Rate on SAGD Process in a Reservoir with Gas Cap	421
<i>J.L.M. Barillas, T.V. Dutra Jr., W. Mata</i>	
Zero Emissions & Water Friendly SAGD Projects	427
<i>R. Bernar, A. Fischer, R. Lennox, P. Brunelle, S. Kresnyak, W. Lee, S. Sim</i>	
High Resolution Geomodeling, Ranking and Flow Simulation at SAGD Pad Scale	436
<i>C.T. Neufeld, C.V. Deutsch, C. Palmgren, T.B. Boyle</i>	
Inhibition of Biogenic Sulfide Production through Indigenous Bacteria and Amended Nitrate in Western Canadian Heavy Oil Fields	445
<i>Q. Tan, G.H. Huang, H. Yu, G.C. Li, Y.P. Cai</i>	
Mathematical Modeling of Visbreaking Process	453
<i>A. Saxena, C. Diaz-Goano, H. Dettman</i>	
Successful Field Application in Continuous DTS Monitoring under Harsh Environment of SAGD Wells Using Improvised Optical Fiber Technology – Case Study from Canada	461
<i>J. Kaura, J. Sierra</i>	
Thermal Developments in Petroleum Development Oman’s Southern Fields	472
<i>Elaine Leith, Apollo Kok, John Van Wunnik, Vincent Van Engelen, Saleh Jabri, Farid Nabavi, Ken Portanger, Jeroen Regtien</i>	
Challenging Conventional Wisdom, Waterflooding Experience on Heavy Oil Fields in Southern Oman	480
<i>Salim Hamed Al Sikaïti, Jeroen Regtien</i>	
A New On-site Partial Upgrading Technology of Extra Heavy Crude Oils with High Temperature and High Pressure Water	492
<i>Y. Takeuchi, N. Watanabe, D. Miyamoto, A. Kishita, K. Tohji</i>	
Heavy Crude Oil Production Increase Through the Use of a Novel Flow Improver Product: A Case Study	497
<i>R.L. Johnston, P.A. Lauzon, J.D. Pierce</i>	
Cost- and Energy-Efficient Dehydration of Unconventional Oil Using Disc-Stack Centrifuges	504
<i>J. Agrell</i>	
Direct Current Stimulation for Heavy Oil Production	508
<i>J.K. Wittle, D.G. Hill, G.V. Chilingar</i>	
Job Design and Cement System to Contain Steam and Improve Heavy Oil Recovery	526
<i>K. Ravi, B. Hunter, D. Kulakofsky</i>	
The Application Of Non-Seismic Geophysics To The Direct Imaging Of Oil Sands And Other Shallow Hydrocarbon Deposits	534
<i>Paul Bauman, P. Geoph</i>	
Husky Tucker Lake SAGD Liner Design, Fabrication and Installation Evaluation	541
<i>J.J. Forsyth, B. Fermaniuk</i>	
A Study of Strain-Based Design Criteria for Thermal Well Casings	548
<i>J. Xie</i>	

VOLUME 2

Design Considerations for Wire Wrapped Screens in SAGD Well Application	557
<i>J. Xie, T.A. Zahacy, C. Fan, C.M. Matthews</i>	
Theoretical Modeling for Optimizing Horizontal Production Well Placement in Thermal Recovery Environments to Maximize Recovery	566
<i>D.J. Bourgeois</i>	
Modeling of Phase Equilibria and Viscosity of Heavy Oils	575
<i>Julian Y. Zuo, Dan D. Zhang, Jefferson Creek</i>	
Waste Water Treatment Options for SAGD Oil Production Facilities	581
<i>Steve N. Portelance</i>	
Coiled Gas Lift design installing at the well PM02. Morichal District, Venezuela	596
<i>J.C. Rown, S. Marfissi, F. Campos, E. Lozada</i>	
A Case Study of a New Technique for Drilling SAGD Twin Wells in Heavy Oil Reservoirs	602
<i>A. Rennie, G. McElhinney, H. Illfelder, L. Ceh, H. Schaepmeyer, A. Krawchuk</i>	
Supercritical Fluid Extraction: A Non-aqueous Technology for the Extraction of Bitumen from Oil Sands	612
<i>S.E. Guigard, W.H. Stiver</i>	
Case Histories for Heavy Oil Recovery in Naturally Fractured Carbonate Reservoirs in the Middle East	618
<i>A.S. Bagci, A. Shafiei, M.B. Dusseault</i>	

Passive Microseismic Monitoring: A Real-Time Tool for Assessing the Heavy Oil Reservoir Response and Facility Performance	632
<i>I. Weir-Jones, Bohdan Nedilko</i>	
Development of Extra-heavy Oil Reservoirs in Block MPE-3 in the Orinoco Belt, Venezuela	639
<i>Sansheng Zhang, Gang Xu, Daping Liu, Yuan Liu, Jin Yang, Edgar Reina, Carmen Serna, Alcegi Torres, Orlando Salazar</i>	
New Developments in Orinoco Oil Belt Projects Reflect a Positive Effect on the Areas Reserves	648
<i>T. Villarroel</i>	
Oil Sands Breakthrough using a Novel Reverse Emulsion Breaker for SAGD Fluid Separation	656
<i>Alberto E. Franco-Fuenmayor, Michael P. Squicciarini, Brian R. Young, Frederick J. Morrison, Wes J. Suhai</i>	
Gravity Stable Combustion Processes for Athabasca Oil Sand Reservoirs	660
<i>G.B. Lim, R. Coates, J. Ivory</i>	
Multiphase Metering: Importance of Fluid Property Knowledge in SAGD Operations	672
<i>Daniel Hompoth, Bruno G. Pinguet, Elsie Guerra</i>	
Performance of Combination of a Venturi and Nuclear Fraction Meter in SAGD Production Operations	685
<i>Daniel Hompoth, Nathan Khun, Bruno G. Pinguet, Elsie Guerra</i>	
Worm Hole Predictor Observation with Acoustic Data	695
<i>G. Drebit, M. Tesciuba</i>	
SAGD Production Optimization: Combination of ESP and Multiphase Metering	702
<i>Bruno G. Pinguet, Elsie Guerra, Coiln Drever</i>	
Integrated Reservoir Characterization and Oil in Place Estimation for Ayacucho Area, Orinoco Oil Belt, Venezuela	710
<i>E. Hernandez, L. Bauza, A. Cadena</i>	
Investigation of Mechanisms Involved in Generation of Foamy Oil Flow	724
<i>S. Xu, B. Maini</i>	
Subsurface Optimization Yielding Maximum Long-Term Production	736
<i>Glenda Wylie, Jacob Thomas</i>	
Stability Analysis of Steam Fingering in Steam-Assisted Gravity Drainage	744
<i>D.R. Gotawala, I. Gates</i>	
The Interpretation and Application of Horizontal Well Logs in Heavy Oil Reservoir	752
<i>Mu Longxin, Zhang Shancheng, Xu Baojun, Han Guoqing</i>	
Centrifuge Options for Production of “Dry Stackable Tailings” in Surface Mined Oil Sands Tailings Management	773
<i>R.J. Mikula, V.A. Munoz, O. Omotoso</i>	
Water Use in Bitumen Production: Tailings Management in Surface Mined Oil Sands	780
<i>R.J. Mikula, V.A. Munoz, O. Omotoso</i>	
Estimating Technically Recoverable Reserves in the Faja Petrolifera del Orinoco - FPO	788
<i>M.B. Dusseault, A. Zambrano, J.R. Barrios, Cesar Guerra</i>	
History Match of an Athabasca Bitumen Combustion Tube Experiment	800
<i>X. Yang, I. Gates</i>	
Viscosity Determination of Heavy Oil and Bitumen: Cautions and Solutions	809
<i>Jennifer Adams, C. Jiang, Barry Bennett, H. Huang, T. Oldenburg, K. Noke, L. Snowdon, I. Gates, S. Larter</i>	
Economic Benefits of Downhole Sand Treatment in CHOPS Operations	821
<i>B. T. Wagg, Y. Fang</i>	
Results of the Drilling Cuttings Reuse and Recycling Program of PetroPiar, S.A. (Formerly Petrolera Ameriven, S.A.)	828
<i>A. Arrocha, G. Ellis, R. Camacho, A. Crespo, C. Jimenez, F. Morales</i>	
Feasibility Study of In-Situ Combustion (ISC) in a 2-D Laboratory-Scale Fractured System Using a Thermal Reservoir Simulator	844
<i>S.M. Fatemi, R. Kharrat, S. Vossoughi</i>	
The Impact of Steam Placement Control on SAGD Performance: A Numerical Study from the Orinoco Heavy Oil Belt	857
<i>Lisbel Perdomo, Carlos Perez Damas, Edgar Fernandez Rincon</i>	
Production Technologies for Lower Fars HO, Kuwait	874
<i>M.B. Dusseault, R.P. Oskui, B. Farhad, I. Al Sammak, A. Al Naqi</i>	
Bitumen Production Potential from the Wabasca Grand Rapids Formation Deposit	883
<i>J.A. Peterson, M.E. Connelly, N.R. Edmunds</i>	
Is Your Cement Sheath Stressed?	893
<i>G.G. De Bruijn, D.C. Bexte</i>	
When Is Subcool Applicable for SAGD Monitoring	905
<i>D. Rudenko, V. Shako, D. H-S. Law</i>	

Applicability of SAGD in Eastern Venezuela Reservoirs	910
<i>José Antonio Piña, José Luis Bashbush, Edgar Alexander Fernandez</i>	
PetroBeam Process for Heavy Oil Upgrading	920
<i>Yuriy A. Zaikin, Raissa F. Zaikina</i>	
Integrated Rock Properties and Fluid Distribution Determination Using Core and Log Data, Oficina Formation, Ayacucho Area, Orinoco Heavy Oil Belt	928
<i>F. Useche, C. Bejarano, A. Didanloo, S. Shahbazian</i>	
Effects of Well Placement using Multi-Segmented Wells in a Full Field Thermal Model for SAGD: Athabasca Oil Sands	942
<i>F. Akram</i>	
Alberta's Bitumen Carbonate Reservoirs – Moving Forward with Advanced R&D	951
<i>J.M. Alvarez, R. Sawatzky, L.M. Forster, R. Coates</i>	
Joint Implementation of Vapour Extraction — Heavy Oil Recovery Process	965
<i>B.J. Kristoff, K.D. Knorr, C.K. Preston, K. Worth, R. Sawatzky</i>	
Enhancing Heavy Oil Recovery Using Foam Injection in Applications to Cyclic Steam Stimulation	970
<i>Eddy Isaacs, Jian-Yang Yuan</i>	
Improved Cementing Practice Prevents Gas Migration and Surface Casing Vent Flow	974
<i>D.C. Bexte, B. Eitzen, E. Fouillard, M. Willis, G.G. De Bruijn</i>	
SAGD or Cold Production. A Case of Study for an Orinoco Heavy Oil Field	979
<i>C.E. Granado, A.J. Velasquez, A.J. Serna, J.R. Barrios, A. Zambrano</i>	
Identification of Three-Phase Flow Patterns of Heavy Oil from Pressure Drop and Flow Rate Data	995
<i>F. Pacheco, A.C. Bannwart, J.R.P. Mendes, A.B.S. Serapião</i>	
Beyond Dilbit and Synbit	1000
<i>D. Thomas, G.A. Constable, K.H. Oehr</i>	
Oil Sands Industry's Options to Cope with Reduced Greenhouse Gas Limits plus Tightening Natural Gas Supplies	1009
<i>Paul E Koppel, Jason Pelly, Peter H. Johnson</i>	
Designer Water Enabled Polymer Flooding	1016
<i>Michael Currole, Robert Chin, Peter Doe</i>	
Improved Heavy Oil Recovery by CO₂ Injection Augmented with Chemicals	1029
<i>Y.P. Zhang, S.G. Sayegh, S. Huang</i>	
Operability and Maintainability of In-Pit Oil Sands Bitumen Production Systems	1042
<i>M.G. Lipsett, M.-J. Zuo, A. Scaffo-Migliaro</i>	
A Breath of Fresh Air – EnCana's Gas Displacement Solution to the Gas Over Bitumen Issue	1048
<i>Larry W. Freeman, Ben I. Nzekwu, John D.M. Belgrave</i>	
Metal PCP Field Trial Pushes Up Pumping Window for Heavy Oil Hot Production: Joslyn Field Case	1059
<i>Jean-Louis Beauquin, Felix Ndinemenu, Gilles Chaliier, Lionel Lemay, L. Seince, S. Jahn</i>	
Potential Applications of Nanotechnology to Heavy Oil Upgrading	1066
<i>M.R. Gray</i>	
Implementing CHOPS in the Karazhanbas Heavy Oil Field, Kazakhstan	1071
<i>Patrick M. Collins, M.B. Dusseault, Darcy Dorscher, Ed Kueber</i>	
Deliberate Sand Production from Heavy Oil Reservoirs: Potent Activation of Both Solution Gas and Aquifer Drives	1088
<i>E.S. Vittoratos, L. Zhang, E. Turek, C.C. West</i>	
The Use of Water-Mapping Technology to Increase the Productivity and Minimize the Risks of Oilfield Flooding Practices	1094
<i>J.R. Montgomery, V.O. Kofoed, P.B. Rollins</i>	
Multidisciplinary Work in Petrocedaño: The Key for Success in a Challenging Extra Heavy Oil Development	1100
<i>Y. Gamez, P. Germain, F. Maes, P. Pouget</i>	
Partial Upgrading by Solvent Deasphalting	1106
<i>Luis C. Luzardo</i>	
Author Index	