

# **2011 14th European Conference on Power Electronics and Applications**

**(EPE 2011)**

**Birmingham, United Kingdom  
30 August – 1 September 2011**

**Pages 1-910**



**IEEE Catalog Number: CFP11850-PRT  
ISBN: 978-1-61284-167-0**

# TABLE OF CONTENTS

|  |     |
|--|-----|
| <b>PREDICTION OF THE NOISE POWER LEVEL OF SQUIRREL CAGE INDUCTION MACHINES IN DIFFERENT OPERATION POINTS TAKING INTO ACCOUNT MECHANICAL BOUNDARY CONDITIONS FOR MODAL ANALYSIS</b> ..... | 1   |
| <i>T. Knopik, R. Kimmich, A. Binder</i>  |     |
| <b>RADIATION PREDICTION OF POWER ELECTRONICS DRIVE SYSTEM FOR ELECTROMAGNETIC COMPATIBILITY IN AEROSPACE APPLICATIONS</b> .....  | 11  |
| <i>R. Maglie, A. Engler</i>  |     |
| <b>SENSORLESS CONTROL OF SRM BY THE AID OF ARTIFICIAL NEURAL NETWORK ADAPTIVE REFERENCE MODEL</b> .....  | 20  |
| <i>P. Constantin, C. Hao, I. Colak, T. Tasho, G. Yassen</i>  |     |
| <b>A COMPREHENSIVE PHYSICS-BASED POWER MOSFET MODEL IN VHDL-AMS FOR CIRCUIT SIMULATIONS</b> .....  | 27  |
| <i>L. Gohler, M. Rose</i>  |     |
| <b>STABILITY ANALYSIS OF MOTOR DRIVE INTERACTIONS IN AIRCRAFT ELECTRICAL SYSTEMS</b> .....   | 36  |
| <i>C. Jones, M. Barnes, A. Forsyth</i>   |     |
| <b>GATING SIGNAL GENERATOR FOR MULTIPHASE VOLTAGE SOURCE INVERTERS USING SPACE VECTOR PWM</b> .....  | 46  |
| <i>J. Hu, K. Chen</i>  |     |
| <b>SENSORLESS CONTROL DRIVE OF PERMANENT MAGNET MOTOR BASED ON A SIMPLE ON-LINE PARAMETER IDENTIFICATION SCHEME</b> .....  | 56  |
| <i>M. Moussa, Y. Gaber</i>   |     |
| <b>A DESIGN METHODOLOGY OF RESONANT LLC DC-DC CONVERTER</b> .....  | 66  |
| <i>A. Abramovitz, S. Bronshtein</i>  |     |
| <b>A 6-IN-1 IGBT MODULE PERFORMANCE EVALUATION PLATFORM DETERMINING THE TRADE-OFF BETWEEN DV/DT AND TURN-ON LOSS OF DIFFERENT IGBT / FWDI CHIP SETUPS</b> .....                          | 76  |
| <i>M. Honsberg, T. Radke, K. Ishii, J. Manotobu</i>  |     |
| <b>COMPARATIVE EVALUATION OF FUZZY-PI AND PI CONTROL METHODS FOR A THREE PHASE GRID CONNECTED INVERTER</b> .....   | 83  |
| <i>G. Tsengenes, G. Adamidis</i>   |     |
| <b>DESIGN CONTROL OF DC/AC CONVERTER FOR A GRID CONNECTED PV SYSTEMS USING MATLAB/SIMULINK</b> .....   | 93  |
| <i>F. Amatoul, M. Lamchich, A. Outzourhit</i>  |     |
| <b>SPACE VECTOR MODULATION STRATEGY APPLIED TO INTERPHASE TRANSFORMERS-BASED FIVE-LEVEL CURRENT SOURCE INVERTERS FOR ELECTRIC PROPULSION</b> .....                                       | 100 |
| <i>B. Dupczak, M. Heldwein, A. Perin</i>   |     |
| <b>LABORATORY SCALE PROTOTYPE OF A POWER ELECTRONIC TRANSFORMER FOR TRACTION APPLICATIONS</b> .....  | 110 |
| <i>D. Dujic, A. Mester, T. Chaudhuri, A. Coccia, F. Canales, J. Steinke</i>  |     |
| <b>CONTROL OF FIVE-LEVEL SINGLE-PHASE CURRENT-SOURCE INVERTERS OPERATING AT HIGH AND LOW LOAD CONDITIONS</b> .....   | 120 |
| <i>B. Hassan, V. Pickert, B. Zahawi</i>  |     |
| <b>FINITE-SET MODEL PREDICTIVE CONTROL OF A FLYING CAPACITOR CONVERTER WITH HYSTERESIS VOLTAGE BALANCING</b> .....   | 129 |
| <i>P. Stolze, P. Landsmann, R. Kennel, T. Mouton</i>   |     |
| <b>FINITE-SET MODEL PREDICTIVE CONTROL WITH HEURISTIC VOLTAGE VECTOR PRESELECTION FOR HIGHER PREDICTION HORIZONS</b> .....   | 139 |
| <i>P. Stolze, P. Landsmann, R. Kennel, T. Mouton</i>   |     |
| <b>SATURATION INDUCED HARMONICS IN PERMANENT MAGNET SYNCHRONOUS MOTORS</b> .....   | 148 |
| <i>T. Orlik, M. Lux, W. Schumacher</i>   |     |
| <b>STANDALONE POWER SUPPLY SYSTEM UNDER HIGH FCS EFFICIENCY AND NEW TECHNIQUE FOR BATTERIES CHARGING/DISCHARGING</b> .....   | 157 |
| <i>E. Hussain, C. Bingham, D. Stone</i>  |     |
| <b>CURRENT DISTRIBUTION IN COPPER COILS WITH PARALLEL WINDINGS</b> .....   | 167 |
| <i>A. Leicht, M. Albach, M. Spang, D. Kuebrich</i>   |     |
| <b>EVOLUTIVE DISCONTINUOUS SVM FOR VARIABLE SPEED ELECTRIC DRIVE</b> .....   | 175 |
| <i>H. Khan, E. Miliani, K. Drissi</i>  |     |
| <b>A HIGH SPEED SYNCHRONOUS DRIVE WITH VERY SENSITIVE BACK-EMF BASED INDIRECT SENSORS</b> .....  | 182 |
| <i>C. Rod, A. Rufier</i>   |     |
| <b>A COMPARISON BETWEEN TWO-COMMUTATION-CELL MULTICHANNEL AND MULTILEVEL BUCK-DERIVED TOPOLOGIES</b> .....   | 192 |
| <i>C. Rod, A. Rufier</i>   |     |
| <b>MULTIOBJECTIVE OPTIMAL CHOICE AND DESIGN OF ISOLATED DC-DC POWER CONVERTERS</b> .....   | 202 |
| <i>C. Versele, O. Deblecker, J. Lobry</i>  |     |

|  |     |
|--|-----|
| <b>A SURFACE RESPONSE METHODOLOGY APPROACH TO STUDY THE INFLUENCE OF SPECIFICATIONS IN THE MULTIOBJECTIVE OPTIMAL DESIGN OF POWER CONVERTERS</b> ..... | 212 |
| <i>C. Versele, O. Deblecker, J. Lobry</i>  |     |
| <b>A NEW POWER MOSFET GENERATION DESIGNED FOR SYNCHRONOUS RECTIFICATION</b> .....  | 222 |
| <i>R. Siemieniec, C. Moßlacher, O. Blank, M. Rosch, M. Frank, M. Hutzler</i>   |     |
| <b>ENHANCED TFTS MODEL USING NOVEL NANO-COMPOSITE HIGH-K GATE DIELECTRIC</b> .....   | 232 |
| <i>A. Thabet, M. Atef, Y. Mobarak</i>  |     |
| <b>IMPROVED CHARACTERIZATION OF THE MAGNETIC PROPERTIES OF HEXAGONALLY PACKED WIRES</b> .....  | 235 |
| <i>H. Rossmannith, M. Albach, J. Patz, A. Stadler</i>  |     |
| <b>CONTROL STRATEGIES OF MICROGRID WITH HYBRID DC AND AC BUSES</b> .....   | 244 |
| <i>B. Dong, Y. Li, Z. Zheng, L. Xu</i>   |     |
| <b>CURRENT-FED QUADRATIC FULL-BRIDGE CONVERTER FOR PV SYSTEMS INTERFACING: STATIC OPERATION</b> .....  | 252 |
| <i>J. Huusari, T. Suntio</i>   |     |
| <b>COMMUTATION EFFECT OF ADJUSTABLE SPEED DRIVES DUE TO INSTALLATION OF ACTIVE HARMONIC FILTERS</b> .....  | 262 |
| <i>L. Asimionaei, S. Kalaschnikow, S. Hansen, F. Blaabjerg</i>   |     |
| <b>SMALL-SIGNAL MODEL OF PHOTOVOLTAIC POWER CONVERTER FOR SELECTION OF PERTURB AND OBSERVE ALGORITHM STEP TIME</b> .....                               | 272 |
| <i>M. Sokolov, T. Green, P. Mitcheson, D. Shmilovitz</i>   |     |
| <b>TRIANGULAR CARRIER SELF-ALIGNMENT USING MODULAR APPROACH FOR INTERLEAVED CONVERTER CONTROL</b> .....  | 277 |
| <i>M. Cousineau, M. Bolloch, N. Bouhalli, E. Sarraute, T. Meynard</i>  |     |
| <b>THE 1200V DIRECT-DRIVEN SIC JFET POWER SWITCH</b> .....   | 287 |
| <i>R. Siemieniec, U. Kirchner</i>  |     |
| <b>STUDY OF THERMAL INTERFACES AGING FOR POWER ELECTRONICS APPLICATIONS</b> .....  | 297 |
| <i>J. Ousten, Z. Khatir</i>  |     |
| <b>DIRECT TORQUE CONTROL SCHEME OF IM DRIVE WITH 12-SIDED POLYGONAL VOLTAGE SPACE VECTORS</b> .....  | 307 |
| <i>C. Patel, R. Ramchand, R. Sivakumar, A. Das, K. Gopakumar, M. Kazmierkowski</i>   |     |
| <b>INTEGRATED CURRENT BALANCING TRANSFORMER FOR PRIMARY PARALLEL ISOLATED BOOST CONVERTER</b> .....  | 318 |
| <i>G. Sen, Z. Ouyang, O. Thomsen, M. Andersen, L. Moller</i>   |     |
| <b>POWER QUALITY CONDITIONER WITH SERIES-PARALLEL COMPENSATION APPLIED TO SINGLE-PHASE SYSTEMS</b> .....   | 325 |
| <i>R. Barriviera, S. Silva, R. Modesto, A. Goedel, M. Kaster</i>   |     |
| <b>A SENSORLESS CONTROL FOR DAMPING OF TORSIONAL VIBRATIONS WITH MIDDLE VOLTAGE INDUCTION MOTOR DRIVE FOR COMPRESSOR APPLICATION</b> .....             | 335 |
| <i>K. Nagata, H. Nemoto, T. Katayama, Y. Akita</i>   |     |
| <b>ELECTRO-THERMAL MODELLING OF THREE PHASE INVERTER</b> .....   | 345 |
| <i>H. Huang, A. Bryant, P. Mawby</i>   |     |
| <b>MODELLING OF SWITCHING OVER-VOLTAGE ON SHIP SERVICE TRANSFORMERS</b> .....  | 352 |
| <i>L. Hu, M. Butcher</i>   |     |
| <b>SIMULINK-BASED FLOATING-POINT DSP CONTROL PLATFORM</b> .....  | 362 |
| <i>B. Rupp, H. Lovatt, A. Vezzini</i>  |     |
| <b>STATCOM SIZE OPTIMIZATION THROUGH WIND TURBINE OPERATION WITH FIXED POWER FACTOR</b> .....  | 369 |
| <i>P. Maibach, C. Ritter, M. Saleh, T. Thurnherr</i>   |     |
| <b>HIGH EFFICIENT WINDING DRIVES WITH CONTINUOUS VARIABLE TRANSMISSION (CVT)</b> .....   | 380 |
| <i>K. Benath, V. Muller, W. Hofmann</i>  |     |
| <b>MULTILEVEL NPC INVERTER FOR LOW-VOLTAGE APPLICATIONS</b> .....  | 388 |
| <i>R. Mecke</i>  |     |
| <b>MULTIPOINT CONVERTER FOR FAST CHARGING OF ELECTRICAL VEHICLE BATTERY</b> .....  | 398 |
| <i>G. Waltrich, J. Duarte, M. Hendrix</i>  |     |
| <b>DESIGN AND CONTROL OF A SINGLE STATOR DUAL PM ROTORS AXIAL SYNCHRONOUS MACHINE FOR HYBRID ELECTRIC VEHICLES</b> .....                               | 408 |
| <i>L. Tutelea, S. Deaconu, I. Boldea, F. Marignetti, G. Popa</i>   |     |
| <b>HARMONICS REDUCTION IN HIGH-EFFICIENCY OPERATION OF DOUBLE-CONVERSION UPS</b> .....   | 418 |
| <i>L. Giuntini</i>   |     |
| <b>THERMAL MODELING OF A HIGH-SPEED SWITCHED RELUCTANCE MACHINE WITH AXIAL AIR-GAP FLOW FOR VACUUM CLEANERS</b> .....                                  | 428 |
| <i>H. Brauer, R. Doncker</i>   |     |
| <b>A FAULT TOLERANT CONTROL AND POWER ELECTRONIC FOR A PERMANENT MAGNET SYNCHRONOUS MOTOR DRIVE</b> .....  | 438 |
| <i>R. Errabelli, P. Mutschler</i>  |     |
| <b>EFFICIENCY COMPARISON BETWEEN MOTOR FRIENDLY HARD AND SOFT SWITCHING INVERTERS</b> .....  | 448 |
| <i>J. Kedariseti, P. Mutschler</i>   |     |

|  |     |
|--|-----|
| <b>DIRECT THRUST CONTROL OF LINEAR INDUCTION MOTOR IN FULL OPERATION RANGE FOR TRACTION APPLICATION</b> .....  | 458 |
| <i>K. Wang, L. Shi, Y. Li, Q. Ge</i>   |     |
| <b>STABILITY IN AUTOMOTIVE POWER NETS: DEFINITIONS, ALGORITHMS AND EXPERIMENTAL VALIDATION</b> .....   | 467 |
| <i>J. Kloetzl, D. Gerling</i>  |     |
| <b>MOTOR TERMINAL OVERVOLTAGE SUPPRESSION METHOD FOR PARALLEL INVERTERS</b> .....  | 475 |
| <i>J. Korhonen, T. Laakkonen, T. Itkonen, J. Tyster</i>  |     |
| <b>PRINCIPLE AND BASIC CHARACTERISTICS OF HYBRID VARIABLE-MAGNETIC-FORCE MOTORS</b> .....  | 483 |
| <i>K. Sakai, H. Hashimoto, S. Kuramochi</i>  |     |
| <b>CONTROL SCHEME OF THREE-LEVEL H-BRIDGE CONVERTER FOR INTERFACING BETWEEN RENEWABLE ENERGY RESOURCES AND AC GRID</b> .....                                     | 493 |
| <i>E. Pournesmaeil, D. Montesinos-Miracle, O. Gomis-Bellmunt</i>   |     |
| <b>FUNDAMENTAL EXPERIMENTS OF TRANSFER DEVICE USING ULTRASONIC LEVITATION</b> .....  | 502 |
| <i>K. Furutani, M. Ono</i>   |     |
| <b>HIGH FREQUENCY AC DISTRIBUTED POWER SYSTEM FOR FLUORESCENT LIGHTING</b> .....   | 512 |
| <i>S. Ng, P. Luk, K. Jinupun</i>   |     |
| <b>A NEW UNEQUAL DC LINK VOLTAGE CONFIGURATION FOR A SINGLE PHASE MULTILEVEL CONVERTER TO REDUCE LOW ORDER HARMONICS</b> .....                                   | 522 |
| <i>N. Ghasemi, F. Zare, C. Langton, A. Ghosh</i>   |     |
| <b>CONTROL STRATEGIES OF DC-BASED OFFSHOREWIND FARM</b> .....  | 531 |
| <i>P. Monjean, J. Delanoë, D. Marin, J. Auguste, C. Saudemont, B. Robyns</i>   |     |
| <b>DYNAMIC PROPERTIES OF PCM-CONTROLLED CURRENT-FED BOOST CONVERTER IN PHOTOVOLTAIC SYSTEM INTERFACING</b> .....   | 540 |
| <i>J. Leppaaho, T. Suntio</i>  |     |
| <b>INDIRECT VECTOR CONTROL OF AN INDUCTION GENERATOR WITH LVRT CAPABILITY</b> .....  | 550 |
| <i>J. Dominguez-Garcia, O. Gomis-Bellmunt, L. Trilla-Romero, A. Sudria-Andreu</i>  |     |
| <b>SENSORLESS FLOW RATE ESTIMATION IN FREQUENCY-CONVERTER-DRIVEN FANS</b> .....  | 560 |
| <i>J. Tamminen, T. Ahonen, J. Ahola, J. Kestila</i>  |     |
| <b>PREDICTIVE CONTROL OF A PERMANENT MAGNET SYNCHRONOUS MACHINE BASED ON REAL-TIME DYNAMIC OPTIMIZATION</b> .....  | 570 |
| <i>J. Stumper, A. Dotlinger, J. Jung, R. Kennel</i>  |     |
| <b>CONCEPT OF LOW-VOLTAGE AC DRIVE BASED ON DOUBLE-SIDE COOLED IGBT PRESS-PACK MODULES</b> .....   | 578 |
| <i>S. Kicin, M. Laitinen, C. Haederli, J. Sikanen, R. Grinberg, J. Fabian, A. Hamidi</i>   |     |
| <b>VOLTAGE VECTOR SELECTION STRATEGY FOR THE INTERIOR PMSM DTC SYSTEM</b> .....  | 586 |
| <i>Y. Li, D. Gerling</i>   |     |
| <b>EMC MODELLING OF DRIVES FOR AIRCRAFT APPLICATIONS: MODELLING PROCESS AND OPTIMISATION OF EMI FILTERS</b> .....  | 595 |
| <i>B. Toure, J. Schanen, L. Gerbaud, T. Meynard, J. Carayon</i>  |     |
| <b>ANALYSIS OF ENERGY LOSSES FOR SIC AND SI DIODES IN HALF-BRIDGE MODULES AND FUTURE APPLICATIONS</b> .....  | 605 |
| <i>M. Sierra, I. Gabiola, A. Pujana, S. Apinaniz, P. Ibanez</i>  |     |
| <b>ENCODERLESS FIELD-ORIENTED CONTROL OF A SYNCHRONOUS RELUCTANCE MACHINE WITH AN ESTIMATOR IN POLAR STATOR-CURRENT COORDINATES</b> .....                        | 613 |
| <i>J. Stumper, D. Paulus, R. Kennel</i>  |     |
| <b>ONE DIMENSIONAL FEED-FORWARD MODULATION OF A CASCADED H-BRIDGE MULTI-LEVEL CONVERTER INCLUDING CAPACITOR BALANCING WITH REDUCED SWITCHING FREQUENCY</b> ..... | 621 |
| <i>J. Vodden, P. Wheeler, L. Franquelo, J. Leon, S. Vazquez</i>  |     |
| <b>HIGH-TEMPERATURE DIE-ATTACHES FOR SIC POWER DEVICES</b> .....   | 631 |
| <i>A. Masson, C. Buttay, H. Morel, C. Raynaud, S. Hascoet, L. Gremillard</i>   |     |
| <b>ROUTE-DEPENDENT POWER-ADAPTED OPERATION STRATEGIES IN RANGE EXTENDER HYBRID VEHICLES</b> .....  | 641 |
| <i>M. Richter, S. Walter, M. Steigeler, M. Mendes, H. Kabza</i>  |     |
| <b>ENERGY MANAGEMENT FOR RANGE ENLARGEMENT OF A HYBRID BATTERY VEHICLE WITH BATTERY AND DOUBLE LAYER CAPACITORS</b> .....  | 647 |
| <i>M. Richter, S. Zinser, M. Steigeler, M. Mendes, H. Kabza</i>  |     |
| <b>SINGLE-PHASE BOOST-TYPE RECTIFIER WITH FAULT-TOLERANT CAPABILITY</b> .....  | 653 |
| <i>J. Claire, K. Chalal, S. Trieste</i>  |     |
| <b>MANUFACTURING TOLERANCES: ESTIMATION AND PREDICTION OF COGGING TORQUE INFLUENCED BY MAGNETIZATION FAULTS</b> .....  | 663 |
| <i>I. Coenen, M. Giet, K. Hameyer</i>  |     |
| <b>COMPARISON OF THE SEMICONDUCTOR LOSSES IN SELF COMMUTATED INVERTER TOPOLOGIES FOR HVDC</b> .....  | 672 |
| <i>H. Eckel, J. Runge</i>  |     |
| <b>FPGA-BASED SLIDING MODE DIRECT POWER CONTROL OF THREE-PHASE PWM BOOST RECTIFIER</b> .....   | 680 |
| <i>A. Hemdani, M. Naouar, I. Slama-Belkhdja, E. Monmasson</i>  |     |

|  |     |
|--|-----|
| <b>PERFORMANCE OPTIMIZATION OF A SQUARE WAVE OPERATION IN AN INDIRECT MATRIX CONVERTER WITH A REACTOR FREE DC BOOST CONVERTER</b> .....  | 690 |
| <i>G. Chiang, J. Itoh</i>  |     |
| <b>EFFICIENCY AND HARDWARE COMPARISON OF ANALOG CONTROL-BASED AND DIGITAL CONTROL-BASED 70 W TWO-STAGE POWER FACTOR CORRECTOR AND DC-DC CONVERTERS</b> .....                     | 700 |
| <i>L. Torok, S. Munk-Nielsen</i>   |     |
| <b>IMPACT OF SOLDER FATIGUE ON MODULE LIFETIME IN POWER CYCLING TESTS</b> .....  | 708 |
| <i>U. Scheuermann, R. Schmidt</i>  |     |
| <b>A SPACE VECTOR PWM ALGORITHM FOR A THREE-LEVEL SEVEN-PHASE VOLTAGE SOURCE INVERTER</b> .....  | 718 |
| <i>O. Dordevic, M. Jones, E. Levi</i>  |     |
| <b>CONSTRUCTION OF A MULTI-FREQUENCY COMPACT ELECTRO-THERMAL MODEL FOR IGBT-BASED POWER INVERTERS</b> .....  | 729 |
| <i>J. Antonios, C. Batard, N. Ginot, Y. Scudeller, M. Machmoum</i>   |     |
| <b>NEW APPROACHES FOR CONTACTLESS POWER TRANSMISSION SYSTEMS INTEGRATED IN PM MOTOR DRIVES TRANSFERRING ELECTRICAL ENERGY TO ROTATING LOADS</b> .....                            | 739 |
| <i>M. Reinhard, C. Spindler, T. Schuer, V. Birk, J. Denk</i>   |     |
| <b>MODELING OF THE AIR FILM PRESSURE FOR A HAPTIC TOUCH ACTUATOR</b> .....   | 749 |
| <i>C. Winter, Y. Perriard</i>  |     |
| <b>CONTACTLESS ENERGY TRANSFER SYSTEM FOR COMPUTER PERIPHERALS</b> .....   | 757 |
| <i>P. Meyer, P. Germano, Y. Perriard</i>   |     |
| <b>A DIGITAL PLATFORM FOR REAL-TIME SIMULATION OF POWER CONVERTERS WITH HIGH SWITCHING FREQUENCY</b> .....   | 767 |
| <i>K. Cuyper, M. Osee, F. Robert, P. Mathys</i>  |     |
| <b>IMPROVED THERMAL DESIGN OF A HIGH FREQUENCY POWER TRANSFORMER</b> .....   | 777 |
| <i>A. Stadler, C. Gulden</i>   |     |
| <b>AIR-COOLING OPTIMIZATION AT SYSTEM LEVEL</b> .....  | 786 |
| <i>T. Gradinger</i>  |     |
| <b>APPLICATION OF A POWER ELECTRONIC BASED FAULT CURRENT LIMITER (FCL) TO REDUCE ARC FLASH ENERGY IN ELECTRICAL GRIDS WITH HIGH SHORT-CIRCUIT POWER</b> .....                    | 796 |
| <i>M. Weiland, A. Schon, G. Herold</i>   |     |
| <b>THE ACCURACY OF THE CLASSICAL MACHINE PHASOR DIAGRAM AND ON-LINE MEASUREMENTS FOR PERMANENT MAGNET MACHINES</b> .....   | 806 |
| <i>G. Morton, C. Cossar</i>  |     |
| <b>COMPARISON OF LINE AND LOAD CONVERTER TOPOLOGIES IN A BIPOLAR LVDC DISTRIBUTION</b> .....   | 815 |
| <i>J. Rekola, H. Tuusa</i>   |     |
| <b>SLIDING-MODE CONTROL, DYNAMIC ASSESSMENT AND PRACTICAL IMPLEMENTATION OF A BIDIRECTIONAL BUCK/BOOST DC-TO-DC CONVERTER</b> .....  | 825 |
| <i>A. Gee, F. Robinson, R. Dunn</i>  |     |
| <b>DEVELOPMENT OF A REAL TIME MONITORING AND CONTROL SYSTEM FOR PLC BASED ELEVATOR</b> .....   | 835 |
| <i>E. Irmak, I. Colak, O. Kaplan, A. Kose</i>  |     |
| <b>IGBT SERIES CONNECTION UNDER ACTIVE VOLTAGE CONTROL</b> .....   | 843 |
| <i>W. He, P. Palmer, X. Zhang, M. Snook, Z. Wang</i>   |     |
| <b>CHANCES AND LIMITS OF A THERMAL CONTROL FOR A THREE-PHASE VOLTAGE SOURCE INVERTER IN TRACTION APPLICATIONS USING PERMANENT MAGNET SYNCHRONOUS OR INDUCTION MACHINES</b> ..... | 852 |
| <i>M. Weckert, J. Roth-Stielow</i>   |     |
| <b>EFFECT OF MATERIAL TECHNOLOGIES ON EQUIVALENT STRUCTURAL PARASITIC CAPACITANCE OF HIGH-VOLTAGE CASCADE RECTIFIER</b> .....  | 862 |
| <i>J. Wang, P. Luerkens, S. Haan, M. Verweij, J. Ferreira</i>  |     |
| <b>POWER SUPPLIES FOR THE DIAGNOSTIC AND MAIN BEAM DUMPS OF FERMI@ELETTRA</b> .....  | 872 |
| <i>R. Visintini, E. Massarelli, A. Faccio, M. Segato, M. Hohmann, F. Schumann</i>  |     |
| <b>A FULLY AUTOMATED MEASUREMENT SET-UP FOR THE DETERMINATION OF THE REVERSE RECOVERY BEHAVIOUR OF ULTRA-FAST DIODES</b> .....   | 882 |
| <i>J. Stahl, D. Kuebrich, T. Duerbaum, A. Leicht, J. Patz</i>  |     |
| <b>A SIMPLE ADAPTIVE CONTROL FOR A NOVEL VOLTAGE BUS CONDITIONER WITH REDUCED CAPACITIVE STORAGE</b> .....   | 891 |
| <i>S. Mollov</i>   |     |
| <b>INTRODUCTION OF A HYBRID MOSFET-IGBT POWER SWITCHING DEVICE UTILISING A NOVEL SCHOTTKY BIASED MINORITY CARRIER INJECTOR</b> .....   | 901 |
| <i>M. Westmoreland, P. Ward, P. Mawby</i>  |     |
| <b>DECREASE OF ASYNCHRONOUS ROTATION-FREQUENCY NOISE AND VIBRATION CAUSED BY ELECTROMAGNETIC FORCE INSIDE THE MOTOR FOR A HYBRID VEHICLE</b> .....                               | 911 |
| <i>M. Arata, M. Mochizuki, T. Araki, T. Hanai, M. Matsubara</i>  |     |
| <b>DESIGN STUDY OF LOW RIPPLE AND LARGE CURRENT DC POWER SUPPLY FOR FUSION PLANT'S SUPERCONDUCTING MAGNET</b> .....  | 921 |
| <i>H. Chikaraishi, H. Noguchi</i>  |     |

|  |             |
|--|-------------|
| <b>NUMERICAL MODELLING IN PLATE-TYPE ELECTROSTATIC PRECIPITATOR SUPPLIED WITH PULSE ENERGIZATION.....</b>  | <b>931</b>  |
| <i>G. Popa, C. Dinis, S. Deaconu</i>   |             |
| <b>BRAKING CHOPPER SOLUTIONS FOR MODULAR MULTILEVEL CONVERTERS .....</b>   | <b>939</b>  |
| <i>S. Schoening, P. Steimer, J. Kolar</i>  |             |
| <b>NEGATIVE DIFFERENTIAL MILLER CAPACITANCE DURING SWITCHING TRANSIENTS OF IGBTs.....</b>  | <b>949</b>  |
| <i>J. Bohmer, J. Schumann, H. Eckel</i>  |             |
| <b>RESEARCH ON THE Z-SOURCE INVERTER GRID-CONNECTED CONTROL OF MICRO-GRID BASED ON DIFFERENTIAL GEOMETRY .....</b>   | <b>958</b>  |
| <i>K. Guo, Y. Chen, L. Zhou, Y. Gan</i>  |             |
| <b>SELF-OPTIMIZING, HIGH DYNAMIC CONTROL OF MAGNET POWER SUPPLIES FOR PARTICLE ACCELERATORS.....</b>   | <b>967</b>  |
| <i>X. Ke, H. Jaeckle, F. Jenni</i>   |             |
| <b>RIPPLE CURRENT MINIMIZATION OF AN INTERLEAVED-SWITCHED MULTI-PHASE PWM INVERTER FOR THREE-PHASE MACHINE-EMULATION .....</b>   | <b>977</b>  |
| <i>C. Nemec, J. Roth-Stielow</i>   |             |
| <b>INVESTIGATION OF CONTROL SCHEME BASED ON STATIONARY REFERENCE FRAME USING THREE LEVEL SPACE VECTOR MODULATED GRID CONNECTED INVERTER WITH NP BALANCING ALGORITHM .....</b>  | <b>985</b>  |
| <i>G. Tsengenes, T. Nathenas, G. Adamidis</i>  |             |
| <b>ENHANCED OSCILLATION CIRCUIT ANALYSIS OF SWITCHING MODE POWER SUPPLIES.....</b>   | <b>995</b>  |
| <i>V. Hoch, J. Petzoldt, T. Reimann, A. Schlogl</i>  |             |
| <b>VOLTAGE-HOLD PERTURBATION &amp; OBSERVATION MAXIMUM POWER POINT TRACKING ALGORITHM (VH-P&amp;O MPPT) FOR IMPROVED TRACKING OVER THE TRANSIENT ATMOSPHERIC CHANGES .....</b> | <b>1005</b> |
| <i>I. Abdalla, L. Zhang, J. Corda</i>  |             |
| <b>GENERALIZED INTEGRATION DUTY CYCLE CONVERSION PULSE-WIDTH MODULATION (IPWM) ALGORITHM FOR MULTILEVEL-PV DC-LINK INVERTER.....</b>   | <b>1015</b> |
| <i>I. Abdalla, L. Zhang, J. Corda</i>  |             |
| <b>DIELECTRIC ELASTOMERS AS GENERATORS .....</b>   | <b>1025</b> |
| <i>B. Czech, R. Kessel, P. Bauer, J. Ferreira</i>  |             |
| <b>ASSESSMENT OF POWER ELECTRONIC INVERTER COOLING REQUIREMENTS FOR A REAR-AXLE DRIVE .....</b>  | <b>1035</b> |
| <i>J. Ottosson</i>   |             |
| <b>COMPARISON OF RESONANT LLC AND LCC CONVERTERS FOR LOW-PROFILE APPLICATIONS .....</b>  | <b>1045</b> |
| <i>A. Pawellek, C. Oeder, T. Duerbaum</i>  |             |
| <b>VOLTAGE BALANCING CONTROL IN 3-LEVEL NEUTRAL-POINT CLAMPED INVERTERS USING TRIANGULAR CARRIER PWM MODULATION FOR FACTS APPLICATIONS.....</b>                                | <b>1055</b> |
| <i>F. Chivite-Zabalza, P. Izurzu, G. Calvo, M. Rodriguez</i>   |             |
| <b>AN OPEN-CIRCUIT FAULTS DIAGNOSIS METHOD FOR MATRIX CONVERTERS BASED ON DWT ANALYSIS OF OUTPUT CURRENT.....</b>  | <b>1065</b> |
| <i>P. Potamianos, E. Mitronikas, A. Safacas</i>  |             |
| <b>THERMAL STRESS ANALYSIS OF IGBT MODULES IN VSCS FOR PMSG IN LARGE OFFSHORE WIND ENERGY CONVERSION SYSTEMS.....</b>  | <b>1075</b> |
| <i>R. Pittini, S. D'Arco, M. Hernes, A. Petterteig</i>   |             |
| <b>HIGH-TEMPERATURE BEHAVIOR OF SIC POWER DIODES.....</b>  | <b>1085</b> |
| <i>C. Buttay, C. Raynaud, H. Morel, M. Lazar, G. Civrac, D. Bergogne</i>   |             |
| <b>ONLINE PARAMETER-ESTIMATION OF FEEDFORWARD GAINS IN CASCADED CONTROL STRUCTURES FOR SERVO DRIVES.....</b>   | <b>1094</b> |
| <i>I. Pletschen, S. Rohr, G. Herrmann, R. Kennel</i>   |             |
| <b>REAL TIME IMPLEMENTATION OF SUBOPTIMAL CONTROL POSITION DRIVE SYSTEM WITH INDUCTION MACHINE .....</b>   | <b>1102</b> |
| <i>T. Munteanu, E. Rosu, R. Paduraru, T. Dumitriu, M. Gaiceanu, M. Culea, C. Dache</i>   |             |
| <b>ANALYSIS OF SPACE VECTOR MODULATION TECHNIQUES APPLIED IN VOLTAGE SOURCE CONVERTERS OF ULTRAHIGH SPEED INDUCTION MOTOR DRIVES .....</b>                                     | <b>1108</b> |
| <i>P. Stumpf, Z. Varga, R. Kalman, I. Nagy</i>   |             |
| <b>FEASIBILITY OF TIME-DELAY BASED FREQUENCY-CONTROL OF A SLIDING-MODE BUCK CONVERTER.....</b>   | <b>1118</b> |
| <i>B. Labbe, D. Chesneau, B. Allard, X. Lin-Shi</i>  |             |
| <b>OPTIMIZING BROADBAND HARMONIC FILTER DESIGN FOR ADJUSTABLE SPEED DRIVE SYSTEMS.....</b>   | <b>1127</b> |
| <i>H. Zubi, R. Dunn, F. Robinson</i>   |             |
| <b>MULTILEVEL TWO QUADRANT DC/DC CONVERTER FOR REGENERATIVE BRAKING IN MOBILE APPLICATIONS.....</b>  | <b>1137</b> |
| <i>M. Massot-Campos, D. Montesinos-Miracle, S. Galceran-Arellano, A. Rufier</i>  |             |
| <b>PRIMARY-CONTROLLED HIGH-PF FLYBACK CONVERTERS DELIVER CONSTANT DC OUTPUT CURRENT .....</b>  | <b>1147</b> |
| <i>C. Adragna</i>  |             |
| <b>A NOVEL APPROACH FOR A MARX TOPOLOGY WITH BIPOLAR OUTPUT VOLTAGES FOR DIELECTRIC BARRIER DISCHARGE.....</b>   | <b>1157</b> |
| <i>D. Tastekin, F. Blank, J. Roth-Stielow, A. Lunk</i>   |             |

|  |             |
|--|-------------|
| <b>LABORATORY EVALUATION OF THE VSD-BASED HYBRID ESTIMATION METHOD FOR THE PUMP OPERATIONAL STATE .....</b>  | <b>1165</b> |
| <i>T. Ahonen, J. Tamminen, J. Ahola, J. Kestila</i>  |             |
| <b>HALF-BRIDGE POWER DEVICE GATE DRIVER CIRCUIT WITH ISOLATION USING INTEGRATED MAGNETIC COMPONENT AND CARRIER SIGNAL PHASE SWITCHING .....</b>                        | <b>1175</b> |
| <i>N. McNeill, D. Holliday, P. Mellor</i>  |             |
| <b>NEW EVALUATION OF LOW FREQUENCY CAPTURE FOR A WIDE BANDWIDTH CLAMPING CURRENT PROBE FOR <math>\pm 800A</math> USING GMR SENSORS.....</b>                            | <b>1185</b> |
| <i>B. Hudoffsky, J. Roth-Stielow</i>   |             |
| <b>DEVELOPMENT OF A MODULAR HIGH-POWER CONVERTER SYSTEM FOR BATTERY ENERGY STORAGE SYSTEMS.....</b>  | <b>1192</b> |
| <i>S. Thomas, M. Stieneker, R. Doncker</i>   |             |
| <b>ELECTRICAL GEARBOX EQUIVALENT BY MEANS OF DYNAMIC MACHINE OPERATION.....</b>  | <b>1202</b> |
| <i>T. Gerrits, C. Wijnands, J. Paulides, J. Duarte</i>   |             |
| <b>DESIGN, IMPLEMENTATION AND PERFORMANCE OF A MODULAR POWER ELECTRONIC TRANSFORMER (PET) FOR RAILWAY APPLICATION .....</b>  | <b>1212</b> |
| <i>C. Zhao, S. Lewdeni-Schmid, J. Steinke, M. Weiss, T. Chaudhuri, M. Pellerin, J. Duron, P. Stefanutti</i>  |             |
| <b>TEST PLATFORM OF SMART GRIDS WITH RENEWABLE ENERGY SYSTEMS AND PLUG-IN HYBRID ELECTRIC VEHICLES .....</b>   | <b>1222</b> |
| <i>Y. Cheng</i>  |             |
| <b>COMPARISON OF AN ACTIVE STATOR AND A 3-PHASE SYNCHRONOUS MACHINE.....</b>   | <b>1230</b> |
| <i>N. Irenji</i>   |             |
| <b>SANDWICH DESIGN OF HIGH-POWER THYRISTOR BASED DEVICES WITH INTEGRATED MOSFET STRUCTURE.....</b>   | <b>1238</b> |
| <i>M. Bragard, C. Ronge, R. Doncker</i>  |             |
| <b>DETECTION OF INTER-TURNS SHORT CIRCUITS IN PERMANENT MAGNET SYNCHRONOUS MOTORS OPERATING UNDER TRANSIENT CONDITIONS BY MEANS OF THE ZERO SEQUENCE VOLTAGE .....</b> | <b>1246</b> |
| <i>J. Urresty, J. Riba, H. Saavedra, L. Romeral</i>  |             |
| <b>HIGH EFFICIENCY DRIVE SYSTEM WITH 3-LEVEL T-TYPE INVERTER.....</b>  | <b>1255</b> |
| <i>M. Schweizer, J. Kolar</i>  |             |
| <b>ASCERTAINMENT OF STATIC CHARACTERISTIC FLUCTUATION OF PHOTOVOLTAIC CELLS AND EVALUATION OF HIGH-SPEED MAXIMUM POWER POINT TRACKING CONTROL.....</b>                 | <b>1265</b> |
| <i>S. Tanaka, T. Yoshida, K. Ohniwa, O. Miyashita</i>  |             |
| <b>A FAULT-TOLERANT PERMANENT MAGNET SYNCHRONOUS MOTOR DRIVE WITH INTEGRATED VOLTAGE SOURCE INVERTER OPEN-CIRCUIT FAULTS DIAGNOSIS .....</b>                           | <b>1275</b> |
| <i>J. Estima, A. Cardoso</i>   |             |
| <b>2 MW ACTIVE BOUNCER CONVERTER DESIGN FOR LONG PULSE KLYSTRON MODULATORS.....</b>  | <b>1285</b> |
| <i>D. Aguglia</i>  |             |
| <b>IMPROVED CONTROL STRATEGY FOR ACTIVE BOUNCERS USED IN KLYSTRON MODULATORS .....</b>   | <b>1295</b> |
| <i>S. Maestri, R. Retegui, P. Antoszczuk, M. Benedetti, D. Aguglia, D. Nisbet</i>  |             |
| <b>HIGH-PRECISION CURRENT CONTROL THROUGH OPPOSED CURRENT CONVERTERS .....</b>   | <b>1302</b> |
| <i>J. Schellekens, J. Duarte, H. Huisman, M. Hendrix</i>   |             |
| <b>SUITABLE OPERATION CONDITIONS FOR DIFFERENT 100V TRENCH-BASED POWER MOSFETS IN 48V-INPUT SYNCHRONOUS BUCK CONVERTERS .....</b>                                      | <b>1312</b> |
| <i>J. Roig, D. Lee, F. Bauwens, B. Burra, A. Rinaldi, J. McDonald, B. Desoete</i>  |             |
| <b>DERIVATION AND CHARACTERIZATION OF SWITCHED-BOOST INVERTER .....</b>  | <b>1321</b> |
| <i>S. Upadhyay, R. Adda, S. Mishra, A. Joshi</i>   |             |
| <b>A NEW CONTROL METHOD FOR ELIMINATING THE 2<sup>ND</sup> HARMONIC AT THE DC LINK OF A SHUNT APF UNDER AN UNBALANCED AND NONLINEAR LOAD.....</b>                      | <b>1331</b> |
| <i>P. Dang, J. Petzoldt</i>  |             |
| <b>COMBINED SOLAR AND AC MAINS POWERED LED LIGHTING SYSTEM.....</b>  | <b>1336</b> |
| <i>U. Boeke, M. Wendt, L. Yseboodt</i>   |             |
| <b>TECHNIQUES FOR THE OPTIMAL DESIGN OF PHOTOVOLTAIC INVERTERS INTERCONNECTED WITH THE ELECTRIC GRID.....</b>  | <b>1344</b> |
| <i>E. Koutroulis, F. Blaabjerg</i>   |             |
| <b>INFLUENCE AND BENEFITS OF STRAY MAGNETIC COUPLINGS IN EMC FILTERING .....</b>   | <b>1354</b> |
| <i>T. Oliveira, J. Schanen, J. Guichon, L. Gerbaud</i>   |             |
| <b>CONTROL OF SCIG WIND FARM USING A SINGLE VSC.....</b>   | <b>1364</b> |
| <i>L. Trilla, O. Gomis-Bellmunt, A. Sudria-Andreu</i>  |             |
| <b>SOLID STATE CIRCUIT BREAKERS ENABLING OPTIMISED PROTECTION OF DC AIRCRAFT POWER SYSTEMS.....</b>  | <b>1373</b> |
| <i>S. Fletcher, P. Norman, S. Galloway, G. Burt</i>  |             |
| <b>DIFFUSION SOLDERING FOR AUTOMOTIVE POWER MOSFETS OFFERS THE FIRST 100% LEAD FREE DIE ATTACH.....</b>  | <b>1383</b> |
| <i>M. Purschel, K. Roschlau</i>  |             |
| <b>CRITICAL EVALUATION OF FBD, PQ AND GENERALIZED NON-ACTIVE POWER THEORIES .....</b>  | <b>1390</b> |
| <i>F. Xu, L. Tolbert, Y. Xu</i>  |             |
| <b>A NOVEL CLASS E RF SELF-OSCILLATING TOPOLOGY FOR INDUCTION HEATING APPLICATIONS.....</b>  | <b>1400</b> |
| <i>H. Samago, A. Mediano, D. Palacios, A. Santolaria</i>   |             |

|   |      |
|---|------|
| <b>REDUCTION OF THE NUMBER OF POWER AMPLIFIERS FOR AN ADVANCED SINGLE-STAGE PLANAR ACTUATOR</b> .....   | 1406 |
| <i>A. Driessen, C. Wijnands, J. Duarte, M. Roes</i>   |      |
| <b>A NEW STRUCTURE OF 12SLOT-10POLE FIELD-EXCITATION FLUX SWITCHING SYNCHRONOUS MACHINE FOR HYBRID ELECTRIC VEHICLES</b> .....  | 1416 |
| <i>E. Sulaiman, T. Kosaka, N. Matsui</i>  |      |
| <b>ELECTRIC, HYBRID ELECTRIC AND COMBUSTION ENGINE DRIVEN CARS AND THEIR IMPACT ON ENVIRONMENT</b> .....  | 1426 |
| <i>C. Zdenek, M. Pavel</i>  |      |
| <b>DESIGN RULES FOR PERMANENT MAGNET SYNCHRONOUS MACHINES WITH TOOTH-COILS FOR SENSORLESS CONTROL UP TO OVERLOAD RANGE</b> .....                                      | 1431 |
| <i>A. Eilenberger, M. Schrod</i>  |      |
| <b>SOLUTIONS OF DC-DC CONVERTERS FOR G-CLASS AUDIO AMPLIFIERS IN MOBILE PLATFORMS</b> .....   | 1438 |
| <i>B. Xavier, A. Bruno, L. Xuefang</i>  |      |
| <b>A ROBUST TOP STRUCTURE DESIGN IN A FIELD-STOP EMITTER-IMPLANT TRENCH-GATE IGBT FOR IMPROVED SHORT CIRCUIT RUGGEDNESS</b> .....                                     | 1447 |
| <i>A. Alessandria, L. Fragapane</i>   |      |
| <b>DESIGN OF 10 KW RESONANT PUSH-PULL DC-DC CONVERTER FOR SOLID OXIDE FUEL CELL APPLICATIONS</b> .....  | 1455 |
| <i>V. Vaisanen, T. Riipinen, J. Hiltunen, P. Silventoinen</i>   |      |
| <b>PIEZOELECTRIC 10W DC/DC CONVERTER FOR SPACE APPLICATIONS</b> .....   | 1465 |
| <i>Y. Liu, D. Vasic, F. Costa, D. Schwander</i>   |      |
| <b>ASSESSMENT OF DYNAMIC PHASORS MODELLING TECHNIQUE FOR ACCELERATED ELECTRIC POWER SYSTEM SIMULATIONS</b> .....  | 1472 |
| <i>T. Yang, S. Bozhko, G. Asher</i>   |      |
| <b>SPEED-BASED SUPERCAPACITOR STATE OF CHARGE TRACKER FOR LIGHT RAILWAY VEHICLES</b> .....  | 1481 |
| <i>F. Ciccarelli, D. Iannuzzi, P. Tricoli</i>   |      |
| <b>SENSOR FAULT-TOLERANT CONTROL OF AN INDUCTION MOTOR BASED ELECTRIC VEHICLE</b> .....   | 1493 |
| <i>B. Tabbache, M. Benbouzid, A. Kheloui, J. Bourgeot</i>   |      |
| <b>P+RESONANT CONTROL OF A Z-SOURCE INVERTER FOR MAINS VOLTAGE DROP COMPENSATION</b> .....  | 1501 |
| <i>M. Zimmermann, S. Kellner, B. Piepenbreier</i>   |      |
| <b>STABILITY ANALYSIS OF MULTI-PARALLEL APF SYSTEMS</b> .....   | 1511 |
| <i>P. Dang, J. Petzoldt, T. Ellinger</i>  |      |
| <b>HARDWARE-IN-THE-LOOP CAPABLE STATE-SPACE-AVERAGING MODELS FOR POWER CONVERTERS IN DISCONTINUOUS CONDUCTION MODE CONSIDERING PARASITIC COMPONENT BEHAVIOR</b> ..... | 1519 |
| <i>A. Kiffe, S. Formann, T. Schulte, J. Maas</i>  |      |
| <b>HARMONIC OPTIMIZATION FOR MULTILEVEL CONVERTERS USING SPACE VECTOR FUNDAMENTAL FREQUENCY MODULATION</b> .....  | 1529 |
| <i>G. Mehlmann, G. Herold, M. Zimmermann, B. Piepenbreier</i>   |      |
| <b>SENSORLESS CONTROL AT HIGH STARTING TORQUE OF A 4000 NM TRACTION DRIVE WITH PERMANENT MAGNET SYNCHRONOUS MACHINE</b> .....   | 1539 |
| <i>F. Demmelmayr, M. Susic, M. Schroedl</i>   |      |
| <b>STRAIGHTFORWARD CURRENT CONTROL - ONE STEP CONTROLLER BASED ON CURRENT SLOPE DETECTION</b> .....   | 1547 |
| <i>F. Becker, H. Ennadifi, M. Braun</i>   |      |
| <b>FIRST EXPERIMENTAL RESULTS OF HIGHLY EFFICIENT PERMANENT MAGNET SYNCHRONOUS MACHINE FOR HYBRID ELECTRIC VEHICLE</b> .....  | 1557 |
| <i>L. Beti, U. Schafer</i>  |      |
| <b>MASH <math>\lambda</math>-<math>\Sigma</math> DPWM BASED SLIDING-MODE CONTROLLER DEDICATING TO HIGH FREQUENCY SMPS</b> .....                                       | 1565 |
| <i>B. Li, S. Guo, X. Lin-Shi, B. Allard</i>   |      |
| <b>ENERGY EFFICIENT SENSORLESS SCALAR CONTROL FOR FULL SPEED OPERATING RANGE IM DRIVES</b> .....  | 1574 |
| <i>A. Consoli, G. Scarcella, G. Scelba, M. Cacciato</i>   |      |
| <b>HIGH EFFICIENCY RECTIFIER FOR A VARIABLE SPEED TRANSVERSE FLUX PERMANENT MAGNET GENERATOR FOR WIND TURBINE APPLICATIONS</b> .....                                  | 1584 |
| <i>M. Kakhki, M. Dubois</i>   |      |
| <b>EXTENDED-FLUX MODEL WITH CORE-LOSS RESISTANCE OF SYNCHRONOUS RELUCTANCE MOTORS AND TORQUE ESTIMATION WITHOUT CORE LOSS MEASUREMENT AND POSITION ENCODER</b> .....  | 1594 |
| <i>M. Hasegawa, H. Kitahara</i>   |      |
| <b>MODIFIED FOUR LEG DSTATCOM TOPOLOGY FOR COMPENSATION OF UNBALANCED AND NONLINEAR LOADS IN THREE PHASE FOUR WIRE SYSTEM</b> .....                                   | 1604 |
| <i>N. Geddada, S. Karanki, M. Mishra, B. Kumar</i>  |      |
| <b>RAMP BASED CONTROL OF DVR TO MITIGATE VOLTAGE SAGS/SWELLS</b> .....  | 1614 |
| <i>K. Sridhar, M. Mishra</i>  |      |
| <b>CONTROL OF A MODULAR MULTILEVEL CONVERTER-BASED HVDC TRANSMISSION SYSTEM</b> .....   | 1624 |
| <i>D. Soto-Sanchez, T. Green</i>  |      |



|  |             |
|--|-------------|
| <b>A NOVEL METHOD FOR TORQUE RIPPLE REDUCTION IN 6/4 TWO ROTOR STACK SWITCHED RELUCTANCE MOTOR .....</b>   | <b>1634</b> |
| <i>A. Siadatan, M. Asgar, V. Najmi, E. Afjei</i>   |             |
| <b>COMPLETE SHORT-CIRCUIT FAILURE MODE PROPERTIES AND COMPARISON BASED ON IGBT STANDARD PACKAGING. APPLICATION TO NEW FAULT-TOLERANT INVERTER AND INTERLEAVED CHOPPER WITH REDUCED PARTS COUNT .....</b> | <b>1644</b> |
| <i>F. Richardeau, Z. Dou, J. Blaquiere, E. Sarraute, D. Flumian, F. Mosser</i>   |             |
| <b>LIFETIME INVESTIGATION OF HIGH POWER IGBT MODULES.....</b>  | <b>1653</b> |
| <i>J. Due, S. Munk-Nielsen, R. Nielsen</i>   |             |
| <b>SEVEN-LEVEL SINGLE-LEG FLYING CAPACITOR CONVERTER VOLTAGE BALANCING DYNAMICS ANALYSIS .....</b>   | <b>1661</b> |
| <i>B. Reznikov, A. Ruderman</i>  |             |
| <b>DESIGN AND EVALUATION OF STATE OF THE ART RECTIFIERS DEDICATED FOR A 46 KW EECS AEROSPACE APPLICATION WITH RESPECT TO POWER DENSITY AND RELIABILITY .....</b>   | <b>1671</b> |
| <i>S. Liebig, A. Engler, J. Lutz</i>   |             |
| <b>DESIGN OF A SUSTAINABLE RESIDENTIAL MICROGRID SYSTEM INCLUDING PHEV AND ENERGY STORAGE DEVICE.....</b>  | <b>1681</b> |
| <i>L. Roggia, C. Rech, L. Schuch, J. Baggio, H. Hey, J. Pinheiro</i>   |             |
| <b>DUAL ACTIVE BRIDGE MODULATION WITH COMPLETE ZERO VOLTAGE SWITCHING TAKING RESONANT TRANSITIONS INTO ACCOUNT .....</b>   | <b>1690</b> |
| <i>G. Guidi, A. Kawamura, Y. Sasaki, T. Imakubo</i>  |             |
| <b>OPTIMAL DIRECT TORQUE CONTROL FOR PMSM BASED ON MODEL PREDICTIVE CONTROL.....</b>   | <b>1700</b> |
| <i>M. Hagino, T. Zanma, M. Ishida</i>  |             |
| <b>A NEW HIGH STEP-UP VOLTAGE RATIO SOFT SWITCHING PWM BOOST DC-DC POWER CONVERTER WITH EDGE RESONANT SWITCHED CAPACITOR MODULAR .....</b>   | <b>1706</b> |
| <i>T. Mishima, Y. Takeuchi, M. Nakaoka</i>   |             |
| <b>VEHICLE FUEL CONSUMPTION SIMULATION MODEL USING VHDL-AMS.....</b>   | <b>1716</b> |
| <i>T. Abe, S. Takayama, T. Higuchi, K. Tsuji, K. Shigematsu</i>  |             |
| <b>IMPROVEMENT OF FAULT RIDE THROUGH CAPABILITY OF WIND FARMS USING DFIG CONSIDERING SDBR.....</b>   | <b>1725</b> |
| <i>K. Okedu, S. Muyeen, R. Takahashi, J. Tamura</i>  |             |
| <b>THERMAL-ELECTRICAL MODELING AND SIMULATION OF RESONANTLY OPERATED DC-DC CONVERTERS BASED ON EXTENDED DESCRIBING FUNCTION METHOD .....</b>   | <b>1735</b> |
| <i>J. Lv, Z. Cao, N. Frohliche, J. Bocker, H. Yuan, H. Mi</i>  |             |
| <b>COMPARISON OF CHIP- AND MODULE-MEASUREMENTS WITH HIGH POWER IGBTs AND RC-IGBTs .....</b>  | <b>1745</b> |
| <i>D. Wigger, H. Eckel</i>   |             |
| <b>A CURRENT FED MULTI-RESONANT CONVERTER WITH EXTENDED VOLTAGE REGULATION RANGE.....</b>  | <b>1753</b> |
| <i>D. Li, B. Liu, B. Yuan, X. Yang, Q. Huang, J. Zhai</i>  |             |
| <b>MATRIX CONVERTER SYSTEMS STABILITY ANALYSIS TAKING INTO ACCOUNT SWITCHING EFFECTS .....</b>   | <b>1763</b> |
| <i>S. Cox, P. Zanchetta</i>  |             |
| <b>IMPROVEMENTS OF SPEED ADAPTATION RESPONSE FOR IPMSM POSITION SENSORLESS VECTOR CONTROL WITH PARALLEL FEEDFORWARD COMPENSATOR.....</b>   | <b>1773</b> |
| <i>H. Tanaka, M. Hasegawa</i>  |             |
| <b>PWM-BASED CONTROL OF A CASCADED THREE-PHASE MULTILEVEL INVERTER .....</b>   | <b>1783</b> |
| <i>A. Martins, E. Meireles, A. Carvalho</i>  |             |
| <b>SOFT SWITCHING THREE LEVEL INVERTER WITH PASSIVE SNUBBER CIRCUIT (S3L INVERTER) .....</b>   | <b>1793</b> |
| <i>M. Gekeler</i>  |             |
| <b>OPTIMIZATION OF MICRO-GRID OPERATION BY DYNAMIC GRID MAPPING AND TOKEN RING CONTROL .....</b>   | <b>1803</b> |
| <i>A. Costabeber, T. Erseghe, P. Tenti, S. Tomasin, P. Mattavelli</i>  |             |
| <b>SHORT FAIL-SAFE CAPABILITY AND FAULT DIAGNOSIS STRATEGIES DEDICATED TO A RECONFIGURABLE 5-LEVEL DOUBLE-BOOST PFC.....</b>   | <b>1813</b> |
| <i>T. Pham, F. Richardeau, G. Gateau</i>   |             |
| <b>DESIGN CONSIDERATIONS FOR THE FAST CHARGE OF SUPERCAPACITORS IN THE FRAME OF LOW VOLTAGE APPLICATIONS .....</b>   | <b>1823</b> |
| <i>D. Simon, B. Philippe, R. Alfred</i>  |             |
| <b>COMPARISON OF 3 SELF-STARTING STEP-UP DC:DC CONVERTER TOPOLOGIES FOR HARVESTING ENERGY FROM LOW-VOLTAGE AND LOW-POWER MICROBIAL FUEL CELLS.....</b>   | <b>1833</b> |
| <i>N. Degremé, B. Allard, F. Buret, F. Morel, S. Adami, D. Labrousse</i>   |             |
| <b>DIGITAL PROPORTIONAL-RESONANT (PR) CONTROL WITH ANTI-WINDUP APPLIED TO A VOLTAGE-SOURCE INVERTER.....</b>   | <b>1843</b> |
| <i>S. Richter, R. Doncker</i>  |             |
| <b>A 4-LIMB FLYING CAPACITOR - BASED ACTIVE POWER FILTER FOR UNBALANCED DISTRIBUTION NETWORKS.....</b>   | <b>1853</b> |
| <i>M. Waite, L. Zhang</i>  |             |
| <b>EXPERIMENTAL COMPARISON OF DC-DC BOOST CONVERTERS WITH SIC JFETS AND SIC BIPOLAR TRANSISTORS .....</b>  | <b>1863</b> |
| <i>D. Pefitis, J. Rabkowski, G. Tolstoy, H. Nee</i>  |             |

|   |      |
|---|------|
| <b>CONTROL SYSTEM OF THE MULTISTAGE ACTIVE RECTIFIER ENERGIZING POWER SHOVEL MULTI-MOTOR VARIABLE-FREQUENCY DRIVE FOR MINING APPLICATIONS</b> .....                               | 1872 |
| <i>M. Pronin, O. Shonin, A. Vorontsov, G. Gogolev</i>   |      |
| <b>OPTIMAL CONTROL OF VOLTAGE SOURCE CONVERTERS FOR FAULT OPERATION</b> .....   | 1880 |
| <i>F. Bianchi, O. Gomis-Bellmunt, A. Egea-Alvarez, A. Junyent-Ferre</i>   |      |
| <b>ON THE DESIGN CONSIDERATIONS OF A 1.5 MVA WIND ENERGY SYSTEM</b> .....   | 1890 |
| <i>E. Mese, M. Atalan</i>   |      |
| <b>DIRECT MODULAR MULTI-LEVEL CONVERTER FOR GEARLESS LOW-SPEED DRIVES</b> .....   | 1900 |
| <i>A. Korn, M. Winkelkemper, P. Steimer, J. Kolar</i>   |      |
| <b>OPERATION OF MULTI-PHASE CONVERTERS WITH COUPLED INDUCTORS AT REDUCED NUMBERS OF PHASES</b> .....  | 1907 |
| <i>S. Utz, J. Pffor</i>   |      |
| <b>THREE-DIMENSIONAL PARASITICS CANCELLATION IN EMI FILTERS WITH POWER SANDWICH CONSTRUCTION</b> .....  | 1917 |
| <i>X. Gong, J. Ferreira</i>   |      |
| <b>MODELS AND EFFECTS OF DIFFERENT UPDATING AND SAMPLING CONCEPTS TO THE CONTROL OF GRID-CONNECTED PWM CONVERTERS – A STUDY BASED ON DISCRETE TIME DOMAIN ANALYSIS</b> .....      | 1927 |
| <i>N. Hoffmann, F. Fuchs, J. Dannehl</i>  |      |
| <b>DISTRIBUTION GRID IMPACT OF PLUG-IN ELECTRIC VEHICLES CHARGING AT FAST CHARGING STATIONS USING STOCHASTIC CHARGING MODEL</b> .....   | 1937 |
| <i>K. Yunus, H. Parra, M. Reza</i>  |      |
| <b>A METHOD OF VOLTAGE LIMITING AND DISTORTION AVOIDANCE FOR ISLANDED INVERTER-FED NETWORKS UNDER FAULT</b> .....   | 1948 |
| <i>C. Plet, T. Green</i>  |      |
| <b>ACCURACY STUDY OF FREQUENCY CONVERTER ESTIMATES USED IN THE SENSORLESS DIAGNOSTICS OF INDUCTION-MOTOR-DRIVEN SYSTEMS</b> .....   | 1956 |
| <i>T. Ahonen, J. Tamminen, J. Ahola, M. Niemela</i>   |      |
| <b>FAILURE MODES AND ROBUSTNESS OF SIC JFET TRANSISTORS UNDER CURRENT LIMITING OPERATIONS</b> .....   | 1966 |
| <i>M. Bouarroudji-Berkani, S. Lefebvre, D. Othman, S. Moumen, Z. Khatir, T. Salah</i>   |      |
| <b>EVALUATION OF MACHINE LEARNING TECHNIQUES FOR ELECTRO-MECHANICAL SYSTEM DIAGNOSIS</b> .....  | 1976 |
| <i>M. Delgado, A. Garcia, J. Urresty, J. Riba, J. Ortega</i>  |      |
| <b>GENERATOR EMULATION CONTROLS FOR PHOTOVOLTAIC INVERTERS</b> .....  | 1986 |
| <i>H. Alatrash, A. Mensah, E. Mark, R. Amarín, J. Enslin</i>  |      |
| <b>NECESSITY AND POSSIBILITY OF SMART GRID TECHNOLOGY APPLICATION ON RAILWAY POWER SUPPLY SYSTEM</b> .....  | 1996 |
| <i>H. Hayashiya, H. Yoshizumi, T. Suzuki, T. Furukawa, T. Kondoh, M. Kitano, T. Aoki, T. Ishii, N. Kurosawa, T. Miyagawa</i>  |      |
| <b>IMPROVING THE PERFORMANCE OF MODULAR MULTILEVEL CONVERTER BY REDUCING THE DEAD TIME EFFECT</b> .....   | 2006 |
| <i>Z. Li, Y. Li, P. Wang, H. Zhu, Z. Chu, S. Wang</i>   |      |
| <b>A NOVEL AC-AC SHUNT ACTIVE POWER FILTER WITHOUT LARGE ENERGY STORAGE ELEMENTS</b> .....  | 2016 |
| <i>Q. Liu, Y. Deng, X. He</i>   |      |
| <b>RESEARCH ON THREE-PHASE PWM HYBRID-CLAMPED FIVE-LEVEL AC-DC CONVERTER WITH HIGH POWER FACTOR</b> .....   | 2025 |
| <i>K. Yin, M. Ma, C. Tan, Q. Liu, Y. Deng, X. He</i>  |      |
| <b>ZVS THREE-LEVEL PHASE-SHIFT HIGH STEP-DOWN DC/DC CONVERTER WITH TWO TRANSFORMERS</b> .....   | 2035 |
| <i>P. Li, W. Li, Y. Zhao, H. Yang, X. He</i>  |      |
| <b>INTERLEAVED HIGH STEP-UP CONVERTER WITH BUILT-IN TRANSFORMER AND VOLTAGE DOUBLER FOR PV GRID-CONNECTED GENERATION SYSTEMS</b> .....  | 2045 |
| <i>W. Li, W. Cui, Y. Zhao, B. Yang, X. He</i>   |      |
| <b>PARAMETER OPTIMIZATION STUDY AND PERFORMANCE ANALYSIS OF 6S-8P PERMANENT MAGNET FLUX SWITCHING MACHINE WITH FIELD EXCITATION FOR HIGH SPEED HYBRID ELECTRIC VEHICLES</b> ..... | 2055 |
| <i>E. Sulaiman, T. Kosaka, N. Matsui</i>  |      |
| <b>DISTURBANCE COMPENSATION METHOD FOR SINGLE PHASE UTILITY INTERACTIVE INVERTER WITH FPGA BASED HARDWARE CONTROLLER</b> .....  | 2064 |
| <i>Y. Hanashima, T. Yokoyama</i>  |      |
| <b>MODELING AND SIMULATION OF HEAT PUMP AIR CONDITIONING UNIT INTENDING ENERGY CAPACITY REDUCTION OF ENERGY STORAGE SYSTEM IN MICROGRID</b> .....                                 | 2074 |
| <i>S. Kawachi, H. Hagiwara, J. Baba</i>   |      |
| <b>IMPROVED MODULATION OF TWO-STAGE MATRIX CONVERTER FOR EMA IN AIRCRAFT APPLICATIONS</b> .....   | 2083 |
| <i>K. Xiao, L. Wang, P. Wheeler</i>   |      |
| <b>BIDIRECTIONAL CONVERTER INTERFACE FOR A BATTERY ENERGY STORAGE TEST BENCH</b> .....  | 2092 |
| <i>I. Trintis, S. Thomas, T. Blank, C. Roggenhoff, S. Munk-Nielsen, R. Teodorescu</i>   |      |
| <b>THERMAL ANALYSIS OF PERMANENT-MAGNET SYNCHRONOUS RELUCTANCE MACHINES</b> .....   | 2102 |
| <i>S. Nategh, O. Wallmark, M. Leksell</i>   |      |

|  |      |
|--|------|
| <b>TURN-OFF BEHAVIOR OF 4.5 KV ASYMMETRIC IGBTs UNDER ZERO VOLTAGE SWITCHING CONDITIONS</b> .....  | 2112 |
| <i>R. Lenke, H. Hoek, S. Taraborrelli, R. Doncker, J. San-Sebastian, I. Etxeberria-Otadui</i>  |      |
| <b>TRANSIENT STABILITY ANALYSIS OF INVERTER-INTERFACED DISTRIBUTED GENERATORS IN A MICROGRID SYSTEM</b> .....                                  | 2122 |
| <i>F. Andrade, J. Cusido, L. Romeral</i>   |      |
| <b>DC-LINK VOLTAGE RIPPLE MINIMIZATION IN A MODULAR MULTILEVEL VOLTAGE SOURCE CONVERTER FOR HVDC POWER TRANSMISSION</b> .....                  | 2132 |
| <i>M. Tomasini, R. Feldman, J. Clare, P. Wheeler, D. Trainer, R. Whitehouse</i>  |      |
| <b>LOW POWER RECTENNA TOPOLOGIES FOR MEDIUM RANGE WIRELESS ENERGY TRANSFER</b> .....   | 2142 |
| <i>V. Marian, C. Vollaire, B. Allard, J. Verdier</i>   |      |
| <b>A COFFIN-MANSON MODEL TO PREDICT THE TRIAC SOLDER JOINTS FATIGUE DURING POWER CYCLING</b> .....   | 2152 |
| <i>S. Jacques, A. Caldeira, N. Batut, A. Schellmanns, R. Leroy, L. Gonthier</i>  |      |
| <b>SMOOTHING CONTROL OF WIND FARM OUTPUT FLUCTUATION BY NEW SCHEME WITH ENERGY STORAGE SYSTEM</b> .....  | 2160 |
| <i>R. Takahashi, M. Nakatani, J. Tamura, S. Muyeen, M. Sugimasa, A. Komura, M. Futami, M. Ichinose, K. Ide</i>                                 |      |
| <b>GROUND FAULT DETECTION METHOD FOR THREE PHASE INVERTERS BASED ON THE THIRD HARMONIC</b> .....   | 2169 |
| <i>T. Karkkainen, K. Rauma, P. Silventoinen</i>  |      |
| <b>A NEW CARRIER-BASED PWM STRATEGY WITH MINIMUM OUTPUT CURRENT RIPPLE FOR FIVE-PHASE INVERTERS</b> .....                                      | 2173 |
| <i>D. Casadei, M. Mengoni, G. Serra, A. Tani, L. Zarri</i>   |      |
| <b>NEW 1700V SPT+ IGBT AND DIODE CHIP SET WITH 175°C OPERATING JUNCTION TEMPERATURE</b> .....  | 2183 |
| <i>C. Corvasce, A. Kopta, J. Vobecky, M. Rahimo, S. Geissmann, R. Schnell</i>  |      |
| <b>A PUMPED STORAGE POWER PLANT WITH DOUBLE-FED INDUCTION MACHINE AND CASCADED FREQUENCY CONVERTER</b> .....                                   | 2193 |
| <i>M. Pronin, O. Shonin, A. Vorontsov, G. Gogolev</i>  |      |
| <b>PARAMETRIC STUDY OF DEAD TIME EFFECT ON THREE PHASE AC OUTPUT IMPEDANCE OF VOLTAGE SOURCE INVERTER (VSI)</b> .....                          | 2202 |
| <i>Z. Shen, M. Jaksic, S. Ahmed, P. Mattavelli, D. Boroyevich</i>  |      |
| <b>AN ANALYTIC SIMULATION MODEL FOR A SUPERCAPACITOR-BASED ENERGY STORAGE SYSTEM</b> .....   | 2210 |
| <i>U. Sirmelis, L. Grigans, L. Latkovskis</i>  |      |
| <b>MODELING OF IGBTs WITH FOCUS ON VOLTAGE DEPENDENCY OF TERMINAL CAPACITANCES</b> .....   | 2220 |
| <i>S. Tominaga, H. Urushibata, H. Fujita, H. Akagi, T. Horiguchi, S. Kinouchi, T. Oi</i>   |      |
| <b>RAILWAY CATENARY PARAMETERS IDENTIFICATION BASED ON HARMONIC CURRENT INJECTION</b> .....  | 2229 |
| <i>B. Bahrani, A. Rufer, M. Aeberhard</i>  |      |
| <b>DEVELOPMENT OF A GRID CONNECTED MICRO WIND GENERATOR. A PRACTICAL ACTIVITY FOR THE COURSE ON ELECTRIC GENERATION WITH WIND ENERGY</b> ..... | 2239 |
| <i>J. Sanchez, M. Diaz, M. Lafoz, C. Vaganzones</i>  |      |
| <b>LABORATORY TESTS OF LINEAR ELECTRIC MACHINES FOR WAVE ENERGY APPLICATIONS WITH EMULATION OF WAVE ENERGY CONVERTERS AND SEA WAVES</b> .....  | 2247 |
| <i>M. Blanco, M. Lafoz, L. Tabares</i>   |      |
| <b>SERVICE CONTINUITY OF AN IM DISTRIBUTED RAILWAY TRACTION WITH A SPEED SENSOR FAULT</b> .....  | 2257 |
| <i>T. Achour, M. Pietrzak-David</i>  |      |
| <b>OPEN-LOOP APPROACH TO CONTROL A MODULAR MULTILEVEL FREQUENCY CONVERTER</b> .....  | 2265 |
| <i>L. Angquist, A. Haider, H. Nee, H. Jiang</i>  |      |
| <b>DRIVE SYSTEMS WITH TORSIONAL LOAD: VERSATILE LOW-COST EDUCATIONAL LABORATORY SET-UP</b> .....   | 2275 |
| <i>P. Saey, X. Cauwe, G. Deconinck</i>   |      |
| <b>A NEW TOPOLOGY OF DIRECT AC TO AC CONVERTER WITH SOFT-SWITCHING BASED ON A MERS PULSE LINK CONCEPT</b> .....                                | 2285 |
| <i>Y. Otani, T. Isobe, R. Shimada</i>  |      |
| <b>THE USE OF REAL TIME DIGITAL SIMULATION AND HARDWARE IN THE LOOP TO DE-RISK NOVEL CONTROL ALGORITHMS</b> .....                              | 2295 |
| <i>S. Loddick, U. Mupambireyi</i>  |      |
| <b>A NEW MULTILEVEL CONVERTER WITH MULTI-WINDING MEDIUM-FREQUENCY TRANSFORMER</b> .....  | 2305 |
| <i>Z. Zheng, Z. Gao, Y. Li, C. Gu, L. Xu</i>   |      |
| <b>ONLINE STATCOM LOAD ESTIMATION USING INVERTER SYNCHRONIZED SAMPLER AND RECURSIVE LEAST-SQUARES</b> .....                                    | 2313 |
| <i>B. Hoff, W. Sulkowski, T. Ostrem</i>  |      |
| <b>EXPERIMENTAL VERIFICATION FOR A MATRIX CONVERTER WITH A V-CONNECTION AC CHOPPER</b> .....   | 2320 |
| <i>K. Koiwa, J. Itoh</i>   |      |
| <b>TWO PHASE INTERLEAVED BUCK CONVERTER FOR DRIVING HIGH POWER LEDS</b> .....  | 2330 |
| <i>S. Beczkowski, S. Munk-Nielsen</i>  |      |
| <b>POWER QUALITY IMPROVEMENT BY UPQC WITH MINIMUM REAL POWER INJECTION</b> .....   | 2336 |
| <i>S. Kumar, K. Kumar, M. Mishra</i>   |      |

|  |      |
|--|------|
| <b>WIRELESS COMMUNICATION SYSTEM FOR MICROGRIDS MANAGEMENT IN ISLANDING</b> .....  | 2346 |
| <i>A. Llaría, O. Curea, J. Jimenez, J. Martin, A. Zuloaga</i>  |      |
| <b>THERMAL MODELLING TO ANALYZE THE EFFECT OF CELL TEMPERATURE ON PV MODULES ENERGY EFFICIENCY</b> .....   | 2356 |
| <i>F. Romary, A. Caldeira, S. Jacques, A. Schmellmanns</i>   |      |
| <b>A MAGNETICALLY ISOLATED GATE DRIVER FOR HIGH-SPEED VOLTAGE SHARING IN SERIES-CONNECTED MOSFETS</b> .....  | 2365 |
| <i>P. Anthony, N. McNeill, D. Holliday, D. Grant, G. Hearn</i>   |      |
| <b>GRID CONNECTION FOR WAVE POWER FARMS</b> .....  | 2375 |
| <i>M. Lafoz, M. Blanco, D. Ramirez</i>   |      |
| <b>DESIGN OPTIMIZATION METHODOLOGY FOR POWER CONVERTERS BASED ON GLOBAL ENERGY REQUIREMENT CRITERIA. APPLICATION TO A DC-DC FLYBACK STRUCTURE</b> .....              | 2385 |
| <i>C. Jaouen, B. Multon, F. Barruel</i>  |      |
| <b>MULTILEVEL HIGH VOLTAGE CONVERTER DRIVING DIELECTRIC ELASTOMER GENERATORS</b> .....   | 2395 |
| <i>C. Graf, L. Eitzen, J. Maas</i>   |      |
| <b>IMPLEMENTATION OF HARMONIC CONTROL FOR A 3-PHASE 4-WIRE INVERTER WITH HARMONIC-LOADED NEUTRAL</b> .....   | 2405 |
| <i>Y. Ma, T. Ellinger, J. Petzoldt</i>   |      |
| <b>RESONANT INVERTER WITH A VARIABLE-FREQUENCY ASYMMETRICAL VOLTAGE-CANCELLATION CONTROL FOR LOW Q-FACTOR LOADS IN INDUCTION COOKING</b> .....                       | 2415 |
| <i>S. Yachiangkam, A. Sangswang, S. Naetiladdanon, C. Koompai, S. Chudjuarjeen</i>   |      |
| <b>A SOFT SWITCHING CLASS D CURRENT SOURCE INVERTER FOR INDUCTION HEATING WITH NON-FERROMAGNETIC LOAD</b> .....  | 2425 |
| <i>J. Jittakort, A. Sangswang, S. Naetiladdanon, C. Koompai, S. Chudjuarjeen</i>   |      |
| <b>DUAL-MODE CURRENT-FED SEMI-QUADRATIC BUCK-BOOST CONVERTER FOR TRANSFORMERLESS MODULAR PHOTOVOLTAIC APPLICATIONS</b> .....   | 2435 |
| <i>L. Noustainen, T. Suntio</i>  |      |
| <b>THE INFLUENCE OF ASYMMETRIES ON THE PARALLEL CONNECTION OF IGBT CHIPS UNDER SHORT-CIRCUIT CONDITION</b> .....   | 2445 |
| <i>T. Basler, J. Lutz, R. Jakob, T. Bruckner</i>   |      |
| <b>CURRENT DISTRIBUTION IN HIGH POWER LAMINATED BUSBARS</b> .....  | 2453 |
| <i>A. Bryant, K. Vadlapati, J. Starkey, A. Goldney, S. Kandilidis, D. Hinchley</i>   |      |
| <b>GATECARD RELIABILITY PREDICTION ANALYSIS</b> .....  | 2463 |
| <i>S. Somesha, D. Lee, S. Loddick</i>  |      |
| <b>CONTROLLING THE AC-SIDE VOLTAGEWAVEFORM IN A MODULAR MULTILEVEL CONVERTERWITH LOW ENERGY-STORAGE CAPABILITY</b> .....   | 2473 |
| <i>K. Ives, A. Antonopoulos, S. Angquist, H. Nee</i>   |      |
| <b>PRE-SIZING OPTIMIZATION OF AN INVERTER AND THE PASSIVE COMPONENTS</b> .....   | 2481 |
| <i>C. Ledoux, P. Lefranc, C. Larouci</i>   |      |
| <b>FREQUENCY SWITCHING ANALYSIS OF AN IUPQC WITH HARDWARE-IN-THE-LOOP DEVELOPMENT TOOL</b> .....   | 2489 |
| <i>B. Franca, L. Rolim, M. Aredes</i>  |      |
| <b>DESIGN AND CHARACTERIZATION OF PLANAR INTEGRATED PASSIVE COMPONENT FOR POWER CONVERTERS</b> .....   | 2495 |
| <i>S. Mao, Y. Zhang</i>  |      |
| <b>SENSORLESS CONTROL OF A DOUBLY FED INDUCTION MACHINE BASED ON AN EXTENDED KALMAN FILTER</b> .....   | 2501 |
| <i>E. Maldonado, C. Silva, M. Olivares</i>   |      |
| <b>A PREDICTIVE DEAD-BEAT PI CURRENT CONTROLLER FOR ACTIVE POWER FILTERS</b> .....   | 2511 |
| <i>C. Wang, Z. Zhou, Y. Liu, M. Kanniche, P. Holland, R. Lewis, S. Batcup, P. Iqic</i>   |      |
| <b>A HIGH FREQUENCY HIGH VOLTAGE POWER SUPPLY</b> .....  | 2519 |
| <i>S. Mao</i>  |      |
| <b>MONITORING OF ROTOR BAR FAULTS IN INDUCTION GENERATORS WITH FULL-SIZE INVERTER</b> .....  | 2524 |
| <i>G. Stojicic, M. Samonig, P. Nussbaumer, G. Joksimovic, M. Vasak, N. Peric, T. Wolbank</i>   |      |
| <b>TRANSFORMERLESS SERIES ACTIVE POWER FILTER TO COMPENSATE VOLTAGE DISTURBANCES</b> .....   | 2532 |
| <i>J. Pinto, H. Carneiro, B. Esposto, C. Couto, J. Afonso</i>  |      |
| <b>ANALYSIS OF AN INDUCTIVE CHARGING SYSTEM FOR A COMMERCIAL ELECTRIC VEHICLE</b> .....  | 2538 |
| <i>A. Neves, D. Sousa, A. Roque, J. Terras</i>   |      |
| <b>SIMULATION OF A COMMERCIAL ELECTRIC VEHICLE: DYNAMIC ASPECTS AND PERFORMANCE</b> .....  | 2548 |
| <i>J. Terras, D. Sousa, A. Roque, A. Neves</i>   |      |
| <b>SINGLE-PHASE SERIES ACTIVE CONDITIONER ACTIVE POWER FLOW IN A HARMONIC FREE ELECTRICAL SYSTEM DURING SAG AND SWELL EVENTS</b> .....                               | 2558 |
| <i>H. Carneiro, B. Esposto, H. Goncalves, J. Pinto, J. Afonso</i>  |      |
| <b>INVESTIGATION OF TRADEOFFS BETWEEN EFFICIENCY, POWER DENSITY AND SWITCHING FREQUENCY IN THREE-PHASE TWO-LEVEL PWM BOOST RECTIFIER</b> .....                       | 2568 |
| <i>B. Wen, D. Boroyevich, P. Mattavelli</i>  |      |
| <b>INVESTIGATION OF MECHANICAL STRESS EFFECT ON ELECTRICAL BEHAVIOR OF TRENCH PUNCH THROUGH IGBT UNDER SHORT-CIRCUIT CONDITION AT LOW AND HIGH TEMPERATURE</b> ..... | 2578 |
| <i>S. Azzopardi, K. Boubkari, Y. Belmehdi, J. Deletage, E. Woirgard</i>  |      |

|  |      |
|--|------|
| <b>OPTIMISATION OF A DISTRIBUTED GENERATION POWER PACK USING A NOVEL DYNAMIC SYSTEM MODEL INCLUDING EFFICIENCY CHARACTERISTICS</b> .....                   | 2588 |
| <i>C. Hill, P. Zanchetta, S. Bozhko, J. Li</i>   |      |
| <b>ACTIVE PROTECTIONS FOR NORMALLY-ON SIC JFETS</b> .....  | 2598 |
| <i>F. Dubois, D. Risaletto, D. Bergogne, H. Morel, C. Buttay, R. Meuret</i>  |      |
| <b>PARAMETER ADAPTATION OF A SENSORLESS CONTROLLED INDUCTION MACHINE BY MEASUREMENT OF THE SLIP FREQUENCY</b> .....  | 2608 |
| <i>M. Ritter, W. Oberschelp, G. Schroder</i>   |      |
| <b>TEACHING NON LINEAR SYSTEMS: THE EDUCATIONAL APPROACH OF POWER ELECTRONICS</b> .....  | 2617 |
| <i>M. Riva, F. Belloni, D. Giustina</i>  |      |
| <b>TWO CONTROL STRATEGIES COMPARISON OF A THREE PHASE SHUNT ACTIVE POWER FILTER FOR POWER QUALITY IMPROVEMENT WITH EXPERIMENTAL VALIDATION</b> .....       | 2624 |
| <i>M. Sarra, J. Gaubert, A. Chaoui, F. Krim</i>  |      |
| <b>POWER DISTRIBUTION ARCHITECTURES AND CONVERTERS FOR HIGH ENERGY PHYSICS: APPLICATION TO LHC EXPERIMENTS</b> .....                                       | 2635 |
| <i>M. Riva, F. Belloni</i>   |      |
| <b>GENETIC ALGORITHMS FOR MAXIMUM POWER POINT TRACKING IN PHOTOVOLTAIC SYSTEMS</b> .....   | 2641 |
| <i>S. Hadji, J. Gaubert, F. Krim</i>   |      |
| <b>AN IMPROVED FINITE CONTROL SET -MODEL PREDICTIVE CONTROL (FCS-MPC) ALGORITHM WITH IMPOSED OPTIMIZED WEIGHTING FACTOR</b> .....                          | 2650 |
| <i>S. Davari, D. Khaburi, P. Stolze, R. Kennel</i>   |      |
| <b>POWER QUALITY ANALYSIS OF A STATIC SYNCHRONOUS COMPENSATOR (STATCOM) CONNECTED TO A HIGH VOLTAGE TRANSMISSION NETWORK</b> .....                         | 2660 |
| <i>A. Laka, J. Barrena, J. Chivite-Zabaltza, M. Rodriguez</i>  |      |
| <b>SIMULATIONS OF A CURRENT-SOURCE SHUNT ACTIVE POWER FILTER WITH CARRIER-BASED PWM AND PERIODIC SAMPLING MODULATION TECHNIQUES</b> .....                  | 2670 |
| <i>B. Exposto, H. Carneiro, G. Pinto, C. Couto, J. Afonso</i>  |      |
| <b>DESIGN OF INTEGRATED ELECTRO-HYDRAULIC POWER UNIT FOR HYBRID MOBILE WORKING MACHINES</b> .....  | 2678 |
| <i>P. Ponomarev, M. Polikarpova, O. Heinikainen, J. Pyrhonen</i>   |      |
| <b>DECENTRALIZED ACTIVE GATE CONTROL FOR CURRENT BALANCING OF PARALLEL CONNECTED IGBT MODULES</b> .....  | 2688 |
| <i>Y. Lobsiger, D. Bortis, J. Kolar</i>  |      |
| <b>A HYBRID RMRAAC-LQR CONTROL SCHEME APPLIED FOR POWER QUALITY CONDITIONING DEVICES</b> .....   | 2698 |
| <i>J. Kaniieski, H. Grundling</i>  |      |
| <b>SURFACE PERMANENT MAGNET SYNCHRONOUS MACHINE SELF-SENSING POSITION ESTIMATION AT LOW SPEED USING EDDY CURRENT REFLECTED ASYMMETRIC RESISTANCE</b> ..... | 2708 |
| <i>S. Yang, R. Lorenz</i>  |      |
| <b>NOVEL PHASE SHIFTED CARRIER MODULATION FOR A CASCADED H-BRIDGE MULTI-LEVEL STATCOM</b> .....  | 2718 |
| <i>C. Townsend, T. Summers, R. Betz</i>  |      |
| <b>MODULARIZED DESIGN CONSIDERATION OF A GENERAL-PURPOSE, HIGH-SPEED PHASE-LEG PEBB BASED ON SIC MOSFETS</b> .....   | 2728 |
| <i>Z. Chen, M. Danilovic, D. Boroyevich, Z. Shen</i>   |      |
| <b>A NOVEL PARALLEL VOLTAGE AND CURRENT CONTROL SCHEME IMPLEMENTING P-F AND Q-V DROOP IN A MICROGRID</b> .....   | 2738 |
| <i>C. Rowe, T. Summers, R. Betz</i>  |      |
| <b>A METHOD FOR CONTROLLING THREE-PHASE-LAMINATED-CORE VARIABLE INDUCTOR APPLIED TO REACTIVE POWER COMPENSATOR BY VOLTAGE REVERSIBLE CHOPPER</b> .....     | 2748 |
| <i>Y. Abe, K. Nakamura, H. Goto, T. Ohinata, K. Arimatsu, K. Sakamoto, O. Ichinokura</i>   |      |
| <b>A NOVEL SWITCHED RELUCTANCE MACHINE WITH WINDINGS AND PERMANENT MAGNETS IN THE STATOR YOKE</b> .....  | 2757 |
| <i>Y. Hasegawa, K. Nakamura, O. Ichinokura</i>   |      |
| <b>CURRENT RIPPLE REDUCTION IN SYNCHRONOUS MACHINES DRIVEN FROM MULTI-FUNCTIONAL CONVERTER SYSTEMS</b> .....   | 2764 |
| <i>T. Hackner, J. Pforr</i>  |      |
| <b>EFFICIENCY IMPROVEMENT OF CONTACTLESS ENERGY TRANSFER SYSTEMS USING SERIES COMPENSATION DEVICE NAMED MERS</b> .....                                     | 2774 |
| <i>T. Isobe, K. Kobayashi, K. Wakasugi, R. Shimada</i>   |      |
| <b>SENSORLESS CONTROL METHOD WITH RELATIVELY LOW FREQUENCY SIGNAL INJECTION FOR LOW ACOUSTIC NOISE</b> .....   | 2784 |
| <i>S. Jung, S. Doki, S. Okuma, M. Fujitsuna</i>  |      |
| <b>EVALUATION OF INHERENT ELEMENTS IN A SIC POWER MOSFET BY ITS EQUIVALENT CIRCUIT</b> .....   | 2791 |
| <i>N. Phankong, T. Yanagi, T. Hikihara</i>   |      |
| <b>FOC AND DTC COMPARISON IN PMSM FOR RAILWAY TRACTION APPLICATION</b> .....   | 2799 |
| <i>M. Aguirre, C. Calleja, A. Lopez-De-Heredia, J. Poza, A. Aranburu, T. Nieva</i>   |      |
| <b>A MULTI-PHYSICS MODEL OF THE VJFET WITH A LATERAL CHANNEL</b> .....   | 2809 |
| <i>H. Morel, Y. Hamieh, D. Tournier, R. Robutel, F. Dubois, D. Risaletto, C. Martin, D. Bergogne, C. Buttay, R. Meuret</i>                                 |      |

|   |      |
|---|------|
| <b>PRELIMINARY INVESTIGATIONS OF PIEZOELECTRIC BASED LED LUMINARY</b> .....   | 2819 |
| <i>D. Nielsen, M. Andersen, K. Meyer</i>  |      |
| <b>A CONVERTER TOPOLOGY FOR HIGH CURRENT DENSITY DRIVE APPLICATIONS</b> .....   | 2828 |
| <i>V. Peron-Guennegues, C. C. Conilh, L. Leclere</i>  |      |
| <b>FAST SWITCHING 1200 V 50 A SILICON CARBIDE BJT'S IN BOOST CONVERTERS</b> .....   | 2836 |
| <i>A. Lindgren, M. Domeij</i>   |      |
| <b>DESIGN OPTIMIZATION OF A FIVE-LEVEL ACTIVE NPC INVERTER</b> .....  | 2844 |
| <i>Y. Kashihara, J. Itoh</i>  |      |
| <b>MULTILEVEL CONVERTERS FOR 10 MW WIND TURBINES</b> .....  | 2854 |
| <i>K. Ma, F. Blaabjerg</i>  |      |
| <b>DESIGN AND ANALYSIS OF A BUS BAR STRUCTURE FOR A MEDIUM VOLTAGE INVERTER</b> .....   | 2864 |
| <i>M. Ando, K. Wada, K. Takao, T. Kanai</i>   |      |
| <b>DYNAMIC SIMULATION OF PLANETARY TYPE MAGNETIC GEAR BASED ON RELUCTANCE NETWORK ANALYSIS</b> .....  | 2874 |
| <i>M. Fukuoka, K. Nakamura, O. Ichinokura</i>   |      |
| <b>EFFECTS OF VARYING LOAD CONDITIONS ON ADAPTIVE GATE CONTROL METHODS</b> .....  | 2881 |
| <i>M. Rose, J. Krupar, H. Guldner, E. Brenner</i>   |      |
| <b>THE APPLICATION OF THE SHE-PWM BASED ON PARTICLE SWARM OPTIMIZATION FOR THE IMPROVEMENT OF THE CASCADED H-BRIDGE INVERTER OUTPUT VOLTAGE</b> ..... | 2888 |
| <i>A. Kouzou, P. Stolze, M. Mahmoudi, M. Boucherit, R. Kennel</i>   |      |
| <b>COMPARISON OF DIRECT VOLTAGE CONTROL METHODS OF MULTI-TERMINAL DC (MTDC) NETWORKS THROUGH MODULAR DYNAMIC MODELS</b> .....                         | 2898 |
| <i>R. Pinto, S. Rodrigues, P. Bauer, J. Pierik</i>  |      |
| <b>HIGH PERFORMANCE POSITION SENSORLESS CONTROL USING ROTATING VOLTAGE SIGNAL INJECTION IN IPMSM</b> .....  | 2908 |
| <i>S. Kim, S. Sul</i>   |      |
| <b>CIRCULATING CURRENT CONTROL OF DOUBLE CONVERTER SYSTEM FOR WIND POWER GENERATION</b> .....   | 2918 |
| <i>T. Morizane, N. Kimura</i>   |      |
| <b>ON THE ROLE OF THE SHAFT END IN THE RADIO-FREQUENCY EMISSION OF DISCHARGE BEARING CURRENTS IN INDUCTION MOTORS</b> .....                           | 2928 |
| <i>J. Ahola, V. Niskanen, A. Muetze</i>   |      |
| <b>DYNAMIC EMULATION OF MULTI-MASS MECHANICAL LOADS IN ELECTRIC DRIVES</b> .....  | 2938 |
| <i>S. Saarakkala, A. Alahaivala, M. Hinkkanen, J. Luomi</i>   |      |
| <b>FAULT DETECTION ALGORITHM FOR AN UPS OPERATION OF POWER-STATION</b> .....  | 2948 |
| <i>D. Jung, Y. Ji, J. Kim, D. Ryu, C. Won</i>   |      |
| <b>STUDY ON THE PWM METHODS OF THE UNBALANCED INPUT VOLTAGE THREE LEVEL INVERTER WITH THE ENERGY STORAGE DEVICE</b> .....                             | 2958 |
| <i>Y. Ide, A. Shimada, K. Kondo</i>   |      |
| <b>STOCHASTIC MODEL IN EDDY CURRENT NON DESTRUCTIVE TESTING</b> .....   | 2967 |
| <i>C. Homberg, T. Henneron, S. Clenet</i>   |      |
| <b>IMPLEMENTING CLAMP ON WIRELESS TORQUE MEASUREMENT SYSTEM FOR ROTATING SHAFT APPLICATIONS (UD)</b> .....  | 2974 |
| <i>V. Niskanen, J. Ahola</i>  |      |
| <b>BASIC EXAMINATION OF EDDY CURRENT ESTIMATION BASED ON RELUCTANCE NETWORK ANALYSIS</b> .....  | 2984 |
| <i>Y. Yoshida, K. Nakamura, O. Ichinokura</i>   |      |
| <b>POSITION ESTIMATION IN A TRUE ASYMMETRIC CASCADE H-BRIDGE MULTILEVEL INVERTER</b> .....  | 2991 |
| <i>K. Saleh, M. Sumner</i>  |      |
| <b>RELIABILITY MODELS APPLIED TO A SYSTEM OF POWER CONVERTERS IN PARTICLE ACCELERATORS</b> .....  | 3001 |
| <i>D. Siemaszko, M. Speiser, S. Pittet</i>  |      |
| <b>FAILURE TOLERANT OPERATION AND TRIMMING PRINCIPLE IN THE CLIC MAIN LINAC</b> .....   | 3010 |
| <i>D. Siemaszko, S. Pittet</i>  |      |
| <b>CIRCUIT FOR REDUCING DEVICES VOLTAGE STRESS DUE TO DC-LINK CAPACITOR VOLTAGE RIPPLE IN A NEUTRAL-POINT-CLAMPED INVERTER</b> .....                  | 3018 |
| <i>G. Orfanoudakis, S. Sharkh, M. Yuratich</i>  |      |
| <b>ACHIEVING HIGHER POWER DENSITY IN DC-DC CONVERTERS FOR PHOTOVOLTAIC APPLICATIONS</b> .....   | 3028 |
| <i>V. Scarpa, S. Araujo, B. Sahan, P. Zacharias</i>   |      |
| <b>NEW RESONANT INVERTER TOPOLOGY WITH ACTIVE ENERGY RECOVERY IN PDM MODE FOR DBD PLASMA REACTOR SUPPLY</b> .....                                     | 3038 |
| <i>T. Jakubowski, S. Kalisiak, M. Holub, R. Palka, T. Borkowski, J. Myskow</i>  |      |
| <b>FLICKER MITIGATION IN DFIG WIND TURBINE SYSTEMS</b> .....  | 3046 |
| <i>T. Van, T. Nguyen, D. Lee</i>  |      |
| <b>VOLTAGE SAG RIDETHROUGH OF PMSG WIND TURBINES USING DROOP CONTROL STABILIZATION</b> .....  | 3056 |
| <i>A. Junyent-Ferre, E. Prieto-Araujo</i>   |      |

|  |      |
|--|------|
| <b>MEDIUM FREQUENCY TRANSFORMER IN RESONANT SWITCHING DC/DC-CONVERTERS FOR RAILWAY APPLICATIONS</b> .....  | 3064 |
| <i>H. Hoffmann, B. Piepenbreier</i>  |      |
| <b>DESIGN OF PASSIVE CONVERTER FOR WIND DRIVEN GENERATORS</b> .....  | 3072 |
| <i>A. Bossche, P. Yankov, V. Valchev</i>   |      |
| <b>STATOR CURRENT AND POWER FACTOR OPTIMIZATION IN AN IPMSM FOR RAILWAY TRACTION APPLICATION</b> .....   | 3082 |
| <i>A. Lopez-De-Heredia, C. Calleja, A. Lertxundi, A. Aranburu, T. Nieva</i>  |      |
| <b>A VERSATILE DC-DC CONVERTER FOR ENERGY COLLECTION AND DISTRIBUTION USING THE MODULAR MULTILEVEL CONVERTER</b> .....                           | 3092 |
| <i>S. Kenzelmann, A. Rufer, M. Vasiladiotis, D. Dujic, F. Canales, Y. Novaes</i>   |      |
| <b>A PWM STRATEGY DEDICATED TO RMS CURRENT REDUCTION IN DC LINK CAPACITOR OF AN EMBEDDED THREE PHASE INVERTER</b> .....                          | 3102 |
| <i>T. Nguyen, N. Patin, G. Friedrich</i>   |      |
| <b>A NEW PEAK-CURRENT INJECTED DIGITAL CONTROL CIRCUIT FOR DC-DC CONVERTER</b> .....   | 3111 |
| <i>F. Kurokawa, Y. Komichi</i>   |      |
| <b>OPERATION AND CONTROL OF VSC-HVDC MULTITERMINAL GRIDS FOR OFFSHORE WIND</b> .....   | 3118 |
| <i>A. Egea-Alvarez, O. Gomis-Bellmunt, J. Liang, J. Ekanayake, N. Jenkins, A. Junyent-Ferre</i>  |      |
| <b>USING SPICE FOR POWER SYSTEM SIMULATIONS</b> .....  | 3127 |
| <i>A. Cross, D. Strickland</i>   |      |
| <b>CONTROL SCHEME FOR A SINGLE PHASE HYBRID MULTILEVEL CONVERTER USING REPETITIVE AND RESONANT CONTROL APPROACHES</b> .....                      | 3137 |
| <i>M. Rashed, C. Klumpner, G. Asher</i>  |      |
| <b>SENSORLESS TORQUE CONTROL OF A PM MOTOR USING MODIFIED HF INJECTION METHOD FOR AUDIBLE NOISE REDUCTION</b> .....                              | 3150 |
| <i>H. Jiang, M. Sumner</i>   |      |
| <b>THE INFLUENCE OF IMPACT LOAD ON TORSIONAL DYNAMICS OF GENERATOR UNITS</b> .....   | 3158 |
| <i>M. Mirosevic, Z. Maljkovic, M. Milkovic</i>   |      |
| <b>TRANSFORMER-LESS PWM HIGH POWER MEDIUM VOLTAGE VARIABLE SPEED DRIVE</b> .....   | 3164 |
| <i>E. Leleu, L. Leclere</i>  |      |
| <b>A NEW DIGITAL MODULATED INTERFACE FOR A PRECISE AND ROBUST CURRENT SENSOR</b> .....   | 3174 |
| <i>A. Bouabana, C. Sourkounis</i>  |      |
| <b>SOFT SWITCHING INTERLEAVED ACTIVE CLAMP FLYBACK INVERTER FOR A PHOTOVOLTAIC AC MODULE SYSTEM</b> .....  | 3183 |
| <i>Y. Kim, J. Kim, C. Won, Y. Jung, T. Lee</i>   |      |
| <b>THE DESIGN AND APPLICATION OF FLOW CELL SYSTEMS</b> .....   | 3192 |
| <i>E. Lewis, S. Gray</i>   |      |
| <b>CONTACTLESS CHARGING FOR ELECTRIC VEHICLES WITH A LARGE AIR GAP</b> .....   | 3202 |
| <i>T. Ho, B. Gomersall, L. Ran</i>   |      |
| <b>MODELLING OF ELECTRICALLY EXCITED SYNCHRONOUS MACHINE (EESM) CONSIDERING NONLINEAR MATERIAL CHARACTERISTICS AND MULTIPLE SALIENCIES</b> ..... | 3212 |
| <i>M. Seilmeier</i>  |      |
| <b>POWER CYCLING TEST BENCH FOR IGBT POWER MODULES USED IN WIND APPLICATIONS</b> .....   | 3222 |
| <i>D. Wagenitz, A. Westerholz, E. Erdmann, A. Hambrecht, S. Dieckerhoff</i>  |      |
| <b>PROGRAMMABLE LOGIC DEVICE BASED BRUSHLESS DC MOTOR CONTROL</b> .....  | 3232 |
| <i>A. Bossche, D. Bozalakov, T. Vyncke, V. Valchev</i>   |      |
| <b>ADAPTION OF MOSFETS CURRENT SLOPE BY SYSTEMATIC ADJUSTMENT OF COMMON SOURCE STRAY INDUCTANCE AND GATE RESISTANCE</b> .....                    | 3242 |
| <i>B. Wittig, O. Muehlfeld, F. Fuchs</i>   |      |
| <b>SIMULATION AND ANALYSIS OF LOW-RESISTANCE ALGAN/GAN HFET POWER SWITCHES</b> .....   | 3252 |
| <i>R. Reiner, F. Benkhelifa, D. Krausse, R. Quay, O. Ambacher</i>  |      |
| <b>REDUCING PASSIVE FILTER SIZES WITH TUNED TRAPS FOR DISTRIBUTION LEVEL POWER ELECTRONICS</b> .....   | 3262 |
| <i>J. Bloemink, T. Green</i>   |      |
| <b>ANALYSIS OF A DEEPLY SATURATED SENSORLESS PMSYNREL DRIVE FOR AN AUTOMOTIVE APPLICATION</b> .....  | 3271 |
| <i>S. Zhao, O. Wallmark, M. Leksell</i>  |      |
| <b>A HIGH-EFFICIENCY RESONANT SOLAR MICRO-INVERTER</b> .....   | 3281 |
| <i>M. Joshi, E. Shoubaki, R. Amarin, B. Modick, J. Enslin</i>  |      |
| <b>POWER AND DC LINK VOLTAGE CONTROL CONSIDERATIONS FOR INDIRECT AC/AC MODULAR MULTILEVEL CONVERTERS</b> .....                                   | 3291 |
| <i>M. Vasiladiotis, S. Kenzelmann, N. Cherix, A. Rufer</i>   |      |
| <b>UNIVERSAL DC-DC CONVERTER USING SEPIC</b> .....   | 3301 |
| <i>N. Li, X. Lin-Shi, P. Lefranc, E. Godoy, A. Jaafar, B. Allard</i>   |      |
| <b>TRANSIENT MODELING OF AN INTEGRATED CHARGER FOR A PLUG-IN HYBRID ELECTRIC VEHICLE</b> .....   | 3311 |
| <i>S. Zhao, S. Haghbin, O. Wallmark, M. Leksell, S. Lundmark, O. Carlson</i>   |      |
| <b>DESIGN OF A POWERMANAGEMENT FOR A BATTERY BUFFER SYSTEM IN AN ELECTRIC LIFT TRUCK BY MEANS OF FUZZY CONTROL AND GENETIC ALGORITHM</b> .....   | 3321 |
| <i>J. Schroeder, F. Fuchs</i>  |      |

|  |      |
|--|------|
| <b>FRACTIONAL-ORDER BASED DROOP CONTROL OF AN UNIVERSAL WIND-TURBINE SYSTEM</b> .....  | 3331 |
| <i>D. Ricchiuto, M. Liserre, R. Mastromauro, A. Dell'Aquila, A. Pigazo</i>   |      |
| <b>SENSORLESS POSITION CONTROL FOR SPMSM AT ZERO SPEED AND ACCELERATION</b> .....  | 3341 |
| <i>F. Abry, A. Zgorski, X. Lin-Shi, J. Retif</i>   |      |
| <b>ACCURATE SIZING OF SUPERCAPACITORS STORAGE SYSTEM CONSIDERING ITS CAPACITANCE VARIATION</b> .....   | 3350 |
| <i>S. Trieste, S. Bourguet, J. Olivier, L. Loron, J. Claire</i>  |      |
| <b>CAPACITOR VOLTAGE BALANCE LIMITS IN A MULTILEVEL-CONVERTER-BASED ENERGY STORAGE SYSTEM</b> .....  | 3360 |
| <i>S. Burusteta, J. Pou, S. Ceballos, I. Marino, J. Alzola</i>   |      |
| <b>FULL-POWER CONVERTER BASED TEST BENCH FOR LOW VOLTAGE RIDE-THROUGH TESTING OF WIND TURBINE CONVERTERS</b> .....                             | 3369 |
| <i>R. Pollanen, L. Kankainen, M. Paakkonen, J. Ollila, S. Strandberg</i>   |      |
| <b>A FAST ESTIMATION ALGORITHM FOR LOW-FREQUENCY OSCILLATIONS IN POWER SYSTEMS</b> .....   | 3379 |
| <i>M. Beza, M. Bongiorno</i>   |      |
| <b>MODEL PREDICTIVE CONTROL STRATEGIES FOR DC-DC BOOST VOLTAGE CONVERSION</b> .....  | 3389 |
| <i>P. Karamanakos, G. Papafotiou, S. Manias</i>  |      |
| <b>A NEW 5-LEVEL TOPOLOGY ALLOWING THE BALANCING OF THE DC BUS CAPACITORS VOLTAGES</b> .....   | 3398 |
| <i>A. Leredde, G. Gateau, T. Meynard</i>   |      |
| <b>FAST ACTING AUTONOMOUS AND RUGGED SHUNT PROTECTION AGAINST OPEN CIRCUIT FAULTS IN HIGH POWER CONVERSION</b> .....                           | 3407 |
| <i>P. Tenca</i>  |      |
| <b>THE CIRCUIT-LEVEL DECOUPLING MODULATION STRATEGY FOR THREE-LEVEL NEUTRAL-POINT-CLAMPED (TL-NPC) INVERTER</b> .....                          | 3417 |
| <i>Z. Zhang, O. Thomsen, M. Andersen</i>   |      |
| <b>PERSPECTIVES OF HIGH-VOLTAGE SIC-SEMICONDUCTORS IN HIGH POWER CONVERSION SYSTEMS FOR WIND AND PHOTOVOLTAIC SOURCES</b> .....                | 3427 |
| <i>S. Araujo, P. Zacharias</i>   |      |
| <b>AN ALL-IN-ONE POWER ELECTRONIC SOLUTION FOR THE INTRODUCTION OF PV AND STORAGE FOR SMART GRIDS</b> .....                                    | 3437 |
| <i>J. Cappelle, S. Vispoel, T. Maerhem</i>   |      |
| <b>A 200MA SWITCHED CAPACITOR VOLTAGE REGULATOR ON 32NM CMOS AND REGULATION SCHEMES TO ENABLE DVFS</b> .....                                   | 3446 |
| <i>R. Jain, S. Sanders</i>   |      |
| <b>MULTI-FIDELITY SIMULATION MODELLING IN OPTIMIZATION OF A HYBRID SUBMARINE PROPULSION SYSTEM</b> .....                                       | 3456 |
| <i>A. Molina-Cristobal, P. Palmer, G. Parks</i>  |      |
| <b>ENERGY EFFICIENCY ANALYSIS OF GRID-CONNECTED PHOTOVOLTAIC INVERTER WITH STORAGE BATTERY</b> .....   | 3466 |
| <i>C. Nge, O. Midtgard, L. Norum</i>   |      |
| <b>THERMOELECTRIC POWER GENERATION: PROPERTIES, APPLICATION AND NOVEL TCAD SIMULATION</b> .....  | 3476 |
| <i>C. Gould, N. Shammas, S. Grainger, I. Taylor</i>  |      |
| <b>LIFETIME CALCULATION FOR POWER MODULES, APPLICATION AND THEORY OF MODELS AND COUNTING METHODS</b> .....                                     | 3486 |
| <i>K. Mainka, M. Thoben, O. Schilling</i>  |      |
| <b>STEADY STATE PERFORMANCE AND ELECTRICAL STABILITY ANALYSIS OF MATRIX CONVERTER FED INDUCTION MOTOR DRIVE UNDER VOLT/HERTZ CONTROL</b> ..... | 3494 |
| <i>M. Mihret, O. Ojo, M. Abreham</i>   |      |
| <b>ULTRAFAST SAFETY SYSTEM TO TURN-OFF NORMALLY ON SIC JFETS</b> .....   | 3504 |
| <i>F. Dubois, D. Bergogne, D. Risaletto, R. Perrin, A. Zaoui, H. Morel, R. Meuret</i>  |      |
| <b>FAULT TOLERANT OPERATION OF POWER CONVERTER WITH CASCADED CELLS</b> .....   | 3514 |
| <i>F. Dijkhuizen, S. Norrga</i>  |      |
| <b>POWER LOSSES EVALUATION OF THREE MULTILEVEL CONVERTER TOPOLOGIES FOR DIRECT INTERFACE WITH MEDIUM VOLTAGE GRIDS</b> .....                   | 3522 |
| <i>M. Rashed, C. Klumpner, G. Asher</i>  |      |
| <b>SUPPORTING UNBALANCED GRIDS WITH INDUCTION MACHINE DRIVES BY INVERTERS WITHOUT INTERMITTENT ENERGY STORAGE</b> .....                        | 3532 |
| <i>K. Krischan, R. Seebacher, A. Muetze</i>  |      |
| <b>A COMPARISON OF PWM TECHNIQUES FOR THREE-LEVEL FIVE-PHASE VOLTAGE SOURCE INVERTERS</b> .....  | 3542 |
| <i>O. Dordevic, M. Jones, E. Levi</i>  |      |
| <b>A REVIEW OF PARALLEL OPERATION OF ACTIVE POWER FILTERS IN THE DISTRIBUTED GENERATION SYSTEM</b> .....                                       | 3552 |
| <i>S. Khadem, M. Basu, M. Conlon</i>   |      |
| <b>SIMULATION OF LINEAR SWITCHED RELUCTANCE MOTOR DRIVES</b> .....   | 3562 |
| <i>J. Amoros, B. Molina, P. Gascon</i>   |      |



|  |      |
|--|------|
| <b>DESIGN AND ANALYSIS OF A FLATNESS-BASED CONTROL APPROACH FOR SPEED CONTROL OF DRIVE SYSTEMS WITH ELASTIC COUPLINGS AND UNCERTAIN LOADS</b> .....  | 3571 |
| <i>S. Thomsen, F. Fuchs</i>  |      |
| <b>ANALYTICAL EVALUATION OF SWITCHING CHARACTERISTICS IN FIVE-PHASE DRIVES WITH DISCONTINUOUS SPACE VECTOR PULSE WIDTH MODULATION TECHNIQUES</b> .....   | 3581 |
| <i>J. Prieto, F. Barrero, S. Toral, M. Jones, E. Levi</i>  |      |
| <b>AC POWER SOURCE BASED ON SERIES-CONNECTION BETWEEN CASCADED PWM MULTILEVEL INVERTER AND LINEAR POWER AMPLIFIER</b> .....  | 3591 |
| <i>R. Beltrame, M. Desconzi, M. Martins, C. Rech, H. Hey</i>   |      |
| <b>HARDWARE-IN-THE-LOOP SIMULATION OF A COMPLEX AC-FED MOTOR DRIVE WITH TRIPLE ACTIVE FRONT-END 3-LEVEL RECTIFIERS AND INDUCTION MOTOR DRIVE USING AN INTRA-STEP-PARALLEL STATE-SPACE-NODAL SOLVER</b> ..... | 3601 |
| <i>W. Wang, L. Bakay, C. Dufour</i>  |      |
| <b>INVESTIGATION OF VARIABLE DC LINK VOLTAGE OPERATION OF A PMSG BASED WIND TURBINE WITH FULLY RATED CONVERTERS AT STEADY STATE</b> .....  | 3611 |
| <i>U. Dayaratne, S. Tennakoon, N. Shammis</i>  |      |
| <b>A DATASHEET DRIVEN POWER MOSFET MODEL AND PARAMETER EXTRACTION PROCEDURE FOR 1200V, 20A SIC MOSFETS</b> .....   | 3621 |
| <i>M. Mudholkar, M. Saadeh, H. Mantooth</i>  |      |
| <b>ANALYSIS OF THE TECHNOLOGY OF CABLE FAULT DETECTION AND LOCATION ON-LINE</b> .....  | 3631 |
| <i>C. Wei, W. Li</i>   |      |
| <b>DEVELOPMENT OF AN OPTIMIZED POWER SECTION FOR A 5 KW LOW VOLTAGE TRACTION INVERTER</b> .....  | 3640 |
| <i>O. Muehlfeld, B. Wittig, F. Fuchs</i>   |      |
| <b>PROSPECTS AND CHALLENGES OF FUTURE HVDC SUPERGRIDS WITH MODULAR MULTILEVEL CONVERTERS</b> .....   | 3649 |
| <i>N. Ahmed, A. Haider, D. Hertem, L. Zhang, H. Nee</i>  |      |
| <b>A COMPARISON OF TWO METHODS OF ESTIMATING LOSSES IN THE MODULAR MULTI-LEVEL CONVERTER</b> .....   | 3659 |
| <i>C. Oates, C. Davidson</i>   |      |
| <b>EVALUATION OF THE MACHINE NON-LINEARITIES AS AN AID TO DEVELOP SELF-COMMISSIONING IN SENSORLESS DRIVES</b> .....  | 3669 |
| <i>J. Arellano-Padilla, M. Sumner, C. Gerada, G. Buckley</i>   |      |
| <b>ADAPTIVE COOLING OF POWER MODULES FOR REDUCED POWER AND THERMAL CYCLING</b> .....   | 3678 |
| <i>W. Choy, A. Castellazzi, P. Zanchetta</i>   |      |
| <b>LOSS COMPARISON OF DIFFERENT SUB-MODULE IMPLEMENTATIONS FOR MODULAR MULTILEVEL CONVERTERS IN HVDC APPLICATIONS</b> .....  | 3688 |
| <i>T. Modeer, H. Nee, S. Norrga</i>  |      |
| <b>ANALYSIS AND COMPARISON OF PERFORMANCE EVALUATION METHODS OF BATTERY ELECTRIC VEHICLES</b> .....  | 3695 |
| <i>Y. Chen, Z. Wang</i>  |      |
| <b>SELECTION OF A SEMI-EMPIRICAL MODEL FOR USE AS A REAL TIME MODEL IN A VIRTUAL FUEL CELL</b> .....   | 3703 |
| <i>R. Taylor, V. Pickert, M. Armstrong, J. Holden</i>  |      |
| <b>A POWER CONVERTER TOPOLOGY FOR HIGH EFFICIENCY DC MAGNET POWER SUPPLIES</b> .....   | 3713 |
| <i>S. Pholboon, J. Clare, P. Wheeler, S. Khwan-On, N. Teerakawanich, C. Photong</i>  |      |
| <b>CONTROL SCHEME FOR SOURCE VOLTAGE SENSORLESS PWM CONVERTERS UNDER SOURCE VOLTAGE UNBALANCE</b> .....  | 3722 |
| <i>E. Jung, M. Kim, S. Sul</i>   |      |
| <b>A NEW APPROACH TO HIGHER DENSITY RECTIFIER WITH SIC POWER DEVICES FOR 380 V DC DISTRIBUTION SYSTEMS</b> .....   | 3732 |
| <i>Y. Hayashi, M. Mino</i>   |      |
| <b>TEMPERATURE ADAPTIVE IGBT GATE-DRIVER DESIGN</b> .....  | 3740 |
| <i>T. Wu, A. Castellazzi</i>   |      |
| <b>FIELD PROGRAMMABLE GATE ARRAY BASED CONTROL OF DUAL ACTIVE BRIDGE DC/DC CONVERTER FOR THE UNIFLEX-PM PROJECT</b> .....  | 3746 |
| <i>A. Watson, P. Wheeler, J. Clare</i>   |      |
| <b>MODELLING AND CONTROL OF ONE BEARINGLESS 8-6 SWITCHED RELUCTANCE MOTOR WITH SINGLE LAYER OF WINDING STRUCTURE</b> .....   | 3755 |
| <i>L. Chen, W. Hofmann</i>   |      |
| <b>ADVANCED THREE-LEVEL CONVERTER WITH NEWLY DEVELOPED 1200V REVERSE BLOCKING IGBTs</b> .....  | 3764 |
| <i>S. Igarashi, S. Miyashita, H. Wakimoto, H. Nakazawa, Y. Okuma</i>   |      |
| <b>DC-LINK VOLTAGE RIPPLE ANALYSIS AND IMPEDANCE NETWORK DESIGN OF SINGLE-PHASE Z-SOURCE INVERTER</b> .....  | 3771 |
| <i>Y. Yu, Q. Zhang, X. Liu, S. Cui</i>   |      |
| <b>EMC AND SAFETY IN VEHICLE DRIVES</b> .....  | 3781 |
| <i>A. Napoli, A. Ndokaj</i>  |      |

|  |      |
|--|------|
| <b>OPTIMISATION OF THE DESIGN PARAMETERS OF AN ASYMMETRIC BRUSHLESS DC MOTOR FOR COGGING TORQUE MINIMISATION</b> .....                                     | 3789 |
| <i>P. Lefley, L. Petkovska, G. Cvetkovski</i>  |      |
| <b>A SIMPLE CURRENT CONTROL METHOD WITH INSTANTANEOUS REACTIVE POWER MINIMIZATION FOR FOUR-LEG INDIRECT MATRIX CONVERTERS</b> .....                        | 3797 |
| <i>M. Rivera, I. Contreras, J. Rodriguez, R. Pena, P. Wheeler</i>  |      |
| <b>FRT CAPABILITY OF DIRECT POWER CONTROLLED CONVERTERS CONNECTED BY AN ACTIVELY DAMPED LCL-FILTER FOR WIND POWER APPLICATIONS</b> .....                   | 3806 |
| <i>J. Reese, R. Lohde, F. Fuchs</i>  |      |
| <b>DEMONSTRATION OF 25 W/CM<sup>3</sup> CLASS ALL-SIC THREE PHASE INVERTER</b> .....   | 3816 |
| <i>K. Takao, T. Shinohe</i>  |      |
| <b>HEATING METHOD FOR FERROMAGNETIC METAL BY POWER FACTOR CONTROL</b> .....  | 3826 |
| <i>S. Kubota, N. Yamamoto, F. Ito, Y. Shimaoka</i>   |      |
| <b>ACTIVE CONTROL OF SERIES CONNECTED, VOLTAGE DRIVEN POWER DEVICES USING A SINGLE GATE DRIVE</b> .....  | 3836 |
| <i>P. Evans, N. Teerakawanich, C. Johnson</i>  |      |
| <b>PERFORMANCE ANALYSIS OF ACTIVE DAMPED SMALL DC-LINK CAPACITOR BASED DRIVE FOR UNBALANCED INPUT VOLTAGE SUPPLY</b> .....                                 | 3846 |
| <i>R. Maheshwari, S. Munk-Nielsen</i>  |      |
| <b>VECTOR CONTROL OF PRIMARY ACTIVE RECTIFIERS IN TRACTION CONVERTER WITH MEDIUM-FREQUENCY TRANSFORMER</b> .....   | 3856 |
| <i>V. Blahnik, J. Zak, Z. Peroutka</i>   |      |
| <b>MODELING OF FLUX REVERSAL MACHINES FOR DIRECT DRIVE APPLICATIONS</b> .....  | 3865 |
| <i>G. Pellegrino, C. Gerada</i>  |      |
| <b>OPTIMISED POWER CONVERTER FOR MULTI-MW DIRECT DRIVE PERMANENT MAGNET WIND TURBINES</b> .....  | 3875 |
| <i>R. Jones, P. Waite</i>  |      |
| <b>HYBRID SENSORLESS CONTROL OF AXIAL FLUX PERMANENT MAGNET MOTOR DRIVES, INCLUDING ZERO SPEED</b> .....   | 3885 |
| <i>P. Giangrande, D. Ronchetto, G. Pellegrino, F. Cupertino, C. Gerada, M. Sumner</i>  |      |
| <b>DEVELOPMENT OF A BOOST CONVERTER FOR PV SYSTEMS BASED ON SIC BJTS</b> .....   | 3893 |
| <i>A. Hensel, C. Wilhelm, D. Kranzer</i>   |      |
| <b>DESIGN APPROACH FOR THE COLD CATHODE FLUORESCENT LAMPS BACKLIGHT INVERTERS WITH LAMP CURRENT BALANCING CHOKES</b> .....                                 | 3900 |
| <i>T. Hsia, M. Lee, D. Chen, C. Ku</i>   |      |
| <b>MAGNET EDDY CURRENT LOSS CALCULATION METHOD FOR SEGMENTATION ANALYSIS ON PERMANENT MAGNET MACHINES</b> .....  | 3907 |
| <i>P. Madina, J. Poza, G. Ugalde, G. Almandoz</i>  |      |
| <b>A REVIEW ON SYNCHRONIZATION METHODS FOR GRID-CONNECTED THREE-PHASE VSC UNDER UNBALANCED AND DISTORTED CONDITIONS</b> .....                              | 3916 |
| <i>M. Boyra, J. Thomas</i>   |      |
| <b>AVERAGING METHODS FOR ELECTRICAL-THERMAL CONVERTER MODELS</b> .....   | 3926 |
| <i>J. Schonberger</i>  |      |
| <b>DESIGN AND SUPERVISION STRATEGIES FOR EMBEDDED ELECTRIC POWER VSYSTEMS EQUIPPED WITH ENERGY STORAGE DEVICES</b> .....                                   | 3934 |
| <i>F. Mollet, S. Breban, C. Saudemont, R. Meuret, B. Robyns</i>  |      |
| <b>PLANAR LAYER PERMEABILITY MEASUREMENT SETUP</b> .....   | 3942 |
| <i>C. Loeff, E. Waffenschmidt, R. Doncker</i>  |      |
| <b>A SIMPLE YET EFFICIENT DOUBLY-FED DRIVE/GENERATOR CONTROLLER</b> .....  | 3949 |
| <i>H. Chaal, M. Jovanovic, D. Atkinson, W. Chen</i>  |      |
| <b>ROBUST CONTROL OF UPFC FOR MV DISTRIBUTION GRID INTERCONNECTION UNDER UNBALANCED CONDITIONS</b> .....   | 3955 |
| <i>M. Boyra, J. Thomas, A. Benchaib</i>  |      |
| <b>EVALUATION AND PROPOSAL OF MMC-HVDC CONTROL STRATEGIES UNDER TRANSIENT AND STEADY STATE CONDITIONS</b> .....  | 3965 |
| <i>G. Bergna, M. Boyra, J. Vivas</i>   |      |
| <b>A NEW FAULT DETECTION METHOD FOR NPC CONVERTERS</b> .....   | 3975 |
| <i>P. Fazio, G. Maragliano, M. Marchesoni, G. Parodi</i>   |      |
| <b>INCORPORATION OF NON-LINEAR DYNAMICS TO THE OBSERVABILITY FORMULATION OF SHIPBOARD POWER SYSTEMS</b> .....  | 3985 |
| <i>J. Jimenez, C. Dafis, K. Miu, C. Nwankpa</i>  |      |
| <b>A HOLD-UP TIME EXTENDING METHOD FOR ASYMMETRICAL HALF-BRIDGE CONVERTER</b> .....  | 3995 |
| <i>J. Kim, S. Li</i>   |      |
| <b>POWER SANDWICH INDUSTRIAL DRIVE WITH SIC JFETS</b> .....  | 4002 |
| <i>I. Josifovic, J. Popovic-Gerber, J. Ferreira</i>  |      |
| <b>HIGH-FREQUENCY SOFT-SWITCHING CURRENT-FED INVERTER FOR OFF-GRID MICRO-GENERATION: FUEL CELL APPLICATION FOR RURAL ELECTRIFICATION/DEVELOPMENT</b> ..... | 4012 |
| <i>A. Rathore</i>  |      |

|  |      |
|--|------|
| <b>ELIMINATING CURRENT SENSORS OF INDIRECT MATRIX CONVERTER USING NEURO-FUZZY CONTROLLER</b> .....   | 4022 |
| <i>A. Jahangiri, A. Radan</i>  |      |
| <b>MIX-VOLTAGE POWER CONVERSION FOR SINGLE-INDUCTOR DUAL-OUTPUT (SIDO) BOOST CONVERTERS AND SIDO BIPOLAR CONVERTERS</b> .....  | 4032 |
| <i>C. Huang, D. Chen, T. Wu, Y. Chen</i>   |      |
| <b>3D INTEGRATION OF A THREE-PHASE BI-DIRECTIONAL POWER SWITCH</b> .....   | 4042 |
| <i>A. Solomon, A. Trentin, A. Castellazzi</i>  |      |
| <b>DESIGN AND IMPLEMENTATION OF THE DISTRIBUTED CONTROL FOR PARALLEL AC/DC CONVERTERS</b> .....  | 4050 |
| <i>U. Kamnarn, S. Yousawat, Y. Kanthaphayao, V. Chunkag</i>  |      |
| <b>DESIGN AND IMPLEMENTATION OF 50KW MULTI-STRING PHOTOVOLTAIC PCS USING THREE-PHASE INTERLEAVED DC-DC CONVERTERS</b> .....  | 4059 |
| <i>H. Cha, W. Lee, T. An</i>   |      |
| <b>A NOVEL POWER CONVERTER SUITABLE FOR CONTACTLESS POWER DISTRIBUTION WITH CAPACITIVE COUPLING USING SERIES-CONNECTED SWITCHED-MODE ACTIVE NEGATIVE CAPACITOR</b> .....                           | 4068 |
| <i>F. Hirohito, Y. Chiku</i>   |      |
| <b>RELIABILITY ANALYSIS OF DC POWER DISTRIBUTION NETWORK BASED ON MINIMAL CUT SETS</b> .....   | 4076 |
| <i>L. Zhang, S. Yang, L. Cai, L. Wang</i>  |      |
| <b>FAULT DETECTION IN MULTILEVEL CASCADED INVERTER USING PARK'S VECTOR APPROACH WITH BALANCED BATTERY POWER USAGE</b> .....  | 4083 |
| <i>R. Ventura, A. Mendes, A. Cardoso</i>   |      |
| <b>VALIDATION OF NON-LINEAR DYNAMIC FEM MODEL FOR DESIGN OF PM MACHINES WITH CONCENTRATED WINDINGS IN SHIP APPLICATION</b> .....   | 4093 |
| <i>H. Xuan, S. Ani, D. Lahaye, H. Polinder, J. Ferreira</i>  |      |
| <b>COMPARISON OF PRESS-PACK IGBT AT HARD SWITCHING AND CLAMP OPERATION FOR MEDIUM VOLTAGE CONVERTERS</b> .....   | 4102 |
| <i>R. Alvarez, F. Filsecker, S. Bernet</i>   |      |
| <b>A DUAL HIGH-SPEED PMSM MOTOR DRIVE EMULATOR WITH FINITE ELEMENT ANALYSIS ON FPGA CHIP WITH FULL FAULT TESTING CAPABILITY</b> .....  | 4109 |
| <i>Y. Inaba, S. Cense, T. Bachir, H. Yamashita, C. Dufour</i>  |      |
| <b>SPACE VECTOR MODULATION SCHEME TO MINIMIZE COMMON-MODE VOLTAGE GENERATED BY A THREE-PHASE HYBRID MULTILEVEL INVERTER</b> .....  | 4119 |
| <i>T. Jappe, S. Mussa, M. Heldwein, D. Caballero, A. Castillo</i>  |      |
| <b>RESONANT CONTROLLERS FOR THE CONTROL OF 4-LEG MATRIX CONVERTERS</b> .....   | 4128 |
| <i>R. Cardenas, C. Juri, R. Pena, P. Wheeler, J. Clare</i>   |      |
| <b>EMC BEHAVIOR OF PWM INVERTER STRUCTURE BASED ON COUPLED INTERLEAVED CELLS USING INTERCELL TRANSFORMERS</b> .....  | 4138 |
| <i>C. Gautier, F. Adam, E. Laboure, B. Revol</i>   |      |
| <b>CONTROL OF A HYBRID EXCITATION SYNCHRONOUS GENERATOR FOR A WIND ENERGY APPLICATION</b> .....  | 4148 |
| <i>E. Sedrine, L. Vido, I. Slama-Belkhdja, M. Gabsi</i>  |      |
| <b>METHOD OF EVALUATING THE ZERO-SEQUENCE INDUCTANCE RATIO FOR ELECTRICAL MACHINES</b> .....   | 4157 |
| <i>L. Sousa, H. Dogan</i>  |      |
| <b>A SIMPLE CALORIMETRIC SETUP FOR THE ACCURATE MEASUREMENT OF LOSSES IN POWER ELECTRONIC CONVERTERS</b> .....   | 4167 |
| <i>G. Dimitrakakis, E. Tatakis, A. Nanakos</i>   |      |
| <b>CONTROL OF A BRUSHLESS DOUBLY-FED INDUCTION GENERATOR VIA A MATRIX CONVERTER</b> .....  | 4176 |
| <i>A. Sureda, J. Clare, A. Munoz, R. Pena, P. Wheeler, R. Cardenas</i>   |      |
| <b>DIRECT TORQUE CONTROL AND VIRTUAL-FLUX BASED DIRECT POWER CONTROL OF CURRENT SOURCE CONVERTER IN WIND TURBINE APPLICATION</b> .....   | 4185 |
| <i>A. Nikolic, B. Jefstjenic</i>   |      |
| <b>EFFICIENCY IMPROVEMENT IN DC AND AC MOTOR POWERED ELECTRIC VEHICLES</b> .....   | 4195 |
| <i>J. Karatzafaris, L. Lampropoulos, E. Tatakis</i>  |      |
| <b>A FAULT TOLERANT DRIVE FOR HIGH SPEED PERMANENT MAGNET MACHINES</b> .....   | 4205 |
| <i>J. Wolmarans, H. Polinder, J. Ferreira, D. Zeilstra</i>   |      |
| <b>POWERING LOW-COST UTILITY SENSORS USING ENERGY HARVESTING</b> .....   | 4215 |
| <i>R. Moghe, D. Divan, F. Lambert</i>  |      |
| <b>PERFORMANCE ANALYSIS AND COMPARISON OF THREE IPMSM WITH HIGH HOMOPOLAR INDUCTANCE FOR ELECTRIC VEHICLE APPLICATIONS</b> .....   | 4225 |
| <i>H. Dogan, F. Wurtz, A. Foggia</i>   |      |
| <b>A NEW MULTIPLE COILS TOPOLOGY FOR DOMESTIC INDUCTION COOKING SYSTEM</b> .....   | 4235 |
| <i>M. Saoudi, D. Puyal, H. Samago, D. Anton, A. Mediano</i>  |      |
| <b>OPERATING CHARACTERISTICS OF A THREE-PHASE TO SINGLE-PHASE MATRIX CONVERTER WITH HYBRID CONTROL SCHEME OF POWER COMPENSATION AND MODULATION APPLIED TO GAS ENGINE COGENERATION SYSTEM</b> ..... | 4242 |
| <i>Y. Miura, T. Amano, T. Ise</i>  |      |

|   |      |
|---|------|
| <b>A NOVEL METHOD FOR COLLECTIVE DIMMING OF HIGH INTENSITY DISCHARGE LAMPS</b> .....  | 4252 |
| <i>M. Cheng, I. Mustapha, R. Shimada</i>  |      |
| <b>COMPARISON OF MULTILEVEL CONVERTER-BASED STATCOMS</b> .....  | 4261 |
| <i>J. Vivas, G. Bergna, M. Boyra</i>  |      |
| <b>FLUX-WEAKENING STRATEGIES FOR A FIVE-PHASE PM SYNCHRONOUS MACHINE</b> .....  | 4271 |
| <i>L. Lu, E. Semail, L. Kobylanski, X. Kestelyn</i>   |      |
| <b>FAULT RIDE THROUGH CAPABILITY FOR SOLAR INVERTERS</b> .....  | 4278 |
| <i>K. Fujii, N. Kanao, T. Yamada, Y. Okuma</i>  |      |
| <b>FREQUENCY / DUTY CYCLE CURRENT-MODE FUZZY CONTROL FOR LCC RESONANT CONVERTER</b> .....   | 4287 |
| <i>M. Hu, J. Bocker, N. Frohleke</i>  |      |
| <b>SENSORLESS CONTROL OF PERMANENT MAGNET SYNCHRONOUS MOTOR EMPLOYING EXTENDED KALMAN FILTER IN COMBINATION WITH HF INJECTION METHOD</b> .....                        | 4295 |
| <i>D. Vosmik, Z. Peroutka</i>   |      |
| <b>COMPARISON OF POWER CONVERTER CIRCUITS FOR HVDC WITH SMES</b> .....  | 4305 |
| <i>Z. Linn, H. Kakigano, Y. Miura, T. Ise</i>   |      |
| <b>LIQUID COOLING METHODS FOR POWER ELECTRONICS IN AN AUTOMOTIVE ENVIRONMENT</b> .....  | 4315 |
| <i>M. Baumann, J. Lutz, W. Wondrak</i>  |      |
| <b>POLY-PHASED MATRIX CONVERTER - A 27 INPUT PHASES TO 3 OUTPUT PHASES EXPERIMENTAL SET-UP RUNNING WITH HARD AND SOFT COMMUTATIONS</b> .....                          | 4323 |
| <i>A. Beguin, A. Rufer</i>  |      |
| <b>PRELIMINARY FEASIBILITY STUDY OF A SPEED ESTIMATOR FOR PIEZOELECTRIC ACTUATORS USED IN FORGING PROCESSES</b> .....   | 4333 |
| <i>C. Giraud-Audine, F. Giraud</i>  |      |
| <b>CONTACTLESS POWER SUPPLY SYSTEM WITH RESONANT CIRCUIT PARAMETER CHANGE COMPENSATION</b> .....  | 4343 |
| <i>S. Kalisiak, M. Marcinek, M. Holub, R. Palka</i>   |      |
| <b>CONTROL OF THE MODULAR MULTI-LEVEL CONVERTER FOR MINIMIZED CELL CAPACITANCE</b> .....  | 4351 |
| <i>S. Engel, R. Doncker</i>   |      |
| <b>PARALLEL/SERIES CONNECTION OF SELF-SUSTAINED OSCILLATING SERIES-PARALLEL RESONANT CONVERTERS</b> .....   | 4361 |
| <i>H. Aigner, J. Biela</i>  |      |
| <b>STEADY STATE LIFETIME ESTIMATION OF THE POWER SEMICONDUCTORS IN THE ROTOR SIDE CONVERTER OF A 2MWDFIG WIND TURBINE VIA POWER CYCLING CAPABILITY ANALYSIS</b> ..... | 4371 |
| <i>F. Fuchs, A. Mertens</i>   |      |
| <b>OPEN-LOOP APPROACH FOR CONTROL OF MULTI-TERMINAL DC SYSTEMS BASED ON MODULAR MULTILEVEL CONVERTERS</b> .....   | 4379 |
| <i>A. Haider, N. Ahmed, L. Angquist, H. Nee</i>   |      |
| <b>10KV/30KA UNIPOLAR ARBITRARY VOLTAGE SOURCE FOR HARDWARE-IN-THE-LOOP SIMULATION SYSTEMS FOR HVDC CIRCUIT BREAKERS</b> .....  | 4388 |
| <i>C. Carstensen, J. Biela</i>  |      |
| <b>NEW JUNCTION TEMPERATURE BALANCING METHOD FOR A THREE LEVEL ACTIVE NPC CONVERTER</b> .....   | 4398 |
| <i>D. Andler, E. Hauk, R. Alvarez, J. Weber, S. Bernet, J. Rodriguez</i>  |      |
| <b>ANALYSIS AND EVALUATION OF INTERLEAVED CLASS D-E RESONANT CONVERTER</b> .....  | 4407 |
| <i>L. Wu, W. Luo, H. Chiou</i>  |      |
| <b>ON UNDERSTANDING AND DRIVING SIC POWER JFETS</b> .....   | 4417 |
| <i>S. Basu, T. Undeland</i>   |      |
| <b>NOVEL SWITCHED RELUCTANCE MOTOR DRIVE CIRCUIT WITH VOLTAGE BOOST FUNCTION WITHOUT ADDITIONAL REACTOR</b> .....   | 4426 |
| <i>Y. Kido, A. Chiba, S. Ogasawara</i>  |      |
| <b>EFFICIENCY OPTIMIZATION OF A 30KW INTERLEAVED 4-CHANNELS DC/DC CONVERTER WITH VARIABLE NUMBER OF ACTIVE CHANNELS</b> .....   | 4436 |
| <i>M. Sakka, J. Mierlo, H. Gualous</i>  |      |
| <b>A CAPACITOR CHARGING POWER SUPPLY FOR REPETITIVE PULSED POWER SYSTEMS</b> .....  | 4444 |
| <i>A. Nami, T. Sakamoto, H. Akiyama, M. Akiyama</i>   |      |
| <b>ENERGY EFFICIENT STORAGE SYSTEMS IN THE DC LINK FOR THE DRIVE UNIT OF MACHINE TOOLS</b> .....  | 4453 |
| <i>R. Neugebauer, A. Kolesnikov, M. Richter</i>   |      |
| <b>MODEL PREDICTIVE CURRENT CONTROLLER FOR FOUR-LEG CONVERTERS UNDER UNBALANCED CONDITIONS</b> .....  | 4463 |
| <i>A. Ziani, A. Llor, M. Fadel</i>  |      |
| <b>TRANSFERABLE SKILLS AND ENGINEERING PRACTICES – CASE ANALOG SIGNAL PROCESSING</b> .....  | 4473 |
| <i>M. Kuisma, H. Niemela</i>  |      |
| <b>A SINGLE LOOP REPETITIVE VOLTAGE CONTROLLER FOR A FOUR LEGS MATRIX CONVERTER GROUND POWER UNIT</b> .....   | 4481 |
| <i>W. Rohouma, L. Lillo, S. Lopez, P. Zanchetta, P. Wheeler</i>   |      |
| <b>SMALL SIGNAL MODELLING AND STABILITY ANALYSIS OF MULTITERMINAL VSC-HVDC</b> .....  | 4490 |
| <i>A. Alsseid, D. Jovcic, A. Starkey</i>  |      |
| <b>A MATLAB SIMULINK MODEL FOR TOYOTA PRIUS 2004 BASED ON DOE REPORTS</b> .....   | 4500 |
| <i>H. Nasiri, A. Radan, M. Parizadeh, A. Ghayebloo</i>  |      |

|   |      |
|---|------|
| <b>EVALUATION OF A FLYBACK REGENERATIVE VOLTAGE EQUALISATION CIRCUIT FOR SERIES-CONNECTED SUPERCAPACITOR STACKS</b> .....                               | 4509 |
| <i>P. Kulsangcharoen, C. Klumpner, M. Rashed, G. Asher</i>  |      |
| <b>DESIGN AND OPTIMIZATION TECHNIQUES FOR THE CURRENT RETURN PATH IN A COMPOSITE AIRCRAFT</b> .....   | 4521 |
| <i>A. Goleanu, J. Guichon, M. Dunand, P. Glize, A. Freycon, J. Schanen, J. Coulomb</i>  |      |
| <b>MEASUREMENTS ON IGBTs AND DIODES SERIES CONNECTION</b> .....   | 4531 |
| <i>A. Kerim, J. Steinke, B. Oedegard, S. Reichert</i>   |      |
| <b>EFFECTS OF MACHINE ASYMMETRY ON A TWO-MACHINE DIRECT TORQUE CONTROLLED INDUCTION MOTOR DRIVE</b> .....   | 4541 |
| <i>B. Joshi, M. Chandorkar</i>  |      |
| <b>NOVEL BEARINGLESS SLICE MOTOR DESIGN WITH FOUR CONCENTRATED COILS FEATURING A UNIQUE OPERATIONAL BEHAVIOR</b> .....                                  | 4551 |
| <i>W. Gruber, W. Briewasser, W. Amrhein</i>   |      |
| <b>CHARACTERIZATION OF A NEW 1.2 KV IGBT 3L-NPC PHASE-LEG MODULE FOR LOW VOLTAGE APPLICATIONS</b> .....   | 4561 |
| <i>M. Sprenger, R. Alvarez, I. Staudt, S. Bernet</i>  |      |
| <b>IMPROVEMENTS IN SOA RUGGEDNESS OF 6.5 KV IGBTs</b> .....   | 4571 |
| <i>P. Bhatnagar, P. Waind, L. Coulbeck, I. Deviny, J. Thomson</i>   |      |
| <b>A SEPIC LED DRIVER WITH A HYBRID DIMMING TECHNIQUE FOR ROAD VEHICLES</b> .....   | 4579 |
| <i>Y. Hsieh, B. Liu, J. Wu, C. Fang, H. Tsai, Y. Juang</i>  |      |
| <b>SYSTEM INTEGRATION OF A VARIABLE SPEED GENERATOR SET: CHALLENGES AND SYSTEM DESIGN</b> .....   | 4586 |
| <i>J. Alcaraz, S. Haan, J. Ferreira</i>   |      |
| <b>DESIGN OF A 12-PULSE CYCLOCONVERTER WITH FAULT-TOLERANCE CAPABILITY</b> .....  | 4596 |
| <i>V. Barrfa, J. Olivares</i>   |      |
| <b>DC-AC INVERTER BASED ON A CYCLOCONVERTER OUTPUT STAGE WITH ACTIVE FILTER FOR PEAK POWER REDUCTION IN TRANSFORMER AND SWITCHES</b> .....              | 4606 |
| <i>N. Shattock, C. Klumpner, G. Asher</i>   |      |
| <b>A NEW METHOD FOR AC TRACTION DRIVE FREQUENCY CHARACTERISTIC MEASUREMENT</b> .....  | 4616 |
| <i>T. Glasberger, M. Janda, Z. Peroutka, J. Majorszky</i>   |      |
| <b>PRELIMINARY HARDWARE IMPLEMENTATION OF A SIX-PHASE QUAD-INVERTER INDUCTION MOTOR DRIVE</b> .....   | 4624 |
| <i>G. Grandi, P. Sanjeevikumar, D. Casadei</i>  |      |
| <b>DESIGN CONSIDERATIONS FOR CORE MATERIAL SELECTION AND OPERATING MODES FOR A HIGH FREQUENCY TRANSFORMER USED IN AN ISOLATED DC/DC CONVERTER</b> ..... | 4633 |
| <i>O. Hassan, C. Klumpner, G. Asher</i>   |      |
| <b>FLEPS: A POWER INTERFACE FOR POWER HARDWARE IN THE LOOP</b> .....  | 4644 |
| <i>A. Benigni, A. Helmedag, A. Abdalrahman, G. Pilatowicz, A. Monti</i>   |      |
| <b>NEW TYPE LCCT-Z-SOURCE INVERTERS</b> .....   | 4654 |
| <i>M. Adamowicz, R. Strzelecki, F. Peng, J. Guzinski, H. Abu Rub</i>  |      |
| <b>PVECLAB: INTERACTIVE POWER ELECTRONICS TRAINING, TEACHING AND EXPERIMENTATION TOOL</b> .....   | 4664 |
| <i>O. Santos, A. Pinto</i>  |      |
| <b>SUPERCAPACITORS-BASED ENERGY STORAGE FOR URBAN MASS TRANSIT SYSTEMS</b> .....  | 4673 |
| <i>F. Ciccarelli, D. Iannuzzi, D. Lauria</i>  |      |
| <b>WIND/PV/DIESEL ENERGY SYSTEM: MODELING AND SIZING OPTIMIZATION</b> .....   | 4683 |
| <i>L. Zhang, R. Belfkira, G. Barakat</i>  |      |
| <b>DYNAMIC CAPACITOR – VAR AND HARMONIC COMPENSATION WITHOUT INVERTERS</b> .....  | 4693 |
| <i>A. Prasai, D. Divan</i>  |      |
| <b>REDUCTION OF HIGH FREQUENCY ZERO SEQUENCE HARMONICS IN PARALLEL CONNECTED PV-INVERTERS</b> .....   | 4703 |
| <i>A. Bezzolato, M. Carmeli, L. Frosio, G. Marchegiani, M. Mauri</i>  |      |
| <b>FAULT RIDE THROUGH STUDY OF DOUBLY FED INDUCTION GENERATOR WIND TURBINE IN REAL-TIME SIMULATION ENVIRONMENT</b> .....                                | 4713 |
| <i>A. Makinen, P. Lauttamus, O. Raipala, S. Repo, H. Tuusa</i>  |      |
| <b>A NOVEL DESIGN METHODOLOGY MAXIMIZING THE WEIGHTED-EFFICIENCY OF FLYBACK INVERTER FOR AC PHOTOVOLTAIC MODULES</b> .....                              | 4723 |
| <i>A. Nanakos, E. Tatakis, G. Dimitrakakis, N. Papanikolaou, A. Kyritsis</i>  |      |
| <b>IMPACT OF DIFFERENT CONTROL SCHEMES ON THE LIFE CONSUMPTION OF POWER ELECTRONIC MODULES FOR VARIABLE SPEED WIND TURBINES</b> .....                   | 4733 |
| <i>M. Musallam, C. Johnson</i>  |      |
| <b>NOVEL HIGH EFFICIENCY MULTILEVEL DC-DC BOOST CONVERTER TOPOLOGIES AND MODULATION STRATEGIES</b> .....  | 4742 |
| <i>G. Butti, J. Biela</i>   |      |
| <b>ACTIVE DU/DT FILTER DIMENSIONING IN VARIABLE SPEED AC DRIVES</b> .....   | 4752 |
| <i>J. Strom, J. Tyster, J. Korhonen, M. Purhonen, P. Silventoinen</i>   |      |
| <b>OPEN-CIRCUITED SWITCH FAULT DETECTION FOR FAULT TOLERANT MATRIX CONVERTER MOTOR DRIVE SYSTEMS</b> .....  | 4759 |
| <i>S. Khwan-On, L. Lillo, L. Empringham, P. Wheeler</i>   |      |

|  |      |
|--|------|
| <b>MINIMIZING TEMPORAL SIMULATION TIME TO ESTIMATE COMMON MODE DISTURBANCES</b> .....  | 4768 |
| <i>D. Labrousse, B. Revol, C. Gautier, F. Costa</i>  |      |
| <b>CONNECTION AND DISCONNECTION TRANSIENTS FOR MICRO-GRIDS UNDER UNBALANCE LOAD CONDITION</b> .....  | 4776 |
| <i>J. Rocabert, G. Azevedo, I. Candela, F. Blaabjerg, P. Rodriguez</i>   |      |
| <b>DC-LINK VOLTAGE OSCILLATIONS REDUCTION DURING UNBALANCED GRID FAULTS FOR HIGH POWER WIND TURBINES</b> .....   | 4785 |
| <i>H. Miranda, R. Teodorescu, P. Rodriguez, L. Helle</i>   |      |
| <b>LIGHTING SYSTEMS: A COURSE FOR INCREASING POWER ELECTRONICS ATTRACTIVENESS IN NON-SPECIALIZED ENGINEER SCHOOL?</b> .....  | 4796 |
| <i>X. Margueron, P. Moigne, N. Bracikowski</i>   |      |
| <b>MULTIPHYSIC OPTIMAL DESIGN OF AN INVERTER FED PMSM AND CHOICE OF SWITCHING FREQUENCY</b> .....  | 4806 |
| <i>B. Daguse, X. Jannot, C. Ledoux, P. Lefranc, J. Vannier</i>   |      |
| <b>LED DIMMER AS VERSATILE HARDWARE PLATFORM FOR PRACTICAL EXERCISES IN POWER ELECTRONICS AND CONTROL COURSES</b> .....  | 4816 |
| <i>I. Galkin, A. Avotins, A. Suzdalenko</i>  |      |
| <b>MOTOR CONDITION MONITORING OF INDUCTION MOTOR WITH PROGRAMMABLE LOGIC CONTROLLER AND INDUSTRIAL NETWORK</b> .....   | 4825 |
| <i>M. Pineda-Sanchez, R. Puche-Panadero, M. Riera-Guasp, A. Sapena-Bano, J. Roger-Folch, J. Perez-Cruz</i>   |      |
| <b>POWER FLOW MANAGEMENT DESIGN FOR AN ELECTRIC PROPULSION SYSTEM OF A HYBRID CATAMARAN</b> .....  | 4835 |
| <i>S. Bolognani, A. Faggion, L. Sgarbossa</i>  |      |
| <b>OVERVIEW OF NOVEL LOSS-MITIGATING SCHEMES FOR HIGH-FREQUENCY-LINK INVERTERS WITH APPLICATION POTENTIAL FOR PHOTOVOLTAICS, WIND, FUEL CELL, ENERGY STORAGE, AND EV/HEV</b> ..... | 4844 |
| <i>S. Mazumder, A. Rahnamaee</i>   |      |
| <b>REDUCTION OF VOLTAGE VIOLATIONS AT REMOTE LOCATION BY INTELLIGENT ACTIVE AND REACTIVE POWER CONTROL OF A DFIG BASED WIND TURBINE</b> .....                                      | 4853 |
| <i>J. Costa, P. Zacharias, F. Gafaro</i>   |      |
| <b>A NEW CAPACITOR BALANCING TECHNIQUE IN DIODE-CLAMPED MULTILEVEL CONVERTERS WITH ACTIVE FRONT END FOR EXTENDED OPERATION RANGE</b> .....   | 4863 |
| <i>P. Fazio, G. Maragliano, M. Marchesoni, L. Vaccaro</i>  |      |
| <b>PERFORMANCES REGENERATION OF SUPERCAPACITORS DURING ACCELERATED AGEING TESTS IN POWER CYCLING</b> .....   | 4873 |
| <i>R. Chaari, O. Briat, J. Deletage, J. Vinassa</i>  |      |
| <b>THERMAL MODELING OF THE MODULE INTEGRATED DC-DC CONVERTER FOR FLEXIBLE THIN-FILM PV MODULES</b> .....   | 4880 |
| <i>M. Acanski, J. Popovic-Gerber, J. Ferreira</i>  |      |
| <b>CASCADED H-BRIDGE WITH BIDIRECTIONAL BOOST CONVERTERS FOR ENERGY STORAGE</b> .....  | 4890 |
| <i>I. Trintis, S. Munk-Nielsen, R. Teodorescu</i>  |      |
| <b>COMPARATIVE ESTIMATION OF EFFICIENCY OF LED DIMMERS AT DIFFERENT MODULATION TECHNIQUES</b> .....  | 4899 |
| <i>I. Galkin, O. Teteryonok, I. Milashevski</i>  |      |
| <b>OPTIMUM INPUT-FILTER-CAPACITOR SIZING FOR FUEL-CELL BASED SINGLE-PHASE INVERTER FOR CURRENT-RIPPLE MITIGATION</b> .....   | 4908 |
| <i>T. Sarkar, S. Mazumder</i>  |      |
| <b>EFFICIENCY MEASUREMENTS ON ACTIVE DU/DT OUTPUT FILTERING</b> .....  | 4917 |
| <i>J. Tyster, J. Strom, J. Korhonen, P. Silventoinen</i>   |      |
| <b>INVESTIGATIONS INTO COMMUTATION TORQUE RIPPLE REDUCTION IN A BDCM DRIVE USING VARIOUS COMBINED PWM-SQUARE-PWM CONTROL STRATEGIES</b> .....                                      | 4925 |
| <i>H. Zeroug, N. Tadrast, B. Boukais, H. Sahraoui, M. Moussaoui</i>  |      |
| <b>A SENSORLESS CONTROL METHOD FOR MAXIMUM POWER POINT TRACKING OF WIND TURBINE GENERATORS</b> .....   | 4935 |
| <i>Z. Ma</i>   |      |
| <b>SIX-PHASE PMSG WIND ENERGY CONVERSION SYSTEM BASED ON MEDIUM-VOLTAGE MULTILEVEL CONVERTER</b> .....   | 4945 |
| <i>M. Duran, S. Kouro, B. Wu, E. Levi, F. Barrero, S. Alepuz</i>   |      |
| <b>DYNAMIC MODELING OF MODULAR MULTILEVEL CONVERTERS</b> .....   | 4955 |
| <i>L. Harnefors, S. Norrga, A. Antonopoulos, H. Nee</i>  |      |
| <b>ENERGY-EFFICIENT CONTROL OF INDUCTION MOTOR SERVO DRIVES WITH OPTIMIZED MOTION AND FLUX TRAJECTORIES</b> .....  | 4965 |
| <i>F. Klenke, W. Hofmann</i>   |      |
| <b>PREDICTIVE ZERO-CROSSING DETECTION ALGORITHM BY TIME LOCALISED ITERATIVE LEAST-SQUARE TECHNIQUE</b> .....   | 4972 |
| <i>B. Basu, M. Basu</i>  |      |
| <b>BEHAVIORAL ANALYSIS OF A SINGLE-SWITCH STEP UP CONVERTER</b> .....  | 4979 |
| <i>E. Tatakis, M. Kalogeropoulou, G. Christidis</i>  |      |

|  |      |
|--|------|
| <b>FIRST PRINCIPLE AND ELECTRICAL SIMULATION WITH CHARACTERIZATION OF GAN/(4H)SIC HETEROSTRUCTURE VERTICAL PN POWER DIODE</b> .....  | 4989 |
| <i>S. Bose, S. Mazumder</i>  |      |
| <b>PREDICTIVE CONTROL OF A GRID-CONNECTED CASCADED H-BRIDGE MULTILEVEL CONVERTER</b> .....   | 4997 |
| <i>P. Cortes, F. Quiroz, J. Rodriguez</i>  |      |
| <b>CALORIMETRIC COMPARISON OF THE USE OF SILICON CARBIDE DIODES IN A 100KW MATRIX CONVERTER FOR AEROSPACE APPLICATIONS</b> .....   | 5004 |
| <i>L. Empringham, L. Lillo, P. Wheeler, J. Clare</i>   |      |
| <b>A HIGH POWER DENSITY SIC-JFET-BASED MATRIX CONVERTER</b> .....  | 5011 |
| <i>L. Lillo, L. Empringham, M. Schulz, P. Wheeler</i>  |      |
| <b>ANALOG-TO-DIGITAL CONVERTER FOR INPUT VOLTAGE MEASUREMENTS IN LOW-POWER DIGITALLY CONTROLLED SWITCH-MODE POWER SUPPLY CONVERTERS</b> .....  | 5019 |
| <i>A. Radic, S. Ahsamuzzaman, A. Parayandeh, A. Prodic</i>   |      |
| <b>NEURAL NETWORK AIDED UNSCENTED KALMAN FILTER FOR SENSORLESS CONTROL OF PMSM</b> .....   | 5027 |
| <i>J. Talla, Z. Peroutka</i>   |      |
| <b>BUCK TYPE (8KA, 10V) HIGH FREQUENCY QUASI-RESONANT CONVERTER</b> .....  | 5036 |
| <i>I. Colak</i>  |      |
| <b>EXPERIMENTAL AND SIMULATION METHODS FOR EVALUATION OF ELECTRICAL BICYCLE MOTOR DRIVES ON RIDING PROFILES</b> .....  | 5046 |
| <i>G. Sincero, J. Cros, M. Kakhki, C. Martins</i>  |      |
| <b>DIODE BASED HVDC LINK FOR THE CONNECTION OF LARGE OFF-SHORE WIND FARMS WITH SELF START CAPABILITY</b> .....   | 5056 |
| <i>R. Blasco-Gimenez, S. Ano-Villalba, J. Derlee, S. Bernal-Perez</i>  |      |
| <b>A COMPARATIVE STUDY OF PREDICTIVE CURRENT CONTROL FOR THREE-PHASE VOLTAGE SOURCE INVERTERS BASED ON SWITCHING FREQUENCY AND CURRENT ERROR</b> .....                                   | 5065 |
| <i>P. Cortes, L. Vattuone, J. Rodriguez</i>  |      |
| <b>LINE IMPEDANCE ESTIMATION USING MODEL BASED IDENTIFICATION TECHNIQUE</b> .....  | 5073 |
| <i>M. Ciobotaru, V. Agelidis, R. Teodorescu</i>  |      |
| <b>HIGH PERFORMANCE STATIONARY FRAME AC CURRENT REGULATION INCORPORATING TRANSPORT DELAY COMPENSATION</b> .....  | 5082 |
| <i>B. McGrath, S. Parker, D. Holmes</i>  |      |
| <b>A 2.5KV TO 22V, 1KW RADAR DECOY POWER SUPPLY USING SILICON CARBIDE SEMICONDUCTOR DEVICES</b> .....  | 5092 |
| <i>A. Jain, D. McIntosh, M. Jones, B. Ratliff</i>  |      |
| <b>A THREE-PHASE HYBRID FILTER FOR MEDIUM VOLTAGE APPLICATIONS USING AN H-BRIDGE</b> .....   | 5102 |
| <i>J. Candela, P. Rodriguez, K. Nisak, K. Rauma, J. Hermoso, I. Etxeberria</i>   |      |
| <b>AUTONOMOUS OPERATION OF HYBRID MICROGRID WITH AC AND DC SUB-GRIDS</b> .....   | 5111 |
| <i>P. Loh, F. Blaabjerg</i>  |      |
| <b>A NEW METHODOLOGY TO OPTIMIZE THE EFFICIENCY OF A MULTI-SOURCES AND MULTI-CONVERTERS SYSTEM UNDER HARMONIC CONSTRAINTS. APPLICATION TO LIGHT RAIL SYSTEM</b> .....                    | 5121 |
| <i>R. Vial, D. Riu, N. Reteire</i>   |      |
| <b>PRACTICAL EVALUATION OF RECTANGULAR-VOLTAGE-FED DISTRIBUTION SYSTEM LOADED BY CHOKE-INPUT TYPE THREE-PHASE DIODE RECTIFIER THROUGH DELTA/STAR WINDING ISOLATION TRANSFORMER</b> ..... | 5131 |
| <i>Y. Nishida, H. Ohyama, T. Takeshita</i>   |      |
| <b>A CURRENT SYMMETRICAL HYBRID MULTILEVEL DC-AC CONVERTER</b> .....   | 5137 |
| <i>T. Jappe, S. Mussa, M. Heldwein</i>   |      |
| <b>POWER CONDITIONING SYSTEM WITH CASCADED H-BRIDGE MULTILEVEL CONVERTER – DC-LINK VOLTAGE BALANCING METHOD</b> .....  | 5146 |
| <i>M. Zygmanski, B. Grzesik, J. Michalak</i>   |      |
| <b>BUCK AC/DC CONVERTER FOR AIRCRAFT APPLICATIONS</b> .....  | 5156 |
| <i>M. Taha</i>   |      |
| <b>FLUX-WEAKENING IN IPM MOTOR DRIVES: COMPARISON OF STATE-OF-ART ALGORITHMS AND A NOVEL PROPOSAL FOR CONTROLLER DESIGN</b> .....  | 5166 |
| <i>S. Bolognani, S. Calligaro, R. Petrella, F. Pogni</i>   |      |
| <b>BUDDY BIDIRECTIONAL SUPPLY FOR TRACTION SUBSTATIONS</b> .....   | 5177 |
| <i>W. Jager</i>  |      |
| <b>MOTOR DRIVE COMMON-MODE EMI REDUCTION BY PASSIVE NOISE CANCELLATION</b> .....   | 5187 |
| <i>L. Xing, J. Sun</i>   |      |
| <b>PSIM BASED DYNAMIC SIMULATOR FOR ANALYSIS OF SPHEV OPERATION</b> .....  | 5196 |
| <i>D. Lim, N. Windarko, J. Choi</i>  |      |
| <b>N-TYPE DOPING OF SILICON BY PROTON IMPLANTATION</b> .....   | 5207 |
| <i>J. Klug, J. Lutz, J. Meijer</i>   |      |
| <b>ONE MORE WAY TO INCREASE THE RECOVERY SOFTNESS OF FAST HIGH-VOLTAGE DIODES</b> .....  | 5214 |
| <i>A. Chernikov, V. Gubarev, A. Stavtsev, A. Surma, I. Vetrov</i>  |      |
| <b>CURRENT CONTROL DESIGN WITH A FRACTIONAL-ORDER PID FOR A THREE-LEVEL INVERTER</b> .....   | 5224 |
| <i>K. Tehrani, S. Hamzaoui</i>   |      |
| <b>OPTIMAL STRUCTURE SELECTION FOR SMALL-SIZE HYBRID RENEWABLE ENERGY PLANTS</b> .....   | 5231 |
| <i>A. Testa, S. Caro, T. Scimone</i>   |      |

|   |      |
|---|------|
| <b>SPACE VECTOR MODULATION SCHEME FOR SIX-SWITCH TWO THREE-PHASE OUTPUT INVERTER</b> .....  | 5241 |
| <i>N. Hoshi, T. Ogawa</i>   |      |
| <b>AN ELECTRIC VEHICLE MODEL AND A DRIVING CYCLE FOR MAIL DELIVERY USE</b> .....  | 5251 |
| <i>H. Al Jed, A. Mize, R. Simon, J. Vinassa</i>   |      |
| <b>TEACHING DRIVE CONTROL USING ENERGETIC MACROSCOPIC REPRESENTATION – SUMMER SCHOOLS</b> .....   | 5259 |
| <i>A. Bouscayrol, P. Barrade, L. Boulon, K. Chen, Y. Cheng, P. Delarue, F. Giraud, B. Lemaire-Semail, T. Letrouve, W. Lhomme, P. Sicard</i> |      |
| <b>IMPACT OF SOURCE METALLIZATION AGEING ON THERMO-MECHANICAL CHARACTERISTICS OF A VERTICAL POWER DEVICE</b> .....                          | 5265 |
| <i>E. Marcault, M. Breil, A. Bourennane, P. Tounsi, D. Martineau, P. Dupuy</i>  |      |
| <b>A MONOLITHICALLY INTEGRATED VERTICAL BIDIRECTIONAL IGBT HAVING ALL THE MAIN ELECTRODES ON THE FRONT SIDE</b> .....                       | 5272 |
| <i>H. Tahir, A. Bourennane, J. Sanchez, M. Breil, J. Crebier, L. Pont, G. Sarrabayrouse</i>   |      |
| <b>A NEW 3-PHASE DIRECT MODULAR MULTILEVEL CONVERTER</b> .....  | 5281 |
| <i>L. Baruschka, A. Mertens</i>   |      |
| <b>SPEED ESTIMATION USING ANFIS WITH THE ADAPTIVE CONTROLLER OF MAGNETICALLY SATURATED INDUCTION MOTOR</b> .....                            | 5291 |
| <i>M. Hassan, M. Ismail</i>   |      |
| <b>DC CIRCULATING CURRENT FOR CAPACITOR VOLTAGE BALANCING IN MODULAR MULTILEVEL MATRIX CONVERTER</b> .....                                  | 5301 |
| <i>C. Oates, G. Mondal</i>  |      |
| <b>MODULAR QUASI-8-LEVEL INVERTER TOPOLOGY BY BINARY VOLTAGE ADDING THROUGH TRANSFORMERS WITH TEST BENCH RESULTS</b> .....                  | 5308 |
| <i>H. Weiss</i>   |      |
| <b>ANALYSIS, CONTROL AND COMPARISON OF DC/DC BOOST CONVERTER TOPOLOGIES FOR FUEL CELL HYBRID ELECTRIC VEHICLE APPLICATIONS</b> .....        | 5316 |
| <i>O. Hegazy, J. Mierlo, P. Lataire</i>   |      |
| <b>TOYOTA'S ACTIVITIES ON POWER ELECTRONICS FOR FUTURE MOBILITY</b> .....   | 5326 |
| <i>K. Harnada</i>   |      |
| <b>DRIVETRAIN ARCHITECTURES AND THEIR IMPACT ON THE CHOICE OF THE ELECTRICAL MACHINE</b> .....  | 5327 |
| <i>A. Mathoy</i>  |      |
| <b>POWER TRANSMISSION WITH POWER ELECTRONICS</b> .....  | 5328 |
| <i>C. Davidson</i>  |      |
| <b>TECHNICAL CHALLENGES OF REALISING MULTI-TERMINAL NETWORKING WITH VSC</b> .....   | 5338 |
| <i>R. Whitehouse</i>  |      |
| <b>MODULAR MULTILEVEL CONVERTERS AND HVDC/FACTS: A SUCCESS STORY</b> .....  | 5350 |
| <i>H. Knaak</i>   |      |
| <b>INVESTIGATION OF NEEL EFFECT TECHNOLOGY FOR CURRENT SENSORS IN NEXT-GENERATION AERONAUTICAL APPLICATIONS</b> .....                       | 5356 |
| <i>A. Bouzourene, T. Bensalah</i>   |      |
| <b>RELIABILITY OF INSULATING SUBSTRATES - HIGH TEMPERATURE POWER ELECTRONICS FOR MORE ELECTRIC AIRCRAFT</b> .....                           | 5366 |
| <i>A. Schletz, M. Nomann, M. Rauch, S. Kraft, S. Egelkraut</i>  |      |
| <b>STABILITY OF THREE-PHASE GRID-CONNECTED INVERTERS</b> .....  | 5373 |
| <i>Y. Qiu, L. Xiao, N. Zhang, Z. Yao</i>  |      |
| <b>WIND POWER COLLECTION AND TRANSMISSION WITH SERIES CONNECTED CURRENT SOURCE CONVERTERS</b> .....   | 5382 |
| <i>H. Lee, S. Sul</i>   |      |
| <b>DIRECT POWER CONTROL STRATEGIES OF A GRID-CONNECTED THREE-LEVEL VOLTAGE SOURCE CONVERTER VSI-NPC</b> .....                               | 5392 |
| <i>R. Zaimedine, T. Undeland</i>  |      |
| <b>RELIABILITY EVALUATION OF POWER SYSTEM WITH LARGE-SCALE WIND FARM INTEGRATION USING FIRST-ORDER RELIABILITY METHOD</b> .....             | 5399 |
| <i>M. Do, J. Sprooten, S. Clenet, B. Robyns</i>   |      |
| <b>STABILITY ANALYSIS OF AN OFFSHORE GRID SUPPLIED BY A HVDC-VSC</b> .....  | 5409 |
| <i>M. Theisen, O. Rui, T. Gjengedal</i>   |      |
| <b>POWER ELECTRONIC CONVERTERS IN WIND ENERGY SYSTEMS - CONSIDERATIONS OF RELIABILITY AND STRATEGIES FOR INCREASING AVAILABILITY</b> .....  | 5419 |
| <i>M. Boettcher, F. Fuchs</i>   |      |
| <b>PARAMETRIC SENSITIVITY OF TRANSIENTS IN AN ISLANDED SYSTEM WITH AN OFFSHORE WIND FARM CONNECTED TO AN OIL PLATFORM</b> .....             | 5429 |
| <i>A. Ardal, S. D'Arco, R. Torres-Olguin, T. Undeland, K. Shrarifabadi</i>  |      |
| <b>POWER SYSTEM ISLANDING OPERATION SUPPORT BY WIND POWER PLANTS</b> .....  | 5439 |
| <i>P. Balram, N. Ullah, A. Le</i>   |      |
| <b>POWER CONVERSION SYSTEM FOR TRANSFORMER-LESS OFFSHORE WIND TURBINE</b> .....   | 5449 |
| <i>S. Gjerde, T. Undeland</i>   |      |



**HYBRID SIMULATION METHODS TO PERFORM GRID INTEGRATION STUDIES FOR LARGE SCALE  
OFFSHORE WIND POWER CONNECTED THROUGH VSC-HVDC ..... 5459**

*A. Meer, R. Hendriks, M. Gibescu, J. Ferreira, W. Kling*

**Author Index**